

# Index

## A

- Abia, S., 425
- Accumulation in bioreactors, 435
- Acetaldehyde  
 in alcohol metabolism, 441–445  
 decomposition of, 378  
 from ethanol, 321–324  
 ethanol from, 418  
 pyrolysis of, 456
- Acetic acid production, 608–614
- Acetic anhydride  
 cytidine reaction with, 912–914  
 production of, 504–505  
 adiabatic operation, 505–508  
 PFR with heat exchange for, 508–510  
 variable ambient temperature for, 510–511
- Acetylation reactions, 216
- Acetylene production, 370
- Acrolein formation, 392
- Activation energies  
 in acetic acid production, 611–612  
 ARSST for, 605  
 barrier height for, 93  
 and bond strength, 97–98  
 determination of, 95–97  
 in rate laws, 85  
 and reaction coordinates, 92
- Active intermediates, 377–379  
 chain reactions in, 386–391  
 for enzymatic reactions, 394  
 mechanism searches in, 383–386
- PSSH in, 379–383  
 reaction pathways in, 391–394  
 summary, 447–449
- Active learners, 1047
- Active sites  
 in catalysts, 650–651, 661–662  
 in enzymes, 395–396
- Adenosene diphosphate (ADP)  
 from adenosine triphosphate, 858–859  
 in biosynthesis, 420
- Adenosine triphosphate (ATP)  
 adenosine diphosphate from, 858–859  
 in biosynthesis, 420
- ADH (alcohol dehydrogenase), 412, 418, 466–467
- Adiabatic operations  
 in acetic anhydride production, 505–508  
 batch reactors, 594–598  
 butane liquid-phase isomerization, 62–65  
 CSTRs, 526–531  
 energy balance of, 478–479  
 batch reactors, 594–598  
 equilibrium temperature, 514–515  
 in steady-state nonisothermal design, 486–487  
 tubular reactors, 488
- exothermic irreversible gas-phase reactions, 75–76  
 in nitroaniline production, 603  
 propylene glycol production in, 526–531, 595–598
- temperature and equilibrium conversion, 512–520  
 tubular reactors, 487–495
- Adjustable parameters for nonideal reactors, 946
- ADP (adenosene diphosphate)  
 from adenosine triphosphate, 858–859  
 in biosynthesis, 420
- Adsorption, 650  
 of cumene, 672–677  
 in CVD, 701–703  
 dissociative, 287, 662, 664–665, 702  
 equilibrium constant, 663  
 isotherms, 661–666  
 rate constant, 663  
 in toluene hydrodemethylation, 691
- Advanced Reaction System Screening Tool (ARSST), 605–608  
 in acetic acid production, 608–614  
 in reaction orders, 638–640
- Aerobic organism growth, 421
- Aerosol reactors, 232–233, 235
- Affinity constant in Michaelis-Menten equation, 400
- Aging in catalyst deactivation, 650, 709–712
- Air bags, 133–134
- Air pollution, 32–33, 392
- Alcohol dehydrogenase (ADH), 412, 418, 466–467
- Alcohol metabolism, 393–394, 441

- Alcohol metabolism (*cont.*)  
 central compartment in, 443  
 G.I. tract component in, 443  
 liver compartment in, 444–445  
 model system for, 441–442  
 problem for, 1041–1042  
 stomach in, 442–443
- Algorithms  
 complex reactions, 327  
 mole balances, 327–328  
 net rates of reaction, 329–334  
 stoichiometry, 334–335
- CRE problems, 146  
 data analysis, 254–255  
 ethylene glycol production, 154  
 vs. memorizing, 144
- Aliphatic alcohol, 385
- Alkenes, ozone reactions with, 298
- Alkylation reactions, 652–653
- Alpha order reactions, 83
- Alumina-silica catalyst, 741–742
- Amino acids  
 in chymotrypsin enzyme, 395  
 synthesis of, 420
- Ammonia  
 from hydrogen and nitrogen,  
 670–671  
 nitroaniline from, 599–605  
 oxidation of, 351–355  
 production of, 747–748  
 from urea, 406–407
- Ammonolysis, 216
- Amylase, 395
- Analytical solution for pressure  
 drop, 181, 185–195
- Anseth, Kristi, 823
- Antibiotics  
 coating on, 807–808  
 production of, 419, 423
- Antifreeze  
 from ethylene glycol, 163  
 from ethylene oxide, 191
- Antithrombin, 326
- Apoenzymes, 418
- Apparent reactions  
 in azomethane decomposition,  
 381  
 in falsified kinetics, 833–834  
 in kinetic rate law, 87
- Approximations  
 in ethylene glycol production,  
 153  
 in segregation model, 909
- Aqueous bromine, photochemical  
 decay of, 297–298
- ARA (attainable region analysis),  
 360–361
- Area balance in CVD, 702
- Aris-Taylor analysis for laminar  
 flow, 975–978
- Aris-Taylor dispersion  
 in dispersion model, 955  
 in tubular reactors, 963–964
- Arrhenius equation, 92, 95, 98
- Arrhenius temperature depen-  
 dence, 407
- ARSST (Advanced Reaction Sys-  
 tem Screening Tool),  
 605–608  
 in acetic acid production,  
 608–614  
 in reaction orders, 638–640
- Arterial blood  
 in capillaries, 295  
 in eyes, 898
- Artificial kidneys, 397
- ase suffix, 395
- Aspen program, 194  
 explanation of, 1031  
 instructions for, 1015
- Aspirin, 409
- Assumptions  
 in ethylene glycol production,  
 153  
 in tubular reactor radial and  
 axial variations, 559
- Asymmetric distribution  
 in maximum mixedness model,  
 932  
 in segregation model, 931
- Atoms  
 in diffusion, 758  
 in reaction, 80
- ATP (adenosine triphosphate)  
 adenosine diphosphate from,  
 858–859  
 in biosynthesis, 420
- Attainable region analysis (ARA),  
 360–361
- Autocatalytic growth, 74–75
- Autocatalytic reactions, 421
- Automobiles  
 emissions  
 nitrogen oxides in, 298–299,  
 742–743  
 in smog formation, 32–33,  
 392–393  
 green gasolines, 584
- Average molar flux in diffusion,  
 774
- Axial diffusion, 781
- Axial dispersion  
 in dispersion model, 955  
 in packed beds, 844
- Axial variations in tubular reac-  
 tors, 551–561
- Ayen, R. J., 747
- Azomethane decomposition,  
 ethane and nitrogen from,  
 379–383
- B**
- Back-of-the-envelope calcula-  
 tions, 788
- Backmix reactors. *See* Continuous-  
 stirred tank reactors  
 (CSTRs)
- Bacteria, 418. *See also* Cells  
 in batch reactors, 432–434  
 in cell growth, 421–423  
 in enzyme production, 394  
 in ethanol production, 240  
 predictor prey relationships in,  
 464  
 in yogurt postacidification, 459
- Bailey, J. E., 421
- Balance dispersion, 957
- Balance equations in diffusion,  
 769–770
- Balance in CSTRs, 980
- Balance on A in semibatch reac-  
 tors, 220
- Balance on coolant in tubular reac-  
 tors, 499–511
- Balance on hydrogen in membrane  
 reactors, 209–210, 212
- Balance on reactor volume in  
 CSTR parameter modeling,  
 984
- Bartholomew, C., 713, 715
- Basis of calculation in conver-  
 sions, 38
- Batch reactors  
 adiabatic operation of, 594–598  
 bacteria growth in, 432–434  
 bioreactors, 431  
 catalyst sintering in, 711–712  
 concentration equations for,  
 102–103  
 constant-volume, 103–106  
 cylindrical, 138  
 data analysis methods, 256–257  
 differential, 257–266  
 integral, 267–271  
 nonlinear regression, 271–277  
 design equations for, 38–40, 99  
 energy balance of, 477, 594–598  
 enzymatic reaction calculations,  
 404–407

- evaluation of, 290–291
  - with interrupted isothermal operation, 599–605
- journal critique problems, 250
- mean conversion in, 910, 913
- mole balances on, 10–12
  - in design equations, 39
  - enzymatic reactions, 404
  - gas phase, 200–202
  - integral data analysis, 267
  - liquid phase, 200
- RTDs in, 885–886
- space time in, 67
- stoichiometry in, 100–106
  - with variable volume, 109–111
- Batch-type experiments, 6
- Bed fluidicity in hydrazine decomposition, 788
- Benzene
  - adsorption of, 676
  - catalysts in production of, 647
  - from cumene, 5
  - from cyclohexane, 804–805
  - desorption of, 675, 678–680
  - ethylbenzene from, 652–653
  - in Langmuir-Hinshelwood kinetics, 672
  - in reversible reactions, 89–90
  - from toluene, 87, 688–698
- Benzene diazonium chloride, decomposition of, 95
- Berra, Yogi
  - on observation, 253
  - on questions, 29
  - on termination, 757
- Berzelius, J., 645–646
- Best estimates of parameter values in nonlinear regression, 273
- Beta order reactions, 83
- Bifurcation problems, 567, 588
- Bimodal distributions, 932
- Bimolecular reactions, 80
- Binary diffusion, 760–765
- Bioconversions, 419
- Biomass reactions
  - in biosynthesis, 419
  - in nonisothermal reactor design, 577–578, 637–638
  - in reaction rate law, 86
- Biomedical engineering, RTDs for, 898
- Bioprocessing design problem, 1040
- Bioreactors, 418–420
  - autocatalytic growth in, 74–75
  - cell growth in, 422–423
  - chemostats, 137, 434–435
    - design equations for, 435–436
    - journal critique problems, 250, 469
    - mass balances in, 431–434
    - oxygen-limited growth in, 438–439
    - rate laws in, 423–425
    - scale-up in, 439
    - stoichiometry in, 426–430
    - summary, 447–449
    - supplementary reading for, 470
    - wash-out in, 436–438
- Biosynthesis, 418–419
- Birth control patches, 772
- Bischoff, K. B., 960
- Blindness from methanol, 412, 466–467
- Blood coagulation, 325–326, 362, 370
- Blood detoxification, 898
- Blood flows
  - in alcohol metabolism, 442
  - in capillaries, 295
  - in pharmacokinetic models, 440
- Blowout velocity in multiple steady states, 539
- Bodenstein number
  - in dispersion and T-I-S models, 974
  - in tubular reactors, 958
- Boltzmann's constant, 1017
- Bomb calorimeter reactors
  - constant-volume reactors, 103
  - for reaction rate data, 40
- Bond distortions in reaction systems, 93–94
- Bonding
  - for enzyme-substrate complex, 396
  - in interstage cooling, 519
- Bonding strength
  - and activation energies, 97–98
  - catalysts in, 653
- Boundary conditions
  - cartilage forming cells, 825–826
  - catalyst carbon removal, 795
  - diffusion, 659, 765, 768, 771, 773, 819, 822
  - dispersion coefficient determination, 967–970
  - dispersion models, 1032
  - mass transfer to single particles, 778, 780
  - maximum mixedness model, 918–922
  - spherical catalyst pellets, 819, 822
  - tubular reactors, 557, 560, 958–962
- Bounded conversions in nonideal reactors, 946
- Brenner, H., 963
- Briggs-Haldane Equation, 404
- Bromine cyanide in methyl bromide production, 220–223
- Bubble residence time, 869
- Bulk concentration
  - in diffusion and reaction, 838
  - in mass transfer to single particles, 778
- Bulk density
  - in packed bed flow, 179
  - in pressure drop, 188
- Bulk diffusivity, 815
- Bulk flow term in diffusion, 767
- Bulk phase, diffusion in, 770
- Burns, Mark, 408
- Butadiene
  - from ethanol, 306
  - for synthetic rubber, 654
- Butane
  - butene from, 211
  - from cyclobutane, 379
  - from ethane, 387
  - isomerization of, 62–64, 490–495, 497–499
- Butanol dehydration, 741–742
- Butene from butane, 211
- Butt, J. B., 707
- Butyl alcohol (TBA), 740
- Bypassing
  - in CSTRs, 893–894, 979–985, 988–990
  - in tubular reactors, 895–896
- C**
- C curves
  - in pulse input experiment, 871–876
  - in single-CSTR RTDs, 887
- Cajun seafood gumbo, 1040–1041
- Calcium magnesium carbonate, dissolution in hydrochloric acid, 278
- Calculations
  - back-of-the-envelope, 788
  - for enzymatic reactions, 404–407
  - for propylene glycol production, 528

- Calorimeters  
 ARSST, 605–614  
 bomb, 40, 103  
 Cape, E. G., 898  
 Capillaries, arterial blood in, 295  
 Carbon dioxide  
 in acetaldehyde formation,  
 321–324  
 from spartanol, 751–752  
 from urea, 406–407  
 Carbon disulphide, 805  
 Carbon monoxide  
 adsorption of, 662–664  
 methane from, 284–288  
 Carbon removal in catalyst regen-  
 eration, 793–797  
 Cartilage forming cells, 823–827  
 Cascades of CSTRs, 23  
 Catalysts and catalytic reactors,  
 645  
 adsorption isotherms, 661–666  
 benzene rate-limiting, 678–680  
 carbon removal in, 793–797  
 catalysis, 646–647  
 CD-ROM material, 736–738  
 classification of, 652–655  
 cracking, 725–728  
 deactivation of, 650, 707–709  
 by coking and fouling,  
 712–713  
 empirical decay laws in,  
 716–720  
 in moving-bed reactors,  
 722–728  
 by poisoning, 713–716  
 by sintering, 709–712  
 in STTRs, 728–732  
 temperature-time trajectories  
 in, 721–722  
 definitions, 646–647  
 desorption, 668–669  
 for differential reactors,  
 281–282  
 diffusion in  
 from bulk to external trans-  
 port, 658–659  
 differential equation for,  
 816–819, 822–823  
 dimensionless form, 819–822  
 effective diffusivity in,  
 814–816  
 through film, 766–770  
 internal, 660–661  
 for tissue engineering,  
 823–827  
 in ethylene oxide production,  
 195  
 heterogeneous data analysis for,  
 688–689  
 mechanisms in, 691–692  
 rate laws in, 689–690,  
 692–694  
 reactor design, 693–698  
 in heterogeneous reactions, 88  
 journal critique problems,  
 753–755  
 membrane reactors, 207–208  
 in microelectronic fabrication,  
 698–700  
 Chemical Vapor Deposition  
 in, 701–704  
 etching in, 700  
 model discrimination in,  
 704–707  
 in moving-bed reactors,  
 722–728  
 properties of, 648–652  
 questions and problems,  
 738–753  
 rapid reactions on, 776–780  
 rate laws, 671–674  
 deducing, 689–690  
 derived from PSSH,  
 684–687  
 evaluating, 692–694  
 temperature dependence of,  
 687–688  
 rate-limiting, 669–674, 677–680  
 reforming, 681–685  
 regeneration of, 793–797  
 shell balance on, 816  
 steps in, 655–671  
 summary, 733–736  
 supplementary reading, 755–756  
 surface reaction in, 666–668  
 weight  
 ethylene oxide, 191  
 heterogeneous reactions, 6  
 membrane reactors, 209  
 PBR, 45, 179  
 with pressure drop, 186–190  
 Catalytic afterburners, 714  
 Catalytic dehydration of methanol,  
 742  
 CD-ROM material  
 active intermediates, enzymatic  
 reactions, pharmacokinetic  
 models, and bioreactors,  
 449–453  
 catalysts, 736–738  
 components, 1043–1045  
 conversion and reactor sizing,  
 71–72  
 diffusion, 801–802, 852–855  
 isothermal reactor design,  
 231–234  
 for learning styles, 1046–1047  
 mole balances, 26–29  
 multiple reactions, 359–361  
 navigating, 1045–1046  
 nonideal reactors, 994–995  
 nonisothermal reactor design  
 steady-state, 566–588  
 unsteady-state, 630–632  
 open-ended problems,  
 1039–1042  
 rate data collection and analysis,  
 293–294  
 rate laws and stoichiometry,  
 126–130, 139–140  
 RTDs, 934–935  
 Cells  
 cartilage forming, 823–827  
 growth and division, 420–423  
 chemostats for, 137, 434–435  
 design equations for, 435–436  
 and dilution rate, 437  
 Luedeking-Piret equation,  
 429  
 mass balances in, 431–434  
 oxygen-limited, 438–439  
 rate laws in, 423–425, 428  
 stoichiometry in, 426–430  
 wash-out in, 436–438  
 reactions in, 419–420  
 as reactors, 31  
 Centers in catalysts, 650–651  
 Central compartment in alcohol  
 metabolism, 443  
 Cereals, nutrients in, 245  
 Cerius program, 379, 1049  
 Chain reactions, 386–391  
 Chain rule for diffusion and reac-  
 tion, 819  
 Chain transfer step, 386  
 Channels and channeling  
 in microreactors, 201  
 in tubular reactors, 895–896  
 Characteristic reaction times in  
 batch operation, 151  
 Chemical production statistics,  
 31–32  
 Chemical reaction engineering  
 (CRE), 1–3  
 Chemical species, 4–5  
 Chemical Vapor Deposition (CVD)  
 in diffusion, 849–852  
 in microelectronic fabrication,  
 701–704  
 professional reference shelf for,  
 854–855

- Chemisorption, 650, 661  
 Chemostats, 137, 434–435  
 Chesterton, G. K., 645  
 Chipmunk respiration rate, 805  
 Chirping frequency of crickets, 132  
 Chloral in DDT, 6  
 Chlorination  
   in membrane reactors, 347  
   in semibatch reactors, 216  
 Chlorobenzene  
   from benzene diazonium chloride, 95  
   in DDT, 6  
 Churchill, Winston, 1006  
 Chymotrypsin enzyme, 395  
 Classes of cell reactions, 420  
 Clinoptilolite in toluene hydrodemethylation, 688–698  
 Closed-closed boundary conditions  
   in dispersion coefficient determination, 967  
   in tubular reactors, 959–961  
 Closed systems, first law of thermodynamics for, 473  
 Clotting of blood, 325–326, 362, 370  
 CMRs (catalytic membrane reactors), 207–208  
 Co-current flow in tubular reactors, 500–501  
 Coagulation of blood, 325–326, 362, 370  
 Coal  
   gasification, 103  
   liquefaction, 369–370  
 Cobalt-molybdenum catalyst, 740–741  
 Cobra bites, 363  
 Cocci, growth of, 421  
 Coenzymes, 418  
 Cofactors, enzyme, 418  
 Coking in catalyst deactivation, 650, 712–713  
 Colburn J factor  
   in hydrazine decomposition, 787–788  
   in mass transfer correlations, 784–785  
 Collision rate in adsorption, 662  
 Collision theory, 84  
   active intermediates in, 378  
   professional reference shelf for, 128  
   in reaction systems, 93  
 Combination step  
   acetaldehyde formation, 322  
   acetic acid production, 610  
   ammonia oxidation, 354  
   butane isomerization, 490  
   catalyst decay, 719  
   catalyst sintering, 711  
   complex reaction algorithms, 328  
 CSTRs  
   batch operation, 149–150  
   catalyst decay, 719  
   with cooling coils, 531  
   second-order reaction in, 162  
   single, 157  
 ethylene glycol production, 154, 165  
 ethylene oxide production, 192–193  
 gas phase, 202  
 glucose-to-ethanol fermentation, 433  
 laminar flow reactors mean conversion, 913  
 membrane reactors  
   flow and reaction in, 213  
   in multiple reactions, 350  
 mesitylene hydrodealkylation, 342  
 mole balance design, 199  
 moving-bed reactor catalytic cracking, 726  
 net rates of reaction, 332–334  
 nitroaniline production, 601  
 nitrogen oxide production, 206  
 nonisothermal reactor design, 472  
 PFR reactor volume, 146–147  
 pressure drop  
   in isothermal reactor design, 176  
   in tubular reactors, 186  
 propylene glycol production, 528, 596  
 triphenyl methyl chloride-methanol reaction, 262  
 tubular reactors  
   adiabatic, 488  
   flow in, 169–170, 173  
 Combinations  
   in CSTR parameter modeling, 984  
   CSTRs and PFRs in, 60–64  
   and species identity, 5  
 Company chemical production statistics, 32  
 Competing reactions, 305–306  
 Competitive inhibition, 410–412  
 Complete segregation in RTD reactor modeling, 903  
 Completely segregated fluids in segregation model, 904  
 Complex reactions, 305–306  
   algorithms for, 327  
   mole balances, 327–328  
   net rates of reaction, 329–334  
   stoichiometry, 334–335  
   ammonia oxidation, 351–355  
 Compressibility factors  
   in batch reactor state equation, 109  
   in flow systems, 111  
 Compression of ultrasonic waves, 384–386  
 Compression ratio and octane number, 682  
 Concentration surfaces for laminar flow, 978  
 Concentration-time data  
   in batch reactors, 256  
   in nonlinear regression, 273–275  
 Concentrations and concentration profiles  
   active site balances, 661  
   ammonia oxidation, 353–354  
   batch reactor data analysis, 267–268  
   catalyst carbon removal, 796  
   complex reaction algorithms, 334–335  
   CSTRs, 13  
   differential reactors, 283  
   diffusion, 762–764, 768, 816, 820, 822  
   dilution, 437  
   dispersion model, 956  
   enzyme, 398–399  
   flow systems, 107, 111–112  
   key reactants, 115–117  
   liquid-phase, 108  
   species, 112–113  
   isothermal reactor design, 198–199  
   laminar flow, 978  
   mass transfer  
     correlations, 784  
     to single particles, 778  
   methane production, 285–286  
   with pressure drop, 185  
   rate data analysis, 254–255  
   semibatch reactors, 224  
   spherical catalyst pellets, 812, 816, 820, 822  
   T-I-S model, 952

- Concentrations and concentration profiles (*cont.*)  
 toluene hydrodemethylation, 692  
 tubular reactors, 959
- Condensation reactions, 130
- Confidence limits in nonlinear regression, 273
- Configuration in chemical species, 4
- Consecutive reactions, 306
- Constant heat capacities in enthalpy, 483
- Constant-volume batch systems, 40, 103–106, 257
- Constant-volume decomposition of dimethyl ether, 297
- Constant volumetric flow for differential reactors, 283
- Constriction factor in effective diffusivity, 815
- Continuous-flow systems, 106  
 design equation applications, 45–54  
 in mole balance, 12–21  
 reactor time in, 40  
 RTDs, 868–870
- Continuous-stirred tank reactors (CSTRs), 12–14  
 in butane isomerization, 494  
 bypassing in, 893–894, 979–985, 988–990  
 cascades of, 23  
 catalyst decay in, 717–720  
 conversion in, 973  
 with cooling coils, 531–532  
 dead space in, 979–985, 988–990  
 design, 14, 156–157  
 design equations for, 43–44, 99  
 parallel, 160–162  
 scale-up in, 148–156  
 second-order reaction in, 162–168  
 series, 158–160  
 single, 157–158  
 diagnostics and troubleshooting, 892–895  
 energy balance of, 476–477, 523, 531–532, 548–551, 620  
 in equilibrium equation, 123  
 for ethylene glycol, 152–156  
 evaluation of, 291  
 fluidized-bed reactors as, 24  
 with heat effects, 522–532  
 for liquid-phase reactions, 12–13, 21–22  
 mass balances in, 431  
 mean conversion in, 907–910  
 mesitylene hydrodealkylation in, 344–347  
 modeled as two CSTRs with interchange, 985–987  
 mole balances on, 43, 200–202  
 multiple reactions, 343–347, 548–551  
 nonideal reactors using, 990–991  
 parallel reactions, 160–162, 165–167, 314–317  
 propylene glycol production in, 526–531  
 RTDs in, 868–870, 887–888, 892–895, 897–901  
 runaway reactions in, 540–543  
 in series, 55–58  
 design, 158–160, 166–167  
 with PFRs, 60–64  
 RTDs for, 897–901  
 sequencing, 64–66  
 sizing, 48–50, 53–54  
 space time in, 67  
 unsteady-state operation of  
 energy balance of, 477  
 startup, 216–217, 619–622  
 steady state falloff in, 622–624
- Convection  
 in diffusion, 763–765  
 mass transfer coefficient in, 774–776  
 in tubular reactors, 958, 963
- Convective-diffusion equation, 963
- Conversion and reactor sizing, 37–38  
 batch reactors, 38–40  
 CD-ROM material, 71–72  
 continuous-flow reactors, 45–54  
 conversion definition, 38  
 equilibrium. *See* Equilibrium conversions  
 flow reactors, 40–45, 112, 117–123  
 mean conversion  
 in laminar flow reactors, 912–914  
 in real reactors, 910–912  
 in segregation model, 906–910  
 PBRs, 20  
 with pressure drop, 185, 187  
 questions and problems, 72–77  
 rate laws in, 98–99  
 reactors in series, 54–66  
 space time, 66–67  
 space velocity, 68–69  
 summary, 69–71  
 supplementary reading, 77
- Conversion bounds in maximum mixedness model, 918–922
- Conversion factors for units, 1018–1019
- Cooking  
 potatoes, 134  
 seafood gumbo, 1040–1041  
 spaghetti, 236
- Coolant balance  
 in steady-state tubular reactors, 499–511  
 in tubular reactors, 556
- Coolant flow rate in interstage cooling, 518
- Coolant temperature  
 in energy balance, 478  
 in semibatch reactors, 614–619  
 in steady-state tubular reactors, 501
- Cooling coils in CSTRs, 531–532
- Cooling jackets in tubular reactors, 560
- Coordinates, reaction, 92
- Corn starch, 395
- Correlations  
 dispersion coefficient, 964–966  
 mass transfer, 774–776, 783–785
- Corrosion of high-nickel stainless steel plates, 132–133
- Costs  
 in ethylene glycol production, 196–198  
 of Pfaudler CSTRs/batch reactors, 22
- Counter current flow in tubular reactors, 501–502
- Counterdiffusion, equimolar, 762
- Cracking  
 catalytic, 725–728  
 thermal, 387–392
- CRE (chemical reaction engineering), 1–3
- Creativity in reactor selection, 992
- Cricket chirping frequency, 132
- Critiquing journal articles. *See* Journal critique problems
- Crystals in microelectronic fabrication, 698
- CSTRs. *See* Continuous-stirred tank reactors (CSTRs)

- Cumene  
 adsorption, 672–677  
 decomposition, 5, 680–681  
 in Langmuir-Hinshelwood kinetics, 672  
 Cumene hydroperoxide, 751  
 Cumene rate law, 678–680  
 Cumulative distribution function, 878  
 Curie, Marie, 867  
 CVD (Chemical Vapor Deposition)  
 in diffusion and reaction, 849–852  
 in microelectronic fabrication, 701–704  
 professional reference shelf for, 854–855  
 Cyanide as enzyme inhibitor, 409  
 Cyclobutane, butane from, 379  
 Cyclohexane, benzene and hydrogen from, 647, 804–805  
 Cyclohexanol, 744–745  
 Cylindrical batch reactors, 138  
 Cylindrical pellets, 786–787  
 Cytidine, acetic anhydride reaction with, 912–914  
 Cytoplasm, 419  
 Czochralski crystallizers, 698
- D**
- Damkohler numbers  
 in CSTRs  
 parallel, 165  
 second-order reaction, 162  
 series, 160, 166  
 single, 158  
 in moving-bed reactor catalytic cracking, 727  
 in segregation model, 907, 909  
 in tubular reactors, 958, 961  
 Danckwerts, P. V.  
 on boundary conditions in tubular reactors, 961  
 on maximum mixedness, 922  
 on RTDs, 870  
 on segregation model, 904  
 Danckwerts boundary conditions  
 in diffusion and reaction, 765  
 in dispersion coefficient determination, 967  
 in dispersion models, 1032  
 in tubular reactors, 960–961  
 Darcy's Law, 349  
 Data acquisition for differential reactors, 281  
 Data analysis. *See* Rate data collection and analysis  
 DBP (dibutyl phthalate) production, 237–238  
 DDT (dichlorodiphenyl-trichloroethane) production, 6  
 Deactivation of catalysts, 650, 707–709  
 by coking and fouling, 712–713  
 empirical decay laws in, 716–720  
 in moving-bed reactors, 722–728  
 by poisoning, 713–716  
 by sintering, 709–712  
 in STTRs, 728–732  
 temperature-time trajectories in, 721–722  
 Dead volume  
 in CSTRs, 894–895, 979–985, 988–990  
 in tubular reactors, 896–897  
 Dead zones, 869  
 Dealkylation reactions, 652–653  
 Dean, A. R. C., 425  
 Death by alcohol poisoning, 444  
 Death phase in cell growth, 423  
 Death rate in winemaking, 425  
 Decay laws for catalysts, 708–709  
 in cracking, 725–726  
 in CSTRs, 718  
 in deactivation, 716–720  
 in sintering, 711  
 in STTRs, 730–732  
 Decomposition in reactions, 5  
 Degree of segregation in maximum mixedness model, 922  
 Degrees of freedom, vibrational, 378  
 Dehalogenation reactions, 655  
 Dehydration reactions, 654, 741–742  
 Dehydrogenation reactions, 211, 653–654  
 Delivery rate, transdermal drug, 772  
 Denatured enzymes, 396, 407  
 Deoxygenation of hemoglobin, 295  
 Deoxyribonucleic acid (DNA)  
 identification, 408–409  
 in protein production, 419–420  
 Design and design equations  
 for batch reactors, 38–40, 99  
 for bioreactors, 435–436  
 in catalytic sintering, 711  
 for continuous-flow reactors, 45–54  
 for CSTRs, 14, 156–157  
 design equations for, 43–44, 99  
 parallel, 160–162  
 second-order reaction in, 162–168  
 series, 158–160  
 single, 157–158  
 in ethylene glycol production, 164  
 in moving-bed reactor catalytic cracking, 726  
 in propylene glycol production, 528, 596  
 for toluene hydrodemethylation reactors, 694–695  
 Desired products  
 in multiple reactions, 307–309  
 in parallel reactions, 311–317  
 in series reactions, 320–326  
 Desorption, 665, 668–669  
 of benzene, 675, 678–680  
 in toluene hydrodemethylation, 691  
 Detoxification, blood, 898  
 Diameter of tubes in pressure drop, 190  
 Dibutyl phthalate (DBP) production, 237–238  
 Dichlorodiphenyl-trichloroethane (DDT) production, 6  
 Diethanolamine formation, 306  
 Differential forms and equations  
 in batch reactors, 40, 257–266  
 for diffusion in pellets, 816–819, 822–823  
 of Ergun equation, 180  
 in ethylene oxide production, 191  
 in isothermal reactor design, 176  
 ODE solvers for. *See* ODE (ordinary differential equation) solvers  
 of PBRs, 19, 45, 168, 255  
 of PFR mole balance, 15–16  
 solutions to, 1012–1013  
 in triphenyl methyl chloride-methanol reaction, 265  
 in tubular flow reactor design equations, 44  
 Differential reactors, rate data collection and analysis in, 281–288

- Differentiation, equal-area graphical, 263, 1010–1011
- Diffusion, 757, 813–814  
 binary, 760–765  
 boundary conditions in, 659, 765, 768, 771, 773, 819, 822  
 from bulk to external transport, 658–659  
 with catalysts, 658–661, 766–770, 814  
 differential equation for, 816–819, 822–823  
 dimensionless form, 819–822  
 effective diffusivity in, 814–816  
 for tissue engineering, 823–827
- CD-ROM material, 801–802, 852–855
- Chemical Vapor Deposition in, 849–852  
 convection in, 763–765  
 definitions, 758–759  
 diffusion- and reaction-limited regime estimation in, 838–842  
 in dispersion model, 955  
 external resistance to mass transfer in  
 example, 783–788  
 mass transfer coefficient in, 771–776  
 mass transfer-limited reactions, 780–783  
 mass transfer to single particles, 776–780  
 falsified kinetics in, 833–835  
 Fick's first law in, 760–761  
 through film, 766–770  
 forced convection in, 763–764  
 fundamentals, 758  
 internal, 660–661  
 internal effectiveness factor, 827–833  
 journal article problems, 863  
 journal critique problems, 809–810, 863–864  
 limiting situations for, 848–849  
 mass transfer in packed beds, 842–848  
 Mears' criterion for, 841–842  
 modeling with, 771  
 molar flux in, 758–760, 764–765  
 multiphase reactors in, 849–850  
 operating condition changes in, 783–788  
 overall effectiveness factor in, 835–838  
 in pharmacokinetics, 798–799  
 questions and problems, 802–810, 855–863  
 shrinking core model, 792–799  
 through stagnant film, 762, 774  
 summary, 800–801, 851–852  
 supplementary reading, 810–811, 865–866  
 temperature and pressure dependence in, 770  
 for transdermal drug delivery, 772
- Digital-age problems, multiple reactions for, 356–357
- Dilute concentrations in diffusion, 762–763
- Dilution rate  
 in bioreactors, 435–436  
 in chemostats, 434  
 in wash-out, 437
- Dimensionless cumulative distributions, 890–891
- Dimensionless groups in mass transfer coefficient, 774
- Dimerize propylene, 60–61
- Dimethyl ether (DME)  
 decomposition of, 297  
 from methanol, 742
- Diphenyl in reversible reactions, 89–90
- Dirac delta function  
 in PFR RTD, 886  
 in step tracer experiment, 877
- Disappearance of substrate, 400, 431–432
- Disappearance rate, 5–6
- Disguised kinetics, 833–835
- Disk rupture in nitroaniline production, 605
- Dispersion  
 of catalysts, 651  
 FEMLAB for, 975–978, 1032  
 one-parameter models, 947  
 in packed beds, 966  
 vs. T-I-S models, 974  
 in tubular reactors, 955–957, 961–966, 971–973
- Dispersion coefficient  
 experimental determination of, 966–970  
 tubular reactors, 964–966
- Dissociative adsorption, 287, 662, 664–665, 702
- Distortions in reaction systems, 93–94
- Divide and be conquered case, 789
- Diving-chamber experiment, 804
- Division of cells, 420–423
- DME (dimethyl ether)  
 decomposition of, 297  
 from methanol, 742
- DNA (deoxyribonucleic acid)  
 identification, 408–409  
 in protein production, 419–420
- Dolomite dissolution, 278
- Donovan, Robert J., 757
- Doubling times in growth rates, 425
- Drinking and driving, 364
- Drug therapy  
 competitive inhibition in, 410  
 transdermal delivery systems, 772
- Dry etching, 700
- Dual sites  
 irreversible surface-reaction-limited rate laws in, 684  
 surface reactions in catalysts, 667–668
- Dwidevi, P. N., 785
- E**
- E. coli production, 466
- E curves  
 in normalized RTD function, 884–885  
 in pulse input experiment, 872–873, 875  
 in RTD moments, 882
- Eadie-Hofstee plots, 403
- East Texas light gas oil, 712–713
- Economic decisions and incentives  
 in irreversible gas phase catalytic reactions, 749  
 for parallel reactions, 316  
 for separations systems, 307
- Edwards, D. A., 963
- Effective diffusivity, 855  
 in catalyst carbon removal, 795  
 in spherical catalyst pellets, 814–816
- Effective transport coefficient, 778
- Effectiveness factor  
 in diffusion  
 internal, 827–833, 839–841  
 overall, 835–838  
 in nitrous oxide reductions, 846–848



- Efficient parallel reactor schemes, 310
- Electrical heating rate with calorimeters, 607
- Electronics industry, microelectronic fabrication, 299–300, 698
- Chemical Vapor Deposition in, 701–704
- etching in, 700
- Elementary rate laws, 82–86
- Elementary reactions, 84, 662
- Eley-Rideal mechanism, 681
- irreversible surface-reaction-limited rate laws in, 684
- in surface reactions in catalysts, 668
- Elution, 878
- EMCD (equimolar counterdiffusion)
- in binary diffusion, 762
- in spherical catalyst pellets, 817
- Emissions, automobile
- nitrogen oxides in, 298–299, 742–743
- in smog formation, 32–33, 392–393
- Empirical decay laws, 716–720
- Endothelium in blood clotting, 325
- Endothermic reactions, equilibrium conversion in, 511, 516–520
- Energy, conversion factors for, 1018
- Energy balances
- in acetic acid production, 610
- in acetic anhydride production, 505–506, 508–509
- adiabatic operations, 478–479
- batch reactors, 594–598
- equilibrium temperature, 514–515
- in steady-state nonisothermal design, 486–487
- tubular reactors, 488
- in butane isomerization, 491
- in coolant balance, 503
- CSTRs, 476–477
- with cooling coils, 531–532
- heat exchanger in, 523
- in multiple reactions, 548–551
- unsteady-state operation, 620
- enthalpies in, 475, 481–483
- in ethyl acetate saponification, 617–618
- first law of thermodynamics, 473–474
- heat of reaction in, 483–486
- in moving-bed reactor catalytic cracking, 728
- in nitroaniline production, 601
- overview of, 476–479
- PBRs, 477, 576
- PFRs, 477
- with heat exchange, 495–499
- multiple reactions, 544–547
- parallel reactions, 546
- in propylene glycol production, 528, 596, 620
- in semibatch reactors, 477
- with heat exchangers, 615
- multiple reactions, 626
- steady-state molar flow rates, 479–481
- in tubular reactors, 495–499, 554–556, 559
- in unsteady-state nonisothermal reactors, 591–593
- work term in, 474–476
- Energy barriers, 92–93
- Energy distribution function, 94
- Energy economy
- hydrogen-based, 247
- membrane reactors, 211
- Energy flux, 554
- Energy flux vectors, 554
- Energy rate change with time, 1019
- Engine knock, octane number in, 681–684
- Engine oil, 457–458
- Engineering experiment design problem, 1039
- Engineering judgment in reactor selection, 992
- Entering concentrations in flow reactor design, 42
- Enthalpies in energy balance, 475, 481–483
- Enzymatic reactions, 86, 394–395
- batch reactor calculations for, 404–407
- Briggs-Haldane Equation, 404
- Eadie-Hofstee plots, 403
- enzyme-substrate complex, 395–397
- induced fit model, 396
- inhibition of. *See* Inhibition of enzyme reactions
- lock and key model, 396
- mechanisms, 397–399
- Michaelis-Menten equation, 399–404
- summary, 447–449
- supplementary reading for, 470
- temperature in, 407
- Enzyme-catalyzed polymerization of nucleotides, 408–409
- Epidemiology, PSSH for, 458
- Epitaxial germanium, 701
- Epoxydation of ethylene, 370–371
- Equal-area differentiation, 263, 1010–1011
- Equally spaced data points in data analysis, 258
- Equation of state in batch reactors, 109
- Equations
- for batch concentrations, 102–103
- for concentrations in flow systems, 107
- differential. *See* Differential forms and equations
- Equilibrium
- in adiabatic equilibrium temperature, 513
- catalysts in, 647
- in CVD, 703
- Equilibrium constant
- in adiabatic equilibrium temperature, 514
- adsorption, 663
- in thermodynamic relationships, 1021–1026
- Equilibrium conversions, 511
- and adiabatic temperature, 512–520
- in butane isomerization, 492
- in endothermic reactions, 511, 516–520
- in exothermic reactions, 512–516
- feed temperature in, 520–521
- in semibatch reactors, 224–225
- with variable volumetric flow rate, 118–123
- Equimolar counterdiffusion (EMCD)
- in binary diffusion, 762
- in spherical catalyst pellets, 817
- Ergun equation, 177–180, 189
- Esterification reactions, 216
- E(t) curves, fitting to polynomials, 923–924
- Etching, semiconductor, 299–300, 700

- Ethane  
 from azomethane, 379–383  
 ethylene from, 387–389,  
 740–741  
 in ethylene glycol production,  
 197–198  
 ethylene hydrogenation to,  
 704–707  
 thermal cracking of, 387–392
- Ethanol  
 from acetaldehyde, 418  
 acetaldehyde from, 321–324  
 ADH with, 412, 466–467  
 butadiene from, 306  
 in glucose-to-ethanol fermenta-  
 tion, 432–434  
 in wine-making, 424  
 from *Zyomonas* bacteria, 240
- Ethoxylation reactions, 347
- Ethyl acetate saponification,  
 616–619
- Ethylbenzene  
 from benzene and ethylene,  
 652–653  
 to ethylcyclohexane, 752  
 styrene from, 211, 585–586
- Ethylcyclohexane, 752
- Ethylene  
 adsorption of, 650  
 epoxydation of, 370–371  
 from ethane, 387–389, 740–741  
 ethane from, 704–707  
 ethyl benzene from, 652–653  
 PBRs for, 171–175
- Ethylene chlorohydrin, 246
- Ethylene glycol (EG)  
 CSTRs for, 152–156  
 from ethylene chlorohydrin and  
 sodium bicarbonate, 246  
 from ethylene oxide, 191  
 production of, 163–168  
 synthesizing chemical plant  
 design for, 196–198
- Ethylene oxide, 306  
 in ethylene glycol production,  
 196  
 production of, 135–136,  
 191–195
- Eukaryotes, doubling times for, 425
- Euler method, 919
- Evaluation  
 in CSTR scale-up, 149–150  
 in ethylene glycol production,  
 154, 165  
 of laboratory reactors, 289–291  
 in nitrogen oxide production,  
 206  
 of PFR reactor volume, 146–147  
 in propylene glycol production,  
 596–597, 621  
 in tubular reactor design,  
 173–174
- Excel  
 for activation energy, 95–97  
 for CSTR parameter modeling,  
 982–983  
 for RTD moments, 883  
 for trityl-methanol reaction,  
 269–270  
 for tubular reactor conversion,  
 972
- Excess method in batch reactors,  
 256
- Exchange volumes in CSTR  
 parameter modeling, 987
- Exhaust streams, automobile  
 nitrogen oxides in, 298–299,  
 742–743  
 in smog formation, 32–33,  
 392–393
- Exit-age distribution function, 878
- Exit temperature in interstage  
 cooling, 517
- Exothermic reactions, 485, 511  
 equilibrium conversion in,  
 512–516  
 liquid-phase, 579  
 safety in, 599–605
- Experimental observation and  
 measurements  
 for diffusion, 802  
 for dispersion coefficient,  
 966–970  
 for rate laws, 84
- Experimental planning  
 professional reference shelf for,  
 293–294  
 in rate data collection and analy-  
 sis, 289
- Explosions  
 Monsanto plant, 599–605  
 nitrous oxide plant, 634–635
- Explosive intermediates, microre-  
 actors for, 203
- Exponential cell growth, 423–424
- Exponential decay in catalyst  
 deactivation, 717
- Exponential integrals, 908
- External diffusion effects. *See* Dif-  
 fusion
- External mass transfer  
 in diffusion, 766  
 in nitrous oxide reductions, 847
- External resistance to mass transfer  
 example, 783–788  
 mass transfer coefficient in,  
 771–776  
 mass transfer-limited reactions,  
 780–783  
 mass transfer to single particles,  
 776–780
- Extinction temperature in multiple  
 steady states, 537
- Eyes  
 arterial blood flow in, 898  
 blindness from methanol, 412,  
 466–467  
 irritants, 392  
 Eyring equation, 129
- F**
- F curves, 879
- Fabrication, microelectronic,  
 299–300, 698–700  
 Chemical Vapor Deposition in,  
 701–704  
 etching in, 700
- Facilitated heat transfer in diffu-  
 sion, 802
- Factor novoseven, 326
- Falsified kinetics  
 in diffusion and reaction,  
 833–835  
 exercise, 862–863
- Fan, L. T.  
 on RTD moments, 881  
 on tracer techniques, 878
- Fanning friction factor, 182
- FAQ (frequently asked questions)  
 conversion and reactor sizing,  
 72  
 mole balance, 27  
 multiple reactions, 360  
 rate data collection and analysis,  
 293
- Fast orange formation, 136
- Fat compartment in alcohol metabo-  
 lism, 444
- Fed batch reactors. *See* Semibatch  
 reactors
- Feed stocks, poison in, 714–715
- Feed temperature in equilibrium  
 conversion, 520–521
- FEMLAB program  
 diffusion, 759, 765  
 dispersion, 975–978, 1032  
 explanation of, 1031–1032  
 instructions for, 1015  
 PFR unsteady operation, 628

- radial and axial variations, 551, 557, 560–561
  - Femtosecond spectroscopy, 379
  - Fermentation
    - glucose-to-ethanol, 432–434
    - in wine-making, 424–425
  - Fermi, Enrico, 34–35
  - Fibers, terephthalic acid for, 367
  - Fibrin, 325
  - Fibrinogen, 325
  - Fick's law
    - in diffusion, 760–761
    - in dispersion, 955, 963
  - Film, diffusion through, 762, 766–770, 774
  - Finegold, D. N., 898
  - Finite difference method, 263–264
  - Finlayson, B. A., 844
  - Firefly flashing frequency, 132
  - First law of thermodynamics, 473–474
  - First-order dependence in CFRs, 45
  - First-order rate laws, 85
  - First-order reactions, 83
    - in CSTR design
      - batch operations, 150
      - series, 159
      - single, 158
      - startup in unsteady-state operation, 217
    - differential equations for
      - diffusion in spherical catalyst pellets, 822–823
      - solutions, 1012
    - irreversible, 579
    - in multiple steady states, 535
    - PFR reactor volume for, 146–148
    - reversible, 512
  - Fischer-Tropsch reactors, 28–29
  - Fischer-Tropsch synthesis, turnover frequency in, 651–652
  - Fitting tail, 935
  - Five-point quadrature formula
    - in PFR sizing, 51
    - solutions, 1014–1015
  - Fixed-bed reactors. *See* Packed-bed reactors (PBRs)
  - Fixed concentration in mass transfer correlations, 784
  - Flame retardants, 455–456
  - Flashing frequency of fireflies, 132
  - Flat velocity profiles, 947
  - Flow
    - in energy balance, 474
    - numerical solutions to, 975–978
    - through packed beds, 177–181
    - in pipes
      - dispersion in, 964–965
      - pressure drop in, 182–185
  - Flow rates
    - ammonia oxidation, 355
    - CSTR parameter modeling, 983
    - interstage cooling, 518
    - mass transfer and reaction, 844
    - mass transfer correlations, 783
    - membrane reactors, 349, 351
    - mesitylene hydrodealkylation, 342
    - multiple reactions, 308
    - space time, 66
  - Flow reactors, 106–107. *See also specific flow reactors by name*
    - concentrations in, 107–108
    - design equations, 40–43
    - CSTR, 43–44
    - PBRs, 45
    - tubular, 44
    - journal critique problems, 250
    - moles changes in, 108–123
    - with variable volumetric flow rate, 111–123
  - Fluid fraction in laminar flow reactors, 889
  - Fluidized-bed reactors, 22, 24, 851
    - catalyst decay in, 717–720
    - in heterogeneous reactions, 88
    - professional reference shelf for, 854
  - Flux equation
    - for diffusion in spherical catalyst pellets, 817
    - in equimolar counterdiffusion, 762
  - Fogler, H. S., 785
  - Force, conversion factors for, 1018
  - Forced convection
    - in diffusion, 763–764
    - mass transfer coefficient in, 774–776
  - Formaldehyde
    - formation of, 392
    - from methanol, 412, 466–467
    - oxidation of, 369
  - Formate from methanol, 412
  - Formation enthalpies, 481–483
  - Formation rates
    - in ammonia oxidation, 354
    - in azomethane decomposition, 380
    - in net reaction rates, 331
  - Fouling in catalyst deactivation, 650, 712–713
  - Four-point rule in integral evaluation, 1014
  - Fourier's law, 760
  - Fractional area balance in CVD, 702
  - Free radicals
    - as active intermediates, 378
    - in bimolecular reactions, 80
    - in smog formation, 393
  - Frequency factors
    - in acetic acid production, 612
    - in activation energy, 95
    - ARSST for, 605
    - in rate laws, 85
  - Frequently asked questions (FAQ)
    - conversion and reactor sizing, 72
    - mole balance, 27
    - multiple reactions, 360
    - rate data collection and analysis, 293
  - Freudlich isotherms, 666
  - Friberg, T., 898
  - Friction factor in pipe pressure drop, 182
  - Friedel-Crafts catalysts, 652
  - Frog legs experiments, 760–761
  - Frossling correlation
    - in mass transfer coefficient, 776–777
    - in pharmacokinetics, 798
  - F(t) function in integral relationships, 878
  - Fuel cells, 247
  - Fuller, E. N., 770
  - Furusawa, T., 527
- G**
- G.I. (gastrointestinal) tract component in alcohol metabolism, 443
  - Gallium arsenide layers, 701
  - Gas-hourly space velocity, 68
  - Gas-liquid CSTRs, RTDs in, 868–870
  - Gas-oil, vapor-phase cracking of, 751
  - Gas phase and gas-phase reactions, 23–24
    - adiabatic exothermic irreversible, 75–76
    - batch systems, 40, 103, 110, 149
    - in CVD, 701

- Gas phase and gas-phase reactions  
(*cont.*)  
diffusion in, 770  
in dimethyl ether decomposition,  
297  
elementary and reversible, 89  
equilibrium constant in,  
1021–1023  
in flow reactors, 41, 114–118  
in liquid-phase concentrations,  
108  
in microreactors, 204–207  
mole balances on, 200–202  
mole changes in, 108–123  
in packed beds, 146  
PFR reactor volume in, 146–148  
pressure drop in, 175–177  
professional reference shelf for,  
130  
in tubular reactors, 14, 23,  
169–171
- Gas-solid heterogeneous reactions,  
254
- Gas spargers, 438
- Gas volumetric flow rate in space  
velocity, 68
- Gasoline  
catalyst poisoning of, 714  
green, 584  
octane number of  
i-pentanes in, 653  
interstage heat transfer in,  
516–517
- Gastrointestinal (G.I.) tract compo-  
nent in alcohol metabolism,  
443
- Gaussian program, 379
- Gel geometry in cartilage forming  
cells, 824
- General mole balance equation,  
8–10  
for CSTRs, 13  
for tubular reactors, 15
- Generation heat in multiple steady  
states, 534–536
- Generic power law rate laws in gas  
phase, 201
- Germanium epitaxial film, 701
- GHSV space velocity, 68
- Gibbs free energy  
in cumene adsorption, 676  
in equilibrium constant, 1022,  
1024
- Glacial ages estimation, 808–809
- Glow sticks, 386
- Glucose  
oxidation of, 417  
in wine-making, 424
- Glucose oxidase, 417
- Glucose-to-ethanol fermentation,  
432–434
- Goals for nonideal reactors, 946
- Goodness of fit in rate data  
analysis, 255
- Gradientless differential reactors,  
282
- Graphical methods  
for activation energy  
determinations, 96–97  
for batch reactor data analysis,  
258  
for equal-area differentiation,  
1010–1011  
for triphenyl methyl chloride-  
methanol reaction,  
262–263
- Gravitational conversion factor,  
1019
- Greek symbols, 1035
- Green engineering, 457
- Green gasolines, 584
- Growth of microorganisms. *See*  
Bioreactors
- Gumbo, 1040–1041
- H**
- Hagen-Poiseuille equation, 962
- Half-lives method in rate data  
analysis, 280–281
- Halogenation reactions, 655
- Hanes-Woolf model  
for Michaelis-Menten equation,  
403  
of Monod equation, 430
- Heat capacities in enthalpy, 483
- Heat effects. *See also* Temperature  
in catalytic cracking, 727–728  
CSTRs with, 522–532  
FEMLAB for, 1031  
in RTDs, 927, 937  
in semibatch reactors, 616–619  
in steady-state nonisothermal  
reactors. *See* Steady-state  
nonisothermal reactors
- Heat exchangers  
energy balance in, 523  
in interstage cooling, 518–519  
in microreactors, 203  
in semibatch reactors, 614–619
- Heat load in interstage cooling,  
518
- Heat of formation for reactants, 139
- Heat of reactions  
in acetic acid production, 611  
ARSST for, 605  
in energy balance, 483–486  
molar flow rates for, 479–481
- Heat terms in multiple steady  
states, 533–536
- Heat transfer  
in bioreactors, 438  
to CSTRs, 523  
in diffusion, 761, 802  
in mass transfer coefficient, 775  
in octane number, 516–517  
in pressure drop, 190
- Height, energy barrier, 93
- Helium mixture in monopropellant  
thrusters, 786
- Hemoglobin, deoxygenation of,  
295
- Hemostatis process, 325
- Heptane, 682
- Heterogeneous catalytic processes  
in methane production, 287  
phases in, 647
- Heterogeneous data analysis,  
688–689  
mechanisms in, 691–692  
rate laws in, 689–690, 692–694  
reactor design, 693–698
- Heterogeneous reactions, 6, 80,  
87–88  
data for, 254  
external diffusion effects on. *See*  
Diffusion  
mass transfer of reactants in,  
814
- High-fructose corn syrup (HFCS),  
395
- High-molecular-weight olefin for-  
mation, 643
- High-nickel stainless steel plates,  
corrosion of, 132–133
- High temperature in multiple  
steady states, 535
- Hilder, M. H., 908
- Hilder's approximation, 909
- Hill, C. G., 761
- Holding time in space time, 66
- Holoenzymes, 418
- Homogeneous catalysis, 647
- Homogeneous liquid-phase flow  
reactors, 23
- Homogeneous reactions, 80, 86–87  
data for, 254  
rate law parameters for, 256
- Hot spots in microreactors, 203
- Hougen, O. A., 670

- Humphrey, A. E., 425  
 Hydration reactions, 654  
 Hydrazine for space flights, 785–788  
 Hydrocarbons  
   in catalyst coking and fouling, 712  
   partial oxidation of, membrane reactors for, 347  
 Hydrochloric acid, dolomite dissolution in, 278  
 Hydrocracking, 722  
 Hydrodealkylation of mesitylene  
   in CSTRs, 344–347  
   in PFRs, 340–343  
 Hydrodemethylation of toluene, 87, 688–698  
 Hydrodesulfurization reactor design problem, 1040  
 Hydrodynamic boundary layer in diffusion, 771  
 Hydrogen  
   ammonia from, 670–671  
   from cyclohexane, 647, 804–805  
   dissociative adsorption of, 702  
   in enzyme-substrate complex, 396  
   from ethane, 387  
   in ethane thermal cracking, 388  
   in membrane reactors, 209–210  
   in methane production, 284–288  
   in reversible reactions, 89–90  
   from water-gas shift reaction, 1024–1026  
 Hydrogen-based energy economy, 247  
 Hydrogen peroxide, 417  
 Hydrogenation reactions, 653–654  
   of ethylene to ethane, 704–707  
   of i-octane to i-octene, 744  
   membrane reactors for, 347  
 Hydrolases enzymes, 397  
 Hydrolysis  
   in semibatch reactor operation, 216  
   of starch, 461–462  
 Hydrophobic forces for enzyme-substrate complex, 396  
 Hyperbolic catalyst decay, 717  
 Hypothetical stagnant film in diffusion, 773
- I**
- I-octane and i-octene, 744
- I-pentanes, 653  
 Ideal gas constant, 1017  
 Ideal Gas Law, 42–43  
 Ideal reactors  
   RTD for, 892–901  
     batch and plug-flow, 885–886  
     laminar flow, 888–891  
     single-CSTR RTD, 887–888  
   in two-parameter models, 979–987  
 Identity  
   in chemical species, 4  
   in reactions, 5  
 Ignition-extinction curves, 536–540  
 Ignition temperature  
   in equilibrium conversion, 521  
   in multiple steady states, 537  
 Impellers in bioreactors, 438  
 Imperfect pulse injection in step tracer experiment, 877  
 IMRCFs (inert membrane reactors with catalyst pellets on the feed side), 207–208  
 Independent reactions, 306–307, 544  
 Induced fit model for enzyme-substrate complex, 396  
 Industrial butadiene, 654  
 Industrial reactors  
   dimerize propylene into isohexanes, 61  
   in mole balance, 21–24  
   space time in, 67  
 Industrial waste reaction, 245–246  
 Inert membrane reactors with catalyst pellets on the feed side (IMRCFs), 207–208  
 Inhibition of enzyme reactions, 409–410  
   competitive, 410–412  
   multiple enzyme and substrate systems, 417–418  
   noncompetitive, 414–416  
   substrate, 416–417  
   uncompetitive, 412–413  
 Inhibitor molecules, 414  
 Inhibitors, 409  
 Initial rates  
   for differential reactors, 281  
   in rate data collection and analysis, 277–279  
 Initiation step in chain reactions, 386  
 Inlet conditions  
   in differential reactors, 283  
   in equilibrium conversion, 521
- Instantaneous selectivity  
   in multiple reactions, 307–308  
   in parallel reactions, 318  
   in semibatch reactors, 218  
 Instantaneous yield in multiple reactions, 310  
 Insulin production, 419  
 Integral data analysis method, 267–271  
 Integral reactors  
   evaluation of, 290–291  
   PBRs, 19, 45  
 Integral relationships in RTDs, 878–879  
 Integrals  
   numerical evaluation of, 1013–1015  
   in reactor design, 1009–1010  
 Integrated circuit fabrication, 698–700  
   Chemical Vapor Deposition in, 701–704  
   etching in, 700  
 Integrating factor in acetaldehyde formation, 322  
 Intensity function in maximum mixedness model, 921–922  
 Interchange in CSTR modeling, 985–987  
 Interfacial area for catalytic reactions, 648  
 Intermediate product yield, 321–324  
 Intermediates, active. *See* Active intermediates  
 Internal-age RTDs, 885, 935  
 Internal diffusion  
   overview, 660–661  
   Weisz-Prater criterion for, 839–841  
 Internal effectiveness factor  
   in diffusion, 827–833  
   in nitrous oxide reductions, 846–848  
 Interphase diffusion reactors, 369, 849–850, 853–854  
 Interrupted isothermal operations, 599–605  
 Interstage cooling  
   for highly exothermic reactions, 517–520  
   reactor staging with, 515–516  
 Interstage heating, reactor trains with, 577  
 Ionic forces for enzyme-substrate complex, 396

- Irreversible reactions, 80  
 endothermic, 575–576  
 exothermic, 75–76  
 half-lives methods in, 280  
 isomerization, 687–688  
 order in, 256
- Irreversible surface-reaction-limited rate laws, 684
- Iso-octane, 682
- Iso-pentene, 686–688
- Isobutane production, 490–495, 497–499
- Isohexanes from dimerize propylene, 60–61
- Isomerases enzymes, 397
- Isomerization, 653  
 in batch reactors, 11–12  
 of butane, 62–65, 490–495, 497–499  
 irreversible, 687–688  
 isothermal gas-phase, 46  
 in reactions, 5
- Isopropyl isocyanate decomposition, 301
- Isotherm equation in adsorption, 665
- Isothermal operations  
 in flow reactors, 116, 118  
 gas-phase isomerization, 46  
 interrupted, 599–606  
 in nitroaniline production, 602
- Isothermal reactors, 143  
 CSTRs, 156–157  
 design equations for, 43–44, 99  
 parallel, 160–162  
 scale-up in, 148–156  
 second-order reaction in, 162–168  
 series, 158–160  
 single, 157–158
- FEMLAB for, 1032
- journal critique problems, 249–252
- learning resources for, 230–234
- membrane, 207–215
- microreactors, 201, 203–207
- practical side, 226–227
- pressure drop in, 175, 196  
 analytical solution for, 185–195  
 flow through packed beds in, 177–181  
 in pipes, 182–185  
 rate law in, 175–177  
 spherical PBRs in, 196
- questions and problems, 234–249
- structure for, 144–148
- summary, 226–230
- supplementary reading, 252
- synthesizing chemical plant design, 196–198
- tubular reactors, 168–175
- unsteady-state operation of  
 stirred reactors, 215–216  
 semibatch reactors, 217–226  
 startup of CSTRs, 216–217
- Isotherms, adsorption, 661–666
- J**
- Jeffreys, G. V., 504
- Johnson, Samuel, 377
- Jones, A. W., 446
- Journal critique problems  
 active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 468–469  
 catalysts, 753–755  
 diffusion, 809–810, 863–864  
 isothermal reactor design, 249–252  
 multiple reactions, 372–373  
 rate data collection and analysis, 302–303  
 steady-state nonisothermal reactor design, 589  
 techniques for, 233–234
- Junction balance in CSTR parameter modeling, 981, 984
- K**
- Kargi, F., 420–421
- Kentucky Coal No. 9 liquefaction, 369–370
- Key reactant concentrations, 115–117
- Kidneys, artificial, 397
- Kind in chemical species, 4
- Kinematic viscosity  
 of helium, 786  
 in mass transfer coefficient, 776
- Kinetic Challenge module, 131–132
- Kinetic energy in energy balance, 475
- Kinetic rate law, 82, 86–87
- Kinetics, solid-liquid dissolution, 278–279
- Knee joint replacements, 823–827
- Knudsen diffusion  
 in dilute concentrations, 763  
 in spherical catalyst pellets, 815
- Knudsen phase, diffusion in, 770
- Kramers, H., 784
- Krishnaswamy and Kittrell's expression, 722
- Kunii-Levenspiel fluidization model, 851
- L**
- Laboratory reactors  
 bomb calorimeter, 103  
 evaluation of, 289–291
- Labs-on-a-chip  
 for DNA identification, 408–409  
 microreactors for, 203
- LaCourse, W. C., 397, 403
- Lactic acid production, 463
- Lag phase in cell growth, 422
- Laminar flow  
 Aris-Taylor analysis for, 975–978  
 dispersion for  
 in pipes, 964–965  
 in tubular reactors, 962–964
- Laminar flow reactors (LFRs)  
 mean conversion in, 908–909, 912–914  
 RTDs in, 888–891  
 in tubular reactors, 556
- Langmuir-Hinshelwood kinetics  
 in catalyst surface reactions, 668  
 for heterogeneous reactions, 88, 254  
 nonlinear regression for, 271  
 in rate limiting, 670  
 single-site mechanisms, 777  
 steps in, 672  
 for STTRs, 732
- Langmuir isotherm, 664–665
- Langmuir plots, 400
- Large molecules, synthesis of, 420
- Le Chatelier's principle, 1022
- Leaded gasoline, 714
- Learning resources  
 active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 449–453  
 catalysts, 736–737

- conversion and reactor sizing, 71
- diffusion, 801, 852
- explanation of, 1043
- isothermal reactor design, 230–234
- mole balances, 26–27
- multiple reactions, 359–360
- nonideal reactors, 994
- nonisothermal reactor design
  - steady-state, 566
  - unsteady-state, 630
- rate data collection and analysis, 293–294
- rate laws and stoichiometry, 126–127
- RTDs, 934
- Learning styles, 1046–1047
- Least-squares analysis
  - for batch reactors, 271–273
  - in multiple reaction analysis, 356
- professional reference shelf for, 293
- LeBlanc, Steve, 591
- Lee, E. T., 898
- Length, conversion factors for, 1018
- Levenspiel, O.
  - on dispersion coefficient determination, 968
  - on dispersion model, 956
  - on reaction combinations, 990
  - on tubular reactor boundary conditions, 961
- Levenspiel plots
  - for adiabatic isomerization, 64–65
  - for butane isomerization, 493
  - for flow reactors, 122
- Levine, N., 397, 403
- LFRs (laminar flow reactors)
  - mean conversion in, 908–909, 912–914
  - RTDs in, 888–891
  - in tubular reactors, 556
- LHSV space velocity, 68
- Ligases enzymes, 397
- Light from ultrasonic waves, 384–386
- Limiting reactants
  - in batch systems, 105
  - in conversion, 38
  - in semibatch reactors, 223
- Limiting situations for diffusion, 848–849
- Lindermann, F. A., 378
- Linear decay in catalyst deactivation, 717
- Linear least squares, 273
- Linear plots in batch reactor data analysis, 267–269
- Linear regression, 270–271
- Linearized stability theory, 631–632
- Lineweaver-Burk plots
  - for inhibition
    - competitive, 411–412
    - noncompetitive, 415
    - uncompetitive, 413
  - for Michaelis-Menten equation, 402–403
- Liquefaction of Kentucky Coal No. 9, 369–370
- Liquid-hourly space velocity, 68
- Liquid phase and liquid-phase reactions, 21–23
  - in batch systems, 40, 103–105, 148–156
  - in butane isomerization, 62–65, 490–495
  - concentrations in, 108
  - CSTRs for, 12–13, 21–22
  - diffusion in, 770
  - in ethylene glycol production, 155
  - in flow reactors, 41, 108
  - in methanol-triphenyl reaction, 296–297
  - mole balances in, 200
  - pressure drop in, 175
  - scale-up of, 148–156
  - selectivity in, 217–218
  - in tubular reactors, 169
- Liver compartment in alcohol metabolism, 441, 444–445
- Living example problems
  - active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 450
  - catalysts, 737
  - explanation of, 1044
  - isothermal reactors, 232
  - multiple reactions, 360
  - nonideal reactors, 994–995
  - nonisothermal reactors
    - steady-state, 566
    - unsteady-state, 630
  - rate data collection and analysis, 293
  - RTDs, 935
- Local steady-state values, 539
- Lock and key model, 396
- Log-log paper
  - for batch reactor analysis, 257–258
  - slopes on, 1027
  - for triphenyl methyl chloride-methanol reaction, 265–266
- Logic vs. memorizing, 144, 146
- Logistic growth law, 462
- London van der Waals forces, 396
- Los Angeles basin
  - schematic diagrams, 32–33
  - smog formation in, 392
- Low temperature in multiple steady states, 535
- Lubricant design problem, 1039
- Luedeking-Piret equation, 429
- Luminescence from ultrasonic waves, 384–386
- Lyases enzymes, 397
- M**
- MacMullin, R. B., 870
- Macrofluid in RTDs, 903
- Macromixing, 870, 903
- Maintenance in cell growth, 427
- Marx, Groucho, 143
- Mass, conversion factors for, 1018
- Mass balances. *See also* Mole balances
  - in cell growth, 431–434
  - in glucose-to-ethanol fermentation, 433
- Mass flow rate through packed beds, 178
- Mass transfer boundary layers, 771
- Mass transfer coefficients
  - correlations for, 774–776
  - in diffusion, 771–774
  - in hydrazine decomposition, 786
  - in nitrous oxide reductions, 847
  - operating condition changes in, 783–788
  - in PBRs, 848
  - what if conditions for, 788–792
- Mass transfer-limited reactions, 789–790
  - on metallic surfaces, 801
  - in PBRs, 780–783
- Mass transfers
  - in diffusion, 761, 766
  - external resistance to
    - example, 783–788
    - mass transfer coefficient in, 771–776

- Mass transfers (*cont.*)  
 mass transfer-limited reactions, 780–783  
 mass transfer to single particles, 776–780  
 in heterogeneous reactions, 814  
 in microreactors, 203  
 in packed beds, 780–783, 842–848  
 in pharmacokinetics, 798  
 to single particles, 776–780
- Mass velocity in ethylene oxide production, 193
- Material Safety Data Sheets (MSDS), 168
- Mathematical definition of reaction rate, 6–8
- Mathematically tractable nonideal reactor models, 946
- MATLAB program  
 adiabatic tubular reactors, 488  
 CSTR parameter modeling, 982–983  
 ethylene oxide production, 194  
 explanation of, 1031  
 instructions for, 1015  
 isothermal reactors, 230  
 membrane reactors, 213–214  
 non-adiabatic PFR energy balance, 479  
 nonlinear regression, 274  
 PFR/PBR multiple reactions, 336–339  
 semibatch reactor multiple reactions, 626
- Maximum mixedness model, 915–922  
 multiple reactions in, 928–932  
 ODE solver for, 925–927  
 in RTDs for reactor modeling, 903  
 vs. segregation model, 922–923
- Mean conversion  
 in laminar flow reactors, 912–914  
 in real reactors, 910–912  
 in segregation model, 906–910
- Mean residence time  
 in dispersion coefficient determination, 969  
 in RTDs, 879–881, 890  
 in space time, 66
- Mears, D. E., 841
- Mears' criterion, 841–842
- Measured variables  
 in rate data analysis, 254  
 in triphenyl methyl chloride-methanol reaction, 261
- Mechanism searches, 383–386
- Medical applications  
 pharmacokinetics. *See* Pharmacokinetics  
 of RTDs, 898  
 transdermal drug delivery, 772
- Medicated patches, 772
- MEK (methyl ethyl ketone) production, 743–744
- Membrane reactors  
 design, 207–215  
 mole balances for, 198  
 for multiple reactions, 347–351  
 packed bed, 179, 576
- Memorization vs. logic, 144, 146
- Mesitylene hydrodealkylation  
 in CSTRs, 344–347  
 in PFRs, 340–343
- Metabolism of alcohol, 393–394, 441  
 central compartment in, 443  
 G.I. tract component in, 443  
 liver compartment in, 444–445  
 model system for, 441–442  
 problem for, 1041–1042  
 stomach in, 442–443
- Metallic surfaces, mass transfer-limited reactions on, 801
- Metaxylene isomerization, 241
- Methane  
 from carbon monoxide and hydrogen, 284–288  
 from ethane, 387  
 from toluene, 87, 688–698  
 xylene from, 649
- Methanol  
 ADH with, 412, 466–467  
 dimethyl ether from, 742  
 poisoning by, 412, 466–467, 1042  
 synthesis problem, 1040  
 in triphenyl methyl chloride reaction, 260–266  
 in trityl-methanol reaction, 269–271
- Methanol-triphenyl reaction, 296–297
- Method of half-lives, 280–281
- Method of initial rates, 277–279
- Methyl amine, 220–223
- Methyl bromide production, 220–223
- Methyl ethyl ketone (MEK) production, 743–744
- Methylcyclohexane, toluene from, 746–747
- Michaelis constant, 399–401, 411
- Michaelis-Menten kinetics and equations  
 in alcohol metabolism, 441  
 in competitive inhibition, 410–411  
 in enzymatic reactions, 399–404  
 in oxygen-limited growth, 439  
 substrate concentration in, 405  
 in uncompetitive inhibition, 412–413
- Microbial growth. *See* Bioreactors
- Microelectronic fabrication, 299–300, 698–700  
 Chemical Vapor Deposition in, 701–704  
 etching in, 700
- Microfluids  
 in DNA identification, 408–409  
 in RTDs, 903
- Micromechanical fabrication, 700
- Micromixing, 870, 903
- Microorganisms  
 growth of. *See* Bioreactors  
 scale-up for, 439
- Microplants, 148
- Microreactors  
 designing, 201–207  
 for phosgene, 243–244
- Mild reaction conditions in bioconversions, 419
- Mills, N. F., 425
- Minimum mixedness, 915
- Minimum sums of squares, 272
- Missing information in ethylene glycol production, 153
- Mixed inhibition, 414–416
- Mixers in microreactors, 203
- Mixing  
 in nonideal reactors, 870  
 in RTDs, 871, 902  
 in segregation model, 904–905
- Miyachi, T., 527
- Model discrimination in catalysts, 704–707
- Molar average velocity in diffusion, 760
- Molar feed rate in flow reactors, 41
- Molar flow, 107  
 ammonia oxidation, 355  
 binary diffusion, 761–765  
 catalyst carbon removal, 796  
 coolant balance, 503–504  
 CSTRs, 14



- diffusion, 758–761, 764–765  
ethylene glycol production, 164, 196  
flow reactors, 42, 111–113, 121  
gas phase, 201  
heat of reaction, 479–481  
isothermal reactors, 198–199  
membrane reactors, 348–349  
microreactors, 204–207  
multiple reactions, 309, 348–349, 351  
PBRs, 336–339  
PFRs, 17, 336–339  
tracer, 956  
tubular reactors, 552
- Molar rate of mass transfer in diffusion, 835–837
- Mole balances, 1–4  
acetaldehyde formation, 321–324  
acetic acid production, 610  
acetic anhydride production, 505–506, 508  
adiabatic tubular reactors, 487–488  
ammonia oxidation, 352  
batch reactors, 10–12  
in design equations, 39  
enzymatic reactions, 404  
integral data analysis, 267  
butane isomerization, 490, 498  
catalysts  
carbon removal, 795–796  
decay, 718  
sintering, 710  
CD-ROM material, 26–29  
CFRs, 12–21  
complex reactions, 327–328  
coolant balance, 502–503  
CSTRs, 43, 980  
batch operations, 149–150  
with cooling coils, 531  
in design, 157  
multiple reactions, 344, 549  
in series, 55–56  
unsteady-state operation, 620  
diffusion, 758–759, 767, 817  
ethane thermal cracking, 389  
ethyl acetate saponification, 617  
ethylene glycol production, 153–154  
FAQ for, 27  
gas phase, 200–202  
general mole balance equation, 8–10  
industrial reactors, 21–24  
inert tracer in dispersion model, 957  
isothermal reactors, 176, 198–199  
learning resources for, 26–27  
liquid phase, 200  
mass transfer and reaction in packed beds, 843  
maximum mixedness model, 917  
mean conversion in laminar flow reactors, 912  
membrane reactors, 209, 212, 349  
mesitylene hydrodealkylation, 341, 345  
multiple reactions, 309, 336–339, 344, 349, 549, 626  
nitroaniline production, 601  
nitrogen oxide production, 205  
nitrous oxide reductions, 846  
nonisothermal reactor design  
steady-state, 472  
unsteady-state, 593  
parallel reactions, 316, 545  
PBRs, 18–19, 200–203, 336–339  
PFRs  
first-order gas-phase reaction, 146–147  
with heat effects, 545  
multiple reactions, 336–339  
in unsteady operation, 628  
pharmacokinetics, 798  
pressure drop, 176, 186  
professional reference shelf for, 27–29  
propylene glycol production, 528–530, 620  
questions and problems for, 29–35  
rate data analysis, 254  
reaction rate, 4–8  
semibatch reactors, 219–220, 224, 626  
STTRs, 730  
summary, 25  
supplementary reading, 35–36  
T-I-S model, 952  
triphenyl methyl chloride-methanol reaction, 261  
tubular reactors, 44  
adiabatic, 487–488  
design, 172  
radial and axial variations in, 553, 559  
Molecular adsorption, 662, 664  
Molecular dynamics, professional reference shelf for, 129  
Molecular sieves, 648  
Molecularity of reactions, 80  
Molecules in diffusion, 758  
Moles  
in batch systems, 100–102  
in gas phase, 108–123  
in reactors in series, 54  
Moments of RTDs, 881–884  
Momentum transfer in diffusion, 761  
Monod equation  
in bioreactors, 418, 435  
for exponential growth, 423–424  
Hanes-Woolf form of, 430  
in oxygen-limited growth, 439  
Monodispersed solid particle dissolution, 798–799  
Monoethanolamine formation, 306  
Monolithic catalysts, 649  
Monopropellant thrusters, 785–786  
Monsanto plant accident, 599–605  
Moser equation, 425  
MOSFET devices, 698–699  
Motion sickness patches, 772  
Motor oil, 457–458  
Moving-bed reactors, catalyst deactivation in, 722–728  
MSDS (Material Safety Data Sheets), 168  
Mukesh, D., 226–227  
Multiphase reactors in diffusion, 849–850  
Multiple enzyme and substrate systems, 417–418  
Multiple reactions, 305, 327  
analysis for, 356  
CD-ROM material for, 359–361  
complex. *See* Complex reactions in CSTRs, 343–347, 548–551  
for digital-age problems, 356–357  
journal critique problems for, 372–373  
membrane reactors for, 347–351  
nonisothermal, 543  
energy balance in, 544–551  
unsteady-state, 625–627  
in packed bed flow, 179  
parallel. *See* Parallel reactions in PBRs, 335–343  
in PFRs, 335–343, 477, 544–547  
questions and problems for, 361–375

- Multiple reactions (*cont.*)  
 RTD in, 927–932  
 series, 305–307  
   in blood clotting, 325–326  
   desired product in, 320–326  
   in mass transfer-limited reactions, 789  
 summary, 357–359  
 supplementary reading for, 375  
 types of, 305–310
- Multiple regression techniques, 693
- Multiple steady states, 533  
 heat of generation in, 534–536  
 heat-removed terms in, 533–534  
 ignition-extinction curves in, 536–540  
 runaway reactions in CSTRs, 540–543
- Multiple substrate systems, 417–418, 453
- Multiplication, cell, 421
- Muscle/fat compartment in alcohol metabolism, 444
- Mystery Theater module, 236
- N**
- N-butyl alcohol, dehydration of, 741–742
- N-pentanes in octane number, 653
- Navigating CD-ROM, 1045–1046
- Negative steps in step tracer experiment, 878
- Neoplastic diseases, 409
- Net rates  
 in complex reactions  
   combination, 332–334  
   for each species, 329  
   rate laws for, 329–330  
   stoichiometry, 330–331  
 of formation  
   in ammonia oxidation, 354  
   in complex reactions, 327–328  
   in membrane reactors, 349  
   in mesitylene hydrodealkylation  
     in CSTRs, 345  
     in PFRs, 341  
   in parallel reactions, 546
- Newton's law of viscosity, 761
- Nickel catalysts, 284–288
- Nickelmordenite catalysts, 752
- Nicotine patches, 772
- Nicotine species, 4
- Nishimura, H., 527
- Nitration reactions, 347
- Nitroaniline from ammonia and ONCB, 136, 599–601  
 adiabatic operation in, 603  
 batch operation with heat exchange, 603–604  
 disk rupture in, 605  
 isothermal operation in, 602
- Nitrobenzene example problem, 28
- Nitrogen  
 ammonia from, 670–671  
 from azomethane, 379–383  
 from benzene diazonium chloride, 95  
 skin exposure to, 804  
 in smog formation, 392
- Nitrogen dioxide  
 from nitrogen oxide, 456  
 from reversible gas-phase decompositions, 118–123  
 in smog formation, 392
- Nitrogen oxides, 393  
 in automobile emissions, 298–299, 742–743  
 nitrogen dioxide from, 456  
 production of, 204–207  
 in smog formation, 392–393
- Nitrogen tetroxide decomposition, 118–123
- Nitrous oxides  
 in plant effluents, 845–848  
 plant explosion, 634–635
- NLES solution  
 in flow reactors, 120–121  
 in mesitylene hydrodealkylation, 346
- Nomenclature, 1033–1035
- Non-adiabatic energy balance, 479
- Non-enzymatic lipoprotein, 325
- Noncompetitive inhibition, 414–416
- Nondissociated adsorption, 662
- Nonelementary rate laws, 86–88, 377–379  
 chain reactions in, 386–391  
 mechanism searches in, 383–386  
 PSSH in, 379–383  
 reaction pathways in, 391–394  
 summary, 447–449
- Nonflat velocity profiles in dispersion, 962
- Nongrowth associated product formation, 426, 428–429
- Nonideal reactors, 945  
 CD-ROM material, 994–995  
 characteristics of, 867–871
- using CSTRs and PFRs, 990–991  
 dispersion flow solutions, 975–978  
 guidelines for, 946–947  
 one-parameter models, 947–948  
 questions and problems, 996–1004  
 RTDs for, 991–992  
 summary, 993–994  
 supplementary reading, 1005  
 T-I-S, 948–955, 974
- tubular  
 balance equations in, 957  
 boundary conditions in, 958–962  
 dispersion in, 955–957, 962–964  
 dispersion coefficient correlation in, 964–966  
 dispersion coefficient determination in, 966–970  
 sloppy tracer inputs in, 970–973  
 two-parameter models, 948, 979–987
- Nonisothermal reactions, 543  
 FEMLAB for, 1032  
 internal effectiveness factor in, 831–832  
 steady-state. *See* Steady-state nonisothermal reactors  
 unsteady-state. *See* Unsteady-state nonisothermal reactors
- Nonlinear least-squares, 356
- Nonlinear regression  
 for batch reactor data analysis, 271–277  
 for cell growth, 430  
 for ethylene hydrogenation to ethane, 705–707  
 for Michaelis-Menten equation, 404
- Nonporous monolithic catalysts, 649
- Nonreactive trajectory in molecular dynamics, 129
- Nonseparable kinetics in catalyst deactivation, 707–708
- Normal pentane, octane number of, 683
- Normal plots for activation energy determinations, 96
- Normalized RTD function, 884–885

- Nuclear processes, Fermi work on, 34–35
- Nuclear reactor problem, 1039
- Nuclear region in cells, 419
- Nucleotides, polymerization of, 408–409
- Number in chemical species, 4
- Numerical techniques
- for adiabatic tubular reactors, 489
  - for batch reactors, 258–259
  - differential equations. *See* Differential forms and equations
  - equal-area graphical differentiation, 1010–1011
  - for flows with dispersion and reaction, 975–978
  - integrals
    - numerical evaluation of, 1013–1015
    - in reactor design, 1009–1010
    - for membrane reactors, 213
    - software packages, 1015
  - Nusselt number, 774–776
- Nutrients
- in cell growth, 428
  - in ready-to-eat cereals, 245
- O**
- Octane
- butyl alcohol for, 740
  - TAME for, 584
- Octane number
- interstage heat transfer in, 516–517
  - in petroleum refining, 681–684
- ODE (ordinary differential equation) solvers. *See also* FEMLAB program; MATLAB program; Polymath program
- adiabatic tubular reactors, 489
  - ammonia oxidation, 353
  - complex reactions, 327
  - fitting  $E(t)$  curves to
    - polynomials, 923–924
    - gas phase, 202
  - moving-bed reactors, 736
  - multiple reactions, 336–339, 356
  - segregation model, 924–925
  - steady-state nonisothermal reactors, 565
- Oil
- East Texas light gas oil, 712–713
  - engine, 457–458
- Olefins formation, 643
- Ollis, D. F., 421
- ONCB, nitroaniline from, 136, 599–601
- One-parameter models for non-ideal reactors, 945
- characteristics of, 947–948
  - T-I-S, 948–955
- One-third rule, 1014
- Onset temperatures with calorimeters, 606–607
- Open-ended problems, 1039–1042
- Open-open boundary conditions
- in dispersion coefficient determination, 968–970
  - in tubular reactors, 960–961
- Open systems, first law of thermodynamics for, 473
- Operating conditions
- in mass transfer coefficients, 783–788
  - in parallel reactions, 317–320
- Operating costs in ethylene glycol production, 196–197
- Optimum feed temperature in equilibrium conversion, 520–521
- Optimum yield in acetaldehyde formation, 322–323
- Optoelectronic device fabrication, 700
- Orbital distortions, 93–94
- Order, reaction, 83
- Order of magnitude of time in scale-up, 151
- Ordinary differential equation solvers. *See* FEMLAB program; MATLAB program; ODE (ordinary differential equation) solvers; Polymath program
- Organ compartments in pharmacokinetic models, 440
- Organic reactions, liquid-phase, 104
- Oscillating reactions, 362, 372
- Ostwald, Wilhelm, 646
- Other work term in energy balance, 474
- OTR (oxygen transfer rate) in bioreactors, 438
- Outlet concentration
- in nonideal reactors, 947
  - of tracer in T-I-S model, 949
- Overall conversion in mesitylene hydrodealkylation, 345
- Overall effectiveness factor
- in diffusion and reaction, 835–838, 855
  - in nitrous oxide reductions, 846–848
- Overall mass balance, 219
- Overall mass transfer coefficient, 210
- Overall selectivity
- in membrane reactors, 348
  - in mesitylene hydrodealkylation, 347
  - in multiple reactions, 308–310, 348
- Overall yield in multiple reactions, 310
- Overenthusiastic engineers, 790–792
- Oxidation
- in acetaldehyde formation, 321
  - of ammonia, 351–355
  - in catalysts, 654
  - of formaldehyde, 369
  - of glucose, 417
  - membrane reactors for, 347
- Oxidation problem, 1040
- Oxidoreductases enzymes, 397
- Oxygen
- in cartilage forming cells
    - concentration, 826–827
    - consumption, 824–825
  - in smog formation, 392
- Oxygen-18 data, 808–809
- Oxygen diffusion in catalyst pellet
- carbon removal, 794–797
- Oxygen-limited growth, 438–439
- Oxygen transfer rate (OTR) in bioreactors, 438
- Ozone
- alkene reactions, 298
  - formation of, 392–393
  - in green engineering, 457
- P**
- Pacheco, M. A., 713
- Packed-bed reactors (PBRs), 12, 17–21
- adiabatic, 488–495
  - catalyst poisoning of, 715
  - design equations for, 99
  - dispersion in, 966
  - energy balance for, 477, 576

- Packed-bed reactors (PBRs) (*cont.*)  
 flow reactor design equations, 45  
 gas-phase reactions in, 146  
 with heat exchange, 477, 502–504  
 journal critique problems, 251  
 mass transfer in, 780–783, 842–848  
 mole balances on, 18–19, 200–203, 336–339  
 multiple reactions in, 335–343  
 ODE solvers algorithms for, 230  
 pressure drop in, 177–181, 183–185, 196  
 RTDs, 869  
 in steady-state tubular reactors, 502–504  
 structure of, 23–24  
 for toluene hydrodemethylation, 694–698  
 transfer-limited reactions in, 848–849
- Parallel reactions, 305–307, 310  
 CSTRs, 160–162, 165–167, 314–317  
 desired products in, 311–317  
 in mass transfer-limited reactions, 789  
 in PFRs with heat effects, 545–547  
 reactor selection and operating conditions in, 317–320
- Parameters  
 acetic anhydride production, 508–509  
 butane isomerization, 491  
 CSTR modeling, 981–985, 987  
 ethylene oxide production, 192  
 mass transfer coefficients, 788–792  
 membrane reactors, 213  
 mesitylene hydrodealkylation, 342–343  
 nonideal reactors, 945–946  
 nonlinear regression, 273  
 propylene glycol production, 596–597, 621  
 STTRs, 731  
 toluene hydrodemethylation, 692  
 tubular reactor design, 173–174
- Partial differentiation (PDE) solvers  
 for diffusion, 759, 765  
 for tubular reactors, 551
- Partial oxidation, membrane reactors for, 347
- Partial pressure profiles, 697
- Particle size  
 in internal diffusion, 660  
 in pressure drop, 189–190
- PBPK (physiologically based pharmacokinetic) models, 439–446
- PBRs. *See* Packed-bed reactors (PBRs)
- Peach Bottom nuclear reactor problem, 1039
- Peclet number  
 in dispersion and T-I-S models, 974  
 in dispersion coefficient determination, 966–968, 970  
 in tubular reactors, 958, 961–962
- Peclet-Bodenstein number, 974
- Pellets  
 carbon removal from, 794–797  
 in internal diffusion, 660  
 spherical, 814  
 differential equation for, 816–819, 822–823  
 dimensionless form, 819–822  
 effective diffusivity in, 814–816  
 for tissue engineering, 823–827
- Penicillium chrysogenum  
 formation of, 423  
 as reactors, 31
- Pentene, iso-pentene from, 686–688
- Perfect mixing in CSTRs, 13, 43–44, 311
- Perfect operation  
 in CSTRs, 893  
 in tubular reactors, 895
- Peroxide radicals, 392–393
- Peters, M. S., 23, 747
- Petersen, E. E., 707, 713
- Pfaudler CSTRs/batch reactors, 22
- PFRs. *See* Plug-flow reactors (PFRs)
- Pharmacokinetics  
 competitive inhibition in, 410–412  
 diffusion in, 798–799  
 in drinking and driving, 364  
 models, 439–446  
 summary, 447–449  
 Tarzlon, 364–365
- Phases  
 cell growth, 422  
 enthalpy, 482  
 heterogeneous catalytic processes, 647  
 heterogeneous reactions, 6  
 Phosgene production, 243–244  
 Photochemical decay of aqueous bromine, 297–298  
 Photos of real reactors, 27  
 Phthalic anhydride, 1–2  
 Physical adsorption, 650  
 Physiologically based pharmacokinetic (PBPK) models, 439–446
- Picasso's reactor, 16–17
- Pipes  
 dispersion in, 964–965  
 pressure drop in, 182–185
- Plant effluents, nitrous oxides in, 845–848
- Platinum on alumina  
 in benzene production, 647  
 as reforming catalyst, 683
- Plug flow  
 in diffusion, 764  
 in tubular reactor design, 169, 172
- Plug-flow reactors (PFRs), 12, 14–17  
 for acetic anhydride production, 508–510  
 adiabatic, 487–495  
 in butane isomerization, 492–494  
 conversion in, 973  
 CSTRs in series as approximation of, 57–58, 60–64  
 design equations for, 44  
 energy balance of, 477  
 with heat exchange, 495–499  
 multiple reactions, 544–547  
 parallel reactions, 546  
 ethylene production in, 171–175  
 for gas-phase reactions, 23, 146–148  
 with heat exchange, 502–504, 508–510  
 mean conversion in, 907, 909–910, 912–913  
 mesitylene hydrodealkylation in, 340–343  
 mole balances on, 200–202  
 multiple reactions, 335–343, 544–547  
 nonideal reactors using, 990–991

- numerical solutions to, 978
- parallel reactions, 315–317, 545–547
- reactor volume for, 146–148
- RTDs for, 885–886, 897–901
- runaway in, 567
- in series, 58–60
  - with CSTRs, 60–64
  - RTDs for, 897–901
  - sequencing, 64–66
- sizing, 50–54
- steady-state tubular reactors, 502–504
- unsteady operation of, 628
- Point of no return in nitroaniline production, 603
- Poisoning
  - in catalyst deactivation, 650, 713–716
  - methanol, 412, 466–467, 1042
- Polanyi-Semenov equation, 97
- Polished wafers in microelectronic fabrication, 698
- Polydisperse solids, diffusion of, 802
- Polyesters
  - ethylene glycol for, 163
  - from ethylene oxide, 191
- Polymath program
  - acetic acid production, 613–614
  - acetic anhydride production, 506–507, 510–511
  - adiabatic reactors, 479, 487
  - alcohol metabolism, 445–446
  - ammonia oxidation, 354–355
  - blood clotting, 326
  - butane isomerization, 493–494, 498–499
  - catalyst decay, 719–720
  - cell growth, 430
  - CSTRs
    - with bypass and dead volume, 988–989
    - with cooling coils, 532
    - with multiple reactions, 550–551
    - parameter modeling, 982–983
    - unsteady-state operation, 621–622
  - energy balance, 479
  - ethane thermal cracking, 390–391
  - ethyl acetate saponification, 618–619
  - ethylene hydrogenation to ethane, 705–707
  - ethylene oxide production, 193–195
  - explanation of, 1029–1030
  - glucose-to-ethanol fermentation, 433
  - heat effects, 547
  - instructions for, 1015
  - isothermal reactor algorithms for, 229–230
  - maximum mixedness model, 925–927
  - mean conversion, 914
  - membrane reactors, 213–214, 350
  - mesitylene hydrodealkylation, 342–343, 345–346
  - methane production, 287–288
  - methyl bromide production, 221–222
  - Michaelis-Menten equation, 404
  - multiple reactions, 316–317, 336–339, 350, 550–551, 604, 626–627, 931–932
  - nitroaniline production, 604
  - nitrogen oxide production, 206–207
  - nonlinear regression, 274–277, 430
  - PBRs, 336–339
  - PFRs, 336–339, 547
  - propylene glycol production, 530–531, 597–598, 621–622
  - RTD moments, 883
  - semibatch reactors, 626
  - STTRs, 731–732
  - toluene hydrodemethylation, 693, 696
  - triphenyl methyl chloride-methanol reaction, 264–266
  - trityl-methanol reaction, 269–270
  - tubular reactors, 487, 972
  - variable volumetric flow rate, 120–121
- Polymerization
  - in batch systems, 104, 151
  - in bioreactors, 420
  - journal critique problems, 469
  - of nucleotides, 408–409
  - professional reference shelf for, 451–452
  - screw extruders in, 879
- Polymers production, 419
- Polynomial fit
  - for batch reactors, 259–260
  - for E(t) curves, 923–924
- Polynomial method in triphenyl methyl chloride-methanol reaction, 264–271
- Porous catalyst systems, 648
  - carbon removal in, 793–797
  - diffusion in, 763
  - monolithic, 649
- Postacidification in yogurt, 459
- Potatoes, cooking, 134
- Potential energy in energy balance, 475
- Power law
  - and elementary rate laws, 82–86
  - in gas phase, 201
  - for homogeneous reactions, 254
- Practical stability rate
  - in CSTR unsteady-state operation, 619
  - in propylene glycol production, 622
- Prandtl number, 774–776
- Predictor prey relationships, 464
- Pressure
  - conversion factors for, 1018
  - in diffusion, 770
  - in energy balance, 474
  - in state equation, 109
- Pressure drop
  - in complex reactions, 328
  - in ethylene oxide production, 192–193
  - in isothermal reactor design, 175, 199
  - analytical solution for, 185–195
  - flow through packed beds in, 177–181
  - in pipes, 182–185
  - rate law in, 175–177
  - spherical PBRs in, 196
- Pressure profiles, 697
- Price
  - in ethylene glycol production, 196–198
  - of Pfaudler CSTRs/batch reactors, 22
- Product-enzyme complex, 404
- Product formation in cell growth, 426–429
- Production rate in dilution, 437
- Professional reference shelf
  - active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 451–453

- Professional reference shelf (*cont.*)  
 catalysts, 737–738  
 conversion and reactor sizing, 72  
 diffusion, 801–802, 853–855  
 explanation of, 1044  
 isothermal reactor design, 232  
 mole balance, 27–29  
 multiple reactions, 360–361  
 nonideal reactors, 995  
 nonisothermal reactor design  
 steady-state, 566  
 unsteady-state, 631–632  
 rate data collection and analysis, 293–294  
 rate laws and stoichiometry, 128–130  
 RTDs, 935  
 Promoters, 649  
 Propagation step in chain reactions, 386  
 Propane, dehydrogenation for, 211  
 Propylene  
 adsorption of, 673  
 from cumene, 5  
 in Langmuir-Hinshelwood kinetics, 672  
 Propylene glycol production  
 in adiabatic reactors, 526–531, 595–598  
 in CSTR unsteady-state operation, 619–624  
 multiple steady states in, 533  
 Propylene oxide, propylene glycol from, 526–531  
 Prostaglandin, inhibiting production of, 409  
 Protease hydrolyzes, 394  
 Prothrombin, 326  
 Pseudo-steady-state-hypothesis (PSSH), 377  
 for active intermediates, 379–383  
 for epidemiology, 458  
 for ethane thermal cracking, 387–392  
 rate laws derived from, 684–687  
 Pulse injection, 872  
 Pulse input experiment for RTDs, 871–876  
 Pulse reactor evaluation, 291  
 Pulse tracer inputs, 873, 886–887, 948, 968  
 Pursley, J. A., 284  
 Pyridine hydrochloride, 260–266
- Q**
- Q term in CSTRs with heat effects, 522  
 Quarderer, G. C., 289  
 Quasi-steady state assumption (QSSA), 794  
 Questions and problems  
 active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 454–467  
 catalysts, 738–753  
 conversion and reactor sizing, 72–77  
 diffusion, 802–810, 855–863  
 isothermal reactor design, 234–249  
 mole balances, 29–35  
 multiple reactions, 361–375  
 nonideal reactors, 996–1004  
 nonisothermal reactors  
 steady-state, 566–588  
 unsteady-state, 633–643  
 rate data collection and analysis, 294–301  
 rate laws and stoichiometry, 131–140  
 RTDs, 936–944
- R**
- Radial concentration profiles, 978  
 Radial mixing in tubular reactors, 962  
 Radial variations in tubular reactors, 551–561  
 Radioactive decay, 80  
 Rapid reactions  
 on catalyst surfaces, 776–780  
 CSTR startup in unsteady-state operation, 217  
 Rate constant  
 adsorption, 663  
 reaction, 82, 91–98  
 Rate data collection and analysis, 253  
 batch reactor data, 256–257  
 differential method, 257–266  
 integral method, 267–271  
 nonlinear regression, 271–277  
 data analysis algorithm, 254–255  
 differential reactors, 281–288  
 experimental planning in, 289  
 half-lives method, 280–281  
 initial rates method, 277–279  
 journal critique problems, 302–303  
 laboratory reactors, 289–291  
 learning resources, 293–294  
 questions and problems for, 294–301  
 summary, 291–292  
 supplementary reading, 303–304  
 Rate equation, 7  
 Rate laws, 79  
 acetaldehyde formation, 321–322  
 acetic acid production, 610  
 acetic anhydride production, 505  
 adiabatic equilibrium temperature, 513  
 adsorption, 662  
 alcohol metabolism, 441  
 ammonia oxidation, 353  
 azomethane decomposition, 380–381  
 batch reactors, 260–267  
 butane isomerization, 490, 498  
 catalyst decay, 718  
 catalytic reactions, 671–674  
 deducing, 689–690  
 derived from PSSH, 684–687  
 evaluating, 692–694  
 temperature dependence of, 687–688  
 CD-ROM material for, 126–130, 139–140  
 cell growth, 423–425, 428  
 complex reactions, 328  
 coolant balance, 502–503  
 CSTRs  
 batch operations, 149–150  
 with cooling coils, 531  
 multiple reactions, 549  
 parameter modeling, 984  
 second-order reaction in, 162  
 single, 157  
 unsteady-state operation, 620  
 cumene decomposition, 680  
 CVD, 701  
 deducing, 383–384  
 definitions, 80–82  
 elementary, 82–86  
 ethane thermal cracking, 387, 389  
 ethyl acetate saponification, 617  
 ethylene glycol production, 153–154, 156, 164

- ethylene hydrogenation to ethane, 705
- ethylene oxide production, 191
- glucose-to-ethanol fermentation, 433
- homogeneous reactions, 256
- inhibition
- competitive, 410
  - noncompetitive, 414
  - uncompetitive, 413
- irreversible surface-reaction-limited, 684
- isothermal reactor design, 175–177, 199
- kinetic, 86–87
- mean conversion, 913
- membrane reactors, 212, 349
- mesitylene hydrodealkylation, 341
- methane production, 285–288
- methyl bromide production, 221
- moving-bed reactors catalytic cracking, 726
- multiple reactions, 336–339, 349, 356, 549, 626
- net rates of reaction, 329–330
- nitroaniline production, 600–601
- nitrogen oxide production, 205
- nitrous oxide reductions, 846
- nonelementary. *See* Nonelementary rate laws
- nonlinear regression for, 274–277
- parallel reactions, 310, 545
- PBRs, 336–339
- PFR reactors
- multiple reactions, 336–339
  - parallel, 545
  - unsteady operation, 628
  - volume for first-order gas-phase reaction, 146–147
- pressure drop, 175–177, 186
- propylene glycol production, 528, 596, 620
- from PSSH, 684–687
- questions and problems for, 131–140
- rate data analysis, 254–255
- and reaction order, 82–91
- reactor sizing and design, 98–99
- semibatch reactors, 218, 224, 626
- spherical catalyst pellets, 817–818
- steady-state nonisothermal reactor design, 472
- in STTRs, 731
- summary, 124–125
- supplementary reading for, 141
- surface-reaction-limited irreversible isomerization, 688
- surface reactions in catalysts, 667–668
- temperature dependence of, 687–688
- toluene hydrodemethylation, 689, 692, 695
- triphenyl methyl chloride-methanol reaction, 261
- trityl-methanol reaction, 270
- tubular reactors
- adiabatic, 488
  - design, 169, 172–173
  - radial and axial variations in, 559
- for urea
- decomposition, 405
  - removal, 398–399
- variable volumetric flow rate, 121–122
- web sites for, 1037
- Rate-limiting
- benzene, 678–680
  - in catalytic reactions, 669–674
  - of cumene adsorption, 674–677
  - surface reactions, 677–678
- Rate of change of energy with time, 1019
- Rate of consumption in spherical catalyst pellets, 820
- Rate of desorption, 668
- Rate of detachment in adsorption, 663
- Rate of disappearance of substrate, 400
- Rate of formation
- in ammonia oxidation, 354
  - in azomethane decomposition, 380
  - in net rates of reaction, 331
  - in relative rates of reaction, 81–82
- for species, 9
- Rate of generation, 8
- Rate of reaction, 4–8
- azomethane decomposition, 380
  - catalysts
    - deactivation, 708
    - in diffusion, 657
    - sintering, 711  - complex reactions
    - combination, 332–334
    - for each species, 329  - rate laws for, 329–330
  - stoichiometry, 330–331
- CSTRs, 13, 161
- diffusion and reaction, 837–838
- internal effectiveness factor, 828–831
- methane production, 284
- multiple reactions, 309
- nonlinear regression for, 272
- packed bed transfer-limited reactions, 849
- PFR/PBR multiple reactions, 339
- with pressure drop, 185, 190
- relative, 81–82
- Rate of removal in membrane reactors, 210
- Rate of transport in membrane reactors, 210
- Rate selectivity parameter in parallel reactions, 310
- Reactants and reactant concentrations
- catalyst poisoning of, 715–716
  - in continuous-flow reactors, 47
  - in conversion, 38
  - desired products for, 311–317
  - in differential reactors, 281
  - energy of formation of, 93
  - heats of formation for, 139
  - in heterogeneous reactions, 814
  - mass transfer of, 814
  - in multiple reactions, 307
  - in parallel reactions, 311–317
  - in semibatch reactors, 224
- Reaction coordinates, 92
- Reaction-limited regime estimation, 838–842
- Reaction mechanisms, searching for, 383–386
- Reaction order, 82–91
- Reaction pathways, 391–394
- Reaction rate constant, 82, 91–98
- Reaction steps with catalysts, 657
- Reaction surface area in heterogeneous reactions, 6
- Reaction times in scale-up, 151
- Reaction yields in multiple reactions, 309
- Reactions. *See also names of specific reactions.*
- heterogeneous, 87–88
  - homogeneous, 86–87
  - modeling diffusion without, 766–770
  - rates of. *See* Rate of reaction
  - reversible, 88–91

- Reactions (*cont.*)  
 temperature effects on, 97–98
- Reactive distillation  
 in semibatch reactor operation, 216  
 for thermodynamically limited reversible reactions, 225–226
- Reactive ion etching (RIE), 700
- Reactive trajectory in molecular dynamics, 130
- Reactor design for toluene hydrodemethylation, 694–698
- Reactor lab  
 for isothermal reactor design, 231–232  
 for multiple reactions, 360  
 for rate data collection, 293, 295
- Reactor length in nitrous oxide reductions, 848
- Reactor modeling, RTDs for, 902–903
- Reactor staging with interstate cooling of heating, 515–516
- Reactor volume  
 butane isomerization, 63  
 catalyst decay, 719  
 continuous-flow reactors, 46–47  
 conversion factors for, 1018  
 CSTRs, 43, 56–58, 61–62, 64–66, 161  
 ideal gases, 1017  
 membrane reactors, 209  
 PBRs, 18, 20–21  
 PFRs, 17, 21, 59, 64–66  
 in space time, 66  
 tubular reactors, 170  
 variable, 109–111
- Reactors. *See also specific reactor types by name*  
 cells as, 31  
 in parallel reactions, 317–320  
 in rate data analysis, 254  
 in series, 54–55  
 CSTRs, 55–58  
 CSTRs and PFRs combination, 60–64  
 CSTRs and PFRs comparisons, 64–66  
 PFRs, 58–60  
 sizing. *See Conversion and reactor sizing*
- Ready-to-eat cereals, 245
- Real reactors  
 mean conversions in, 910–912  
 in two-parameter models, 979–987
- Realistic models for nonideal reactors, 946
- Reciprocal concentrations, 268
- Reciprocal power decay, 717
- Recirculating transport reactors, 290–291
- Recycle reactors  
 journal critique problems, 251  
 professional reference shelf for, 232–233
- Recycle stream in parallel reactions, 319
- Reflective learners, 1047
- Reforming catalysts, 681–685
- Regeneration  
 catalyst, 793–797  
 enzyme, 417
- Regression  
 in activation energy determinations, 95  
 for batch reactor data analysis, 271–277  
 for cell growth, 430  
 for ethylene hydrogenation to ethane, 705–707  
 for methane production, 287–288  
 for Michaelis-Menten equation, 404  
 for toluene hydrodemethylation, 693  
 for triphenyl methyl chloride-methanol reaction, 266  
 for trityl-methanol reaction, 270–271
- Rehkopf, R. G., 898
- Related material in ethylene glycol production, 154
- Relative rates of reaction  
 ammonia oxidation, 353  
 mesitylene hydrodealkylation, 341  
 multiple reactions, 330–331  
 parallel reactions, 546  
 PFR/PBR multiple reactions, 339  
 stoichiometric coefficients for, 81–82
- Relief valves, 605–614
- Removal rate in membrane reactors, 210
- Residence-time distribution function, 872
- Residence-time distributions (RTDs), 867, 869–871
- CD-ROM material, 934–935
- diagnostics and troubleshooting  
 CSTRs, 891–895  
 PFR/CSTR series, 897–901  
 tubular reactors, 895–897  
 gas-liquid reactors, 868–870
- ideal reactors  
 batch and plug-flow, 885–886  
 laminar flow reactors, 888–891  
 single-CSTR, 887–888
- integral relationships in, 878–879
- internal-age distribution, 885
- mean residence time in, 879–881, 890
- measurement of, 871–878
- medical uses of, 898
- microreactors, 203
- moments of, 881–884
- multiple reactions, 927–932
- nonideal reactors, 991–992
- normalized function, 884–885
- PBRs, 869
- pulse input experiment for, 871–876
- questions and problems, 936–944
- for reactor modeling, 902–903
- software packages for, 923–927
- step tracer experiment, 876–878
- summary, 933–934
- supplementary reading, 944
- T-I-S model, 950
- two-parameter models, 979  
 for zero-parameter models  
 maximum mixedness model, 915–922  
 maximum mixedness predictions, 922–923  
 segregation model, 904–914
- Respiration rate of chipmunks, 805
- Retinal blood flow, 898
- Retinitis pigmentosa, 898
- Reverse reactions in data analysis, 277
- Reversible gas-phase decompositions, 118–123
- Reversible isomerization, 688
- Reversible reactions, 80, 88–91
- Reynolds number  
 in dispersion, 964–965  
 in dispersion coefficient determination, 968  
 in mass transfer coefficient, 774–776, 779  
 in mass transfer correlations, 784–785



- Rhizobium trifollic, 425  
 Ribonucleic acid (RNA), 419  
 Ribosomes, 419  
 RIE (reactive ion etching), 700  
 RNA (Ribonucleic acid), 419  
 Robert the Worrier, 783–788  
 Rotation in transition state theory, 129  
 RTDs. *See* Residence-time distributions (RTDs)  
 Runaway reactions  
   in CSTRs, 540–543  
   from falsified kinetics, 835  
   in PFRs, 567
- S**
- Saccharomyces cerevisiae  
   for glucose-to-ethanol fermentation, 432–434  
   production of, 300  
 Safety  
   of ethylene glycol, 167–168  
   in exothermic reactions, 599–605  
   in unsteady-state nonisothermal reactor design, 605–614  
 Santa Ana winds, 33, 392  
 Saponification, 104–105  
 Satellite maneuvering, 785–788  
 Scale-up  
   in bioreactors, 439  
   of liquid-phase batch reactor data, 148–156  
 Scavengers with active intermediaries, 385  
 Schmidt number  
   in diffusion, 776, 779  
   in dispersion, 964, 968  
 Schmitz, R. A., 538–539  
 Seafood gumbo, 1040–1041  
 Searching  
   for mechanisms, 383–386  
   in nonlinear regression, 272–273  
 Second-order decay, 710  
 Second-order ODE solutions, 1013  
 Second-order rate laws, 85  
 Second-order reactions, 83  
   in batch reactor data analysis, 268  
   in CSTR design, 158, 162–168  
   irreversible, 158  
   isothermal, 150, 220–223  
   in laminar flow reactors, 912–914  
   mean conversion in, 912–914  
   in moving-bed reactor catalytic cracking, 727  
   in multiple steady states, 535  
   RTDs for, 899–901  
 Second reactors in interstage cooling, 519–520  
 Segregation model  
   in maximum mixedness model, 915, 919, 922  
   multiple reactions in, 927–932  
   ODE solver for, 924–925  
   RTDs for, 904–914  
   vs. T-I-S model, 953–955  
 Segregation vs. maximum mixedness predictions, 922–923  
 Seitz, Nick, 305  
 Selectivity  
   in liquid-phase reactions, 217–218  
   membrane reactors for, 215, 347–351  
   in mesitylene hydrodealkylation, 347  
   in multiple reactions, 307–309, 347–351  
   in parallel reactions, 318  
   temperature effects on, 312–314  
   for Trambouze reactions, 312–317  
 Self-heating rate with calorimeters, 607  
 Semibatch reactors, 215–216  
   energy balance of, 477, 615, 626  
   with heat exchangers, 614–619  
   for liquid-phase reactions, 21–22  
   multiple reactions in, 625–627  
   ODE solver for, 230  
   substrate inhibition in, 417  
   unsteady-state operation in, 217–226  
 Semiconductor fabrication, 299–300, 698  
   Chemical Vapor Deposition in, 701–704  
   etching in, 700  
 Semilog plots, 96, 1027  
 Sensors, microreactors for, 203  
 Separable kinetics, 707–708, 716  
 Separating variables with pressure drop, 186  
 Separation systems, economic incentive for, 307  
 Sequencing of reactors, 64–66  
 Series, reactors in, 54–55  
   combinations, 60–64  
   CSTRs, 55–58  
   design, 158–160, 166–167  
   PFRs, 58–60  
   RTDs for, 897–901  
 Series reactions, 305–307  
   blood clotting, 325–326  
   desired product in, 320–326  
   in mass transfer-limited reactions, 789  
 Severe eye irritants, 392  
 Shaft work in energy balance, 474  
 Shell balances  
   on catalyst pellets, 816  
   in diffusion, 767  
 Sherwood numbers  
   in mass transfer coefficient, 775–776  
   in mass transfer correlations, 785  
 Shrinking core model, 792–793  
   catalyst regeneration in, 793–797  
   pharmacokinetics, 798–799  
 Shuler, M. L., 420–421  
 Sickle-cell disease, 898  
 Silicon and silicon dioxide  
   design problems for, 588  
   for microelectronic devices, 299–300, 699  
 Simplifications  
   in rate data analysis, 254  
   in triphenyl methyl chloride-methanol reaction, 261  
 Simpson's one-third rule, 1014  
 Simpson's three-eighths rule, 1014  
 Simpson's three-point formula  
   for isomerization of butane, 64  
   for PFRs in series, 60  
 Single particles, mass transfer to, 776–780  
 Single-site mechanisms  
   rate-limiting in, 677–678, 684  
   surface reactions in, 666–667, 684  
 Sintering, 709–712  
 Site balance in adsorption isotherms, 661  
 Sizing  
   heat exchangers, 519  
   interstage heat, 518  
   reactors. *See* Conversion and reactor sizing  
   relief valves, 605–614  
 Skewness in RTD moments, 881  
 Skin, nitrogen gas exposure to, 804  
 Slopes on semilog paper, 1027

- Sloppy tracer inputs, 970–973
- Slow reactions  
 CSTR startup in unsteady-state operation, 217  
 in mass transfer to single particles, 779
- Slurry reactors, 369, 849–850, 853
- Small molecule synthesis, 420
- Small-scale operations, 10
- Smog formation, 32–33, 392–393
- Soap, saponification for, 104–105
- Sodium bicarbonate, ethylene glycol from, 246
- Sodium hydroxide in saponification, 105
- Software packages, 1049–1050.  
*See also specific software packages by name*  
 Aspen, 1031  
 FEMLAB, 1031–1032  
 instructions for, 1015  
 MATLAB, 1031  
 Polymath, 1029–1030
- Solid catalysts in PBRs, 17–18
- Solids in CSTRs, 290–291
- Solvents from ethylene oxide, 191
- Space flights, 785–788
- Space satellite maneuvering, 785–788
- Space time  
 in catalyst decay, 719  
 in CSTR modeling, 986  
 definition, 66–67  
 in dispersion coefficient determination, 970
- Space velocity, 68–69
- Spaghetti, cooking, 236
- Spartan program, 379
- Spartanol, wulfrene and carbon dioxide from, 751–752
- Specialty chemicals, 203
- Species, 4–5  
 mole balances on, 8–9  
 net rates of reaction for, 329–330  
 and variable volumetric flow rate, 112–113
- Specific reaction rate, 82, 91–98
- Specifications in ethylene glycol production, 153
- Spectroscopic measurements, 684
- Spheres, mass transfer coefficient for, 777
- Spherical bacteria growth, 421
- Spherical catalyst pellets, 814  
 differential equation for, 816–819, 822–823  
 dimensionless form, 819–822  
 effective diffusivity in, 814–816  
 for tissue engineering, 823–827
- Spherical reactors  
 in pressure drop, 196  
 professional reference shelf for, 232
- Spread of distributions, 881
- Square of the standard deviation, 881
- Squares of difference, 275
- Stability diagrams, 542–543
- Stability rates  
 in CSTR unsteady-state operation, 619  
 in linearized stability theory, 631–632  
 in propylene glycol production, 622
- Stagnant film, diffusion through, 762, 774
- Stagnant gases, diffusion through, 763
- Standard deviation, 881
- Standard temperature and pressure (STP) in space velocity, 68
- Starch, hydrolysis of, 461–462
- Startup of CSTRs, 216–217, 619–622
- State equation in batch reactors, 109
- Stationary phase  
 in cell growth, 423  
 substrate balance in, 432
- Steady-state bifurcation, 567, 588
- Steady state in CSTRs, 13
- Steady-state molar flow rates, 479–481
- Steady-state nonisothermal reactors, 471  
 adiabatic operation. *See* Adiabatic operations  
 CD-ROM material, 566–568  
 CSTRs with heat effects, 522–532  
 energy balance. *See* Energy balances  
 equilibrium conversion. *See* Equilibrium conversions  
 information required for, 472–473  
 journal critique problems, 589  
 multiple chemical reactions, 543  
 in CSTRs, 548–551  
 in PFRs, 544–547  
 multiple steady states, 533  
 heat of generation in, 534–536  
 heat-removed terms in, 533–534  
 ignition-extinction curves in, 536–540  
 runaway reactions in CSTRs, 540–543  
 practical side, 561–562  
 questions and problems, 566–588  
 summary, 563–565  
 supplementary reading, 589–590  
 tubular reactors radial and axial variations, 551–561  
 tubular reactors with heat exchange, 495, 502–504  
 balance on coolant in, 499–511  
 PFR energy balance in, 495–499
- Step tracer experiment, 876–878
- Stern-Volmer Equation, 384–386
- Stirred reactors  
 batch, 290–291  
 CSTRs. *See* Continuous-stirred tank reactors (CSTRs)  
 unsteady-state operation of, 215–216  
 semibatch reactors, 217–226  
 startup of CSTRs, 216–217
- Stoichiometric coefficients  
 in conversion, 38  
 in relative rates of reaction, 81
- Stoichiometry, 79, 99  
 acetaldehyde formation, 322  
 acetic acid production, 610  
 acetic anhydride production, 505  
 adiabatic equilibrium temperature, 513  
 ammonia oxidation, 353  
 batch systems, 100–106  
 butane isomerization, 490, 498  
 catalyst decay, 718–719  
 catalyst sintering, 710–711  
 CD-ROM material, 126–130, 139–140  
 cell growth, 426–430  
 complex reactions, 328, 334–335  
 coolant balance, 502–503  
 CSTRs  
 batch operations, 149–150  
 with cooling coils, 531  
 single, 157  
 ethyl acetate saponification, 617  
 ethylene glycol production, 154, 164

- ethylene oxide production, 191–192
- flow systems, 106–123
- gas phase, 201–202
- glucose-to-ethanol fermentation, 433
- isothermal reactors, 199
- mean conversion, 913
- membrane reactors, 212, 350
- mesitylene hydrodealkylation in CSTRs, 345
- in PFRs, 341–342
- moving-bed reactor catalytic cracking, 726
- multiple reactions, 336–339, 350, 626
- net rates of reaction, 330–331
- nitroaniline production, 601
- nitrogen oxide production, 205
- parallel reactions, 546
- PBRs, 336–339
- PFRs
- with heat effects, 546
  - multiple reactions, 336–339
  - reactor volume, 146–147
- pressure drop, 176, 186
- propylene glycol production, 528–529, 596, 620
- questions and problems, 131–140
- semibatch reactors, 626
- steady-state nonisothermal reactors, 472
- STTRs, 731
- summary, 125–126
- supplementary reading, 141
- toluene hydrodemethylation reactors, 695
- triphenyl methyl chloride-methanol reaction, 261
- tubular reactors
- adiabatic, 488
  - design, 169, 173
  - radial and axial variations in, 559
- Stomach in alcohol metabolism, 442–443
- STP (standard temperature and pressure) in space velocity, 68
- Straight-through transport reactors (STTRs)
- catalyst deactivation in, 728–732
  - evaluation of, 290–291
- Streptomyces aureofaciens*, 437–438
- Stuart Prower factor, 326
- Styrene from ethylbenzene, 211, 585–586
- Substrates, 1035
- Substrates
- in cell growth, 421, 427–430
  - and dilution rate, 437
  - disappearance of, 400, 431–432
  - in enzyme-substrate complex, 395–397
  - inhibition by, 412, 414, 416–417, 466–467
  - mass balances, 431–432
  - in Michaelis-Menten equation, 400, 405
  - in microelectronic fabrication, 698
  - multiple systems, 417–418, 453
- Sulfonation reactions, 347
- Sulfuric acid
- in DDT production, 6
  - in ethylene glycol production, 197–198
  - professional reference shelf for, 568
- Sums of squares
- for ethylene hydrogenation to ethane, 706–707
  - in multiple reaction analysis, 356
  - in nonlinear regression, 272, 274, 277
- Superficial mass velocity, 196
- Supplementary reading
- active intermediates, enzymatic reactions, pharmacokinetic models, and bioreactors, 469–470
  - catalysts, 755–756
  - conversion and reactor sizing, 77
  - diffusion, 810–811, 865–866
  - isothermal reactor design, 252
  - mole balances, 35–36
  - multiple reactions, 375
  - nonideal reactors, 1005
  - nonisothermal reactors
    - steady-state, 589–590
    - unsteady-state, 644  - rate data collection and analysis, 303–304
  - rate laws and stoichiometry, 141
  - RTDs, 944
- Supported catalysts, 649
- Surface area
- in catalyst sintering, 709
  - in hydrazine decomposition, 786–788
  - in mass transfer-limited reactions, 790
  - in membrane reactors, 210
  - in microreactors, 201
  - of spherical catalyst pellets, 818
- Surface-catalyzed reactions, 203
- Surface-reaction-limited operations
- cumene decomposition, 680
  - irreversible isomerization, 687–688
  - irreversible rate laws, 684
- Surface reactions
- in catalysts, 666–668
  - in CVD, 701
  - in microelectronic fabrication, 698
  - in packed bed transfer-limited reactions, 849
  - rapid, 777–779
  - rate laws for, 673, 686
  - rate-limiting, 677–678
  - in toluene hydrodemethylation, 691
- Surfaces
- catalyst, 776–780
  - in effectiveness factor, 837
  - in mass transfer to single particles, 778
  - metallic, 801
- Surfactants from ethylene oxide, 191
- Sweetland, Ben, 945
- Swimming rate of small organisms, 858–859
- Synthesizing chemical plant design, 196–198
- Synthetic rubber production, 654
- System volume in mole balance equation, 8
- Szent-Gyorgyi, Albert, 813
- T**
- T-Amyl Methyl Ether (TAME), 584
- Tails
- fitting, 935
  - in pulse input experiment, 875
- Tanks-in-series (T-I-S) models
- conversion in, 971–973
  - vs. dispersion models, 974
  - nonideal, 948–955
  - one-parameter, 947
  - vs. segregation model, 953–955
- Tarzlou, 364–365
- Taylor, H. S., 650

- Taylor-Couette flow device, 898  
 Taylor series for energy balance, 523  
 TBA (butyl alcohol), 740  
 TCC (thermoform catalytic cracking) units, 723  
 Temperature, 471. See also Heat effects  
   and activation energy, 97–98  
   in adsorption, 663  
   in catalyst deactivation, 721–722  
   in cell growth, 425  
   conversion factors for, 1018  
   in CSTRs, 13, 22  
   in diffusion, 770  
   in enzymatic reactions, 407  
   in ethylene oxide production, 193  
   in fluidized-bed reactors, 24  
   in internal effectiveness factor, 831–832  
   in mass transfer correlations, 783  
   in mass transfer to single particles, 778  
   nonisothermal reactors  
     steady-state. See Steady-state nonisothermal reactors  
     unsteady-state. See Unsteady-state nonisothermal reactors  
   in rate laws, 87, 687–688  
   in runaway reactions, 540–543  
   selectivity affected by, 312–314  
   in state equations, 109  
 Temperature-concentration phase planes, 619  
 Terephthalic acid (TPA), 367  
 Termination step in chain reactions, 386  
 Termolecular reactions, 80  
 Tessier equation, 424–425  
 Testing new processes, batch reactors for, 10  
 Thermal conductivity, 554, 558  
 Thermal cracking of ethane, 387–392  
 Thermal decomposition of isopropyl isocyanate, 301  
 Thermal diffusivity in mass transfer coefficient, 776  
 Thermodynamic equilibrium constant, 89, 1021–1026  
 Thermodynamically limited reactions, 207, 225–226  
 Thermodynamics  
   equilibrium conversion from, 514  
   first law of, 473–474  
   in reversible reactions, 91  
 Thermoform catalytic cracking (TCC) units, 723  
 Thiele modulus  
   in cartilage forming cells, 825–826  
   in falsified kinetics, 833  
   internal, 839–841  
   in internal effectiveness factor, 829, 832–833  
   in spherical catalyst pellets, 819–823  
 Third-order reactions, 84  
 Thoenes, D., Jr., 784  
 Thoenes-Kramers correlation  
   in flow through packed beds, 784  
   in hydrazine decomposition, 786  
   in Mears' criterion, 842  
   in nitrous oxide reductions, 847  
 Three-eighths rule, 1014  
 Three-phase reactors, 849–850  
 Three-point differentiation formulas, 258–259  
 Three-point rule, 1014  
 Thrombin in blood clotting, 326  
 Thrusters, monopropellant, 785–786  
 Tic Tac module, 236  
 Time  
   in batch reactors, 151  
   concentration, 256  
   reactant, 39–40  
   in energy rate change, 1019  
   in growth rates, 425  
   in half-lives methods, 280–281  
 Time function in semibatch reactors, 219  
 Time order of magnitude in scale-up, 151  
 Timmerhaus, K. D., 23  
 Tissue engineering, 823–827, 855  
 Tissue factor in blood clotting, 325–326  
 Tissue water volume (TWV), 440–441  
 Titanium dioxide, 746  
 TOF (turnover frequency), 651  
 Toluene  
   hydrodemethylation of, 87, 688–698  
   from methylcyclohexane, 746–747  
   xylene from, 649, 749–750  
 Tortuosity in effective diffusivity, 815–816  
 Total collective mass, 5  
 Total concentrations in flow reactors, 116–117  
 Total cycle time in scale-up, 151  
 Total energy in first law of thermodynamics, 473  
 Total enzyme concentration, 398–399  
 Total mass, 5  
 Total molar flow rate  
   in flow reactors, 111–112  
   in gas phase, 201  
   in PFR/PBR multiple reactions, 336–339  
 Total volume  
   CSTRs in series, 57–58  
   PFRs in series, 59  
 Toxic intermediates, 203  
 TPA (terephthalic acid), 367  
 Tracers  
   CSTR parameter modeling, 981–985, 987  
   dispersion coefficient determination, 966–967  
   dispersion model, 956–957  
   pulse input experiment, 874  
   RTDs, 871, 887  
   step tracer experiment, 876–878  
   T-I-S model, 949  
   tubular reactors, 970–973  
   two-parameter models, 979  
 Trains of reactors with interstage heating, 577  
 Trambouze reactions, 312–317  
 Transdermal drug delivery, 772  
 Transfer. See Mass transfers  
 Transferases enzymes, 397  
 Transition state theory, 128–129  
 Transition states and energy barriers, 92  
 Translation in transition state theory, 129  
 Transport  
   with catalysts, 657  
   in membrane reactors, 210, 212, 349  
 Trapezoidal rule, 1013  
 Trial and error method, 988  
 Trickle bed reactors, 849–850, 853–854  
 Triethanolamine formation, 306  
 Triphenyl methyl chloride, methanol reaction with, 260–266  
 Trityl-methanol reaction, 269–271, 277

- Troubleshooting, 891–892  
 corrosion, 132–133  
 CSTRs, 892–895  
 isothermal reactors, 239–240  
 olefin formation, 643  
 reactor systems, 580–581  
 tubular reactors, 895–897
- Truman, Harry S, 471
- Tubes  
 in microreactors, 201  
 in pressure drop, 190
- Tubular reactors, 14–17, 241  
 design equations for, 44, 99  
 designing, 168–171  
 for ethylene production, 171–175  
 gas-phase reactions, 14, 23, 169–171  
 hemoglobin deoxygenation in, 295  
 nonideal, 947–948  
 balance equations in, 957  
 boundary conditions in, 958–962  
 dispersion in, 955–957, 962–964  
 dispersion coefficient correlation in, 964–966  
 dispersion coefficient determination in, 966–970  
 sloppy tracer inputs in, 970–973  
 plug-flow. *See* Plug-flow reactors (PFRs)  
 radial and axial variations in, 551–561  
 RTDs for, 895–897  
 space time in, 67
- Turbulent diffusion, 955
- Turbulent flow  
 in packed bed pressure drop, 184  
 in pipes, 964–965
- Turnover frequency (TOF), 651
- Turnover number in Michaelis-Menten equation, 399
- Two-parameter models for nonideal reactors, 945, 948, 979–987
- Two-point rule, 1013
- TWV (tissue water volume), 440–441
- Tyrosinase, 395
- U**
- Ultrasonic waves, light from, 384–386
- Unbound enzyme concentration, 398
- Uncompetitive inhibition, 412–413
- Underground wet oxidation problem, 1040
- Undesired products in multiple reactions, 307–309
- Uniform surfaces, adsorption in, 666
- Unimolecular reactions, 80
- Units, conversion factors for, 1018–1019
- Unsteady-state nonisothermal reactors, 591  
 batch reactors  
 adiabatic operation, 594–598  
 with interrupted isothermal operation, 599–605  
 CD-ROM material, 630–632  
 CSTR operation  
 energy balance of, 477  
 startup, 216–217, 619–622  
 steady state falloff in, 622–624  
 energy balance in, 477, 591–594  
 mole balances for, 198, 593  
 multiple reactions, 625–627  
 PFRs, 628  
 questions and problems, 633–643  
 safety in, 605–614  
 semibatch reactors, 614–619  
 summary, 629–630  
 supplementary reading, 644
- Unsteady-state operation of stirred reactors, 215–216  
 semibatch, 217–226  
 startup, 216–217, 619–622  
 steady state falloff in, 622–624
- Unsteady-state tracer balance, 966–967
- Unsupported catalysts, 649
- Unwanted products in parallel reactions, 319–320
- Upadhyay, S. N., 785
- Urea removal, 398–399  
 batch reactor calculations for, 404–407  
 Michaelis-Menten equation for, 399–404
- Urease, 397–399
- Used reactors, 23
- V**
- Vacant sites in cumene adsorption, 676
- Valves  
 in microreactors, 203  
 relief, 605–613
- Van de Vusse kinetics, 360–361, 371
- Vanadium oxides, 745–746
- Vanadium triisopropoxide (VTIPO), 745–746
- Van't Hoff's equation, 1022
- Vapor-phase cracking, 751
- Vapor-phase reactions, irreversible endothermic, 575–576
- Variable heat capacities, 567–568
- Variable temperature  
 for acetic anhydride, 510–511  
 in energy balance, 478
- Variable volume  
 batch reactors with, 109–111  
 in gas phase flow systems, 108
- Variable volumetric flow rate, 111–123
- Variance  
 in ethylene hydrogenation to ethane, 706–707  
 in RTDs, 881–883, 886  
 in T-I-S model, 950–951
- Vat reactors. *See* Continuous-stirred tank reactors (CSTRs)
- Vejtasa, S. A., 538–539
- Velocity  
 of fluid in mass transfer to single particles, 779  
 space, 68–69
- Velocity profiles in tubular reactors, 947  
 dispersion, 962  
 radial and axial variations, 556
- Venkatesan, R., 785
- Verbal learners, 1047
- Vermont Safety Information on the Internet (Vermont SERI), 167
- Vessel boundary conditions  
 in dispersion coefficient determination, 968–970  
 in tubular reactors, 959–960
- Vessel dispersion number, 958
- Vibration in transition state theory, 129
- Vibrational degrees of freedom, 378
- Vinyl allyl ether, 3
- Viscosity  
 conversion factors for, 1018  
 in diffusion, 761  
 of helium, 786

Viscosity (*cont.*)  
 in mass transfer coefficient, 776  
 Visual Encyclopedia of Equipment, 27  
 Visual learners, 1047  
 Volume. See Reactor volume  
 Volume-average particle diameter  
 in hydrazine decomposition, 786  
 Volumetric feed rate in chemostats, 434  
 Volumetric flow, 107  
 CSTR parameter modeling, 983  
 differential reactors, 282–283  
 ethylene oxide production, 194  
 flow reactors, 114  
 methane production, 284–285  
 pulse input experiment, 873  
 RTDs, 880–881, 889  
 T-I-S models, 949  
 tubular reactors, 171  
 variable, 111–123  
 Voorhies, A., 712  
 VTIPO (vanadium triisopropoxide), 745–746

**W**

Wafer fabrication, 299–300,  
 698–699  
 Chemical Vapor Deposition in,  
 701–704  
 etching in, 700  
 Warnicki, J. W., 898

Wash-out in cell growth, 436–438  
 Washington, Booker T., 79  
 Water, light from, 384–386  
 Water-gas shift reaction  
 in coal gasification, 103  
 equilibrium constant in,  
 1024–1026  
 Watson, K. M., 670  
 Web sites for rate law data, 1037  
 Weber, M., Jr., 870  
 Weekman, V. W., 289  
 Weighted least squares analysis, 293  
 Weisz-Prater criterion, 839–841  
 Wen, C. Y.  
 on RTD moments, 881  
 on tracer techniques, 878  
 Wet etching, 700  
 Wet oxidation problem, 1040  
 What if conditions for mass transfer coefficients, 788–792  
 White, D. H., 879  
 Wilkinson, P. K., 446  
 Wine-making, 424–425  
 Wolf, D., 879  
 Wooden, John, 37  
 Work, conversion factors for, 1018  
 Work term in energy balance,  
 474–476  
 Wulfreng from spartanol, 751–752

**X**

Xylene  
 isomers in, 584–585

from methane, 649  
 from toluene, 649, 749–750

**Y**

Yeasts  
 doubling times for, 425  
 growth of, 421  
*saccharomyces cerevisiae*  
 production, 300  
 Yields  
 in bioconversions, 419  
 in cell growth, 426, 429–430  
 Yogurt, postacidification in, 459

**Z**

Zeolite catalysts, 649  
 Zero-order reactions, 83  
 in batch reactor data analysis,  
 267  
 exothermic liquid-phase, 579  
 Zero-parameter models, RTDs for  
 maximum mixedness model,  
 915–922  
 maximum mixedness predic-  
 tions, 922–923  
 segregation model, 904–914  
 Zewail, Ahmed, 379  
 Zwietering, T. N.  
 on maximum mixedness, 922  
 on segregation model, 904  
*Zymomonas* bacteria, 240