

Index

A

- Absorption (*see also* Stage processes)
- absorption factors, 634, 666
 - design methods for packed towers,
 - for concentrated gas mixtures, 680–681
 - for dilute gas mixtures, 670–672
 - general method, 664–670
 - for heat effects, 687–690
 - transfer unit method 676–679
 - equipment for, 654–657
 - gas-liquid equilibrium, 627–628
 - HETP, 678
 - interface compositions, 637–639
 - interphase mass transfer, 636–644
 - introduction to, 625–626
 - Kremser analytical equations, 634–635, 666–667
 - log mean driving force, 671
 - minimum liquid to gas ratio, 666–667
 - number of theoretical trays, 662–663
 - operating lines, 662–666
 - optimum liquid to gas ratio, 666–667
 - packing efficiency, 727–728
 - packing mass transfer coefficients
 - film, 637–639, 668–670, 684–686
 - overall, 641–644, 668–670
 - stage calculations, 629–632
 - stripping, 665–667
- Absorptivity, 301–302, 309–310
- Adiabatic compressible flow, 110
- Adiabatic saturation temperature, 569–570
- Adsorbents (*see* Adsorption)
- Adsorption
- adsorbents
 - applications of, 760
 - physical properties of, 760–761
 - types of, 761
 - by batch process, 763
 - equilibrium in
 - Freundlich isotherm, 761–762
 - Langmuir isotherm, 761–762
 - linear isotherm, 761–762
 - by fixed-bed process
 - adsorption cycles, 770–771
 - basic model, 770
 - breakthrough curves, 765–766
 - concentration profiles, 764–765
 - design method, 766–769
 - ion exchange (*see* Ion exchange processes)
 - mass-transfer zone, 766
- Affinity laws for pumps, 147–148
- Agitation (*see also* Mixing)
- baffles for, 157
 - circulation rate in, 166
 - equipment for, 154–157
 - flow number in, 166
 - flow patterns in, 157
 - heat transfer in, 326–329
 - mixing time in, 163–164
 - motionless mixers, 167
 - of non-Newtonian fluids, 181–183
 - power consumption, 157–160
 - purposes of, 154
 - scale-up in, 160–161
 - special agitation systems, 166–167
 - standard agitation design, 157
 - types of agitators, 154–157
- Air, physical properties of, 971
- Analogies
- in boundary layer, 399–404

Analogies (*continued*)
 between momentum, heat, and mass
 transfer, 43–44, 404, 410–411, 463–
 464, 474–476, 515
 Arithmetic mean temperature drop, 261
 Azeotrope, 698–699

B

Batch distillation, 702–703
 Bernoulli equation, 71–72
 Bingham-plastic fluids, 178–179
 Biological diffusion
 in gels, 439–440
 in solutions, 436–439
 Biological materials
 chilling of, 388–390
 diffusion of, 436–440
 equilibrium moisture content, 573–575
 evaporation of
 fruit juices, 552
 paper pulp liquors, 553
 sugar solutions, 552
 freeze drying of, 607–610
 freezing of, 391–393
 grain dryer, 563–564
 heat of respiration, 251
 leaching of, 802–804, 807
 physical properties of, 992–995
 sterilization of, 611–618
 Biot number, 359–360
 Blake crusher, 948
 Blasius theory, 212, 219
 Blowers, 151–153
 Boiling
 film, 285
 natural convection, 283–284
 nucleate, 284–285
 physical mechanisms of, 283–285
 temperature of, 11–12, 742–743
 Boiling point diagrams, 696–699
 Boiling point rise, 537–539
 Bollman extractor, 807–808
 Bond's crushing law, 947
 Boundary layers (*see also* Turbulent flow)
 continuity equation for, 211
 energy equation for, 399–402
 laminar flow in, 211–213
 mass transfer equation for, 512–514
 momentum equation for, 218–221

separation of, 122, 210–211
 theory for mass transfer in, 516
 wakes in, 122, 210–211

Bound moisture, 575
 Bourdon gage, 42
 Brownian motion, 921–922
 Bubble trays
 efficiencies, 724–727
 types of, 654–655
 Buckingham pi theorem, 222–224, 335–
 337, 511–512

C

Calorimeter, 67
 Capillaries (*see* Porous solids)
 Capillary flow, in drying, 579–580, 593–
 595
 Centrifugal fans, 149–150
 Centrifugal filtration
 equipment, 942–943
 theory for, 941–943
 Centrifugal pumps, 144–149
 Centrifugal settling and sedimentation (*see
 also* Centrifugal filtration; Centri-
 fuges; Cyclones)
 critical diameter, 936–937
 equations for centrifugal force, 933–935
 purpose of, 932–933
 separation of liquids, 938–940
 settling of particles, 935–938
 Centrifuges (*see also* Centrifugal settling
 and sedimentation)
 disk bowl, 940–941
 scale-up of, 938
 sigma value of, 938
 tubular, 935–936
 Cgs system of units, 6
 Chapman-Enskog theory, 425
 Chemical reaction and diffusion, 493–498
 Chilling of food and biological materials,
 388–390
 Chilton-Colburn analogies, 475–476
 Circular pipes and tubes
 dimensions of, 996–997
 universal velocity distribution in, 216–
 218
 Classifiers (*see also* Settling and sedimen-
 tation)
 centrifugal, 935–937

- Comminution (*see* Mechanical size reduction)
- Compressible flow of gases
 adiabatic conditions, 110
 basic differential equation, 107–108
 isothermal conditions, 108–109
 Mach number for, 110
 maximum flow conditions, 109
- Compressors
 equations for, 151–153
 equipment, 151
- Concentration units, 9
- Condensation
 derivation of equation for, 287–291
 mechanisms of, 287
 outside horizontal cylinders, 291
 outside vertical surfaces, 287–289
- Condensers for evaporation
 calculation methods, 550–551
 direct-contact type, 550–551
 surface type, 550
- Conduction heat transfer (*see also* Unsteady-state heat transfer)
 combined conduction and convection, 249–250
 contact resistance at interface, 255–256
 critical thickness of insulation, 253–254
 in cylinders, 242–243, 246–247
 effect of variable thermal conductivity, 241–242
 equations for
 in cylindrical coordinates, 397
 in rectangular coordinates, 397
 in spherical coordinates, 397
 Fourier's law, 46, 235–238, 397
 graphical curvilinear square method, 256–257
 with heat generation, 251–253
 in hollow sphere, 244
 through materials in parallel, 248
 mechanism of, 236
 shape factors in, 257–259
 steady-state in two dimensions
 Laplace equation, 338
 numerical method, 338–344
 with other boundary conditions, 342–344
 through a wall, 241–242
 through walls in series, 244–246
- Continuity equation
 for binary mixture, 491–493
 for boundary layer, 211–213
 for pure fluid, 54–57, 183, 185–188
- Control volume, 55–57
- Convection heat transfer (*see also* Heat transfer coefficients; Natural convection)
 general discussion of, 237, 240–241, 249–250
 physical mechanism of, 259–260
- Convective heat transfer coefficients (*see* Heat transfer coefficients)
- Convective mass transfer coefficients (*see* Mass transfer coefficients)
- Conversion factors, 955–958
- Cooling towers (*see* Humidification processes)
- Coriolis flow meter, 143
- Coriolis force, 193
- Countercurrent processes (*see* Absorption; Distillation; Leaching; Liquid-liquid extraction; Stage processes)
- Creeping flow, 208–209
- Critical diameter, 936–937
- Critical moisture content, 578
- Critical thickness of insulation, 253–254
- Crushing and grinding (*see* Mechanical size reduction)
- Crystallization (*see also* Crystallizers)
 crystal geometry, 817–818
 crystal particle-size distribution, 825–826
 crystal size effect on solubility, 823–824
 heat balances, 820–821
 heat of solution, 820–821
 mass transfer in, 824–825
 material balances, 818–819
 McCabe ΔL law, 825
 models for, 826–829
 nucleation theories, 823–824, 828
 rate of crystal growth, 824–825
 solubility (phase equilibria), 528, 818
 supersaturation, 821–824
- Crystallizers (*see also* Crystallization)
 circulating-liquid evaporator-crystallizer, 822–823
 circulating-magma vacuum crystallizer, 822–823
 classification of, 821–822

- Crystallizers (*continued*)
 scraped-surface crystallizer, 822
 tank crystallizer, 822
- Crystals (*see also* Crystallization)
 particle-size distribution, 825–826
 rate of growth, 824–825, 827–828
- Cubes, mass transfer to, 485
- Curvilinear squares method, 256–257
- Cyclones
 equipment, 943–944
 theory, 944
- Cylinders
 drag coefficient for, 123–124
 flow across banks of, 273–274
 heat transfer coefficients for, 273–274, 599
 mass transfer coefficients for, 486–487
- Cylindrical coordinates, 187, 192–193, 397
- D**
- Dalton's law, 11
- Darcy's law, 130
- Dehumidification, 564, 645
- Density
 of air, 971
 of foods, 994–995
 of metals, 987
 of solids, 986
 of water, 960, 967–968
- Dew point temperature, 566, 743–744
- Dialysis
 equipment for, 844
 hemodialysis, 844
 theory for, 841–842
 use of, 840, 843–844
- Differential operations
 time derivatives, 183–184
 with scalars, 184–185
 with vectors, 184–185
- Differential settling, 925–927, 930–931
- Diffusion (*see also* Steady-state diffusion;
 Unsteady-state diffusion)
 of A through stagnant B, 417–418, 493
 in biological gels, 439
 of biological solutes, 438–439
 and blockage by proteins, 438–439
 in capillaries, 499–504
 with chemical reaction, 493–498
 and convection, 416–417
 in drying, 579, 592–593
 and equation of continuity, 491–493
 equimolar counterdiffusion, 414–415, 493
 Fick's law, 46, 411–413, 490–491
 in gases, 414–427
 general case for A and B, 416–417
 introduction to, 45–47, 410–412
 Knudsen, 500–501
 in leaching, 804–805
 in liquids, 427–432
 multicomponent
 gases, 498–499
 liquids, 432
 in porous solids, 445–446, 499–506
 similarity of mass, heat, and momentum transfer, 43–47, 410–411
 in solids
 classification of, 440
 Fick's law, 440–441
 permeability equations, 442–444
 to a sphere, 420–422
 steady-state, in two dimensions, 446–449
 transition, 502–503
 with variable cross-sectional area, 420–422, 441
 velocities in, 416–417
- Diffusivity (mass)
 effective
 in capillaries, 502–503
 in porous solids, 445, 505
 estimation of
 for biological solutes, 437–438
 in electrolyte solutions, 433–434
 in gases, 425–426
 in liquids, 431–432
 experimental determination
 in biological gels, 439
 in biological solutions, 436–437
 in gases, 422–423
 in liquids, 429–430
 experimental values
 for biological gels, 440
 for biological solutes, 437
 for gases, 424
 for liquids, 431
 for solids, 444
 Knudsen, 500–501
 molecular and eddy, 404

- transition, 502–503
- Diffusivity (momentum), 403–404, 410–411
- Diffusivity (thermal), 358, 403–404, 411
- Dilutant fluids, 170
- Dimensional analysis
 - Buckingham pi theorem, 222–224, 335–337, 511–512
 - in differential equations, 221–222
 - in heat transfer, 335–337
 - in mass transfer, 511–512
 - in momentum transfer, 221–224
- Dimensional homogeneity, 7
- Disk, drag coefficient for, 123–124
- Distillation (*see also* Multicomponent distillation: Vapor-liquid equilibrium)
 - constant molal overflow, 707
 - direct steam injection, 720–722
 - enriching operating line, 708–709
 - enriching tower, 720
 - enthalpy-concentration method
 - benzene-toluene data, 734
 - construction of plot for, 732–734
 - enriching equations, 734–736
 - equilibrium data, 734, 990
 - example of, 736–740
 - stripping equations, 736
 - equilibrium or flash, 744–745
 - feed condition and location, 710–712, 750
 - Fenske equation, 716, 745
 - introduction and process flow, 700, 706–707
 - McCabe-Thiele method, 706–724
 - packed towers, 655–661
 - partial condensers, 723–724
 - Ponchon-Savarit method, 740
 - reflux ratio
 - minimum, 716–717, 748–749
 - operating, 717
 - total, 715–716, 745
 - relative volatility, 701, 742
 - sidestream, 722–723
 - simple batch or differential, 702–703
 - simple steam, 705
 - single stage contact, 699
 - stripping operating line, 709–710
 - stripping tower, 718–719
 - tower flooding velocity and diameter, 729–730
- tray efficiencies
 - introduction, 724
 - Murphree, 725–727
 - overall, 724–725
 - point, 725–726
 - relationship between efficiencies, 726
 - types of trays, 654–655
- Distribution coefficient, in mass transfer, 462–463, 508–509
- Dodge crusher, 947–948
- Drag coefficient
 - definition of, 122–124, 221
 - for disk, 123–124
 - for flat plate, 121–122, 211–213
 - form drag, 121–122, 209
 - for long cylinder, 123–124
 - skin drag, 121
 - for sphere, 122–124, 208–209, 920–923, 925
- Dryers (*see also* Drying)
 - continuous tunnel, 561
 - drum, 562–563
 - fixed bed, 597–599
 - grain, 563–564
 - rotary, 562
 - spray, 563
 - tray, 560, 601–602
 - vacuum shelf, 561
- Drying (*see also* Dryers)
 - air recirculation in, 604–605
 - of biological materials, 573–574
 - bound moisture, 575
 - capillary movement theory, 579–580, 593–595
 - through circulation, 597–599
 - constant-drying conditions
 - constant-rate period, 578, 580–585
 - effect of air velocity, 584
 - effect of humidity, 584–585
 - effect of solid thickness, 585
 - effect of temperature, 585
 - falling-rate period, 578–580, 585–587
 - prediction for constant-rate period, 581–585
 - rate-of-drying curve, 576–578
 - time for, 580–581
 - continuous countercurrent, 605–607
 - critical moisture, 578
 - effect of shrinkage, 580
 - equilibrium moisture, 573–575

- Drying (*continued*)
 experimental methods, 575–576
 free moisture, 575
 freeze drying, 607–610
 heat balance in dryers, 601–603
 introduction to, 559–560
 liquid diffusion theory, 579, 592–595
 in packed beds, 597–599
 in trays with varying air conditions, 601–602
 unbound moisture, 575
 Dühring lines, 537–538
- E**
- Electric motor efficiency, 145
 Emissivity
 definition of, 302–303, 308–309
 values of, 987
 Energy balances
 for boundary layer, 399–402
 in compressible flow, 107–110
 differential, 394–397
 mechanical, 67–72
 overall, 60–65
 English system of units, 6–7
 Enthalpy, 19, 61
 Enthalpy of air-water vapor mixtures, 567, 649–650
 Enthalpy-concentration diagram
 in distillation, 731–734
 in evaporation, 539–540
 Enthalpy-concentration method (*see* Distillation)
 Equilibrium or flash distillation, 701–702
 Equilibrium moisture, 572–575
 Equivalent diameter
 in fluid flow, 104–105
 in heat transfer, 264
 Erbar-Maddox correlation, 749
 Euler equations, 204
 Euler number, 222
 Evaporation (*see also* Evaporators)
 of biological materials, 527–528
 boiling point rise in, 537–539
 capacity in multiple-effect, 542
 Dühring lines, 537–538
 effects of processing variables on, 527–528, 537
 enthalpy-concentration charts for, 539–540
 heat transfer coefficients for, 533–534
 methods of operation
 backward-feed multiple-effect, 533
 forward-feed multiple-effect, 532–533
 parallel-feed multiple-effect, 533
 single-effect, 531–532
 multiple-effect calculations, 541–544
 single-effect calculations, 534–536
 steam economy, 532
 temperature drops in, 543–544
 vapor recompression
 mechanical recompression, 553–554
 thermal recompression, 554
 Evaporators (*see also* Evaporation)
 agitated film, 531
 condensers for, 550–551
 falling-film, 530–531
 forced-circulation, 531
 horizontal-tube natural circulation, 529
 long-tube vertical, 529–530
 open kettle, 529
 short-tube, 529
 vertical-type natural circulation, 529
 Extraction (*see* Leaching; Liquid-liquid extraction)
- F**
- Falling film
 diffusion in, 477–478
 shell momentum balance, 86–88
 Fans, 149
 Fenske equation, 716, 745
 Fermentation, mass transfer in, 487–489
 Fick's law (*see* Diffusion)
 Film temperature, 272
 Film theory, 470–472
 Filter aids, 910
 Filter media, 909–910
 Filters (*see also* Filtration)
 bed, 905–906
 classification of, 905
 continuous rotary, 908–909
 leaf, 908
 plate-and-frame, 906–908

Filtration (*see also* Centrifugal filtration:
Filters)

basic theory, 910–912
compressible cake, 912
constant pressure, 913
constant rate, 918–919
continuous, 917–918
filter aids, 909–910
filter cycle time, 916
filter media, 909–910
pressure drop, 910–912
purpose of, 904–905
specific cake resistance, 912
washing, 906, 916

Finned-surface exchangers, 330–334

First law of thermodynamics, 60

Fixed-bed extractor, 806–807

Flat plate

boundary layer equations for
 heat transfer, 399–402
 mass transfer, 512–514
 total drag, 211–213, 218–221
drag coefficient for, 122–124, 212–213
heat transfer to, 271, 583
mass transfer to, 480

Flooding velocities in towers, 657–661,
784–785

Flow meters (*see* Coriolis meter; Flow
nozzle meter; Magnetic meter;
Orifice meter; Pitot tube meter;
Rotameter; Thermal gas mass flow
meter; Turbine and paddle meter;
Venturi meter; Vortex shedding
meter; Weir)

Flow nozzle meter, 141–142

Flow separation, 210–211

Fluid friction

chart for Newtonian fluids, 94
chart for non-Newtonian fluids, 175–
176
effect of heat transfer on, 97–98
in entrance section of pipe, 105–106
in fittings and valves, 98–100
for flow of gases, 96–97
friction factor in pipes, 91–95
for noncircular channels, 104–105
for non-Newtonian fluids, 171–175
roughness effect on, 93
from sudden contraction, 98–99

from sudden expansion, 80–81, 98

Fluidized beds

bubbling fluidization, 131
expansion of, 134
heat transfer in, 276
mass transfer in, 484
minimum bubbling velocity in, 135
minimum fluidization velocity in, 131–
133
minimum porosity in, 131
particulate fluidization, 131
slugging in, 131
types of fluidization in, 130–131

Fluid statics, 35–43

Flux (mass)

conversion factors for, 958
ratios, 501–504
types of, 490–491

Foods, physical properties of, 992–995

Form drag, 121–124, 208–209

Fouling factors, 299–300

Fourier's law, 46, 235, 237–238, 411 (*see
also* Conduction heat transfer)

Fractionation (*see* Distillation)

Free moisture, 575

Free settling (*see* Settling and sedimen-
tation)

Freeze drying, 607–610

Freezing of food and biological materials,
391–393

Freundlich isotherm (*see* Adsorption)

Friction factor (*see* Fluid friction)

Froude number, 222

Fundamental constants, 955–958

G

Gases

equations for, 9–12
physical properties of, 970–980, 988–
990

Gas law constant, R. 7.850 10, 955

Gas law, ideal, 9–10

Gas-liquid equilibrium

acetone-water, 989
ammonia-water, 989
enthalpy-temperature, 649–650
Henry's law, 618, 988
methanol-water, 989

- Gas-liquid equilibrium (*continued*)
 phase rule, 627
 sulfur dioxide-water, 627–628, 988
- Gas-liquid separation processes (*see* Absorption; Humidification processes; Stage processes)
- Gas permeation membrane processes
 concentration gradients in membranes, 864
 equipment for, 847–850
 minimum reject concentration, 855
 permeability in, 845–847
 permeance, 847
 processing variables for, 869–872
 separation factor in, 852
 series resistances in, 841–842
 theory of,
 cocurrent model, 869
 completely-mixed model, 851–854
 countercurrent model, 864–869
 cross-flow model, 858–861
 finite-difference numerical method, 872–873
 introduction to, 850–851
 multicomponent mixture, 856–857
 pressure drop calculations, 882–883
 short-cut numerical method, 873–874
 spreadsheet finite-difference method, 878–882
 types of membranes, 846
- Gas radiation, 320–323
- Gas-solid equilibrium, 441–444
- General molecular transport equation
 for heat transfer, 235–238
 similarity between momentum, heat, and mass, 45–47, 410–411
- Graphical methods
 integration by, 26–27
 two-dimensional conduction, 256–258
- Grashof number, 278
- Gravitational constant, 956
- Gravity separator, 42–43
- Grinding (*see* Mechanical size reduction)
- Gurney-Lurie charts, 367–368, 370
- Gyratory crusher, 948
- H**
- Hagen-Poiseuille equation, 85, 92–93, 198
- Heat balances
 in crystallization, 820–821
 in drying, 602–603
 in evaporation, 534–536, 542
 principles of, 22–25
- Heat capacity
 data for foods, 992–994
 data for gases, 18, 970–971, 974, 978–979
 data for liquids, 980, 984
 data for solids, 985, 987
 data for water, 967–968
 discussion of, 17–19
- Heat exchangers (*see also* Heat transfer coefficients)
 cross-flow, 293, 295
 double-pipe, 291
 effectiveness of, 296–298
 extended-surface, 330–334
 fouling factors for, 299–300
 log mean temperature difference, 267–268
 scraped-surface, 329–330
 shell and tube, 291–293
 temperature correction factors, 293–295
- Heat of reaction, 20–21
- Heat of solution, 820–821
- Heat transfer coefficients
 for agitated vessels, 326–329
 approximate values of, 241
 average coefficient, 260–261
 to banks of tubes, 273–274
 for condensation, 287–289
 definition of, 240, 259
 entrance region effect on, 265
 in evaporators, 533–534
 for film boiling, 285
 for finned-surface exchangers, 330–334
 for flow parallel to flat plate, 271
 for flow past a cylinder, 272–273
 for fluidized bed, 276
 fouling factors, 299–300
 for laminar flow in pipes, 260–261
 for liquid metals, 266
 for natural convection, 277–283
 in noncircular conducts, 264
 for non-Newtonian fluids, 323–326
 for nucleate boiling, 284–285
 for other geometries, 276
 overall, 249–250, 299–300
 for packed beds, 276, 484, 599

for radiation and convection, 303–305
 for scraped-surface exchangers, 329–330
 for spheres, 273
 for transition flow in pipes, 263
 for turbulent flow in pipes, 261–262
 Heat transfer mechanisms, 236–237
 Height of a transfer unit, 653, 676–679,
 685–686
 Heisler charts, 368, 371, 374
 Hemodialysis, 844
 Henry's law
 data for gases, 988
 equation, 628
 HETP, 678, 727–728
 Hildebrandt extractor, 807
 Hindered settling, 923–924
 Humid heat, 567
 Humidification processes (*see also*
 Humidity)
 adiabatic saturation temperature,
 569–570
 definition of, 565
 dehumidification, 564, 645
 equilibrium relations, 650
 equipment for, 645
 water-cooling
 calculation methods for, 645–653
 minimum air flow, 652
 Humidity (*see also* Humidification pro-
 cesses)
 adiabatic saturation temperature, 569–
 570
 chart for, 568
 definition of, 565
 dew point temperature, 566
 humid heat, 567
 humid volume, 567
 percentage, 565
 relative, 566
 saturated, 565
 total enthalpy, 567
 wet bulb temperature, 571–572

I

Ice, properties of, 961–962, 993
 Ideal fluids, 204–208
 Ideal gas volume, 955
 Ideal tray (*see* Bubble trays)
 Impellers (*see* Agitation)

Integral analysis of boundary layers
 for energy balance, 402
 for momentum balance, 218–221
 Intensity of turbulence, 213–214
 Interface contact resistance, 255–256
 Interfacial tension, 787
 Internal energy, 19, 61
 Interphase mass transfer
 interface compositions, 637–639
 introduction to, 636–637
 use of film coefficients, 637–639, 648–
 649, 669–672
 use of overall coefficients, 641–644, 650,
 653
 Inverse lever-arm rule, 780–781
 Inviscid flow (*see* Ideal fluids)
 Ion exchange processes (*see also* Adsorp-
 tion)
 breakthrough curves, 774
 design of, 775–776
 equilibrium relations in, 772–773
 introduction to, 771
 relative molar selectivity coefficients,
 772–773
 types of, 771–772
 Ionic conductances, 433–435
 Isothermal compressible flow, 108–110

J

J-factor, 475–476, 480, 484

K

K factors (distillation), 742
 Kick's crushing law, 946–947
 Kinetic energy
 velocity correction factor for, 63–64, 174
 definition of, 61
 Kirchhoff's law, 302, 308–309
 Kirkbride method, 750
 Knudsen diffusion, 500–501
 Knudsen number, 501
 Kremser equations for stage processes,
 634–635, 666–667

L

Laminar flow
 boundary layer for, 211–213, 219–220

- Laminar flow (*continued*)
 definition of, 51–52
 on flat plate, 211–213
 Hagen-Poiseuille equation for, 85, 92–93, 198
 kinetic energy correction factor for, 63–64, 174
 mass transfer in, 476–479
 momentum correction factor for, 77
 non-Newtonian fluids in, 171–173
 pressure drop in, 90–92
 Reynolds number for, 86 52–53
 velocity profile in tubes for, 85, 89
- Langmuir isotherm (*see* Adsorption)
- Laplace's equation
 in heat transfer, 337–338
 for potential flow, 204
 for stream function, 205
- Latent heat
 discussion of, 19–20
 of ice, 959
 of water, 959, 961–964
- Leaching
 countercurrent multistage
 constant underflow, 816–817
 number of stages, 812–815
 variable underflow, 813–815
 equilibrium relations, 809–811
 equipment for
 agitated tanks, 807–808
 Bollman extractor, 807
 fixed-bed (Shanks), 806–807
 Hildebrandt extractor, 807
 preparation of solids, 803–804
 processing methods, 806
 purpose of, 802–803
 rates of
 when diffusion in solid controls, 805
 when dissolving a solid, 804–805
 introduction to, 804
 single-stage contact, 811
 washing, 802
- Le Bas molar volumes, 432–433
- Lennard-Jones function, 425
- Lever-arm rule, 780–781
- Liquid-liquid equilibrium
 acetic acid-water-isopropyl ether, 777–779, 991
 acetone-water-methyl isobutyl ketone, 991
- Liquid-liquid extraction
 countercurrent multistage
 immiscible liquids, 795–799
 minimum solvent rate, 795, 798–799
 number of stages, 792–794, 795–796
 overall material balance, 791
 design using mass transfer coefficients, 799–780
 equilibrium relations
 phase rule, 777
 rectangular coordinates, 777–779
 triangular coordinates, 777–778
 types of phase diagrams, 777–780
 equipment for
 Karr column, 790
 mixer settler, 783
 packed tower, 784–785
 plate tower, 788
 Scheibel tower, 789–790
 spray tower, 783
 pulsed packed and tray towers, 789
 flooding correlation, 784–786
 interfacial tension, 787
 lever-arm rule, 780–781
 purpose of, 776–777
 single-stage equilibrium contact, 780–781
- Liquid-metals heat transfer coefficients, 266
- Liquid-metals mass transfer, 487
- Liquid-solid leaching (*see* Leaching)
- Liquid-solid separation (*see* Crystallization; Settling and sedimentation)
- Log-mean value
 area, 247
 concentration difference, 485
 corrections for heat exchanger, 193–294
 temperature difference, 167–268, 293
- Lost work, 67
- Lumped capacity analysis, 359–360
- M**
- Mach number, 110
- Magnetic flow meter, 143
- Manometers, 39–41
- Mass balance overall, 54–59
- Mass transfer, boundary conditions in, 493
- Mass transfer coefficients
 analogies for, 474–476

- for A through stagnant B, 468–469
- for crystallization, 824–825
- for cubes in packed bed, 485
- for cylinder, 486–487
- for cylinders in packed bed, 485
- definition of, 462, 467–468
- dimensionless numbers for, 473–474
- for equimolar counterdiffusion, 467–469
- estimation of, 685–686
- experimental determination of, 473, 684–685
- for falling film, 477–478
- film and overall, 637–644, 649–652, 668–671, 680–681
- for flat plate, 480
- for fluidized bed, 484
- for general case of *A* and *B* diffusing, 470–471
- inside pipes, 478–479
- introduction to, 414, 466
- for liquid metals, 487
- models for, 515–516
- for packed bed, 484–485
- for packed tower, 684–686
- to small particle suspensions, 487–489
- for sphere, 481–482
- types of, 467–469
- under high-flux conditions, 471–472
- for wetted-wall tower, 477–478
- Mass transfer fluxes, 490–491
- Mass transfer between phases and concentration profiles, 636–637
- Mass units, 8–9
- Material balances
 - chemical reaction and, 15–16
 - methods of calculation, 12–14
 - overall, 54–58
 - recycle and, 14
- McCabe ΔL Law of crystal growth, 825
- McCabe-Thiele method, 706–724
- Mean free path, 500
- Mechanical energy balance, 67–71
- Mechanical-physical separation processes (*see also* Centrifugal filtration; Centrifugal settling and sedimentation; Cyclones; Filtration; Mechanical size reduction; Settling and sedimentation)
 - classification of, 903–904
 - methods of separation, 903–904
- Mechanical size reduction
 - equipment for
 - Blake crusher, 948
 - Dodge crusher, 947–948
 - gyratory crusher, 948
 - jaw crushers, 947–948
 - revolving grinding mill, 948–949
 - roll crusher, 948
 - particle size measurement, 945
 - power required for
 - Bond's law, 947
 - general theory, 946
 - Kick's law, 946–947
 - Rittinger's law, 946
 - purpose of, 944–945
- Membrane processes (*see also* Dialysis; Gas permeation membrane processes; Microfiltration; Reverse osmosis; Ultrafiltration)
 - permeability in, 442–443, 842, 845
 - series resistances in, 841–842
 - types of, 840–841
- Metals, properties of, 987
- Microfiltration
 - comparison to ultrafiltration and reverse osmosis, 896
 - cross-flow, 896–897
 - dead-end flow, 896
 - equipment for, 896
 - theory of, 896–897
- Mixer-settlers, 728–729, 783, 807–808
- Mixing (*see also* Agitation)
 - discussion of, 154, 167–168
 - equipment for, 154–157
 - with pastes, 167–169
 - with powders, 167–168
- Mixing time (*see* Agitation)
- Moisture (*see also* Drying; Humidity)
 - bound and unbound, 575
 - equilibrium, for air-solids, 573–575
 - free moisture, 575
- Molar volumes, 432–433
- Molecular diffusion (*see* Diffusion)
- Molecular transport (*see* Diffusion)
- Mole units, 8
- Momentum
 - definition of, 49–50, 74–75
 - introduction to, 34
 - velocity correction factor for, 77

- Momentum balance and equations of motion
- for boundary layer, 211–213, 219–221
 - in circular tube, 197–198
 - Coriolis force, 193
 - differential equations for, 183, 188–193
 - Euler equations, 204
 - ideal fluids, 204
 - for jet striking a vane, 81–83
 - Laplace's equation in, 204–205
 - for Newtonian fluids, 190–193
 - overall, 74–83
 - between parallel plates, 194–196
 - potential flow, 204–206
 - in rotating cylinder, 201–202
 - shell, 83–88
 - stream function, 203
 - transfer of momentum, 49–50
- Motionless mixers (*see* Agitation)
- Multicomponent diffusion, 432, 498–499
- Multicomponent distillation
- boiling point, 742–743
 - dew point, 743–744
 - distribution of other components, 745
 - equilibrium data for, 742–743
 - flash distillation, 744–745
 - introduction to, 740–741
 - key components, 745
 - minimum reflux (Underwood equation), 748–749
 - number of stages
 - feed tray location, 750
 - by short-cut method, 749
 - number of towers in, 740–741
 - total reflux (Fenske equation), 745
- N**
- Natural convection heat transfer
- derivation of equation (vertical plate), 277–278
 - equations for various geometries, 278–283
 - introduction to, 277–278
- Navier-Stokes equations, 192–193
- Newtonian fluids, 50–51, 169–170
- Newton's law
- of momentum transfer, 46–50
 - second law (momentum balance), 74–75
 - of settling, 921
 - of viscosity, 47–51
- Non-Newtonian fluids
- agitation of, 181–183
 - flow-property constants, 171–173, 178
 - friction loss in fittings, 174–175
 - heat transfer for, 323–326
 - laminar flow for, 171–173
 - rotational viscometer, 180–181
 - turbulent flow for, 175–176
 - types of, 169–171
 - velocity profiles for, 176–179
- Notation, 999–1008
- NPSH (*see* Suction lift of pumps)
- Nucleation (*see* Crystallization)
- Number of transfer units
- for heat exchangers, 298
 - for humidification, 653
 - for mass transfer, 676–678
- Numerical methods
- for integration, by Simpson's method, 27
 - for integration with spreadsheet, 585–586
 - for steady-state conduction
 - with other boundary conditions, 342–344
 - in two dimensions, 338–342
 - for steady-state diffusion
 - with other boundary conditions, 447–449
 - in two dimensions, 446–447
 - for unsteady-state heat transfer
 - boundary conditions, 380–381
 - in a cylinder, 386–387
 - implicit method, 387–388
 - Schmidt method, 379
 - in a slab, 378–381
 - for unsteady-state mass transfer
 - boundary conditions, 507–509
 - Schmidt method, 507
 - in a slab, 506–509
- Nusselt equation, 287–289
- Nusselt number, 260
- O**
- Operating lines (*see* Absorption: Distillation: Humidification processes: Leaching)
- Optimum pipe size, 106
- Orifice meter, 139–140

Osmotic pressure, 884–885
 Overall energy balance (*see* Energy balances)

P

Packed beds
 Darcy's law for flow in, 130
 drying in, 597–599
 heat transfer coefficients for, 276, 484, 599
 mass transfer coefficients for, 484–485
 tortuosity in, 446, 505
 pressure drop in
 laminar flow, 125–127, 130
 turbulent flow, 127–128
 shape factors for particles, 129
 surface area in, 125, 485, 599
 Packed towers, 645, 655–657, 784
 Packing, 655–657
 Particle-size measurement
 in crystallization, 825–826
 in mechanical size reduction, 945
 standard screens for, 998
 Pasteurization, 617–618
 Penetration theory, 478, 516
 Permeability of solids, 442–443, 840–841, 845
 Permeance, 842, 847
 Phase rule, 627, 696, 705, 777
 Physical properties of compounds, 959–995
 Pipes
 dimensions of, 996–997
 schedule number of, 88–89, 996
 size selection of, 106
 Pitot tube meter, 136–137
 Planck's law, 307
 Pohlhausen boundary layer relation, 401
 Poiseuille equation (*see* Hagen-Poiseuille equation)
 Porous solids
 effective diffusivity of, 445, 505
 introduction to, 440, 445–446, 499–500
 Knudsen diffusion in, 500–501
 molecular diffusion in, 464, 445–446, 501
 transition diffusion in, 502–506
 Potential energy, 61
 Potential flow, 204–208

Prandtl analogy, 475
 Prandtl mixing length (*see* Turbulent flow)
 Prandtl number
 definition of, 260
 of gases 2nd liquids, 967–968, 971, 975
 Pressure
 conversion factors for, 956–957
 devices to measure, 39–42
 heat and, 38–39
 units of, 9
 Pressure drop (*see also* Fluid friction)
 in compressible flow, 96–97, 107–110
 in laminar flow, 90–93
 in packed beds, 125–130
 in pipes, 90–100
 in turbulent flow, 93–95
 Pseudoplastic fluids, 169–170
 Psychometric ratio, 572
 Pumps
 affinity laws for, 147
 centrifugal, 144–149
 developed head of, 147–148
 efficiency of, 147–148
 NPSH (*see* Suction lift of pumps)
 positive displacement, 149
 power requirements for, 147–148
 suction lift of, 145–146

R

Radiation heat transfer
 in absorbing gases, 320–322
 absorptivity, 301–302
 black body, 301–302
 combined radiation and convection, 303–305
 effect on temperature measurement, 305–306
 emissivity, 302, 308–309, 987
 gray body, 303, 309–311
 introduction to, 237, 301–302
 Kirchoff's law, 302, 308–309
 Planck's law for emissive power, 307
 shields, 306, 311–312
 Stefan-Boltzmann law, 303, 306
 to small object, 303
 view factors
 between black bodies, 309–318
 general equation for, 312–315
 between gray bodies, 318–320

- Random packing (*see also* Packing; Packed towers)
 efficiency of, 727–729
 HETP, 727–728
 pressure drop in, 657–661
 types of, 656–657
- Raoult's law, 696–697, 742
- Reflux ratio, 715–717, 745, 748–749
- Relative volatility, 701, 742
- Reverse osmosis
 complete-mixing model, 891–892
 concentration polarization in, 890
 introduction to, 883–884
 membranes in, 885
 operating variables in, 888–889
 osmotic pressure in, 884
 solute rejection, 886–887
 theory of, 885–887, 891–892
 types of equipment, 891
- Reynolds analogy, 474–475
- Reynolds number
 in agitation, 158
 for condensation, 289
 definition of, 52–53, 222, 473
 for flat plate, 209–210, 212
 for flow in tube, 51–53,
 for non-Newtonian fluids, 173
- Reynolds stresses, 214–215
- Rheopectic fluids, 170–171
- Rittinger's crushing law, 946
- Rotameter, 142–143
- Rotational viscometer, 180–181
- Roughness in pipes, 93
- S**
- Schmidt method
 for heat transfer, 379
 for mass transfer, 507
- Schmidt number, 426–427, 473
- Scraped-surface heat exchangers, 329–330
- Screen analyses
 in crystallization, 825–826
 particle size measurement, 945
 Tyler screen table, 998
- Sedimentation (*see* Settling and sedimentation)
- Separation (*see also* Settling and sedimentation)
- by differential settling, 925–927, 930–931
 of particles from gases, 943–944
 of particles from liquids, 920–927, 935–938
 of two liquids, 938–940
- Separation processes, classification of, 4–5
- Settlers (*see also* Settling and sedimentation)
 gravity classifier, 930
 gravity tank, 930
 Spitzkasten classifier, 931
 thickener, 931–932
- Settling and sedimentation (*see also* Centrifugal settling and sedimentation: Settlers; Thickeners)
 Brownian movement, 921–922
 classification, 925–927, 930–931
 differential settling, 925–927
 drag coefficient for sphere, 122–124, 208–209, 920–923, 925
 hindered settling, 923–924
 Newton's law, 921
 purpose of, 919
 sedimentation and thickening, 929–932
 Stoke's law, 124, 208–209, 921
 terminal settling velocity for sphere, 921
 theory for rigid sphere, 920–922
 wall effect, 925
- Shape factors, in conduction, 257–259
- Shape factors, for particles, 129
- Shear stress (*see also* Momentum balance)
 components of, 190–191
 definition of, 48–50
 Euler equations, 204
 ideal fluids, 202–208
 in laminar flow on flat plate, 211–213
 in laminar flow in tube, 84
 normal, 189
 potential flow, 204–208
 stream function, 203–208
- Sherwood number, 473
- Sieve (perforated) plate tower, 654, 728–729, 788–789
- Sigma value (centrifuge), 938
- Simple batch or differential distillation, 702–703
- Simpson's numerical integration method, 27

- SI system of units, 5–6, 955–958
- Size reduction (*see* Mechanical size reduction)
- Skin friction, 121–122, 476
- Solid-liquid equilibrium in leaching, 809–811
- Solids, properties of, 985–987
- Solubility of gases
in liquids, 627–628, 988–989
in solids, 441–443
- Solubility of salts
sodium thiosulfate, 818–819
typical solubility curves, 528
- Solvent extraction (*see* Liquid-liquid extraction)
- Spheres
diffusion to, 420–422
drag coefficient for, 122–124, 208–209, 920–923, 925
heat transfer to, 273
mass transfer to, 481–482
Newton's law for, 921
settling velocity of, 921
Stoke's law for, 124, 208–209, 921
- Spherical coordinates, 188, 397
- Spitzkasten classifier, 931
- Spray tower, 783
- Stage processes (*see also* Absorption: Distillation; Liquid-liquid extraction; Leaching)
absorption, 662–663
analytical equations for, 634–635, 666–667
countercurrent multistage, 631–632
distillation, 706–724
leaching, 812–817
liquid-liquid extraction, 788–789, 791–797
single stage, 629–630, 780–782, 811
- Standard heat of combustion, 21, 970
- Standard heat of formation, 20–21, 969
- Standard screen sizes, 998
- Stanton number, 474
- Steady-state diffusion (*see* Diffusion; Diffusivity; Numerical methods)
- Steady-state heat transfer (*see* Conduction heat transfer; Convective heat transfer; Numerical methods)
- Steam table, 19–20, 962–966
- Stefan-Boltzmann radiation law, 303, 306
- Sterilization of biological materials
effects on food, 618
introduction to, 611
pasteurization, 617
thermal death rate kinetics, 611–613, 616–617
thermal process time, 613–615
- Stoke's law, 124, 208–209, 431, 921
- Stream function, 203–208
- Streamlined body, 121–122
- Stripping (*see* Absorption)
- Structured packing
efficiency of, 727–728
equipment, 655
pressure drop in, 658–661
- Suction lift of pumps, 145–146
- Supersaturation, (*see* Crystallization)
- Suspensions, mass transfer to, 487–489
- T**
- Temperature scales, 7–8
- Thermal conductivity
definition of, 238–240
of foods, 994–995
of gases, 239, 968, 971, 973, 980
of liquids, 239–240, 985
of solids, 240, 986–987
of water, 961, 967–968
- Thermal gas mass flow meter, 143
- Thickeners (*see* Settling and sedimentation)
- Thixotropic fluids, 170
- Tortuosity factor, 446, 505
- Total energy, 60–62
- Transfer unit method, 653, 676–679, 685–686
- Transition region diffusion, 501–503
- Transport processes
classification of, 4
similarity of, 43–45, 410–411, 459, 463, 474–476
- Tray efficiency
introduction to, 724
Murphree, 725–726
overall, 724–725
point, 725–726
relationship between Murphree and overall, 726

Triangular coordinates, 777–779
 Tubes (*see* Circular pipes and tubes)
 Turbine and paddle flow meter, 143
 Turboblenders, 151
 Turbulence, 213–214
 Turbulent flow (*see also* Boundary layers)
 boundary layer separation in, 122, 210–211
 boundary layer theory for
 heat transfer, 399–402
 mass transfer, 512–514
 momentum transfer, 211–212, 218–221
 deviating velocities in, 213–214
 discussion of, 51–52, 213–214
 on flat plate, 209–213, 218–221
 maximum velocity in, 89–90
 Prandtl mixing length
 in heat transfer, 403–404
 in mass transfer, 515
 in momentum transfer, 215–216
 Reynolds number for, 52–53
 in tubes, 52–53, 89–90, 93
 turbulent shear in, 215
 turbulent diffusion in, 411
 velocity profile in, 89–90, 216–220
 Two-dimensional conduction, 256–259
 Tyler standard screens, 998

U

Ultrafiltration
 comparison to reverse osmosis, 892
 concentration polarization in, 893–894
 equipment for, 893
 introduction to, 892–893
 membranes for, 893
 processing variables in, 895–896
 theory of, 893–895
 Unbound moisture, 575
 Underwood, minimum reflux ratio, 748–749
 Units
 cgs system, 6
 and dimensions, 7
 English system, 6–7
 SI system, 5–6
 table of, 955–958
 Universal velocity distribution, 216–218

Unsteady-state diffusion (*see also* Numerical methods)
 analytical equations for flat plate, 461–462
 basic equation for, 459–461
 charts for various geometries, 463
 and chemical reaction, 495–497
 in leaching, 804–805
 mass and heat transfer parameters for, 463–464
 in three directions, 465–466
 Unsteady-state heat transfer (conduction) (*see also* Numerical methods)
 analytical equations for, 357–359
 average temperature for, 376–377
 in biological materials, 389–393
 in cylinder, 370–371
 derivation of equation for, 235–236, 357–359
 to flat plate, 365–368
 heat and mass transfer parameters for, 366, 463–464
 lumped capacity method for, 359–361
 method for negligible internal resistance, 359–361
 in semiinfinite solid, 363–364
 in sphere, 371–374
 in three directions, 372–373, 375

V

Valve trays, 654
 Vapor-liquid equilibrium
 azeotropic mixtures, 698
 benzene-toluene, 696–698
 boiling point diagrams, 696–697
 calculations using Raoult's law, 697–698
 enthalpy-concentration, 731–734
 ethanol-water, 990
 n-heptane-ethylbenzene, 753
 n-heptane-n-octane, 754
 n-hexane-n-octane, 751
 multicomponent, 742–743
 n-pentane-n-heptane, 703–704
 phase rule, 648, 696, 705
 water-benzene, 753
 water-ethylaniline, 752

xy plots, 698
 Vapor-liquid separation processes (*see*
 Distillation)
 Vapor pressure
 data for organic compounds, 698, 751–
 755
 data for water, 564–565, 961–964
 discussion of, 11–12
 Vapor recompression (*see* Evaporation)
 Vectors, 184–185
 Velocity
 average, 59, 85, 87–88
 maximum, 89–90
 profile in laminar flow, 85–86, 89–90
 profile in turbulent flow, 89–90
 relation between velocities, 89–90
 representative values in pipes, 106–107
 superficial, 126, 473
 types of, in mass transfer, 416, 490
 universal, in pipes, 216–218
 Velocity potential, 204
 Venturi meter, 138–139
 View factors in radiation, 309–319
 Viscoelastic fluids, 171
 Viscosity
 discussion of, 47–51

 of foods, 994–995
 of gases, 971–972, 976–977
 of liquids, 981–983
 Newton's law of, 47–49, 411
 of water, 960, 967–968
 Void fraction (packed and fluidized beds),
 126–128, 131–132, 484–485
 Von Kármán analogy, 475
 Vortex shedding flow meter, 143

W

Washing (*see* Filtration; Leaching)
 Water
 physical states of, 564–565
 properties of, 959–968
 Water cooling (*see* Humidification pro-
 cesses)
 Weirs, 143–144
 Wet-bulb temperature
 relation to adiabatic saturation tempera-
 ture, 572
 theory of, 571–572
 Wilke-Chang correlation, 432
 Work, 61–62, 67–68
 Work index for crushing, 947