
I N D E X
A

Abstraction levels, existing enterprise applications
and, 124

Access control
security issues and, 150
table, 134

Administration, enterprise web architecture,
141–143

Adobe Acrobat, 75

Adobe Paint Shop Pro, 75

AMD, 52

Animation
application content, 77
reducing, 90

Apple Computers, Inc., 46

Application architectures
client, 26–30
client-server, 23–25
connection types, 34
design tenets, 40–41
patterns, 37–39
server, 31–33
synchronization, 35–37

Application entitlements table, 134

Application servers, 185

Applications table, 134

Application Tier, 25
enterprise web architecture, 121, 131

ARM, 52–53

ASP.NET, 94, 95, 126

Asynchronous communication, 36

Auditing, 151

Authentication
application (local), 151
application (remote), 153
biometric, 153
database, 159

enterprise web architecture, 120, 135, 137–139
security issues and, 150, 151–153

Availability, enterprise web architecture, 143

B

Back-end systems, 117–118, 135
coding, 180
security issues and, 157–159
servers, 185

Back-office workers, mobile devices used by, 14

Backups, 187–188

Batteries, 55

Biologist case study, 225
architecture, 230–233
Business Logic Layer, 237–242, 249–255,
263–269
case actors, 226–227
client design, pocket PC, 233–244
client design, tablet PC, 244–257
Custom Principal class, 265–266
Data Access Layer, 243–244, 255–257,
269–273
extensions, 274
MBRole class, 264–265
MBUser class, 263–264
Presentation Layer, 234–237, 245–249,
259–263
process flow, 231–233
Sample class, 238–240, 251–253, 268–269
server design, 257–273
Server Proxy class, 241–242, 254–255
use cases, 226–230
Utilities class, 240–241, 253–254
Water Source class, 237–238, 249–250,
266–267
XML Web Service, 257–259

Biometric authentication, 153
Bluetooth, 64–65
Boehm's spiral model, 163
Borland JBuilder, 181
Browsers, 86
Buffer overrun, 148
Business applications, pros and cons of, 20–22
Business Layer, 24
 fat client, 99–101
 web page hosting, 104
Business personnel, 166
Business requirements, 174
Business tier coding, 180

C

Cells, 62
Cellular connections, 62–63
Cellular telephones, 45–46
Check Point firewall, 183
Cingular, 45
Client(s)
 architecture, 26–30
 fat, 24, 27, 96–101, 129
 production releases, 184
 security issues and, 153–157
 thin, 24, 26–27, 93–95, 129
 web page hosting versus fat or thin client,
 104–105
Client-server
 architecture, 23–25, 117–118
 security issues, 155–157
CNetX, 87
Code
 changes, keeping track of, 171–172
 developers, 165
 items requiring, 180–184
Code Division Multiple Access (CDMA), 63
Code-embedded usernames and passwords, 155
Communications, 15–16
 encryption, 155–157, 159
 secure, 150
 synchronization and, 35–36

Connection, 5–6
 always, 34
 existing enterprise applications, extending,
 124
 never, 34
 partially, 34
 ports, 55–56, 148, 157
Connection methods
 Bluetooth, 64–65
 cellular, 62–64
 cradling, 60
 data networks, 64
 dialup, 60–61
 direct network, 59–60
 satellite networks, 66–67
 wired, 59–61
 wireless, 61–67
 wireless LANs, 65–66
Consultants, mobile devices used by, 14
Consumers, mobile devices used by, 14–15
Content, simple versus rich, 74
Continuous synchronization, 35–36
Contracts, constraints in, 172
Corel Draw and Photo-Paint, 75
Corridor warriors, mobile devices used by, 14
Costs, 50
CPUs (central processing units), 51–53
Cradling, 60
Customer service, mobile devices used in, 13
Customization, 82–84

D

Data Access Layer, 24
 fat client, 101–102
 web page hosting, 104
Database
 authentication, 159
 encryption, 155, 159
 servers, 185
Database Tier, 25
 coding, 180
 enterprise web architecture, 121, 131–135

- Data destruction, 155
- Data integrity, 4
- Data networks, 64
- DataTAC, 44, 64
- Data transfer
 - HTML, 107–108
 - HTTP, 107–108
 - merger replication, 110–111
 - message queues, 113–114
 - remote, 110–111
 - SOAP, 111–113
 - synchronization software, 109–110
 - TCP/IP, 114–115
 - unencrypted, 148
 - WAP, 108
 - web services, 111–113
 - WML, 108
- Deceptions, 148
- Demilitarized Zone (DMZ), 25
- Denial of service, 148
- Deployment and release management, 184–185
- Design
 - blending requirements and, 172–173
 - documentation, 178–179
 - project management and, 177–179
- Development environment, 171
- Device characteristics, 4
- Dialup, 60
- Direct network connection, 59–60
- DISCO, 117
- Disks, size of, 54
- Documentation
 - design, 178–179
 - keeping track of changes, 171–172
 - requirements, 176–177
 - testing, 182
- E**
- Education applications, 18–19
- Electronic Data Interchange (EDI), 112
- Elevation of privilege, 150
- Emulators, 86
- Encryption
 - communication, 155–157, 159
 - database, 155, 159
- Enrollment, enterprise web architecture, 139–140
- Enterprise architectures
 - anatomy of, 121–123
 - client-server, 117–118
 - issues when using existing, 123–145
 - mitigation, 150–151
 - threats, 150
 - user-centric, single sign-on web, 119–120
 - vulnerabilities, 147–149
 - web-enabled service-centric, 118–119
- Entertainment applications, 18
- Entitlements, 128
- Environment characteristics, 4
- Environments, business, 169–171
- F**
- Fat client, 24, 27, 96
 - architecture, 98–102
 - development issues, 96
 - functional requirements, 97–99
 - Presentation Tier, 129
 - web page hosting or thin client versus, 104–105
- Filtering, 151
- Financial issues, monitoring, 168–169
- Firewalls, 25, 157
- Frequency Division Multiple Access (FDMA), 62
- Functionality, 5
- Functional requirements, 174–175
- G**
- Gathering requirements, 176
- General Packet Radio Service (GPRS), 45
- Global positioning system (GPS), 69
- Global System for Mobil Communications (GSM), 44
- GRiD Computing, 48
- GSM, 62, 63

H

Hardware dependencies, developing user interfaces and, 86
Help, types of, 84–85
Help desk personnel, 126–127
Hewlett-Packard OpenView, 187
Horizontal scaling, 25
 HTML (hypertext media language), 107–108
 HTTP (hypertext transfer protocol), 107–108
Hybrids, 50–51

I

IBM Rational Rose, 177, 179
Images
 application content, 75–76
 reducing size and quantity, 90
 scaling, 89–90
Information
 disclosure, 150
 exchange of, 16–17
Input, reducing, 90–91
Instructions, issuing, 17–18
Integrated Digital Enhanced Network (IDEN), 63
Integration environment, 171
Intel, 52
Intranet Zone, 25
IPSec (Internet Protocol Security), 159
Iterative and incremental spirals model, 163

K

Keyboards, 57–58, 71

L

LANs (local area networks), wireless, 65–66
Laptop PCs, 48–49
Layering, 24
Layers, 23–25
Least privilege, 155
Location services, 19–20
Logout, automatic, 155

M

Maintenance operations, 186–188
McAfee Security Center, 183, 187
Meetings, status, 167–169
Memory, 53–54
Mercury Interactive
 Load Runner, 183
 SiteScope, 187
 SiteSeer, 187
Merge replication, 110–111
Message queues, 113–114
Microsoft Corp.
 ActiveSync, 60, 109
 Agent, 72
 enterprise web applications, 121–122
 Excel and Pocket Excel, 87, 168, 177
 Internet Explorer, 27
 ISA firewall, 183
 Message Queue, 114
 Notepad, 75
 Paint, 75, 76
 PDAs, 46–47
 Pocket Internet Explorer, 27, 37
 Pocket PC, 103
 Project, 164
 SQL Server CE Client Agent, 110
 SQL Server CE Server Agent, 110
 Visio, 75, 76, 177, 179
 Visual SourceSafe, 168, 181
 Visual Studio.NET, 181
 Web Application Stress Tool, 183
 Windows Forms, 27, 29–30
 Windows Media Player, 77, 78
 Windows Mobile 2003, 60, 103
 Windows operating system, 53
 Word, 75, 177, 179
Mitigation methods, 150–151
Mobile applications, developing
 fallacies about, 8–9
 reasons for, 6–8
Mobile devices
 components, 51–59
 connection methods, 59–67
 costs, 50

- types of, 43–50
 - users of, 11–15
 - what users want from, 15–20
- Mobility**
- defined, 1
 - connectability, 5–6
 - functionality, 5
 - portability, 2–3
 - usability, 3–4
- Mobitex**, 44, 64
- Monitoring**
- performance, 187
 - security, 187
 - system, 187
- Mouse**, 58, 71
- Movies**, application content, 78
- Museum case study**
- administration, 216
 - architecture, 193–194
 - authentication, 216
 - Business Logic Layer, 199–206, 215–216
 - case actors, 190
 - client design, 195
 - Custom Principal class, 202
 - Data Access Layer, 206–211, 216
 - enrollment, 216
 - extensions, 222
 - Gallery class, 204–205
 - MMRole class, 201
 - MMUser class, 199–200
 - mobilizing existing application, 211–222
 - Painting class, 205–206
 - Presentation Layer, 195–199, 212–215, 220–222
 - Prospect class, 203
 - server design, 195–211
 - support, 216–220
 - use cases, 189–193
- N**
- Netscape Navigator**, 27
- Nextel**, 44
- Norton AntiVirus**, 183, 187
- O**
- Objects**
- designing, 100
 - properties, 101
 - reusing, 99–100
- One-tier architecture**, 31
- Operating system**, 53
- Operations**
- day-to-day, 186–187
 - personnel, 166
 - requirements, 175
- Oracle**, enterprise web applications, 122–123
- P**
- Page**
- having separate, 91–92
 - layout and navigation, 79–82
- Pagers**, 44–45
- PalmSource**, 46, 53
- Passwords**, security issues and, 148, 155
- PDA**s (personal digital assistants), 46–47
- Pen**, 58, 71
- Performance**
- enterprise web architecture, 143
 - monitoring, 187
 - testing, 183
- Peripherals**, 58–59
- Permissions**, security issues and, 148
- Personal Communications Services (PCS)**, 63
- Personalization**, 82–83
- Personalization table**, 134
- Planning projects**, 164
- Plugins**, 87
- Pocket Web Host design**, 315–330
- Portability**, 2–3
- Ports**, connection, 55–56
- security issues and, 148, 157
- Presentation Layer**, 24
- fat client, 101
 - web page hosting, 104
- Presentation servers**, 185
- Presentation Tier**, 25
- coding, 180

- Presentation Tier (*continued*)
 - enterprise web architecture, 121, 128–130
- Production environment, 171
- Project management
 - code development and integration, 180–181
 - common managerial problems, 172–173
 - deployment and release, 184–185
 - design, 177–179
 - document and code changes, keeping track of, 171–172
 - environment, 169–171
 - financial issues, 168–169
 - maintenance issues, 188
 - models, 161–163
 - planning, 164
 - re-evaluation and reiteration, 185–186
 - requirements, 173–177
 - status reports and meetings, 167–168
 - team resources, 164–168
 - testing, 181–184
 - training, 172
- Project manager, 165

- Q**
- Quality assurance, 171
- Quality of service, 151

- R**
- Rational Unified Process (RUP), 163
- Readers, 87
- Real Networks Real One Player, 77, 78
- Re-entry of user credentials, 155
- Re-evaluation, 185
- Regression testing, 184
- Reiteration, 186
- Release
 - client production, 184
 - scripts, 180
 - server production, 185
- Remote Data Access (RDA), 110–111
- Remote Procedure Call (RPC), 159
- Rendering, 94–95
- Reports, status, 167–168
- Repudiation, 150
- Requirements
 - blending design and, 172–173
 - documenting, 176–177
 - gathering, 176
 - types, 173–175
- Return on investment (ROI), 174
- RIM (Research In Motion) devices, 44–45, 53
- Road warriors, mobile devices used by, 12
- Robustness (ruggedness), 4
- Role-based groups, 126–128, 134

- S**
- Sales personnel, 166
- Salespersons, mobile devices used by, 12–13
- Satellite networks, 66
- Scalability, 40
 - enterprise web architecture, 143–145
- Scaling out, 25
- Scaling up, 25
- Scanners, 72–73
- Screens, 57
 - characteristics of, 73–74
- Scripts
 - release, 180
 - test, 180
- Scrolling, reducing horizontal, 88–89
- Search, 85
- Secure Sockets Layer (SSL), 155, 159
- Security
 - client-server communication issues, 155–157
 - enterprise web architecture, 145, 147–151
 - existing web architectures and back-end systems and, 157–159
 - mitigation, 150–151
 - mobile client issues, 153–155
 - monitoring, 187
 - testing, 183
 - threats, 150
 - tiers and, 25
 - user-to-mobile client issues, 151–153
 - vulnerabilities, 147–149

- Server architecture, 31–33
 - Server production releases, 185
 - Service-centric architecture, 118–119
 - Services, mobile devices used in, 13
 - Size
 - of mobile accessories, 3
 - of mobile devices, 2
 - user, 3
 - Skytel, 44
 - Smart cards, 157
 - Smartphones, 49
 - SOAP (Simple Object Access Protocol), 111–113
 - SOAPCalculator, 113
 - Software, synchronization, 109–110
 - Software dependencies, developing user
 - interfaces and, 85–86
 - Sounds, application content, 77–78
 - Speech recognition, 72
 - Spoofing, 150
 - SQL injection attacks, 148
 - SSL (Secure Sockets Layer), 155, 159
 - Stakeholders, 176
 - Standards compliance, 175
 - Startup time, 4
 - Store-and-forward synchronization, 36–37
 - STRIDE, 150
 - Stylus, 58, 71
 - Sun Microsystems, enterprise web applications,
 - 122–123
 - Synchronization, 35–37
 - database, 102
 - software, 109–110
 - Synchronous communication, 36
 - System
 - administrators, 177
 - monitoring, 187
 - requirements, 175
- T**
- Tablet PCs, 47–48
 - Tampering, 154
 - TCP/IP (Transmission Control Protocol/ Internet Protocol), 114–115
 - Teams, 164–166
 - Technical leaders, 165
 - Testing
 - documentation, 182
 - performance, 183
 - personnel, 166
 - process, 181
 - regression, 184
 - security, 183
 - unit, 181
 - usability, 183
 - Test scripts, 180
 - Texas Instruments, 53
 - Text
 - application content, 75
 - extensive use of, 89
 - sizing and positioning, 87–88
 - Thin client, 24, 26–27, 93–95
 - architecture, 95
 - development issues, 94–95
 - Presentation Tier, 129
 - web page hosting or fat client versus, 104
 - Threats, security, 150
 - Three-tier architecture, 33
 - Throttling, 151
 - Tiers, 25
 - security issues, 157
 - Time Division Multiple Access (TDMA), 62
 - tModel, 112–113
 - Total benefit of ownership (TBO), 174
 - Total cost of ownership (TCO), 174
 - Touch screens, 71
 - Training, 171
 - Transmeta, 54
 - Two-tier architecture, 32
 - Typing, reducing, 90–91
- U**
- UDDI, 112–113
 - Unified Modeling Language (UML), 97
 - Unit testing, 181
 - Usability, 3–4
 - testing, 183

- User(s)
administration, 141
-centric architecture, 119–120
characteristics, 3–4
enrollment, 139–140
of mobile devices, defined, 11–15
profile table, 134–135
registered, 126
requirements, 173
security issues and, 147–148, 151–153
unregistered, 126
what users want from mobile devices, 15–20
- User interface(s), 4, 69
application content types, 74–78
developing, 83–91
experience of users, 74–85
input and output devices, 69–74
- Usernames, security issues and, 148, 155
- Utility functions, 175
- V**
VB.NET, 122
Vertical scaling, 25
Voice, inputting information using, 58, 72
Voice XML, 68
- W**
WAP (Wireless Application Protocol), 26, 27, 108
Waterfall model, 162
Web page hosting, 27, 29–30, 102
architecture, 103–104
development issues, 103
thin or fat clients versus, 104
Web page layout, 79–82
Web services, 112
Web Services Description Language (WSDL), 112
- Weight
of mobile accessories, 3
of mobile devices, 2
- Windows Form layout, 80–82
- Wired connections, 59–61
- Wired Equivalent Privacy (WEP), 157
- Wireless
connections, 61–67
Fidelity (WiFi), 66
LANs, 65–66
use of term, 6
- Wireless Application Protocol (WAP), 26, 27, 108
- WML, 108
- Work applications, 16–18
- Workforce, mobile devices used by, 11–14
- X**
XML, 111, 112
- Z**
Zoo case study
architecture, 281
Business Logic Layer, 291–292, 298–303
case actors, 278–279
client design, 282–294
Custom Principal class, 301
Data Access Layer, 292–294, 303–307
MZ_Util class, 291–292
MZRole class, 300
MZUser class, 298–299
Presentation Layer, 282–291, 295–298
Prospect class, 302–303
server design, 294–307
Server Proxy class, 292
use cases, 277–281
XML Web Service, 294–295