

# Index

- ^ command, 231
- ` (back quotes), shell scripts, 634
- "" (double quotes), shell scripts, 634
- # (pound sign), root prompt, 192
- \$ (dollar sign), shell prompt, 192
- \$ command, 231
- \$HOME (ul) variable, 85
- \$HOME variable, 208
- \$mydestination variable, 305
- \$mydomain variable, 304
- & (ampersand), running shell commands, 152
- ' (single quotes), shell scripts, 634
- \* (asterisk), metacharacter, 196
- ? (question mark), metacharacter, 196
- 0 command, 231
- 3x command, 232
- 5cw command, 232
- A command, 231
- a shell (ash shell), 628
- Abisource Web site, 526
- Abiword, 526
- access
  - DNS restriction, 187
  - database, 311
  - file, 312
  - security, 442-443
    - graphic firewall tools, 447-449
    - iptables firewall, 444-447
    - TCP wrapper, 443-444
- Accounts dialog, 597
- Add command (Panel menu), 86
- Add Printer wizard, 294
- address books, Kmail, 463-464
- Address Data Source AutoPilot dialog, 510
- addresses, Postfix handling improper addresses, 310
- adduser command, 254-255, 306
- administration
  - groups, management, 253-254
  - printing tools, 299-300
  - remote
    - KDE Desktop Sharing, 429-434
    - rdesktop, 434
- VNC (virtual network computing), 426-429
- root users, 248
- users
  - adding, 254-255
  - checking dormant accounts, 258-260
  - creation controls, 256-257
  - defining
    - groups, 256
  - deleting, 258
  - email-only
    - accounts, 256
  - home directories, 255
  - KUser, 260-263
  - management, 248-253
  - modifying, 257
  - security, 264-265
- Webmin, 240
  - creating users, 243-244
  - modules, 242-243
  - running, 240-242
  - upgrades, 245
- administrators
  - root password, 36
  - software installation, 104

- Advanced Maryland Automatic Network Disk Archiver (AMANDA) Web site, 287
- Airbrush tool, 581
- alias command, `rm` command, 199-201
- aliases, 306-307
- `all_squash` option, NFS file sharing permissions, 378
- AMANDA (Advanced Maryland Automatic Network Disk Archiver) Web site, 287
- ampersand (&), running shell commands, 152
- `anongid` option, NFS file sharing permissions, 378
- `anonuid` option, NFS file sharing permissions, 378
- Apache servers, 332
  - building PHP, 334-335
  - configuration, 335-337
  - installation from Web site, 332-334
  - Web site, 332
- applets, 59
- Application Starter, 58
- applications
  - installation
    - Debian packages, 119-123
    - extract and build five-step, 124-127
    - identifying packages, 105-106
    - KPackage, 109-115
    - locating software, 127-128
    - Mandrake, 108-109
    - RPM package, 115-118
    - security, 104
    - source availability, 123-124
    - vendor installation tools, 106-107
      - Konqueror, 59-61
  - appointments, Evolution, 486-489
  - `apt-get (ul)` command, Debian package installation, 121-123
  - Arkeia Web site, 287
  - Arkeia Light, 287
  - ash shell (a shell), 628
  - asterisk (\*), metacharacter, 196
  - `at` command, 625-626
  - attachments, Kmail, 465
  - attributes, 214-216, 316
  - audio, K3b, 273-274
    - basics, 275-278
    - burning backup, 278-279
  - AutoFormat Chart dialog, 535
  - autofs package, network mounts, 382-384
  - automated scripts
    - `at` command, 625-626
    - cron program, 620-624
    - permissions, 626
    - writing shell scripts, 627-628
      - commands, 628-635
      - programming, 635-637
      - specifying shell, 637-638
- AutoPilot, 520
  - OpenOffice.org Calc, 531
  - OpenOffice.org Impress, 542
- `b` command, 231
- back quotes (`), shell scripts, 634
- backgrounds, customizing desktop, 70-72
- backups
  - complex environment solutions, 287-288
  - data preservation, 23
  - `dump` command, 284-287
  - K3b, 273-274
    - basics, 275-278
    - burning backup, 278-279
  - medium, 268-273
  - `rsync` program, 279
    - mirroring directories, 280-284
    - USB drives, 284
  - tools
    - `cpio` command, 269
    - `tar` command, 270
    - Windows workstations, 271

- what to backup, 268-269
- Windows
  - workstations with Samba, 369-370
- bash shell (Bourne Again Shell), 627
- Bauer, Travis, 555
- Behavior icons, 90
- Berkeley Internet Name Domain (BIND), 176-178
- Bezier tool, 579
- BIND (Berkeley Internet Name Domain), 176-178
- Biot.com Web site, 327
- bit buckets, 205-206
- Bookmark tab, 88
- boot diskettes, 37
- boot loader, 23
- boot process, Knoppix, 15
- boot up
  - chkconfig command, 144-145
  - daemons, 140-141
  - init process, 141-142
  - runlevel, 142-144
- booting, dual, 22-23, 33-35
- Bourne Again Shell (bash shell), 627
- Bourne shell (sh shell), 627
- Bricklin, Daniel, 528
- broadcast addresses, 166-167
- browsers
  - Galeon, 507
  - Konqueror, 494
    - cookies, 499-500
    - full-screen mode, 498-499
    - home page, 495-496
    - pop-ups, 500
    - searches, 497-498
    - split views, 497
    - tabbed
      - browsing, 501
  - Mozilla, 502-503
    - cookies, 505-506
    - home page, 503
    - pop-ups, 505
    - sidebar, 507
    - tabbed
      - browsing, 504
  - Opera, 508
    - text-only, 508
- BRU Pro Web site, 287
- built-in variables, shell scripts, 631
- business presentations,
  - OpenOffice.org Impress, 540-546
    - adding color, 548-549
    - inserting slides, 547-548
  - penguin, 553-554
  - printing, 550
  - Web presentations, 550-553
- C shell (csh shell), 628
- cable modems, Internet connection, 155-156
- cal command, 193
- Calc, 528
  - addition among cells, 529-532
  - charts and graphs, 533
  - dynamic graphs, 534-537
  - final formatting, 537-538
  - saving, 532-533
  - totals, 533-534
- calculators, scientific, 64
- calendars
  - eGroupWare, 346
  - Evolution, 485-486, 491
    - creating appointments, 486-489
    - meetings, 489-490
    - to-do items, 490-491
  - Korganizer, 474-475
    - creating new event, 476-478
  - importing, 484-485
  - meeting
    - invitations, 483-484
  - printing, 480-481
  - recurring events, 481-482
  - to-do items, 478-480
- Cameron, Jamie, Webmin, 239
- cat command, 194, 200
- cd command, 206
- CDs, Knoppix, 14-16
- chains, 445
- characters
  - recognition, Kooka, 568-569
  - shell scripts, 632-633

- charts, OpenOffice.org (Calc), 533-537
- chgrp command, 209
- chkconfig command, 144-145
- chmod command, 209-211
- chown command, 209
- CIDR (Classless InterDomain Routing), 167-169
- CIFS (common Internet file system), 351
- Class A networks, 164
- Class B networks, 164
- Class C networks, 164
- classic themes, KDE, 56
- Classless InterDomain Routing (CIDR), 167-169
- clients, thin
  - advanced configuration, 416-418
  - basics, 394
  - converting PCs, 414-415
  - Cygwin, 419-422
  - DHCP, 394-398
  - help, 411
  - LTSP package, 400-406
  - performance, 422
  - TFTP, 398-399
  - XDMCP, 406-411
- Clone tool, 582
- CodeWeavers Web site, 24
- Color Picker, 580
- command line, 64-66
  - Debian package installation, 119
  - apt-get (ul) command, 121-123
  - identifying files, 120
  - listing current packages, 119-120
  - release levels, 120
  - log out, 49
  - RPM package installation, 115-118
- commands, 64
  - case-sensitivity, 116
  - changing file ownership, 210
  - directory file, 206-208
  - executable shell script files, 210-211
  - file permissions, 209
  - Panel menu, Add, 86
  - piping, 204
    - bit bucket, 205-206
    - STDERR command, 205
    - tee command, 204-205
  - processes, 220-222
    - pstree command, 222-224
    - stopping, 225-227
    - suspending process, 224-225
  - prompt, 192
  - shell, 64-66
  - shell scripts, 628-629
    - parameters, 629-630
    - quotes, 634-635
    - special characters, 632-633
    - variables, 630-632
  - vim editor, 230-232
  - Window menu
    - Show Terminal Emulator, 98
    - Split View
      - Left/Right, 90
- common Internet file system (CIFS), 351
- Common UNIX Printing System (CUPS), 291-298
- compatibilities, devices, 130-131
- compress (ul) command, 125
- conferencing, GnomeMeeting, 604-608
- Configure Desktop command, 70
- Configure Kmail dialog, 457
- connection-oriented protocols, 158
- connectionless protocols, 158
- Contact Wizard, Addition, Kopete, 593
- contacts, Kopete, 593-595
- controllerless modems, 135
- cookies
  - Konqueror, 499-500
  - Mozilla, 505-506

- costs, Linux
  - advantage, 9
- cp command, 194
- cpio command,
  - backups, 269
- cron program
  - automated scripts, 620-624
  - permissions, 626
  - Vixie program, 620
- crontab file, 620
- Crop tool, 580
- csh shell (C shell), 628
- CUPS (Common UNIX Printing System), 291-298
- customizing desktops
  - background, 70-72
  - icons, 79-82
  - panel settings, 73-75
  - screensaver, 72-73
  - shortcuts, 79-82
  - taskbar settings, 73-75
  - theme, 75-79
- cw command, 232
- Cygwin, 419-422
- daemons, 140-141
- data
  - backing up, 23
  - files, 194-201
  - K3b, 273-274
    - basics, 275-278
    - burning backup, 278-279
  - Konqueror
    - directories, 84-87
    - navigating, 87-95
    - permissions, 95-98
  - rsync program, 279
    - mirroring
      - directories, 280-284
      - USB drives, 284
- databases
  - hash prefix, 307
  - LDAP
    - basics, 316-321
    - GQ tool, 326-328
    - KAddressBook, 322
    - schema files, 324-326
  - PostgreSQL, 342-345
- date command, 193
- dcron program, 620
- dd command, 232
- ddns-update-style
  - setting, DHCP
  - set up, 396
- Debian
  - package format, 105
  - software
    - installation, 119
    - apt-get (ul)
      - command, 121-123
      - identifying files, 120
      - listing current
        - packages, 119-120
        - release levels, 120
    - default routes, 150
    - default-lease-time
      - setting, DHCP
      - set up, 396
    - defragmentation,
      - Windows resizing, 33
    - deleting, shell files, 197-201
    - dependencies, package
      - software installation, 113-115
    - deployment
      - desktop considerations, 26-28
      - dual booting, 22-23
      - Linux acquisition, 20-22
      - Linux-only
        - system, 23
      - preserving data, 23
      - transitional
        - applications, 28
        - Windows applications
          - on Linux, 24-26
    - Desktop Sharing, KDE, 429-434
    - desktops, 11-12
      - customizing
        - background, 70-72
        - icons, 79-82
        - panel settings, 73-75
        - screensaver, 72-73
        - shortcuts, 79-82
        - taskbar settings, 73-75
        - theme, 75-79
      - KDE, 52
      - Kicker, 57-59
      - login manager, 53-57
      - monitor size, 62
      - user considerations, 26-28
    - /dev directory, device
      - files, 137-139
    - development tools,
      - installation, 43

- devices
  - Linux compatibility, 130-131
  - modems *versus* Winmodems, 135-137
  - plug and play, 131
  - runlevels, graphical interface, 145-148
  - start-up
    - chkconfig
      - command, 144-145
    - daemons, 140-141
    - init process, 141-142
    - runlevels, 142-144
    - system treatment, 137-139
    - understanding, 131-132
      - PCI, 133-134
      - USB, 134-135
- Devices tab, 88
- /dev/null file, 205-206
- df command, 193
- DHCP (Dynamic Host Configuration protocol), 155, 394
  - assigning fixed addresses, 397-398
  - set up, 395-397
- dialogs
  - Accounts, 597
  - Address Data
    - Source AutoPilot dialog, 510
  - AutoFormat
    - Chart, 535
  - Configure Kmail, 457
  - Edit Event, 477, 484
  - Export, 524, 553
  - Font, 82
  - GIMP User
    - Installation, 570
  - HTML Export, 551
  - Permissions, 95-98
  - Print, 480
  - Printer, 298
  - Properties, 95
  - Search, 113
  - Task, 491
  - Tool Options, 578
  - User Properties, 261
- dig command, 186
- Digikam Web site, 560
- digital cameras,
  - gPhoto2, 558-559
- Dillon, Matthew, 620
- directories, 59
  - file
    - commands, 206-208
    - NFS, 374-391
  - home, 255
- Konqueror
  - permissions, 95-98
- LDAP
  - basics, 316-321
  - GQ tool, 326-328
  - KAddressBook, 322
  - schema files, 324-326
- navigating Konqueror, 87-89, 93-95
  - copying files, 93
  - creating, 92
  - enhancements, 89-91
  - moving files, 93
  - renaming files, 92
  - selecting files, 91-92
  - root files, 84-87
- discussion groups, 12
- Diskless Workstations
  - Web site, 415
- DistroWatch Web site, 20
- DNS (domain name server), 150, 175, 304
  - BIND, 176-177
  - configuration, 178
  - domain, 178
  - /etc/named.conf file, 179-181
  - reverse IP mapping, 184-185
  - zones, 181-184
  - /etc/hosts file, 175-176
  - security, 178
  - setup, 186-187
- documents,
  - OpenOffice.org Writer, 523-524
- Dodge and Burn tool, 582
- dollar sign (\$), shell prompt, 192
- domain name server. *See* DNS
- domains
  - DNS configuration, 178
  - Postfix handling multiple, 309-310
  - TCP/IP, 161-162
- double quotes (""), shell scripts, 634
- dpkg (ul) command, 119

- drakconf (ul)
  - command, 108
- drivers, network
  - setup, 170
- drop-down menus, 63
- DSLs, Internet
  - connection, 155-156
- dual booting, 22-23, 33-35
- dump command, 284-287
- dw command, 232
- Dynamic Host Configuration protocol. *See* DHCP
- dynamic IP addresses, 150
  
- echo command, 193
- Edit Event dialog, 477, 484
- editors
  - Kate, 227-229
  - visual, 230
    - command functions, 230-232
  - Emacs, 236-237
  - NEdit, 236-237
  - Pico, 236-237
  - recovering session, 233-234
  - start-up options, 234-236
- eGroupWare, 345-349
- egroupware
  - directories, 346
- electronic mail. *See* email
- Emacs editor, 236-237
  
- email (electronic mail), 303
  - creating users, 256
  - Evolution, 466-471
  - Kmail, 454-457
    - address books, 463-464
    - attachments, 465
    - network configuration, 457-462
    - queued messages, 466
    - receiving messages, 463
    - sending messages, 462-463
  - Postfix, 304
    - configuring, 304-305
    - hash prefix, 307
    - improper address handling, 310
    - multiple domain handling, 309-310
    - restart, 306
    - server setup, 308
    - stopping spam, 310-312
    - tracking messages, 312
    - user setup, 306-307
    - via Webmin, 312-313
  - SquirrelMail, 337-342
- enhanced C shell (tcsh shell), 628
- environment variables, 85, 632
  
- EPROM (Erasable Programmable Read Only Memory), 414
- Eraser tool, 581
- /etc/default/useradd file, 254
- /etc/dhcpd.conf configuration file, 395
- /etc/exports file, 376, 379
- /etc/fstab file, mount specification, 381-382
- /etc/group file, 252
- /etc/hosts files, 175-176
- /etc/login.defs file, 256
- /etc/lts.conf file, 405
- /etc/named.conf files, DNS configuration, 179-181
- /etc/nsswitch.conf file, NIS client configuration, 389-391
- /etc/passwd file, 248, 251-252
- /etc/shadow file, 248
- /etc/shells file, 251
- /etc/xinetd.d directory, 308
- Etherboot Web site, 414
- Ethernet cards, 155
  - network set up, 170
  - thin clients, 414
- events
  - Evolution
    - creating, 486-489
    - meetings, 489-490
  - Korganizer
    - creating, 476-478
    - meeting invitation, 483-484
    - recurring, 481-482

- Evolution, 466-469
  - calendar applications, 485-486, 491
  - creating appointments, 486-489
  - meetings, 489-490
  - to-do items, 490-491
  - messages, 469-471
- exit (ul) command, 87
- Export dialog, 524, 553
- extract and build
  - five-step, software installation, 124-125
  - building programs, 126-127
  - README files, 127
  - unpacking
    - archive, 125
- Eyecandy-O-Meter screen, 56
- f flag, 201
- Fedora, Linux
  - installation, 40-45
- Fibonacci sequence, 635
- FIFO, 138
- File Transfer Protocol (FTP), 159
- filename setting, DHCP
  - set up, 396
- files, 194
  - attributes, 214-216
  - changing
    - ownership, 210
  - directories, 206-208
  - executable shell script files, 210-211
  - find command, 216-218
  - grep command, 219-220
- Konqueror, 59
  - directories, 84-87
  - navigating, 87-95
  - permissions, 95-98
  - listing, 195
  - naming, 195
  - permissions, 196-197, 209
    - alias command, 199-201
    - confirming
      - deletion, 199
    - deleting, 197-198
    - hidden files, 197
    - sharing, NFS, 374-391
    - tips, configuring, 89
- Fill tool, 581
- find command, 216-218
- finger command,
  - checking dormant accounts, 258-260
- FIPS
  - dual booting, 34-35
  - shrinking Windows
    - partition, 33
- firewalls
  - graphic tools, 447-449
  - iptables, 444-447
- Flip tool, 580
- focus, 55
- folders, Konqueror, 59
- fonts, OpenOffice.org (Writer), 520
- Fonts dialog, 82
- formatting,
  - OpenOffice.org (Calc), 537-538
- FQDN (fully qualified domain name), 304
- Frankston, Bob, 528
- free software, Linux
  - acquisition, 21
- Free Software Foundation Web site, 611
- Freshmeat Web site, 628
- FTP (File Transfer Protocol), 159
- full-screen mode,
  - Konqueror, 498-499
- fully qualified domain name (FQDN), 304
- Function bar, Writer toolbars, 516
- G command, 231
  - g option, defining users
    - group, 256
- Gagne, Marcel Web site, 12
- GAIM, 28, 596-601
- Galeon, 507
- General Public License (GPL), 7-8, 611-618
- gg command, 231
- GIDs (group IDs), 247
- GIMP, 569-570
  - logos, 572-575
  - photograph touchup, 583-585
  - printing, 576-577
  - saving, 575-576
  - start up, 570-572
  - Tool icons, 578-582
  - toolbox, 577-578
- GIMP User Installation dialog, 570
- GNOME, 12, 192, 507
- GnomeMeeting, 604-608

- GNU
  - Bourne-Again Shell, 65
  - General Public License (GPL), 7
    - project, 6
  - Gnumeric, 113, 538
  - gPhoto2, 558-559
  - GPL (General Public License), 7-8, 611-618
  - GQ tools, LDAP, 326-328
  - Gradient Fill tool, 581
  - Grand Unified Bootloader (GRUB), 23
  - grandfather systems, 284
  - graphic firewalls, access control, 447-449
  - graphical interfaces
    - GQ tool, 326-328
    - runlevels, 145-148
  - graphics
    - GIMP, 569-570
      - logos, 572-575
      - photograph touchup, 583-585
      - printing, 576-577
      - saving, 575-576
      - start up, 570-572
      - Tool icons, 578-582
      - toolbox, 577-578
    - gPhoto2, 558-559
    - Konqueror, 559-560
    - OpenOffice.org Impress, 540-546
      - adding color, 548-549
    - inserting slides, 547-548
    - penguin, 553-554
    - printing, 550
    - Web presentations, 550-553
  - scanners, 561-562
    - Kooka, 563-569
    - network sharing, 562-563
  - graphs, OpenOffice.org (Calc), 533-537
  - grep command, 219-220
  - group IDs (GIDs), 247
  - groupadd command, 253
  - groupdel command, 254
  - groupmod command, 253
  - groups
    - defining, 256
    - files, changing ownership, 210
    - management, 253-254, 260
  - groupware
    - eGroupWare, 345-349
    - Kolab, 455
  - GRUB (Grand Unified Bootloader), 23
  - GUI, Samba (SWAT), 367-369
  - h command, 231
  - hardware. *See also*
    - devices
      - Linux installation, 32-33
      - support, Linux disadvantages, 9
      - thin clients, 415
  - Hardware tab, Webmin, 243
  - hashes, Postfix configuration, 307
  - Help, OpenOffice.org (Writer), 516-517
  - help
    - resources, 12-13
    - thin clients, 411
  - hidden files, 197
  - hierarchical directories, LDAP, 321
  - high-speed DSL, Internet connection, 155-156
  - History tab, 88
  - home directories, 84, 255
  - home pages
    - Konqueror, 495-496
    - Mozilla, 503
  - HOWTOs, 13
  - HTML Export dialog, 551
  - httpd.conf file, 336
  - I command, 231
    - i option, rm command, 199
  - IANA (Internet Assigned Numbers Authority), 163
  - iCal Web site, 485
  - IceWM, 12
  - icons, desktop
    - customizing, 79-82
  - IETF (Internet Engineering Task Force), 165, 588
  - ifcfg-interface files, 172
  - IM (instant messaging), 28, 588
    - GAIM, 596-601

- Jabber, 588-589
- Kopete, 589-595
- images
  - GIMP, 569-570
  - logos, 572-575
  - photograph
    - touchup, 583-585
  - printing, 576-577
  - saving, 575-576
  - start up, 570-572
  - Tool icons, 578-582
  - toolbox, 577-578
- Konqueror, 559-560
- scanners, 561-562
  - Kooka, 563-569
  - network sharing, 562-563
- IMAP server, Postfix, 308
- Impress, 540-546
  - adding color, 548-549
  - inserting slides, 547-548
  - penguin, 553-554
  - printing, 550
  - Web presentations, 550-553
- inetd service, 159-160
- init process, 141-142, 159-160
- inittab file, 141
- Ink tool, 582
- input, standard, 202-204
- INSTALL files, 127
- installation
  - dual booting, 33-35
  - generic example, 36-37
  - hardware, 32-33
- Linux
  - Fedora, 40-45
  - Mandrake, 38-40
  - SUSE, 45-47
  - login, 48-49
  - preparation, 32
  - shutdown, 48-49
  - software
    - Debian packages, 119-123
    - extract and build
      - five-step, 124-127
    - identifying packages, 105-106
    - KPackage, 109-115
    - locating software, 127-128
    - Mandrake, 108-109
    - RPM package, 115-118
    - security, 104
    - source availability, 123-124
    - vendor installation
      - tools, 106-107
  - instant messaging (IM), 588
    - AIM, 596-601
    - Jabber, 588-589
    - Kopete, 589-595
  - instant messaging client (IM client), 28
  - Intelligent Scissors, 579
  - Internet
    - Konqueror, 494
      - cookies, 499-500
      - full-screen mode, 498-499
      - home page, 495-496
      - pop-ups, 500
      - searches, 497-498
      - split views, 497
      - tabbed
        - browsing, 501
    - Mozilla, 502-503
      - cookies, 505-506
      - home page, 503
      - pop-ups, 505
      - sidebar, 507
      - tabbed
        - browsing, 504
      - networks connection, 151-156
    - Internet Assigned Numbers Authority (IANA), 163
    - Internet Engineering Task Force (IETF), 165, 588
    - Internet Printing Protocol (IPP), 292
    - Internet Service Provider (ISP), 150
    - IP addresses, 150, 163-165, 170-172
    - IP mapping, DNS
      - configuration, 184-185
    - IPP (Internet Printing Protocol), 292
    - iptables command, 445
    - iptables firewalls, access control, 444-447
    - ISP (Internet Service Provider), 150
  - j command, 231
  - Jabber, instant messaging, 588-589
  - k command, 231
  - K Desktop Environment. *See* KDE

- K3b, 273-274
  - basics, 275-278
  - burning backup, 278-279
  - Web site, 273
- k3bsetup command, 274
- KAddressBook, 322
- KArm, 492
- Kate editor, 227-229
- kcalc (ul) command, 64
- kcontrol (ul) command, 75, 430, 442
- KDE (K Desktop Environment), 12
  - Desktop Sharing, 429-434
  - desktops, 52
    - Control Center, 75
    - Kicker, 57-59
    - Konqueror, 59-61
    - login manager, 53-57
  - Internet
    - connection, 152
  - KAddressBook, 322
  - Kmail, 454-457
    - address books, 463-464
    - attachments, 465
    - network
      - configuration, 457-462
    - queued messages, 466
    - receiving messages, 463
    - sending messages, 462-463
  - KMyFirewall, 448-449
  - Knotes, 492
- Konsole, starting shell, 192
- Kooka, 563-569
- Kopete, 589-595
- Korganizer, 474-475
  - creating new event, 476-478
  - importing calendars, 484-485
  - meeting invitations, 483-484
  - printing calendar, 480-481
  - recurring events, 481-482
  - to-do items, 478-480
- kprinter, 298-299
- KUser, 260-263
- KWord, 526
  - printing, 291-300
- KDE Info Center, 131
- kdepasswd (ul) command, 66-67
- Keramik, default desktop theme, 77
- kernels, LTSP package installation, 402
- Keyboard Shortcuts, KDE Control Center, 82
- Kicker, 57-59
- kill command, 225-227
- Kmail, 454-457
  - address books, 463-464
  - attachments, 465
  - network
    - configuration, 457-462
  - queued messages, 466
  - receiving messages, 463
  - sending messages, 462-463
- KmyFirewall, graphic firewall tool, 448-449
- Knopper, Klaus, Knoppix creator, 14
- Knoppix, 14-16
- Knotes, 492
- KOffice suite, 526
- Kolab, 454-455
- Konqueror, 59-61, 494
  - cookies, 499-500
  - directories, 84-87
  - full-screen mode, 498-499
  - graphics, 559-560
  - home page, 495-496
  - navigating, 87-88
    - copying files, 93
    - creating directories, 92
    - enhancements, 89-91
    - links, 93-95
    - moving files, 93
    - panel, 88-89
    - renaming files, 92
    - selecting files, 91-92
  - permissions, 95-98
  - pop-ups, 500
  - searches, 497-498
  - split views, 497
  - tabbed browsing, 501
- Konsole program, 64-66
  - Kate editor, 227-229
  - starting shell, 192

- Kooka
  - character recognitions, 568-569
  - scanners, 563-567
- Kopete, 589-595
- Korganizer, 474-475
  - creating new event, 476-478
  - importing calendars, 484-485
  - meeting invitations, 483-484
  - printing calendar, 480-481
  - recurring events, 481-482
  - to-do items, 478-480
- korganizer & command, 474
- Kpackage, software
  - installation, 109-111
  - dependencies, 113-115
  - packages, 111-112
- kpackage (ul)
  - command, 110
- kpersonalizer, 53-54
- KPPP, Internet
  - connection, 152-153
- kprinter, 298-299
- krdc command, 433
- krfb command, 432
- KSpread, 538
- KUser, 260-263
- kuser command, 260
- KWord, 526
  
- l command, 231
- lame servers, 186
- languages,
  - OpenOffice.org (Writer), 513
- Lasso tool, 579
- last command, 193
- lastlog command, 265
- LDA (local delivery agent), 303
- LDAP (Lightweight Directory Access Protocol), 316
  - basics, 316-321
  - GQ tool, 326-328
  - KAddressBook, 322
  - schema files, 324-326
- LDAP data interchange format files (LDIF files), 319
- LDIF files (LDAP data interchange format files), 319
- LDP (Linux Documentation Project), 12-13, 130
- legal freedom, Linux
  - advantage, 9
- less command, 194
- licenses, GPL (General Public License), 611-618
- Lightweight Directory Access Protocol. *See* LDAP
- links, navigating
  - Konqueror, 93-95
- Linmodems Web site, 137
- Linux
  - acquisition, 20-22
  - introduction, 5, 7
    - advantages, 8-9
    - disadvantages, 9-10
  - free use, 7
  - General Public License (GPL), 7-8
    - using book, 10-11
  - Online Web site, 13
  - Printing Web site, 290
  - Linux Documentation Project (LDP), 12-13
  - Linux Terminal Server Project packages (LTSP packages), 400
    - configuration, 402-406
    - installation, 400-402
    - Web site, 400
  - Linux USB Device Overview Web site, 135
  - Linuxant Web site, 137
  - LinuxIso.org Web site, 21
  - local delivery agent (LDA), 303
  - localhost zone, 182
  - localhosts, 305
  - lock button, 59
  - logins
    - KDE manager, 53-57
    - Linux installation, 48-49
  - logos, GIMP, 572-575
  - logout button, 59
  - Look and Feel menu, 82
  - LPD, 291-292
  - ls (ul) command, 87
  - ls -l command, 196
  - ls command, 194
  - lts.conf file, XDMCP, 409-410

- LTSP packages (Linux Terminal Server Project packages), 400
  - configuration, 402-406
  - installation, 400-402
  - Web site, 400
- LUGs, user groups, 13
- Luma Web site, 328
- MAC (Media Access Control), 171
- Magic Wand, 579
- Magnifying Glass, 580
- mail transport agent (MTA), 303
- mail user agent (MUA), 303
- mailing lists, 12
- Main toolbar, Writer toolbars, 516
- major/minor rules, device definition, 138-139
- MAKEDEV script, 139
- man pages, 13
- Mandrake
  - firewall, 448
  - Internet connection, 152
  - Linux installation, 38-40
  - RPM repositories, 109
  - software installation, 108-109
- masked users, 212-214
- Math, OpenOffice.org (Calc), 529-532
- max-lease-time setting, DHCP set up, 396
- Measuring tool, 582
- Media Access Control (MAC), 171
- Media Player tab, 88
- meetings
  - Evolution, 489-490
  - GnomeMeeting, 604-608
  - Korganizer, 483-484
- menu bars, 63
- messages
  - email, Postfix tracking, 312
  - instant messaging
    - AIM, 596-601
    - Jabber, 588-589
    - Kopete, 589-595
  - Kmail
    - queued messages, 466
    - receiving, 463
    - sending, 462-463
- metacharacters, 196
- Microsoft Office, converting
  - OpenOffice.org (Writer), 517-518
- mkdir command, 206
- mknod command, device definition, 138
- modems
  - Internet connection, 152-155
    - cable modem, 155-156
    - high-speed DSL, 155-156
    - versus* Winmodems, 135-137
- modules, Webmin, 242-243
- monitors, size, 62
- more command, 194
- mount command, 381
- mounts, auotfs package, 382-384
- Move tool, 580
- Moving To the Linux Business Desktop link (MTLBD link), 12
- Mozilla, 28, 502-503
  - cookies, 505-506
  - home page, 503
  - pop-ups, 505
  - sidebar, 507
  - tabbed browsing, 504
  - Thunderbird, email, 471
  - Web site, 494
- MTA (mail transport agent), 303
- MTLBD link (Moving To the Linux Business Desktop link), 12
- MUA (mail user agent), 303
- multiple domains, Postfix handling, 309-310
- mutt Web site, 471
- mv command, 194, 206
- named pipes, 138
- named.ca zone, 181
- named.local file, 182
- names, files, 195
- navigation, Konqueror, 87-88
  - copying files, 93
  - creating directories, 92
  - enhancements, 89-91
  - file manager, 84
  - links, 93-95
  - moving files, 93

- panel, 61, 88-89
  - renaming files, 92
  - selecting file, 91-92
- NCSA httpd Web server, 332
- NEdit editor, 236-237
- Netfilters, 444
- netmasks, 166
- Netraverse, Win4Lin, 25-26
- netstat program,
  - routing, 173-174
- network information
  - service. *See* NIS
- network neighborhoods, Samba, 362-367
- Network tab, 88
- Networking tab,
  - Webmin, 243
- networks
  - directories, LDAP
    - basics, 316-321
  - DNS, 175
    - BIND, 176-177
    - configuration, 178-185
    - /etc/hosts file, 175-176
    - setup, 186-187
  - file sharing, NFS, 374-391
  - Internet connection, 151-156
  - Kmail, 457-462
  - routing, 172-174
  - scanners, 562-563
  - setup, 170-172
  - TCP/IP, 165
    - broadcast addresses, 166-167
  - CIDR, 167-169
  - domains, 161-162
  - IP addresses, 163-165
  - netmasks, 166
  - protocols and suites, 158
  - service ports, 159-160
  - subnets, 167
  - time synchronization, 188-189
- NFS
  - autofs package, 382-384
  - basics, 374-376
    - /etc/fstab mount specification, 381-382
  - mounting
    - directory, 380-381
  - remote file system
    - availability, 376-380
- NIS, 384-385
  - client configuration, 388-391
  - configuring Master Server, 385-388
- NIS (network information service), 176, 384-385
  - client configuration, 388-391
  - configuring Master Server, 385-388
- Norman, Tim, print driver development, 290
- no\_hide option,
  - NFS file sharing permissions, 377
- no\_root\_squash option,
  - NFS file sharing permissions, 378
- no\_subtree\_check option, NFS file sharing permissions, 378
- no\_wdelay option,
  - NFS file sharing permissions, 377
- NTP, 189
- o command, 231
- Object bar, Writer toolbars, 516
- online discussion groups, 12
- OO Extras Web site, 525
- oowriter command, 510
- OpenLDAP Web site, 316, 329
- OpenOffice.org
  - Calc, 528
    - addition among cells, 529-532
    - charts and graphs, 533
    - dynamic graphs, 534-537
    - final formatting, 537-538
    - saving, 532-533
    - totals, 533-534
  - Impress, 540-546
    - adding color, 548-549
    - inserting slides, 547-548

- penguin, 553-554
- printing, 550
- Web presentations, 550-553
- Writer, 510-511
  - AutoPilot, 520
  - converting
    - Microsoft Office documents, 517-518
  - documents, 523-524
  - export to PDF, 524
  - Help, 516-517
  - languages, 513
  - personal
    - preferences, 518-520
  - printing, 515
  - saving, 514
  - spell check, 513
  - style, 521-523
  - templates, 525
  - toolbars, 516
  - typing, 511-512
- OpenOffice.org office suite, 28
- OpenSSH, 438-442
- Opera, 508
- operating systems,
  - Samba, 351-353
  - adding users, 355-357
  - backing up Windows workstations, 369-370
  - configuration, 353-355
  - network
    - neighborhood access, 362-367
  - printing, 360-362
  - server configuration, 357-358
  - SWAT, 367-369
  - Windows workstations, 359
- option broadcast-address setting, DHCP set up, 396
- option domain-name setting, DHCP set up, 396
- option domain-name-servers setting, DHCP set up, 396
- option root-path setting, DHCP set up, 396
- option routers setting, DHCP set up, 396
- option subnet-mask setting, DHCP set up, 396
- organizations
  - Evolution, 485-486, 491
    - creating appointments, 486-489
    - meetings, 489-490
    - to-do items, 490-491
  - Korganizer, 474-475
    - creating new event, 476-478
    - importing calendars, 484-485
    - meeting invitations, 483-484
    - printing calendar, 480-481
  - recurring events, 481-482
  - to-do items, 478-480
  - units, 316
  - Others tab, Webmin, 243
- Outlook, Evolution
  - similarities, 466-471
- output, standard, 202-204
- ownership, files, 210
- p flag, mkdir
  - command, 207
- p option, 138
  - rmdir command, 207
  - tar command, 270
- packages, software
  - identifying, 105-106
  - KPackage, 111-112
  - managers, updates, 21-22
  - suffices, 112
- packets
  - iptables firewall, 444-447
  - TCP/IP, 158
- Paintbrush tool, 581
- Panel menu commands, Add, 86
- panels
  - desktop customizing, 73-75
  - Knoqueror navigation, 88-89
- parameters, shell scripts, 629-630
- paramtest command, 629-630
- passwd (ul) command, 67, 306

- passwords, 66-67
  - files, checking
    - dormant accounts, 258-260
    - KUser, 262-263
    - Linux installation, 36
    - managing users, 248
- PCI devices, 133-134
- PCs, converting to thin clients, 414-415
- PDFs, export from
  - OpenOffice.org Writer, 524
- pdksh shell (public domain Korn shell), 628
- penguin,
  - OpenOffice.org (Impress), 553-554
- peripheral support,
  - Linux disadvantages, 9
- permissions, 95-97
  - automated
    - scripts, 626
  - default, 212-214
  - deleting files and directories, 97-98
  - executable shell script files, 210-211
  - files, 196-197, 209
    - alias command, 199-201
    - confirming deletion, 199
    - deleting, 197-198
    - hidden, 197
    - NFS file sharing, 377
- personalizer, KDE, 53-54
- PHP, building, 334-335
- Pico editor, 236-237
- pictures
  - GIMP touchup, 583-585
  - scanners, 561-562
    - Kooka, 563-569
  - network sharing, 562-563
- pine Web site, 471
- pipng, commands, 204
  - bit bucket, 205-206
  - STDERR
    - command, 205
    - tee command, 204-205
- Pisano, Leonardo, 635
- .plan file, 250
- Plastik, default desktop theme, 77
- plug and play devices, 131
- plugins, SquirrelMail, 341-342
- Point-to-Point Protocol.
  - See PPP
- POP (Post Office Protocol), 159
- pop-ups
  - Konqueror, 500
  - Mozilla, 505
- POP3 servers,
  - Postfix, 308
- ports, services, 159-160
- Post Office Protocol (POP), 159
- Postfix, 304
  - configuring, 304-305
  - hash prefix, 307
  - improper address handling, 310
  - multiple domain handling, 309-310
- restart, 306
- server setup, 308
- stopping spam, 310-312
- tracking
  - messages, 312
  - user setup, 306-307
  - via Webmin, 312-313
- PostgreSQL, 342-345
- postmap command, 312
- PostScript printers, 291
- pound sign (#), root prompt, 192
- power, Linux
  - advantage, 8
- PPA (Printing Performance Architecture), 290
- PPP (Point-to-Point Protocol), 152
- preferences,
  - OpenOffice.org (Writer), 518-520
- presentations,
  - OpenOffice.org (Impress), 540-546
    - adding color, 548-549
    - inserting slides, 547-548
  - penguin, 553-554
  - printing, 550
  - Web presentations, 550-553
- primary zone files, 183
- Print dialog, 298, 480
- printers, 135
  - administration tools, 299-300
  - CUPS, 291-298
  - kprinter, 298-299
  - OpenOffice.org Writer, 515

- queues, 291
- Samba, 360-362
- selection, 290-291
- printing
  - GIMP, 576-577
  - Korganizer calendar, 480-481
  - OpenOffice.org (Impress), 550
- Printing Performance Architecture (PPA), 290
- processes, 220-222
  - pstree command, 222-224
  - stopping, 225-227
  - suspending process, 224-225
- Progeny Web site, 118
- programming, shell scripts, 635-637
- programs, command names, 60
- projects, K3b, 275
- prompts command, 192
- Properties dialog, 95-98
- protocol suites, TCP/IP, 150, 158
- pstree command, 222-224
- public domain Korn shell (pdksh shell), 628
- pwd command, 206
  
- question mark (?), metacharacter, 196
- queued messages, Kmail, 466
- Quick Tips, 11
- quotes, shell scripts, 634-635
  
- R command, 232
- rc.local file, 142-143
- rdate command, 188
- RDBMS (relational database management system), 342-345
- rdesktop command, 434
- README files, 127
- RealVNC Web site, 426
- Red Hat
  - device compability Web site, 130
  - Internet connection, 152
- relational database management system (RDBMS), 342
- remote administration
  - KDE Desktop Sharing, 429-434
  - rdesktop, 434
  - VNC (virtual network computing), 426-429
- remote procedure calls (RPC), 374
- Request For Comments (RFC), 165
- resources, help, 12
  - LDP (Linux Documentation Project), 13
  - user groups, 13
- restore command, backup restores, 286-287
- RFC (Request For Comments), 165
- rm -rf\* command, 208
  
- rm command, 194
  - alias command, 199-201
  - confirmation with -i option, 199
  - deleting files, 197-198
- rmdir command, 206-207
- ro option, NFS file sharing permissions, 377
- Roaring Penguin Web site, 156
- root files, 84-87
- root passwords, 36
- root prompts, 192
- root users, 104, 247-248
- route command, 173
- routing, 172-174
- RPC (remote procedure calls), 374
- rpc.mountd daemon, 376
- rpc.nfsd daemon, 376
- rpc.quotad daemon, 376
- rpc.statd daemon, 376
- RPM
  - installation, 115-118
  - package format, 105
- rpmdrake (ul) command, 108
- rsize flag, 381
- rsync program, 279
  - mirroring directories, 280-284
  - USB drives, 284
- Run command, 64
- runlevels
  - graphical interface, 145-148
  - init process, 141-142

- rc.local file, 142-143
- switching without
  - reboot, 143-144
- rw option, NFS
  - file sharing
  - permissions, 377
- Samba, 351-353
  - adding users, 355-357
  - backing up
    - Windows workstations, 369-370
  - configuration, 353-355
  - network
    - neighborhood access, 362-367
    - printing, 360-362
    - server configuration, 357-358
  - SWAT, 367-369
  - Web site, 353
  - Windows workstations, 359
- Sandra, Damien, GnomeMeeting, 604
- saving
  - GIMP, 575-576
  - OpenOffice.org Calc, 532-533
  - Writer, 514
  - scanned images, 567
- sbin/ifconfig
  - command, 170
- /sbin/route
  - command, 173
- scanners, graphics, 561-562
  - Kooka, 563-569
  - network sharing, 562-563
- schedules
  - Evolution, 485-486, 491
    - creating appointments, 486-489
    - meetings, 489-490
    - to-do items, 490-491
  - Korganizer, 474-475
    - creating new event, 476-478
    - importing calendars, 484-485
    - meeting invitations, 483-484
    - printing calendar, 480-481
    - recurring events, 481-482
    - to-do items, 478-480
  - schema files, LDAP, 324-326
  - scientific calculator, 64
  - screensavers, customizing desktop, 72-73
  - script kiddies, 443
  - Script-Fu, 584-585
  - scripts
    - automated
      - at command, 625-626
      - cron program, 620-624
      - permissions, 626
    - creating startup script, 147
  - shell, 627-628
    - commands, 628-635
    - programming, 635-637
    - specifying shell, 637-638
- Search dialog, 113
- searches, Konqueror, 497-498
- secure option, NFS file sharing permissions, 377
- secure shell (ssh), 239, 438-442
- security
  - access control, 442-443
    - graphic firewall tools, 447-449
  - iptables firewall, 444-447
  - TCP wrapper, 443-444
- BIND, 178
- DNS, 178
- Linux advantage, 8
- OpenSSH, 438-442
- passwords, 66-67
- software
  - installation, 104
  - users, 264-265
- server message block (SMB), 351
- ServerAdmin
  - parameter, 337
- servers
  - DNS configuration, 178
  - domain, 178
  - /etc/named.conf file, 179-181

- reverse IP
  - mapping, 184-185
  - zone files, 183-184
  - zones, 181-183
- DNS setup
  - access
    - restriction, 187
  - dig command, 186
  - lame server, 186
- Postfix, 308
- Samba configuration, 357-358
- VNC (virtual network computing), 426
- Web
  - Apache, 332-337
  - eGroupWare, 345-349
  - PostgreSQL, 342-345
  - SquirrelMail, 337-342
- Servers tab,
  - Webmin, 243
- service command, 375
- services, 159
  - chkconfig command, 144-145
  - daemons, 140-141
  - init process, 141-142
  - ports, 159-160
- Services tab, 88
- setgid bit, 213-214
- setuid bit, 213-214
- setuid root
  - command, 304
- sh shell (Bourne shell), 627
- shadow password file, 251
- shared resources
  - files, NFS, 374-391
- Samba, 351-353
  - adding users, 355-357
  - backing up
    - Windows workstations, 369-370
  - configuration, 353-355
  - network
    - neighborhood access, 362-367
  - printing, 360-362
  - server
    - configuration, 357-358
  - SWAT, 367, 369
  - Windows workstations, 359
- Shell Outs, 11
- shells, 64-66
  - commands
    - changing ownership, 210
  - directory file, 206-208
  - executable shell
    - script files, 210-211
  - file permissions, 209
  - piping, 204-206
  - processes, 220-227
  - prompt, 192
- Debian package
  - installation, 119
- apt-get (ul)
  - command, 121-123
- identifying
  - files, 120
- listing current
  - packages, 119-120
  - release levels, 120
- default permissions, 212-214
- editors
  - command
    - functions, 230, 232
  - Kate, 227-229
  - visual editor, 230-237
- files, 194
  - attributes, 214-216
  - listing, 195
  - naming, 195
  - permissions, 196-201
- find command, 216-218
- grep command, 219-220
- metacharacters, 196
- OpenSSH, 438-442
- RPM package
  - installation, 115-118
- running
  - commands, 152
- scripts
  - programming, 635-637
  - specifying shell, 637-638
  - writing, 627-635
- standard input, 202-204
- standard output, 202-204

- shortcuts, 94
  - desktop customizing, 79-82
  - Keyboard Shortcuts (KDE Control Center), 82
  - Web searches, 498
- Show Desktop icon, 86
- Show Terminal
  - Emulator command (Window menu), 98
- shredding trash, 98
- shutdown, Linux
  - installation, 48-49
- sidebars, Mozilla, 507
- Simple Mail Transport Protocol (SMTP), 159
- single quotes ('), shell scripts, 634
- skeleton directories, 254
- Smart Link Web site, 137
- SMB (server message block), 351
- smb.conf file, 354
- smbclient program, 362
- SMTP (Simple Mail Transport Protocol), 159
- Smudge tool, 582
- sneakernet, 373
- Sniffit, password snooping, 438
- software
  - installation
    - Debian packages, 119-123
    - extract and build five-step, 124-127
    - identifying packages, 105-106
    - KPackage, 109-115
    - locating software, 127-128
    - Mandrake, 108-109
    - RPM package, 115-118
    - security, 104
    - source availability, 123-124
    - vendor installation tools, 106-107
  - Linux disadvantages, 10
  - modems, 135
  - sort command, 194
  - spam, Postfix handling, 310-312
  - spell check, OpenOffice.org (Writer), 513
  - Split View Left/Right command (Window menu), 90
  - split views, Konqueror, 497
  - spoolers, printing, 291-298
  - spreadsheets, OpenOffice.org (Calc), 528
    - addition among cells, 529-532
    - charts and graphs, 533
    - dynamic graphs, 534-537
    - final formatting, 537-538
    - saving, 532-533
    - totals, 533-534
  - SquirrelMail, 337-342
  - ssh (secure shell), 239, 442
  - ssh speedy
    - command, 439
  - sshd daemon, 439, 442
  - stability, Linux advantage, 8
  - Stamfest, Peter, 327
  - standard error files, 194
  - standard in files, 194
  - standard input, 202-204
  - standard out files, 194
  - standard output, 202-204
  - StarOffice, 555
  - start-up
    - chkconfig command, 144-145
    - daemons, 140-141
    - init process, 141-142
    - runlevels, 142-144
  - static addresses, 150
  - Status bar, Writer toolbars, 516
  - STDERR command, 202, 205
  - STDIN command, 202-204
  - STDOUT command, 202-204
  - stopping processes, 225-227
  - style, OpenOffice.org (Writer), 521-523
  - styles, 75, 78-79
  - subnets, 167
  - suffixes, package software, 112

- SUSE
  - firewall, 448
  - Linux installation, 45-47
  - software installations, 106-107
- suspending processes, 224-225
- SWAT, Samba, 367-369
- switcher desktops, 58
- swriter command, 510
- sync option,
  - NFS file sharing permissions, 377
- System Behavior screen, 55
- System tab,
  - Webmin, 243
- system tray, 59
  
- tabbed browsing
  - Konqueror, 501
  - Mozilla, 504
- tar command,
  - backups, 270
- Task dialog, 491
- taskbars
  - desktop customizing, 73-75
  - Kicker, 58
- Taylor, Grant, printer compatibility list, 290
- TCP wrappers, access control, 443-444
- TCP/IP (Transmission Control Protocol/Internet Protocol), 149, 165
  - broadcast addresses, 166-167
  - CIDR, 167-169
  - domains, 161-162
  - IP addresses, 163-165
  - netmasks, 166
  - protocols and suites, 158
  - service ports, 159-160
  - subnets, 167
- tcsh (enhanced C shell), 628
- tee command, 204-205
- TELNET, security, 438
- templates
  - AutoPilot, 520
  - OpenOffice.org Writer, 525
- text, OpenOffice.org (Writer), 522-523
- Text tool, 580
- text-only browsers, 508
- TFTP, (Trivial File Transfer Protocol), 394, 398-399
- themes, desktop customizing, 75-79
- thin clients
  - advanced configuration, 416-418
  - basics, 394
  - converting PCs, 414-415
  - Cygwin, 419-422
  - DHC, set upP, 395-397
  - DHCP, 394, 397-398
  - help, 411
  - Linux desktop deployment, 27-28
  - LTSP package configuration, 402-406
  - installation, 400-402
  - performance, 422
- TFTP, 398-399
- XDMCP, 406-408
  - configuration, 408-409
  - lts.conf file, 409-410
  - SCREEN definitions, 410-411
- Thompson, Ken, UNIX developer, 84
- TightVNC Web site, 426
- time synchronization, networks, 188-189
- tips, configuring, 89
- title bars, 61, 63
- TLD (top-level domain), 161
- to-do items
  - Evolution, 490-491
  - Korganizer, 478-480
- Tool icons, GIMP, 578-582
- Tool Options dialog, 578
- toolbars,
  - OpenOffice.org Writer, 516
- tools
  - backups
    - cpio command, 269
    - tar command, 270
    - Windows workstations, 271
  - development installation, 43
  - GIMP, 577-578
  - tips, 58, 90
- top-level domain (TLD), 161
- Torvalds, Linus, 5
- totals, OpenOffice.org (Calc), 533-534

- Transform tool, 580
  - transitional applications,
    - Linux deployment, 28
  - Transmission Control Protocol/Internet Protocol. *See* TCP/IP
  - trash bin, 98
  - Trigdell, Andrew,
    - Samba, 351
  - Trivial File Transfer Protocol (TFTP), 394, 398-399
  - tty command, 193
  
  - u option, processes, 221
  - UCE (unsolicited commercial email), 309
  - UDP (User Datagram Protocol), 158
  - UIDs (user IDs), 247
  - uninstalling software, 111
  - uniq command, 194
  - Universal Serial Bus (USB), 134
  - unmask command, 212-214
  - unmasked users, 212-214
  - unsolicited commercial email (UCE), 309
  - updates, package managers, 21-22
  - upgrades
    - Debian, apt-get (ul) command, 122-123
    - RPM packages, 118
    - Webmin, 245
  - urpmi (ul) command,
    - Mandrake software installation, 108-109
  
  - USB (Universal Serial Bus), 134
    - devices, 134-135
    - rsync program backups, 284
  - User Datagram Protocol (UDP), 158
  - user IDs (UIDs), 247
  - User Properties dialog, 261
  - useradd command, 256-257
  - userdel command,
    - deleting users, 258
  - usermod command,
    - modifying users, 257
  - usernames, character limits, 249
  - users
    - adding, 254-255
    - creation controls, 256-257
    - defining
      - groups, 256
    - email-only accounts, 256
    - home directories, 255
  - checking dormant accounts, 258-260
  - deleting, 258
  - desktop
    - considerations, 26-27
  - files, changing ownership, 210
  - groups, management, 253-254
  - help groups, 13
  - KUser, 260-263
  - management, 248-253, 260
  - modifying, 257
  - password, 36
  - Postfix, 306-307
  - root, when to use, 248
  - Samba, 355-357
  - security, 264-265
  - Webmin, 243-244
  - /usr/local/samba directory, 353
- variables, shell scripts, 630-632
- /var/log/lastlog file, 260
- /var/yp/Makefile file, 385
- Venema, Wietse,
  - Postfix, 304
- verbose flag, mkdir command, 207
- Vermeulen, Bert, 327
- vi editor, 230
  - command functions, 230-232
  - Emacs, 236-237
  - NEdit, 236-237
  - Pico, 236-237
  - recovering session, 233-234
  - start-up options, 234-236
- video conferencing,
  - GnomeMeeting, 604-608
- vigr command, 248
- vim editor, 230
  - command function, 230-232
  - Emacs, 236-237

- NEdit, 236-237
- Pico, 236-237
- recovering session, 233-234
- start-up options, 234-236
- vipw command, 248
- virtual desktops, 58
- virtual network computing (VNC), 426-429
- visible calculators, 528
- visual editor, 230
  - command function, 230-232
  - Emacs, 236-237
  - NEdit, 236-237
  - Pico, 236-237
  - recovering session, 233-234
  - start-up options, 234-236
- Vixie, Paul, 620
- VMware, 25
- VNC (virtual network computing), 426-429
- vncpasswd command, 427
- vncserver command, 426
- vncviewer command, 427
- w command, 193, 231
- Wall, Larry, 619
- wallpaper settings, 70-71
- wc command, 194
- Web browsers
  - Galeon, 507
  - Konqueror, 494
    - cookies, 499-500
    - full-screen mode, 498-499
    - home page, 495-496
    - pop-ups, 500
    - searches, 497-498
    - split views, 497
    - tabbed browsing, 501
  - Mozilla, 502-503
    - cookies, 505-506
    - home page, 503
    - pop-ups, 505
    - sidebar, 507
    - tabbed browsing, 504
  - Opera, 508
    - text-only, 508
- Web presentations, OpenOffice.org (Impress), 550-553
- Web servers
  - Apache, 332-337
  - eGroupWare, 345-349
  - PostgreSQL, 342-345
  - SquirrelMail, 337-342
- Web sites
  - Abisource, 526
  - AMANDA, 287
  - Apache, 332
  - Arkeia, 287
  - Biot.com, 327
  - BRU Pro, 287
  - CodeWeavers, 24
  - Cygwin, 419
  - Digikam, 560
  - Diskless Workstations, 415
  - DistroWatch, 20
  - eGroupWare, 346
  - Etherboot, 414
  - Free Software Foundation, 611
  - Freshmeat, 628
  - Gagne, Marcel, 12
  - GAIM, 601
  - iCal, 485
  - K3b, 273
  - Kolab, 454
  - KMyFirewall, 448
  - LDP (Linux Documentation Project), 13
    - device compatibility, 130
    - Hardware Compatibility HOWTO, 33
  - Linmodems, 137
  - Linux
    - Online, 13
    - Printing, 290
    - USB Device Overview, 135
  - Linuxant, 137
  - LinuxIso.org, 21
  - LTSP packages, 400
  - Luma, 328
  - Mozilla, 494
  - mutt, 471
  - Netraverse, 25
  - OO Extras, 525
  - OpenLDAP, 316, 329
  - OpenSSH, 438
  - Opera, 508

- pine, 471
- PostgreSQL, 343
- Progeny, 118
- rdesktop, 434
- RealVNC, 426
- Redhat, device
  - compatibility, 130
- Roaring Penguin, 156
- Samba, 353
- Smart Link, 137
- Squirrelmail, 337
- TightVNC, 426
- VMware, 25
- Webmin, 240
- Wine, 24
- Ximian, 466
- Webmin, 239-240
  - creating users, 243-244
  - DHCP set up, 397
  - graphic firewall tools, 448
  - modules, 242-243
  - Postfix via, 312-313
  - running, 240, 242
  - upgrades, 245
  - Web site, 240
- WFTL (Writer and Free Thinker at Large), 12
- WFTL-LUG, 12
- who command, 193
- widgets, 75
- Win4Lin, 25-26
- Window menu
  - commands
    - Show Terminal Emulator, 98
    - Split View
      - Left/Right, 90
- WindowMaker, 12
- Windows
  - controlling from
    - Linux with VNC, 429
  - Cygwin, 419-422
  - instant messaging with GAIM, 601
  - Linux
    - backups, 271
    - dual booting, 22-23
  - rdesktop, 434
  - resizing, 63
  - running applications
    - on Linux, 24
    - VMware, 25
    - Win4Lin, 25-26
  - Samba, 359
    - backups, 369-370
    - network
      - neighborhood access, 362-367
      - printers, 361
- Windows XP, FIPS
  - detection capability, 35
- Wine, 24
  - VMware, 25
  - Web site, 24
  - Win4Lin, 25-26
- Winmodems, 134-137
- wizards, Add Printer, 294
- word processing, OpenOffice.org (Writer), 510-511
  - AutoPilot, 520
  - converting Microsoft Office documents, 517-518
  - documents, 523-524
  - export to PDF, 524
  - Help, 516-517
  - languages, 513
  - personal preferences, 518-520
  - printing, 515
  - saving, 514
  - spell check, 513
  - style, 521-523
  - templates, 525
  - toolbars, 516
  - typing, 511-512
- Writer and Free Thinker at Large (WFTL), 12
  - wsize flag, 381
- x command, 232
- X Display Manager
  - Control Protocol. *See* XDMCP
- x option, processes, 221
- X window system, 52

XDMCP (X Display  
Manager Control  
Protocol), 406-408  
configuration,  
408-409  
its.conf file, 409-410  
SCREEN definitions,  
410-411  
XFree86, 52  
Ximian Web site, 466  
xinetd daemon, 140

YaST administration  
tool, 106-107, 448  
Yellow Pages, 384  
ypcat -x command, 384

Z shell (zsh shell), 628  
zones, DNS  
configuration, 181-184  
zsh shell (Z shell), 628