



I N D E X

!, 148  
 \$, 145–46  
 %, 148  
 &, 68, 148  
 &&, 68, 148, 149  
 \*, 148, 519  
 \*=/=%+=-=<<=>>, 148  
 +, 148, 158, 582  
 ++, 148  
 , 148  
 -, 148  
 --, 148  
 ., 148  
 /, 148, 631, 726  
 /\*, 142  
 //, 142  
 ;;, 142–43, 194  
 ::, 142–43  
 <, 68, 367–68  
 <<, 68, 148  
 =, 148  
 ==!=, 148  
 ===!=, 148  
 >, 367–68  
 >>, 148  
 ?:, 148  
 \, 631, 741  
 ^, 148  
 \_ , 145–46  
 {}, 143  
 |, 148  
 ||, 148  
 “,” 145  
 (), 148  
 ~, 148  
 ..., 85, 519  
 ?:, 149  
 <- ->, 367  
 <>, 367  
 <> <=>=, 148  
 [], 148  
 {}, 148  
 ‘,’ 145  
 = =, 158


>>>=&^= |=, 148  
 <, 158

**A**

accel, 222  
 acceltext attributes, 253, 280  
 accessibility, 244, 269–70  
 accesskey attribute, 111, 222–23, 230, 280  
 accumulate( ) function, 161  
 action, 17  
 action( ), 190  
 action( ) function, 188, 319–20, 321, 356, 689  
 action( ) method, 188, 232–33, 259, 260–61  
 action attribute, 590  
 <action> tag, 532–34  
     simple syntax content and, 532–34  
 ActiveState, 6  
     Komodo development environment, 138  
 addBinding( ) method, 597  
 addDownload( ), 658  
 addEventListener( ) method, 207, 234, 245, 476, 569, 589  
 addFile( ) function, 749  
 adding text, 95–96  
 addObserver( ) method, 216, 544  
 address book, 28–33  
 Adobe PhotoShop, 267  
 advanced gesture support, 229  
 advanceFocus( ) method, 316  
 alert( ), 156, 194, 297, 337–38, 638, 719  
 align attribute, 50, 56, 112  
 allowevents attribute, 255, 445  
 allownegativeassertions attribute, 521  
 alphanumeric characters, 145–46

<Alt> tag, 382, 383, 390  
 Amiga, 22  
 anchor point, 255  
 anonymous content, 568  
 anonymous functions, 154  
 ANSI C, 139  
 anti-aliasing, 90  
 AOL 8.0 for MacOS X, 5  
 AOM  
     interfaces, 447–49, 460–62  
         using commands via, 310–14  
 AOM objects, 429  
     properties and methods of, for <listbox>, 447–48  
 AOM template objects, 542–43  
 AOM/DOM, creation of dialog windows from Java-Script using, 332  
 Apache Web server, 21, 138  
 APIs (Application Programming Interfaces), 138  
 append( ) method, 679  
 appendChild( ) tag, 514  
 appendRelativePath( ) method, 630  
 application, 8  
 application file system aliases, 667–68  
 application install, 711  
 Application Object Model, 165, 174  
 application shell, 13  
 application window, 266  
     resizing, 118–19  
 applyauthorsheet attribute, 591  
 applyauthorstyles attribute, 591  
 applybindingsheet attribute, 591  
 arg2var( ) method, 608  
 argc count, 623–24  
 argument passing, 158





Array( ) constructor method, 146  
 array literals, 146  
 Array objects, 156  
 arrays, 146–48  
 <arrowscrollbox> tag, 114, 254, 273–74  
 Assert( ) method, 545, 692, 694, 701  
 association between objects, 154  
 asynchronous submission, 249  
 asyncOpen( ) method, 647  
 att2var( ) method, 607, 608  
 attachto attribute, 591  
 auto-completion of forms, 20  
 <autorepeatbutton> tag, 109, 113–14, 115, 273  
 awk, 139

## B


backwards-compatibility issues, 363  
 <Bag> tag, 382, 383, 390, 405  
 Banshee Screamer, 122  
 base tag, 520–25  
 baseline, 715  
 basetext binding, 571  
 BE, 8  
 behavior, 17  
 BiDi text (bi-directional text), 226  
 bindingattached event, 591  
 bindingdetached event, 591  
 <binding> tag, 531–32, 539, 574–75  
 bindings, 17, 621. *See also* XBL bindings  
   inner content, 594  
   input façade, 593–94  
   integrating, 611–13  
   primary, 570  
   variable, 531  
   zero content, 592–93  
 bitwise operations, 149  
 bloat, 8  
 Blob type, 395  
 block, 45  
 block scope, 159  
 blur( ) method, 269  
 <body> tags, 355, 585, 586, 587  
 boilerplate text, 95  
 Bookmark Manager, 436, 515  
 bookmarks, 113  
 Boolean type, 144, 156

borders, 92–93  
   decorations, 89  
   styles, 77–79  
 bottom up method, 416, 417  
 bound tags, 568, 595  
   merging, 581  
 Box Model, 45  
 <box> tag, 42, 43–44, 54, 89, 212, 213, 422, 573  
 boxes, 54–55  
   common layout attributes, 49–51  
   decorations, 45  
   dialog, 329–32  
   layout tags, 54–64  
     boxes, 54–55  
     flex and spacers, 55–58  
     grids, 61–64  
     <groupbox> tag, 64–65  
     stacks and decks, 58–61  
 brands, 712  
 <broadcaster> tag, 211, 214  
 broadcasters  
   JavaScript, 214–15  
   XPCOM, 215–16  
   XUL, 211–14  
 <broadcasterset> tag, 211  
 Browser Object Model, 165, 174  
 browser plugins, 180  
 <browser> tag, 174, 343  
 B-tree, 109  
 Bugzilla bug database, 26  
 build number, 714  
 builder property, 542  
 builders, 174, 463–64, 543–44  
 built-in objects and similar effects, 157–58  
 built-in property names, 470–71  
 <bulletinboard> tag, 58, 61  
 bundle, 706  
 bundling up NoteTaker, 744–51  
 business process modelling standards, 655  
 button attribute, 331, 590  
 <button> tag, 108–9, 110–12, 213, 240, 245, 297, 312, 313, 571  
 button-base binding, 571  
 buttons, 104–5, 130  
   defining real, 105–7  
   diagnosing, 133–35  
   NoteTaker, 130–33  
   XUL, 109–21  
 byte leader character, 145

## C

C language, 12, 13, 14, 139, 142, 159, 160, 416  
 C# language, 139, 153, 155, 159, 160  
 C++ language, 12, 13, 14, 24, 109, 139, 316, 416  
 cache control, 662–63  
 calcRelatedMatrix( ) method, 487, 700  
 calcTopOfTree( ), 488  
 calculate( ) method, 487  
 calculate\_params( ) function, 717  
 calcViewMap( ) method, 489  
 <caption>, 64–65  
 cascadesOverlay.xul, 418  
 catch block, 150  
 CDATA literals, 68–69  
 CellText( ) view method, 467–68  
 centerscreen, 335  
 certified security, 672–73  
 Change( ) method, 545  
 change notifications, 304–5  
 channels, 639, 645–47  
 character entity references, 85  
 characters  
   alphanumeric, 145–46  
   byte leader, 145  
   prefix, 619–21  
   Unicode, 145  
   UTF-8-encoded, 142  
 charcode attribute, 590, 591  
 <checkbox> tag, 116, 120, 245  
 checked attribute, 111  
 <children> tag, 578–81  
 Chimera, 7  
 chrome, 17–19, 720  
 chrome directories, 28–33  
 chrome locale system, 99  
 chrome registry, 412, 424–27  
   implementation predicates, 427  
   top-level predicates, 426–27  
 chrome URL, 18, 19–20  
 ChromeWindow, 333  
 class, 66, 621  
 Classic Browser, 4, 417  
 Classic Mail & Newsgroup client, 28  
 Classic Mozilla, 4  
   main versions of, 4–5  
 clear( ) method, 557






- click( ) method, 593
  - click events, 226–27
  - click handler, 188
  - clickcount key, 590
  - clipboardEmpty( ) method, 313
  - close( ) method, 357
  - closures in JavaScript, 161
  - coalesceduplicatearcs attribute, 521
  - Cocoa interface, 7
  - collapse, 50
  - collapseToolbar( ) method, 277
  - <colorpicker> tag, 288, 565
  - column picker, 460
  - <column> tag, 62, 64
  - COM (Common Object Management), 14
  - command attribute, 66, 308
  - command design, 317–22
  - command handler, 300
  - command line, 76, 712
    - arguments, 623–24
    - options, 28, 29
  - <command> tag, 217, 297, 307, 308, 309–10, 313, 321
  - commands, 216–17, 295–323, 389
    - catching unexpected, 322–23
    - change notifications, 304–5
    - command pattern and controllers, 300–303
    - concepts, 298–305
    - controller sites, 303
    - design, 317–22
    - dispatchers and dispatching, 303–4
    - enhancing, to process RDF content, 689–700
    - existing, 316–17
    - Functor pattern, 299–300
    - Mozilla and, 296–98
    - names, 712
    - origin of, 305–7
    - pattern and controllers, 300–303
    - using
      - via AOM, 310–14
      - via XUL, 307–10
    - XPCOM components and, 314–16
  - <commandset> tag, 217, 307, 309–10, 430
  - commandupdate event, 309
  - commandupdate, 66
  - comparison operators, 158
  - component name service, 14
  - component registry, 14
  - components, 2, 621–22
  - Components array, 185
  - Composer, 3
  - Compuserve 7.0, 5
  - concrete fact, 378
  - <conditions> tag, 529–31
  - confirm( ), 338, 719
  - Constructor( ) method, 179
  - <constructor> attribute, 606
  - <constructor> tag, 587–88
  - consume1( ) function, 212–13
  - Consumer design pattern, 20
  - container tags, 392
  - container test, 522–24
  - containers, 374–75, 383–84, 534
  - containment, 154
  - containment attribute, 539
  - content, 8, 362
  - content delivery events, 217
  - Content Management, 398
  - content options, 650, 652
  - content processing architecture, 640–41
  - content selection, 224–27
  - content sinks, 20
  - content support, 648
  - <content> tag, 530, 568, 576–81
  - contentdestroyed event, 591
  - contentgenerated event, 591
  - content-like information, 362
  - content\_poll( ) function, 558, 683, 691
  - contenttooltip attribute, 328
  - context menus, 113, 242, 327, 328, 329
  - continue, 150
  - Contract IDs, 2
  - Control-C, 198
  - Control-left-clicking, 226–27
  - controller sites, 303
  - Control-V, 198
  - Control-X, 198
  - CORBA (Common Object Request Broker Architecture), 14
  - CORBA IDL specification technology, 14
  - core XML standards, 9–10
  - corner rounding, 93–94
  - COTS (common off-the-shelf software), 25
  - createBundle( ), 191
  - createElement( ) method, 345
  - createInstance( ) method, 178, 179, 180
  - createRange( ) method, 225
  - createTransportOfType( ) method, 634–35
  - creative extensions, 648
  - crop attribute, 85, 111, 253
  - cross-browser compatibility, 204
  - cross-platform HTML, 204
  - CSS (Cascading Style Sheet) styles, 2, 15
    - from HTML forms, 257–58
  - CSS2, 15, 45
  - CSS2 scrollbars, 89
  - CSS2 standard, 125–26
  - CSS2 styles, 43, 415
  - CSS3, 94
  - custom panel systems, 286–87
  - custom RDF tree views and data sources, 700
  - custom tags and objects, 17
  - custom tree views, 484–93
- ## D
- data, 362
    - creating test, 547–49
    - meta, 363, 376
    - moving user-entered, into RDF, 688–89
    - relational, 369
    - seminal view, 462–63
    - using URNs for plain, 394–96
  - data sources, 20, 516, 640, 647–52
    - custom, 700
    - design of, 677–78
    - dynamically allocating, to templates, 680–84
    - in-memory, 650
    - internal, 640, 650
    - issue of, 516
    - RDF, 641
    - revealing content, 701–2
    - setup, 678–80
    - working with, 700–702
  - data structures
    - algorithms and, 624–25
    - facts versus, 366–69





- data transfer, 638–52
  - channels, 645–47
  - content processing, 638–69
  - sinks, 638–40
  - sources, 638–40, 647–52
  - streams, 640–44
  - transports, 644–45
- data types, 143–45
  - Boolean, 144
  - Floating point, 144
  - Null, 143, 144
  - Number, 144
  - Object, 143, 145
  - String, 145
  - typeof, 143–45
  - undefined, 143
  - void, 143
- database, 174
- database property, 542
- databases, 625–27
  - Bugzilla bug, 26
  - overlay, 417–20
- data-driven listboxes and trees, 481–83
  - custom tree views, 484–93
  - dynamic listboxes, 483–84
- datasource, 174
- datasources attribute, 520, 539, 542
- Date object, 156–57
- dblclick, 205
- DCOM (Distributed COM), 14
- debug attribute, 77
- Debugger, 37
- debugger keyword, 195
- debugging, 76
  - building up template, 560–61
  - catching unexpected commands, 322–23
  - detecting bad XUL, 75–79
  - detecting events, 235–36
  - diagnosing buttons and skins, 133–35
  - diagnosing events and forms, 261–63
  - diagnosing key problems, 235–36
  - diagnostic windows, 357–59
- DOM Inspector in, 37, 38, 99–101, 126, 333, 417, 429, 430
- dumping RDF, 407–8
- finding object properties for forms and menus, 263
- important preferences in, 35–36
- logging and testing, 751–52
- making <listbox> and <tree> work, 493–94
- multiwindow development, 37–38
- navigation problems, 292–93
- from outside, 35–38
- overlay tips, 432–33
- picking apart complex widgets, 262–63
- script diagnosis, 193–95
- springs and struts, 77–79
- template survival guide, 559–61
- unpopping menus, 261–62
- warnings and silence, 76–77
- working with data sources, 700–702
- XBL diagnosis, 614–15
- <deck> tag, 58, 60–61, 186, 188, 291, 327
  - scripting, via AOM and XBL, 189–90
- decrement, 115
- default actions, 568–69
- delegates, 544–45
- delegation, 153, 465
- dependent, 335
- deploy( ) function, 746
- deployment, 705–52
  - bundling up NoteTaker, 744–51
  - install strategies, 707–12
  - install technologies, 725–43
    - file uses and formats, 725–26
    - Mozilla registries, 726–28
    - Web-side objects, 731–32
    - XPCOM objects, 743
    - XPIInstall-side objects, 732–42
    - XUL wizards, 728–31
  - remote, 706, 712–25
    - assigning names, 712–14
    - assigning versions, 712–14
- <Description> tag, 33, 48, 75, 84–85, 96, 98–99, 105, 133, 244, 270, 312, 313, 330, 382, 386–88, 390, 392, 393, 405, 603
- <destructor> attribute, 606
- <destructor> tag, 587–88
- destructured testing, 25
- DHTML objects, 83
- diagnostic stylesheet, 262
- diagnostic windows, 357–59
- dialog, 335
- <dialog> attribute, 331
- dialog boxes, 329–32
  - modal, 329
  - special-purpose XPCOM, 339–40
- <dialog> tag, 330–32, 344, 728
- <dialogheader> tag, 281, 332
- digital certificates, 672
- digital security, 707
- digital signing, 721
- dir attribute, 49, 111
- disabled attribute, 221–22, 307
- disableKeyNavigation attribute, 443
- dispatchers and dispatching, 303–4
- dispatchEvent( ) method, 305, 306, 310
- display attribute, 47, 575
- dlgtype attribute, 331
- doCommand( ) method, 298, 305–6, 694, 695
- DocShell, 341
- <!DOCTYPE> declaration, 574
- document type definitions, 85–86
- document.getElementById( ) method, 597
- document.getSelection( ) method, 225
- documents, 8
  - embedding, in panes, 340–44
  - fragments of, 10
  - mixing, 344–45
- do\_custom\_click( ) method, 590
- dogfood, 8
- DOM (Document Object Model), 2, 42, 52
  - scripting deck via, 186–88
  - scripting styles via, 188–89
- DOM Event Model, 204–8
- DOM events, 217
- DOM hierarchies, 412
  - relationship with XBL bindings, 568–69
- DOM Inspector, 37, 38, 99–101, 126, 333, 417, 429, 430
- DOM layer of functionality, 12





DOM standards, 166–73, 180  
 DOM 0, 166  
 DOM 1, 167–69, 184  
   Document interface, 12  
 DOM 2, 169–71  
   DOM 2 Events, 21, 198  
 DOM 3, 17, 171–72, 204  
   DOM 3 Events, 198, 205, 218, 224  
 <DOMImplementation> interface, 172  
 dont-build-content, 520–21, 524  
 dont-test-empty, 521  
 doPaste ( ) function, 312  
 dot-dashed lines, 72  
 double-headed arrows, 72  
 Download Manager, 393–94, 396–97, 658  
 drag and drop, 206, 227–29  
 dragdrop, 227  
 dragenter, 227  
 dragexit, 227  
 draggesture, 227  
 dragover, 227  
 drill-down algorithm, 508–9  
 drop-down menus, 242  
 <dropmarker>, 115–16  
 DSSSL (Document Style Semantics and Specification Language), 15  
 DTDs (document type definitions), 15  
 Dublin Core, 380, 398  
 dump ( ) method, 194, 357  
 dumpFromRoot ( ) function, 702  
 dumpRDF ( ), 408  
 Dynamic HTML, 83, 138  
   scripting in, 12  
 dynamic <listbox>, 483–84

**E**

ebXML (enterprise business XML), 655  
 ECMA-262 Edition 4 enhancements, 163  
 ECMA-262 standard, 140  
 ECMA-290 “ECMAScript Components,” 140  
 ECMA-327 “ECMAScript Compact Profile,” 140  
 ECMAScript, 140  
   standard, 620

ECMAScript Edition 3, 141–62  
 objects, 152–58  
   built-in, and similar effects, 157–58  
   host, 155–56  
   native, 156–57  
   plain, 153–55  
   processing concepts, 158–62  
   argument passing, 158  
   closures, 161  
   operator precedence, 158  
   prototype chains, 161–62  
   run-time evaluation, 160–61  
   scope, 159–60  
   stacks and garbage collection, 160  
   type conversion, 158–59  
 syntax, 141–52  
   arrays, 146–48  
   data types, 143–45  
   expressions, 148, 149  
   flow control, 150–51  
   functions, 151–52  
   regular expressions, 152  
   statements, 142–43  
   text layout, 142  
   variables, 145–46  
 Edit dialog changes, 683–84  
 Edit panel, 688  
 editable attribute, 256  
 <editor> tag, 342  
 <element> tag, 591  
 embedded software, 24  
 enableColumnDrag, 460  
 encodeURI ( ) function, 249  
 end user, 266, 630–31  
 entity references, 85  
 Entity Relationship Modeling, 398


enumerators, 624  
 environment, 628  
 equal-precedence operators, 149  
 equalsize attribute, 50  
 Error object, 157  
 errorHandler ( ) function, 717  
 European Computer Manufacturers’ Association (ECMA), 140  
 eval ( ) method, 160–61, 208  
 event.init ( ), 209  
 event handlers, 203, 588  
   systematic use of, 476–80  
   XUL support for, 207–8  
 event queue, 203  
 event target, 204

event-oriented technologies, 632  
 events, 2, 197–236, 638  
   broadcasters, 210–16  
   click, 226–27  
   commands, 216–17  
   content delivery, 217  
   debugging, 235–36  
   detecting, 235–36  
   diagnosing, 261–63  
   DOM Event Model, 204–8, 217  
     XUL support for event handlers, 207–8, 217  
   keystrokes, 217–23  
   mouse gestures, 223–29  
   NoteTaker user input, 230–34  
   observers, 210–16, 217  
   origin of key, 219  
   scheduling input and output, 199–204  
   style options, 229  
   timed, 208–10, 217  
 examineForProxy ( ) method, 634  
 exec ( ) method, 300  
 execute ( ) function, 298, 320, 321, 356  
 execute ( ) method, 26  
 explicit content, 568  
 expressions, 148, 149  
 extended template syntax, 517  
 extended template variables, 517, 518  
 extends attribute, 574  
 extensibility, 23  
 extrachrome feature, 334

**F**

fact objects, 380  
 fact store, 375, 378  
 fact subjects, 380  
 factlike information, 362–63  
 factoring, 370  
 factory objects, 648–50  
 facts, 362, 366, 400  
   about facts, 375–78  
   component types, 395  
   concrete, 378  
   data structures versus, 366–69  
   ground, 378, 503  
   single queries, 535







- standard arrangement, 526–27
- types, 395
- ways to organize, 372–75
- FastLoad, 708
- FE, 7
- fetch( ) method, 586
- <field> attribute, 606
- <field> tag, 583–84, 584
- file descriptors, 632
- file handles, 632
- file pointers, 632
- file system directory, 630, 663–70
- file uses and formula, 725–26
- FilePicker, 289, 339–40
- <FilePicker> tag, 289
- FilePicker dialog box, 289
- files, 628–32, 638
  - downloading, 657–58
  - uploading and posting, 659
  - working on, 632
- FileSpecObject, 737
- finally block, 150
- Find As You Type, 223
- finished( ) function, 250
- Firebird, 3
- flags attribute, 520
- flex attribute, 50, 56, 85
- float, 47
- floating-point literals, 144
- floating-point numbers, 149
- floating-point operations, 139
- <floatingview> tag, 287
- flow control, 150–51
- Flush( ) method, 541
- flyover help (tooltips), 327–28
- focus( ) method, 244, 269
- focus ring, 268–69
- folders, 628–32, 638
  - working on, 632
- font systems, 89–92
- <fontpicker> XUL tag, 289
- footprint, 715
- for statement, 150
- foreign-type systems, 622–23
- forms, 242–50
  - accessibility of, 244
  - common properties of XUL elements, 243–44
  - comparison of XUL and HTML, 240–42
  - control of, 243
  - diagnosing, 261–63

- finding object properties for, 263
- navigation of, 243
- simple templates for elements, 549–52
- submission of, 83, 247–50
- XUL tags for, 245–47
- 4GL tools, 138
- frame, 45, 52
- frame object, 108
- <FRAME> tag, 344
- FTP session, creating, 635–36
- full install, 711
- Function object, 157
- functions, 151–52, 153. *See also specific function names*
- Functor pattern, 299–300

## G

- Galeon, 7
- gaps, 204
- garbage collection, 160
- Gecko, 4
- Gecko content display model, 15–16
- Gecko Runtime Engine*, 4
- general-purpose scripting, 623–38
  - command line arguments, 623–24
  - data structures and algorithms, 624–25
  - databases, 625–27
  - environment, 628
  - files, 628–32
  - folders, 628–32
  - interrupts, 632
  - network protocols, 633–36
  - processes, 636–38
  - signals, 632
  - threads, 636–38
- general-purpose XUL
  - attributes, 65–66
- generate\_html( ) function, 355
- generate\_style( ) function, 355
- gestalt( ) method, 737
- gestures
  - advanced support, 229
  - mouse, 223–29
- getAEBB( ) method, 608
- getAEBB property, 607
- getAnonymousElementByAttribute( ), 598
- getAnonymousNodes( ), 598
- getAttribute( ), 274
- getAttributeNS( ) method, 345
- getBindingParent( ) method, 597
- getControllerForCommand( ) method, 304, 305, 308
- getCoords( ) function, 610
- getCurrentSession( ) method, 228
- GetDataSourceBlocking( ), 700–701
- GetDataSources( ) method, 545, 700
- getElementByID( ), 378
- getElementByTagName( ), 355
- getEnumerator( ) method, 346
- getEnvironment( ) method, 628
- getFile( ) method, 665
- getFileFromURLSpec( ) method, 629
- getFullYear( ) method, 157
- getHandlerForParam( ), 624
- getParentIndex( ), 490
- getResource( ) method, 700
- getSelection( ) factory method, 226
- getService( ) method, 178, 179, 645
- GetTargets( ) method, 701
- <getter> tag, 584
- getXULWindowEnumerator( ), 347
- getYear( ) method, 157
- GIMP (Gnome Image Manipulation Program), 91
- glimpseindex(1), 26
- Global object, 157
- glyph, 10, 218
- GNOME, 91
- GNOME Panel, 28
- GNU/Linux, 22
- GNU/Linux GNOME desktop interface, 7
- goDoCommand( ) function, 304, 306, 320–21
- goto statement, 150
- <grid> tag, 26, 61–64
- <gripper> tag, 114, 119
- grippy, 116–19
- <grippy> tag, 109, 116–17, 283





grippytooltiptext attribute, 328  
 ground facts, 378, 503  
 <groupbox> tag, 64–65, 234  
 GTK, 21, 104, 107  
   graphics library, 129  
 GUI integration, 21–22  
 GUI toolkit library, 107

**H**

handle\_click( ) code, 258  
 <handler> tag, 208, 221, 589–90  
 <handlers> content, 610  
 <handlers> tag, 588–90  
 hasFeature( ) method, 172  
 hash table, 109  
 hasOverlays, 418  
 hasStylesheets, 418  
 <hbox> tag, 54, 78  
 <head> tag, 355  
 heap, 109, 160  
 “hello, world,” 33–34, 297–98  
 helper objects, 648–50  
 helper tools and utilities, 648  
 hierarchical organization, 10–11  
 horizontal <box>, 48  
 host objects, 155–56, 165  
 host software, 139  
 HTML, 242  
   comparison of XUL and, 82–83  
   difference between XUL and, 46  
 HTML equivalents, 224  
 HTML forms  
   comparison with XUL forms, 240–42  
   CSS styles from, 257–58  
 HTML submission, of XUL forms, 248  
 <html> tag, 344  
 HTML tags, 45–46  
 HTTP, 655, 661  
 hyperlinks, 269  
 hypertext documents, 8

**I**

I18n, 8  
 id attribute, 307, 387, 414, 574  
 id tag identity, 66  
 Id-based merging, 420–23  
 identifiers, 369, 384–85

IDL (Interface Definition Language), 14  
 if keyword, 139  
 Iface, 675  
 <iframe> tag, 268, 340–42, 343, 344  
 illegal template queries, 539  
 image attribute, 111  
 image resizing, 20  
 image rollovers, 88  
 <image> tag, 87–89, 245, 575  
 images, 87–89  
 <implementation> tag, 581–88  
 @import, 123  
 include( ) function, 182  
 includes attribute, 591  
 increments, 115  
 index argument, 449  
 information  
   content-like, 362  
   datalike, 362  
   factlike, 362–63  
   finding, on menus, 242  
 inherit, 50  
 inherit style attribute, 575  
 inheritance chains, 570, 571, 585–86  
 init( ) method, 679, 694  
 init\_dialog( ) function, 684  
 init\_handlers( ) function, 477  
 initInstall( ) method, 718, 719, 721  
 init\_toolbar( ) function, 682, 683  
 init\_views( ) function, 482–83  
 inline styles, 66  
 in-memory data sources, 650  
 inner content bindings, 594  
 input, scheduling, 199–204  
 input façade bindings, 593–94  
 insertafter, 423  
 insertbefore, 423  
 install( ) function, 747  
 install( ) method, 716, 722  
 Install object, 732  
 install strategies, 707–12  
 install technologies, 725–43  
 install trigger script, 748  
 installation, 27–28  
 installChrome( ), 722  
 installed-chrome.txt file, 135

Install.GetWinRegistry( ) method, 741  
 InstallTrigger object, 716  
 InstallTrigger.install( ) method, 716  
 InstallVersion object, 716  
 instance, 8  
 Intall object, 737  
 Integrated Development Environments (IDEs), 515  
 interface, 622  
 interface method, 585  
 internal data sources, 640, 650  
 Internet Protocol (IP) address, finding, 634  
 interrupts, 632  
 invokeDragSession( ) method, 227–28  
 isCommandEnabled( ) method, 309  
 isCommandEnables( ) method, 302  
 iscontainer attribute, 527  
 isempty attribute, 527  
 isEnabled( ) method, 313  
 isFinite( ) method, 144  
 island interfaces, 185–86  
 isNaN( ) method, 144  
 ISO-16262, 140  
 iterators, 624–25

**J**

Japanese Hiragana, 219  
 JAR archives, 708, 749  
   working on, 632  
 JAR file, 28–29, 32  
 JAR naming convention, 30  
 Java, 139  
 Java applets, 180  
 Java Console, 332  
 JavaScript, 2, 10, 11, 12, 138, 139, 198, 332, 624. *See also* ECMAScript Edition 3  
   broadcasters, 214–15  
   interpreter, 637  
   language enhancements, 162–64  
   observers, 214–15  
   operators, 148–49  
   role as language, 139–40  
   script, 164, 201, 204  
   support, 228  
   syntax, 138–40, 141–52  
   window creation, 332–40





JavaScript Access, 515–16  
 JavaScript Console, 37, 38, 195, 358, 416  
 JavaScript debugger, 31, 35, 195, 357  
 join( ) method, 638  
 JSLib library, 181, 182, 364  
 junk electronic mail filtering, 20

## K


KDE, 91  
 key, 218  
   diagnosing problems with, 235–36  
 key attribute, 66, 590  
 key stroke, origin of key, 219  
 <key> tag, 217, 221–22, 253, 269, 588  
 <keybinding> tag, 221–22  
 keyboard, 219  
 keyboard maps, 220  
 keycode attribute, 590  
 KeyEvents, 172  
 keypress, 201, 219  
 keypress, 206, 207  
 <keyset> tag, 217, 221–22  
 keystrokes, 217–23  
   availability of keys, 220–21  
   Find As You Type, 223  
   <key>, 221–22  
   <keybinding>, 221–22  
   <keyset>, 221–22  
   origin of key events, 219  
   SBL keyboard maps, 220–21  
   XUL accesskey attribute, 223  
 keywords, 386, 399, 401  
   dropdown menu for, 680  
   related, 399, 402  
 Keywords, 675  
 Keywords button, 131  
 keywords pane, 473–93, 688  
   data-driven listboxes and trees, 481–83  
   custom tree views, 484–93  
   dynamic listboxes, 483–84  
   laying out <listbox> and <tree>, 473–76  
   systematic use of event handlers, 476–80  
 K-Meleon, 7  
 knowledge bases, 375

knowledge engineers, 362  
 Komodo, 6

## L

L10n, 8  
 label attribute, 111  
 <label> tag, 48, 84–85, 119–20, 244, 245, 270, 501, 603  
 landed, 8  
 language, role of JavaScript as, 139–40  
 language enhancements, 162–64  
   ECMA-262 Edition 4, 163  
   Mozilla SpiderMonkey, 162–63  
   security, 163–64  
 launch( ) method, 658  
 layout design process, 71–74  
 layout strategies  
   Mark I, 16  
   Mark Ib, 16  
   Mark II, 16  
   Mark III, 16  
 lazy building, 514–15  
 <li> tag, 382, 383, 390, 393, 432  
 libraries, 622  
   graphics, 129  
   GUI toolkit, 107  
   JSLib, 181, 182, 364  
   object oriented, 104  
   RDFLib, 181  
   RDFLib JavaScript, 677  
   scripting, 181–84  
   3GL, 104  
 line box, 45  
 line-wrapping, 84  
 links, 8  
   navigation of, 83  
 Linux kernel, 714  
 Lisp, 372, 403, 565  
 list processing languages, 565  
 <listbox>, 61, 64, 242, 440  
   debugging, 493–94  
   dynamic, 483–84  
   style options for, 469  
 <listbox> getRowCount( ) XBL method, 478  
 <listbox> tag, 226, 251, 436, 443  
   extended syntax template for, 552–53  
   laying out, 473–76  
   making work, 493–94  
 <listboxbody> tag, 440, 442  
 listboxes, 224, 251, 438–39  
   AOM and XPCOM interfaces, 447–49  
   construction, 439–43  
   data-driven, 481–83  
   <listbox> tag, 443  
   <listcell> tag, 446  
   <listcols> tag, 443–44  
   <listhead> tag, 444  
   <listheader> tag, 444–45  
   <listitem> tag, 445  
   multicolumn, 439  
   RDF and sorting, 446  
   user interactions, 446–47  
   visual appearance, 438–39  
 <listcell> tag, 446  
 <listcol> tag, 440, 444  
 <listcols> tag, 440, 442, 443–44  
 listeners, 203  
   differences between observers and, 210  
 <listhead> tag, 440, 442, 444  
 <listheader> tag, 444–45  
 <listheaditem> tag, 442  
 <listitem> tag, 440, 442, 445  
 <listrows> tag, 440, 442  
 literals  
   array, 146  
   CDATA, 68–69  
   floating-point, 144  
   number, 144  
   types, 395  
   using, 631–32  
 LiveConnect, 181  
 loadBindingDocument( ) method, 597, 615  
 load\_data( ) function, 192, 258  
 loadSubScript( ) method, 178  
 loadURI( ) method, 336  
 locales, 412  
   configuring and using, 97–99  
 localization, 122  
 localstore.rdf, 428  
 locked toolbars, 275–76  
 \_LoggedAssert( ) interface, 698  
 \_LoggedAssert( ) method, 694, 695  
 \_LoggedUnasset( ) method, 694, 695  
 logs, 726  
 lug, 78



**M**

Macintosh toolkit, 21  
 mailEditorOverlay.xul, 418  
 major number, 714  
 makefile, 366  
 makefile dependency rule, 366  
 malloc( ), 180  
 manifests, 725–26  
 manual installation, 708  
 many-to-one relationship, 401  
 Mark I strategy, 16  
 Mark Ib strategy, 16  
 Mark II strategy, 16  
 Mark III strategy, 16  
 markup languages, 105. *See also*  
   HTML; XUL  
 mask, 121–29  
 mastheads, 712  
 matching CSS2 properties, 471–  
   72  
 Math object, 156, 157  
 MathML (mathematical con-  
   tent), 8, 15  
   Mozilla support for, 17  
 mediation system, 12  
 <member> tag, 531  
 menu, 115  
 menu bars, 278–80  
 <menu> tag, 252, 255, 268, 278–  
   79  
 <menubar> tag, 269, 278, 280  
 <menubutton> tag, 120, 256  
 <menuitem> tag, 244, 252–53,  
   256  
 <menulist> tag, 242, 244, 256  
 <menupopup> tag, 112, 115, 254–  
   55, 256, 261–62, 327, 329,  
   430  
 menus, 112, 224, 250–56, 269  
   <arrowscrollbox> tag, 254  
   context, 242, 329  
   drop-down, 242  
   finding information on, 242  
   finding object properties for,  
   263  
   <menu> tag, 252, 255, 256,  
   268, 278–79  
   <menuitem> tag, 244, 252–  
   53, 256  
   <menulist> tag, 242, 244,  
   256  
   <menupopup> tag, 112, 115,  
   254–55, 256, 261–62,  
   327, 329, 430


  <menuseparator> tag, 253–  
   54  
   ordinary, 327, 328  
   popup, 250  
   <scrollbox> tag, 254  
   unpopping, 261–62  
   variations of, 256, 279–80  
 <menuseparators> tag, 57, 252,  
   253–54  
 menubutton, 115  
 <menubutton> tag, 120  
 merging  
   attributes with xbl:inherits=,  
   576–78  
   bound tags, 581  
   id-based, 420–23  
   options, 423–24  
   simple, 420  
   tags with <children>, 578–  
   81  
 Messenger, 3  
 metadata, 363, 376, 401  
 <method> attribute, 606  
 <method> tag, 585–87  
 Microsoft Windows behavior, 37  
 MIME types, 396–97, 658  
   shorthand for, 722  
 minor number, 714  
 modal, 335  
 modal dialog boxes, 329  
 Model-View-Controller (MVC),  
   106–7  
 modifier key, 220  
 modifiers attribute, 590  
 modular programming, 621–22  
 module, 622  
 Mork, 626  
 Mosaic browser, 3  
 mouse gestures, 223–29  
   advanced support, 229  
   content selection, 224–29  
   multiple, 226–27  
   rubber band, 226  
   drag and drop, 227–29  
   window resizing, 229  
 -moz-appearance style, 128,  
   129, 258, 289  
 Mozilla  
   creating module, 708  
   preferences in, 35–36  
   product names in, 2–8  
   example applications, 5–6  
   platform versions, 4–5  
   use of RDF, 364–65  
 Mozilla 1.0, 3

Mozilla Browser, 3, 6  
 Mozilla Mail, 3  
 Mozilla Platform, 2, 11–23, 24,  
   198, 618  
   architecture, 11–17  
   consequences, 21–23  
   innovations, 17–21  
   programming with, 2  
   property names, 738  
   in scheduling input and out-  
   put, 199–204  
   Web applications built on, 5–  
   6  
 Mozilla Profile Manager, 710  
 Mozilla registries, 424, 726–28,  
   727  
 Mozilla SpiderMonkey enhance-  
   ments, 162–63  
 mozilla.org, 3  
 Mozilla-specific events, 205–6  
 multicolumn listbox, 439  
 multifact queries, 505–7  
 multiformat clipboard copying,  
   21–22  
 <multipanel> tag, 286  
 <multipanelset> tag, 286, 287  
 multiple panels, displaying,  
   282–87  
 multiple <rule> tags, 539  
 multiple selection, 226–27  
 multiple tags, displaying, 47–48  
 multiplexed value semantics, 149  
 multirecord (or record set) dis-  
   plays, 436  
 multiwindow development, 37–  
   38  
 <mytag> tag, 308

**N**

names, assigning, 712–14  
 namespace, 386, 389  
 namespace strings, 83  
 naming conventions, 145, 619–21  
 native installs, 708, 710, 711  
 native objects, 156–57  
 native themes, 126–28, 472  
 <nativescrollbar> tag, 114,  
   134, 275  
 Nautilus, 7  
 navigation, 265–93  
   of forms, 243  
   NoteTaker toolbars and tabs,  
   289–92  
   problems with, 292–93





- style options, 289
- systems for, 266–70
  - accessibility, 269–70
  - focus ring, 268–69
  - menu system, 269
  - recipe, 267
  - visual, 267
- navigation order, 268
- navigation widgets, 270–89
  - displaying multiple panels, 282–87
  - menu bars, 278–80
  - scrolling, 271–75
  - special-purpose, 288–89
  - statusbars, 280–81
  - style options, 289
  - title bars, 281
  - toolbars, 275–78
- Navigator*, 3, 4
- Navigator windows, versus
  - Chrome windows, 333
- near-zero validation, 76–77
- Necko, 8
- Netscape 7.0, 5
- Netscape Client Customization Kit, 711
- Netscape Communicator Web application suite, 3
- Netscape Navigator, 3
- Netscape Portable Runtime, 621
- network protocols, 633–36
- `newFileURI( )` method, 629
- `newProxyInfo( )` method, 634
- NGLayout, 8
- no-content XPI, shorthand for, 722
- Node object, 168
- nonattributes, 590–91
  - `applyauthorsheets`, 591
  - `applyauthorstyles`, 591
  - `applybindingsheet`, 591
  - `attachto` tag, 591
  - `charcode`, 591
  - `includes`, 591
  - `styleexplicitcontent`, 591
- nonstandard event behavior, 204
- nontags, 289, 344, 458
  - `<element>`, 591
  - `<fontpicker>`, 289
  - `<html>`, 344
  - `<menubutton>`, 120
  - `<object>`, 382
  - `<outliner>`, 458
  - `<package>`, 344
  - `<predicate>`, 382
  - `<script>`, 591
  - `<spinbuttons>`, 121
  - `<spinner>`, 120–21
  - `<Statement>`, 382
  - `<subject>`, 382
  - `<titlebar>`, 289
  - `<titlebutton>`, 120
  - `<treebody>`, 458
  - `<treecaption>`, 458
  - `<treecolpicker>`, 458
  - `<treefoot>`, 458
  - `<treehead>`, 458
  - `<treeicon>`, 458
  - `<treeindentation>`, 458
- nonattributes and, 590–91
- normalization, 370
- note-data sounds, 401
- `<notelacer>` tag, 598–613
  - adding XBL content, 602–5
  - adding XBL functionality, 605–10
  - designing widget interfaces, 599–601
  - integrating the binding, 611–13
- NoteTaker, 4, 34–35
  - adding text, 95–96
  - bundling up, 744–51
    - creating support files and scripts, 745–49
    - final bundling, 749–50
    - release preparation, 744–45
  - buttons and themes, 130–33
  - command design, 317–22
  - completing registration, 74–75
  - configuring and using
    - locales, 97–99
  - custom RDF tree views and data sources, 700
  - data made live, 546–59
    - coordinating and refreshing template content, 556–59
    - creating test data, 546–49
    - extended syntax template for listbox, 552–53
    - extended syntax template for tree, 553–56
    - simple templates for form elements, 549–52
  - data models, 398–407
  - dialogs, 349–56
  - dynamic content, 186–93
  - Edit dialog box, 186
  - events and forms, 258–61
  - keywords pane, 473–93
    - data-driven listboxes and trees, 481–93
    - laying out listbox and tree, 473–76
    - systematic use of event handlers, 476–80
  - layout design process, 71–74
  - `<notelacer>` tag, 598–613
    - adding XBL content, 602–5
    - adding XBL functionality, 605–10
    - designing widget interfaces, 599–601
    - integrating the binding, 611–13
  - reading string bundles via XPCOM, 190–93
  - saving and loading notes, 677–700
    - data source design, 677–78
    - data source setup, 678–80
    - dynamically allocating data sources to templates, 680–84
    - enhancing commands to process RDF content, 689–700
    - moving user-entered data into RDF, 688–89
    - scripted RDF queries using XPCOM interfaces, 685–88
  - scripting deck via the AOM and XBL, 189–90
  - scripting deck via the DOM, 186188
  - toolbars, 429–32
    - tabs and, 289–92
  - user input, 230–34
  - window, 133
- notetaker-delete command, 692
- notetaker-save command, 692
- NPA (not perfectly accurate) diagram, 2
- `nsICache` interface, 662
- `nsICmdLineHandler` interface, 624
- `nsIDirectoryService` interface, 663
- `nsIDirectoryServiceProvider` interface, 663





nsIFile interface, 628, 629  
 nsIFilePicker interface, 339  
 nsIFilePicker object, 630  
 nsIIOService interface, 645, 646  
 nsIPipe interface, 632  
 nsIProcess init ( ) method, 636  
 nsIProcess interface, 628  
 nsIProgressEventSink interface, 657  
 nsIPromptService interface, 338  
 nsIProperties interface, 664  
 nsIProperties method get ( ), 664  
 nsIRDFDataSource interface, 647, 650  
 nsIRDFLiteral interface, 647  
 nsIRDFRemoteDatasource interface, 650  
 nsIRDFResource interface, 647  
 nsIRequestObserver interface, 657–58  
 nsISOAPParameter interface, 661  
 nsIStringBundle, 191  
 nsIStringBundleService, 191  
 nsIThreadXPCOM interface, 632  
 nsITreeBuilderObserver interface, 544  
 nsIWebNavigation interface, 336  
 nsIWebProgress interface, 657  
 nsIWebProgressListener interface, 657  
 nsIXULChromeRegistry interface, 420  
 Null type, 144  
 number literals, 144  
 Number value, 144

**O**

object broker, 14  
 object constructor, 154–55  
 object directory, 14  
 object discovery service, 14  
 object methods, 153  
 Object objects, 156  
 <object> tag, 382  
 Object type, 145  
 Objective-C, 139  
 object-oriented (OO) inheritance, 161


object-oriented (OO) libraries, 104  
 object-oriented (OO) programming, 9  
 objects, 152–53, 622  
   built-in, 157–58  
   creation alternatives, 178–80  
   finding properties, for forms and menus, 263  
   host, 155–56  
   interface, 569  
   name service, 14  
   native, 156–57  
   plain, 153–55  
 observe ( ) method, 209  
 <observe> tag, 111  
 Observer design pattern, 210  
 observer.observe ( ), 209  
 observers, 210–16, 217  
   differences between listeners and, 210  
   JavaScript, 214–15  
   XPCOM, 215–16  
   XUL, 211–14  
 <observes> tag, 66, 211, 212, 213  
 OEone, 6  
 onclick handler, 66, 187, 298, 356  
 oncommand attribute, 222, 308  
 one frame, one tag rule, 52  
 onevent, 66  
 onEvent ( ) method, 312  
 open ( ) method, 357, 647  
 Open Source, 3, 24, 26  
   example of, 138  
 “open window” instruction, 37  
 open-closed principle, 9–10  
 OpenOffice, 91  
 Opera Web browser, 16  
 operator precedence, 158  
 Optimoz project, 229  
 Oracle’s SQL\*Forms, 138  
 ordinal attribute, 50  
 ordinary menus, 327, 328  
 ordinary <window> windows, 326–27  
 orient attribute, 49  
 out ( ) method, 164  
 <outliner> tag, 458  
 overflow:scroll, 89  
 overlay databases  
   changing, 419–20  
   reading, 417–18  
 overlay merging system, 429

<overlay> tag, 413, 415  
 overlayinfo database, 416, 418  
 overlays, 326, 413–24  
   discovery, 415–16  
   bottom up method, 416, 417  
   changing database, 419–20  
   reading database, 417–18  
   top down method, 416–17  
 JavaScript, 413  
 merging process, 420–24  
 stylesheet, 413  
 tags, 414  
   <overlay>, 415  
   <overlaytarget>, 415  
   <?xul-overlay?>, 414  
   tips for, 432–33  
 <overlaytarget> tag, 415

**P**

pack attribute, 49  
 packages, 412, 622  
   name for, 713  
 <package> tag, 344  
 <page> tag, 342, 344  
 panels  
   defined, 340  
   displaying multiple, 282–87  
 panes. *See also* windows  
   defined, 340  
   embedding documents in, 340–44  
   Keywords, 473–93  
 <parameter> tag, 585, 586  
 parseFloat ( ) function, 158  
 parseFloat ( ) method, 160  
 parseInt ( ) function, 158  
 parseInt ( ) method, 160  
 parser, 640  
 parseType attribute, 388  
 partial-fact problem, 379  
 patchEvent ( ) method, 310  
 Penzilla, 6  
 performInstall ( ) method, 719, 721  
 Perl, 24, 138, 178, 185, 332, 416  
 persist attribute, 66  
 persisting window state, 428–29  
 Personal Information Managers (PIMs), 28  
 Personal Toolbar, 515  
 PHP language, 138, 139  
 piggy-back install, 710  
 placeDesktop ( ) method, 607





placeNote( ) method, 607  
 placePage( ) method, 607  
 plain objects, 153–55  
 platform configuration, 662–77  
   cache control, 662–63  
   file system directory, 663–70  
   preferences, 670  
   security, 670–76  
   user profiles, 677  
 platform install, 708  
 platform-specific names, 712  
 plugins, 180  
   file system aliases, 669–70  
 policed security, 673–76  
 pool, 160  
 popup content, 327–29  
   context menus, 329  
   defining, 327–28  
   flyover help, 328  
   tooltips, 328–29  
 popup menus, 250  
 popualign attribute, 329  
 popuanchor attribute, 329  
 <popupgroup> tag, 328  
 <popupset> tag, 327–28  
 porkjockeys, 8  
 portability, 22  
 position attribute, 47, 255, 423  
 PostScript language, 565  
 predicates="object" attribute, 527  
 predicate/property tags, 388–90  
 predicates, 369–72, 389  
 <predicate> tag, 382  
 pref( ) method, 185  
 preferences, 670  
 prefetching, 662  
 prefix characters, 619–21  
 prepare( ) function, 720  
 primary binding, 570  
 print\_data( ) function, 201, 202  
 PrintingPrompt, 340  
 processes, 636–38  
 produce( ), 212  
 Producer design pattern, 20  
 profile, 121–29  
   file system aliases, 668–69  
 <progressmeter> tag, 288  
 Prolog, 372, 403  
 prompt( ), 338, 719  
 Prop, 675  
 properties dialog boxes, 437  
 <property> attribute, 606  
 property files, 86–87

property names, built-in, 470–71  
 property set, 535–36  
 <property> tag, 583–85  
 prototype, 622  
   chains, 161–62  
   development, 68  
   object, 155  
 pseudo-class, 54  
 purposes, stylesheet, 413  
 Python, 138, 332

## Q


Qt widget set, 21, 104  
 queries  
   common patterns, 534–39  
   containers, 534  
   illegal, 539  
   property set, 535–36  
   single-fact, 535  
   singleton solution, 536–37  
   tree, 537–39  
   unions, 539  
 multifact, 505–7  
 RDF, 501–12  
   scripted, using XPCOM  
   interfaces, 685–88  
 recursive, 511  
 single-fact, 503–5, 535  
 stored, 511  
 query lists, 511–12  
 query solution strategy, 507–11  
 QueryInterface( ) method, 272  
 quick launch, 20

## R


r=ada, 8  
 <radio> tag, 116, 120, 246  
 <radiogroup> tag, 245, 246  
 Rapid application development  
   (RAD) environment, 23–25  
   COTS software, 25  
   destructured testing, 25  
   vertical solutions, 24–25  
   visual prototypes, 24  
 Rapid application development  
   (RAD) projects, 27–28  
   chrome directories and  
   address book, 28–33  
   command line options, 28, 29  
   installation, 27–28

NoteTaker preparation, 34–35  
 RDF. *See* Resource Description  
 Framework (RDF)  
 <RDF> tag, 382, 385–86  
 read\_data( ) function, 201, 202  
 read\_info( ), 201  
 read-only documents, 138  
 really\_halfve\_it( ) function, 300  
 rebuild( ) method, 484, 545, 558, 683  
 recipe navigation, 267  
 recursive queries, 511  
 redirection (>), 638–39  
 ref property, 542  
 Refresh( ) method, 541, 683  
 refresh\_dialog( ), 559  
 refresh\_toolbar( ) function, 557, 558, 680, 682, 683  
 RegExp object, 157  
 registerChrome( ), 749  
 registries, 725  
 registry application name, 713  
 regular expressions, 152  
 reification, 376–77, 395  
 related AOM and XPCOM  
   objects, 429  
 related keywords, 399, 402  
 relational data, 369  
 remote deployment, 706, 712–25  
   assigning names, 712–14  
   assigning versions, 712–14  
 remote install case, 711  
 remotely sourced applications, 21  
 removeBinding( ) method, 597  
 removeChild( ) tag, 514  
 removeelement, 423  
 removeEventListener( ), 207  
 RENDER X11 extension, 91  
 rendering strategies  
   Mark I, 16  
   Mark Ib, 16  
   Mark II, 16  
   Mark III, 16  
 replace( ) method, 152, 261  
 report( ) function, 194–95  
 resizable, 335  
 resizeafter, 283–84  
 resizebefore, 283–84  
 <resizer> tag, 118–19, 280  
 <resolve> method, 557  
 resource attribute, 390






- Resource Description Framework (RDF), 2, 8–9, 11, 15, 20, 361–409
  - <Alt> tag, 382, 383, 390
  - <Bag> tag, 382, 383, 390
  - data models, 398–407
  - data sources, 641
  - <Description> tag, 382, 386–88
  - document in, 446
  - dumping, 407–8
  - enhancing commands to process content, 689–700
  - examples, 393–98
    - application areas, 397–98
    - Download Manager, 393–94, 396–97
    - MIME types, 396–97
    - using URNs for plain data, 394–96
  - facts
    - about facts, 375–78
    - concrete, 378–79
    - versus data structures, 366–69
    - ground, 378–79
    - ways to organize, 372–75
  - learning strategies for, 365–66
  - <li> tag, 382, 383, 390
  - movement of user-entered data into, 688–89
  - Mozilla uses of, 364–65
  - <object> tag, 382
  - <predicate> tag, 382
  - predicate/property tags, 388–90
  - predicates and tuples, 369–72
  - queries, filters, and ground facts, 378–79
  - queries and unification, 501–12
  - <RDF> tag, 382, 385–86
  - scripted queries using XPCOM interfaces, 685–88
  - <Seq> tag, 382, 383, 390
  - <Statement> tag, 382
  - <subject> tag, 382
  - syntax, 379–81
    - containers, 383–84
    - identifiers, 384–85
    - tags, 381–82
  - terminology, 363–64, 382
  - resource property, 542
  - <resources> tag, 575–76
  - revision number, 714
  - rewindFocus( ) method, 316
  - Rhino, 141
  - root, 712
  - <row> tag, 62, 63–64
  - rowCountChanged( ) method, 492
  - rubber band selection, 226
  - <rule> tag, 526–29
    - extended syntax for, 529
    - simple syntax for, 527–29
  - <rules> tag, 517
  - run( ) function, 201, 636
  - run-time errors and exceptions, 150
- S**
- Same Origin test, 671
  - saving and loading Notetaker notes, 677–700
  - Sawfish, 18, 118
  - schedule( ) function, 201
  - schedule\_folders( ) function, 720
  - scope, 159–60
  - scope chain, 159–60
  - script diagnosis, 193–95
  - <script src=> tags, 355
  - <script> tag, 68, 139, 140, 591
  - scriptable interfaces, 164–86
    - AOMs and BOMs, 173–75
    - interface origins, 165
    - island interfaces, 185–86
    - scripting libraries, 181–84
    - W3C DOM standards, 166–73
      - DOM 0, 166
      - DOM 1, 167–69
      - DOM 2, 169–71
      - DOM 3, 171–72
      - DOM compatibility ticks, 172–73
    - XBL bindings and, 184
    - XPCOM and XPCConnect, 175–81
  - scripting, 137–95, 203, 541–45, 716–21. *See also* ECMAScript Edition 3; scriptable interfaces
  - AOM template objects, 542–43
  - builders, 543–44
  - delegates, 544–45
  - views, 544
  - common scripting tasks, 545
  - debugging, 193–95
  - <deck> via the AOM and XBL, 189–90
  - general-purpose, 623–38
    - command line arguments, 623–24
    - data structures and algorithms, 624–25
    - databases, 625–27
    - environment, 628
    - files, 628–32
    - folders, 628–32
    - interrupts, 632
    - network protocols, 633–36
      - processes, 636–38
      - signals, 632
      - threads, 636–38
  - guidelines for dynamic templates, 541
  - language enhancements, 162–64
  - reading string bundles via XPCOM, 190–93
  - role of JavaScript as language, 139–40
  - standards, 140–41
  - styles via DOM, 188–89
  - Web, 624, 652, 655–62
    - downloading files, 657–58
    - file types, 658
    - MIME types, 658
    - uploading and posting files, 659
    - URIs, 656–57
    - URLs, 656–57
    - URNs, 656–57
    - Web protocol stack
      - objects, 659–62
      - XSLT batch processing, 662
    - XBL bindings and, 595–98
    - XPCOM template objects, 542–43
  - <scrollbar> tag, 274–75, 341
  - scrollbar thumb, 116
  - <scrollbarbutton> tag, 109, 114–15
  - scrollbars, 282
  - <scrollbox> tag, 89, 174, 254, 272–73, 341
  - scrolling widgets, 271–75
  - Seamonkey, 8
  - security, 23, 670–76
    - certified, 672–73
    - digital, 707






- install, 710
  - language enhancements, 163–64
  - policied, 673–76
  - restrictions, 676
  - trusted, 671
  - Web Safe, 671
  - select( ) kernel call, 199
  - SELECT statement, 502
  - selectedIndex property, 60–61, 190
  - selector, 43
  - seltype attribute, 443
  - seminal data, 462–63
  - send( ) method, 250
  - <separator> tag, 57
  - <Seq> tag, 75, 382, 383
  - serializer, 640
  - session, 639
  - setAttribute( ), 274, 351
  - setAttribute( ) DOM property, 188
  - setCard( ) method, 190
  - setFromEvent( ) method, 601, 609, 610
  - setInterval( ), 210, 637
  - setInterval( ) calls, 202
  - setInterval( ) method, 160, 164
  - setEditable( ) view method, 467
  - <setter> tag, 584, 585
  - setTimeout( ), 208, 209, 210, 249, 250, 351, 637
  - setTimeout( ) calls, 202, 683
  - setTimeout( ) event, 208
  - setTimeout( ) method, 160, 693
  - shadowing, 161
  - signals, 632
  - simple merging, 420
  - simple template syntax, 517–18
  - simple template variables, 518–19
  - single tag, displaying, 46–47
  - single-fact queries, 503–5, 535
  - singleton solution, 536–37
  - sinks, 639–40
    - specialized, 640
  - sizemode, 326
  - skins, 88, 108, 121–29
    - diagnosing, 133–35
    - directories, 19, 125
    - stylesheet hierarchy, 125–26
  - <slider>, 121
  - <smiley> tag, 564
  - SOAP, 15, 655, 660–61
  - socket, creating, 634–35
  - SOCKS-enabled sockets, 635
  - software platform, 11
  - sort support, for <template> siblings, 525
  - sorting, 446
  - source id, 420
  - sources, 639–40
    - specialized, 640
  - <spacer> tag, 56–57, 285
  - spacers, 56
  - <SPAN> tag, 43, 89
  - <span> tag, 352
  - special URIs and namespaces, 519–20
  - specialized sources and sinks, 640
  - special-purpose widgets, 288–89
  - special-purpose XPCOM dialog boxes, 339–40
  - SpiderMonkey, 140, 160, 185
    - enhancements, 162–63
  - <spinbuttons> tag, 121
  - <spinner> tag, 120–21
  - split( ), 152
  - split widget design, 108–9
  - <splitter> tag, 116–17, 282–84, 287, 454, 460
  - spreadsheet, 437
  - spring, 78
  - <spring>, 58
  - SQL (Structured Query Language), 366, 398
    - three-table join in, 507
  - sr=ada, 8
  - stack, 160
  - <stack>, 58–60, 64
  - stacks and garbage collection, 160
  - statedataresource attribute, 524
  - <Statement> tag, 382
  - statement block, 159
  - static content, 81–101
    - adding text, 95–96
    - comparing XUL and HTML, 82–83
    - configuring and using locales, 97–99
    - debugging, 99–101
    - DOM Inspector in debugging, 99–101
    - font systems, 89–92
    - NoteTaker, 95–99
  - style options, 92–95
    - XUL content tags, 84–89
      - border decorations, 89
      - images, 87–89
      - text and strings, 84–87
  - <statusbar> tag, 280–81
  - <statusbarpanel> tag, 281
  - statusbars, 280–81
  - stdio libraries, 139
  - stored queries, 511
  - stream, 618, 638–44
  - stream content conversions, 643–44
  - stream objects, 618
  - string bundles, reading, via XPCOM, 190–93
  - <string> tag, 86–87
  - String type, 145
  - <stringbundle> tag, 86–87, 211
  - <stringbundleset> tag, 87, 211
  - structural options, 650
  - strut, 78
  - stub install, 711
  - style, 66
    - properties and extensions, 52–54
  - styleexplicitcontent attribute, 591
  - <stylesheet> tag, 575–76
  - stylesheets
    - diagnostic, 262
    - hierarchy, 125–26
    - overlays, 413
    - purposes, 413
    - theme, 108
  - <subject> tag, 382
  - sub-pixel accuracy, 90
  - support files and scripts, creating, 745–49
  - supportsCommand( ) method, 301, 304, 694
  - suppressonselect attribute, 443
  - SVG (vector graphics content), 8, 15
    - Mozilla support for, 17
  - Swing, 104
  - switch statement, 150
  - Sybase's PowerBuilder, 138
  - synchronous submission, 249
- ## T
- Tab key, 108, 268
  - <tab> tag, 244, 285–86





- <tabbox> tag, 58, 61, 284–85, 291, 352
  - <tabbrowser> AOM object, 336
  - <tabbrowser> tag, 329, 336, 343–44, 565
  - <tabpanel> tag, 284, 285, 286
  - <tabs> tag, 284, 285–86
  - tags. *See also specific tag names*
    - box layout, 54–64
    - displaying multiple, 47–48
    - displaying single, 46–47
    - names, 82, 108
  - Talkback technology, 5
  - target, 715–16
  - target document, 568
  - target sites, 227
  - targets attribute, 309
  - Tcl/Tk, 24, 138, 565
  - <template> siblings, sort support for, 525
  - <template> tag, 111–12, 501, 517, 526
  - templates, 497–561
    - building up, 560–61
    - common query patterns, 534–39
    - containers, 534
    - illegal, 539
    - property set, 535–36
    - single-fact, 535
    - singleton solution, 536–37
    - tree, 537–39
    - unions, 539
  - construction, 517–34
    - <action> tag, 532–34
    - base tag, 520–25
    - <bindings> tag, 531–32
    - <conditions> tag, 529–31
    - <coordinations> tag, 529–31
    - <member> tag, 531
    - <rule> tag, 526–29
    - special XUL names, 518–20
    - <template> tag, 526
  - data source issue, 516
  - dynamically allocating data sources to, 680–84
  - example, 499–501
  - extended syntax for <listbox>, 552–53
  - extended syntax for <tree>, 553–56
  - extended variables, 518
  - guidelines for dynamic, 541
  - JavaScript Access, 515–16
  - lifecycle, 539–40
  - NoteTaker data made live, 546–59
    - coordinating and refreshing template content, 556–59
    - creating test data, 547–49
    - extended syntax template for <listbox> tag, 552–53
    - extended syntax template for <tree>, 553–56
    - simple templates to form elements, 549–52
  - RDF queries and unification, 501–12
  - rebuilding, 514
  - scripting, 541–45
    - AOM and XPCOM template objects, 542–43
    - builders, 543–44
    - common tasks, 545
    - delegates, 544–45
    - guidelines for dynamic templates, 541
    - views, 544
  - simple, for form elements, 549–52
  - simple variables, 518–19
  - style options, 546
  - survival guide, 559–61
  - XUL, 13, 650
  - XUL content generation, 512–15
- term, 367
  - test-debug-fix loop, 76
  - <text>, 96
  - text, boilerplate, 95
  - text grids, 436–38
  - text input tags, 436
  - text name, 712–13
  - <text> tag, 84–85
  - <textbook> tag, 437, 680
  - <textbox> tag, 246–47, 256, 437, 682
  - TextEvents, 207
  - <textnode> tag, 534
  - The tree, 8
  - theme engine, 121–22
  - theme stylesheet, 108
  - themes, 19, 88, 104, 121–29
    - native, 126–28, 472
    - NoteTaker, 130–33
  - third-generation procedural languages, 139, 151
  - threads, 636–38
  - <thumb> tag, 109, 114
  - Thunderbird, 3
  - timed events, 208–10, 217
  - title attribute, 331
  - title bars, 281
  - <titlebar> tag, 289, 335
  - <titledbutton> tag, 120
  - toggle( ) method, 583
  - toggleOpenState( ) method, 490–91
  - toggleOpenView( ) method, 492
  - tonumber( ) method, 158
  - toolbar action( ) function, 689
  - <toolbar> tag, 277
  - <toolbarbutton> tag, 109, 112–13, 186–87, 268, 277–78, 356
  - <toolbargrippy> tag, 117–18, 277
  - <toolbaritem> tag, 277–78
  - toolbars, 112, 275–78
    - locked, 275–76
    - NoteTaker, 289–92
  - <toolbarseparator> tag, 57, 277–78
  - <toolbox> tag, 276–77
  - toolkit.jar, 19, 47
  - <tooltip> tag, 112, 328
  - tooltips, 326, 328–29
  - top down method, 413, 416–17
  - toString( ) method, 158, 159, 215–16
  - traditional variable scoping, 159
  - transports, 639, 644–45
  - tree queries, 537–39
  - <tree> tag, 50, 61, 64, 226, 228, 436, 454
    - attributes specific to, 524
    - debugging, 493–94
    - extended syntax template, 553–56
    - laying out, 473–76
    - making work, 493–94
    - style options for, 469–72
  - <tree>-based templates, content for, 533–34
  - <treebody> tag, 458
  - <treecaption> tag, 458
  - <treecell> tag, 457–58
  - <treecildren> tag, 456
  - <treecol> tag, 455–56
  - <treecolgroup> tag, 458
  - <treecolpicker> tag, 458





`<treecols>` tag, 454  
`<treefoot>` tag, 458  
`<treehead>` tag, 458  
`<treeicon>` tag, 458  
`<treeindentation>` tag, 458  
`<treeitem>` tag, 456, 530  
tree-pseudo-classes, 469–70  
`<treerow>` tag, 457, 458  
trees, 224, 449–68

- AOM and XPCOM interfaces, 460–62
  - builders, 463–64
  - seminal data, 462–63
  - views, 464–68
- construction, 451–53
- custom views, 484–93
- data-driven, 481–83
- native theme support, 472
- nontags, 458
- RDF and sorting, 458
- `<tree>` tag, 454
- `<treecell>` tag, 457–58
- `<treechildren>` tag, 456
- `<treecol>` tag, 455–56
- `<treecolpicker>` tag, 458
- `<treecols>` tag, 454
- `<treeitem>` tag, 456
- `<treerow>` tag, 457, 458
- `<treeseparator>` tag, 457
- user interactions, 458–60
- visual appearance, 450–51

`<treeseparator>` tag, 58, 457  
`<tree>` tag, 174  
trigger script, 716  
`<triple>` tag, 530  
trivial protocols, 647  
trusted security, 671  
try block, 150, 151  
tuples, 367, 368–72, 504–5  
type attribute, 108, 591  
type convention, 158–59  
Type Null, 143  
Type Object, 143  
type-ahead find, 20, 223  
typeof operator, 143

## U

UDDI, 655  
Unassert( ) method, 694, 701  
Undefined type, 143  
Unicode characters, 145  
Unicode standard, 10  
Unicode string, 712  
unification, 502, 503

uninstall( ) method, 718, 721  
unions, 539  
UNIX X11/GTK behavior, 37–38  
update( ) function, 312–13  
update\_all( ) function, 309  
UpdateCommands( ) method, 306, 308, 309, 310, 313–14  
`<updater>` tag, 312, 314  
URI (Universal Resource Identifier), 385, 395, 656–57  
uri attribute, 66, 530  
url( ), 123  
URL (Uniform Resource Locator), 2, 395, 656–57, 717

- chrome, 19–20
- using, 631–32

URN (Uniform Resource Name), 395–97, 656–57

- examples, MIME types, 396–97
- using, for plain data, 394–96

user input, 600–601  
user interactions, 446–47  
user profiles, 677  
user-entered data, movement with RDF, 688–89  
user-interface design, 82–83  
user\_pref method, 185  
UTF-8-encoded characters, 142

## V

value attribute, 445  
var keyword, 146  
variable interpolation, 519  
variables, 145–46, 153, 503

- names for, 145–46

`<vbox>` tag, 54, 78–79, 105–6, 234, 422, 501  
Venkman, 35  
Venkman Chrome, 713  
version information, 99  
versions, assigning, 712–14  
vertical `<box>`, 48  
views, 464–68, 544  
visibility, 47  
Visual Basic, 138  
Visual Basic for Applications (VBA), 140  
visual formatting model, 45  
visual interface, 599  
visual navigation, 267  
VNC server, 91

## W

W3C, 17  
W3C standards, 20, 568

- DOM, 12, 166–73
- RDF, 365
- XML, 362

WAPScript language, 140  
warnings, 76  
watch( ) method, 194  
watchpoints, 194–95  
Web browsers, 9, 436, 652  
Web protocol stack objects, 659–62

- Web Safe security, 671
- Web scripting, 624, 652, 655–62
  - downloading files, 657–58
  - file types, 658
  - MIME types, 658
  - uploading and posting files, 659
- URIs, 656–57
- URLs, 656–57
- URNs, 656–57
- Web protocol stack objects, 659–62
  - XSLT batch processing, 662


Web standards, support for, 16–17  
Web-based systems, 437–38  
Web-side objects, 731–32  
whitespace, 407  
widgets

- defined, 104
- designing interfaces, 599–601
- navigation, 270–89
- origins of XUL, 107–9
- picking apart complex, 262–63
- reflection of command state, 312–14
- scrolling, 271–75
- special-purpose, 288–89
- split design, 108–9

Win32, 21, 104, 107  
WinAmp, 122  
Window object, 174  
`<window>` tag, 344  
window.Components.Constructor( ) method, 182  
window.open( ) method, 326, 327, 331, 333–35  
window.openDialog( ) method, 335–36









windows, 325–59  
 diagnostic, 357–59  
 dialog boxes, 329–32  
 embedding documents in  
 panes, 340–44  
 JavaScript creation of, 332–40  
 managing existing, 346–47  
 mixing documents, 344–45  
 Navigator versus Chrome, 333  
 NoteTaker dialogs, 349–56  
 ordinary `<window>`, 326–27  
 popup content, 327–29  
 resizing, 229  
 style options, 347–49  
 Windows registry key, 712  
`window.setTimeout()`, 637  
`windowtype`, 326–27  
 WinProfile object, 741  
 WinReg object, 741  
 WinZip, 28  
 with statement, 151  
`<wizard>` tag, 282, 728, 729–30  
`<wizardpage>` tag, 728, 730–31  
 wizards, XUL, 728–31  
`<wizards>` tag, 58, 61, 332  
 World Wide Web Consortium, 8  
 standards for, 165  
`write()` method, 357  
 WSDL (Web Services Description Language), 15, 655, 661, 670  
 standards for, 567  
 WSH (Windows Scripting Host) technology, 567

## X

x, 185  
 X11 Protocol, 91  
 XBL (XML Binding Language), 10, 17  
 adding content, 602–605  
 adding functionality, 605–10  
 definition, 108  
 documents, 15  
 keyboard maps, 220–21  
 scripting `<decks>` via AOM and, 189–90  
 XBL bindings, 13, 109, 112, 165, 184, 563–615, 676  
 combining multiple, 591–94  
 inner content bindings, 594  
 input façade bindings, 593–94  
 simple inheritance with `extends=`, 591–92  
 zero content bindings, 592–93  
 component framework, 572  
 constructing, 572–91  
`<binding>` tag, 574–75  
`<bindings>` tag, 574  
 bound tags and `-moz-binding`, 573–74  
`<content>`, 576–81  
`<handlers>` tag, 588–90  
`<implementation>` tag, 581–88  
 nontags and nonattributes, 590–91  
`<resources>`, 575–76  
 default actions, 568–69  
 diagnosis, 614–15  
 example, 565–67  
 object-like features, 569–72  
 processing, 594–95  
 relationship with DOM hierarchies, 568–69  
 scripting, 595–98  
 standards, 567–68  
 style options, 598  
`<notelacer>` tag, 598–613  
 XBL markup languages, 165  
`xml:inherits=`, merging attributes with, 576–78  
 XHTML, 8–9, 15  
 XLink, 15, 17  
 XML, 15  
 interface, 601  
 namespace, 15, 33–34, 326  
 schema, 15, 655  
 software support for standards, 15  
 syntax, 365  
 technologies, 2  
 XML attribute, 206  
 XML documents, 9, 10, 15–16  
 mixing types, 344–45  
 underlying format of, 9  
 XML environment, 8–11  
 hierarchical thinking, 10–11  
 open-closed principle, 9–10  
 underlying format, 9  
 universality, 10  
 XML Query, 378  
 XMLHttpRequest object, 249–50  
 XML-like technologies, 2  
`xmlns` attribute, 415  
 XML-RPC, 655  
 XP, 7  
 XPath, 378  
 XPCOM (Cross Platform Component Object Model), 11, 14, 165, 175–81, 198, 208–9  
 creation of dialog windows from JavaScript using, 332  
 direct access to, 12  
 interfaces, 447–49, 460–62  
 Java, 180–81  
 object creation alternatives, 178–80  
 plugs and DOM, 180  
 reading string bundles via, 190–93  
 XPCOM broadcasters, 215–16  
 XPCOM components, 13–14, 176–78, 332  
 commands and, 314–16  
 finding, 176–78  
 using, 178  
 XPCOM file system aliases, 665–67  
 XPCOM interfaces, scripted RDF queries using, 685–88  
 XPCOM objects, 23, 429, 617–703, 743  
 data transfer, 638–52  
 channels, 645–47  
 content processing, 638–69  
 sinks, 638–40  
 sources, 638–40, 647–52  
 streams, 640–44  
 transports, 644–45  
 foreign-type systems, 622–23  
 general-purpose scripting, 623–38  
 command line arguments, 623–24  
 data structures and algorithms, 624–25  
 databases, 625–27  
 environment, 628  
 files, 628–32  
 folders, 628–32  
 interrupts, 632  
 network protocols, 633–36  
 processes, 636–38  
 signals, 632  
 threads, 636–38





- modular programming, 621–22
- naming conventions, 619–21
- platform configuration, 662–77
  - cache control, 662–63
  - file system directory, 663–70
  - preferences, 670
  - security, 670–76
  - user profiles, 677
- saving and loading Notetaker notes, 677–700
- Web scripting, 652, 655–62
  - downloading files, 657–58
  - file types, 658
  - MIME types, 658
  - uploading and posting files, 659
  - URIs, 656–57
  - URLs, 656–57
  - URNs, 656–57
  - Web protocol stack
    - objects, 659–62
  - XSLT batch processing, 662
- XPCOM observers, 215–16
- XPCOM template objects, 542–43
- XPCoconnect, 12, 165, 175–76, 198
- xpcshe11, 12, 185
- XPI files, 721–22
- XPIDL (Cross Platform IDL), 14
  - files in, 619
- XPInstall, 32, 419, 706–7, 712
  - technology, 21
- XPInstall File object, 739–41
- XPInstall Install Object, 733–36
- XPInstall WinReg object, 742
- XPInstall-side objects, 732–42
- Xresources, 129
- X-server, 91
- XSL-FO (XSL Formatting Objects), 15
- XSLT (Extensible Stylesheet Language Transformations), 15
  - batch processing, 662
- XUL (XML User-interface Language), 10, 11, 33, 42, 242–43, 416
  - applications, 307–10
  - basic structure, 42
  - broadcasters, 211–14
  - buttons, 109–21
    - <autorepeatbutton> tag, 113–14
    - <button> tag, 110–12
    - <dropmarker> tag, 115–16
    - <gripper> tag, 119
    - <grippy> tag, 116–17
    - grippys, 116–19
    - labels and label, 119–20
    - <menubutton> tag, 120
    - <menupopup> tag, 115
    - <resizer> tag, 118–19
    - <scrollbarbutton> tag, 114–15
    - <slider> tag, 121
    - <spinbuttons> tag, 121
    - <spinner> tag, 120–21
    - <thumb> tag, 114
    - <titledbutton> tag, 120
    - <toolbarbutton> tag, 113–14
    - <toolbargrippy> tag, 117–18
    - variations, 115–16
  - comparison of HTML and, 82–83
  - content generation, 512–15
  - content tags, 84–89
    - border decorations, 89
    - images and <image>, 87–89
    - text and strings, 84–87
  - detecting bad, 75–79
  - difference between HTML and, 46
  - displaying multiple tags in, 47–48
  - documents, 15
    - mixing, 345
  - form tags, 245–47
  - forms
    - common properties of, 243–44
    - comparison with HTML forms, 240–42
    - HTML submission of, 248
  - general-purpose attributes, 65–66
  - good coding practices for, 66–69
  - layout, 41–79
    - box layout tags, 54–64
  - support for event handlers, 207–8
  - template, 13, 650
  - user interfaces, 296
  - using commands via, 307–10
  - widgets, 269, 436
    - description language for, 22
    - origins of, 107–9
    - window object, 174–75
    - wizards, 728–31
- XUL accesskey attribute, 223
- XUL <command> tag, 303
- XUL hidden attribute, 189
- XUL layout, 41–79
  - box improvement, 64–65
  - box layout tags, 54–64
    - boxes, 54–55
    - flex and spacers, 55–58
    - grids, 61–64
    - stacks and decks, 58–61
  - boxes in, 43–44, 54–55
  - <caption>, 64–65
  - detecting bad XUL, 75–79
  - general-purpose attributes, 65–66
  - good coding practices, 66–69
  - <groupbox>, 64–65
  - layout design process, 71–74
  - principles of, 44–54
    - common box layout attributes, 49–51
    - displaying multiple tags, 47–48
    - displaying single tag, 46–47
    - frame and style extensions concepts, 51–54
    - style options, 69–71
- XUL observers, 211–14
- XUL tags, 45–46, 83, 207–8, 257
  - changing appearance of, 104
  - displaying single, 46
- xulcontentgenerated attribute, 521–22
- <?xul-overlay?> tag, 414, 417
- X-Window, 90–91

## Z

- Zarro Boogs, 8
- Zawinski, Jamie, 2
- zero content bindings, 592–93
- ZIP archives, working on, 632
- Zope application server, 138






## About the Author



**Nigel McFarlane** is a science and technology writer, analyst, and programmer. He is the author of many articles on Web, XML, JavaScript, and other technologies, and his work has appeared in periodicals such as *DevX* and *The Sydney Morning Herald*, and on *www.builder.com*. Nigel is also the author of *Instant JavaScript* and *Professional JavaScript*. He lives in Melbourne, Australia.







!"

```

!* #$$% %%%#
! " " # %&' s() *
# # $% & ' '
!"# $ $ "# # % & ' % ($ #
) !* #$$ && #&
+ " *
" ) * ; " +
#
* ) $$ # # + % !"# $
) !* #$$ $$#
"+ " ./+
" + . / +
$ ( & '
' & * , " - " . /
( * / ! 0 / / ) &
+ 0 !* #$$ #
"
0 1 & 1 0
2 + 3 4)+55 2.0 #
$% ( )
+ 0 - ) -
( ) * + # %$ (,) # $ # . $$%#
+ + ) *
) * * +
((( ' ( ) '
/ + # !* # $ % # #
" . 6 , .
6
# & *++
-- # $ # # ' . "
) 1 - + &
% !* # $ # $ #

```



PRENTICE HALL PTR

