

Index

A

- access control
 - instruction, 159
 - lists, 105
- additional attributes, 16
- administration ports, 70
- administration web interface, 54
- alias, 16
- aliases file, 171
- alternate address, 16
- annual checks, 214
- antispam, 91, 163, 199
- applications programming interfaces, 189
- applications service provider, xviii
- architecting, high availability differences, 201
- architecture
 - categories, 15
 - high availability, 27, 203
 - messaging, 15
 - secure, 25
 - secure with failover, 28
 - single layer, 18
 - typical, 23
- authentication cache size
 - DOS, 183
 - tuning, 183
- authentication cache TTL, tuning, 183

B

- Big Brother, 218
- BMC Patrol, 219

C

- calendar, web-based, 10
- checklists, periodic maintenance, 209
- checks
 - annual, 214
 - daily, 210
 - monthly, 212
 - quarterly, 213
 - weekly, 212
- clients, popular, 8
- comma separated variable-length file, 173
- command-line interface
 - provisioning, 55
- common name, 172
- configuration
 - current settings, 45
 - Message Transfer Agent, 91
 - MTA directory, 96
 - MTA files, 96
 - shared folders, 103
- connectivity, network, 37
- console, administration, 53

- conversion channel
 - append disclaimer, 192
 - message processing, 189
- conversion utility, PS to Acrobat, 197
- CONVERSIONS file, 192
- CSV file, 62
- customizing, messenger express, 123

D

- daemons, multiple, 45
- daily checks, 210
- data feeds, 62
- database temporary directory, tuning, 183
- delegated administrator
 - creating and administrating aliases, 171
 - GUI installation, 84
 - server installing, 82
- delivery status notifications, tuning, 188
- demilitarized zone, 15, 155
- denial of service, 183
- denial of service, prevention tuning, 181
- dequeue message, 185
- DHCP, 39
- direct deliver
 - shared folders, 103
 - user folder, 103
- direct LDAP
 - lookups, tuning, 187
 - manipulation, 171
- direct lookup, LDAP, 94
- directory, high availability, 204
- dirsync, 94
- disclaimer, adding a, 191
- disk layout, 32
- dispatcher, tuning, 185
- domain name, 39
- Domain Name Service, xviii
- Dynamic Host Configuration Protocol, 39

E

- electronic messaging, 1
- elm, 4, 175
- email, 1
- email system, overall design, 65
- enterprise web server, installing, 82
- etc/system, tuning, 181
- Extended Simple Mail Transfer Protocol, 17

F

- failover software, 202
- fully qualified host name, 37

H

- high availability
 - architectures, 203
 - best practices and caveats, 207
 - conclusions, 207
 - configuration, 27
 - directory, 204
 - installation procedure and notes, 207
 - mailstore, 204
 - messaging deployment, 201
 - other architectures, 204
- host name, fully qualified, 37
- hosts, critical, 37

I

- identifier and rights pairs, shared folders, 105
- IMAP, xx, 17
 - client, shared folders, 111
- ims_master processes, tuning, 185
- ims-ms channel, tuning, 186
- IMTA, 187
- imta_tailor file, tuning, 187

- installation
 - script, 89
 - simple, 71
 - software, 69
 - values, 72
- instant messaging, 3, 7
- Internet data center, 13
- Internet Engineering Task Force, 16
- Internet Service Provider, xviii, 18

J

- Java, 11, 53
- JavaScript, 133
- job controller, tuning, 185
- job_limit
 - tuning, 186
- JumpStart, 35
- JumpStart Architecture and Security Scripts, 157

L

- layers, security, 153
- LDAP
 - hosts, tuning, 183
 - timeout, tuning, 184
- Lightweight Data Interchange Format, 173
- Lightweight Directory Access Protocol, xviii, 57
- load balancing, network, 38
- Local Mail Transfer Protocol, 17
- log file location, 45
- login screen, customizing, 126
- logos, changing and adding, 124

M

- mail eXchanger record, 24
- mail gateway, 17
- mailstore, 17
- mailstore, high availability, 204
- management information bases, 215
- MAPPINGS file, 191
- mappings, changing, 93

- master directory server
 - installing, 75
 - preparing for messaging, 77
- MAX_CLIENT_THREADS, tuning, 186
- MAX_INTERNAL_BLOCKS, tuning, 187
- message dequeue, 185
- message processing, conversion channel, 189
- message transfer agent, 17
- Message Transfer Agent, configuration, 91
- messages, number of, 3
- messaging
 - devices, 2
 - electronic, 1
 - high availability deployment, 201
 - high availability, differences in planning, 206
 - implementations, 1
 - in a box, 18, 70
 - managing and preventive maintenance, 209
 - strategy, 7
 - system testing, 85
 - system verification, 87
 - unified, 3
- messaging multiplexer proxy, 18
- messaging server
 - current configuration, 45
 - installing, 81
- messaging services
 - beyond the basics, 8
- messaging system
 - basic parts, 16
- messaging, web, 9
- messenger express, customizing, 123
- migration
 - aliases and system-wide mailing lists, 170
 - basic steps, 167
 - export and import, 173
 - messages and folders, 169
 - password importance, 168
 - personal address books, lists, and
 - bookmarks, 172
 - sendmail, 174
 - sendmail mailbox content, 175
 - sendmail mailing lists, 175
 - sendmail personal address books, 175
 - sendmail user information, 174
 - specialized software, 175
 - user information, 168

- utilities, other, 173
- utility, 173
- MIME messages, parts, 189
- MMP, tuning, 184
- monitoring
 - SNMP, 215
- monthly checks, 212
- MTA, 17, 215
 - basics, 92
 - history, 91
 - possibilities, 199
 - tuning, 185
- Mulberry, shared folders, 111

N

- naming services, 38
- ncsize, tuning, 182
- Netscape Messaging Server, 91, 247
- Netscape Messenger, shared folders, 114
- network connectivity, issues, 37
- Network Information Service, 39
- notices, tuning, 187
- number of processes, tuning and limitation, 182

O

- option.dat, tuning, 186
- options tab
 - adding options, 133
 - removing options, 130
- Orca, 218
- outlook express, shared folders, 119
- over-quota limits, configuring, 147

P

- partitioning, 32
- passwords, options for handling, 168
- personal address book, 10
- personal digital assistants, 2

- Pine, 4, 175
- port numbers, 45
- portal, 10
- Post Office Protocol, 4
- postmaster
 - mail, tuning, 188
 - user account, creating, 85
- practices, good computing, 31
- pretty good protection (encryption), 163
- process settings, 45
- production and a non-production environment,
 - differences, 32
- production environment, 32
- production versus non-production, 32
- project Orion, 11
- protocol status, 45
- provisioning
 - administration console, 53
 - authoritative sources, 61
 - command-line interface, 55
 - data feeds, 62
 - delegated administrator for messaging, 54
 - issues, 60
 - Lightweight Directory Access Protocol, 57
 - methods, 53
 - sample script, 66
 - script, 66
 - user ID, 64
 - web, 54
- proxy servers
 - benefits, 26
 - drawbacks, 25

Q

- Quality of Service, 13
- quarterly checks, 213

R

- return errors, customizing, 151
- reverse database, tuning, 187
- reverse DNS, 162

S

- sample provisioning script, 66
 - Secure Multipurpose Internet Mail Extensions, 26
 - Secure Socket Layer, 5
 - security
 - antivirus and antispyware, 163
 - digital signing, 163
 - directory, 159
 - enabling SSL, 161
 - layers, 153
 - message contents, 163
 - message store, 162
 - messaging server software points, 165
 - messaging software protocols, 159
 - MTA, 162
 - network layer, 154
 - non-standard ports, 161
 - PGP signing, 163
 - reverse DNS lookup, 162
 - search limits, 160
 - SMTP, 162
 - Solaris OE, 157
 - system, 157
 - sendmail, disabling, 74
 - servers, proxy, 18
 - service provider networks, 13
 - services, directory, 9
 - shared folders
 - configuration, 103
 - description, 104
 - direct deliver, 103
 - identifier and rights pairs, 105
 - IMAP client, 111
 - limitations, 106
 - Mulberry, 111
 - Netscape Messenger, 114
 - outlook express, 119
 - permission, 107
 - Short Messaging Service, 4
 - Simple Authentication and Security Layer, 100
 - Simple Internet Protocol, 3
 - Simple Mail Transfer Protocol, 4
 - simple messaging installation with MTA
 - benefits, 24
 - drawbacks, 24
 - SIMS, 91, 94
 - single layer architecture
 - benefits, 19
 - drawbacks, 19
 - single sign on, 65, 138
 - enabling, 138
 - SMTP
 - relays, 23
 - security, 162
 - software
 - download location, 70
 - installation and configuration, 69
 - software delivery network, 7
 - concept, 12
 - Solaris OE
 - basic installation, 33
 - tuning, 180
 - spam, 5
 - standards
 - open, 7
 - supported for shared folders, 105
 - stateful packet inspection, 155
 - store database cache size, tuning, 183
 - Sun Internet Mail Server, 91
 - Sun Management Center, 216, 217
 - system
 - startup, 41
 - status, 41
 - system security points, 158
 - systems development life cycle, xix
- ## T
- TCP/IP, tuning, 179, 180
 - tcp_local_*_option files, tuning, 181
 - test accounts, creating, 86
 - threaddepth, tuning, 186
 - tools, alternative, 216
 - total cost of ownership, 19
 - Transmission Control Protocol/Internet Protocol, 100
 - tuning
 - authentication cache TTL, 183
 - delivery status notification, 188
 - direct LDAP lookups, 187

- dispatcher, 185
- etc/system, 181
- ims_master processes, 185
- ims-ms channel, 186
- imta_tailor file, 187
- job controller, 185
- job_limit, 186
- LDAP hosts, 183
- LDAP timeout, 184
- MAX_CLIENT_THREADS, 186
- MAX_INTERNAL_BLOCKS, 187
- MMP, 184
- MTA, 185
- ncsize, 182
- notices, 187
- option.dat, 186
- postmaster mail, 188
- reverse database, 187
- Solaris OE, 180
- store database cache size, 183
- TCP/IP, 179, 180
- tcp_local_*_option files, 181
- threaddepth, 186
- user and group bind, 183
- web mail spool directory, 184
- typical architecture, benefits, 23

U

- unified messaging, 3
- unique user ID, 64

- UNIX user account and group, creating, 73
- unsolicited bulk email, 5
- user and group bind, tuning, 183
- user folder, direct deliver, 103
- user ID
 - data file sample, 65
 - email address, 64
- user population turnover, 65
- user store, 16

V

- virtual private network, 24, 154
- virus scanning, 198

W

- warning Email, configuring, 147
- web mail permissions, 106
- web mail spool directory, tuning, 184
- web service, 11
- web-based calendar, 10
- weekly checks, 212
- welcome email, setting initial, 146
- What's Up Gold, 216