

# Index

## A

- aborting threads, 611–613
- abstract classes, comparing to interfaces, 130
- abstract modifiers, 86, 102–103
- accessor methods, 93
- activating forms, 294
- adding
  - data bindings, 547
  - Help to forms, 308–313
  - items
    - to data caches, 845–846
    - data sources, 560–561
    - to list boxes, 336–338
  - nodes, 351
    - on trees, 491–493
  - radio buttons into groups, 326–327
  - role-based authorization, 833–834
  - rows (DataGridView class), 566–568
- ADO.NET
  - binding, 548–549
  - connected models, 502–504, 506–518
  - connection classes, 506–510
  - data access models, 502–506
  - disconnected models, 504–506, 518–533
  - overview of, 497–502
  - XML, 533–540
- algorithms
  - DES, 253
  - Nagle, 916–917
- aligning
  - strings, 438–439
  - tab stops, 436–437
- allocating
  - memory, 74–75, 77
  - StringBuilder class, 220–223
- AlphaRGB (ARGB), 400
- alpha values, 400
- AmazonSearchService class, 909–910
- Amazon Web services, 909–912
- analysis, FxCop tool, 683–686
- anchoring controls, 275–276
- annotations, ToolTip controls, 310
- anonymous methods, delegates, 117–118
- AppDomain class, 640–643
- applications
  - configuration files, 23
  - data binding, 555–563
  - deploying, 722–727
  - state, 837–838
  - Windows, 268–271
- <appSettings> configuration file section, 819
- architecture
  - ADO.NET. *See* ADO.NET
  - CLI, 7. *See also* CLI
  - remoting, 644–648
  - Web services, 870. *See also* Web services
- ARGB (AlphaRGB), 400
- arithmetic operators, 50–51
- ArrayList class, 179–180
  - binding, 558–560
  - objects, 69
- arrays
  - C#, 69–73
  - controls (binding), 558–559
  - declaring, 70
  - System.Array class, 71
- ASCII, 204, 219
- .asmx files, 877
- ASP.NET
  - binding, 772–884
  - buttons, 763–764
  - caching, 841–848
  - client-server Internet interaction, 734–758
  - code-behind models, 749–754
  - configuration files, 817–826
  - content pages, 789–793
  - DataList controls, 768–772
  - HTTP
    - pipelines, 851–866
    - requests/responses, 808–817
  - inline code models, 741–749

- master pages, 789–793
- Page class, 754–758
- panels, 764–765
- security, 827–835
- state maintenance, 835–841
- text boxes, 766
- validation controls, 784–789
- Web clients, 848–851
- Web controls
  - customizing, 793–801
  - selecting, 801–802
- Web Forms controls, 758–772
- assemblies, 10
- application domains, 639–640
- clients, 658–660
- configuration file management, 726
- configuring, 29
- deploying, 724–725
- FCL, 19
- FxCop tool, 683–686
- GAC, 16, 723–724
- hosts, 657–658, 665
- interfaces (SAO), 662–664
- managing, 29
- multiple files, 15, 34–35
- .NET, 13–18
- permissions
  - granting, 709–710
  - requesting, 711–714
- precompiling, 17–18
- private, 16–17
- satellite, 369–376
- servers, 656–657, 665–666
- shared, 16–17
- strongly named, 14, 686–691
- versioning, 690–691, 727
- @Assembly directive, 748
- asynchronous programming, 595–608
  - calls
    - event-based, 892–893
    - implementing, 599–608
    - I/O (Input/Output), 607–608
    - to Web service methods, 891–892
  - delegate invocation, 596
- attributes
  - C# classes, 83–85
  - conditional, 84–85
  - @Page directives, 746–748
  - permissions, 695, 698
    - applying, 712–713
    - declarative security, 721–722
    - testing, 713–714
  - Synchronization, 622–623
  - VaryByCustom, 843–844
  - VaryByHeader, 843–844
  - VaryByParam, 843–844
  - WebMethod, 876–877, 881–883
  - WebService, 881
  - XML serialization, 465–466
- authentication, 827
  - forms, 827–835

- FormsAuthentication class, 831–833
- SOAP, 900–903
  - viewing, 835
- authorization
  - role-based, 833–834
  - web.config file, 830–831
- AutoSizeRows method, 569
- availability of interface members, 129–130
- avoiding deadlock, 628–630

## B

- background threads, 593–594
- backing store, 245
- base classes, 87
- BeginInvoke method, 598–599
- BeginPrint event, 446–447
- BinaryFormatter object, 188
- binary serialization, 188–192
- binding
  - ADO.NET, 548–549
  - ArrayList class, 558–560
  - ASP.NET, 772–784
  - DataReader class, 772–774
  - DataSet class, 556–557, 774–776
  - DataTables class, 555–557
  - lists, 547–548
  - managers, 547, 552–554
  - policies, 29
- <Binding>, 897
- BindingManagerBase class, 553–554
- Bit Block Transfer, 421–422
- bit flags and enumerated types, 69
- bitmaps (BMP), 408
- blocks
  - catch, 151–153
  - finally, 153
  - try, 151
- BMI (Body Mass Index), 648
  - calculating, 735–741
- BMP (bitmaps), 408
- bool type, 47
- boxing, 75–77
- BreakBar property, 306
- Break property, 306
- brightness, 400
- brushes, 395–400
- BufferedStream class, 248–249
- buffering images, 413–414
- built-in events, 115–116
- built-in named permission sets, 694–695
- built-in security permissions, 695–697
- Button class, 323–324
- buttons
  - ASP.NET, 763–764
  - click events, 271
  - controls, 270
  - formatting, 323–324
  - Help, 311–312
- byte type, 48

## C

## C#

- applications
  - case sensitivity, 42
  - embedding comments, 43–45
  - naming conventions, 42–43
- arrays, 69–73
- classes
  - constants, 89–97
  - constructors, 106–112
  - defining, 82–87
  - delegates, 112–123
  - fields, 89–97
  - generics, 130–133
  - interfaces, 126–130
  - members, 88–89
  - methods, 97–106
  - operator overloading, 123–126
  - properties, 89–97
  - structures, 134–139
- code-behind models (ASP.NET), 749–754
- compiling, 31–35
- enumerated types, 66–69
- features specific to, 920–923
- layouts, 40–45
- loops, 55–59
  - do, 56
  - for, 56–57
  - foreach, 57
  - transferring control within, 58–59
  - while, 55
- objects
  - creating, 145–149
  - exception handling, 149–160
  - implementing `System.Object` methods, 160–167
  - life cycle management, 192–196
  - .NET collection classes and interfaces, 167–187
  - serialization, 187–192
- operators, 50
  - arithmetic, 50–51
  - conditional, 51–52
  - equality (`==`), 65
  - relational, 51–52
- preprocessing directives, 59–61
- primitives, 45–50
  - `bool` type, 47
  - `byte` type, 48
  - `char` type, 48
  - decimal type, 47
  - `double` type, 49
  - `int` type, 48
  - `long` type, 48
  - `Parse` method, 49–50
  - `sbyte` type, 48
  - `short` type, 48
  - `single` type, 49
  - `TryParse` method, 49–50
- statements
  - control flow, 52–53
  - `if-else`, 53–54
  - `switch`, 54–55
- strings, 61–66
- text
  - comparing strings, 212–215
  - formatting `DateTime`/numeric values, 223–231
  - modifying strings, 216–220
  - regular expressions, 232–243
  - `StringBuilder` class, 220–223
  - `System.IO` namespace, 244–263
  - `System.String` class, 209–212
  - Unicode, 204–209
- `CacheDuration` property, 882
- caching
  - ASP.NET, 841–848
  - data, 845–848
  - deploying, 723–724
  - duration of, 842
  - fragments, 844–845
  - GAC, 16, 689–690
  - location of, 842
  - output from Web operations, 882
- callbacks, 113, 595
- asynchronous calls, 603–605
- calls
  - asynchronous
    - event-based, 892–893
    - to Web service methods, 891–892
  - synchronous calls to Web service methods, 890–891
- CAO (client-activated objects), 649, 650
- carriage returns, 334–335
- case sensitivity of C# applications, 42
- casting, 46
- `catch` block, 151–153
- catching exceptions, 149
- cells
  - formatting, 573–574
  - recognizing, 574–575
- channels
  - naming, 647–648
  - remoting, 646–647
- characters, 204–208
  - carriage returns, 334–335
  - dates, 227–228
  - encoding schemes, 219–220
  - matching, 237
  - positional, 237
  - repetition, 237
  - standards, 205–209
  - strings
    - escape, 62, 216
    - tab stops, 436–437
    - XML, 482–484

- char type, 48
- Char variables, assigning, 205–206
- CheckBox class, 324–325
- CheckedListBox class, 341–342
- Checked property, 306
- CIL (Common Intermediate Language), 7
- classes
  - AmazonSearchService, 909–910
  - AppDomain, 640–643
  - ArrayList, 179–180
    - binding, 558–560
  - base, 87
  - BindingManagerBase, 553–554
  - BufferedStream, 248–249
  - built-in permission, 696–697
  - Button, 323–324
- C#
  - constants, 89–97
  - constructors, 106–112
  - defining, 82–87
  - delegates, 112–123
  - fields, 89–97
  - generics, 130–133
  - interfaces, 126–130
  - members, 88–89
  - methods, 97–106
  - operator overloading, 123–126
  - properties, 89–97
  - structures, 134–139
- CheckBox, 324–325
- CheckedListBox, 341–342
- ComboBox, 341–342
- connections (ADO.NET), 506–510
- ConnectionStringBuilder, 508
- ContextMenu, 307
- CryptoStream, 252–255
- DataAdapter, 504–506, 525–529
- DataGridView
  - configuring master-detail, 576–579
  - data binding, 563–584
  - delegates, 924–936
  - events, 571–576, 924–936
  - parameters, 934–936
  - properties, 564–571
  - virtual mode, 579–584
- DataReader, 503–504, 516–518
  - binding, 772–774
- DataRow, 521–523
- DataSet, 504–506, 518–519
  - binding, 556–557, 774–776
  - defining relationships, 530–532
  - loading data into, 523–525
  - XML, 534–540
- DataTables, 519–523, 555–557
- DateTimeFormatInfo, 230
- DbCommand, 511
- DbProviderFactories, 500
- DefaultPageSettings, 441
- Delegate, 597–599
- Directory, 256–260
- DirectoryInfo, 256–260
- DrawImage, 410
- events, 118–119
- exceptions, 155–157
- FCL, 6, 18–22
- File, 261–263
- FileInfo, 261–263
- FileStream, 245–247
- FileSystemInfo, 256
- Font, 430–433
- FontFamily, 428–429
- Form, 285–305
- FormsAuthentication, 831–833
- generics, 132
- Graphics
  - GDI+, 380–384
    - methods, 383–384
- GraphicsPath, 390–391
- GroupBox, 327
- HatchBrush, 396–397
- HttpApplication, 853–857
- HttpRequest objects, 808–812
- HttpResponse
  - objects, 813–817
  - properties, 814–816
- identifiers, 86–87
- identity permissions, 698
- instances, 92
- Label, 330–331
- LinearGradientBrush, 397–400
- ListBox, 335–341
- ListView, 342–349
- MemoryStream, 247–248
- MenuItem properties, 306
- MessageBox, 299–300
- Monitor, 623–625
- Mutex, 625–626
- .NET collections, 167–187
- NumberFormatInfo, 230
- operators, 123–126
- Page (ASP.NET), 754–758
- PageSettings, 445–446
- Panel, 328–330
- Path, 256–260
- Pen, 393–395
- PictureBox, 331–333
- PrintDocument, 439–456
  - customizing, 454–456
  - events, 440, 446–448
- ProductInfo, 911
- ProgressBar, 355–358
- ProviderFactory, 500
- proxy
  - Amazon Web services, 911–912

- classes, proxy (*continued*)
    - creating with Visual Studio.NET, 894
    - wsdl.exe utility, 885–890
  - Queue, 177–179
  - RadioButton, 325–327
  - Regex, 232–237
  - ResourceManager, 371–372
  - ResourceWriter, 371
  - ResXResourceReader, 372–373
  - ResXResourceWriter, 372
  - Semaphore, 627–628
  - ShowDialog, 300–301
  - Stack, 177–179
  - StatusStrip, 355–358
  - Stream, 244–245
  - StringBuilder, 220–223
  - StringFormat, 435
  - StringReader, 251–252
  - StringWriter, 251–252
  - structures, 137–139
  - synchronization, 621–622
  - System.Array, 71
  - System.Collections, 168
    - generic namespaces, 184–187
    - namespaces, 177
  - System.Exception, 150–151
    - properties, 150–151
  - System.Object
    - customizing, 160–167
  - System.String, 209–215
  - System.Timers.Timer, 618–619
  - System.Web.Services.WebService, 879–880
  - System.Windows.Forms.Timer, 619
  - TextBox, 333–335
  - Thread, 592
  - Timer, 355–358
  - TreeNode, 349–352
  - TreeView, 349–355
  - WebRequest, 848–851
  - WebResponse, 848–851
  - Windows.Forms.Form control classes, 271–284
  - XmlDataDocument, 491–493
  - XmlDocument, 489
  - XmlNodeReader, 477–479
  - XmlReader, 472–477
  - XmlReaderSettings, 489–490
  - XmlSerializer, 463–465
  - XmlWriter, 482–484
  - XPathDocument, 490
  - XsltTransform, 469–471
- click event buttons, 271
  - CLI (Common Language Infrastructure), 6
    - standards, 7–9
  - client-activated objects. *See* CAO
  - clients
    - ASP.NET, 848–851
    - assemblies, 658–660, 666–669
    - remoting, 643–671
    - servers (Internet interaction), 734–758
    - UDDI, 872–874
    - Web services
      - building, 884–894
      - Windows Forms, 913–915
  - Clone method, 73
  - cloning objects, 165
  - closing forms, 294
  - CLR (Common Language Runtime), 9–18
    - .NET, 10–11
    - reference/value type support, 73–77
  - CLS (Common Language Specification), 12
  - code
    - design, 682–686
    - exception handling 151–153
    - forms, 296–298
    - groups, 692
      - creating, 708–709
      - testing, 709
    - inline code models (ASP.NET), 741–749
    - isolation, 638
    - libraries, 34
    - managed, 10
    - .NET, 10–11
    - regions, 61
  - Code Access Security model, 692. *See also* security
  - CodeBase configuration, 725
  - code-behind models
    - ASP.NET, 749–754
    - global.asax files, 856–857
  - code points (Unicode identifiers), 205
  - collections, 167–187
    - bindings, 547
    - enumeration, 172
    - members (iterators), 172–174
  - colors, 400–402
    - multi-color gradients, 400
    - objects, 401
    - viewers, 402–407
    - wheels, 400
  - columns
    - DataTable.Columns property, 519–521
    - headers, 344–345
    - recognizing, 574–575
    - tab stops, 436–437
    - types, 570–571
    - value access, 517–518
  - ComboBox class, 341–342
  - CommandBuilder object, 525–526
  - command line, compiling from the, 32–35
  - commands
    - objects, 511–515
    - SQL, 512–513
  - comments, embedding, 43–45

- Common Intermediate Language. *See* CIL
- Common Language Infrastructure. *See* CLI
- Common Language Runtime. *See* CLR
- Common Language Specification. *See* CLS
- Common Type System. *See* CTS
- Compact Profile, 8
- comparing
  - abstract classes and interfaces, 130
  - classes and structures, 137–139
  - strings, 212–213
- <compilation> configuration file section, 821
- compiling
  - C#, 31–35
  - code (.NET), 10–11
  - from the command line, 32–35
  - multiple files, 34
  - Web pages, 740
- complex data types, Web Services, 906–915
- components
  - HelpProvider, 312–313
  - services, 623
- composite controls, 798–801
- compressing files, 607–608
- concatenation
  - StringBuilder class, 222
  - strings, 63–64
- conditional attributes, 84–85
- conditional caching, 843–844
- conditional compilation, 60
- conditional operators, 51–52
- configuration
  - application configuration files, 23
  - assemblies, 29
- configuration files
  - ASP.NET, 817–826
  - assembly management, 726
  - customizing, 824–826
  - message servers, 660–662
- configuring
  - CodeBase configuration, 725
  - column headers, 344–345
  - DataGridViews class, 576–579
  - integrated help systems, 308–313
  - leasing, 673–674
  - .NET Framework Configuration tool security, 704–706
  - permissions, 708
  - printer resolution, 444
  - security, 702–704, 706–711
  - strongly named assemblies, 687–688
  - Web services (Web.config file), 883
- connected models
  - ADO.NET, 502–504, 506–518
  - selecting, 532–533
- connections
  - classes (ADO.NET), 506–510
  - pooling, 510
  - strings, 507–509
- ConnectionStringBuilder class, 508
- <connectionStrings> configuration file section, 823
- constants, C# classes, 89–91
- constraints, relationships, 531–532
- constructors
  - C# classes, 106–112
  - Delegate class, 598
  - Font class, 430
  - inheritance, 107
  - instances, 106–110
  - private, 110–111
  - static, 111–112
  - StringBuilder class, 221
- content pages (ASP.NET), 789–793
- context
  - devices, 380
  - menus, 307–308
- ContextMenu class, 307
- control flow statements (C#), 52–53
- controls. *See also* user controls
  - anchoring, 275–276
  - arrays, 558–559
  - buttons, 270
  - classes, 271–284
  - composite, 798–801
  - CreateGraphics method, 381
  - CustomValidator, 787–788
  - data binding, 546–554
  - data display, 759
  - DataList, 768–772
  - DataSource property, 776–784
  - data sources, 551, 760
  - docking, 275–276
  - dragging and dropping, 363–368
  - events, 279–284
  - extending, 358–359
  - filling, 767–768
  - FlowLayoutPanel, 328–329
  - forms, 319–323
    - buttons, 323–331
    - CheckedListBox, 341–342
    - ComboBox, 341–342
    - customizing, 358–363
    - dragging and dropping, 363–368
    - group boxes, 323–331
    - iterating, 278
    - ListBox, 335–341
    - ListView, 342–349
    - panels, 323–331
    - PictureBox, 331–333
    - populating, 550
    - ProgressBar, 355–358
    - resources, 369–376
    - StatusStrip, 355–358
    - TextBox, 333–335
    - Timer, 355–358
    - TreeView, 349–355

- controls (*continued*)
- interfaces, 605–606
  - lists, 549–550, 759, 766–768
  - login, 760
  - ObjectDataSource, 781
  - positioning, 274–275
  - properties, 272–274
  - servers (View state), 744–746
  - sizing, 274–275
  - SqlDataSource, 777–780
  - state management, 797–798
  - TableLayoutPanel, 329–330
  - ToolTip, 309–310
  - validating, 760, 784–789
  - ValidationSummary, 787–789
  - values, 550–551
  - Web
    - customizing ASP.NET, 793–801
    - selecting ASP.NET, 801–802
    - Web Forms, 758–772
    - Web pages, 802
    - XmlDataSource, 781–784
- conventions, naming, 42–43
- converting
- Char values, 206
  - narrowing, 46
  - numeric types, 49–50
  - resource files, 373
  - widening, 46
- CookieContainer property, 893–894
- copying images, 418
- Copy method, 73
- CreateGraphics method, 381
- creational patterns, 145
- cross-page posting, 758
- CryptoStream class, 252–255
- CTS (Common Type System), 11–13
- cultures
- assembly settings, 17
  - dates, 230
  - strings, 213–215
- CurrentThread property, 609
- custom Web controls, 796–797
- custom date formats, 228–229
- <customErrors> configuration file section, 821–822
- customizing
- ADO.NET Web controls, 793–801
  - class exceptions, 155–157
  - configuration files, 824–826
  - controls, 358–363
  - data sources, 559–560
  - events, 118–119
  - HTTP
    - handlers, 862–864
    - modules, 858
  - interfaces, 127–129
  - list boxes, 339–341
  - PrintDocument class, 454–456
  - System.Object class, 160–167
  - CustomValidator control, 787–788

**D**

- 
- DashStyle property, 394
  - data access models (ADO.NET), 502–506
  - DataAdapter class, 504–506, 525–529
  - databases
    - SQL, 507. *See also* SQL
    - synchronizing, 526–529
    - updating, 525–529, 562–563
  - data binding. *See also* binding
    - applications, 555–563
    - DataGridView class, 563–584
    - overview of, 546–554
  - DataBindings.Add method, 547
  - data caching, 845–848
  - data display controls, 759
  - DataError event, 575
  - data error handling, 575–576
  - DataGridView class
    - data binding, 563–584
    - delegates, 924–936
    - events, 571–576, 924–936
    - master-detail, 576–579
    - parameters, 934–936
    - properties, 564–571
    - virtual mode, 579–584
  - DataList controls, 768–772
  - data providers
    - factories, 500–502
    - .NET, 499–502
  - DataReader class, 503–504, 516–518
    - binding, 772–774
  - DataRow class, 521–523
  - DataSet class, 504–506, 518–519
    - binding, 556–557, 774–776
    - defining relationships, 530–532
    - loading data into, 523–525
    - XML, 534–540
  - DataSource property controls, 776–784
  - data sources
    - controls, 551, 760
    - customizing, 559–560
    - items, 560–561
    - for reports, 450
  - DataTable.Columns property, 519–521
  - DataTables class, 519–523, 555–557
  - data types
    - C# primitive, 45–46
    - Web Services, 906–915
  - dates, 230
  - DateTime class, formatting, 223–231
  - DateTimeFormatInfo class, 230
  - DbCommand class, 511

- DbProviderFactories class, 500
  - deactivating forms, 294
  - deadlock, avoiding, 628–630
  - decimal type, 47
  - declarative security, 711
    - permission attributes, 721–722
  - decoding, 219. *See also* encoding
  - <Definitions>, 896
  - delayed signing, 688–689
  - Delegate class, 597–599
  - delegates
    - anonymous methods, 117–118
    - asynchronous invocation, 596
    - C# classes, 112–123
    - DataGridView class, 924–936
    - events
      - defining, 119–120
      - handling, 115–123
    - MethodInvoker, 606–607
    - multicasting, 114
  - deleting
    - nodes, 351, 491–493
    - subdirectories, 258
  - deploying
    - applications, 722–727
      - CAO applications, 669
      - custom HTTP handlers, 865
      - custom HTTP modules, 859
      - GAC, 723–724
      - private assemblies, 724–725
      - XCOPY, 722–723
  - derived classes, 87
  - DES algorithm, 253
  - devices, context, 380
  - 2-D graphics, 388–393
  - diagnostic directives, 60–61
  - dialog boxes, forms, 298–301
  - Dijkstra, Edsger, 633
  - directives
    - @Assembly, 748
    - diagnostic, 60–61
    - @Import, 748
    - @Page, 746–748
    - preprocessing C#, 59–61
    - @Register, 748–749
    - WebService, 876
  - directories
    - members, 257
      - System.IO namespace, 255–263
  - Directory class, 256–260
  - DirectoryInfo class, 256–260
  - DISconnected models, selecting, 532–533
  - disconnected models (ADO.NET), 504–506, 518–533
  - discovery
    - UDDI. *See* UDDI
    - Web services, 871–874
  - Dispose method, 195–198, 382
  - docking controls, 275–276
  - documenting XML tags, 44
  - Document Object Model. *See* DOM
  - documents
    - fragments, 474
    - printing, 441. *See also* printing
    - XML, 463. *See also* XML
  - DoDragDrop method, 363
  - do loops, 56
  - domains
    - AppDomain class, 640–643
    - applications, 638–643
    - assemblies, 639–640
  - DOM (Document Object Model), 485
  - double type, 49
  - downloading files, 816–817
  - dragging and dropping controls, 363–368
  - DrawImage class, 410
  - drawing, 380. *See also* GDI+
    - multi-line text, 434–435
    - rectangles, 417–419
    - text strings, 433–439
  - DrawRectangle method, 382
  - duration of caching, 842
- ## E
- 
- ECMA International, 6
  - embedding comments, 43–45
  - Enabled property, 306
  - EnableSession property, 882
  - encapsulation, monitoring, 624–625
  - encoding
    - strings, 219–220
    - Unicode, 204–208
  - encryption, 252–255. *See also* security
  - EndCap property, 395
  - EndInvoke method, 599
  - EndPrint event, 447
  - enumerated types
    - bit flags and, 69
    - C#, 66–69
  - enumeration
    - collections, 172
    - iterators, 173
    - System.Enum methods, 68
    - XML, 476
  - environments
    - IDE, 31
    - .NET Framework. *See* .NET Framework
  - equality (==) operator, 65
  - Equals( ) method, 163–165
  - errors. *See also* troubleshooting
    - data error handling, 575–576
    - updating, 528
  - escape characters, 62
  - escape sequences, 237



## events

- asynchronous calls, 892–893
- BeginPrint, 446–447
- binary serialization, 190–191
- built-in, 115–116
- buttons, 271, 324
- controls, 279–284
- customizing, 118–119
- DataError, 575
- DataGridView class, 571–576, 924–936
- declaring, 118
- delegates, 119–120
- dragging and dropping, 365–368
- EndPrint, 447
- handling, 115–123
- keyboard, 282–284
- mouse, 279–282
- overriding, 314–315
- Page\_Load, 762–763
- pages, 757–758
- Paint (GDI+), 384–388
- PrintDocument class, 440, 446–448
- PrintPage, 448–449
- propertyChanged, 551
- QueryPageSettingsEvent, 447–448
- servers, 753

Everything permission, 694

evidence, 692, 698–701

exceptions

- classes, 155–157
- handling, 149–160
  - guidelines, 159–160
  - SEH, 149
  - writing code to, 151–153
- SOAP, 904–905
- System.Exception class, 150–151
- unhandled, 157–159

ExecuteReader method, 512, 772

Executexxx methods, 512

executing

- SQL commands, 512–513
- stored procedures, 513–515

Execution permission, 694

Expect100Continue property, 916

Extended Markup Language. *See* XML

Extended Style Language Transformation. *See* XSLT

extending

- controls, 358–359
- Web services, 880–883

extracting substrings, 64–65

**F**

## factories

- creational patterns, 145
- data providers, 500–502
- multiple, 148–149

familles of fonts, 428

FCL (Framework Class Library), 6, 18–22

- factory creational patterns, 145
- namespaces, 20–22

## fields

- C# classes, 91–93
- initializing, 135
- static read-only, 92

File class, 261–263

FileInfo class, 261–263

files. *See also* directories

- application configuration, 23
- .asmx, 877

- code-behind models, 856–857

- compressing, 607–608

- configuration

- ASP.NET, 817–826

- customizing, 824–826

- managing assemblies, 726

- message servers, 660–662

- downloading, 816–817

- global.asax, 854–856

- listing files and directories, 259–260

- manifests, 14

- multi-file assemblies, 15

- multiple, 34

- opening files, 261–263

- resources, 369–373

- schemas, 534–536

- System.IO namespace, 255–263

- text

- creating resource strings from, 380–371

- reading from, 250–251

- writing to, 249–250

- web.config, 818–823

- authorization, 830–831

- configuring Web services, 883

- forms authentication, 828–830

- XML, 463. *See also* XML

FileStream class, 245–247

FileSystemInfo class, 256

finalization, 194–195

Finalize method, 196–198

finally block, 153

F1 keys, invoking help, 311–312

flags, bit and enumerated types, 69

FlowLayoutPanel control, 328–329

Focus and tab order, 277

Font class, 430–433

FontFamily class, 428–429

fonts

- formatting, 430–431

- GDI+, 428–433

- metrics, 431–433

foreach loops, 57

foreground threads, 593–594

foreign keys, 532

- for loops, 56–57
- formatters, remoting, 646
- formatting
  - BinaryFormatter object, 188
  - buttons, 323–324
  - cells, 573–574
  - checkboxes, 325
  - content pages, 791–792
  - control buttons, 270
  - DateTime values, 223–231
  - files (XML), 463
  - fonts, 430–431
  - forms, 270, 293
    - appearance, 286–290
      - localized, 373–376
      - locations, 290–291
    - MDI menus, 303–305
  - items (ListView), 345–346
  - master pages, 790–791
  - numeric values, 223–231
  - objects, 145–149
    - colors, 401
    - FontFamily, 429
    - pages for printing, 445–446
    - regular expressions, 237–238
    - schemas, 534–536
    - String.Format method, 223
    - strings, 209–211, 435
    - tab stops, 436–437
    - text, 333–335
    - Web controls, 760–761
    - XML, 917–918
- Form class, 285–305
- forms
  - activating, 294
  - ASP.NET. *See* ASP.NET
  - authentication, 827–835
  - closing, 294
  - code, 296–298
  - controls, 319–323
    - buttons, 323–331
    - CheckedListBox, 341–342
    - ComboBox, 341–342
    - customizing, 358–363
    - dragging and dropping, 363–368
    - group boxes, 323–331
    - iterating, 278
    - labels, 323–331
    - ListBox, 335–341
    - ListView, 342–349
    - panels, 323–331
    - PictureBox, 331–333
    - populating, 550
    - ProgressBar, 355–358
    - resources, 369–376
    - StatusStrip, 355–358
    - TextBox, 333–335

- Timer, 355–358
- TreeView, 349–355
  - creating, 270
  - deactivating, 294
  - dialog boxes, 298–301
  - formatting, 286–290, 293
  - Help, 308–313
  - inheritance, 313–315
  - interaction, 294–298
  - life cycles, 292–294
  - locations, 290–291
  - MDI, 301–306
  - menus, 306–308
  - messages, 298–301
  - opacity, 287
  - owned, 298–299
  - owner, 298–299
  - sizing, 290–291
  - transparency, 287–290
  - viewing, 292, 293
- FormsAuthentication class, 831–833
- fragments, 474, 844–845
- Framework Class Library. *See* FCL
- Framework Configuration tool, 29–30
- frozen columns, 570
- FullTrust permission, 694
- functions (XPath), 488–489
- FxCop tool, 683–686

## G

- GAC (Global Assembly Cache), 16, 689–670
  - deploying, 723–724
- Garbage Collection (.NET), 192–198
- GDI+, 379–423
  - fonts, 428–433
  - Graphics class, 380–384
  - Graphics object, 388–407
  - images, 407–422
  - Paint events, 384–388
  - printing, 439–456
  - text, 433–439
  - Windows, 421–422
- GDI (Graphical Device Interface), 379
- generics
  - C# classes, 131–133
  - classes, 132
    - collection class example, 184–187
- GetHashCode method, overriding, 164–165
- GIF (Graphics Interchange Format), 408
- global.asax files, 854–856
  - code-behind models, 856–857
- Global Assembly Cache. *See* GAC
- gradients, creating, 400
- granting permissions, 709–710
- Graphical Device Interface. *See* GDI
- Graphical User Interface. *See* GUI

graphics. *See also* GDI+; images

2-D, 388–393

GDI+, 379. *See also* GDI+

Graphics class

GDI+, 380–384

methods, 383–384

Graphics.DrawString method, 433

Graphics Interchange Format (GIF), 408

Graphics object (GDI+), 388–407

GraphicsPath class, 390–391

GroupBox class, 327

guidelines

code design, 682–686

connection pooling, 510

handling exceptions, 159–160

GUI (Graphical User Interface), 267

## H

handlers (HTTP), 862–866

handling

data errors, 575–576

events, 115–123

buttons, 324

on servers, 753

exceptions, 149–160

guidelines, 159–160

SEH, 149

SOAP, 904–905

writing code to, 151–153

keyboard events, 282–284

mouse events, 279–282

Hashtable

creating, 182–183

interfaces, 181–184

keys, 183, 210

serialization, 189

values, 183

HatchBrush class, 396–397

headers

columns, 344–345

SOAP, 900–903

heaps, 11, 74

height

fonts, 431–433

rows in DataGridView, 569–570

Help, adding forms, 308–313

HelpProvider component, 312–313

hiding IL, 27–28

high surrogates, 205

hit testing shapes, 391–393

hosts, assemblies, 657–658, 665

hot keys, 306

HSB (hue/saturation/brightness), 400

HSL (hue/saturation/luminosity), 400

HTML (Hypertext Markup Language), 734

code-behind models (ASP.NET), 749–754

inner content, 767

tags, 752

XML style sheets, 470–471

HttpApplication class, 853–857

HTTP (Hypertext Transfer Protocol), 734, 870

ASP.NET, 808–817

handlers, 862–866

modules, 857–862

pipelines, 851–866

HttpRequest class objects, 755–756, 808–812

HttpResponse class

object, 755–756, 813–817

properties, 814–816

Hypertext Markup Language. *See* HTML

Hypertext Transfer Protocol. *See* HTTP

## I

ICollection interfaces, 169–170

IComparable interfaces, sorting, 175–176

IComparer interfaces, sorting, 175–176

icons, specifying, 345–346

IDbCommand interface, 511–515

IDbConnection interface, 506

IDE (Integrated Development Environment), 31, 267

identifiers, classes, 86–87

identifying updating, 561–562

identity permissions, 697–698

IDictionaryEnumerator interfaces, 182

IDictionary interfaces, 181

IEnumerable interfaces, 170–172

IEnumerator interfaces, 170–172

if-else statements, 53–54

IHashCodeProvider interfaces, 170

Ildasm.exe, 25–28

IL (Intermediate Language), 10

hiding, 27–28

viewing, 26

IList interfaces, 179–180

images

buffering, 413–414

copying, 418

creating, 414–421

GDI+, 407–422

loading, 408–411

menus, 415–417

mirroring, 412–413

modifying, 411–414, 420–421

Ngen, 17

PictureBox class, 331–333

rectangles, 417–419

returning, 907–908

rotating, 412–413

saving, 408–411

servers, 664–669

ToolTip controls, 310

@Import directive, 748

- indexers (C# classes), 95–97
  - IndexOf method, 64
  - infrastructure (CLI), 6
  - inheritance
    - classes
      - C#, 87
      - defining, 82
    - constructors, 107
    - forms, 313–315
    - methods, 100–101
    - structures, 138
  - Initialization Vector (IV), 253
  - initializers, 108–110
  - initializing
    - fields, 135
    - interfaces, 762–763
    - virtual DataGridView, 581
  - inline code models (ASP.NET), 741–749
  - inner HTML content, 767
  - in-process session state, 840
  - Input/Output. *See* I/O
  - inserting. *See* adding
  - instances
    - class references, 92
    - constructors, 106–110
  - Integrated Development Environment. *See* IDE
  - integrated help systems, configuring, 308–313
  - interaction, forms, 294–298
  - interfaces
    - abstract classes, 130
    - assemblies (SAO), 662–664
    - C# classes, 87, 126–130
    - controls, 605–606
    - customizing, 127–129
    - GDI, 379. *See also* GDI
    - GUI, 267
    - Hashtable, 181–184
    - ICollection, 169–170
    - IComparable, 175–176
    - IComparer, 175–176
    - IDbCommand, 511–515
    - IDbConnection, 506
    - IDictionary, 181
    - IDictionaryEnumerator, 182
    - IEnumerable, 170–172
    - IEnumerator, 170–172
    - IHashCodeProvider, 170
    - IList, 179–180
    - initializing, 762–763
    - MDI, 301–306
    - members, 129–130
    - methods, 130
    - .NET collections, 167–187
    - OLE DB, 499
    - simple controls, 761–766
  - Intermediate Language. *See* IL
  - Internet client-server interaction, 734–758
  - Internet permission, 694
  - interning strings, 209–211
  - Interop, 8
  - int type, 48
  - Invalidate method, 381, 384–385
  - Invoke method, 598
  - I/O (Input/Output), asynchronous calls, 607–608
  - isolation, code, 638
  - IsPostBack property, 756
  - items
    - data caches
      - adding to, 845–846
      - retrieving from, 846
    - data sources, 560–561
    - detecting, 347–348
    - iterating, 347
    - Listview, 345–346
    - selecting, 768
    - sorting, 348–349
  - iterating
    - controls on forms, 278
    - items, 347
    - nodes, 352
  - iterators, 172–174
  - IV (Initialization Vector), 253
- ## J
- 
- JavaScript, BMI calculators, 736–739
  - JIT (Just-in-Time), 10
  - JPEG (Joint Photographics Experts Group), 408
  - Just-in-Time. *See* JIT
- ## K
- 
- Kernel Profile, 8
  - keyboard events, handling, 282–284
  - keys
    - F1 (help), 311–312
    - foreign, 532
    - hashtables, 183, 210
    - hot, 306
    - primary, 521
    - private, 253, 688
    - public, 17, 253, 687
- ## L
- 
- Label class, 330–331
  - leasing, 671–675
    - objects, 650
  - libraries
    - code, 34
    - FCL, 6, 18–22
    - forms, 313–314

- life cycles
    - forms, 292–294
    - object management, 192–198
  - lifetimes of leases, 674–675
  - LinearGradientBrush class, 397–400
  - lines
    - DrawLine method, 382
    - multi-line text, 434–435
  - linking, 546. *See also* binding
    - ASP.NET, 740
  - ListBox class, 335–341
  - listing
    - files, 259–260
    - font families, 429
    - Hashtable keys and values, 183
  - lists
    - binding, 547–548
    - controls, 549–550, 759, 766–768
    - navigating, 553–554
  - ListView class, 342–349
  - literals, strings, 61–63
  - loading
    - data
      - ADO.NET, 505
      - into DataSet class, 523–525
      - images, 408–411
    - LocalIntranet permission, 694
  - localization
    - characters, 206–207
    - forms, 373–376
  - <location> configuration file section, 820
  - location
    - Control property, 272
    - form location, 290–291
  - locking
    - deadlock, 628–630
    - objects, 624
  - login
    - controls, 760
    - FormsAuthentication class, 831–833
  - long type, 48
  - loops (C#), 55–59
    - do, 56
    - for, 56–57
    - foreach, 57
    - transferring control within, 58–59
    - while, 55
  - low surrogates, 205
- M**
- 
- Main () method, 41
  - maintenance
    - CookieContainer property, 893–894
    - state (ASP.NET), 835–841
  - manifests, 14, 686
  - marshaling by reference (MBR), 649–650
  - marshaling by value (MBV), 648–649
  - master-detail views, configuring, 576–579
  - master pages (ASP.NET), 789–793
  - Matches () method, 235–237
  - matching characters, 237
  - Match () method, 235–237
  - MBR (marshaling by reference), 649–650
  - MBV (marshaling by value), 648–649
  - MDI (Multiple Document Interface), 301–306
  - memory
    - allocating, 74–75, 77
    - intern pools, 209
    - releasing, 77
  - MemoryStream class, 247–248
  - MenuItem class properties, 306
  - menus
    - buttons (ASP.NET), 763–764
    - context, 307–308
    - forms, 306–308
    - images, 415–417
    - MDI forms, 303–305
  - <Message>, 896
  - MessageBox class, 299–300
  - MessageName property, 882
  - messages
    - HTTP response, 813–814
    - request, 809–810
  - metadata, 10, 14
  - MethodInvoker delegate, 606–607
  - methods
    - accessor, 93
    - anonymous, 117–118
    - asynchronous, 598–607
    - C# classes, 97–106
    - ExecuteReader, 512, 772
    - inheritance, 100–101
    - interfaces, 130
    - modifiers, 98–103
    - multicasting, 114
    - Parse, TryParse, 49–50
    - ShowHelp, 312
    - structures, 136–137
  - methods, .NET Framework
    - ControlBindingsCollection, 547
    - System.Array, 71–73
    - System.Char, 206–208
    - System.Enum, 68
    - System.Drawing.Graphics, 388–391, 433
    - System.IO.DirectoryInfo, FileSystemInfo, 256–260
    - System.Object, 160–167, 195–198
    - System.RegularExpressions.Regex, 233–237
    - System.String, 212–219, 223
    - System.Text.StringBuilder, 221–222
    - System.Web.HttpResponse, 816
    - System.Windows.Forms.Control, 381
    - System.Xml.XmlWriter, 482–484

System.Xml.Xsl.XslTransform, 471  
 metrics, sizing fonts, 431–433  
 Microsoft CIL standards, 7  
 Microsoft Intermediate Language. *See* MSIL  
 mirroring images, 412–413  
 MMC (Microsoft Management Console)  
     Framework Configuration tool, 29  
 modeless forms, life cycles of, 292  
 modifiers  
     abstract, 86, 102–103  
     access, 85–86, 89  
     fields, 91  
     methods, 98–103  
     override, 100–101  
     sealed, 86, 102–103  
     stack walk, 719–720  
     versioning, 101–102  
     virtual, 100–101  
 modules (HTTP), 857–862  
 Monitor class, 623–625  
 monitoring encapsulation, 624–625  
 mouse events, handling, 279–282  
 moving controls, 363–368  
 MSIL (Microsoft Intermediate Language), 10  
 multicasting delegates, 114  
 multi-color gradients, creating, 400  
 multi-file assemblies, 15  
 multi-line text, drawing, 434–435  
 Multiple Document Interface. *See* MDI  
 multiple files, compiling, 34  
 multithreading, 592–595  
     applying, 613–617  
     user interface controls, 605–606  
 Mutex class, 625–626

## N

Nagle algorithm, 916–917  
 namespaces  
     FCL, 20–22  
     System.Collections class, 177, 184–187  
     System.Drawing.Drawing2D, 390  
     System.IO  
         directories, 255–263  
         files, 255–263  
         streams, 244–255  
     System.Web.UI.WebControls, 759  
     using statements, 40  
 naming  
     assemblies, 16  
     channels, 647–648  
     conventions, 42–43  
     identifiers, 86–87  
     paths, 260  
     permission sets, 694–695  
     strongly named assemblies, 686–691  
 narrowing conversion, 46

Native Image Generator. *See* Ngen  
 navigating  
     lists, 553–554  
     XPath, 485  
 .NET  
     ADO.NET. *See* ADO.NET  
     ASP.NET. *See* ASP.NET  
     assemblies, 13–18  
     built-in security permissions, 695–697  
     compiling code, 10–11  
     CTS, 11–13  
     data providers, 499–502  
     FCL, 6, 18–22  
     features specific to, 920–923  
     Framework  
         Configuration tool, 704–706  
         overview of, 6–9  
         SDK, 22–30  
         standards, 7–9  
         tools, 23–30  
         updating, 23  
     Garbage Collection, 192–198  
     generics, 131–133  
     OLE DB providers in, 498–499  
     operator overloading, 125  
     security policies, 701–704  
     Visual Studio.NET. *See* Visual Studio.NET  
 Ngen (Native Image Generator), 17  
 nodes  
     adding, deleting, iterating TreeView, 351–352  
     trees  
         adding on, 491–493  
         deleting on, 491–493  
         XmlNodeReader class, 477–479  
 Nothing permission, 694  
 NumberFormatInfo class, 230  
 numeric types, primitives, 49–50  
 numeric values, formatting, 223–231

## O

obfuscation and Ildasm.exe, 27–28  
 ObjectDataSource control, 781  
 objects  
     ArrayList, 69  
     BinaryFormatter, 188  
     C#  
         creating, 145–149  
         exception handling, 149–160  
         implementing System.Object methods, 160–167  
         life cycle management, 192–196  
         .NET collection classes and interfaces, 167–187  
         serialization, 187–192  
     CAO, 649–650, 664–669  
     cloning, 165  
     CommandBuilder, 525–526

- objects (*continued*)
    - commands, 511–515
    - finalization, 194–195
    - locking, 624
    - polling, 600–603
    - SAO, 649–652, 654–664
    - SOAP, 643
    - synchronization, 600–603
    - WKO, 649
  - OLE DB providers in .NET, 498–499
  - one-way data binding, 550–551
  - opacity of forms, 287
  - opening files, 261–263
  - OpenType fonts, 428. *See also* fonts
  - operators
    - C#, 50
      - arithmetic, 50–51
      - conditional, 51–52
      - equality (=), 65
      - relational, 51–52
    - overloading, 123–126
    - XPath, 487–489
  - optimistic concurrency, 526
  - ordering tabs, 277
  - out-of-process sessions, 840–841
  - output caching, pages, 842–845
  - overloading
    - operators, 123–126
    - strings, 65–66
  - override modifiers, 100–101
  - overriding
    - events, 314–315
    - GetHashCode method, 164–165
  - owned and owner forms, 298–299
- P**
- 
- Page class (ASP.NET), 754–758
  - @Page directives, 746–748
  - Page\_Load event, 762–763
  - pages. *See also* Web pages
    - events, 757–758
    - output caching, 842–845
  - PageSettings class, 445–446
  - pages to print, selecting, 443–444
  - Paint events (GDI+), 384–388
  - Panel class, 328–330
  - panels
    - ASP.NET, 764–765
    - images, 420–421
  - parameters
    - commands without stored procedures, 515
    - DataGridView class, 934–936
    - passing, 103–106
    - passing to threads, 610–611
    - types, 184
  - Parse method, 49–50
  - parsing numbers, 243
  - partial classes, code-behind with, 753–754
  - partial pages, caching, 844–845
  - Path class, 256–260
  - paths
    - naming, 260
    - synchronization, 620
  - patterns
    - creational, 145
    - custom date formatting, 228–229
    - regular expressions, 237–238
  - Pen class, 393–395
  - performance
    - AppDomain, 639
    - View state, 745
    - Web services, 916–918
  - permissions, 693–698
    - assembly requests, 711–714
    - attributes, 695, 698
      - applying, 712–713
      - declarative security, 721–722
      - testing, 713–714
    - built-in security, 695–697
    - creating, 708
    - granting, 709–710
    - identity, 697–698
  - PictureBox class, 331–333
  - pipelines (HTTP), 851–866
  - PNG (Portable Network Graphics), 408
  - policies
    - binding, 29
    - default configuration, 705–706
    - security, 701–704
  - polling objects, 600–603
  - polymorphism, 98
  - pooling
    - connections, 510
    - threads, 596, 617–618
  - populating controls in forms, 550
  - positioning
    - controls, 274–275
    - tab stops, 436–437
  - postbacks, 756
  - posting, cross-page, 758
  - precompiling. *See also* compiling
    - assemblies, 17–18
  - preprocessing directives (C#), 59–61
  - previewing printing, 449–454
  - primary keys, 521
  - primary threads, 592
  - primitives (C#), 45–50
    - bool type, 47
    - byte type, 48
    - char type, 48
    - decimal type, 47
    - double type, 49
    - int type, 48

- long type, 48
- Parse method, 49–50
- sbyte type, 48
- short type, 48
- single type, 49
- TryParse method, 49–50
- PrintDocument class, 439–456
  - customizing, 454–456
  - events, 440, 446–448
- printers
  - resolution, 444
  - selecting, 443
- PrinterSettings object, 442–444
- printing
  - GDI+, 439–456
  - pages, 443–444
  - previewing, 449–454
- PrintPage event, 448–449
- priority threads, 592
- private assemblies, 16–17
  - deploying, 724–725
- private constructors, 110–111
- private keys, 253
  - delayed signing, 688
- processing HTTP pipeline requests, 851–853
- ProductInfo class, 911
- profiles
  - Compact Profile, 8
  - Kernel Profile, 8
- programmatically security, 715–722
- ProgressBar class, 355–358
- properties
  - C# classes, 93–95
  - controls, 272–274, 546
  - DataGridView class, 564–571
  - DataSource controls, 776–784
  - DataTable.Columns, 519–521
  - forms, 285
  - HttpRequest class, 810–812
  - HttpResponse class, 814–816
  - MenuItem class, 306
  - Page class, 755
  - structures, 136–137
  - System.Array class, 71
  - System.Exception class, 150–151
  - XmlReaderSettings class, 489–490
- propertyChanged event, 551
- ProviderFactory class, 500
- providers. *See also* data providers
- proxy classes
  - Amazon Web services, 911–912
  - remoting, 645–646
  - Visual Studio.NET, 894
  - wsdl.exe utility, 885–890
- public keys, 253
- tokens, 17, 687

## Q

- queries (XPath), 486–489
- QueryPageSettingsEvent event, 447–448
- Queue class, 177–179

## R

- RadioButton class, 325–327
- RadioCheck property, 306
- RAD (Rapid Application Development), 15
- reading
  - resource files, 372–373
  - text, 249–251
  - XML, 472–482, 537–540
- ReadOnly columns, 570
- read-only fields, static, 92
- rectangles
  - drawing, 417–419
  - DrawRectangle method, 382
- red/green/blue (RGB), 400
- references
  - instances, 92
  - MBR, 649–650
  - objects, 165
  - support for CLR, 73–77
  - types, 11, 138
- reflection, 8
  - TreeView class, 352–355
- Regex class, 232–237
  - IsMatch method, 233
  - Replace method, 233
  - Split method, 234
- regions, code, 61
- @Register directive, 748–749
- registering
  - methods, 113
  - types, 652–654
- registries (UDDI), 874
- regular expressions, 232–243
  - backreferencing groups, 241–242
  - creating regular expressions, 237–238
  - repetition characters, 237
- relational operators (C#), 51–52
- relationships
  - constraints, 531–532
  - tables
    - creating, 521
    - defining, 530–532
- releasing memory, 77
- Remote Procedure Call. *See* RPC
- remoting applications, 643–671
  - architecture, 644–648
  - CAO, 650, 664–669
  - design, 670–671
  - real proxies, 645
  - registration, 652–654



remoting applications (*continued*)  
 SAO, 650–652, 654–664  
 types of, 648–650

reports  
 code for, 451–454  
 data sources for, 450  
 previewing printing, 449–454

requests  
 Amazon Web services, 909–910  
 HTTP, 808–817, 851–853  
 permissions, 711–714  
 SOAP, 899–900  
 UDDI discovery, 873–874  
 Web (ASP.NET), 848–851

resolution, configuring printers, 444

ResourceManager class, 371–372

resources  
 files, 369–373  
 forms, 369–376  
 localization, 375  
 scavenging, 846

ResourceWriter class, 371

responses  
 HTTP, 808–817  
 SOAP, 900  
 Web (ASP.NET), 848–851

ResXResourceReader class, 372–373

ResXResourceWriter class, 372

retrieving items from data caches, 846

reversing text, 242

rewriting URLs, 859

RGB (red/green/blue), 400

role-based authorization, adding, 833–834

rolling back updates, 527

rotating images, 412–413

rows  
 DataGridView class, 566–568  
 DataRow class, 521–523  
 height, 569–570  
 recognizing, 574–575  
 updating, 528

RPC (Remote Procedure Call), 870

runtime, localization resources, 375

## S

safety threads, 620

SAO (server-activated objects), 649–652

satellite assemblies, 369, 374  
 Visual Studio.NET, 375–376

sbyte type, 48

schemas  
 creating, 534–536  
 XML, 480–481  
 XSD, 466–468

scraping Web pages, 850

SDK (Software Development Kit), 22–30

sealed modifiers, 86, 102–103

searching. *See also* queries  
 strings, 216–217  
 substrings, 64–65  
 XML with XPath, 484–493

Secure Sockets Layer. *See* SSL

security, 692–722  
 AppDomain, 639  
 ASP.NET, 827–835  
 configuring, 706–711  
 CryptoStream class, 252–255  
 declarative, 711  
 evidence, 698–701  
 .NET Framework Configuration tool, 704–706  
 permissions, 693–698  
   attributes, 721–722  
   requesting for assemblies, 711–714  
 policies, 701–704  
 programmatic, 715–722  
 SOAP, 905–906  
 stack walk, 715–720  
 viewing, 29

SEH (structured exception handling), 149

selecting  
 ADO.NET access models, 532–533  
 ASP.NET Web controls, 801–802  
 list boxes, 338–339  
 pages to print, 443–444  
 printers, 443  
 semantics values, 134

Semaphore class, 627–628

send and forget, 590

sequences, escape, 237

serialization  
 attributes, 465–466  
 binary, 188–192  
 events, 190–191  
 objects, 187–192  
 XML, 462–466

server-activated objects. *See* SAO

server-activated single calls, 651–652

server-activated singleton, 651

servers  
 assemblies, 656–657, 665–666  
 clients, 734–758  
 configuration files, 660–662  
 event handling, 753  
 remoting, 643–671  
 UDDI, 872–874

<Service>, 898

sessions  
 CookieContainer property, 893–894  
 global.asax files, 854–856  
 state, 838–841  
 Web services, 882

<sessionState> configuration file section, 822–823

shallow copies, creating, 166–167

- shapes
  - drawing, 380. *See also* GDI+
  - DrawLine method, 382
  - DrawRectangle method, 382
  - hit testing, 391–393
- shared assemblies, 16–17
- short circuit evaluation, 52
- Shortcut property, 306
- short type, 48
- ShowDialog class, 300–301
- ShowHelp method, 312
- signatures, methods, 97
- signing, 17
- simple controls, 759, 761–766
- Simple Object Access Protocol. *See* SOAP
- single type, 49
- sink chains, 644
- site evidence, 692
- sizing
  - arrays, 70
  - controls, 274–275
  - fonts, 431–433
  - forms, 290–291
  - rows, 569–570
- SOAP (Simple Object Access Protocol), 643, 870–871, 898–906
- Software Development Kit. *See* SDK
- sorting
  - columns, 570
  - IComparable interfaces, 175–176
  - IComparer interfaces, 175–176
  - items, 348–349
- Sort method, 73
- source control responsibilities, 365–366
- special characters, carriage returns, 334–335
- specifications of CLS, 12
- sponsorship, 675–677
- SqlDataSource control, 777–780
- SQL (Structured Query Language)
  - commands, 512–513
  - connection strings, 507–509
  - stored procedures, 513–515
- SSL (Secure Sockets Layer), 905
- Stack class, 177–179
- stacks
  - runtime, 74
  - walk, 711, 715–720
- standards
  - CLI, 7–9
  - ECMA International, 6
  - .NET Framework, 7–9
- StartCap property, 395
- state, 734
  - applications, 837–838
  - ASP.NET, 835–841
  - CookieContainer property, 893–894
  - management of controls, 797–798
  - sessions, 838–841
  - threads, 594–595
  - View, 744–746
- statements
  - C#
    - control flow, 52–53
    - if-else, 53–54
    - switch, 54–55
    - using, 40
  - static constructors, 111–112
  - static method modifiers, 99–100
  - static read-only fields, 92
  - StatusStrip class, 355–358
  - stops, tags, 436–437
  - stored procedures, executing, 513–515
  - Stream class, 244–245
  - streams
    - members, 245
    - System.IO namespace, 244–255
  - StringBuilder class, 220–223
  - String.Compare method, 213–215
  - String.CompareOrdinal method, 215
  - StringFormat class, 435
  - String.Format method, 223
  - StreamReader class, 251–252
- strings
  - aligning, 438–439
  - C#, 61–66
  - comparing, 212–213
  - concatenation, 63–64
  - connections, 507–509
  - creating, 209–211
  - encoding, 219–220
  - formatting, 435
  - interning, 209–211
  - literals, 61–63
  - methods, 211–212
  - modifying, 63–66
  - overloading, 65–66
  - resources, 370–371
  - searching, 216–217
  - text, 433–439
  - transformations, 212, 217–219
  - trimming, 438–439
  - wrapping, 438–439
- StringWriter class, 251–252
- strongly named assemblies, 14, 686–691
- structured exception handling. *See* SEH
- Structured Query Language. *See* SQL
- structures
  - C# classes, 134–137
  - comparing, 137–139
  - defining, 134–135
  - inheritance, 138
  - methods, 136–137
  - properties, 136–137
- style sheets (XSLT), 468–471

- subdirectories. *See also* directories
    - creating, 258
    - deleting, 258
  - substrings. *See also* strings
    - extracting, 64–65
    - searching, 64–65
  - surrogates
    - pairs, 205
    - strings, 217
  - switch statements, 54–55
  - synchronization
    - databases, 526–529
    - objects, 600–603
    - threads, 620–630
  - Synchronization attribute, 622–623
  - synchronous calls to Web service methods, 890–891
  - System.Array class, 71
  - System.Collections class, 168
    - generic namespaces, 184–187
    - namespaces, 177
  - System.Drawing.Drawing2D namespace, 390
  - System.Enum methods, 68
  - System.Exception class, 150–151
  - System.IO namespace
    - directories, 255–263
    - files, 255–263
    - streams, 244–255
  - System.Object class, customizing, 160–167
  - System.String class, 209–215
  - System.Timers.Timer class, 618–619
  - <system.web> configuration file section, 820–823
  - System.Web.Services.WebService class, 879–880
  - System.Web.UI.WebControls namespace, 759
  - System.Windows.Forms.Timer class, 619
- T**
- 
- TableLayoutPanel control, 329–330
  - tables
    - keys, 210
    - master-detail, 577
    - relationships
      - creating, 521
      - defining, 530–532
  - tabs, ordering, 277
  - Tag Image File Format (TIFF), 408
  - tags
    - HTML, 752
    - XML documentation, 44
  - target control responsibilities, 366–368
  - TCP/IP (Transmission Control Protocol/Internet Protocol), 870
  - text
    - boxes, 766
    - C#
      - comparing strings, 212–215
      - formatting DateTime/numeric values, 223–231
      - modifying strings, 216–220
      - regular expressions, 232–243
      - StringBuilder class, 220–223
      - System.IO namespace, 244–263
      - System.String class, 209–212
      - Unicode, 204–209
    - files, 380–371
    - formatting, 333–335
    - GDI+, 433–439
    - patterns, 240–242
    - printing, 441. *See also* printing
    - reading, 249–251
    - reversing, 242
    - strings, 433–439
    - writing, 249–251
  - TextBox class, 333–335
  - Thread class, 592
  - Thread Local Storage. *See* TLS
  - threads, 590. *See also* asynchronous programming
    - aborting, 611–613
    - applying, 609–619
    - creating, 606–607, 610–611
    - CurrentThread property, 609
    - multithreading, 592–595
    - overview of, 592–595
    - parameters, 610–611
    - pooling, 596, 617–618
    - priority, 592
    - safety, 620
    - synchronization, 620–630
    - timers, 618–619
  - throwing exceptions, 149
  - TIFF (Tag Image File Format), 408
  - time, formatting, 227–231
  - Timer class, 355–358
  - timer threads, 618–619
  - time slices, 592
  - time-to-live (TTL), 671
  - TLS (Thread Local Storage), 592
  - tokens, public keys, 17, 687
  - tools
    - FxCop, 683–686
    - .NET Framework, 23–25
      - Framework Configuration tool, 29–30, 704–706
      - Ildasm.exe, 25–28
      - wincv.exe, 28
    - SDK, 22–30
      - wsdl.exe utility, 885–890
  - ToolTip controls, 309–310
  - ToString( ) method, 161–162
  - <trace> configuration file section, 822
  - transactions, rolling back updates, 527
  - transferring control within loops, 58–59
  - transforming strings, 212, 217–219
  - Transmission Control Protocol/Internet Protocol. *See* TCP/IP

transparency of forms, 287–290  
transparent proxies, 645  
transport sinks, 644  
TreeNode class, 349–352  
tree nodes  
  adding on, 491–493  
  deleting on, 491–493  
TreeView class, 349–355  
trimming strings, 438–439  
TrueType fonts, 428. *See also* fonts  
try block, 151  
TryParse method, 49–50  
TTL (time-to-live), 671  
two-way data binding, 550–551  
typefaces. *See* fonts  
types  
  CLS, 12  
  CTS, 11–13  
  enumeration (C#), 66–69  
  generics, 131–133  
  numeric, 49–50  
  references, 11  
  classes, 138  
  support for CLR, 73–77  
  registering, 652–654  
<Types>, 896

## U

UDDI (Universal Description Discovery and Integration), 872  
unhandled exceptions, 157–159. *See also* handling exceptions  
Unicode standards, 204–208  
Uniform Resource Identifier. *See* URI  
Uniform Resource Locator. *See* URL  
Universal Description Discovery and Integration. *See* UDDI  
updating  
  application state data, 837  
  controls  
    data sources, 551  
    values, 550–551  
  databases, 525–529, 562–563  
  errors, 528  
  identifying, 561–562  
  .NET Framework, 23  
URI (Uniform Resource Identifier), 734  
URL (Uniform Resource Locator), 859  
user controls  
  applying, 361–362  
  building, 359–361  
  at design time, 362–363  
user interfaces. *See also* interfaces  
  multithreading, 605–606  
using statements, namespaces, 40  
UTF-8, UTF-16, 219

## V

validation  
  XML, 480–481  
  XSD, 467–468  
Validation controls, 784–789  
  CustomValidator control, 787–788  
  ValidationSummary control, 788–789  
Value types  
  support for CLR, 73–77  
  types, 11  
variables  
  assigning, 77  
  Char, 205–206  
VaryByCustom attribute, 843–844  
VaryByHeader attribute, 843–844  
VaryByParam attribute, 843–844  
verbatim strings, 62  
versioning  
  assemblies, 16, 690–691, 727  
  modifiers, 101–102  
  serialized objects, 191–192  
View state, 744–746  
  data caching as substitute for, 846–847  
virtual mode, DataGridView class, 579–584  
virtual modifiers, 100–101  
Visual Studio.NET  
  inherited forms  
    creating, 315  
  MDI menus, 305–306  
  proxy classes, 894  
  resource localization, 374  
  satellite assemblies, 375–376  
  Web services, 878–880

## W

walking the call stack, 693  
Web clients, creating, 848–851  
web.config file, 818–823  
  authorization, 830–831  
  forms authentication, 828–830  
  Web services, 883  
Web controls, customizing, 793–801  
Web Form controls, 758–772  
WebMethod attribute, 876–877, 881–883  
Web pages  
  compiling, 740  
  controls, 802  
  scraping, 850  
WebRequest class, 848–851  
WebResponse class, 848–851  
WebService attribute, 881  
WebService directive, 876  
Web services  
  access, 877  
  Amazon, 909–912

- Web services (*continued*)  
 applying, 871–874  
 building, 875–894  
 clients (Windows Forms), 913–915  
 complex data types, 906–915  
 extending, 880–883  
 overview of, 870–874  
 performance, 916–918  
 sessions, 882  
 SOAP, 898–906  
 testing, 877–878  
 Web.config file, 883
- Web Services Description Language. *See* WSDL
- Web Services Security. *See* WS-Security
- well known objects. *See* WKO
- while loop, 55
- widening conversion, 46
- wincv.exe, 28
- Windows  
 application unhandled exceptions, 158–159  
 Bit Block Transfer, 421–422  
 Forms, 268–271. *See also* forms  
 GDI+, 421–422
- Windows Forms  
 Web services clients, 913–915
- Windows.Forms.Form class, 271–284
- WKO (well known objects), 649
- wrappers, HelpProvider, 312–313
- writing  
 resource files, 372  
 XML, 482–484
- wsdl.exe utility, 885–890
- WSDL (Web Services Description Language), 871, 895–898
- WS-Security (Web Services Security), 905
- X**
- 
- XCOPY, 722–723
- XmlDataDocument class (XPath), 491–493
- XmlDataSource control, 781–784
- XmlDocument class (XPath), 489
- XML (Extended Markup Language)  
 ADO.NET, 533–540  
 applying, 462–471  
 attributes, 465–466  
 DataSet class, 534–540  
 documentation tags, 44  
 enumeration, 476  
 formatting, 917–918  
 overview of, 461–462  
 reading, 472–482, 537–540  
 resource files, 369–373  
 schemas, 480–481  
 searching with XPath, 484–493  
 serialization, 462–466  
 Web services, 870. *See also* Web services  
 writing, 482–484
- XmlNodeReader class, 477–479
- XmlReader class, 472–477
- XmlReaderSettings class, 489–480
- XML Schema Definition. *See* XSD
- XmlSerializer class, 463–465
- XmlWriter class, 482–484
- XPath  
 functions, 488–489  
 navigating, 485  
 operators, 487–489  
 queries, 486–489  
 searching XML with, 484–493  
 XmlDataDocument class, 491–493  
 XmlDocument class, 489
- XPathDocument class, 490
- XSD (XML Schema Definition), 466–468
- XSLT (Extended Style Language Transformation), 468–471
- XsltTransform class, 469–471