

# Index

---

## A

abstraction, 5, 53, 148, 176, 184, 185, 189

    storage, 163

    virtualization, 160

acceptance criteria, 87

access

    control, 49

    isolation, 68

    role based, 56

    segment, 109

    single point of, 232

account names, 212

accounting, 41

    aggregation of records, 224

    usage, 191

activities

    control, 115

    coordination, 203

    management, 75

    operational, 58

adaptability, 152

administration, 143

    dedicated support, 171

    overhead, 161

agents

    applications, 193

    common, 208

    remote, 201

    utility computing, 93

    web based, 203

AMD, 47

analysis

    methodology, 43

    paralysis, 144

appliances, 164

applications, 8

    automatic deployment, 195

    coexistence, 60

    comparison, 200

    consolidation, 190

    custom, 197, 199

    data center level, 196

    decision support, 181

    definition, 181

    distributed, 193

    efficiency, 209

    encoding dependencies, 200

    grid, 231, 234

    hierarchical view, 197

    horizontal scaling, 157

    image based, 123

    installation, 207

    isolation, 190, 220

    management, 91, 201

    mobility, 42

    networked, 234

    partitionable, 157

    removal, 71

    rightsizing, 227

    server, 22, 47, 181, 283


    shared, 175

    testing, 124

    versions, 117

    web based, 234





approaches

- architecture centric, 51
- building blocks, 141
- building blocks, 180
- container, 191
- object oriented, 200
- phased, 214
- standards based, 234

architects, 19

architectural

- approach, 120
- framework, 15

architectures, 8

- building blocks, 43, 179
- complex software, 144
- distributed, 230
- functional, 140
- horizontal, 169
- individual qualities, 48
- micro, 218
- prototype, 51
- reference, 218
- service oriented, 225, 282
- sophistication, 188
- stack, 181
- strategic flexibility, 141

archives, 173

assets

- strategic, 122
- utilization, 133, 142

assignment, dynamic, 163

authentication-authorization middleware, 231

automation, 31, 56, 210

- administration costs, 191
- deployment, 216
- leveraging, 169
- network, 162
- policy based, 206

availability, 9, 49, 68, 122, 155, 161, 166, 221, 229

**B**

backups, 124, 175, 217

bandwidth, 8, 9, 191, 280

batch jobs, 280

best practices, 118, 156, 197

binaries, application, 208

blades, 41, 123, 152, 208, 220

Bluetooth, 146, 236

boundaries

- functional, 82
- organizational, 233
- security, 190
- software defined, 190

broadcast load, 70

building blocks, 147, 179

- application optimization, 196
- architectural, 43

builds

- standardized, 207
- updating, 93

business

- aspects, 230
- continuity, 41, 47, 123
- governance, 78
- maintaining flexibility, 151
- relationships, 35

**C**

CAP, 95


capabilities

- data center optimization, 238
- delivery, 75
- image based, 70
- IP multipathing, 69
- life cycle, 174
- multitenant data center, 220
- observability, 207
- remote management, 229
- scripting, 170
- software, 218
- storage virtualization, 164
- strategic flexibility, 219
- system, 218

capacity, 47, 67, 194


- availability, 213
- controlling, 74
- demands, 220
- load, 189
- planning, 23
- system, 205
- virtual pool of, 164






- changes
  - acceptance, 154
  - control, 109
  - frequency, 175
  - management, 91
  - system, 238
- channel partners, 155
- chaos
  - IT environment, 136
  - resolution, 117
- characteristics
  - horizontally deployed environments, 157
  - measurable, 110
  - performance, 74
  - scalability, 46
  - workload, 186
- chargeback, 126
- clients, 193
  - connections, 12
  - diverse, 46
  - requests, 194
- cloning, complete system, 220
- clustering, 11, 31, 69, 175, 283
  - general purpose, 193
  - workload, 234
- code
  - application, 176
  - custom, 47, 208
  - dynamically generated, 46
  - moving, 212
- common platforms, 157
- communication, 154, 202
- compact disc, 28, 196
- compatibility, operating system, 193
- complexity, 5, 7, 50, 54, 73, 93, 122, 132, 147, 149, 175
  - decreased administrative, 166, 220
  - management, 161
  - physical, 161
  - reducing configuration, 173
- compliance, 95, 282
- components, 8
  - additive use of, 156
  - analyzing, 202
  - application, 47, 191
  - base, 116
  - common, 141, 173
  - communication, 138
  - configuring, 202
  - custom, 32
  - data center level, 198
  - deployment, 43
  - elementary, 147
  - fixed, 58
  - functional, 90, 143
  - hardware, 139, 199
  - individual, 55, 118, 156
  - infrastructure, 184, 283
  - installing and uninstalling, 202
  - integration, 89, 157
  - load balancing, 71
  - management, 58, 282
  - middleware, 181
  - mobile, 60
  - modular deployment, 156
  - network, 43, 69, 162
  - non-abstracted, 55
  - optimized, 15
  - physical, 18, 159
  - redundant software, 97
  - repurposing, 28
  - series of, 196
  - service, 29, 43, 61, 71, 161, 196, 229
  - software, 139
  - specific service, 141, 217
  - starting and stopping, 202
  - storage, 283
  - virtualized, 148, 176
  - web infrastructure, 181
- compute, 45
  - environment, 95
  - power, 233
  - virtualization, 161
- computing
  - feedback loop, 238
  - grid, 223
  - horizontal, 188
  - peer-to-peer, 231
  - policy based, 223, 238
  - portal, 232
  - scientific, 158
  - utility, 34, 42, 223
  - vertical, 186






- conditions
    - business, 209, 210
    - external, 235
    - load requirement, 123
    - technical, 209, 221
  - confidentiality, 68
  - configurability
    - scripts, 172
  - configuration, 98
  - configurations
    - application data, 194
    - consistent, 201
    - deployment, 217
    - detailed changes, 169
    - drift, 200
    - files, 94
    - image-based provisioning, 173
    - modification, 209
    - modular, 158
    - parameters, 31
    - real time generation, 197, 200
    - redundant chassis, 167
    - reference server, 173
    - scale-out, 186
    - separate images, 173
    - services, 62
    - servicing, 93
    - storage, 55, 159
    - support, 194
    - untested, 132
    - updating, 93
  - conflicts
    - name space, 58
    - naming conventions, 114
    - security, 73
  - connections
    - client, 12
    - HTTP, 46
    - physical, 56, 193
  - consolidation, 122, 190, 230, 283
  - constraints, 114, 121
    - development team, 143
    - elimination, 224
    - environmental, 143
    - host ID, 61, 71
    - licensing, 71
    - operating system level, 185
    - regulatory, 94
    - setup, 237
    - SMART, 87
  - consumers, 67
    - goods, 134
    - technology, 35
  - consumption, 35, 157, 190, 219
  - containers, 48, 125, 176, 187, 190, 208, 213, 216, 232
  - contention, 61, 71
  - control, 43, 110, 125
    - access, 49
    - automatic management, 235
    - cluster, 194
    - crisis, 75, 117
    - data, 164
    - documentation, 155
    - grid, 234
    - performance, 60
    - plane, 236
    - systems, 238
    - version, 200
  - controllers, 283
    - array, 166, 220
    - intelligent, 166
  - costs, 74, 132, 133
    - management, 197, 227
    - minimization, 142
    - reducing, 164
    - support, 189
    - utility computing, 145
  - CPUs, 191, 210, 224, 234
  - critical-to-quality factors, 40
  - cross-contamination, 208
  - cycles, 47
    - compute, 235
    - development, 144
- D**
- data, 56
    - analysis, 124
    - availability, 193
    - gathering, 99, 119
    - mining, 233
    - observability, 210
    - policy-based systems, 237
    - replicated, 47
    - server-by-server, 202





- transactional, 193
- warehouses, 145
- data center, 7
  - automated, 199
  - dynamic, 227
  - policy based, 237
  - service centric, 132
  - strategic, 206
  - utility, 223
- database, 22, 29
  - relational, 198
- deactivation
  - server farm, 174
- decisions
  - automatic optimization, 209
  - business level, 119
  - deployment, 171
  - lowering risk, 161
  - operational, 223
  - purchasing, 226
- decomposition, 138
  - architectural, 114
  - methods, 43
- default values, 98
- defense in depth, 109
- degradation, 122
- deliverables, defined set, 155
- delivery
  - constraints, 143
  - strategic business value, 134
- demands
  - economic, 135
  - quality of service, 226
- density, 68, 72, 74, 126, 230
  - application, 208, 211, 221
  - service, 224
- dependencies, 148
  - checking, 67
  - components, 180
  - management, 200
  - operating system level, 185
  - provider-consumer, 59
  - provisioning, 61
  - tracking, 202
- deployment, 8, 12, 21, 29
  - activities, 40
  - applications, 184
  - automated, 93, 200
  - central data repository, 197
  - component level, 43
  - constraints, 143
  - entity, 48
  - life cycles, 94
  - modular, 148, 158
  - scalability, 173
  - trends, 157
  - use case driven, 197
  - web server, 175
- design, 113, 138
  - implementation, 137
  - solution, 42
  - technology, 144
  - use case driven, 50, 140
- development
  - patterns, 218
  - testing, 51
  - use case driven, 50
- devices, 193
  - connected, 146, 238
  - global, 193
- directory
  - collection of, 202
  - grid based, 234
  - server, 283
- disks, 283
  - high availability, 163
  - images, 69
  - independent, 163
  - sharing, 220
- distribution strategy, 45
- documentation
  - environment specific, 195
  - installation, 156
- domains, 58
  - global access, 193
  - secure virtual storage, 167
  - security, 69
  - system, 12
- downtime, 39, 49, 75
- dynamic
  - data center, 199, 227
  - system domains, 10, 11, 18





## E

efficiency, 14, 34, 76, 152, 198, 209  
 data center, 214  
 infrastructure level, 122  
 management, 184  
 operational, 183, 219, 227  
 strategic flexibility, 133

electrical power, 47

elements  
 architecture, 32  
 critical-to-quality, 139  
 hardware manager, 217  
 management, 91  
 network, 171  
 provisioned, 184  
 service deployment, 203  
 storage, 171  
 virtualized, 53

encapsulation, 208

enforced standards, 154

engines  
 special purpose, 201  
 virtualization, 163

entities  
 abstraction, 159  
 component level, 42  
 decomposed, 119  
 deployable, 48, 64  
 installable, 198  
 interaction, 284  
 mobile, 70  
 movement, 119  
 single managed, 193

entitlements, 109

environment  
 blades, 152  
 chaotic, 115, 117  
 cluster grid, 192  
 clustered, 60  
 complicated, 195  
 constraints, 143  
 controlled, 53  
 data center, 211  
 development, 93, 212  
 execution, 91  
 flexing, 189  
 heterogeneous, 123, 161

horizontally scaled, 64, 186, 188

host, 30

infrastructure management, 173

isolated execution, 190

mobile, 67

namespace, 59

network-accessible, 139

physical, 43, 97

pooled, 152

production, 58, 93, 132, 212, 216

runtime, 76

service-centric, 136

shared, 30

stability, 76

standardized, 94

storage, 30, 163

test, 58

testing, 93, 212

transportable, 190

vertical, 158

virtualized, 61, 167

errors, 155  
 configuration, 123, 221  
 eliminating, 97, 200  
 manual, 115, 168

escalations, reducing, 93

events  
 business, 133

**F**

fabric  
 infrastructure, 164  
 network, 57

failover, 47, 69, 218

failure  
 recovery, 15, 51  
 system, 48

faults, 42, 209

feedback, 77, 108, 209, 237

firewalls, 18, 47, 123, 162, 163, 164, 202


firmware, 70, 94

flexibility, 7, 10, 55, 69, 148, 149, 152, 159, 176, 187, 202, 215, 224

footprint, resource, 226

foundation services, 71





frameworks

- architectural, 52
- clustering, 194
- failover, 158
- industry accepted, 117
- IT management, 91
- management, 90, 124, 175
- provisioning, 94
- repeatable, 96
- reusable, 97
- SunTone AM, 43

functional

- releases, 216
- specifications, 19

functionality, 189

- automated provisioning, 170
- component, 114
- continuous delivery, 140
- introducing additional, 215
- service, 44
- software based, 192

functions

- critical, 145
- volume management, 166

**G**

global management, 156

goals

- application-level virtualization, 186
- availability, 236
- business, 43
- common platforms, 153
- containers, 191
- efficiency, 133
- infrastructure optimization, 159
- provisioning, 168
- quality of service, 34
- service, 44
- target analysis, 114
- virtualization, 160

grid

- campus, 233
- cluster, 232
- cluster consolidation, 192
- computing, 145, 223
- enabling applications, 193
- global, 192, 233

**H**

hardening, 49, 73

hardware, 47, 117

dedicated, 209

element manager, 217

hot swapping, 167

low cost, 169

lower performance, 210

network distributed, 32

topology, 46

hazard response, 87

headroom, 209

high availability, 11, 193

hosts

configuration of, 201

IDs, 58

multiple, 220

hot swapping, 167

**I**

identity, 109

images

bootable, 31

flash, 173

golden, 67, 123

master, 173

operating system, 157, 169

implementations, 32, 142, 215

design, 137

existing, 33

infrastructure, 31

scope, 215

security aspects, 162

service, 113

utility computing, 145, 228

improvements

efficiency, 133, 171

process, 120

incremental methodology, 139

indicators

key performance, 280

infrastructure


virtualization, 42

infrastructures

arcane, 35

automated, 132





infrastructures (*Continued*)

- constructive virtualization, 160
  - data center, 156, 192
  - dedicated, 171
  - distributed, 203
  - horizontally scaled, 47, 157, 169
  - management, 120
  - measurement, 92
  - network, 162
  - observability, 199, 221
  - optimized, 186, 189
  - products, 15
  - provisioned, 132
  - service delivery, 174
  - storage, 153, 163
  - vertically scaled, 158
- installations
- application, 197
  - automated, 148
  - interactive, 173
  - mechanisms, 94
  - verification, 155
- instances
- failed application, 194
  - individual server, 218
  - operating system, 187, 211
- instrumentation, 71, 211, 224, 229
- integration
- issues, 54
  - service promotion, 212
  - testing, 51
- intellectual property, 94
- interaction
- command level, 195
  - human, 212
- interfaces, 43, 189, 193
- computing, 232
  - control center, 173
  - network configuration, 218
  - specifications, 19
  - virtual, 61
- interoperability, 164, 230
- intervention, 161, 196, 207
- IP addresses, 118, 162, 173, 193, 198, 202, 213
- iterative
- construction, 51
  - methodology, 139

**K**

- kernel space, 60
- key business drivers, 82, 121, 139, 141, 185, 191

**L**


- latency, 10, 186
- layers, 42, 91
  - application, 96, 125, 132, 141, 196
  - data, 56
  - flexibility, 116
  - information, 91
  - infrastructure, 141, 149, 182, 195
  - instrumentation, 91
  - interface, 232
  - management, 91
  - observability, 199
  - operating system, 125
  - services, 132
  - storage abstraction, 163
- licensing, 70
  - additional costs, 170
  - constraints, 61
  - provisioning tools, 171
- life cycle, 132, 174
  - mobility, 208
  - promotion, 76
- limitations, 164
  - build inefficiencies, 149
  - physical, 48
- load balancers, 11, 18, 31, 47, 57, 123, 162, 193, 208
- local distributors, 202
- logging, 197
- logic unit number, 166

**M**

- mainframes, 226
- maintenance, 206
- manageability
  - single system, 193
- management, 122, 156, 169
  - change, 60, 176
  - cluster grids, 192
  - data center, 34








- dependency, 200
  - distributed, 194, 232
  - infrastructure, 42
  - IT operations, 75
  - life cycle, 221
  - resource, 223, 234
  - service level, 91, 230
  - software, 213
  - storage volumes, 167
  - workload, 145, 231
  - mapping
    - application versus infrastructure, 185
    - automated, 34
  - maturity, 75, 115, 162
    - analyzing, 171
    - automated provisioning, 170
    - IT OMCM, 154
    - operational, 75, 99, 133
    - products, 215
  - measurements, 153
    - availability, 229
    - performance, 229
  - mechanisms
    - infrastructure creation, 125
    - preflight, 98
  - mechanization, 138
  - memory, 10, 11, 55, 283
    - footprint, 73
    - physical, 191
    - virtual, 54
  - message passing, 11
  - messaging server, 283
  - metadata, 202
    - organization, 60
  - metaresource, 19
  - metaservice, 125
  - methodologies
    - acceptance, 117
    - architectural, 50
    - architecture centric, 139
    - container, 191
    - deployment, 188
    - design, 99
    - efficiency, 117
    - generalized deployment, 186
    - installation, 155
    - modular deployment, 156, 158
    - object oriented, 202
    - production lifecycle, 118, 119
    - SunTone Architecture, 138
    - system design, 159
    - systemic qualities driven, 139
  - metrics, 114, 169, 185
  - middleware, 47, 174, 216
    - authentication, 231
    - comprehensive, 198
    - definition, 181
    - provisioning, 175
  - migration, 62
  - minimization, 73
  - mirroring, 283
  - mobility, 42, 58, 68, 92
    - applications, 221
    - automated, 95
    - life cycle, 208
    - naming conventions, 60
  - models, 192
    - acquisition, 227
    - application deployment, 184
    - automated provisioning, 170
    - billing, 229
    - common platform, 157
    - grid, 231
    - management, 239
    - partitioning, 191
    - usage, 229
  - modifications, 209
  - modules, 192, 235
  - monitoring, 58, 175, 191, 208, 211, 225, 238
- N**
- naming, 47, 58, 94
    - conventions, 58, 71, 123
  - network, 45, 123
    - attached storage, 163
    - availability, 193
    - communication, 202
    - configuration, 55, 162, 207
    - data center, 162
    - latency, 280
    - subsystems, 215
  - networks, 218
  - nodes, 145, 161, 194, 231






## O

- objectives
  - service level, 32, 82, 205, 282
- observability, 41, 56, 76, 97, 108, 118, 126, 207, 238
- operating systems, 9, 11, 47, 117, 141, 150
  - basic automated install, 170
  - hosting, 30
  - image based, 184
  - independent, 187
  - independent images, 169
  - installation, 207
  - multiple partitions, 190
  - tools, 228
  - virtualization, 159
- operational
  - activities, 43, 58
  - efficiencies, 219
  - maturity, 133, 149
  - model, 24, 32
- operations
  - automation, 176
  - business, 97
  - cost effective, 149
  - infrastructure, 42
  - major types, 138
  - principles of, 14
  - proactive, 76
  - server centric, 198
- opportunities
  - application-level virtualization, 185
  - grid applications, 234
  - implementation, 163
  - organizational, 96
- optimization, 13, 141
  - business level, 119
  - data center, 141
  - policy based, 41
- organizational
  - boundaries, 233
  - maturity, 76
  - potential, 88
  - variations, 154
- outages, 93, 97, 115, 163, 194, 280

## P

- package-based installations, 170
- packages, 202, 217
- packets, 10, 162
  - drop precedence, 280
  - outgoing, 193
- parameters, 30, 280
- parity
  - checking, 15
  - group, 163
- partitioning, 56, 69, 191
- patches, 30, 62, 98, 150, 198, 206, 216
- patterns, 218
- performance, 9, 42, 155, 209, 220
  - baseline level, 67
  - control, 60
  - degraded, 163
  - virtualization, 162
- persistence, 46
- personnel, 137
- phases
  - application, 182
  - building optimization, 148
  - implementation, 214
  - infrastructure virtualization, 159
  - provisioning, 168
- platforms
  - blade server, 220
  - common, 148, 183, 207
  - definition, 279
  - enforced standards, 153
  - management, 229
  - modular deployment, 156
  - resources, 18
- policy, 7, 25, 33, 43, 56, 109, 146, 279
  - automation, 218
  - computing, 223
  - module, 192
  - negotiation, 235
  - predefined, 190
  - software modules, 235
  - utilization, 231, 235
  - violations, 71
- port numbers, 198, 202





portal interfaces, 232  
portal server, 283  
power, 118  
pricing models, 145  
principles  
    architectural, 43, 52  
    architecture, 120  
procedures, 63  
    computational, 88  
    data center level, 203  
processes, 67, 76, 283  
    architectural, 139  
    automation, 76  
    basic automated, 170  
    building block, 148  
    compute intensive, 231  
    manual, 31, 168, 195, 206  
    provisioning, 94, 168  
    standards, 154  
    tracking, 199  
processing  
    batch, 209  
    decreasing host, 220  
processors, 10, 11, 26, 158, 227  
production  
    life cycle, 58  
    prior testing, 216  
productivity, 55, 116, 151, 164  
products  
    competitive, 235  
    enhancing existing, 215  
    infrastructure, 15  
    third-party, 41  
profiles  
    basic provisioning, 172  
    user, 238  
properties  
    directory, 201  
    interface, 284  
protocols, 32, 121  
providers, 68  
    technology, 35  
provisioning, 8, 24, 41, 56, 92, 108, 195, 280  
    application, 64, 228  
    automated, 124  
    cost savings, 169

end-to-end service, 221  
examples, 30  
infrastructure level, 174  
manual process, 168  
networking, 173  
security, 56  
service, 228  
storage, 173  
uniform, 123  
proxies, 69, 202


**Q**

quality, 153, 155  
    assurance, 124  
    service, 57, 283  
    systemic, 90, 218  
quality of service, 210

**R**


RAID, 163, 166, 220, 283  
reactivity, 118  
rebinding, 29  
reconfiguration, 205  
    dynamic, 69  
    firewalls, 202  
records  
    aggregated accounting, 224  
recovery, 51, 76, 194  
redundancy, 12, 121  
    arrays, 163  
    components, 23  
registration  
    grid based, 234  
releases  
    functional, 216  
    iterative approach, 144  
reliability, 34, 48, 122, 218  
rendering, 233  
repeatability, 198  
replication, 12, 23  
    complete system, 220  
reporting, 93, 124, 200, 209






- repositories
    - central version control, 203
    - secure, 201
  - repurposing, 13, 27, 30, 41, 121, 123, 164
  - requirements
    - business, 150, 206
    - changing, 164
    - compliance, 121
    - conflicting, 73
    - functional, 140, 188
    - minimum, 209
    - prioritizing, 82
    - run time, 218
    - service, 62, 228
    - service level, 210
    - technical, 142, 188
    - traceable, 52, 116, 121
    - unique project, 233
  - resource
    - fabric, 11
  - resources, 10
    - acquisition, 229
    - administrative, 173
    - automated provisioning, 236
    - business continuity, 41
    - centralized pool, 164
    - computational, 233
    - compute, 57, 118, 192
    - constraint, 70
    - consumption, 35, 190, 219
    - control, 76
    - data center, 145
    - hosting, 62
    - improved utilization, 220
    - managed, 91
    - management, 191, 223
    - mapping, 34
    - monitoring utilization, 224
    - negotiated, 192
    - network, 118
    - operational, 132
    - optimization, 76
    - platform, 18
    - pool, 26, 57, 228
    - processes, 225
    - replaceable, 121
    - sharable, 56, 161
    - storage, 56, 118, 163
    - system, 213, 226
    - technology, 115
    - usage accounting, 191
    - utilization, 34, 223, 283
  - rightsizing, 210
  - risk, 51, 74, 144
  - ROI, 138, 144, 205, 230
  - roles, 109
  - routers, 18, 73
  - rules, 109, 153
- S**
- SAN, 153, 166, 283
  - scalability, 9, 45, 156, 166, 193, 218, 234
    - characteristics, 46
    - deployment, 173
  - scaleability, 122
  - scaling, 11, 121, 174
    - management, 33
    - vertical, 158
  - scripts, 196, 202
    - basic provisioning, 172
  - SCSI, 283
  - securability, 49, 122
  - secure partitioning, 56
  - security, 23, 46, 56, 109, 208, 237
    - domains, 69
    - violations, 71
  - servers, 58, 164
    - adequately sized, 210
    - application, 31, 34, 47, 176
    - central, 201
    - clustered, 175
    - consolidation, 191, 230
    - database, 181
    - decommissioning, 228
    - farms, 164
    - groups, 174
    - installation, 118
    - managed, 197, 200
    - master, 201
    - modularly deployed, 187
    - partition, 190
    - partitionable, 18
    - pools, 173





- proxy, 157, 203
- reference, 31
- reprovisionable, 219
- scale-up, 186
- single purpose, 152
- specific provisioning tools, 171
- web, 47, 157, 208
- service
  - directory lookup, 10
  - discrete, 13
  - functionality, 44
  - global network, 194
  - instance, 29
  - life cycle, 34, 97, 111, 123
  - lifecycle, 97
  - network-centric, 10
  - required levels, 149
  - utility computing, 145
- Service Delivery Network, 125
- service levels, 191, 194, 225
- serviceability, 49
- service-based utility, 145
- service-oriented architectures, 9
- services
  - application, 193
  - availability, 132
  - business, 145
  - centralized, 194
  - component, 282
  - components, 12, 43
  - containers, 41
  - data center observability, 209
  - decommissioning, 53
  - decomposition, 93
  - definition, 182
  - delivery, 156, 184
  - density, 72
  - distribution mechanism, 121
  - environment, 139
  - file, 47
  - foundation, 61
  - frequency, 98
  - high availability, 194
  - identity, 61
  - implementing, 98
  - improved business, 135
  - instantiation, 197
  - interruption, 62
  - level, 74
  - life cycle, 98
  - lower-level system, 47
  - management, 76
  - migration, 230
  - operating environment, 225
  - promotion, 74
  - removal, 73
  - rightsizing, 227
  - stopping and starting, 201
  - strategic, 134
  - utility based, 223, 230
  - web, 61, 145, 234
- shell scripts, 172
- signal transmissions, 88
- silos, 114, 132
- single points of failure, 121
- sizing, 118, 210
- SMART, 121
- soft-cable systems, 162, 208
- software
  - assembling, 139
  - bit transfers, 168
  - grid management, 235
  - image management, 174
  - iterative development, 144
  - multiple partitions, 190
  - network distributed, 32
  - standards, 122
  - storage management, 56
  - virtual layer, 48
- solutions
  - functional, 189
  - heterogeneous, 124
  - horizontally scaled, 121
  - optimal provisioning, 168
  - qualities, 52
  - reference, 218
  - service centric, 149
  - utility, 223
- stability, 93, 119, 155
- staff, 33, 137
- stakeholders, 86, 95, 96
- standards, 62, 154, 173
  - enforced, 148, 183
  - enterprise, 234
  - policy based, 238
  - software, 122
- state, 114, 122





- storage, 11, 30, 45, 123, 163, 212, 218, 234
  - configurations, 55
  - devices, 42, 124
  - element, 283
  - heterogeneous resources, 56
  - multi-vendor devices, 166
  - pools, 69
  - reducing image sizes, 172
  - subsystems, 215

- storage area networks, 163

- storage controllers, 17

- strategic flexibility, 123, 133, 185, 195, 206, 225
  - achieving, 136, 168
  - foundation, 141, 219

- strategic qualities, 48

- strategies
  - containers, 191

- strategy
  - distribution, 45
  - modular deployment, 157
  - SAN, 69

- striping, 124, 163

- subsystems
  - storage, 215

- SVSD, 167

- switches, 18, 69, 115, 164

- system
  - approach, 14, 28
  - domains, 12
  - faults, 209, 220
  - integration, 158
  - management software, 213
  - qualities, 44, 48

- systemic
  - approach, 14

- systems, 27, 57, 217
  - accounting, 224
  - administrative, 210
  - autonomous, 231
  - changes, 238
  - creating personality, 169
  - customer billing, 182
  - disparate, 164
  - external, 175, 229
  - file, 58, 193, 212
  - grid, 189, 223, 233
  - holistic, 236
  - hosting, 191

- intelligence, 146
- management, 227, 229
- master, 173
- observability, 209, 217
- policy based, 236
- storage, 210
- Tier 1, 216
- upgrades, 172
- utility, 223
- workload management, 231

## T

### tasks

- automating, 146, 164, 200
- commonly performed, 216
- component centric, 34
- compute, 231
- error prone, 165
- higher order, 196
- installation, 172
- provisioning, 234
- service provisioning, 208, 229
- virtualization, 57

### technology

- containers, 176
- design, 144
- enterprise management, 90
- grid, 145, 231
- phasing in, 215
- processor, 150
- providers, 35
- remote services, 229
- service delivery, 119

- telemetry, 32, 43, 126, 209, 224, 229, 236

- templates, 98, 202

### testing


- harnesses, 99, 119
- life cycle, 94
- suite, 132

- thresholds, 118
  - minimum, 67

- throughput, 34

- tiers, 42, 44
  - application, 181
  - business, 63
  - common language, 121
  - database, 181





- flexibility, 116
- presentation, 63
- scaling, 13
- standardized servers, 208
- SunTone AM, 58
- time to market, 124, 157, 219, 221
- tools
  - application provisioning, 64
  - automation, 209
  - image-based provisioning, 171
  - instrumentation, 61
  - management, 90, 186, 199
  - operating system, 228
  - partitioning, 186
  - policy-based systems, 237
  - redeploying images, 170
- traceability, 86
- tracking, 209
- training costs, 152
- transactional response time, 280
- transactions, 145, 225
- transitions, 98
- transparency, 34
- troubleshooting, 217, 229
- tuning, 31, 70, 98

## U

- updates, 62, 199
  - automatic, 190
  - software, 216
- upgrades, 11, 155, 201, 215
- uptime, 49
- usability, 48, 51, 144
- use cases, 44
  - academic, 140
  - operating system installations, 169
- user
  - authorized access, 201
  - HTML-based interface, 165
  - interface, 32
  - utility computing, 225
  - wait times, 48
- utility computing, 34, 41, 42, 93, 145, 223
- utility, data centers, 223
- utilization, 9, 122, 159, 176, 219, 223, 230
  - low average, 210

- resource, 34
- server, 234
- system, 192

## V

- validation, 82, 86
- variables, 30, 198
- vendor independence, 47
- verification, 82, 86
- version control, 200
- versioning, 155
- violations, 71
- virtualization, 24, 52, 114, 284
  - application level, 185, 190
  - asymmetric, 164
  - compute, 55, 161
  - deployment, 208
  - engines, 163
  - examples, 30
  - local area networks, 173
  - memory, 54, 283
  - storage, 160, 166
  - symmetric, 164
- visibility, 43, 63, 73, 90, 118, 161
- VLAN, 57, 162, 173, 208
- volumes, 124, 166
- VxFS, 194

## W

- web
  - servers, 22, 47
  - services, 61, 234
- wiring markup language, 162
- workflow, 212
- workloads, 12, 25, 34
  - clustering, 234
  - database, 186
  - grid, 18, 223
  - management, 231
  - transactional, 158

## Z

- zones, 68, 125

