

Index

A

- aborted transactions, 220
- abstract definitions, 40
- abstract processes, 111, 321-322
- ACIDs, 218-219
- acknowledgement intervals,
 - WS-ReliableMessaging, 206
- AckRequested element, WS-ReliableMessaging, 202-203
- acquisitions, outsourcing business processes, 6-8
- Action headers, 93
- activation services, 233
 - Business Agreement protocol with Participant Completion, 244-245
 - Business Agreement with Coordinator Completion protocol, 246
 - completion protocol, 237-239
 - Durable Two-Phase Commit protocol, 239-240
 - implementation requirements, 247-248
 - protocols, 234-237
 - registration service, 234
 - travel agent scenario, 253-254
 - Volatile Two-Phase Commit protocol, 240-241
 - WS-Atomic Transaction (WS-AT), 237
 - WS-Business Activity, 242-244
 - WS-Coordination, 231
- activities
 - business process, 5
 - scopes, 230
- adapters, message-oriented middleware, 10-11
- addressing
 - Web services interaction characteristics, 88-90
 - WS-Addressing
 - architecture, 90-100
 - example SOAP message, 100-101
- administrators, distribution computing fallacy, 190-191
- All (Attribute Information Item), 27, 132-133
- APIs (application programming interfaces), 28, 187
 - UDDI (Universal Description, Discovery, and Integration), 158-159
 - client to node operations, 160-162
 - node to client operations, 162
 - node to node operations, 162
 - node to taxonomy server operations, 162-163
 - subscriptions, 167-168

400 Index

- Application Destination role,
 - WS-ReliableMessaging, 194
 - application programming interfaces.
 - See APIs
 - application service provider (ASP), 8-9
 - Application Source role,
 - WS-ReliableMessaging, 194
 - application-based correlation, 76
 - applications, message-oriented
 - middleware, 10
 - adapters and channels, 10-11
 - interaction patterns, 11-12
 - architectures
 - BPEL, 317
 - abstract processes, 321-322
 - composition model, 318-321
 - event handlers, 330
 - executable processes, 321-322
 - extensibility, 332-333
 - faults, 330-332
 - process instance lifecycle, 327-329
 - recursive composition, 322-327
 - business-to-business (B2B), car parts
 - supply chain example, 344-347
 - service packs ordering example,
 - 360-362
 - transactions
 - activation service, 233-248
 - Context, 232
 - protocol, 230-232
 - services, 230-232
 - WS-Atomic Transaction, 229
 - WS-Business Activity, 229-230
 - WS-Coordination, 228-229
 - UDDI
 - APIs, 158-163
 - data model, 148-152
 - V3 new features, 163-169
 - WS-Policy, 157-158
 - WSDL (Web Services Description Language), 152-156
 - Web service scope, 33-34
 - WS-Addressing
 - change in endpoint parameters, 92
 - endpoint references, 90-92
 - example SOAP message, 100-101
 - message information headers, 93-96
 - reply message, 98-100
 - request message, 98
 - SOAP message binding, 96-97
 - WS-ReliableMessaging, 193-194
 - WSDL (Web Services Description Language)
 - extensibility, 108
 - messaging and RPC integration,
 - 109-110
 - multiple schema language, 109
 - operation execution order, 111
 - protocol and transport bindings, 110
 - semantic omission, 111
 - service separation, 110
 - ASP (application service provider), 8-9
 - assertion model, security, 301-303
 - AT (Atomic Transaction), 218-219,
 - 229, 234
 - atomicity, 218-220
 - attachments, SOAP messages, 81-84
 - attacks, security, 263-264
 - Attribute Information Item (AII), 27
 - attributes, XML, 24
 - authentication
 - data-origin, 304-307
 - UDDI (Universal Description, Discovery, and Integration), 169
 - WS-Security, 264
 - authorization
 - security model, 299-301
 - WS-Authorization, 298-299
- B**
- B2B (business-to-business), car parts
 - supply chain example, 343
 - architecture, 344-347
 - interaction description, 343-344
 - SOAP messages, 352-357
 - Web services descriptions, 348-352
 - BA (Business Activity), 235
 - travel agent scenario, 252-253
 - Activation Service, 253-254
 - application calls Web service, 254
 - Completed message, 256
 - coordination, 257-259
 - Registration, 255-256
 - Basic Security Profile (BSP), 285-287
 - batch processing systems, 191-192
 - bindings
 - BPEL, partner links, 323-324
 - Service-Oriented Architecture, 18-21
 - SOAP, 78-79
 - endpoint references, 96-97

- HTTP, 80
 - IBM WebSphereMQ, 80-81
 - WS-MetadataExchange, 181-182
 - WSDL (Web Services Description Language), 118
 - HTTP & MIME, 119-120
 - SOAP, 118-119
 - UDDI element mapping, 154-155
 - bindingTemplate, UDDI data model, 150
 - bodies, SOAP, 37, 65
 - bootstrapping, 174
 - BPEL (Business Process Execution Language), 313-316
 - architecture, 317
 - abstract processes, 321-322
 - composition model, 318-321
 - event handlers, 330
 - executable processes, 321-322
 - extensibility, 332-333
 - faults, 330-332
 - process instance lifecycle, 327-329
 - recursive composition, 322-327
 - future directions, 339-340
 - history, 316-317
 - processing models
 - deployment, 333-334
 - handlers, 337-338
 - navigation, 335-337
 - partner interactions, 334-335
 - scopes, 337-338
 - BSP (Basic Security Profile), 285-287
 - Business Activity (BA), 235
 - travel agent scenario, 252-253
 - Activation Service, 253-254
 - application calls Web service, 254
 - Completed message, 256
 - coordination, 257-259
 - Registration, 255-256
 - Business Agreement Protocol with Participant Completion, 244-245
 - Business Agreement with Coordinator Completion protocol, 246
 - Business Process Execution Language.
 - See BPEL
 - Business Process Execution Language for Web services (WS-BPEL), 50
 - businesses
 - interactions, wiring, 375-377
 - interface, 391
 - processes, 4
 - control flow, 4-6
 - outsourcing to partners, 6-8
 - resource sharing, 8-9
 - transactions, 224-230
 - business-to-business (B2B), car parts
 - supply chain example, 343
 - architecture, 344-347
 - interaction description, 343-344
 - SOAP messages, 352-357
 - Web services descriptions, 348-352
 - businessEntity, UDDI data model, 149
 - businessService, UDDI data model, 149-150
- C**
- car parts supply chain, business-to-business (B2B) example, 343
 - architecture, 344-347
 - interaction description, 343-344
 - SOAP messages, 352-357
 - Web services descriptions, 348-352
 - categorization, UDDI (Universal Description, Discovery, and Integration)
 - data model, 148-149
 - V3 enhancements, 168-169
 - categoryBag element, UDDI
 - categorization, 148
 - channels, message-oriented middleware, 10-11
 - Character Information Item (CII), 27
 - choreography technology services, 16-17
 - CII (Character Information Item), 27
 - classes, software packages, 14-15
 - classic transactions, 220-223
 - collaborations, outsourcing business processes, 6-8
 - COM (Component Object Model), 10
 - comments, XML, 24
 - commit operation, 222
 - committed transactions, 220
 - Common Object Request Broker Architecture (CORBA), 10
 - completion protocols, 237-239
 - component models, services, 15-17
 - Component Object Model (COM), 10
 - components
 - software packaging, 15
 - Web service, 49-50

402 Index

composable services, 13, 50-52
 concrete descriptions, 40
 confidentiality, WS-Security, 265
 consistency, transactions, 218
 containers, 16
 Context
 transactions, 232
 WS-Coordination, 231
 contracting, 379-380
 control flow, business process, 4-6
 control interface, 391
 coordination protocol,
 WS-Coordination, 232
 CoordinationContext, transactions, 232
 coordinators, transactions, 220
 CORBA (Common Object Request Broker
 Architecture), 10
 costs, business process, 5
 create, retrieve, update, and delete
 (CRUD), 392
 CreateCoordinationContext, 233-234
 CreateCoordinationContextResponse, 233
 CreateSequence message, 208
 CreateSequenceResponse message,
 208-209
 CRUD (create, retrieve, update, and
 delete), 392
 cryptography, public-key, 303-304

D

DAIS (Database Access and Integration
 Services), 392
 data
 integrity, non-repudiation, 304-307
 models, UDDI, 148
 bindingTemplate, 150
 businessEntity, 149
 businessService, 149-150
 categorization, 148-149
 publisherAssertion, 151-152
 tModel, 151
 origin authentication, non-repudiation,
 304-307
 Database Access and Integration Services
 (DAIS), 392
 DataEncodingUnknown fault code, 74
 dead path elimination, BPEL, 336-337
 definition-specific requests, 177
 definitions element, WSDL version 1.1, 113

deliveries, WS-ReliableMessaging,
 204-205
 deployment
 BPEL processing model, 333-334
 components, 15
 descriptors, 15
 Deutsch, L. Peter, "Eight Fallacies of
 Distribute Computing," 188
 dialects,
 metadata, 175-176
 requests, 177
 digital signatures
 end-to-end security, 271
 UDDI V3, 165-166
 XML Signature, 277-278
 discoverable services, 13
 distributed system technology, loose
 coupling, 9-10
 Document Object Model. *See* DOM
 Document Type Definitions (DTDs), 23-25
 documents
 elements, 24
 literal, SOAP, 75
 XML, 24
 DOM (Document Object Model), 28
 DTDs (Document Type Definitions), 23-25
 dual operations, 375
 durability transactions, 218
 Durable Two-Phase Commit protocol,
 239-240

E

EAI (Enterprise Application Integration), 10
 ebXML, 386
 effective policies, 138
 EII (Element Information Item), 27
 Element Information Item (EII), 27
 elements, XML, 24
 embedded metadata, 179
 encryption
 end-to-end security, 271
 XML Encryption, 278-279
 end-to-end security, 270-271
 endpoint reference (EPR), 39, 389
 endpoints
 metadata
 default protocol binding, 181-182
 extensibility of dialects, 175-176
 future direction, 182-183

- references and locations, 176
 - request operations, 177-181
 - WS-Addressing, 90-92
- Enterprise Application Integration (EAI), 10
- Enterprise Edition (J2EE), distributed system technology, 10
- enterprises, virtual business processes, 4-9
- envelopes, SOAP message, 37, 65
- EPR (endpoint reference), 389
- event handlers, BPEL, 330
- ExactlyOne operator,
 - WS-PolicyFramework, 132
- executable processes, BPEL, 321-322
- export links, 376-377
- extended transactions, 225
- extensibility
 - BPEL, 332-333
 - WSDL (Web Services Description Language), 108
- eXtensible Markup Language. *See* XML

F

- failure recoveries, 192
- faults
 - BPEL, 330-331
 - business agreement protocols, 332
 - compensations, 331-332
 - handler, 331
 - SOAP, 73-74
- FaultTo headers, 95
- federated identities, WS-Federation, 296-298
- finding, Service-Oriented Architecture, 18-21
- findQualifiers element,
 - UDDI_Inquiry_PortType, 160
- frameworks
 - Service-Oriented Architecture, 21-22
 - WS-Policy, 131
 - identifiers, 135
 - intersection, 135
 - operators, 132-134
 - policy container, 131
 - vocabulary, 134
 - WS-PolicyAttachment, 137-140
- future-proofing, loose coupling, 12

G

- generic metadata requests, 177
- Get operation, WS-MetadataExchange, 180
- GetMetadata operation,
 - WS-MetadataExchange
 - requests, 177-178
 - responses, 178-180
- GGF (Global Grid Forum), 392
- global models, 376
- graphical user interface, 391

H

- handlers, BPEL, 337-338
- header blocks, SOAP, 37, 67
- headers
 - SOAP, 65
 - message
 - relay attribute, 72-73
 - WS-Addressing, 93-96
- history
 - SOAP, 64
 - WSDL (Web Services Description Language), 107-108
- HTTP (HyperText Transfer Protocol), 28-29, 36
 - binding, WSDL (Web Services Description Language), 119-120
 - SOAP bindings, 80
 - Web service message transport, 36
- HTTPS (Secure HTTP), 36
- HyperText Transfer Protocol. *See* HTTP

I

- IBM WebSphereMQ, SOAP bindings, 80-81
- identifiers
 - metadata dialects, 175-176
 - WS-PolicyFramework, 135
- implied resource patterns, 389
- in-band method, WS-Trust, 294
- inactivity timeout,
 - WS-ReliableMessaging, 205
- inbound operations, 375
- information systems, WS-Policy, 127-131
 - future, 140-141
 - need for, 128-130
 - WS-PolicyFramework, 131-140

404 Index

inheritance, classes, 14
 integrity, WS-Security, 265
 Inter Enterprise UDDI, 43
 Inter-Enterprise, AT (Atomic Transaction), 234
 intermediaries, 38
 interoperability
 distributed system technology, 10
 Web service, 52-54
 Web service messages, 36
 SOAP, 37-38
 WS-Addressing, 38-39
 WS-Security, 285-287
 intersection, WS-PolicyFramework, 135
 Intra Enterprise UDDI, 43
 Intra-Enterprise, AT (Atomic Transaction), 234
 intra-enterprise integration, service packs
 ordering example, 360-362
 message exchange, 366-369
 Web service description, 362-366
 invocation pattern, UDDI, 147
 isolation transactions, 218
 issuance bindings, WS-Trust, 292

J-K

Java 2 Platform, distributed system technology, 10
 Java Community Process (JCP), 187
 Java Message Service (JMS), 187
 JCP (Java Community Process), 187
 JMS (Java Message Service), 187
 Kerberos, WS-Security, 45, 275
 keyedReferences, UDDI categoryBag element, 148
 keyName, UDDI keyedReferences, 148
 keyValue, UDDI keyedReferences, 148

L

latency fallacy, 190
 Liberty Alliance, 386
 lifecycles, BPEL process instances, 327-329
 literal text, XML, 24
 locators, 376
 long-running conversational MEPs, 77-78
 long-running transactions, 192-193

loose coupling, 9
 distributed system technology, 9
 object systems, 9
 platform interoperability, 10
 message-oriented middleware, 10
 adapters and channels, 10-11
 interaction patterns, 11-12
 WSDL interface, 12
 future-proofing, 12
 provider abstraction, 12-13

M

MAC (Message Authentication Code), 304-307
 mapping, WSDL (Web Services Description Language)
 binding element, 154-155
 port element, 156
 portType element, 153-154
 service element, 155
 matchmaking, 378-379
 MEPs (message exchange patterns), 11, 75
 SOAP, 75
 long-running conversational, 77-78
 request/response, 76-77
 mergers, outsourcing business processes, 6-8
 Message Authentication Code (MAC), 304-307
 message exchanges patterns. *See* MEPs
 MessageId headers, 95
 messages
 element
 WSDL (Web Services Description Language), 121-124
 WSDL version 1.1, language structure, 114-116
 information headers, 39
 middleware, loose coupling, 10
 adapters and channels, 10-11
 interaction patterns, 11-12
 paths, 38
 SOAP, 64-66
 attachments, 81-84
 bindings, 78-81
 faults, 73-74
 MEPs (message exchange patterns), 75-78

- processing model, 66-69
 - roles for processing, 69-73
 - Web services
 - interoperability, 36-39
 - transport, 36
 - WS-Addressing
 - change in endpoint parameters, 92
 - endpoint references, 90-92
 - example SOAP message, 100-101
 - information headers, 93-96
 - WS-ReliableMessaging, 46-47
 - metadata, 18
 - discovering services, 42
 - UDDI (Universal Description and Discovery Interface), 42-43
 - WS-MetadataExchange, 43-44
 - endpoint references, 91-92
 - location, 179
 - reference, 179
 - services, 13
 - WS-MetadataExchange
 - default protocol binding, 181-182
 - extensibility of dialects, 175-176
 - future direction, 182-183
 - references and locations, 176
 - request operations, 177-181
 - WS-Policy, 41-42
 - WSDL (Web Services Description Language), 40
 - MetadataReference element, 179
 - middleware, message-oriented loose coupling, 10-12
 - middleware-based correlation, 76
 - MIME (Multipurpose Internet Mail Exchange), 28-30, 119-120
 - MustUnderstand
 - attribute, SOAP roles, 71-72
 - fault code, 74
- N**
- namespaces
 - WSDL v1.1 definitions element, 113
 - XML Namespaces, 26
 - NASSL (Network Application Service Specification Language), 107
 - navigation, BPEL processing models, 335-337
 - nested elements, SOAP, 65
 - Network Application Service Specification Language (NASSL), 107
 - networks, reliability fallacy, 189
 - Next role, SOAP, 38
 - nodes, SOAP, 64-66, 69-73
 - non-repudiation, security, 304
 - data integrity, 304-307
 - data-origin authentication, 304-307
 - proof of message origin (PMO), 307-308
 - proof of message receipt (PMR), 308-309
- O**
- OASIS, specifications focus, 386
 - objects
 - classes, 14-15
 - systems, distributed system technology, 9
 - operators, WS-PolicyFramework
 - All, 132-133
 - ExactlyOne, 132
 - optional attribute, 133-134
 - optional attributes, WS-PolicyFramework, 133-134
 - ordering constraints, 378-379
 - origin authentication, WS-Security, 264
 - original senders, 38
 - out-of-band method, WS-Trust, 294
 - outbound operations, 375
 - outsourcing
 - business processes, 6-8
 - resource sharing, 8-9
 - OWL (Web Ontology Language), 130
- P**
- packaging software, 14-15
 - partners
 - links, 322
 - outsourcing business processes, 6-8
 - resource sharing, 8-9
 - payloads, SOAP message, 37
 - PKI (Public Key Infrastructure), WS-Security, 45
 - plug-links, 375
 - PMO (proof of message origin), 307-308

406 Index

PMR (proof of message receipt), 308-309
 policies
 UDDI (Universal Description, Discovery, and Integration), 166-167
 WS-Policy, 127-131
 future, 140-141
 need for, 128-130
 WS-PolicyFramework, 131-140
 WS-Privacy, 295-296
 WS-SecurityPolicy, 301
 policy container, WS-PolicyFramework, 131
 PolicyReference element, 137
 PolicyURLs attribute, 137
 polymorphism, classes, 14
 port element, WSDL (Web Services Description Language), 156
 port types, wiring, 375-377
 portlets, 391
 portType element
 WSDL (Web Services Description Language) mapping, 153-154
 WSDL v1.1, 116-118
 Post Schema Validation Infoset (PSVI), 27
 privacy assertions, 296
 privacy policies, WS-Privacy, 295-296
 processing models, SOAP, 66-69
 profiles
 WS-I, 53
 WS-ReliableMessaging, 206-207
 proof of message origin (PMO), 307-308
 proof of message receipt (PMR), 308-309
 protocols, transactions, 230-237
 PSVI (Post Schema Validation Infoset), 27
 pub-sub (publish-subscribe), 389
 Public Key Infrastructure (PKI),
 WS-Security, 45
 public processes, 111
 Public UDDI, 43
 public-key cryptography, 303-304
 publish-subscribe (pub-sub), 389
 publisher-assigned keys, UDDI V3,
 163-165
 publisherAssertion, UDDI data model,
 151-152
 publishing, Service-Oriented Architecture,
 18-21
 pull models, 283
 push models, 283

Q-R

Qnames, URIs, 29
 RDF (Resource Description Framework), 130
 Receiver fault code, 74
 receivers, SOAP, 65
 MEPs (message exchange patterns),
 75-78
 processing model, 66-69
 recursive composition, BPEL, 322
 binding partner links, 323-324
 conversational approach, 325-326
 process views, 326-327
 service composition, 322-323
 referenceable entities, 39
 Register, 234
 registration
 travel agent scenario, 255-256
 WS-Coordination, 232
 registries, UDDI, 147-148
 REL (Rights Expression Language), 276
 RelatesTo headers, 95
 Relax, 26
 RelaxNG, 26
 relay attributes, SOAP roles, 72-73
 reliable messaging
 design
 batch processing, 191-192
 failure recovery, 192
 long-running transaction, 192-193
 store-and-forward system, 191
 distribute computing fallacies, 188
 network is reliable, 189
 one administrator, 190-191
 zero latency, 190
 WS-ReliableMessaging
 architecture, 193-194
 future directions, 214
 process model, 194-207
 strengths and weaknesses, 207-208
 typical message exchange, 208-214
 remote procedure call (RPC), 75, 107
 renewal bindings, WS-Trust, 292
 reply messages, WS-Addressing, 98-100
 ReplyTo headers, 95
 Representational State Transfer (REST), 29,
 54-57
 request messages, WS-Addressing, 98

- request/response MEPs, 76-77
 - requesters, loose coupling, 9
 - distributed system technology, 9-10
 - message-oriented middleware, 10-12
 - WSDL interface, 12-13
 - RequestSecurityToken (RST) messages, 291
 - RequestSecurityTokenResponse messages, 291
 - Resource Description Framework (RDF), 130
 - REST (Representational State Transfer), 29, 54-57
 - retransmission intervals,
 - WS-ReliableMessaging, 205-206
 - Rights Expression Language (REL), 276
 - RM Destination,
 - WS-ReliableMessaging, 194
 - RM Source, WS-ReliableMessaging, 194
 - roles, SOAP, 69-71
 - mustUnderstand attribute, 71-72
 - relay attribute, 72-73
 - rollback operation, 222
 - RPC (remote procedure call), 75, 107
 - SOAP, 75
 - WSDL (Web Services Description Language) messaging integration, 109-110
 - RST (RequestSecurityToken) messages, 291
- S**
- SAML (Security Assertion Markup Language), 276
 - sample applications, WS-I, 53
 - SAX (Streaming API for XML), 28
 - Schema Centric XML Canonicalization, 166
 - scopes
 - BPEL, 337-338
 - Web services architecture, 33-34
 - SDL (Service Description Language), 107
 - Secure HTTP (HTTPS), 36
 - security, 263-265
 - architecture model, 273-276
 - assertion model, 301-303
 - attacks, 263-264
 - augmentation to existing security, 268-269
 - authorization model, 299-301
 - basic model, 279-282
 - end-to-end security context, 270-271
 - future directions, 287-288
 - history of WS-Security, 273
 - intermediary model, 282
 - interoperability, 285-287
 - multiple domains, 272-273
 - non-repudiation, 304
 - data integrity, 304-307
 - data-origin authentication, 304-307
 - proof of message origin (PMO), 307-308
 - proof of message receipt (PMR), 308-309
 - processing model
 - XML Encryption, 278-279
 - XML Signature, 277-278
 - public-key cryptography, 303-304
 - tokens, 271, 274
 - travel agent scenario, 265-267
 - trust relationships, 283-285
 - Web services role, 267-268
 - WS-Authorization, 298-299
 - WS-Federation, 296-298
 - WS-Privacy, 295-296
 - WS-SecureConversation, 294-295
 - WS-Security, 45-46
 - WS-SecurityPolicy, 301
 - WS-Trust, 290-294
 - Security Assertion Markup Language (SAML), 276
 - Security Token Service (STS), 45, 274, 291
 - semantic Web technology, 373-374
 - Sender fault code, 74
 - senders, SOAP, 66
 - MEPs (message exchange patterns), 75-78
 - processing model, 66-69
 - roles for processing, 69-73
 - Sequence element, WS-ReliableMessaging, 199-200
 - SequenceAcknowledgement element, WS-ReliableMessaging, 200-202, 211
 - SequenceAcknowledgement message, 193, 212-213
 - SequenceFault element, WS-ReliableMessaging, 203-204
 - sequences, WS-ReliableMessaging
 - acknowledgement interval, 206
 - AckRequested element, 202-203
 - basic profile, 206-207
 - basic syntax, 198

408 Index

- delivery semantics, 204-205
- inactivity timeout, 205
- lifecycle, 196-198
- retransmission interval, 205-206
- Sequence element, 199-200
- SequenceAcknowledgement element, 200-202
- SequenceFault element, 203-204
- Service Description Language (SDL), 107
- Service-Oriented Architecture (SOA), 3
 - applicability with Web service, 57-58
 - bind, publish, find functions, 18-21
 - framework, 21-22
 - loose coupling, 9
 - distributed system technology, 9-10
 - message-oriented middleware, 10-12
 - WSDL interface, 12-13
- services, 13
 - applicability of SOA, 57-58
 - bus, 18
 - components, 15-17, 49-50
 - composeability, 50-52
 - description, 40-42
 - discovering, 42-44
 - element, WSDL (Web Services Description Language)
 - language structure, 120
 - limitations, 122
 - UDDI mapping, 155
 - interoperability, 52-54
 - loose coupling, 9
 - distributed system technology, 9-10
 - message-oriented middleware, 10-12
 - WSDL interface, 12-13
 - packaging software, 14-15
 - packs, ordering example, 359
 - architecture, 360-362
 - interaction description, 359-360
 - message exchange, 366-369
 - Web service description, 362-366
 - quality, 44-45
 - transactions, 47-49
 - WS-ReliableMessaging, 46-47
 - WS-Security, 45-46
 - REST (Representational State Transfer), 54-57
 - transactions, 230-232
- session keys, 279
- signatures
 - end-to-end security, 271
 - XML Signature, 277-278
- Simple Mail Transfer Protocol (SMTP), 65
- Simple Object Access Protocol. *See* SOAP
- SOA. *See* Service-Oriented Architecture
- SOAP (Simple Object Access Protocol), 29, 63-64
 - attachments, 81-84
 - bindings, 78-79
 - endpoint references, 96-97
 - HTTP, 80
 - IBM WebSphereMQ, 80-81
 - WSDL (Web Services Description Language), 118-122
 - body, 65
 - business-to-business (B2B), car parts
 - supply chain example, 352-357
 - document literal, 75
 - envelope, 65
 - faults, 65, 73-74
 - headers, 65, 72-73
 - history, 64
 - interoperable messaging, 37-38
 - MEPs (message exchange patterns), 75
 - long-running conversational, 77-78
 - request/response, 76-77
 - messages, 64-66
 - nodes, 38, 64-66
 - processing model, 66-69
 - receiver, 65
 - roles, 69-71
 - mustUnderstand attribute, 71-72
 - relay attribute, 72-73
 - RPC (remote procedure call), 75
 - Security Header, 271
 - sender, 66
 - version 1.1 versus 1.2, 84-85
 - WS-Addressing, example message, 100-101
- software packaging, 14-15
- solutions, service choreography, 17
- source adapters, 10
- Source endpoints, 95
- standards, 383
 - competing specifications, 385-387
 - process concerns, 384-385
- stateful interactions, Web addressing, 89

store-and-forward systems, 191
Streaming API for XML (SAX), 28
STS (Security Token Service), 45, 274, 291

T

target adapters, 10
target namespaces, WSDL v1.1 definitions
 element, 113
TCP (Transmission Control Protocol), 65
 Technical Note, 152
testing tools, WS-I, 53
TGS (Ticket Granting Service), 284
Ticket Granting Service (TGS), 284
timeouts, WS-ReliableMessaging, 205
tModel, UDDI
 categorization, 148
 data model, 151
To headers, 93
tokens
 security, 271, 274
 WS-Trust, 290-294
tradable artifacts, 15
transactions, 217
 architecture
 activation service, 233-248
 Context, 232
 protocol, 230-232
 services, 230-232
 WS-Atomic Transaction, 229
 WS-BusinessActivity, 229-230
 WS-Coordination, 228-229
 business, 224-228
 classic, 220-223
 example scenarios
 travel agent with Business Activity
 (BA), 252-259
 travel agent with WS-Atomic
 Transaction (WS-AT), 248-252
 properties, 218-219
 service, 220
Transmission Control Protocol (TCP), 65
transport protocols, SOAP, 65
transportation, Web service messages, 36
travel agency
 security example, 265-267
 transaction scenarios, 248-259
TREG (Tree Regular Expressions for
 XML), 26
trusts, WS-Security, 283-285
types element, WSDL version 1.1, 113-114

U

UDDI (Universal Description, Discovery,
 and Integration), 145
 APIs, 158-159
 client to node operations, 160-162
 node to client operations, 162
 node to node operations, 162
 node to taxonomy server operations,
 162-163
 data model, 148
 bindingTemplate, 150
 businessEntity, 149
 businessService, 149-150
 categorization, 148-149
 publisherAssertion, 151-152
 tModel, 151
 discovering services, 13, 42-43
 future versions, 170
 registry, 147-148
 SOA role, 146
 design and development, 146
 invocation pattern, 147
 V3 new features, 163
 authentication, 169
 categorization enhancements,
 168-169
 digital signature support, 165-166
 policy definitions, 166-167
 publisher-assigned keys, 163-165
 subscription API, 167-168
 WS-Policy, 157
 queries using policy expressions, 158
 referencing remote policy
 expressions directly, 157
 referencing remote policy
 expressions indirectly, 157-158
 WSDL (Web Services Description
 Language), 152-153
 binding element mapping, 154-155
 development, 156
 port element mapping, 156
 portType element mapping, 153-154
 runtime, 156
 service element mapping, 155
 UDDI_CustodyTransfer_PortType, 161
 UDDI_Inquiry_PortType, 160
 UDDI_Publication_PortType, 161
 UDDI_Security_PortType, 161
 UDDI_Subscription_PortType, 162
 ultimate receivers, 38

410 Index

- UltimateReceiver role, SOAP, 38
 - Uniform Resource Locators. *See* URLs
 - Universal Description, Discovery, and Integration. *See* UDDI
 - URLs (Uniform Resource Locators), 28-29
 - use case scenarios, WS-I, 53
 - username tokens, WS-Security, 275
 - utility computing, 9
- V-W**
- validation bindings, WS-Trust, 292
 - VersionMismatch fault code, 74
 - virtual enterprises, business processes, 4
 - control flow, 4-6
 - outsourcing to partners, 6-8
 - resource sharing, 8-9
 - Volatile Two-Phase Commit protocol, 240-241
 - W3C (World Wide Web Consortium), WSDL (Web Services Description Language), 106
 - Web
 - HTTP, 29
 - MIME, 29-30
 - traditional addressing interactions, 88-90
 - URIs, 28-29
 - Web Ontology Language (OWL), 130
 - Web Service Choreography Description Language (WSCDL), 386
 - Web Service Distributed Management (WSDM), 391
 - Web Service Resource Framework (WS-RF), 389
 - Web services, 3
 - applicability of SOA, 57-58
 - architecture scope, 33-34
 - components, 49-50
 - composeability, 50-52
 - discovering services, 42
 - UDDI (Universal Description and Discovery Interface), 42-43
 - WS-MetadataExchange, 43-44
 - future perspectives
 - core platform evolution, 389-392
 - risks, 388
 - success, 387-388
 - interoperable messaging, 36, 52-54
 - SOAP, 37-38
 - WS-Addressing, 38-39
 - message transport, 36
 - platform summary, 381-382
 - quality, 44-45
 - transactions, 47-49
 - WS-ReliableMessaging, 46-47
 - WS-Security, 45-46
 - REST (Representational State Transfer), 54-57
 - interface structure, 55-56
 - representations, 55
 - state transfer, 55
 - service descriptions
 - WS-Policy, 41-42
 - WSDL (Web Services Description Language), 40
 - Web Services Composite Application Framework (WS-CAF), 386
 - Web Services Description Language. *See* WSDL
 - WebSphereMQ, SOAP bindings, 80-81
 - wiring, 375-377
 - workflow systems, 6
 - World Wide Web. *See* Web
 - World Wide Web Consortium (W3C), 106
 - wrappers, loose coupling, 12-13
 - WS-Addressing, 390
 - architecture
 - change in endpoint parameters, 92
 - endpoint references, 90-92
 - message information headers, 93-96
 - reply message, 98-100
 - request message, 98
 - SOAP message binding, 96-97
 - example SOAP message, 100-101
 - interoperable messaging, 38-39
 - traditional Web interactions, 88-90
 - WS-AT (WS-Atomic Transaction), 47-49, 229, 237
 - completion-processing patterns, 234-237
 - travel agent scenario, 248
 - Activation Service, 249
 - application calls Web service, 249
 - Commit or Rollback message, 251-252
 - Register, 250-251

- WS-Authorization, 290, 298-301
- WS-BPEL (Business Process Execution Language for Web services), 50, 313-316
 - architecture, 317
 - abstract processes, 321-322
 - composition model, 318-321
 - event handlers, 330
 - executable processes, 321-322
 - extensibility, 332-333
 - faults, 330-332
 - process instance lifecycle, 327-329
 - recursive composition, 322-327
 - future directions, 339-340
 - history, 316-317
 - processing models
 - deployment, 333-334
 - handlers, 337-338
 - navigation, 335-337
 - partner interactions, 334-335
 - scopes, 337-338
- WS-BusinessActivity, 47-49, 229-230, 234-237, 242-244
- WS-CAF (Web Services Composite Application Framework), 386
- WS-Coordination, 47-49, 228-232
- WS-Eventing, 389
- WS-Federation, 46, 290, 296-298
- WS-I, interoperability, 53-54
- WS-Interop, 285-287
- WS-MetadataExchange, 140
 - default protocol binding, 181-182
 - discovering services, 43-44
 - extensibility of dialects, 175-176
 - future direction, 182-183
 - references and locations, 176
 - request operations
 - example exchange, 180-181
 - Get, 180
 - GetMetadata requests, 177-178
 - GetMetadata responses, 178-180
- WS-Notification, 390
- WS-Policy, 127-131
 - future, 140-141
 - need for, 128-130
 - service description, 41-42
 - UDDI (Universal Description, Discovery, and Integration), 157
 - queries using policy expressions, 158
 - referencing remote policy
 - expressions directly, 157
 - referencing remote policy
 - expressions indirectly, 157-158
- WS-PolicyFramework, 131
 - identifiers, 135
 - intersection, 135
 - operators, 132-134
 - policy container, 131
 - vocabulary, 134
 - WS-PolicyAttachment, 137-140
- WS-PolicyAttachment, 129, 137-140
- UDDI (Universal Description, Discovery, and Integration), 157
 - queries using policy expressions, 158
 - referencing remote policy
 - expressions directly, 157
 - referencing remote policy
 - expressions indirectly, 157-158
- WS-PolicyFramework, 131
 - identifiers, 135
 - intersection, 135
 - operators
 - All, 132-133
 - ExactlyOne, 132
 - optional attribute, 133-134
 - policy container, 131
 - vocabulary, 134
 - WS-PolicyAttachment, 137-140
- WS-Privacy, 290, 295-296
- WS-Reliability, 386
- WS-ReliableMessaging, 46-47
 - architecture, 193-194
 - designing reliable systems
 - batch processing, 191-192
 - failure recovery, 192
 - long-running transaction, 192-193
 - store-and-forward system, 191
 - distribute computing fallacies, 188
 - network is reliable, 189
 - one administrator, 190-191
 - zero latency, 190
- future directions, 214
- process model, 194-196
 - acknowledgement interval, 206
 - AckRequested element, 202-203
 - basic profile, 206-207

412 Index


- basic syntax, 198
- delivery semantics, 204-205
- inactivity timeout, 205
- retransmission interval, 205-206
- Sequence element, 199-200
- sequence lifestyle, 196-198
- SequenceAcknowledgement element, 200-202
- SequenceFault element, 203-204
- strengths and weaknesses, 207-208
- typical message exchange, 208-214
- WS-RemotePortlets, 391
- WS-ResourceFramework, 390
- WS-ResourceProperties, 390
- WS-RF (Web Service Resource Framework), 389
- WS-SecureConversation, 45, 290, 294-295
- WS-Security, 263-265, 290
 - architecture model, 273-276
 - augmentation to existing security, 268-269
 - basic model, 279-282
 - end-to-end security context, 270-271
 - future directions, 287-288
 - history, 273
 - intermediary model, 282
 - interoperability, 285-287
 - multiple domains, 272-273
 - processing model
 - XML Encryption, 278-279
 - XML Signature, 277-278
 - service quality, 45-46
 - travel agency scenario, 265, 267
 - trust relationships, 283-285
 - Web services role, 267-268
- WS-SecurityPolicy, 289, 301
- WS-Trust, 45, 265, 290-294
- WSDL (Web Service Choreography Description Language), 386
- WSDL (Web Services Description Language), 105-106
 - Action URI, 94
 - architecture
 - extensibility, 108
 - messaging and RPC integration, 109-110
 - multiple schema language, 109
 - operation execution order, 111
 - protocol and transport bindings, 110
 - semantic omission, 111
 - service separation, 110
 - endpoint references, 90
 - future, 126
 - history, 107-108
 - loose coupling, 12-13
 - service description, 40
 - UDDI (Universal Description, Discovery, and Integration), 152-153
 - binding element mapping, 154-155
 - development, 156
 - port element mapping, 156
 - portType element mapping, 153-154
 - runtime, 156
 - service element mapping, 155
 - Web services role, 106-107
- WSDL v1.1
 - best practices, 120-121
 - language structure, 112
 - binding, 118-120
 - definitions element, 113
 - message element, 114-116
 - portType element, 116-118
 - service element, 120
 - types element, 113-114
 - limitations
 - message element, 121
 - service element, 122
 - SOAP binding, 122

WSDL v2.0
 features and properties, 125
 interface extensions, 123
 language structure, 122-123
 messages
 element elimination, 123-124
 exchange patterns, 124
 services definition semantics, 125
WSDM (Web Service Distributed Management), 391

X-Y-Z

X.509 certificates, WS-Security, 275
XML (eXtensible Markup Language), 36
 basics, 23-25
 DOM (Document Object Model), 28
 DTDs, 25
 Encryption, 278-279
 Infoset, 26-27, 66-69

Namespaces, 26
RelaxNG, 26
SAX (Streaming API for XML), 28
Schema, 25
Signature, 277-278
WSDL (Web Services Description Language), 105-106
 architecture, 108-111
 future, 126
 history, 107-108
 version 1.1, 112-122
 version 2.0, 122-125
 Web services role, 106-107
XPath (XML Path Language), 28
XML Path Language (XPath), 28
XPath (XML Path Language), 28
zero latency, distribute computing
 fallacy, 190



informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.




Online Books

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.



Prentice Hall Professional Technical Reference

http://www.phptr.com/

Prentice Hall PTR InformIT InformIT Online Books Financial Times Prentice Hall ft.com PTG Interactive Reuters

PRENTICE HALL PTR

TOMORROW'S SOLUTIONS FOR TODAY'S PROFESSIONALS

Prentice Hall Professional Technical Reference

Browse Book Series What's New User Groups Alliances Special Sales Contact Us

Search | Help | Home

Quick Search

PH PTR Online

Keep Up to Date with

We strive to stay on the cutting edge of what's happening in professional computer science and engineering. Here's a bit of what you'll find when you stop by www.phptr.com:

- ! What's new at PHPTR?** We don't just publish books for the professional community, we're a part of it. Check out our convention schedule, keep up with your favorite authors, and get the latest reviews and press releases on topics of interest to you.
- @ Special interest areas** offering our latest books, book series, features of the month, related links, and other useful information to help you get the job done.
- User Groups** Prentice Hall Professional Technical Reference's User Group Program helps volunteer, not-for-profit user groups provide their members with training and information about cutting-edge technology.
- Companion Websites** Our Companion Websites provide valuable solutions beyond the book. Here you can download the source code, get updates and corrections, chat with other users and the author about the book, or discover links to other websites on this topic.
- Need to find a bookstore?** Chances are, there's a bookseller near you that carries a broad selection of PTR titles. Locate a Magnet bookstore near you at www.phptr.com.
- Subscribe today! Join PHPTR's monthly email newsletter!** Want to be kept up-to-date on your area of interest? Choose a targeted category on our website, and we'll keep you informed of the latest PHPTR products, author events, reviews and conferences in your interest area.

Visit our mailroom to subscribe today! http://www.phptr.com/mail_lists

[PTR Favorites](#)
[Find a Bookstore](#)
[Book Series](#)
[Special Interests](#)
[Newsletters](#)
[Press Room](#)
[International](#)
[Best Sellers](#)
[Solutions Beyond the Book](#)
[Shopping Bag](#)

Wouldn't it be great
if the world's leading technical
publishers joined forces to deliver
their best tech books in a common
digital reference platform?

They have. Introducing
InformIT Online Books
powered by Safari.

■ **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/online-books> for details.



informIT
Online Books

informit.com/onlinebooks

