

INDEX

Symbols

.NET 307, 309

Numerics

4+1 view model 655, 656

A

abstract class 260, 520
 in UML 250, 260
 abstract conceptual class 519
 Abstract Factory 597
 abstract operation 260
 in UML 250, 260
 abstract use case 497
 action 477
 activation bar 228
 active class 239, 269
 active object 239, 269, 584
 activity diagram 477, 478
 actor 63, 80
 in use case 66
 offstage 66
 primary 66
 supporting 66
 Adapter 436
 adaptive development 21
 adaptive vs. predictive planning 674
 addition use case 497
 aggregation 264
 agile methods 17, 27, 28, 326, 673
 agile modeling 14, 30
 agile UP 31
 analysis 6
 analysis and design
 definition 6
 analysis object models 134
 architectural
 analysis 543, 544
 baseline 128
 decisions 544
 design principles 553
 factors 544
 patterns-promotion of 555
 proof-of-concept 557, 669
 prototype 128
 synthesis 557, 669
 view
 data 658

 deployment 658
 implementation 658
 logical 657
 process 658
 security 658
 use case 659
 architectural approach documents 550
 architectural factors 545
 architectural view 656
 architecturally significant requirements 545
 architecture 200, 559
 cross-cutting concerns 554
 documenting 655
 factor table 546
 issue cards 550
 layered 202
 logical 197
 separation of concerns 554
 technical memos 550
 artifact
 UML deployment diagrams 623
 artifacts 34
 organizing 680
 ASP.NET 307
 aspect-oriented programming 555
 association 150
 criteria for useful 150
 end name 255
 finding with list 155
 for UML properties 252
 link 240
 multiple between types 155
 multiplicity 153
 naming 152
 qualified 531
 reflexive 532
 role names 528
 UML notation 151
 association class 266, 523
 asynchronous message 588
 in communication diagrams 246
 in sequence diagrams 238
 attribute 158
 and quantities 165
 data type 162
 derived 160, 530
 for UML properties 252
 in UML 250
 no foreign keys 165
 non-primitive types 163
 UML notation 159
 valid types 160

INDEX

B

base use case 497
 behavioral decomposition 424
 benefits of iterative development 22
 black-box use cases 81
 Booch Method 194
 boundary objects 307
 brief use case 66
 Business Modeling discipline 34, 483
 Business Object Model 134, 484
 business rules 117
 Business Rules artifact 58, 102
 business use case 73

C

CASE tools 398
 casual use case 66
 Change Cases 432
 class
 abstract 520
 association 523
 conceptual 14, 136
 conceptual & abstract 519
 definitions 13
 design 14
 hierarchy 404, 510, 522
 implementation 14
 in UML 226, 250
 mapping from DCD 371
 partition 514
 partitioning 514
 software 14
 UML meaning 13
 UML notation 226
 class diagram 133, 249, 250
 class diagrams 249
 class hierarchy 404, 510
 class method calls 236, 245
 class operation
 in UML 250
 classifier 14
 in the UML 251
 classifier name
 in UML 250
 client-driven development 27
 COCOMO II 180
 code
 mapping OO designs 369
 code smells 390
 cohesion 290, 314
 collaboration
 in RDD 277
 collaboration diagram
 conditional messages 243
 example 224, 225
 instance creation 241
 iteration 244
 links 240
 message sequencing 242
 message to self 241
 messages 240
 mutually exclusive conditionals 244
 sequence number 242
 collaborations
 of objects in RDD 276
 collection
 in OO programming 374
 in UML 250
 iteration over in UML 233
 n UML 245
 Command pattern 610, 645
 Command-Query Separation Principle 358
 comment
 in UML 256
 communication diagram 223
 iteration over a collection 245
 message to class object 245
 strength and weaknesses 223
 communication path
 in deployment diagram 623
 compartments
 in class box 251
 in class diagrams 268
 component 624
 component diagram 623
 component-based modeling 623
 Composite 452
 composite aggregation 264, 282, 525
 composition 264, 293, 525
 concept
 extension 136
 finding with noun identification 141
 intension 136
 mistake while finding 146
 specification or description concepts 147
 symbol 136
 versus role 529
 conceptual class 14, 136
 abstract 519
 conceptual model 8, 134
 conceptual object model 9
 Concrete Factory 440
 concrete use case 81, 497
 conditional messages in sequence diagrams 231
 constraint
 in note symbols 256
 in UML 265
 UML 192
 construction phase 33
 constructors
 in UML 250
 container (in Decorator pattern) 555

INDEX

context diagram 64, 90
 continuous integration 18
 contract
 example 183
 guidelines 189
 postcondition 184
 section descriptions 183
 contracts 181
 control objects 307
 Controller 302
 application 328, 331, 351
 bloated 311
 definition 302
 Convert Exceptions 587
 coupling 285, 299
 relation to dependency 261
 create
 stereotype on dependency line 360
 Creator 281, 282, 291, 330
 application 330, 340
 cross-cutting concerns 554
 CruiseControl
 build-test tool 387

D

data dictionary 58, 115
 data flow diagrams 479
 data holder objects 571
 data model 136, 629
 data modeling 629
 data type 161, 162, 254
 data view 658
 Database Broker pattern 632
 Database Mapper pattern 632
 database mapping 625
 data-driven design 442
 datastore node 480
 decision symbol
 activity diagrams 481
 delegate 287
 delegation 287
 Delegation Event Model 463
 dependency 201, 260
 deployment architecture 199
 deployment diagram 621
 deployment view 658
 derived attributes 160
 description class 147
 design 7
 Design by Contract 194
 design class 14
 design class diagram 10, 251
 Design discipline 34
 Development Case 37
 device node 622
 diagram fragment 230

diagram frames 230
 discipline 34
 and phases 35
 Do It Myself 297, 600
 documenting architecture 655
 domain layer 136, 206, 282, 287
 Domain Model 134
 domain vocabulary 134
 finding concepts 139
 map-maker strategy 145
 modeling changing states 521
 modeling the unreal 146
 multiple meanings 136
 organizing in packages 533
 domain model 131
 domain object models 134
 domain objects 136, 206, 287
 domain rules 58, 117

E

eager initialization 444
 EBP 88
 Eclipse 387
 EJBs
 in Controller pattern 308
 elaboration phase 33, 123, 127
 elementary business process 73, 88
 entity objects 307
 Environment discipline 34
 error definition 586
 essential use case style 80
 estimates 678
 estimation 180, 678
 event 486
 Evo 545
 evolution point 432, 542, 552
 evolutionary development 17, 18, 19
 exceptions
 in class diagrams 250, 256
 exceptions in UML 588
 executable architecture 128
 execution environment node 622
 execution specification 228
 Expert 283, 294
 application 332, 335, 336
 extend use case relationship 497
 extension 136
 extension point 498
 Extreme Programming 18, 40, 280

F

Facade 461
 factor table 546
 Factory 440

INDEX

failure definition 586
 fault definition 586
 feature of system 112
 features 58, 108, 112
 final class
 in UML 260
 final operation
 in UML 250, 260
 fixture
 in testing 387
 focus of control 228
 fork 477
 formal specifications 193
 forward engineering 398
 found message 228
 frames 230
 opt, loop, alt, ref operators 230
 framework 627
 persistence 627
 frameworks 625
 fully dressed use case 67
 function points 180
 functional requirements 57
 Fusion method 194

G

Gang of Four patterns 280, 436
 generalization 260, 404, 510
 abstract class notation 520
 and conceptual class sets 512
 and conceptual classes 511
 conformance 512
 in UML 260
 overview 509
 partitioning 514
 subclass validity tests 513
 UML notation 510
 generalize
 use case relationship 499
 generics 267
 Glossary artifact 58, 102, 115
 GoF design patterns 280
 GRASP patterns 271, 277, 321
 Controller 302
 Creator 291
 Expert 294
 High Cohesion 314
 Indirection 426
 Low Coupling 299
 Polymorphism 414
 Protected Variations 427
 Pure Fabrication 421
 guarded methods 250, 639

H

Hibernate 626
 High Cohesion 314
 Hollywood Principle 627

I

IDEs 387
 implementation 34
 implementation class 14
 Implementation Model 369, 614, 658
 implementation view 658
 inception phase 33, 47, 126
 include use case relationship 494
 Indirection 426
 Information Expert 283, 294
 information hiding 433
 inheritance 522
 in UML 260
 initial domain object 348
 instance
 in UML 623
 UML notation 226
 intension 136
 interaction diagram 221, 222
 class 226
 instance 226
 message syntax 226
 interaction fragment 230
 interaction frames 177, 230
 interaction occurrence 235
 interaction overview diagram 222, 235
 interaction use 235
 interface 192
 in UML 250, 263
 when to use 420
 interface realization
 interface implementation 263
 issue cards 550
 iteration over a collection in UML 245
 Iteration Plan 32, 676
 iterations 19
 iterative development 17, 18, 19
 benefits 22
 planning 673
 iterative lifecycle 19

J

join 477
 JUnit 387

INDEX

K

keyword
in UML 258

L

Law of Demeter 430
layer 199
layered architecture 199, 202
lazy initialization 444
lazy materialization 647
lifeline 227
 UML interaction diagrams 226
link 240
Liskov Substitution Principle 429
logical 559
logical architecture 197, 199, 559
logical view 657
lollipop notation 264
looping
 sequence diagrams 177, 231
Low Coupling 284, 299
low representational gap 138, 281, 330
lower representational gap 11
LRG
 low representational gap 281, 330
LSP 429

M

MDA 11, 12
merge symbol
 activity diagrams 481
message
 asynchronous 588
 UML notation 228, 240
metaclass 236
metadata 116, 633
method 192, 257
 from collaboration diagram 372
 in note symbols 256
 in UML 250
Model Driven Architecture 11, 12
Model-View Separation 209, 331
Model-View-Controller 209, 307
modular designs 317
Moment-Interval 528
multiplicity 153, 255
MVC 209, 307

N

N+1 view model 655, 656
namespace

 in UML packages 201
navigability arrow
 in UML class diagrams 253
navigation model 490
node 622
non-functional requirements 57
 Supplementary Specification 104
note
 in UML 256
NUnit 387

O

object
 active 584
 in UML 226
 persistent 626
Object Constraint Language 265
object databases 626
object design 7, 271, 321, 363
 introduction 213
object node 477
object-oriented analysis 7
object-oriented analysis and design
 definition 7
 dice game example 8
object-relational mapping 625
Observer 463
OCL 192, 265
offstage actor 66
Open-Closed Principle 434
operation
 in UML 250, 257
operation contracts 181
operations 192
ordered
 keyword in UML 255
organizing artifacts 680

P

package
 dependencies 533
 design 613
 organization guidelines 614
 ownership 533
 reference 533
package attributes
 in UML 250
package diagram 197, 199, 201
package name
 in UML classifier name 250
parameterized types 267
parameters
 in class diagrams 256
participants
 in interaction diagrams 226

INDEX

- partition 477
 - path name 564
 - pattern 4, 278, 279
 - Abstract Factory 597
 - Adapter 436
 - Command 610
 - Composite 452
 - Controller 302
 - Convert Exceptions 587
 - Creator 291
 - Do It Myself 297, 414, 600
 - Expert 294
 - Facade 461
 - Factory 440
 - High Cohesion 314
 - Indirection 426
 - Layers 202
 - Low Coupling 299
 - Model-View Separation 331
 - names 279
 - Observer 463
 - Polymorphism 414
 - Protected Variations 427
 - Proxy 591
 - Publish-Subscribe 463
 - Pure Fabrication 421
 - Redirection Proxy 592
 - Remote Proxy 591
 - Singleton 442
 - State 191
 - Strategy 447
 - Template Method 634
 - Virtual Proxy 648
 - patterns
 - architectural 555
 - history 280
 - persistence 625
 - persistence framework 627
 - key ideas 628
 - materialization 634
 - pattern-Cache Management 641
 - pattern-Object Identifier 630
 - pattern-Representing Objects as Tables 629
 - representing relationships in tables 651
 - requirements 628
 - persistent objects 626
 - Petri nets 484
 - Phase Plan 32, 676
 - phases in UP 33
 - physical architecture 621
 - physical design 614
 - PLanguage 545
 - planning
 - adaptive 674
 - iterative 673
 - polymorphism 414
 - in communication diagrams 246
 - in sequence diagrams 237
 - Polymorphism pattern 414
 - for payments 600
 - postcondition 184
 - a metaphor 186
 - in use case 74
 - precondition
 - in use case 74
 - primary actor 66
 - Principle of Least Surprise 359
 - private attributes
 - in UML 250
 - process
 - iterative 19
 - process view 658
 - profile
 - in UML 11, 259
 - project management 673
 - property
 - in UML 250, 260
 - multiple meanings in UML 252
 - structural, in UML 252
 - property string
 - for association ends 255
 - in UML 260
 - property strings
 - in class diagrams 256
 - protected attributes
 - in UML 250
 - Protected Variations 427
 - Proxy 591
 - Virtual Proxy 648
 - Proxy pattern 647
 - public attributes
 - in UML 250
 - Publish-Subscribe 463
 - Pure Fabrication 421
- ## Q
- qualified association 265, 531
 - qualifier 265, 531
 - quality attributes 57, 107
 - quality scenario 545
- ## R
- rake symbol
 - activity diagrams 481
 - Rational Unified Process 18
 - RDD 271, 276, 321
 - read-only attributes
 - in UML 250
 - Redirection Proxy 592
 - ref
 - tag in frames 235
 - ref frames 357

INDEX

- refactoring 389
 - reference
 - in interaction diagrams 235
 - reference attribute 450
 - reflexive association 532
 - relational cohesion 615
 - relational databases 626
 - Remote Proxy 591
 - replicates 571
 - representational decomposition 424
 - required interface
 - in UML 263
 - requirements 54
 - functional in Use-Case Model 64
 - in the UP 58
 - non-functional in Supplementary Specification 104
 - overview 53
 - various types 101
 - Requirements discipline 34
 - responsibilities 271, 276, 321
 - and interaction diagrams 277
 - and methods 276
 - doing 276
 - importance of 6
 - knowing 276
 - patterns 278
 - responsibility-driven design 276
 - return in sequence diagram 229
 - return type
 - in class diagrams 256
 - in UML operations 256
 - reverse engineering 398
 - risk-driven development 27
 - role 153
 - of objects in RDD 276
 - versus concept 529
 - rolename 255
 - in DCDs 253
 - round-trip engineering 398
 - rules 58
 - business or domain 58
 - domain or business 117
 - RUP 18
- S**
- SAD 656
 - scenario 63
 - schema mapping 628
 - Scrum 18, 40
 - sd frames 357
 - frame tag 235
 - security view 658
 - selector
 - in lifeline box 234
 - separation of concerns 204, 441, 554
 - sequence diagram 176, 222
 - activation box 228
 - conditional message 232
 - conditional messages 231
 - instance creation 229
 - iteration over collection 233
 - lifelines 230
 - looping 231
 - loops 177
 - message to class 236
 - message to self 229
 - messages 228
 - mutually exclusive conditional 232
 - object destruction 230
 - return 229
 - strength and weaknesses 223
 - Servlet 308
 - Session objects
 - in EJB and Controller pattern 308
 - Singleton 442
 - UML shorthand notation 444
 - socket notation 264
 - software architecture 200
 - Software Architecture Document 557, 655, 656
 - software class 14
 - software development process 18
 - specialization 404, 510
 - state 486
 - modeling 521
 - state machine diagram 486
 - example 491
 - guard conditions 489
 - nested states 489
 - overview 485
 - transition actions 489
 - State pattern 191, 642
 - statechart diagram
 - nested states 489
 - state-independent 487
 - static method calls 236, 245
 - static operation
 - in UML 250
 - stereotype 91, 241, 259
 - Strategy 447
 - structural properties
 - in UML 252
 - Struts
 - Java Struts example 310
 - subclass
 - conformance 512
 - creating 514
 - in UML 250, 260
 - partitioning 514
 - validity tests 513
 - superclass
 - creating 516
 - Supplementary Specification artifact 58, 102, 104, 107, 557
 - supporting actor 66

INDEX

SWEBOK 59
 Swing
 Java Swing example 309
 symbol 136
 synchronized method 250, 639
 system behavior 176
 system events 176, 184
 naming 178
 system feature 112
 system interface 184
 system operation 176, 183, 302
 system sequence diagram 173, 176
 showing use case text 178
 system use case 72

T

tagged value 241
 tags
 in stereotypes 259
 technical memos 550
 Template Method 634
 templates 267
 templatized types 267
 test fixture 387
 test-driven development 18, 29, 376, 386
 test-first development 386
 see test-driven development 376
 testing 386
 threads 238
 threads in the UML 584
 three-tier architecture 574
 tier 207
 time intervals 527
 timeboxing 23
 transition 487
 transition phase 33

U

UI modeling
 navigation modeling 490
 UML 11
 class diagrams 250
 constraint 192
 Data Modeling Profile 629
 meta-model 11
 overview 11
 profiles 11, 629, 630
 stereotype 241
 tagged value 241
 UML 2 14
 Unified Process 18
 unique
 keyword in UML 255
 unit testing 386

UP 18
 agile 31
 phases 33
 use case 61, 63
 abstract 497
 actor 66
 addition 497
 and development process 95
 base 497
 black-box 81
 brief 66
 business 73
 casual 66
 concrete 497
 essential style 80
 extend 497
 fully dressed 67
 include 494
 instance 63
 postcondition 74
 precondition 74
 subfunction level 73
 system 72
 user goal level 73
 when create abstract use cases 497
 use case realization 273
 use-case driven development 95
 Use-Case Model 58, 64
 use-case realizations 95, 321, 322
 use-case view 657, 659
 user task 88

V

value objects 163, 571
 variation point 432, 542
 VDM 194
 version thrashing 613
 Virtual Proxy 648
 virtual proxy 647
 visibility 333, 356, 363, 364
 attribute 365
 global 367
 in class diagrams 253
 in UML 250, 251
 local 366
 parameter 366
 Vision artifact 58, 102, 109, 111
 visual modeling 14

W

waterfall 18, 23
 WebForms 307, 309
 whitebox frameworks 634
 WinForms 309