



INDEX

A

- Access and security, 73
 - auditing in, 95–98
 - data set protection, 76
 - multilevel security, 94–95
 - to objects, 77
 - administrative authorities for, 83–88
 - authorization identifiers for, 77–78
 - catalog table information for, 93
 - explicit privileges for, 77–83
 - ownership with, 88–93
 - plan execution authorization for, 93
 - views for, 94
 - subsystem, 74–76
- ACCESS_DEGREE column, 534
- Access paths, 529
 - in bind process, 393
 - DSN_FUNCTION_TABLE for, 548–549
 - DSN_STATMNT_TABLE for, 546–548
 - Explain for, 529–531, 551–553
 - hints for, 549–550
 - PLAN_TABLE for, 530
 - columns in, 531–537
 - index access in, 537–539
 - table access in, 539–546
 - production environment models for, 550–551
- ACCESS_PGROUPE_ID column, 534
- Access plans, 529
- ACCESS (UT) option, 314
- ACCESSCREATOR column, 533
- ACCESSNAME column, 533
- ACCESSTYPE column, 532, 538–539, 554–556
- Accounting
 - for lock monitoring, 527
 - traces for, 567–568, 570–573
- ACHKP state, 301
- ACQUIRE option, 394
- ACTION option, 394
- Activating triggers, 471
- Active triggers, 469
- ADD CHECK clause, 128
- ADD option for binding, 393
- Address spaces, 24–27
 - priority of, 28
 - Workload Manager for, 443
- ADMF (Advanced Database Management Facility) address space, 26
- Administration Client, 10, 17
- Administration Tool, 19
- Administration tools, 16–19



- Administrative authorities, 83–88
- Advanced Database Management Facility (ADMF) address space, 26
- Advisory states, 299–303
- Affinity processing, 355
- After triggers, 471, 473–474
- Aliases, 65–66, 105–106
- ALL clause, 215–216
- Allied address spaces, 27
- ALTER command
 - for auditing, 98
 - purpose of, 109–110
- ALTER BUFFERPOOL command, 68–69, 588
- ALTER DATABASE command, 159
- ALTER GROUPBUFFERPOOL command, 350
- ALTER INDEX command, 158
 - for buffer pools, 587
 - for clustering, 154
 - for rebalancing partitions, 280
- ALTER PROCEDURE command, 439
- ALTER STOGROUP command, 160
- ALTER TABLE command, 133
 - with check constraints, 128–129
 - for partitioned table spaces, 139–140
 - for reorganizations, 278
- ALTER TABLESPACE command
 - for buffer pools, 587
 - modifications by, 147
- Analytics, 15–16
- Anomalies, 165–166
- Application Client, 13
- Application development, 12–16
- Application Development Client, 10
- Application requesters (ARs), 65, 449, 451
- Application servers (ASs), 63, 449
- Applications
 - commit and rollback operations in, 405–407
 - concurrency design for, 526
 - data sharing analysis for, 353
 - global transactions in, 413–417
 - identity columns in, 420–423
 - savepoints in, 407–408
 - in distributed environments, 413
 - establishing, 408–409
 - releasing, 412
 - restoring to, 410–412
 - sequence objects in, 423–425
 - SQL in. *See* SQL
- APPLNAME column
 - in DSN_FUNCTION_TABLE, 548
 - in DSN_STATMNT_TABLE, 547
 - in PLAN_TABLE, 531
- Archival partitioned table spaces, 140
- Archive Log Accelerator, 19
- ARCHIVE LOG command, 329
- Archive logs for disaster recovery, 328
- AREO* state, 303
- ARM (Automatic Restart Manager) policy, 343
- ARs (application requesters), 65, 449, 451
- AS clause
 - for correlation names, 188
 - for derived columns, 191
- AS SECURITY LABEL clause, 94
- ASs (application servers), 63, 449
- Asterisks (*)
 - with COUNT, 195–196
 - with SELECT, 178–179
- ASUTIME parameter, 443–444
- Asynchronous reads, 588
- Atomic keys for indexes, 155
- Attachments, 28–32
- Attributes
 - characteristics of, 162
 - for locks, 508
 - mapping, 169
- Audio extenders, 14, 505–506
- Auditing, 95–96
 - IDs, 97
 - tables, 98
 - traces for, 96–97, 569, 573
- Authentication, 75–76
- Authorization identifiers, 77–78
- Autocommit option, 35
- Automatic rebinding, 400–401
- Automatic Restart Manager (ARM) policy, 343
- Automatic summary tables, 106, 150–151
- Automation Tool, 20
- Auxiliary tables
 - creating, 602–603
 - for LOB data, 131–132

AUXW state

- characteristics of, 301
- in LOB recovery, 326

Available pages in buffer pools, 587

AVG function, 193

B

Backing out of changes, 306, 405–407

BACKUP SYSTEM utility, 331

Backups

- for recovery, 306
- system-level, 330–332

Before triggers, 471, 474–475

BETWEEN predicate, 197

Binary large objects (BLOBs), 110–111

- characteristics of, 114
- conversions with, 251
- support for, 496

BIND ACQUIRE parameter, 515

BIND command, 92

Bind Manager, 20

BIND PACKAGE command

- for DBRM, 392–393
- for DRDA access, 460
- options for, 394
- privileges for, 93

BIND PLAN command

- for DBRM, 392–393
- for DRDA access, 460
- options for, 394
- privileges for, 93

BIND_TIME column, 536

BINDAGENT privilege, 92

Binding, 387–388

- invalidations in, 399
- options for, 393–398
- package lists in, 400
- packages and plans, 389–392
 - execution authorization in, 403
 - ownership in, 402
 - rebinding, 399–400
 - removing, 402
- precompiling in, 388–389
- preliminary steps in, 399

for privileges, 93

process, 389

rebinding, 392–393

automatic, 400–401

packages, 399–400

unqualified objects in, 402–403

BLOBs (binary large objects), 110–111

characteristics of, 114

conversions with, 251

support for, 496

Boolean terms

in filtering, 237

for matching-index access, 539

for row restrictions, 182

Bootstrap data set logging, 308

Bottom-up data model design approach, 161

Browse output option, 35

Buffer Pool Analyzer, 19

Buffer pools, 68–69

- for coupling facility, 341
- default, 159
- group. *See* Group buffer pools
- managing, 586–588
- size, 590, 596
- virtual, 68, 587

BUFFERPOOL parameter, 159

BUILD phase

- in LOAD, 247
- in REORG, 262
- in REORG INDEX, 274

Built-in functions, 192, 485–486

Business challenges, 4–5

Business rules

- check constraints for, 129
- triggers for, 470–471, 480

C


CACHE keyword, 119

Caches


- for coupling facility, 341
- dynamic SQL, 557, 598
- invalidating, 285–287

CACHESIZE option, 394

Calculations in derived columns, 190–191



- Call Attach Facility (CAF), 29
- CALL command
 - in precompiling, 388
 - for stored procedures, 429, 432
- CANDIDATE table, 168
- Cartesian joins, 545–546
- Cartesian products, 183–185
- CASCADE clause, 127
- Cascade revokes, 83
- Cascading triggers, 471, 479
- CASE expressions
 - in functions, 232–233
 - working with, 231
- Casting
 - on distinct types, 182, 484–485
 - for LOBs, 500
- Castout process, 351
- Catalog and catalog information, 57–62
 - consistent queries with, 63
 - for distinct types, 486
 - integrity of, 297
 - merging in, 354
 - for object access, 93
 - for production environment models, 550–551
 - recovering, 319–321
 - reorganizing, 280
 - statistics for, 63, 281–283, 285
 - for triggers, 275–276, 480
 - for UDFs, 496
- Catalog view, 504
- CDBs (communications databases)
 - for catalog information, 58, 64
 - for distributed data, 449, 453–454
 - tables in, 67
- CEEDUMP for Workload Manager, 445
- CFCC (coupling facility control code), 352
- CFRM (Coupling Facility Resource Management) policy, 341
- Change Accumulation Tool, 19
- Change defaults option, 35
- CHANGE INDEX SETTINGS command, 504
- Change Log Inventory (DSNJU003) utility, 296
- Change Log Map (DSNJU004) utility, 297
- CHANGELIMIT feature, 314
- Character data
 - characteristics of, 113
 - conversions with, 251
- Character large objects (CLOBs)
 - characteristics of, 113
 - conversions with, 251
- Check constraints, 128–129
- CHECK DATA utility, 128, 291, 319
- CHECK INDEX utility, 291–292, 325
- CHECK LOB utility, 292–293, 326
- CHECKDAT phase, 291
- CHECKLOB phase, 292
- CHECKP state, 301
- Checkpending (CHKP) status
 - with LOAD, 253
 - in recovery, 325
 - removing, 128
 - with REORG, 273
- Checkpoints, 589–592
- CHKFREQ for checkpoints, 589
- CICS (Customer Information Control System), 29
 - flexibility in packages for, 391
 - security for, 75
- Claims locks, 520–521
- Classes
 - for audit and events, 96–97
 - overloading, 487
 - for traces, 567–570
- CLASST threshold, 351
- Client Configuration Assistant, 454
- Client mode, 9
- Clients, 10, 13, 17
- CLIST command, 54
- CLIST (command list), 37
- CLOBs (character large objects)
 - characteristics of, 113
 - conversions with, 251
- CLOSE command for cursors, 379
- CLUSTER option, 153
- Clustering indexes, 153–154
- CLUSTERRATIO keyword, 265
- CM (compatibility mode) migration
 - in migration, 38–39
 - in Workload Manager, 442
- COALESCE function, 227, 229



- COBOL programs
 - definitions in, 362–363
 - delimiting in, 362
 - for host structures, 365
 - subprograms in, 444
- COLGROUP keyword, 284
- Collections
 - of packages, 391–392
 - privileges for, 79
- COLLID column
 - in DSN_FUNCTION_TABLE, 548
 - in DSN_STATMNT_TABLE, 547
 - in PLAN_TABLE, 534
- COLUMN_FN_EVAL column, 534
- Columns
 - defining, 171–172
 - derived, 190–191
 - functions for, 192–193, 486
 - identity, 118–121, 420–421
 - INSERT and UPDATE with, 421–422
 - vs. sequence objects, 135–136, 425
 - updatable values, 422–423
 - inserting data into, 201–202
 - maximum, 129–130
 - ordering, 180–181
 - projecting, 180
 - selecting from multiple tables, 182–188
 - in sorting, 189–190
- Combining outer joins, 227–229
- Command list (CLIST), 37
- Commands, 50–53
- COMMIT ON RETURN clause, 437
- Commit operations, 405–407
 - for declared temporary tables, 417
 - savepoints in. *See* Savepoints
 - two-phase, 461
- Commit scope, 507
- COMMITs, issuing, 437
- Common table expressions, 230
- Communications databases (CDBs)
 - for catalog information, 58, 64
 - for distributed data, 449, 453–454
 - tables in, 67
- Communications protocols
 - DDF, 66
 - for distributed data, 452–453
- Comparisons
 - on distinct types, 484
 - operators for, 181
- Compatibility mode (CM)
 - in migration, 38–39
 - in Workload Manager, 442
- Composite keys, 155
- Compound predicates, 236
- COMPRESS clause, 146–147
- Compression
 - vs. encryption, 76
 - space savings from, 297–298
 - table spaces, 146–147
- Concurrency, 507–508
 - application design for, 526
 - commit frequency for, 406
 - database design for, 525–526
 - with LOAD, 250–251
- CONCURRENT keyword, 316
- Conditional reorg triggers, 277
- Conditioning, triggers for, 470
- Conditions in data retrieval, 181–182
- Configuration information for distributed data, 454–455
- CONNECT command
 - for declared temporary tables, 457
 - for distributed data, 458–459
 - for DRDA, 64–65
 - with savepoints, 413
- Connect location option, 35
- Connect product, 9–11
- Connectivity, 9–12
- Consistency queries, 63
- Constraints, 125
 - check, 128–129
 - foreign-key, 174
 - referential, 126–128
 - vs. triggers, 480–481
 - unique, 125–126
- Contention in locking, 348–349
- Control
 - in migration, 38
 - for UDFs, 494–495
- Control Center, 55
- Conversions, data type, 251–252
- Coordinated updates, 461–462

- COPY option for binding, 394
- COPY state, 301
- COPY utility, 313–314
- COPYDDN parameter, 313
- Copying
 - DSN1COPY for, 298
 - image. *See* Image copies
 - table definitions, 132
- COPYPOOL groups, 331
- COPYTOCOPY utility, 310–311
- Correlated references, 212
- CORRELATION_NAME column, 535
- Correlation names, 188
- COST_CATEGORY column, 547
- Costs
 - in data sharing, 351–352
 - Explain for, 530
 - for UDFs, 495–496
- COUNT function, 195–196
- Coupling facility, 339–342, 359
- Coupling facility control code (CFCC), 352
- Coupling Facility Resource Management (CFRM) policy, 341
- CPU parallelism, 558
- CREATE command
 - for auditing, 98
 - for ownership, 88–90
 - uses for, 108
- CREATE AUX TABLE command, 602
- CREATE DATABASE command, 171, 599
- CREATE DISTINCT TYPE command, 484, 499, 600
- CREATE FUNCTION command, 486–491
- CREATE INDEX command, 152–155
- CREATE LOB TABLESPACE command, 600
- CREATE PROCEDURE command, 432–434, 438–439
- CREATE SEQUENCE command, 134, 423–424
- CREATE STOGROUP command, 160, 599
- CREATE TABLE command, 129–131
 - for auxiliary tables, 131–132
 - for DB2CERT database, 600–602
 - for distinct types, 171
 - for MQTs, 150
- CREATE TABLE LIKE command, 132
- CREATE TABLESPACE command, 143–145, 599–600
- CREATE TRIGGER command, 471–473
- CREATE UNIQUE INDEX command, 601–603
- CREATE VIEW command, 148–149
- Created temporary tables (CTTs), 413–415
- CREATOR column, 532
- Cross invalidation, 349
- Cross System Coupling Facility (XCF), 343–344
- CS (cursor stability) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
- CTREF column, 537
- CTTs (created temporary tables), 413–415
- Cube Views, 12, 14–15
- Current-environment evaluation for data sharing, 353–354
- CURRENT PACKAGE PATH special register, 391–392
- CURRENT PACKAGESET special register, 391–392
- Current rows in cursors, 378
- CURRENT SERVER special register, 458, 462
- Current servers, 65, 452
- Current SQLIDs, 78
- Current values in cursors, 377
- CURRENTDATA option
 - for BIND PACKAGE, 460
 - for BIND PLAN, 461
 - for binding, 395
- CURRENTSERVER option, 395
- Cursor stability (CS) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
- Cursors, 203
 - closing, 379
 - held, 380
 - with LOAD, 258
 - nonscrollable, 381
 - in row retrieval, 375–379
 - scrollable, 382–383
 - types of, 381
- Customer Information Control System (CICS), 29
 - flexibility in packages for, 391

security for, 75
Customization Center, 16–17, 37

D

DAS (Database Administration Server), 454

DASD (Direct Access Storage Device)
failures in, 358
shared, 344–345
storage groups for, 160

Data anomalies, 165–166

Data Archive Expert, 20

Data Control Language (DCL), 58, 103

Data definition (DD) cards, 56

Data Definition Language (DDL), 57, 103
for database objects, 108–110
for DB2CERT database, 599–603

Data division for definitions, 362

Data Facility Storage Management Subsystem
(DFSMS), 33

Data in ranges, searching for, 197

DATA INITIALLY DEFERRED option, 151

Data integrity, 345
CHECK utilities for, 290–293
group buffer pools in, 349–351
locking in, 345–349
triggers for, 470

Data maintenance, 260–261

CHECK utilities, 290–293
DIAGNOSE utility, 296
MODIFY utilities, 293–295
movement, 245–247
loading data. *See* LOAD utility
unloading data, 259–260
packages for, 390
reorganizing table spaces. *See* REORG utility
REPAIR utility, 295–296
restrictive and advisory states, 299–303
standalone utilities, 296–299
statistics. *See* Statistics

Data manager threshold (DMTH), 593

Data Manipulation Language (DML), 103, 177

Data models, 161

DATA ONLY copy method, 331

Data partitioned secondary indexes (DPSIs),
156–157

Data retrieval, 178

column ordering, 180–181
derived columns, 190–191
duplicates in, 195–196
entire tables, 178–180
functions for, 192–193
grouping values, 193–194
multiple rows, 367
from multiple tables, 182–188
projecting columns from tables, 180
restricting, 181–182, 194–195
searches in, 196–199
single rows, 367
sorting output, 189–190

Data sets

image copies for, 313–314
log, 307–308
protection of, 76

Data sharing, 337

affinity processing and workload management in, 355
application analysis for, 353
benefits, 338
components, 339–344
current-environment evaluation for, 353–354
data integrity in, 345–351
distributed processing in, 355–356
migration issues in, 354–355
movement to, 353
performance and processing costs in, 351–352
recovery considerations for, 357–360
shared data in, 344–345
sysplex query parallelism in, 356–357

Data-sharing groups, communicating with, 455

Data structures. *See* Structures

Data System Control Facility (DSCF) address
space, 24

Data types, 104, 110–111

conversions with LOAD, 251–252
date and time, 115–117
distinct types. *See* Distinct types
identity columns, 118–121



- numeric, 111–112
 - selecting, 123–124
 - string, 112–115
- Data Warehouse Edition, 13
- Database Administration Server (DAS), 454
- Database objects, 103
 - data structures, 104–107
 - data types for. *See* Data types
 - DDL statements for, 108–110
 - indexes. *See* Indexes
 - materialized query tables, 150–151
 - sequence, 134–136
 - storage groups, 160
 - table spaces. *See* Table spaces
 - tables. *See* Tables
 - views, 148–149
- Database-recovery concepts, 305–306
- Database services address space (DSAS), 26
- Databases, 107, 159
 - attributes in, 162
 - concurrency design, 525–526
 - creating, 159, 599
 - data anomalies in, 165–166
 - entities in, 161–162
 - logical design, 160–166
 - modifying, 159
 - monitoring, 565–566
 - objects. *See* Database objects
 - physical design, 166–167
 - privileges for, 79–80
 - relationships in, 162–165
 - removing, 159
- DataJoiner, 451
- DataPropagator, 19
- DATE data type, 111
 - characteristics of, 115–116
 - conversions with, 251
- DB2
 - clients, 10, 13
 - commands, 51–53
 - data management tools, 19–20
 - data types, 110–111
 - failures in data sharing recovery, 358–359
 - private connections, 65, 452
- DB2 Application Client, 13
- DB2 Application Development Client, 10
- DB2 Connect, 9–11
- DB2 Cube Views, 14–15
- DB2 Customization Center, 16–17, 37
- DB2 Development Center (DB2 DC), 13
 - for distributed data, 465
 - for stored procedures, 447
- DB2 Enterprise Server Edition (DB2 ESE), 5, 7
- DB2 Estimator, 18
- DB2 Everyplace, 5, 9
- DB2 Extenders, 14
- DB2 Information Integrator, 9, 11–12
- DB2 Information Integrator for Content (IIP), 9, 12
- DB2 OLAP Server, 15
- DB2 Personal Developer's Edition, 5, 8
- DB2 Personal Edition, 5, 8
- DB2 Stored Procedure Address Space (DSNS-PAS), 440–441
- DB2 UDB for Linux, UNIX, and Windows, 5–7
- DB2 UDB for z/OS, 5–6
- DB2 Universal Database Express Edition, 8–9
- DB2 Visual Explain, 17–18, 552–553
- DB2 Warehouse Edition (DWE), 15–16
- DB2 Workgroup Server Edition (DB2 WSE), 7–8
- DB2 Workgroup Server Unlimited Edition (DB2 WSUE), 8
- DB2CERT database, 167
 - columns for, 171–172
 - DDL for, 599–603
 - distinct types for, 171
 - keys for, 172–175
 - tables for, 168–172
- DB2I (interactive program)
 - for utilities, 54
 - working with, 33–36
- DBADM authorization, 87
- DBCLOBs (double-byte character large objects)
 - characteristics of, 114
 - conversions with, 252
 - support for, 496
- DBCTRL authorization, 87
- DBD01 directory table, 64
- DBINFO clause, 434–435
- DBMAINT authorization, 86



- DBPROTOCOL option
 - for BIND PACKAGE, 460
 - for BIND PLAN, 461–462
 - for binding, 65, 395
- DCL (Data Control Language), 58, 103
- DCLGEN generator, 363
 - for host structures, 365–366
 - starting, 366
- DD (data definition) cards, 56
- DD names, 281
- DD command, 445
- DDF (Distributed Data Facility), 27, 63–67, 449
- DDL (Data Definition Language), 57, 103
 - for database objects, 108–110
 - for DB2CERT database, 599–603
- DEADLINE parameter, 272
- Deadlocks, 522–524
- Debugging stored procedures, 432
- DECIMAL data type, 110
 - characteristics of, 112
 - conversions with, 251
- Decision-support systems (DSSs), 233
- Declarative RIs with triggers, 481
- DECLARE command, 109, 362
- DECLARE CURSOR command, 375–376
- DECLARE GLOBAL TEMPORARY TABLE command, 130, 415
- DECLARE TABLE command, 363
- DECLARE TEMP command, 159
- Declared temporary tables (DTTs), 415–416
 - commit options for, 417
 - for distributed data, 457
 - TEMP database for, 417
 - usage considerations for, 416
- DEFAULT value
 - in identity columns, 421
 - in inserted records, 201
- DEFAULTIF attribute, 254
- DEFER option for binding, 395
- Deferred embedded SQL, 384
- Defining
 - columns, 171–172
 - distinct types, 171, 484
 - keys, 173–175
 - MQTs, 150
 - stored procedures, 438–439
 - tables, 171–172, 362–363
 - views, 362–363
- DEGREE option, 395
- DELAY parameter, 272
- DELETE command, 205–206
 - for cursors, 379
 - logging, 307
- DELETE rules, 127
- Delimited loads and unloads, 260
- DELIMITED syntax, 260
- Delimiters for SQL, 362
- Denormalization, 229
- Dependent tables, 127
- Derived columns, 190–191
- DESC keyword, 190
- DESCRIBE PROCEDURE command, 436
- Design
 - example implementation, 167–175
 - logical, 160–166
 - physical, 166–167
 - virtual pool strategies, 594–595
- Detail reports, recovery log, 298
- Deterministic UDFs, 491
- Development Center, 13
 - for distributed data, 465
 - for stored procedures, 447
- DFSMS (Data Facility Storage Management Subsystem), 33
- DFSMS Concurrent Copy, 316
- DFSORT program, 262, 264–267
- DIAGNOSE utility, 296
- Diagnostic information
 - GET DIAGNOSTICS for, 371–375
 - Workload Manager for, 445
- Direct Access Storage Device (DASD)
 - failures in, 358
 - shared, 344–345
 - storage groups for, 160
- Directory, 63–64
 - integrity of, 297
 - recovering, 319–321
 - reorganizing, 280
- DIS DDF command, 454
- DISABLE option
 - for binding, 396
 - for CICS, 75


- Disaster recovery. *See* Recovery
- DISCARDN parameter, 281
- DISCONNECT option
 - for BIND PLAN, 460
 - for binding, 395
- DISPLAY commands for monitoring, 585–586
- DISPLAY DATABASE command, 299–300
- DISPLAY DATABASE LOCKS command, 527–528
- DISPLAY FUNCTION SPECIFIC command, 495
- DISPLAY GROUP command, 40
- DISPLAY GROUPBUFFERPOOL command, 350
- DISPLAY PROCEDURE command, 440–441
- DISPLAY THREAD command, 467
- DISPLAY TRACE command, 98, 570
- Displaying utilities, 57
- DISTINCT clause, 195–196
- Distinct types, 121–122, 483
 - built-in functions, 485–486
 - catalog information for, 486
 - creating, 600
 - defining, 171, 484
 - for LOBs, 499–500
 - null values with, 122–123
 - operations on, 484–485
 - predicate evaluation for, 182
 - privileges for, 81–82, 486
 - selecting, 123–124
 - Unicode support, 124–125
 - user-defined functions. *See* User-defined functions (UDFs)
- Distributed data and environments, 449–450
 - communications databases for, 453–454
 - communications protocols for, 452–453
 - configuration information for, 454–455
 - CONNECT for, 458–459
 - in data sharing, 355–356
 - DRDA, 450–452
 - performance with, 466–467
 - precompiler options for, 459
 - private protocols for, 452
 - program preparation for, 459–462
 - programming considerations for, 462–465
 - releasing connections for, 459
 - savepoints in, 413
 - three-part table names for, 456–457
 - tuning guidelines for, 467
 - update coordination for, 461–462
- Distributed Data Facility (DDF), 27, 63–67, 449
- Distributed Relational Database Architecture (DRDA), 10
 - access to, 459–462
 - for distributed data, 64–65, 450–452
- Distributed requests, 450
- Distributed threads, 467
- Distributed units of work (DUWs), 11, 450
- DM limits, RIDs over, 596
- DML (Data Manipulation Language), 103, 177
- DMTH (data manager threshold), 593
- Double-byte character large objects (DB-CLOBs)
 - characteristics of, 114
 - conversions with, 252
 - support for, 496
- Double-byte character strings, 114
- DOUBLE data type, 111–112
- Double-precision floating-point data types, 112
- DPSIs (data partitioned secondary indexes), 156–157
- DRAIN ALL option, 271
- Drain locks, 520–522
- DRAIN WRITERS option, 271
- DRDA (Distributed Relational Database Architecture), 10
 - access to, 459–462
 - for distributed data, 64–65, 450–452
- DROP command, 109
- DROP DATABASE command, 159, 205
- DROP INDEX command, 159
- DROP PROCEDURE command, 439
- DROP SEQUENCE command, 136
- DROP STOGROUP command, 160
- DROP TABLE command, 133, 205
- DROP TABLESPACE command, 147–148, 205
- DROP TRIGGER command, 478, 482
- DROP VIEW command, 149
- Dropping. *See* Removing

- DSAS (database services address space), 26
 - DSCF (Data System Control Facility) address space, 24
 - DSN commands, 50–51
 - DSN_FUNCTION_TABLE, 548–549
 - DSN_STATMNT_TABLE, 546–548
 - DSN1CHKR utility, 297
 - DSN1COMP utility, 297–298
 - DSN1COPY utility, 298
 - DSN1LOGP utility, 298
 - DSN1MSTR address space, 24
 - DSN1PRNT utility, 299
 - DSN1SDMP utility, 299
 - DSN1SPAS (stored-procedure address space), 27
 - DSNACCOR stored procedure, 289
 - DSNJLOGF (Preformat Active Log) utility, 296
 - DSNJU003 (Change Log Inventory) utility, 296
 - DSNJU004 (Change Log Map) utility, 297
 - DSNSPAS (DB2 Stored Procedure Address Space), 440–441
 - DSNTIAUL program, 259
 - DSNTIJNE job, 40
 - DSNTIJTC job, 39
 - DSNTIJUZ job, 329
 - DSNTPSMP stored procedure, 446
 - DSNU Command, 54–55
 - DSNUM parameter, 313
 - DSNUTILB stored procedure, 55
 - DSNUTILS stored procedure, 55
 - DSNUTILU stored procedure, 55
 - DSNZPARMs, 41–50
 - DSSIZE parameter, 139–140, 145
 - DSSs (decision-support systems), 233
 - DTTs (declared temporary tables), 415–416
 - commit options for, 417
 - for distributed data, 457
 - TEMP database for, 417
 - usage considerations for, 416
 - Dual image copies, 310
 - Dual indexes, 503
 - DUOW (distributed units of work), 11, 450
 - Duplexed structures in recovery, 360
 - Duplicates in data retrieval, 195–196
 - DUWs (distributed units of work), 11, 450
 - DWE (DB2 Warehouse Edition), 15–16
 - DWQT threshold, 591–592
 - Dynamic DSNZPARMs, 49
 - Dynamic prefetch, 540
 - Dynamic scrollable cursors, 383
 - Dynamic SQL
 - caching, 557, 598
 - for performance, 557–558
 - statements, 361, 384–385
 - Dynamic workload balancing, 443
 - DYNAMICRULES option, 92, 395, 403
- E**
- Edit input option, 35
 - EDM (environmental descriptor manager) pools, 69, 597
 - Efficiency
 - EDM pools, 597
 - indexes for, 553–556
 - EHL (explicit hierarchical locking), 345–346
 - EIP (Information Integrator for Content), 9, 12
 - Elapsed time traces, 568
 - Embedded dynamic SQL, 384
 - Embedded UDBs, 5
 - ENABLE FOR QUERY OPTIMIZATION clause, 151
 - Enable new-function mode (ENFM), 38–40
 - ENABLE option
 - for binding, 396
 - for CICS, 75
 - Encapsulation for stored procedures, 430
 - ENCODING option, 396
 - Encryption, 76
 - ENFM (enable new-function mode), 38–40
 - ENFORCE CONSTRAINTS option, 254
 - ENFORCE NO option, 253–254
 - Enhancements, 6
 - Enterprise Server Edition, 5, 7
 - Entities, 161–162
 - Environment, 23–24
 - address spaces, 24–28
 - attachments, 28–32
 - catalog, 57–63
 - commands, 50–53

- for data sharing, 353–354
 - directory, 63–64
 - Distributed Data Facility, 63–67
 - installation and migration, 36–40
 - interfaces, 33–36
 - parallel sysplex environment, 33
 - security, 32–33
 - subsystem pools, 68–70
 - system parameters, 41–50
 - utilities, 53–57
 - z/OS, 24
- Environmental descriptor manager (EDM)
pools, 69, 597
- Equal unique indexes, 556
- Escalation, lock, 524–525
- Estimator, 18
- ETL (extract, transform, and load) process, 15
- Events, audit, 96–97
- Everyplace, 5, 9
- Exams, sample, 611–625
- Exclusive (X) lock mode
duration, 517–518
purpose of, 512–514
- EXEC SQL parameter, 258
- Execute option, 35
- Executing
external UDFs, 494–495
utilities, 54–56
- Execution authorization for plans, 93, 403
- Execution environments for stored procedures,
440–445
- Execution validation in SQL, 368–375
- Existence subqueries, 212
- EXISTS subqueries, 213–214
- Explain facility
for access paths, 529–530
gathering data in, 530–531
for lock monitoring, 526
output from, 551–553
- EXPLAIN option
for binding, 396
for rebinds, 401
- EXPLAIN_TIME column
in DSN_FUNCTION_TABLE, 548
in DSN_STATMNT_TABLE, 547
- Explicit clustering indexes, 153
- Explicit hierarchical locking (EHL), 345–346
- Explicit privileges, 77–83
- Expressions
CASE, 231–233
nested, 229–230
row, 233
- Extenders, 12, 14
image, audio, and video, 505–506
for LOBs, 500–506
text, 502–505
XML, 506
- External UDFs, 489–491
creating, 487–488
executing, 494–495
- Externalization
and checkpoints, 589–592
and I/O requests, 588–589
real-time statistics, 288–289
- Extract, transform, and load (ETL) process, 15

F

- Fact-table detection algorithms, 543–545
- Fallback recovery, 323
- False lock contention, 348
- Fast Log Apply (FLA), 323
- FASTSWITCH keyword, 269
- FETCH command
for cursors, 378
for limited rows, 418–419
for multirows, 419–420
for scrollable cursors, 383
sensitivity clause, 382
- FETCH FIRST clause, 418
- FIELDPROC clause, 121
- FIFO (first-in, first-out) in buffer pools, 588
- Filtering
matching-index scans for, 553–554
predicates for, 236–241
- First normal form (1NF), 163
- FIRSTKEYCARD column, 283
- Fixed-length character strings, 113
- Fixed-list SELECT statements, 384
- FLA (Fast Log Apply), 323
- FLAG option, 396



- Flexibility, packages for, 390–391
- FLOAT data type
 - characteristics of, 112
 - conversions with, 251
- FOR BIT DATA clause, 114
- FOR EXCEPTION clause, 319
- FOR UPDATE clause, 376
- FORCE option, 332
- Foreign-key constraints, 174
- Foreign keys
 - defining, 174
 - for indexes, 155
 - with referential constraints, 126–128
- FORMAT DELIMITED syntax, 260
- Formatting recovery log, 298
- FREE command, 402
- FREEPAGE parameter, 145–146, 255
- Frequency
 - of image copies, 309–310
 - of index updates, 504
- FREQVAL options, 284
- FROM TABLE clause, 273
- Full copies, 306, 323, 331
- Full image copies, 311–313
- Full outer joins, 225–227
- FULLKEYCARD column, 283
- FULLSELECT for MQTs, 150–151
- FUNCTION_NAME column, 549
- FUNCTION_TEXT column, 549
- FUNCTION_TYPE column, 549
- Functional dependence, 162
- Functions, 192–193
 - built-in, 485–486
 - CASE expressions in, 232–233
- Fuzzy copies, 315
- Fuzzy searches, 503
- GENERATED BY DEFAULT columns, 119,
254, 420–422
- GET DIAGNOSTICS command, 371–375
- GET INDEX STATUS command, 504
- GETPAGE requests, buffer pools for, 586
- GETVARIABLE command, 94
- GLM (global lock manager) level, 348
- Global lock contention, 348
- Global lock manager (GLM) level, 348
- Global locks, 346
- Global transactions, 413
 - created temporary tables for, 413–415
 - declared temporary tables for, 415–417
- Goal mode in Workload Manager, 442
- Governor, 566
- GRANT command, 77, 82–83, 87
- Granting
 - authorities, 87–88
 - privileges, 82–83
- GRAPHIC data type, 111
 - characteristics of, 114
 - conversions with, 252
- GRECP state, 301
- Group buffer pools, 349–350
 - castout process, 351
 - for coupling facility, 341
 - in data sharing, 359
 - sizing, 350
- GROUP BY clause, 193–194
- GROUP_MEMBER column
 - in DSN_FUNCTION_TABLE, 548
 - in DSN_STATMNT_TABLE, 547
 - in PLAN_TABLE, 535
- Group services in XCF, 344
- Grouping values, 193–194
- GTF (Generalized Trace Facility), 566

G


- GBPCHKPT threshold, 351
- GBPOOLT threshold, 351
- Generalized Trace Facility (GTF), 566
- GENERATED ALWAYS columns, 118, 121,
254, 420–422

H


- Hardware in tuning, 563
- Hash tables, lock, 341
- HAVING clause, 195
- Held cursors, 380
- High Performance Unload, 20
- HINT_USED column, 536



- Hints for access paths, 549–550
 - Historical statistics, 286
 - HISTORY keyword, 286
 - Horizontal deferred write threshold, 591–592
 - Host structures, SQL, 365–366
 - Host variables, SQL, 363–364
 - Hybrid joins, 543
- I**
- I/O
 - CPU parallelism for, 558
 - and externalization, 588–589
 - IBM Data Encryption, 20
 - IBM Debug Tool, 432
 - IBM_SERVICE_DATA column, 535
 - ICF (Integrated Catalog Facility) catalog
 - for disaster recovery, 328
 - synchronizing, 320
 - ICFs (Internal Coupling Facilities), 339
 - ICOPY state, 301
 - ICSF (Integrated Cryptographic Service Facility), 76
 - Identifiers
 - authorization, 77–78
 - in security, 77–78
 - in sequence names, 423
 - Identity columns, 118–121, 420–421
 - INSERT and UPDATE with, 421–422
 - vs. sequence objects, 135–136, 425
 - updatable values, 422–423
 - IFC Selective Dump utility, 299
 - IFCIDs (Instrumentation Facility IDs), 566, 570–585
 - Image copies, 309
 - access during, 314–315
 - COPYTOCOPY for, 310–311
 - DFSMS concurrent copies, 316
 - for disaster recovery, 328
 - dual, 310
 - frequency of, 309–310
 - full and incremental, 311–313
 - index, 317–318
 - inline, 315
 - MERGECOPY for, 316–317
 - for partitions and data sets, 313–314
 - vs. tape, 311
 - Image extenders, 14, 505–506
 - IMMEDIATE option, 396
 - Immediate write threshold (IWTH), 593–594
 - Implicit clustering indexes, 153
 - IMS (Information Management Systems)
 - functions of, 29–30
 - in security, 75
 - IN clause, 199
 - IN-list index matching, 538
 - IN-list index scans, 555
 - IN list subqueries, 212–213
 - In-use pages in buffer pools, 587
 - Inactive threads with distributed data, 467
 - INCLUDE command, 365
 - INCLUDING IDENTITY clause, 132
 - INCLUDING IDENTITY COLUMN ATTRIBUTES clause, 121
 - INCREMENT BY clause, 134, 423
 - Incremental copy backups, 306, 323
 - Incremental development, packages for, 390
 - Incremental image copies
 - vs. full, 311–313
 - merging, 316–317
 - INCURSOR parameter, 258
 - Index-controlled partitioning, 142
 - Index-only access, 539, 556
 - Index spaces
 - invalid copies, 323
 - recovering, 321
 - Indexable predicates, 237–241
 - Indexes, 106
 - clustering, 153–154
 - creating, 151–153, 601–632
 - data partitioned secondary, 156–157
 - Explain for, 551
 - guidelines, 158
 - image copies for, 317–318
 - integrity of, 291–292
 - LOB, 158
 - modifying, 158
 - nonpartitioning, 106, 156
 - null values with, 155–156
 - OLAP, 235
 - parallel builds, 257–258, 266–267



- partitioning, 154
 - for performance
 - avoiding sorts, 556–557
 - efficient access, 553–556
 - PLAN_TABLE columns for, 537–539
 - removing, 159
 - reorganizing, 274, 278
 - screening by, 554
 - spaces for, 130
 - for statistics, 287–288
 - for text extenders, 503–504
 - unique and nonunique, 154–155
 - update frequency of, 504
- INDEXONLY column, 533, 539, 556
- INDEXSPACESTATS table, 287
- INDREFLIMIT triggers, 277
- INDXVAL phase in LOAD, 247
- Information Integrator, 9, 11–12
- Information Integrator Classic Federation, 20
- Information Integrator for Content (EIP), 9, 12
- Information Management Systems (IMS)
 - functions of, 29–30
 - in security, 75
- Inherited privileges, 83, 91
- Initialization phase in sort pools, 596
- Inline copies, 255, 315
- Inline statistics
 - benefits of, 286–287
 - with LOAD, 255
 - with REORG, 272–274
- Inline views, 229
- Inner joins, 217–218
- Inoperative plans and packages, 401
- Input data set name option, 35
- INSENSITIVE cursors, 382
- INSERT command, 200–201, 367
 - with identity columns, 421–422
 - vs. LOAD, 245
 - logging, 307
 - for multirows, 419–420
 - for sets of values, 202–203
 - for specific columns, 201–202
- INSERT rules, 127
- Inserting
 - data, 200–203, 367
 - LOBs, 497–499
- Installation, 36–40
- Installation SYSADM authorization, 83
- Installation SYSOPR authorization, 86
- Instrumentation Facility IDs (IFCIDs), 566, 570–585
- INTEGER data type, 110
 - characteristics of, 111
 - conversions with, 251
- Integrated Catalog Facility (ICF) catalog
 - for disaster recovery, 328
 - synchronizing, 320
- Integrated Cryptographic Service Facility (IC-SF), 76
- Integrity, 345
 - CHECK utilities for, 290–293
 - group buffer pools in, 349–351
 - locking in, 345–349
 - triggers for, 470
- Intent exclusive (IX) lock mode, 512–513
- Intent share (IS) lock mode, 512–513
- Interactive program (DB2I)
 - for utilities, 54
 - working with, 33–36
- Interactive SQL, 384
- Interfaces, 33–36
- Internal Coupling Facilities (ICFs), 339
- Internal resource lock manager (IRLM), 27
- Internal thresholds in tuning, 593–594
- INTO clause, 367, 378
- INTO TABLE option, 249–250
- Invalidations
 - in binding, 399
 - SQL caches, 285–287
 - triggers for, 478–479
- Invoking
 - traces, 570
 - UDFs, 491–493
- IRLM (internal resource lock manager), 27
- IRLMRWT parameter, 518
- IS (intent share) lock mode, 512–513
- IS predicate, 198
- Isolation levels with locks, 515–516
- ISOLATION option for binding, 396
- ISPF command, 33
- IWTH (immediate write threshold), 593–594
- IX (intent exclusive) lock mode, 512–513



J

JDBC (Java Database Connectivity) support, 361–362, 384

Jobs, installation and migration, 37

JOIN_DEGREE column, 534

JOIN_PGROUPE_ID column, 534

Join predicates, 236

JOIN_TYPE column, 535

Joins, 185–188, 217

- Cartesian, 545–546
- combining, 227–229
- vs. denormalization, 229
- full outer, 225–227
- hybrid, 543
- inner, 217–218
- left outer, 220–224
- merge-scan, 542–543
- nested loop, 541–542
- outer, 219
- right outer, 224–225
- star, 235–236

K

KEEPDYNAMIC option, 396

Kerberos security, 76

Key-correlation statistics, 283–284

KEYCARD parameter, 284

Keys, 107

- for DB2CERT database, 172–175
- for indexes, 155
- with referential constraints, 126–128

L

L-locks (logical locks), 346–347

Labeled duration operations, 204

Labels for constraints, 129

Language Environment product libraries, 431–432

Large amounts of data, inserting, 202

Large objects. *See* LOBs (large objects) and LOB columns

Law of diminishing returns, 562

LEAFDISTLIMIT option, 277

LEAFFAR column, 278

LEAFNEAR column, 278

Left outer joins, 220–224

Libraries

for disaster recovery, 328–329

for stored procedures, 431–432

LIBRARY option for binding, 396

LIKE clause, 121, 132, 196–197

Limited partition scanning, 540

Limited rows, FETCH for, 418–419

Linguistic indexes, 503

Linkage section for definitions, 362

Links for coupling facility, 343

Linux, UDB for, 6–7

List prefetch, 540

LLM (local lock manager), 348

LOAD utility, 203, 205, 245–247

concurrent access with, 250–251

conversions with, 251–252

cursors with, 258

free space with, 255

inline copies with, 255, 315

inline statistics with, 255

loading with

data, 247–248

LOB columns, 255

ordered rows, 249

partitions, 249–250

ROWID columns, 254

parallel index builds with, 257–258

partitioned table spaces with, 258

PREFORMAT option, 256–257

rebalancing partitions with, 256

referential integrity with, 252–254

replacing data with, 248–249

SORTKEYS option, 256

Loading LOBs, 497–499

LOBs (large objects) and LOB columns, 114, 496–497

auxiliary tables for, 131–132

buffer pools for, 591

checking, 292–293

distinct types for, 499–500

extenders for, 500–506

indexes for, 158

- inserting, 497–499
 - loading, 255, 497–499
 - locking, 510–511
 - recovering, 325–326
 - table spaces, 107, 142–143
 - Local copies, 323
 - Local DB2, 63, 75, 449
 - Local lock manager (LLM), 348
 - Local locks, 346
 - Local predicates, 236
 - Location names, 66
 - for BIND PACKAGE, 460
 - for data-sharing groups, 455
 - for distributed data, 453
 - LOCK TABLE command, 413, 511
 - LOCKMAX option, 524
 - Locks, 507–508
 - attributes for, 508
 - avoiding, 519–520
 - claims, 520–521
 - contention in, 348–349
 - for coupling facility, 340
 - in data integrity, 345–348
 - in data sharing recovery, 359
 - displaying, 527–528
 - drain, 520–522
 - durations, 514–518
 - escalation, 524–525
 - modes, 512
 - monitoring, 526–528
 - promoting, 525
 - sharing, 413
 - sizes, 509–510
 - system parameters for, 518
 - timeouts and deadlocks with, 522–524
 - LOG option
 - for LOB columns, 114
 - for REORG, 267
 - LOG NO option, 130
 - LOG phase for REORG INDEX, 274
 - Log record sequence number (LRSNs), 307, 357–358
 - Log table spaces, 600
 - LOGAPPLY phase in RECOVER, 321–324
 - Logical database design, 160–166
 - Logical locks (L-locks), 346–347
 - Logical terminals (LTERMs), 75
 - Logical UOWs, 406
 - LOGLOAD parameter, 589–590
 - LOGONLY recovery, 359
 - Logs and logging, 307
 - bootstrap data sets, 308
 - in data sharing recovery, 357–358
 - in disaster recovery, 328
 - in LOB recovery, 326
 - log data sets, 307–308
 - SYSIBM.SYSLGRNX for, 309
 - LONG VARCHAR data, 251
 - LONG VARGRAPHIC data, 252
 - LONGLOG parameter, 272
 - LPL state, 301
 - LRDRTHLD parameter, 518
 - LRSNs (log record sequence number), 307, 357–358
 - LRU chains in buffer pools, 588
 - LTERMs (logical terminals), 75
 - LUNAMEs, 67
- M**
- MAINTAINED BY SYSTEM option, 151
 - MAINTAINED BY USER option, 151
 - Maintenance, data. *See* Data maintenance
 - Managed System Infrastructure for Setup (msys for Setup), 17, 36–37
 - Management tools, 19–20
 - Mapping
 - attributes, 169
 - tables, 270
 - MATCHCOLS column, 532, 538, 553–556
 - Matching index columns, 538
 - Matching-index scans, 552–554
 - Materialized created temporary tables, 415
 - Materialized query tables (MQTs), 106, 150–151
 - MAX function, 193
 - MAXARCH parameter, 308
 - MAXRO parameter, 271–272
 - MBCSs (multibyte character sets), 113
 - MEMBER option, 397
 - MEMBER CLUSTER option, 153

Memory

- in DBMI address space, 26
- for pools, 69

MERGE_JOIN_COLS column, 535

Merge phase in SORT pools, 596

Merge-scan joins, 542–543

MERGECOPY utility, 311–312, 316–317

METHOD column, 532, 541–546

Middleware, 9–12

Migration, 36–37

- considerations for, 38–40
- in data sharing, 354–355
- high-level overview, 38

Migration CLIST, 37, 39

MIN function, 193

Minimizing data loss, 329

MIXOPSEQ column, 534

Mobile computing, 5

Modification

- databases, 159
- indexes, 158
- inserting data, 200–203
- removing data, 205–206
- sequence objects, 136
- storage groups, 160
- table spaces, 147
- tables, 133
- updating data, 203–205

Modified locks, 347

MODIFY phase

- in MODIFY RECOVERY, 293
- in MODIFY STATISTICS, 295

MODIFY RECOVERY utility, 293–294

MODIFY STATISTICS utility, 286, 294–295

MODIFY TRACE command, 570

MOLAP (multidimensional OLAP), 15, 416

Monitoring, 561

- DISPLAY commands for, 585–586
- locks, 526–528
- Performance Monitor for, 565
- resource limit facility for, 566
- traces for, 566, 569, 574–576
- triggers, 479–480
- UDFs, 494–495

MQTs (materialized query tables), 106, 150–151

Msys for Setup (Managed System Infrastructure for Setup), 17, 36–37

Multibyte character sets (MBCSs), 113

Multidimensional OLAP (MOLAP), 15, 416

Multilevel security, 94–95

Multiple conditions in data retrieval, 182

Multiple-index access, 538, 555

Multiple rows

- FETCH and INSERT for, 419–420
- retrieving, 367

Multiple servers, three-part table names with, 457

Multiple tables, selecting columns from, 182–188

Multisite updates, 11

N

Name qualifiers, packages for, 391

Names

- correlation, 188
- in data sharing, 354–355
- host variables, 364
- schema, 90, 423
- tables, 129
- unqualified, 92–93

Negative conditions, searching for, 198–199

Nested loop joins, 541–542

Nested table expressions, 229–230

Nesting

- joins, 219
- stored procedures, 438

Net Search Extender, 14

New function mode (NFM), 38–40

NEXT VALUE FOR expression, 134

NFM (new function mode), 38–40

Ngram indexes, 503

NO ACTION clause, 127

NO CLUSTER option, 154

Non-read-only views, 207–208

Non-SELECT statements, dynamic SQL for, 384

Noncorrelated subqueries, 212

Nonmatching-index scans, 554

Nonpartitioning indexes (NPIs), 106, 156

- Nonsargable predicates, 237
 - Nonscrollable cursors, 381
 - Nonunique indexes, 154–156
 - NOPKLIST option, 397, 400
 - Normalization, 162–165
 - NOSYSREC option, 265–266
 - Not deterministic UDFs, 491
 - NOT NULL columns
 - considerations, 122
 - inserting data into, 201
 - NOT NULL foreign keys, 128
 - NOT predicate, 198–199
 - NPIs (Nonpartitioning indexes), 106, 156
 - Null values
 - considerations, 122–123
 - with indexes, 155–156
 - for LOB columns, 132
 - searching for, 198
 - NULLIF attribute, 254
 - Numeric data types, 111–112
 - conversions with, 251
 - sequence objects for, 134–136
 - NUMLKTS parameter, 518
 - NUMLKUS parameter, 518
- O**
- Object access, 77
 - administrative authorities for, 83–88
 - authorization identifiers for, 77–78
 - catalog table information for, 93
 - explicit privileges for, 77–83
 - ownership with, 88–93
 - plan execution authorization for, 93
 - views for, 94
 - Object Comparison Tool, 19
 - Object-relational extensions, 482–483
 - distinct types, 483–486
 - LOBs. *See* LOBs (large objects) and LOB columns
 - UDFs. *See* User-defined functions (UDFs)
 - Object-relational functionality, 469
 - Object Restore, 19
 - Objects
 - access to. *See* Object access
 - recovering, 322
 - ODBC (Open Database Connectivity), 361–362, 384
 - OFFPOSLIMIT triggers, 277
 - OLAP (online analytical processing), 233, 235
 - OLAP Server, 12, 15
 - OLRs (online reorganizations), 267
 - read-only, 268–269
 - read/write, 269–272
 - OLTP (online transaction processing) systems, 233
 - ON clause for joins, 218–219
 - ON COMMIT command, 417
 - On-demand business, 4–5
 - One-fetch index access, 556
 - Online analytical processing (OLAP), 233, 235
 - Online DSNZPARMs, 49–50
 - Online reorganizations (OLRs), 267
 - Online transaction processing (OLTP) systems, 233
 - OPEN command for cursors, 377
 - Open Database Connectivity (ODBC), 361–362, 384
 - OPTHINT option
 - for binding, 397
 - in PLAN_TABLE, 536
 - Optimization. *See* Performance; Tuning
 - OPTIMIZE FOR n ROWS clause
 - with distributed data, 466
 - with FETCH, 418
 - Optimizers, 529
 - OPTIONS command, 56
 - OPTIONS option
 - for BIND PACKAGE, 460
 - for binding, 397
 - OR conditions, 199
 - ORDER BY clause, 189–191
 - Ordered rows, loading, 249
 - Ordering columns, 180–181
 - Outer joins, 219
 - combining, 227–229
 - full, 225–227
 - left, 220–224
 - right, 224–225
 - Output data set name option, 35
 - Overloading classes, 487

- OWNER option, 89, 92, 397, 402
- Ownership
 - of plans and packages, 92, 402
 - privileges with, 83, 88–93
- P**
- P-locks (physical locks), 346–347
- PACKADM authorization, 86
- PACKAGE option for binding, 397
- Packages
 - binding, 389–392
 - execution authorization in, 403
 - ownership, 402
 - package lists in, 400
 - rebinding, 399–400
 - removing, 402
 - ownership for, 92, 402
 - privileges for, 79
 - for triggers, 478
- Page P-locks, 347
- PAGE_RANGE column, 535, 540
- Page set P-locks, 347
- Pages
 - in buffer pools, 587–588
 - externalized, 588–592
 - locks, 347, 510, 514–516
 - size of, 587
- Parallel index builds
 - with LOAD, 257–258
 - with REORG, 266–267
- Parallelism and parallel sysplex environment,
 - 33, 337
 - in data sharing, 356–357
 - for performance, 558–560
 - system query, 356–357
 - for table access, 546
 - in tuning, 592
- PARALLELISM_MODE column, 535, 546,
 - 558–560
- PARAMETER STYLE option, 432–435
- Parameters
 - for stored procedures, 432–435, 445
 - system, 41–50, 518
 - in tuning, 562
- Parent keys, 126–128
- PARENT_QBLOCK column, 536
- Parent tables, 127
- PART clause, 249
- PART VALUES clause, 142
- PARTITION ENDING AT clause, 142
- Partitioned indexes, 106, 154, 156–157
- Partitioned table spaces, 107
 - creating, 600
 - LOAD parallelism, 258
 - sorting in, 264–265
 - working with, 138–142
- Partitions
 - image copies for, 313–314
 - loading, 249–250
 - locking, 509, 515
 - rebalancing, 256, 280–281
- PassTickets, 75
- Passwords in Kerberos, 76
- PATH bind option, 483
- Path Checker, 20
- PATH column, 549
- PATH option for binding, 397
- PATH special register, 483
- Paths, access. *See* Access paths
- PCTFREE parameter, 145–146, 255
- PE (Personal Edition), 8
- Percent characters (%) in string searches, 196–197
- Performance, 529
 - access paths in. *See* Access paths
 - in data sharing, 351–352
 - with distributed data, 466–467
 - dynamic SQL for, 557–558
 - Estimator for, 18
 - improvement process, 563–564
 - indexes for
 - avoiding sorts, 556–557
 - efficient access, 553–556
 - MODIFY RECOVERY for, 294
 - MQTs for, 150–151
 - query parallelism for, 558–560
 - traces for. *See* Traces
 - with triggers, 479
 - tuning. *See* Tuning
- Performance Expert, 19–20

- Performance Monitor (PM), 19, 565
- Permutations in data retrieval, 180–181
- Personal Developer's Edition, 5, 8
- Personal Edition (PE), 5, 8
- PGFIX feature, 590
- PGSTEAL option, 588
- Physical database design, 166–167
- PIECESIZE clause, 156
- PKLIST option, 397, 400
- PLAN option, 397
- PLAN_TABLE, 530
 - columns in, 531–537
 - index access in, 537–539
 - table access in, 539–546
- PLANNO column, 531
- Plans
 - binding
 - options for, 393–398
 - purpose and benefits, 389–392
 - execution authorization for, 93, 403
 - ownership of, 92, 402
 - privileges for, 79
 - for recovery, 323–324
 - removing, 402
- PM (Performance Monitor), 19, 565
- Point-in-time recovery, 324–326
- Points of consistency in UOWs, 407
- Policies for coupling facility, 341–343
- Polymorphism with UDFs, 493–494
- Positioned deletes
 - for cursors, 379
 - description of, 205
- Positioned updates
 - for cursors, 378–379
 - description of, 203
- Precise indexes, 503
- Precompiling
 - DRDA access options for, 459
 - SQL statements in, 388–389
- Predicates
 - in data retrieval, 181–182
 - in filtering, 236–241
 - join, 187
- PREFETCH column, 534, 540
- Prefetching in table access, 540
- Preformat Active Log (DSNJLOGF) utility, 296
- PREFORMAT option in LOAD, 246, 256–257
- Preparation for disaster recovery, 327
- Preserved row tables, 220
- PREVIEW function, 57
- PREVIOUS VALUE FOR expression, 134
- PRIMARY_ACESSTYPE column, 536
- Primary authorization IDs, 77
- Primary errors, 253
- Primary keys, 126
 - benefits of, 169
 - defining, 173
 - for indexes, 155
 - with referential constraints, 126–127
- Primary partitioning indexes, 154
- Printing utility, 299
- Priority
 - of address space, 28
 - Workload Manager for, 443
- Private protocols for distributed data, 65–66, 452
- Privileges, 77–83
 - for distinct types, 81–82, 486
 - with ownership, 88–93
 - for schema, 483
- Processor cost
 - in compression, 146
 - in data sharing, 351–352
- Processors for coupling facility, 339
- PROCMS column, 547
- PROCSU column, 548
- Production environment models, 550–551
- PROGNAME column
 - in DSN_FUNCTION_TABLE, 548
 - in DSN_STATMNT_TABLE, 547
 - in PLAN_TABLE, 531
- PROGRAM TYPE SUB clause, 444
- Programming considerations for distributed data, 462–465
- Projecting columns, 180
- Promoting locks, 525
- Propagation, triggers for, 470
- Protocols for distributed data
 - communications, 452–453
 - private, 65–66, 452
- PSRBD state, 302

Q

QBLOCK_TYPE column, 536
QBLOCKNO column, 531
QMF (Query Management Facility), 13, 16
Qualified objects, 89–90
QUALIFIER option, 89, 92, 397, 402–403
Qualifiers, packages for, 391
Qualifying rows, 182
Query Management Facility (QMF), 16
Query Monitor, 19
Query parallelism, 558–560
QUERYNO column
 in DSN_FUNCTION_TABLE, 548
 in DSN_STATMNT_TABLE, 547
 in PLAN_TABLE, 531
QUIESCE option, 332
QUIESCE utility, 318

R

RACF (Resource Access Control Facility), 32–33, 74–75
RAISE_ERROR function, 478–479
Random pages in buffer pools, 588
Random processing vs. sequential, 590–591
Ranges, searching for data in, 197
Ratio setting for group buffer pools, 350
RBDP (rebuild pending) condition, 302, 325
RDS limits, RIDs over, 595–596
Read-only OLRs, 268–269
Read-only queries, 552
Read-only views, 149, 207
Read stability (RS) isolation level
 lock avoiding in, 520
 purpose of, 515–516
Read/write OLRs, 269–272
REAL data type, 111–112
Real-time statistics, 287–289
REASON column, 548
Rebalancing partitions, 256, 280–281
REBIND command
 for plans and packages, 92, 393
 statistics for, 290
REBIND PACKAGE command, 399–400
REBIND TRIGGER PACKAGE command, 478

Rebinding, 392–393
 automatic, 400–401
 packages, 92, 399–400
REBUILD INDEX utility, 325
Rebuild pending (RBDP) condition, 302, 325
REBUILDPERCENT keyword, 342
RECOVER utility
 for data sharing, 358
 fast log apply with, 323–324
 for objects, 322
 for point-in-time recovery, 324
 for table spaces, 321
Recoverable Resource Manager Services (RRS)
 component, 413
Recovery, 318
 catalog and directory, 319–321
 CHECK DATA for, 319
 in data sharing, 357–360
 database-recovery concepts, 305–306
 disaster, 327–330
 fallback, 323
 image copies for. *See* Image copies
 index spaces, 321
 LOBs, 325–326
 logging for, 298, 307–309
 objects, 322
 planning for, 323–324
 point-in-time, 324–326
 system-level, 330–332
 table spaces, 321
Recovery Expert, 19–20
RECP (Recovery Pending) state, 302, 326
RECURHL parameter, 518
Recursive triggers, 479
Reentrant stored procedures, 432
REFERENCE option, 263
REFERENCING clause, 475–476
Referential constraints, 126–128
Referential integrity
 in DB2CERT database, 170–171
 with LOAD, 252–254
REFP state, 303
REFRESH command, 444
REFRESH DEFERRED option, 151
REFRESH TABLE command, 151
Registration of GFP pages, 349

- Related privileges, 83
- Relational OLAP (ROLAP), 15, 416
- Relationships
 - anomalies, 165–166
 - in DB2CERT database, 170–171
 - normalizing, 162–165
- RELEASE option
 - for BIND PLAN, 460
 - for binding, 398
 - for locks, 515
- RELEASE SAVEPOINT command, 412
- Releasing savepoints, 412
- RELOAD phase
 - in LOAD, 246
 - in REORG, 261
- REMARKS column, 534
- Remote access, 75. *See also* Distributed data and environments
- Remote servers (RSs), 63, 449
- Remote units of work (RUWs), 450
- Removing
 - check constraints, 129
 - data, 205–206, 260
 - databases, 159
 - indexes, 159
 - plans and packages, 402
 - sequence objects, 136
 - storage groups, 160
 - stored procedures, 439
 - table spaces, 147–148
 - tables, 133
 - triggers, 482
 - views, 149
- RENAME TABLE command, 129
- REOPT option, 398
- REORG utility, 261–263
 - for identity columns, 121
 - inline statistics with, 272–274
 - LOG option, 267
 - NOSYSREC option, 265–266
 - for online reorganizations, 267–272
 - parallel index builds with, 266–267
 - rebalancing partitions with, 280–281
 - for removing data, 260
 - reorganizing indexes with, 274, 278
 - SHRLEVEL option, 263, 281
 - SORTDATA option, 263–265
 - SORTKEYS option, 266–267
 - for table spaces, 278–279
 - triggers for, 275–280
- Reorganizations
 - catalog and directory, 280
 - REORG for. *See* REORG utility
 - and table spaces, 145
- REORGANIZE INDEX command, 504
- REORP status, 280–281, 303
- REPAIR Utility, 295–296
- Repeatable read (RR) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
- REPLACE option
 - for binding, 393
 - with LOAD, 248–249
- RepliData, 20
- REPORT parameter, 283, 285
- REPORT utility, 317
- REPORT RECOVERY utility, 323
- REPORTCK phase in CHECK DATA, 291
- REPORTONLY feature, 314
- Reports
 - for lock monitoring, 527
 - Performance Monitor, 565
 - recovery log, 298
- REPRTLOB phase in CHECK LOB, 292
- Residual predicates, 237
- Resolving restrictive and advisory states, 299–303
- Resource Access Control Facility (RACF), 32–33, 74–75
- Resource limit facility, 566
- Resource Recovery Services Attachment Facility (RRSAF), 31–32, 442
- Restart, 332–333
- RESTART LIGHT command, 348, 359
- RESTORE phase in RECOVER, 321–324
- RESTORE SYSTEM utility, 331
- Restoring to savepoints, 410–412
- RESTP state, 303
- RESTRICT clause, 127
- Restricted systems for distributed data, 461–462
- Restricting data retrieval, 181–182, 194–195
- Restrictive states, 299–303





- Result sets
 - from SELECT, 178, 375
 - for stored procedures, 435–437
 - RESUME keyword with LOAD, 248–249
 - Retained locks, 348
 - Retrieving data. *See* Data retrieval
 - RETURN clause, 489
 - Reusable stored procedures, 432
 - REVOKE command, 77, 82–83, 87
 - Revoking
 - authorities, 87–88
 - privileges, 82–83
 - RIDs (row identifiers)
 - for indexes, 151
 - pools, 69–70, 595–596
 - Right outer joins, 224–225
 - Risk in migration, 38
 - ROLAP (relational OLAP), 15, 416
 - ROLLBACK command, 407–408
 - Rollback operations, 306, 405–407
 - ROLLBACK TO SAVEPOINT command, 410–411
 - ROLLBACK WORK clause, 410
 - ROTATE clause, 140–141
 - Rotated partitioned table spaces, 140–141
 - ROUTINE_ID column, 537
 - Routines, privileges for, 82
 - Row expressions, 233
 - Row fullselects, 204
 - Row identifiers (RIDs)
 - for indexes, 151
 - pools, 69–70, 595–596
 - Row level security, 94
 - ROWID columns, loading, 254
 - ROWID data type, 111
 - Rows
 - locks, 510, 514–516
 - maximum, 130
 - restricting, 181–182, 194–195
 - retrieving. *See* Data retrieval
 - triggers for, 475
 - RR (repeatable read) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
 - RRS (Recoverable Resource Manager Services)
 - component, 413
 - RRSAF (Resource Recovery Services Attachment Facility), 31–32, 442
 - RS (read stability) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
 - RSs (remote servers), 449
 - Run phase in e-business cycles, 4
 - Runaway stored procedures, 443
 - RUNSTATS utility, 281–283
 - for catalog, 63, 283, 285
 - for inline statistics, 255
 - for SQL cache invalidation, 285–287
 - Runtime clients, 10
 - RUWs (remote units of work), 450
- ## S
- S (share) lock mode
 - duration, 517
 - purpose of, 512–514
 - Sample exam, 611–625
 - Sampling statistics, 283
 - Sargable predicates, 237
 - SAVEPOINT command, 408–409
 - Savepoints, 407–408
 - in distributed environments, 413
 - establishing, 408–409
 - releasing, 412
 - restoring to, 410–412
 - SBCSs (single-byte character sets), 113
 - SCA (shared communication area), 339–340, 359
 - Scalar functions, 192, 486–490
 - SCANTAB phase in CHECK DATA, 291
 - SCHEMA_NAME column, 549
 - Schemas
 - names for, 90, 423
 - for object-relational extensions, 482–483
 - privileges for, 81
 - for stored procedures, 440
 - SCOPE option for UDFs, 494
 - Scrollable cursors, 382–383
 - SCT02 directory table, 64
 - SDSNSAMP queries, 63
 - Searched deletes, 205–206

- Searched updates, 203
- Searching
- host variables in, 368
 - LOB extenders for, 501, 503–504
 - for negative conditions, 198–199
 - for null values, 198
 - in ranges, 197
 - for sets of values, 199
 - for string patterns, 196–197
- Second normal form (2NF), 164
- Secondary authorization IDs, 78
- Secondary errors, 253
- Secondary partitioning indexes, 154
- Security
- access. *See* Access and security
 - RACF, 32–33
- Segmented table spaces, 107
- benefits of, 137–138
 - creating, 599
 - unloading, 264
- SEGSIZE parameter, 138
- SELECT command, 367. *See also* Data retrieval
- for column projections, 180
 - for entire tables, 178–180
- Selective partition locking (SPL), 509
- SENSITIVE cursors, 382
- Sensitivity of cursors, 382
- Sequence objects
- creating, 135
 - vs. identity columns, 135–136, 425
 - modifying, 136
 - purpose of, 107, 134–136, 423–425
 - working with, 134–135
- Sequential detection, 540
- Sequential pages in buffer pools, 588
- Sequential prefetch, 540
- Sequential prefetch threshold (SPTH), 593
- Sequential Processing Using File Input (SPUFI)
- option, 35–36
- Sequential processing vs. random, 590–591
- SET clause, 367
- Set closure, 182
- SET CONNECTION command, 458
- SET CURRENT command, 78
- SET CURRENT PATH command, 483
- SET LOG command, 332–333, 589
- SET NULL clause, 127
- SET SYSPARM command, 50
- Sets of values
- inserting, 202
 - searching for, 199
- 702 sample exam, 611–625
- SFM (Sysplex Failure Management) policy, 342
- Shadow copies, 329–330
- Share (S) lock mode
- duration, 517
 - purpose of, 512–514
- Share with intent exclusive (SIX) lock mode, 512–513
- Shared communication area (SCA), 339–340, 359
- Sharing
- data. *See* Data sharing
 - locks, 413
- SHRLEVEL parameters
- for image copies, 314–315
 - for OLRs, 268
 - for REORG, 263, 281
- SIGNAL SQLSTATE command, 478–479
- Signaling services, 344
- Signatures for functions, 493
- Simple predicates, 237
- Simple table spaces, 107, 137, 264–265
- Single-byte character sets (SBCSs), 113
- Single-precision floating-point data types, 112
- Single-result queries, 212
- Single rows, retrieving, 367
- SIX (share with intent exclusive) lock mode, 512–513
- Size
- locks, 509–510
 - pools
 - buffer, 590, 596
 - group buffer, 350
 - pages in, 587
 - pools, 597
 - sort, 596
- SKCT (skeleton cursor tables) locks, 508
- SKPT (skeleton package tables) locks, 508
- SMALLINT data type, 110
- characteristics of, 111
 - conversions with, 251

- SMF (System Management Facility) records, 566
- SNA (System Network Architecture)
 - for distributed data, 452–454
 - for network connections, 66–67
- Software in tuning, 563
- SORT option in LOAD, 246–247
- SORT phase
 - in CHECK DATA, 291
 - in CHECK LOB, 292
 - in REORG, 262
- Sort pools, 70, 596
- SORTBLD phase, 266–267
- SORTC_ columns, 533, 535, 540–541
- SORTDATA parameter, 263–265
- SORTKEYS option
 - for LOAD, 256
 - for REORG, 266–267
- SORTN_ columns, 533, 535, 540–541
- Sorts
 - avoiding, 556–557
 - output, 189–190
 - for table access, 540–541
- Sourced functions, 486–487, 489
- SPACE keyword, 56–57
- SPAS (stored-procedure address space), 27
- Spatial Extender, 14
- SPEC_FUNC_ID column, 549
- Specific IDs, auditing, 97
- SPL (selective partition locking), 509
- SPT01 directory table, 64
- SPTH (sequential prefetch threshold), 593
- SPUFI (Sequential Processing Using File Input) option, 35–36
- SQL, 361–362
 - cached in
 - invalidating, 285–287
 - for performance, 557, 598
 - cursors in
 - closing, 379
 - held, 380
 - nonscrollable, 381
 - in row retrieval, 375–379
 - scrollable, 382–383
 - types of, 381
 - definitions in, 362–363
 - delimiting, 362
 - dynamic, 384–385
 - caching, 557, 598
 - for performance, 557–558
 - statements, 361, 384–385
 - execution validation in, 368–375
 - extenders for, 501
 - host structures in, 365
 - host variables in, 363–364
 - inserting and updating data in, 367
 - retrieving rows in, 367
 - scalar functions for, 487, 489–490
 - searching data in, 368
 - for stored procedures, 445–447
- SQL Performance Analyzer, 19
- SQLCA (SQL communication area), 368–370
- SQLCODE fields, 370–371
- SQLERROR option, 93, 398, 460, 463
- SQLRULES option
 - for BIND PLAN, 461–462
 - for binding, 398
- SQLSTATE fields, 370–371
- SSAS (system services address space), 24–25
- Stage 1 predicates, 237–241
- Stage 2 predicates, 237–238
- Star joins
 - for table access, 543–546
 - working with, 235–236
- Star schemas, 234–235
- START DATABASE command, 314, 359
- START DB2 command, 51
- START FUNCTION SPECIFIC command, 494
- START PROCEDURE command, 440
- START TRACE command, 97, 567, 570
- START WITH setting, 134, 423
- Starting traces, 97–98
- Statement triggers, 475
- Static binding, 390
- Static SQL statements, 361
- Statistics
 - clearing, 294–295
 - gathering, 281–285
 - inline
 - benefits of, 286–287
 - with LOAD, 255
 - with REORG, 272–274



- for lock monitoring, 527
- for production environment models, 550–551
- real-time, 287–289
- for rebinds, 290
- for RID pools, 595–596
- storing, 287–288
- traces for, 567, 584–585
- UDF, 495
- STATISTICS clause, 273, 287
- Status-monitoring services, 344
- STDDEV function, 193
- Stealing method in tuning, 592
- STMT_ENCODE column, 548
- STMT_TYPE column, 547
- STMTTOKEN column, 537
- Stogroups, 160, 599
- STOP DB2 command, 332
- STOP FUNCTION SPECIFIC command, 495
- STOP PROCEDURE command, 440
- STOP TRACE command, 98, 570
- Stop words for text indexes, 503
- Stopping traces, 97–98
- Storage groups, 107, 160, 599
- Stored-procedure address space (SPAS), 27
- Stored procedures, 429
 - benefits of, 430–431
 - DB2 Development Center for, 447
 - defining, 438–439
 - for distributed data, 464
 - DSNSPAS for, 440–441
 - execution environments for, 440–445
 - Language Environment product libraries for, 431–432
 - nesting, 438
 - parameters for, 432–435, 445
 - removing, 439
 - result sets for, 435–437
 - schema qualification for, 440
 - SQL for, 445–447
 - temporary tables for, 414
 - units of work for, 437
 - Workload Manager for, 441–445
 - writing, 431
- STOSPACE Utility, 289
- String data types
 - characteristics of, 112–115
 - date, 116
 - searching for, 196–197
 - time, 117
- Strong typing, 121–122
- Structures, 104–107
 - for coupling facility, 341
 - in data sharing recovery, 359–360
 - host, 365–366
 - table spaces, 107
- Subqueries, 211–214
- SUBSTR function, 192
- Subsystems
 - access, 74–76
 - pools, 68–70
 - privileges for, 80–81
- SUM function, 232
- Summary recovery log reports, 298
- SWITCH phase
 - for OLRs, 269
 - for REORG INDEX, 274
- Synchronized timestamps, 343
- Synchronizing ICF, 343
- Synchronous reads, 588
- Synonyms, 106
- SYSADM authorization, 85
- SYSCOLUMNS table, 132
- SYSCTRL authorization, 84
- SYSFUN schema, 440
- SYSIBM statistics, 550–551
- SYSLGRNX table, 64, 309
- SYSOPR authorization, 85
- Sysplex Failure Management (SFM) policy, 342
- Sysplex query parallelism, 33, 337
 - in data sharing, 356–357
 - for performance, 560
- Sysplex timer, 343
- SYSPRINT file, 55
- System-level backup and recovery, 330–332
- System Management Facility (SMF) records, 566
- System Network Architecture (SNA)
 - for distributed data, 452–454
 - for network connections, 66–67
- System parameters, 41–50, 518





System services address space (SSAS), 24–25
 SYSUTILX directory table, 64

T

Table access

joins for

hybrid, 543
 merge-scan, 542–543
 nested loop, 541–542
 star, 543–546

limited partition scanning for, 540

parallelism usage for, 546

in PLAN_TABLE, 539–546

prefetching for, 540

sorts for, 540–541

table space scans, 539–540

Table-check constraints, 480–481

Table-controlled partitioning, 142

TABLE_DCCSID column, 537

Table Edition, 20

Table Editor, 20

TABLE_ENCODE column, 537

TABLE keyword, 492

TABLE_MCCSID column, 537

TABLE_SCCSID column, 537

Table spaces, 107

compressing, 146–147

creating, 143–145

free space on, 145–146

LOB, 142–143

locks, 509, 513–515

modifying, 147

offline, 329

partitioned. *See* Partitioned table spaces

recovering, 321

removing, 147–148

reorganizing. *See* REORG utility

scans of, 539–540

segmented, 107

benefits of, 137–138

creating, 599

unloading, 264

simple, 137

TABLE_TYPE column, 537

Tables, 104, 125

access to. *See* Table access

auditing, 98

auxiliary

creating, 602–603

for LOB data, 131–132

constraints, 125–129

copying definitions, 132

creating, 129–131, 600–602

for DB2CERT database, 168–171

defining, 171–172, 362–363

functions for, 192, 486, 490–491

locks, 509, 513–514

modifying, 133

MQTs, 106, 150–151

privileges for, 79

projecting columns from, 180

removing, 133

retrieving, 178–180

temporary, 130, 413–417

for triggers, 476–477

TABLESPACESET option, 317

TABLESPACESTATS table, 287–288

TABNO column, 532

Tape image copies, 311

Target database names

for distributed data, 453

in VTAM, 66

Task control block (TCBs), 32, 568

TCP/IP (Transmission Control Protocol/Internet Protocol)

for distributed data, 452–454

for networks, 66–67

TEMP database, 159, 417

TEMPLATE command, 56–57

Templates, utility, 56–57

Temporary tables, 130

CTTs, 413–415

DTTs, 415–416

TEST_CENTER table, 168

Test Database Generator, 20

TEST table, 168

TEST_TAKEN table, 168

Text extenders, 14

indexing, 503–504

for LOBs, 502–503



- Third normal form (3NF), 164–165
 - Threads with distributed data, 467
 - Three-part names
 - for distributed data, 456–457
 - table references by, 65–66
 - Time data types, 115
 - characteristics of, 115
 - conversions with, 251
 - as strings, 117
 - Time Sharing Option (TSO), 30–31
 - Timeouts with locks, 522–524
 - Timers for coupling facility, 343
 - TIMESTAMP data type, 111
 - characteristics of, 115–117
 - conversions with, 251
 - in PLAN_TABLE, 534
 - TIMESTAMP_FORMAT function, 117
 - Timestamps for coupling facility, 343
 - TNAME column, 532
 - TO SAVEPOINT clause, 410–412
 - TOLOGPOINT parameter, 324
 - Top-down data model design approach, 161
 - TORBA keyword, 324
 - Traces, 566
 - accounting, 567–568, 570–573
 - audit, 95–98, 569, 573
 - IFCIDs for, 570–585
 - invoking, 570
 - monitor, 566, 569, 574–576
 - performance, 569, 576–584
 - statistics, 567, 584–585
 - TRACKER SITE option, 329–330
 - Transactions, 507–508
 - global, 413–417
 - locking. *See* Locks
 - Transform phase in e-business cycles, 4
 - Transition tables for triggers, 476–477
 - Transition variables for triggers, 475–476
 - Transmission Control Protocol/Internet Protocol (TCP/IP)
 - for distributed data, 452–454
 - for networks, 66–67
 - Triggers, 469–470
 - activating, 471
 - after, 473–474
 - before, 474–475
 - catalog information for, 275–276, 480
 - combinations, 477–478
 - creating, 471–473
 - declarative RIs with, 481
 - dropping, 482
 - for invalidations, 478–479
 - monitoring, 479–480
 - packages for, 478
 - performance with, 479
 - for reorganizations, 275–280
 - row and command, 475
 - vs. table-check constraints, 480–481
 - transition tables for, 476–477
 - transition variables for, 475–476
 - UDFs for, 481–482
 - uses for, 470
 - TSLOCKMODE column, 533
 - TSO (Time Sharing Option), 30–31
 - Tuning. *See also* Performance
 - buffer pools, 586–588
 - checkpoints and page externalization, 589–592
 - DISPLAY BUFFERPOOL for, 594–595
 - dynamic SQL caching, 598
 - environmental descriptor manager pool, 597
 - guidelines for, 562–563
 - I/O requests and externalization, 588–589
 - internal thresholds in, 593–594
 - RID pools in, 595
 - scope of, 564
 - sort pools, 596
 - virtual pool design strategies, 594
 - Two-phase commits, 461
- ## U
- U (update) lock mode
 - duration, 517
 - purpose of, 512–514
 - UCS-2 encoding, 124–125
 - UDB (Universal Database), 5
 - clients, 10
 - for Linux, UNIX, and Windows, 6–7
 - for z/OS, 6

- UDFs. *See* User-defined functions (UDFs)
- Uncommitted read (UR) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
- Underline characters (_) in string searches, 196
- Unicode support, 124–125
- UNION operation, 215–217
- Unique constraints, 125–126
- Unique indexes, 154–155
- Unique keys
 - defining, 174
 - for indexes, 155
 - with referential constraints, 126–128
- Unique nonpartitioning indexes, 156
- Units of recovery (URs), 407
- Units of work (UOWs)
 - in commit and rollback operations, 306, 406–407
 - for stored procedures, 437
- Universal Database (UDB), 5
 - clients, 10
 - for Linux, UNIX, and Windows, 6–7
 - for z/OS, 6
- Universal Database Express Edition, 8–9
- UNIX, UDB for, 6–7
- UNLOAD EXTERNAL option, 274
- UNLOAD phase
 - in REORG, 261
 - in REORG INDEX, 274
- UNLOAD utility, 259–260
- Unqualified names, 92–93
- Unqualified objects
 - in binding, 402–403
 - ownership of, 88–89
- UOWs (units of work)
 - in commit and rollback operations, 306, 406–407
 - for stored procedures, 437
- Updatable identity columns values, 422–423
- UPDATE command, 203–205
 - for cursors, 378–379
 - for host variables, 367
 - with identity columns, 421–422
 - logging, 307
- UPDATE INDEX command, 504
- Update (U) lock mode
 - duration, 517
 - purpose of, 512–514
- Updated pages in virtual buffer pools, 587
- Updating
 - data records, 203–205
 - distributed data, 461–462
 - with host variables, 367
- UR (uncommitted read) isolation level
 - lock avoiding in, 520
 - purpose of, 515–516
- URCHKTH parameter, 518
- URs (units of recovery), 407
- Use privilege category, 81
- User-defined data types, 104–105
- User-defined functions (UDFs), 192, 486–487, 530
 - catalog information for, 496
 - cost information for, 495–496
 - executing, 494–495
 - external, 487–491
 - invoking, 491–493
 - monitoring and controlling, 494–495
 - polymorphism with, 493–494
 - sourced, 489
 - SQL scalar, 489–490
 - statistics, 495
 - table, 490–491
 - for triggers, 481–482
- User-tailored reports (UTRs), 565
- USING clause for storage groups, 160
- UTF-8 encoding, 124–125
- UTILINIT phase
 - in CHECK DATA, 291
 - in CHECK LOB, 292
 - in LOAD, 246
 - in MODIFY RECOVERY, 293
 - in MODIFY STATISTICS, 295
 - in REORG, 261
 - in REORG INDEX, 274
 - in UNLOAD, 259
- Utilities, 53–57
- Utilities Suite V8, 20
- UTILTERM phase
 - in CHECK DATA, 291
 - in CHECK LOB, 292

- in MODIFY RECOVERY, 293
- in MODIFY STATISTICS, 295
- in REORG, 262
- in REORG INDEX, 274
- in UNLOAD, 259

UTRs (user-tailored reports), 565

V

V8 code, 39

VALIDATE option, 93, 398

Validation

- SQL execution, 368–375
- triggers for, 470

VALUE function, 227

VALUES clause, 201, 367

VARCHAR data type, 113

- conversions with, 251
- size of, 114

VARGRAPHIC data type, 111

- characteristics of, 114
- conversions with, 252

Variables

- host, 363–364
- transition, 475–476

VARIANCE function, 193

Varying-length character strings, 113

Varying-list SELECT statements, 385

VDWQT setting, 592

Verification in bind process, 393

VERSION column, 534

Versioning

- packages for, 390
- plans, 392

Video extenders, 14, 505–506

VIEW_CREATOR column, 549

VIEW_NAME column, 549

Views

- classification of, 206–208
- Cube Views, 12, 14–15
- definitions, 362–363
- inline, 229
- purpose of, 106
- read-only, 149, 207
- removing, 149

- in security, 94
- working with, 148–149

Virtual buffer pools

- availability of, 68
- design strategies for, 594
- pages in, 587

virtual pool parallel sequential threshold (VPPSEQT), 592

Virtual pool sequential steal threshold (VPSEQT), 590–591

Virtual Telecommunications Access Method (VTAM), 66, 453–454

Visual Explain, 17–18, 552–553

VPPSEQT (virtual pool parallel sequential threshold), 592

VPSEQT (virtual pool sequential steal threshold), 590–591

VPSIZE parameter, 590

VPSTEAL threshold, 592

VTAM (Virtual Telecommunications Access Method), 66, 453–454

W

Warehouse Edition (DWE), 15–16

Web Query Tool, 20

WEPR state, 303

WHEN_OPTIMIZE column, 535

WHERE clause

- comparison operators in, 181
- with UPDATE, 204
- for views, 148

WHERE NOT NULL option, 155

Wildcard characters in searches, 196–197

Windows, UDB for, 6

WITH CHECK OPTION clause, 149

WITH DEFAULT clause, 121, 201–202

WITH GRANT option, 88

WITH HOLD cursors, 380, 466


WITH RETURN clause, 435–436

WLM. *See* Workload Manager (WLM)

WORKFILE database, 159

Workgroup Server Edition (WSE), 5, 7–8

Workgroup Server Unlimited Edition (WSUE), 5, 8



Working-storage section for definitions, 362
Workload balancing, 443
Workload Manager (WLM), 27, 441–442
 benefits, 442
 in data sharing, 355
 for diagnostic information, 445
 environment management for, 444–445
 program types for, 444
 with stored procedures, 443–444
Write thresholds, 591–592
Writing stored procedures, 431
WSE (Workgroup Server Edition), 5, 7–8
WSUE (Workgroup Server Unlimited Edition),
 5, 8

X–Z

X (exclusive) lock mode
 duration, 517–518
 purpose of, 512–514
XCF (Cross System Coupling Facility),
 343–344
XES contention, 348
XLKUPDLT parameter, 518
XML extenders, 14, 506

