

Index

Symbols

* (asterisks), 152
 * (multiplication), 34
 + (addition), 34
 ++, 38-39
 +=, 37
 - (subtraction), 34
 —, 38-39
 . (concatenation operator), 43
 = (equal sign), 37

A

absoute value (abs), 35
 accepting email, 286
 access, restricting to properties and methods,
 206-207
 accessing
 base class methods, 216-217
 MySQL databases, 243-244
 accessor methods, 205
 acos (arc cosine), 35
 acosh (inverse hyperbolic cosine), 35
 ACTION, 136, 180
 adding data to databases, 242
 alignment specifier, 69
 alternative syntax, 63
 And operators, 50, 238
 appending files, fwrite, 230-231
 arc cosine (acos), 35
 arc sine (asin), 35
 arc tangent (atan), 35
 arc tangent of two variables (atan2), 35
 argument lists, 104
 creating variable-length argument lists,
 111-112
 arguments, passing by reference, 109-110
 array diff, 89
 array diff assoc, 89

array flip, 91
 array functions, 79-80
 array merge, 88
 array operators, 97-98
 array slice function, 88
 array sum, 91
 arrays, 65, 307-308
 of arrays, 94
 associative arrays, 89
 comparing, 89-90
 creating, 72-73
 multidimensional arrays, 93-94
 exploding, 85
 extracting variables from, 86-87
 flipping, 92
 imploding, 85
 looping over, 77-78
 manipulating data in, 91-92
 merging, 88
 modifying, 74-75
 multidimensional arrays, looping over,
 95-96
 navigating through, 83-84
 passing to functions, 106
 receiving form data in custom arrays,
 177-178
 removing array elements, 76
 returning from functions, 115-116
 sorting, 81-82
 splitting, 88
 superglobal arrays, 137
 asin (arc sine), 35
 asinh (inverse hyperbolic sine), 35
 asort, 82
 assigning values to variables, 22-24
 assignment operators, 37
 associative arrays, 89
 asterisks (*), 152

- atan (arc tangent), 35
- atan2 (arc tangent of two variables), 35
- atanh (inverse hyperbolic tangent), 35
- attachments, sending with email, 289-290
- attributes
 - ACTION, 180
 - VALUE, 164
- AUTH TYPE, 170
- authentication, HTTP, 197

B

- base class methods, accessing, 216-217
- base convert, 35
- binary reading, 223-224
- bindec, 35
- bitwise operators, 44
- booleans, 304
- breaking out of loops, 61
- breaking up scripts, 101
- browsers
 - determining browser type with HTTP
 - headers, 173-174
 - displaying text in, 14-16
 - HTML tags, 14
- buttons
 - creating, 160-166
 - reading, 161, 164, 166

C

- callback functions, 126
- casts, 31
- ceil, 35
- characters, reading (fgetc), 222
- check temperature, 113
- checkboxes, creating, 144-145
- chr, 68
- classes, 200, 317-320
 - creating, 202-203
 - inheritance, 210-212
- clauses
 - ORDER BY, 257
 - WHERE, 237
- CLI (Command Line Interpreter), 17-18
- command line, running PHP on, 17-19
- command-line options, 18
- commands
 - CREATE DATABASE, 241, 255
 - DESCRIBE, 241
 - SHOW DATABASES, 240

- SHOW TABLES, 241
- USE produce, 241
- commenting scripts, 19-20
- comments, nesting, 19
- comparing
 - arrays, 89-90
 - floating point numbers, 48
- comparison operators, 47-48
- concatenation operator (.), 43
- conditional functions, creating, 128-129
- constants, creating, 28-30
- constants.inc, 131
- constructors, initializing objects, 208-209
- continue statements, skipping
 - interactions, 62
- conversion specifications, 69
- converting strings, 71
- cookies, 269
 - deleting, 276
 - getting, 272-273
 - reading, 273
 - setting, 270-271
 - setting expiration times, 274-275
- cosh (hyperbolic cosine), 35
- cosine (cos), 35
- CREATE DATABASE, 241, 255
- CREATE TABLE, 253
- current, 83

D

- data
 - adding to databases, 242
 - deleting, 251-252, 299-300
 - displaying form data all at once, 168-169
 - handling user data with web forms,
 - 136-137
 - inserting into databases, 249-250
 - inserting with DB, 263-264
 - manipulating in arrays, 91-92
 - passing to functions, 104-105
 - preserving, 193-194
 - receiving form data in custom arrays,
 - 177-178
 - retrieving
 - from sessions, 294
 - from text fields, 140-141
 - sorting in databases, 257-258
 - storing session data, 293
 - submitting in forms, 168



- updating, 247-248, 265-266
 - validating
 - checking for numbers, 185-186
 - checking for strings, 187-188
 - with JavaScript, 195-196
 - requiring data entry, 183-184
 - data tables, displaying, 245-246
 - data types, 30-32, 304-305
 - mixing, 31
 - databases, 236
 - adding data to, 242
 - applications supported by PHP, 235
 - creating, 255-256
 - deleting data, 251-252
 - inserting new data, 249-250
 - MySQL, 235, 240-241
 - accessing, 243-244
 - ODBC, 235
 - PEAR DB module, 259-260
 - records, 236
 - relational databases, 236
 - setting up support in PHP, 239
 - sorting data, 257-258
 - updating data, 247-248
 - DB
 - displaying tables with, 261-262
 - inserting data, 263-264
 - updating data, 265-266
 - decbin, 35
 - dechex, 35
 - decoct, 35
 - decrementing, 38-39
 - default argument values, setting up, 107-108
 - default values, setting up, 107-108
 - deg2rad, 35
 - DELETE, 238
 - deleting. *See also* removing
 - cookies, 276
 - data in databases, 251-252
 - delimiting strings, 305
 - DESC, 238
 - DESCRIBE, 241
 - directives, 69
 - directory listings, getting, 279-280
 - display errors function, 182
 - display welcome function, 182
 - displaying
 - data tables, 245-246
 - form data all at once, 168-169
 - tables with DB, 261-262
 - text in browsers, 14-16
 - do
 - while loops, 59
 - while statement, 313-314
 - .doc, 5
 - DOCUMENT ROOT, 170
 - documents, printing “her” documents, 16-17
 - double quotes, 305
 - downloading
 - examples used in this book, ix
 - files, FTP, 281-282
- ## E
- echo, 12-15
 - elements, removing from arrays, 76
 - else statements, 50-51, 310
 - elseif statements, 51-52, 310-311
 - email, 269
 - accepting, 286
 - sending, 285-286
 - with attachments, 289-290
 - with headers, 287-288
 - enclosing PHP scripts, 6
 - encoding HTML tags, 191-192
 - end, 83
 - errors, handling errors returned by
 - functions, 133
 - escaping, 15
 - execution operators, 42
 - exp, 35
 - expiration times, setting for cookies, 274-275
 - explode, 85
 - exploding arrays, 85
 - expm1, 35
 - expressions, 45
 - regular expressions, 187
 - extensions, 4-5
 - extract, 86
 - extracting variables from arrays, 86-87
- ## F
- fgetc, 222
 - fgets, 220-221
 - File Transfer Protocol. *See* FTP
 - filenames, 218
 - files, 201
 - appending, fwrite, 230-231
 - downloading, FTP, 281-282
 - opening, fopen, 218-219

- parsing, fscanf, 226-227
 - reading, file_get_contents, 225
 - uploading, 156-160
 - FTP, 283-284
 - writing at once, file_put_contents, 232-233
 - writing to, fwrite, 228-229
- file_get_contents, 225
- file_put_contents, 232-233
- flipping arrays, 92
- floating point numbers, 304
 - comparing, 48
- floor, 35
- flow control, 33
- fmod, 35
- fopen, 218-219
- for loops, 55-56
- for statement, 314-315
- foreach loops, 60
- foreach statement, 315
- FORM, 136-137
- formatting
 - strings, 69-70
 - text in double quotes, special characters for, 14
- forms. *See also* web forms
 - displaying data all at once, 168-169
 - submitting data, 168
- fread, 223-224
- fscanf, 226-227
- FTP (File Transfer Protocol), 269, 277-278
 - downloading files, 281-282
 - getting directory listings, 279-280
 - uploading files, 283-284
- func get args, 111-112
- func num args, 111
- function.inc, 132
- function reference, 321
- functions, 101
 - and variables, 101
 - array diff, 89
 - array diff assoc, 89
 - array flip, 91
 - array functions, 79-80
 - array merge, 88
 - array slice, 88
 - array sum, 91
 - asort, 82
 - check temperature, 113
 - conditional functions, creating, 128-129
 - creating, 102-103, 315-316
 - current, 83
 - display errors, 182
 - display welcome, 182
 - end, 83
 - explode, 85
 - extract, 86
 - fgetc, 222
 - fgets, 220-221
 - file_get_contents, 225
 - file_put_contents, 232-233
 - fopen, 218-219
 - fread, 223-224
 - fscanf, 226-227
 - FTP functions, 277
 - func get args, 111-112
 - func num args, 111
 - within functions, creating, 130
 - fwrite, 228-231
 - get name, 200
 - handling errors returned by functions, 133
 - implode, 85
 - joiner, 111
 - mail, 287
 - math functions, 35-36
 - nav bar, 102-103
 - next, 83
 - passing
 - arrays to, 106
 - data to, 104-105
 - phpinfo, 6
 - preg match, 187
 - prev, 83
 - printf, 69
 - process data, 182
 - reset, 83
 - returning
 - arrays from, 115-116
 - lists from, 117-118
 - references from, 119
 - values from, 113-114
 - rsort, 81
 - set name, 200
 - setcookie, 270
 - sort, 81
 - sprintf, 69
 - string functions, 66-68

strip tags, 189
 validate data, 167, 181-182
 variable functions, creating, 126-127
 fwrite, 228-231

G

GATEWAY INTERFACE, 170
 GET, 137
 get name, 200, 203
 getrandmax, 35
 global variables, 122-123

H

headers
 HTTP headers. *See* HTTP headers
 sending email, 287-288
 “here” documents, printing, 16-17
 hexdec, 35
 hidden controls, creating, 150, 152
 hit counters, 295-296
 HTML
 creating
 checkboxes, 144-145
 PHP pages, 4
 text areas, 142-143
 FORM, 136-137
 hidden controls, 150, 152
 image maps, 154-156
 listboxes, creating, 148-150
 mixing with PHP, 10-12
 password controls, creating, 152-154
 radio buttons, creating, 146-148
 text fields, creating, 138-139
 uploading files, 156, 158
 HTML controls, 135
 HTML tags
 displaying text in browsers, 14
 encoding, 191-192
 removing, 189-190
 HTTP, authentication, 197
 HTTP ACCEPT, 172
 HTTP ACCEPT CHARSET, 172
 HTTP ACCEPT ENCODING, 172
 HTTP ACCEPT LANGUAGE, 172
 HTTP CONNECTION, 172
 HTTP headers, 172
 determining browser type, 173-174
 redirecting users, 175-176
 HTTP HOST, 172
 HTTP REFERER, 172

HTTP USER AGENT, 172
 hyperbolic cosine (cosh), 35
 hyperbolic sine (sinh), 36
 hyperbolic tangent (tanh), 36
 hypot, 35

I

IDE (integrated development environment), 5
 if statements, 33, 45-46, 50, 309-310
 image maps, creating, 154-156
 implode, 85
 imploding arrays, 85
 include files, 131-132
 incrementing, 38-39
 indexes, 65
 inheritance, 210-212
 protected inheritance, 212-214
 initializing objects with constructors, 208-209
 INSERT, 242
 inserting data
 into databases, 249-250
 with DB, 263-264
 installing PHP, 2-3
 integers, 304
 integrated development environment (IDE), 5
 interactions, skipping with continue statements, 62
 interpolated, 305
 interpolating, 24-25, 27
 inverse hyperbolic cosine (acosh), 35
 inverse hyperbolic sine (asinh), 35
 inverse hyperbolic tangent (atanh), 35
 is finite, 35
 is infinite, 36
 is nan, 36
 ISPs (internet service providers), transporting PHP pages to, 5

J-K

JavaScript, validating data, 195-196
 joiner, 111

 key/value pairs, 73
 keys, 65
 keywords, 29, 303
 DESC, 238
 Komodo, 5

L

- lcg value, 36
- lista, creating variable-length argument lists, 111-112
- listbox.php, 149
- listboxes, creating, 148-150
- lists
 - argument lists, 104
 - returning from functions, 117-118
- log, 36
- log10, 36
- log1p, 36
- logical operators, 49-50, 238
- looping
 - arrays, 77-78
 - multidimensional arrays, 95-96
- loops, 33
 - breaking out of, 61
 - do, while loops, 59
 - for loops, 55-56
 - foreach loops, 60
 - while loops, 57-58

M

- Maguma, 5
- mail, 287
- manipulating data in arrays, 91-92
- math functions, 35-36
- math operators, 34
- max, 36
- merging arrays, 88
- METHOD, 136
- methods
 - base class methods, accessing, 216-217
 - overriding, 214-215
 - restricting access to, 206-207
- Microsoft Word, creating PHP documents, 5
- min, 36
- mixing
 - data types, 31
 - HTML and PHP, 10-12
- modifying arrays, 74-75
- mt_getrandmax, 36
- mt_rand, 36
- mt_srand, 36
- multidimensional arrays, 93-96
- MySQL, 235
 - accessing databases, 243-244
 - creating databases, 240-241

N

- name, 200
- nav bar, 102-103
- navigating through arrays, 83-84
- nesting comments, 19
- next, 83
- NOT, 238
- numbers, validating data, 185-186

O

- object-oriented programming, 199-200
- objects, 200, 317-320
 - creating, 200, 204-205
 - initializing with constructors, 208-209
- ODBC, 235
- oocdec, 36
- OOP (object-oriented programming), 199-200
- opening files, fopen, 218-219
- operator precedence, 40-41
- operators, 308-309
 - And, 50
 - array operators, 97-98
 - assignment operators, 37
 - bitwise operators, 44
 - comparison operators, 47-48
 - decrementing, 38-39
 - execution operators, 42
 - incrementing, 38-39
 - logical operators, 49-50, 238
 - math operators, 34
 - operator precedence, 40-41
 - Or, 50
 - PHP operators, 33
 - string operators, 43
 - ternary operators, 52-53
- Or operators, 50, 238
- ORDER BY clause, 257
- overriding methods, 214-215

P

- padding specifier, 69
- parsing files, fscanf, 226-227
- passing
 - arguments by reference, 109-110
 - arrays to functions, 106
 - data to functions, 104-105
- password controls, creating, 152-154
- PATH_TRANSLATED, 170



PEAR, 259
PEAR DB module, 259-260
Personal Home Page. *See* PHP
phpgstatic.php, 125
.php, 4
PHP, 1
 using single PHP pages, 179-181
PHP AUTH PW, 170
PHP AUTH USER, 170
PHP DB module, 235
PHP operators, 33
PHP SELF, 170
PHP: Hypertext Preprocessor, 1
phpappend.php, 230
phparray.php, 74
phparrayops.php, 97
phpbasemethods.php, 216
phpbrowser.html, 173
phpbrowser.php, 174
phpbuttons.html, 160
phpbuttons.php, 161
phpbuttons2.html, 162
phpbuttons2.php, 164
phpbuttons3.html, 164
phpbuttons3.php, 166
phpbyref.php, 110
phpcheckboxes.html, 144
phpcheckboxes.php, 145
phpconditionalfunction.php, 128
phpconstructor.php, 208
phpcontinue.php, 62
phpcounter.php, 295-296
phpcustomnavbar.php, 105
phpdatacreate.php, 253
phpdatacreatedb.php, 255
phpdatadelete.php, 251
phpdatainsert.php, 249
phpdatasort.php, 257
phpdatatable.php, 245
phpdataupdate.php, 247
phpdb.php, 261
phpdbinsert.php, 263
phpdbupdate.php, 265
phpdefault.php, 108
phpdoubler.php, 115
PHPEdit, 5
phpemail.html, 285
phpemail.php, 286
phpemailattachment.php, 289
phpemailheaders.html, 287
phpemailheaders.php, 288
phpencode.php, 191
phpextract.php, 86
phpfgetc.php, 222
phpfile.html, 157
phpfilegetcontents.php, 225
phpfileputcontents.php, 232
phpflip.php, 92
phpfor.php, 55
phpforeach.php, 60
phpformdata.html, 168-169
phpfscanf.php, 227
phpftp.php, 280
phpftpget.php, 281
phpftpput.php, 283
phpfwrite.php, 228
phpgetcookie.php, 272
phpglobal.php, 122
phphidden.html, 150
phphidden.php, 151
phpif.php, 46
phpimap.html, 154
phpimap.php, 155
phpincludes.php, 131
phpincrementing.php, 38
phpinfo function, 6
phpinfo.php, 9
phpinheritance.php, 210
phpinteger.php, 185
phpjavascript.html, 195
phplist.php, 117
phplistbox.html, 148
phpmath.php, 34
phpmultidimensional.php, 96
phpnavbar.php, 102
phpnavigate.php, 84
phpnestedfunction.php, 130
phpoverride.php, 214
phppassword.html, 152
phppassword.php, 153
phpprotected.php, 212
phpradio.html, 146
phpradio.php, 147
phpread.php, 224
phpreadfile.php, 221
phpredirect.html, 175
phpredirect.php, 176
phpregularexpressions.php, 187
phprestore.php, 193
phpscope.php, 121

- phpsession.php, 293
- phpsession2.php, 294
- phpsessionnocookies.php, 297
- phpsetconfiguredcookie.php, 274
- phpsetcookie.php, 271
- phpsingle.php, 179
- phpstatic.php, 124
- phpstringop.php, 43
- phpstrip.php, 189
- phpswitch.php, 54
- phptext.html, 138
- phptext.php, 140
- phptextarea.html, 142
- phptextarea.php, 143
- phptextarray.html, 177
- phptextarray.php, 178
- phpupload.php, 159
- phpvalidate.php, 183
- phpvarfunctions.php, 126
- phpvariableargs.php, 111
- phpwhile.php, 57
- pi, 36
- POST, 137
- pow, 36
- precision specifier, 69
- predefined variables, 306-307
- preg match function, 187
- preserving data, 193-194
- prev, 83
- printf, 69
- printing, 14-15
 - “here” documents, 16-17
 - sensitive characters, 15
- process data, 182
- properties, restricting access to, 206-207
- property, OOP, 200
- protected inheritance, 212, 214

Q-R

- queries, 237
- QUERY STRING, 170
- quotes, double quotes, 305

- rad2deg, 36
- radio buttons, creating, 146-148
- rand, 36
- reading
 - binary reading, fread, 223-224
 - buttons, 161, 164, 166
 - characters, fgetc, 222

- cookies, 273
- files, file_get_contents, 225
- lines of text, fgets, 220-221
- uploaded files, 158-160
- receiving form data in custom arrays, 177-178
- records, 236
- redirecting users with HTTP headers, 175-176
- references
 - passing arguments, 109-110
 - returning from functions, 119
- regular expressions, 187
- relational databases, 236
- REMOTE ADDR, 170
- REMOTE HOST, 170
- REMOTE PORT, 170
- removing. *See also* deleting
 - array elements, 76
 - data in sessions, 299-300
 - HTML tags, 189-190
- REQUEST METHOD, 170
- REQUEST URI, 171
- required data, validating data, 183-184
- reset, 83
- restricting access to properties and methods, 206-207
- retrieving data
 - from an image map, 155
 - from listboxes, 149
 - from password controls, 153
 - in sessions, 294
 - from text fields, 140-141
- return statement, 113
- returning
 - arrays from functions, 115-116
 - lists from functions, 117-118
 - references from functions, 119
 - values from functions, 113-114
- round, 36
- rsort, 81
- running
 - PHP on command line, 17-19
 - PHP scripts, 8

S

- scope, 101
 - variables, 120-121
- SCRIPT_FILENAME, 171
- SCRIPT_NAME, 171

- scripts
 - breaking up, 101
 - commenting, 19-20
 - creating, 6-7, 303-304
 - enclosing PHP scripts, 6
 - mixing PHP and HTML, 10-12
 - running PHP scripts, 8
 - troubleshooting PHP scripts that won't run, 9-10
 - SELECT statements, 237
 - semicolons (;), 6
 - sending email, 285-286
 - with attachments, 289-290
 - with headers, 287-288
 - sensitive characters, printing, 15
 - SERVER ADMIN, 171
 - SERVER NAME, 171
 - SERVER PORT, 171
 - SERVER PROTOCOL, 171
 - SERVER SIGNATURE, 171
 - server variables, 170-171
 - sessions, 291-292
 - creating hit counters, 295-296
 - removing data from, 299-300
 - retrieving data, 294
 - storing data, 293
 - without cookies, 297-298
 - set name, 200, 202-203
 - setcookie, 270
 - SEVER SOFTWARE, 171
 - short tags, 6
 - SHOW DATABASES, 240
 - SHOW TABLES, 241
 - sin (sine), 36
 - sine (sin), 36
 - sinh (hyperbolic sine), 36
 - skipping interactions with continue statements, 62
 - sort, 81
 - sorting
 - arrays, 81-82
 - data in databases, 257-258
 - special characters for formatting text in
 - double quotes, 14
 - splitting arrays, 88
 - sprintf, 69
 - SQL (Structured Query Language), 237-238
 - SQL DELETE, 251
 - square root (sqrt), 36
 - srand, 36
 - statements, 6
 - continue statements, skipping interactions, 62
 - DELETE, 238
 - do, while, 313-314
 - echo, 12, 14-15
 - else, 50-51, 310
 - elseif, 51-52, 310-311
 - flow control statements, 33
 - for, 314-315
 - foreach, 315
 - if, 45-46, 50, 309-310
 - return statement, 113
 - SELECT, 237
 - SQL DELETE, 251
 - switch, 53, 55, 311-313
 - UPDATE, 238
 - while, 313
 - static variables, 124-125
 - storing session data, 293
 - string, interpolating variables, 24-25
 - string functions, 66-68
 - string operators, 43
 - strings
 - converting to and from, 71
 - delimiting, 305
 - formatting, 69-70
 - validating data, 187-188
 - strip tags function, 189
 - strlen, 68
 - strpos, 68
 - Structured Query Language (SQL), 237
 - submitting data in forms, 168
 - substr, 68
 - substr replace, 68
 - subtraction (-), 34
 - superglobal arrays, 137
 - \$ SERVER, 170
 - support for databases in PHP, 239
 - switch statements, 53, 55, 311-313
 - syntax, alternative syntax, 63
- ## T
- tables, 236
 - The Array Functions, 79-80
 - The Bitwise Operators, 44
 - The Comparison Operators, 47
 - creating in databases, 253-254
 - data tables, displaying, 245-246
 - displaying with DB, 261-262

- The General Server Variables, 170
- The HTML controls, 135
- HTTP Server variables, 172
- The Logical Operators, 49
- Operators in Descending Order of Precedence, 308
- The String Functions, 66-67
- Student grades, 236
- Supported Database Applications, 235
- tags, 6
 - HTML tags
 - displaying text in browsers, 14
 - encoding, 191-192
 - removing, 189-190
 - short tags, 6
- tangent (tan), 36
- tanh (hyperbolic tangent), 36
- TARGET, 136
- ternary operators, 52-53
- testing for PHP, 2
- text, reading lines of text (fgets), 220-221
- text areas, creating, 142-143
- text fields
 - creating, 138-139
 - retrieving data from, 140-141
- times, expiration times (setting for cookies), 274-275
- transporting PHP pages to ISP, 5
- trim, 68
- troubleshooting PHP scripts that won't run, 9-10
- .txt, 5
- type casts, 31
- type specifier, 69
- U**
 - ucfirst, 68
 - UPDATE statement, 238
 - updating data
 - in databases, 247-248
 - with DB, 265-266
 - uploaded files, reading, 158-160
 - uploading files, 156, 158
 - FTP, 283-284
 - USE produce, 241
 - user data
 - validating, 181-182
 - web forms, 136-137
- users, redirecting with HTTP headers, 175-176
- V**
 - validate data, 167, 181-182
 - validating
 - data
 - checking for numbers, 185-186
 - checking for strings, 187-188
 - with JavaScript, 195-196
 - requiring data entry, 183-184
 - user data, 181-182
 - VALUE attribute, 164
 - values
 - assigning to variables, 22-24
 - returning from functions, 113-114
 - variable functions, creating, 126-127
 - variable variables, creating, 26-28
 - variables, 21-22
 - assigning values to, 22-24
 - creating, 306
 - extracting from arrays, 86-87
 - in functions, 101
 - global variables, 122-123
 - HTTP server variables, 172
 - interpolating variables in strings, 24-25
 - predefined variables, 306-307
 - scope, 120-121
 - server variables, 170-171
 - static variables, 124-125
- W-X-Y-Z**
 - web applications, using a single PHP page, 179-181
 - web forms, handling user data, 136-137
 - welcome pages, 179
 - WHERE clause, 237
 - while loops, 57-58
 - while statement, 313
 - width specifier, 69
 - Windows
 - database support in PHP, 239
 - opening files, 219
 - Windows XP, installing PHP, 3
 - WordPad, extensions, 5
 - writing
 - files at once, file_put_contents, 232-233
 - to files, fwrite, 228-229
- Zend Studio, 5



spring into series

from addison-wesley



Spring Into... is the smart professional's choice for a fast-paced introduction to a new complex topic or technology. Each book in the series is designed to bring you up-to-speed quickly. Complex topics are reduced to their core components, and each component is treated with remarkable efficiency in one- or two-page sections.

Just the information you need to begin working...now!

Books in the Series:

- *Spring Into Windows XP Service Pack 2*, by Brian Culp, ISBN 0-13-167983-X
- *Spring Into PHP 5*, by Steven Holzner, ISBN 0-13-149862-2
- *Spring Into HTML and CSS*, by Molly E. Holzschlag, ISBN 0-13-185586-7
- *Spring Into Technical Writing for Engineers and Scientists*, by Barry Rosenberg, ISBN 0-13-149863-0
- *Spring into Linux®*, by Janet Valade, ISBN 0-13-185354-6

To learn more about the Spring Into... Series from Addison-Wesley, and to read chapter excerpts from all the Spring Into... books, visit www.awprofessional.com/springinto/

The logo for informIT, with 'inform' in a bold, lowercase sans-serif font and 'IT' in a larger, bold, uppercase sans-serif font.The website address www.informit.com in a white, lowercase sans-serif font on a black background.

YOUR GUIDE TO IT REFERENCE

The word 'Articles' in a white, bold, sans-serif font on a black background.A close-up, grayscale image of several computer keyboard keys, including the '0', '1', and '2' keys.

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.

The words 'Online Books' in a white, bold, sans-serif font on a black background.A grayscale image of a book spine, showing the binding and the edges of the pages.

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.

POWERED BY
Safari
TECH BOOKS ONLINE

The word 'Catalog' in a white, bold, sans-serif font on a black background.A grayscale image of a book catalog or index, showing the edges of many books stacked together.

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.