

# Index

- >, DB2 symbol, 18
  - ><, DB2 symbol, 18
  - >>---, DB2 symbol, 18
  - >---, DB2 symbol, 18
  - \ (backslash), CLP line continuation, 120–122
  - (dash), turning on CLP options, 118
  - " (double quotes), command delimiters, 113–114
  - ! (exclamation mark), escape character, 112
  - % (percent sign), wildcard, 372
  - + (plus sign), turning off CLP options, 118
  - # (pound sign), comment delimiter, 116–117
  - ? (question mark), help request, 26, 119–120
  - \_ (underline), wildcard, 372
  - ;(semicolon)
    - in commands, 58
    - terminator character, 115
  - 32-bit memory model, 632–633
  - 64-bit instances, 163
  - 64-bit memory model, 634
  - 64-bit support, 9–10
- A**
- Access paths, 785
  - Access plans
    - definition, 785
    - displaying, 125
    - performance, 675–676
  - Access profiles
    - configuring connections, 228–233
    - definition, 228, 785
    - exporting, 228–230
    - importing, 230–233
  - Access tokens, 433–434, 785
  - ACTIVATE DATABASE command, 354
  - activate database command, 623
  - ACTIVATE NOT LOGGED INITIALLY clause, 283
  - Active log directory, 542
  - Active logs, 544–545, 785
  - Active subagents, 603
  - Activity Monitor
    - definition, 785
    - monitoring performance, 136–137
    - troubleshooting locking problems, 474–479
    - uses for, 29
  - ADD clause, 347
  - Add Database Wizard. *See also* CA (Configuration Assistant).
    - configuring connections manually, 234–237
    - configuring connections with Discovery, 220–227
    - illustrations
      - communication protocols, selecting, 234
      - configuration methods, 223
      - connecting with known discovery, 224
      - database names, specifying, 235
      - databases, registering, 236
      - databases, selecting by profile, 233
      - network search results, 225
      - node options, specifying, 237
      - registering a database, 226
      - security options, specifying, 237
      - specifying database alias, 225
      - system options, specifying, 237
      - TCP/IP parameters, selecting, 234
      - testing connections, 226
    - importing access profiles, 230–233
    - known discovery, 221–227
    - search discovery, 220–227
  - Address space, 785
  - Address Windowing Extensions (AWE), 634–635, 785
  - Administration clients, 12
  - Administration notification logs
    - definition, 786
    - examples, 691–692
    - FFDC (first-failure data capture), 687–688

- Administrative authority, 411–417, 785
- Administrative authorization, 786
- Administrators, 786
- admin\_priority keyword, 647
- Advanced Peer-to-Peer Networking (APPN), 786
- Advanced Program-to-Program Communication (APPC), 786
- After trigger, 786
- AFTER triggers, 302–303
- Agent pool, configuring instances, 656–657
- Agent private memory, 621
- Agent-level operations memory, 621
- Agent-level private memory, 629–631
- Agents
  - active subagents, 603
  - associated (idle) subagents, 603
  - case study, 614
  - coordinator agents, 602–604, 611
  - coordinator partitions, 57
  - definition, 786
  - monitoring and tuning, 609–611
  - unassociated subagents, 603–604
- Alert notification feature, 82–83
- Alerts, 786
- Aliases, 786
- allow no access option, 498, 510–511
- allow read access option, 511
- allow write access option, 498
- ALTER BUFFERPOOL statement, 357–358
- ALTER DATABASE PARTITION GROUP statement, 56, 329
- ALTER PROCEDURE statement, 305
- ALTER SEQUENCE statement, uses for, 309
- ALTER statement, 246
- ALTER TABLE statement
  - adding columns, 266
  - locking tables, 455–456
  - minimizing page overflows, 512
- ALTER TABLESPACE statement, 346–353
- ALTERIN schema privilege, 417–419
- Altering. *See* modifying.
- Ambiguous cursors, 786
- American National Standard Code for Information Interchange (ASCII), 787
- ANYORDER modifier, 516
- APAR (authorized program analysis report), 787
- API (application programming interface)
  - definition, 787
  - modifying isolation levels, 453–454
- APPC (Advanced Program-to-Program Communication), 786
- APPL, 787
- Application control heap, 627–628
- Application Development Client, 12, 787
- Application group shared heap, 627–628
- Application group shared memory, 627–628
- Application IDs, 787
- Application names, 787
- Application programming interface (API). *See* API (application programming interface).
- Application requesters, 787
- Application servers, 787
- Application shared memory, 621
- Application-level EDUs, 602–604
- Application-level operations memory, 621
- Applications, 787
- APPN (Advanced Peer-to-Peer Networking), 786
- Archival logging, 546–549, 552
- Archived logs, 787
- ARCHRETRYDELAY parameter, 549
- ASC (non-delimited ASCII), 824
- ASC (non-delimited ASCII) format, 487
- ASCII (American National Standard Code for Information Interchange), 787
- Associated (idle) subagents, 603
- AST (automatic summary table), 789
- ASYNCR (Asynchronous) mode, 578–580
- Asynchronous I/O, 787
- Asynchronous (ASYNCR) mode, 578–580
- Attach, 787
- attach command, 170–171
- Attachments *versus* connections, 170
- Authenticating users. *See also* security.
  - at the client, 407–411
  - DRDA clients, 408–411
  - encryption, 404–405, 411
  - GSSAPI plug-ins, 405–407
  - with Kerberos, 404–405

- at the server, 402–403
  - trusted clients, 407–411
  - untrusted clients, 407–411
- Authentication. *See also* security.
  - definition, 398–399, 787
  - type
    - client, summary table of, 402
    - configuring at a client, 401–402
    - configuring at a server, 399–400
    - server, summary table of, 400
- AUTHENTICATION parameter, 399–400, 401–402
- Authorities, storing and retrieving, 427–431
- Authority, 787
- Authorization, 787
- Authorization ID, 787
- Authorized program analysis report (APAR), 787
- Autocommit, 118, 789
- autoconfigure command, 646–647
- Automatic configuration parameters, 789
- Automatic summary table (AST), 789
- Autonomic computing systems, 789
- Autonomic on-demand business model, 5
- Average active applications, 658–659
- AVG\_APPLS parameter, 658
- AWE (Address Windowing Extensions), 634–635, 785
  
- B**
- Backout, 789
- Backslash (\), CLP line continuation, 120–122
- BACKUP DATABASE command, 553–554
- Backup files, 557–558
- Backup images, 806
- Backup pending, 789
- Backups
  - See also* cloning
  - See also* recovery
  - See also* relocating
  - See also* transaction logs
  - BACKUP DATABASE command, 553–554
  - case study, 584–587
  - with Control Center, 556
  - cumulative, 555–556
  - databases, 553–554
  - definition, 789
  - delta, 555–556
  - high availability
    - cloning a database, 571–572
    - creating a backup image, 573–574
    - creating a standby database, 572–573
    - db2inidb mirror command, 573–574
    - db2inidb snapshot command, 571–572
    - db2inidb standby command, 572–573
    - mirror option, 573–574
    - partitioned environments, 574
    - snapshot option, 571–572
    - split mirroring, 570–571, 574
    - standby option, 572–573
    - suspended I/O support, 570–571
  - incremental, 555–556
  - online access *versus* offline, 552
  - table space, 555
- Base tables, 789
- Basic view, 130
- Before trigger, 789
- BEFORE triggers, 302–303
- BEGIN NEW STRIPE SET clause, 347, 349
- BETWEEN predicate, 372
- BID (block identifier), 790
- Big integer (BIGINT) data type, 256–257
- BIGINT (big integer) data type, 256–257
- Binary large object (BLOB). *See* BLOB (binary large object).
- Bind, 790
- bind command, modifying isolation levels, 450–451
- Bind file, 790
- BINDADD authority, 413
- Bit data, 790
- .BKM files, 338
- BLOB (binary large object)
  - definition, 789
  - description, 259
  - exporting, 491–492
- Block fetch, 790
- Block identifier (BID), 790
- Block indexes, 293–294, 790
- Block locks, 790
- Block maps, 294, 790

- Block size, 791
  - Block-based I/O, 791
  - Blocking, 791
  - Blocks, 790
  - Books and publications. *See also* resources.
    - periodicals, 782
    - referenced in this book, 780
  - bp\_resizeable keyword, 647
  - Buffer manipulators, 791
  - Buffer pools
    - creating, 254, 354–357
    - definition, 39, 244, 791
    - DPF environment, 56
    - dropping, 358
    - examples, 355–357
    - extracting information from, 727–729
    - maximizing size (Windows), 357
    - modifying, 357–358
    - page cleaning, 661
    - prefetching, 661
    - prefetching and cleaning, 661
    - table spaces, 729–731
  - Built-in data types, 256–260
  - Built-in functions, 791
  - Business intelligence, 3
- C**
- CA (Configuration Assistant). *See also* Add Database Wizard.
    - configuring connections
      - with access profiles, 228–233
      - manually, 234–237
    - definition, 796
    - illustration, 143, 223
    - uses for, 142
  - Caches, 791
  - Caching 3, 791
  - Call-level interface (CLI), 452–453, 791
  - Cardinality, 791
  - Cascade delete, 791
  - CASCADE rule, 278
  - CASE expression, 376–377, 791
  - Case sensitivity
    - case-insensitive search, 792
    - DB2 commands, 25
    - requirements, 721–722
    - SQL statements, 25
  - Case studies. *See also* examples.
    - agents, 614
    - backup, 584–587
    - careers in DB2, 18–20
    - configuring database connections, 238–240
    - configuring databases, 186–188
    - connection concentrator, 614
    - connectivity, 238–240
    - creating databases, 358–360
    - data movement utilities, 531–532
    - database configuration file, 186–188
    - database objects, 309–312
    - DB2 environment, 44–45
    - DPF (database partitioning feature), 61–66
    - indexes, 310–311
    - installing DB2, 102–104
    - locking, 480–481
    - memory, 635–639
    - partitions, 310
    - performance, 676–680
    - process model, 613–614
    - querying data, 387–390
    - recovery, 584–587
    - security, 434–436
    - sequences, 309–312
    - table constraints, 311–312
    - tools and utilities, 147–150
    - troubleshooting, 695–696
  - Case-insensitive search, 792
  - CAST expression, 370
  - Cast functions, 792
  - Casting
    - data types, 370
    - functions, 260–261
  - catalog database command, 401–402
  - catalog db command, 195
  - catalog DCS database command, 195
  - Catalog nodes, 792
  - Catalog partitions, 55, 792
  - Catalog (SYSCATSPACE) table space, 38
  - Catalog tables, 792

- catalog TCPIP node command, 195
- Catalog views, 792
- Catalogs, 792
- CDB (communications database), 795
- Cells, 292, 792
- Changing. *See* modifying.
- CHAR (character) data type, 257–258
- Character conversions, 792
- Character (CHAR) data type, 257–258
- Character delimiter, changing, 490
- Character large object (CLOB). *See* CLOB (character large object).
- Character sets, 793
- Character string delimiters, 793
- Character strings, 793
- chardel modifier, 490
- CHECK clause, 793
- Check condition, 793
- Check constraints
  - definition, 793
  - enforcing data integrity, 279–280
- Check for DB2 Updates option, 28, 135–136
- Check integrity, 793
- Check pending, 793
- Checkpoints, 793
- CHNGPGS\_THRESH parameter, 658
- Circular logging, 545–546, 552, 793
- Clauses, 793. *See also* specific clauses.
- CLI (call-level interface), 452–453, 791
- CLIENT authentication, 400, 402
- Client instances, 163–164
- Client profiles, 794
- Clients
  - administration, 12
  - application development, 12
  - definition, 794, 803
  - dumb terminal, 12
  - local, 11
  - remote, 11
  - runtime, 12
  - thin, 12
  - types of, 11–12
- CLNT\_PW\_PLUGIN parameter, 406
- CLOB (character large object)
  - definition, 792
  - description, 259
  - exporting, 491–492
- Cloning a database, 571–572. *See also* backups; relocating.
- CLP (Command Line Processor)
  - \ (backslash), CLP line continuation, 120–122
  - (dash), turning on CLP options, 118
  - " (double quotes), command delimiters, 113–114
  - ! (exclamation mark), escape character, 112
  - + (plus sign), turning off CLP options, 118
  - # (pound sign), comment delimiter, 116–117
  - ? (question mark), help request, 119–120
  - ; (semicolon), terminator character, 115
  - autocommit, disabling, 118
  - back-end process, 122–123
  - command options, 117–119
  - versus* Command Window, 108–111
  - comments, 115–117
  - definition, 110, 795
  - disconnect statement, 122–123
  - echoing commands, 115, 118
  - edit command, 112
  - file permissions, 116
  - files as input, 114–117
  - front-end process, 122–123
  - help information, 119–120
  - history command, 112
  - interactive mode, 111–112
  - line continuation, 120–122
  - modes, 111–117
  - non-interactive mode, 114–117
  - rem command, 115–116
  - removing database connections, 122–123
  - reset statement, 122–123
  - resetting default values, 119
  - runcmd command, 112
  - starting, 26
  - terminate command, 122–123
  - v (verbose) option, 115, 118
  - wrapping lines, 120–122

- CLP commands, 26
- Clustered index, 794
- Clustering block index, 794
- Clustering indexes, 289–290
- COALESCE function, 376
- Code pages, 491, 794
- Code points, 794
- Code sets, 794
- Code updates (FixPaks), 100–101
- Coded character sets, 794
- codepage modifier, 491
- codel modifier, 490
- Collating sequence, 794
- Collocated joins, 794–795
- Column distribution value, 795
- Columns
  - adding, 266
  - changing, 266
  - data, 795
  - delimiter, changing, 490
  - delimiters, changing, 490
  - functions, 369–370, 795
  - generated, 500, 813
  - identity, 269–272, 500, 814
  - names, specifying, 492–493
  - removing, 266
  - selecting for import, 501
  - unique identifiers, 269–272
- Command Editor, 123–126
- Command Line Processor (CLP). *See* CLP (Command Line Processor).
- Command options, CLP, 117–119
- Command Window
  - versus* (Command Line Processor), 108–111
  - availability, 27
  - modifying isolation levels, 449–450
  - starting, 109–110
- Commands. *See also* SQL statements; *specific commands and statements.*
  - case sensitivity, 25
  - CLP (Command Line Processor) commands, 26
  - DB2 commands, 803
  - definition, 795
  - help for, 26
  - issuing from DPF, 57–59
  - listing, 25
  - overview, 24–25
  - syntax, displaying, 26
  - system commands, 25–26
  - types of, 24–25
- Comments, CLP, 115–117
- Commit points, 795
- COMMIT statement
  - and autocommit, 146
  - functional description, 538
  - lost updates, 442
- commitcount option, 499
- Commits, 795
- Common table expressions (CTE), 383–384, 795
- Communications database (CDB), 795
- Compact installation, 79
- Comparison operators, 795
- Composite block indexes, 294, 795
- Composite keys, 796
- Compound SQL statement, 796
- COMPRESS SYSTEM DEFAULT clause, 283–284
- Compression, tables, 283–284
- Concurrency
  - definition, 796
  - scenarios. *See also* isolation levels; locking.
    - lost updates, 440–442
    - nonrepeatable reads, 442–443
    - phantom reads, 443
    - transactions, 442
    - uncommitted reads, 442
- Concurrent write access, 496–499
- Configurable configuration parameters, 796
- Configurable online configuration parameters, 796
- Configuration Advisor. *See also* performance.
  - Connections page, 650, 652
  - definition, 796
  - Introduction page, 648
  - invoking
    - command line, 646–647
    - Control Center, 647–654
  - Isolation page, 652–653
  - Populated page, 650–651

- Priority page, 650–651
- Results page, 652, 654
- Schedule page, 652–653
- Server page, 648–649
- Transactions page, 648, 650
- Workload page, 648–649
- Configuration Assistant (CA). *See* CA (Configuration Assistant).
- Configuration files, 796
- Configuration parameters. *See also* parameters; *specific parameters.*
  - database level, 34–35
  - definition, 796
  - instance level, 34–35
  - list of, 182
  - updating, 34–35
  - viewing, 34–35
- Configuration tools, 29
- Configuring. *See also* performance.
  - database connections
    - case study, 238–240
    - manually, with CA Configuration Assistant, 234–237
    - manually, with DB2 commands. *See* connectivity, scenarios.
    - with system tools. *See* Add Database Wizard; CA (Configuration Assistant).
  - databases
    - average active applications, 658–659
    - buffer pool, prefetching and cleaning, 661
    - case study, 186–188
    - commands for, 185
    - configuration file, 178–182
    - Control Center, 182–185
    - instances, 83–86, 178–182
    - locking, 661
    - logging, 659
    - number of commits to group, 659
    - parameters, 658
    - Setup tools, 29
    - sorting, 660
    - write-ahead logging, 659
  - instances
    - agent pool, 656–657
    - intra-partition parallelism, 655
    - parameters, 654
    - requester I/O block size, 655
    - sort heap threshold, 655–656
    - system/server for performance, 644–646
- Connect, 13–14, 803. *See also* host connectivity.
- CONNECT authority, 413
- Connection concentrator
  - case study, 614
  - definition, 797
  - description, 611
- Connections
  - versus* attachments, 170
  - definition, 796
- Connections page, 650, 652
- Connectivity. *See also* configuring, database connections; directories.
  - case study, 238–240
  - client-server TCP/IP problems, 772–778
  - DB2 environment, 35–37
  - iSeries client to
    - iSeries server, 766–769
    - Linux server, 758–761
    - UNIX server, 758–761
    - Windows server, 758–761
    - z/OS server, 762–765
  - listener processes, 208
  - to local database, 194–195
  - to remote database, 193–194
  - scenarios
    - binding utilities, 219–220
    - database directory, cataloging, 210–214
    - database server, enabling, 208–214
    - DCS directory, cataloging, 214
    - local from DB2 client to DB2 server, 206–207
    - node directory, cataloging, 210–214
    - remote from DB2 client to DB2 host server, 213–219
    - remote from DB2 client to DB2 server, 207–208
  - troubleshooting, 771–778
  - z/OS client
    - communications database, 740–743
    - to iSeries server, 749–753

- Connectivity *continued*
  - to Linux server, 743–748
  - to UNIX server, 743–748
  - to Windows server, 743–748
  - to z/OS server, 753–757
- Constants, 797
- CONSTRAINT clause, 273
- Constraints, 797. *See also* tables, constraints.
- Container tags, 336, 797
- Containers
  - adding, 346–350
  - definition, 797
  - description, 331
  - DMS (database-managed space), 339–340
  - SMS (system-managed space), 336–338
- Content management, 3
- Contention, 797
- Contents pane, 130
- Control Center, 129–132, 797
- Control server, 803
- Coordinated Universal Time (UTC), 797
- Coordinator agents, 602–604, 611, 797
- Coordinator nodes, 797
- Coordinator partitions, 57, 797
- copy yes/no options, 515
- Copying databases. *See* backups; cloning; relocating.
- Core files, 688
- Corrective code (FixPaks), 100–101
- Correlated subquery, 797
- Correlation names, 798
- Cost, 798
- Counters, 798
- Country/region codes, 798
- CPU requirements, performance, 645–646
- CPU\_PARALLELISM modifier, 516
- Crash recovery, 539, 798. *See also* backups; recovery.
- CREATE BUFFERPOOL statement, 56, 254, 354–357
- create database command
  - connectivity, 195
  - creating a database, 319–321
  - partitioning a database, 52–54
  - syntax, 319
- CREATE DATABASE PARTITION GROUP
  - statement, 55, 328–329
- CREATE DISTINCT TYPE statement, 260–261
- CREATE EVENT MONITOR statement, 138
- CREATE FUNCTION statement, 306–307
- CREATE import mode, 497–498
- CREATE INDEX statement, minimizing page overflows, 512
- CREATE NICKNAME statement, 43
- CREATE PROCEDURE statement, 304
- CREATE SCHEMA statement, 255
- CREATE statement, objects used on, 245
- CREATE TABLE statement
  - creating partitioning keys, 60–61
  - creating tables, 38
  - minimizing page overflows, 512
- CREATE TABLESPACE statement
  - creating table spaces, 333–335
  - IN DATABASE PARTITION GROUP statement, 57
  - EXTENTSIZ clause, 333
  - MANAGED BY DATABASE clause, 339
  - MANAGED BY SYSTEM clause, 337
  - syntax, 333–335
- CREATE TOOLS CATALOG command, 86–87
- CREATE TRIGGER statement, 302
- CREATE USER MAPPING statement, 43
- CREATE VIEW statement, 296
- CREATE\_EXTERNAL\_ROUTINE authority, 413
- CREATEIN schema privilege, 417–419
- CREATETAB authority, 413
- Creating
  - buffer pools, 254, 354–357
  - DAS (Database Administration Server), 177–178
  - database backup image, 573–574
  - databases. *See also* backups; recovery.
    - cloning, 571–572
    - CREATE DATABASE statement, 319–321
    - examples, 319–321
    - INSERT statement, 379–381. *See also* import utility; load utility.
    - multi-partition environment, 323–325
    - relocating, 523–524



- sample, 326–327
  - single-partition environment, 322–323
  - DB2INSTANCE environment variable, 155–158
  - DB2NODE environment variable, 155–158
  - environment variables, 155–158
  - identity columns, 269–272
  - indexes, 286
  - instances, 30
    - 64-bit, 163
    - client, 163–164
    - db2icrt command, 177
    - at installation, 162–163
    - in multi-partitioned environment, 164
  - packages, 530
  - partition groups, 252, 328–329
  - partitioning keys, 60–61
  - partitions, 247–248
  - rules for table data. *See* tables, constraints.
  - schemas, 254–255
  - sequences, 308
  - standby database, 572–573
  - stored procedures, 304
  - table spaces, 333–335
  - tables
    - based on another table, 265–266
    - in a given table space, 38
    - MQTs (materialized query tables), 284–285
    - not logged initially, 282–283
    - from query results, 266, 284–285
    - temporary, 285–286
    - user tables, 266
  - UDTs (user-defined types), 260
  - views, 296
  - CS (cursor stability), 445–446, 799
  - CTE (common table expressions), 383–384, 795
  - Cumulative backups, 555–556, 798
  - CURRENT DATE register, 368
  - CURRENT ISOLATION register, 368, 449–450
  - CURRENT LOCK TIMEOUT parameter, 461–462
  - CURRENT LOCK TIMEOUT register, 368
  - CURRENT PACKAGE PATH register, 368
  - CURRENT PATH register, 368
  - Current paths, 798
  - CURRENT SCHEMA register, 368
  - CURRENT TIME register, 368
  - CURRENT TIMESTAMP register, 368
  - Current working directory, 798
  - Cursor blocking, 798
  - Cursor format, 488
  - Cursor sensitivity, 798–799
  - Cursor stability (CS), 445–446, 799
  - Cursors
    - ambiguous, 786
    - blocking, 798
    - CS (cursor stability), 799
    - definition, 798
    - scrollable, 835
    - sensitivity, 798–799
    - unambiguous, 845
  - Custom installation, 79
  - Custom view, 130
- D**
- Daemons, 799
  - DAS (Database Administration Server)
    - command summary, 177–178
    - creating, 178
    - definition, 32, 800
    - displaying the configuration file, 178
    - dropping, 178
    - history of, 177–178
    - resetting the configuration file, 178
    - setting user information, 82
    - starting/stopping, 178
    - updating the configuration file, 178
  - DAS users, 75–76
  - dasrcrt command, 178
  - dasdrop command, 178
  - Dash (-), turning on CLP options, 118
  - .DAT files, 338
  - Data. *See* modifying, data; querying data; SQL.
  - DATA BUFFER modifier, 516
  - Data Control Language (DCL), 25, 799
  - Data Definition Language (DDL). *See* DDL (Data Definition Language).
  - Data dictionaries, 38

- DATA INITIALLY DEFERRED clause, 284–285
- Data Links Manager, 803
- Data Manipulation Language (DML), 25, 799
- Data marts, 799
- Data mining, 799
- Data movement utilities
  - case study, 531–532
  - cursor format, 488
  - DB2 maintenance
    - FLUSH PACKAGE CACHE command, 530
    - high cluster ratio, 527
    - maintaining statistics, 526–527
    - package creation, 530
    - process overview, 531
    - REBIND, 530
    - REORG, 527–530
      - reorg command, 527–530
      - reorganizing table data, 527–530
      - REORGCHK, 527–530
        - reorgchk command, 527–530
      - RUNSTATS, 526–527
        - runstats command, 526–527
  - db2look command, 524–526
  - db2move command, 522–523
  - db2relocatedb command, 523–524
  - dbset command, 525–526
  - delimited ASCII (DEL) format, 487
  - export
    - authority required, 493
    - character delimiter, changing, 490
    - code page, changing, 491
    - column delimiter, changing, 490
    - column names, specifying, 492–493
      - with the Control Center, 495
    - date format, changing, 490
    - export command, 488–489
    - exporting large objects, 491–492
      - file type modifiers, 490–491
  - file formats, 486–488
  - fixed length ASCII file format, 487
  - generating DDL, 524–526
  - import
    - authority required, 501–502
      - concurrent write access, 496–499
        - with the Control Center, 502
      - file type modifiers, 500
      - generated columns, 500
      - identity columns, 500
      - import command, 496–497
      - import modes, 497–498
      - overview, 496–497
      - regular commits, 499
      - restarting after failure, 499
      - selecting columns, 501
- IXF format, 487
- load
  - allow no access option, 510–511
  - allow read access option, 511
  - ANYORDER modifier, 516
  - authority required, 516
  - collecting statistics, 514
    - with the Control Center, 516
  - copy yes/no options, 515
  - CPU\_PARALLELISM modifier, 516
  - DATA BUFFER modifier, 516
  - data validation, 515
  - DISK\_PARALLELISM modifier, 516
  - exception option, 508
  - exception tables, 508
  - FASTPARSE modifier, 516
  - file type modifiers, 511–513
  - indexing mode option, 511
  - leaving free space, 511–513
  - list utilities command, 521–522
  - load command, 504–511
  - load querying, 519–520
  - loading from a client, 509–510
  - loading from a cursor, 506
  - loading large objects, 513–514
  - lock with force option, 510–511
  - locking considerations, 510–511
  - messages option, 506
  - modified by modifier, 507–509
  - monitoring load operations, 516–522
  - nonrecoverable option, 515
  - overview, 502–503
  - page overflow, 511–513
  - performance considerations, 515–516

- pointers, 511–513
  - process description, 503–504
  - rebuilding indexes, 511
  - roll forward recovery, 515
  - savecount option, 506
  - saving rejected records, 507–509
  - set integrity command, 515
  - SORT BUFFER modifier, 516
  - statistic profiles, 514
  - statistics no option, 514
  - statistics use profile option, 514
  - table space states, 518–519
  - table states, 517–518
    - warningcount option, 506
  - Lotus worksheet format, 488
  - multiple table operations, 522–523
  - non-delimited ASCII (ASC) format, 487
  - overview, 485–486
  - PC version of IXF (PC/IXF) format, 487
  - relocating a database, 523–524
  - renaming a database, 523–524
  - Symphony worksheet format, 488
  - WSF format, 488
- Data sources, 799
- Data types
- BIGINT (big integer), 256–257
  - BLOB (binary large object), 259
  - built-in, 256–260
  - casting functions, 260–261
  - changing in tables, 266
  - CHAR (character), 257–258
  - choosing, 261–262
  - CLOB (character long object), 258–259
  - datalink, 260
  - datetime, 259–260
  - DBCLOB (double-byte character large object), 258–259
  - DECIMAL/NUMERIC, 256–257
  - definition, 799
  - DISTINCT UDTs, 260–261
  - DOUBLE/FLOAT, 256–257
  - GRAPHIC, 258–259
  - INT (integer), 256–257
  - INTEGER (integer), 256–257
  - LONG VARCHAR (long variable character), 258–259
  - LONG VARCHAR, 258–259
  - numeric, 256–257
  - REAL/FLOAT, 257
  - REFERENCE UDTs, 260–261
  - SMALLINT (small integer), 256–257
  - string, 257–259
  - STRUCTURE UDTs, 260–261
  - table of, 261–262
  - UDTs (user-defined types), 260–261
  - VARCHAR (variable character), 257–258
  - VARGRAPHIC, 258–259
- Data validation, 515
- Data Warehouse Center, 800
- Data warehouses, 800
- Database Administration Server (DAS). *See* DAS (Database Administration Server).
- Database administrator (DBA), 800
- Database agents, 800
- Database clients, 800
- Database configuration file
- case study, 186–188
  - default, 178
  - definition, 54, 800
  - displaying, 185
  - getting current settings, 182
  - resetting, 185
  - sample contents, 178–181
  - updating, 181, 185
- Database connection services (DCS) directory. *See* DCS (database connection services) directory.
- Database directory, 800
- Database engines, 801
- Database functions, 801
- Database logs, 801
- Database management system (DBMS), 801
- Database Manager (DBM) Configuration file. *See* DBM (Database Manager) Configuration file.
- Database Manager Configuration parameters, 801
- Database manager instances, 801
- Database managers, 801

- Database object privileges. *See also* security.
  - federated database support, 422
  - implicit, 426–427
  - indexes, 422–423
  - nicknames, 422
  - packages, 423–424
  - routines, 424–425
  - schemas, 417–419
  - sequences, 425–426
  - table spaces, 419–420
  - tables, 420–422
  - views, 420–422
- Database objects
  - case study, 309–312
  - definition, 802
  - types of, 243–245. *See also specific objects.*
- DATABASE PARTITION GROUP clause, 56
- Database Partitioning Feature (DPF). *See* DPF (Database Partitioning Feature).
- Database request module (DBRM), 802
- Database Servers, 3
- Database-level EDUs, 600–602
- Database-level operations memory, 619, 621
- Database-managed space (DMS), 339–340
- Database-managed space (DMS) table space, 802
- DATABASE\_MEMORY parameter, 625–627
- Databases. *See also* data movement utilities; environment; tables.
  - accessing multiple. *See* federation.
  - active partition, determining. *See* DB2NODE.
  - attachments *versus* connections, 170
  - backup, 553–554
  - cloning, 571–572
  - configuration parameters, 547–549, 800
  - configuring. *See* configuring, databases.
  - connecting to. *See* connectivity.
  - copying. *See* backups; cloning; relocating.
  - creating
    - case study, 358–360
    - CREATE DATABASE statement, 319–321
    - examples, 319–321
    - multi-partition environment, 323–325
    - sample, 141–142, 326–327
    - setup tools, 141–142
    - single-partition environment, 322–323
    - creating a backup image, 573–574
    - default structure, 321–322
    - definition, 37, 246–247
    - design considerations, 185–186
    - dropping, 326
    - dropping partitions, 56
    - indirect entries, 196–197
    - inspecting, tools for, 582–584
    - listing, 326
    - loading data. *See* data movement utilities.
    - names, 801
    - node configuration file (db2notes.cfg)
      - description, 248–251
      - DPF environment, 50–51
    - nodes. *See* database partition.
    - partition groups
      - classifications, 327
      - creating, 328–329
      - default, 328
      - definition, 243–244, 802
      - description, 251–252
      - DPF environment, 55–56
      - dropping, 330
      - listing, 329–330
      - modifying, 329
      - multi-partition, 327
      - single-partition, 327
    - partition servers, 802
    - partitioning, 52–54. *See also* partitions.
    - propagating data to servers, 14–15
    - recoverable *versus* nonrecoverable, 552
    - recovery, 559–560, 569
    - relocating, 523–524
    - removing connections, 122–123
    - roll forward recovery, 563–565
    - servers
      - accessing multiple. *See* federation.
      - definition, 802, 837
      - IBM, 723
      - information management products, 3
      - propagating data to, 14–15
      - standby, creating, 572–573
      - system monitors, 802
  - DATALINK, 802
  - datalink data type, 260

- Date and time, querying data, 368
- Date format, changing, 490
- datetime data type, 259–260
- datetime values, 802
- DB2
  - history of, 1–3
  - information management products, 2–3
- db2...
  - application-level EDUs, 604
  - database-level EDUs, 601–602
  - executables, 612
  - instance-level EDUs, 597–599
  - listeners, 594–595
  - per-request EDUs, 605–608
  - Windows services/processes, 613
- DB2 AD Client (DB2 Application Development Client), 802
- DB2 Application Development Client (DB2 AD Client), 802
- DB2 brand, 4–5
- DB2 commands, 803. *See also* commands.
- DB2 [element name]. *See specific elements (e.g. DB2 instances = instances).*
- DB2 Personal Developer's Edition (PDE), 15–16
- DB2 Universal Developer's Edition (UDE), 16
- db2admin create command, 178
- db2admin drop command, 178
- db2admin start command, 178
- db2admin stop command, 178
- db2\_all command, 57–59
- db2dart tool, 582–583
- DB2DC. *See* Development Center.
- db2diag.log, 688, 690
- DB2\_EVALUNCOMMITTED variable, 464
- db2evmon command, 669–672
- db2exfmt tool, 125
- db2expln tool, 125
- db2icrt command, 162–163, 177
- db2idrop command, 164, 177
- db2ilist command, 177
- db2inidb mirror command, 573–574
- db2inidb snapshot command, 571–572
- db2inidb standby command, 572–573
- db2\_install script, 72, 96–97
- DB2INSTANCE environment variable
  - attaching to instances, 170–171
  - changing value, 155
  - commands at the instance level, 177
  - configurable online parameters, 174
  - configuring instances, 171–175
  - Control Center instances, 175–176
  - creating, 155–158
  - modifying, 155–158
  - overview, 32–33, 59–60
  - resetting to defaults, 175
  - starting, 166–168
  - use for, 154
  - viewing contents of, 155
- db2level command, 100
- db2licm command, 98–99
- db2look command, 524–526
- db2move command, 522–523
- DB2NODE environment variable
  - changing value, 155
  - creating, 155–158
  - modifying, 155–158
  - overview, 59–60
  - use for, 154
  - viewing contents of, 155
- db2notes.cfg (node configuration file)
  - description, 248–251
  - DPF environment, 50–51
- db2pd tool, 140–141
- db2relocatedb utility, 523–524
- db2rspgn utility, 94
- db2secv82.exe command, 90
- db2set command, options, 160
- db2setup command, 95, 99
- db2setup utility, 803
- db2start command, 166–169, 174, 177
- db2stop command, 168–169, 174, 177
- db2stop force command, 169
- db2support command, 693–694
- DB2SUPPORT tool, 693–694
- db2trc command, 694
- DBA (database administrator), 800
- DBA utility, 804
- DBADM authority, 412

- DBCLOB (double-byte character large object)
  - definition, 808
  - description, 259
  - exporting, 491–492
- DBCS (double-byte character set), 808
- DBM (Database Manager) Configuration file
  - displaying, 177
  - overview, 34–35
  - resetting, 177
  - updating, 35, 177
  - viewing contents, 35
- DBMS (database management system), 801
- DBRM (database request module), 802
- dbset command, 525–526
- DCL (Data Control Language), 25, 799
- DCS (database connection services) directory. *See also* directories.
  - cataloging, 214
  - definition, 800
  - description, 201
  - entering information in, 36
  - listing, 37, 195
  - sample, 201
- DDF (distributed data facility), 807
- DDL (Data Definition Language)
  - creating databases, 245
  - definition, 799
  - deleting databases, 245
  - examples, 25
  - generating, 524–526
  - modifying databases, 245
- DEACTIVATE DATABASE command, 354
- Deadlock detectors, 805
- Deadlocks, 462–463, 472–474, 805
- DECIMAL/NUMERIC data type, 256–257
- Decision Support System (DSS), 805
- DECLARE statement, 246, 285
- Declared temporary tables, 805
- DEFAULT clause, 267–268
- DEFINITION ONLY clause, 266
- Degree of parallelism, 805
- DEL (delimited ASCII) format, 487, 805
- Delete rule, 805
- DELETE statement, 379–381
- Deleteable views, 298
- Deleting. *See also* dropping.
  - columns, 266
  - data, 379–380
  - directory contents, 195
- Delimited ASCII (DEL) format, 487, 805
- Delimited identifiers, 805
- Delta backups, 555–556, 805
- Denormalization, 806
- Dependent, 806
- Dependent foreign key tables, 806
- Dependent immediate materialized query tables, 806
- Dependent materialized query tables, 806
- Dependent rows, 806
- Dependent table spaces, 806
- Derived columns, 366
- Development Center, 28, 126–127, 806
- Development tools
  - Development Center, 126–127, 128
  - Project Deployment Tool, 127–128
  - uses for, 27–28
- DIAGLEVEL parameter, 689
- Diagnosing problems. *See* troubleshooting.
- DIAGPATH parameter, 688–689
- Differential backup images, 806
- Dimension block indexes, 293–294, 807
- Dimension tables, 807
- Dimensions, 806
- Directories. *See also* connectivity; DCS (Database Connection Services).
  - book analogy, 196–197
  - deleting contents, 195
  - dropping, 195
  - inserting contents, 195
  - local connections, 201–202
  - local database, 36, 196–197, 198–199
  - node, 36–37, 199–200
  - remote connection to DB2 server, 203–204
  - remote connection to host DB2 server, 204–205
  - system database, 35–36, 196–198
  - uncataloging, 195
  - viewing, 195
- Dirty read. *See* UR (uncommitted read).

- DISABLE QUERY OPTIMIZATION clause, 281
- Disaster recovery, 807
- disconnect statement, 122–123
- DISCOVER parameter, 221–227
- DISCOVER\_DB parameter, 221–227
- DISCOVER\_INST parameter, 221–227
- Discovery method, 221–227
- Disk requirements, performance, 645
- DISK\_PARALLELISM modifier, 516
- Displaying. *See also* listing.
  - access plans, 29, 125. *See also* Visual Explain.
  - command syntax, 26
  - database configuration file, 185
  - Database Manager (DBM) Configuration file, 177
- DISTINCT keyword, 367
- Distinct type, 807
- DISTINCT UDTs, 260–261
- Distributed data facility (DDF), 807
- Distributed platform support, 1
- Distributed Relational Database Architecture (DRDA), 807
- Distributed unit of work (DUOW), 807
- DML (Data Manipulation Language), 25, 799
- DMS (database-managed space), 339–340, 802
- DNS (Domain Name Server), 808
- Documentation. *See* help; Information Center; resources.
- Domain names, 807
- Domains, 807
- Double quotes ("), command delimiters, 113–114
- Double-byte character large object (DBCLOB).
  - See* DBCLOB (double-byte character large object).
- Double-byte character set (DBCS), 808
- DOUBLE/FLOAT data type, 256–257
- Double-precision floating point numbers, 808
- DPF (Database Partitioning Feature)
  - buffer pools, 56
  - case study, 61–66
  - catalog partition, 55
  - commands, issuing, 57–59
  - configuration files, 54
  - coordinator partition, 57
  - database configuration files, 54
  - database partitions, 46–50
  - DB2NODE environment variable, 59–60
  - definition, 802
  - environment variables, 54
  - generating values from partition numbers, 58–59
  - installing DB2, 99–100
  - instance-owning servers, 51
  - instances, 51–52
  - local database directory, 54
  - logical partitions, 46–50
  - logs, 54–55
  - multipartition database, 46–50
  - node configuration file, 50–51
  - overview, 45
  - partition groups, 55–56
  - partitioned databases, 46–50
  - partitioning a database, 52–54
  - partitioning keys, 60–61
  - partitioning maps, 60–61
  - partitions, 46–50
  - SQL statements, issuing, 57–59
  - table spaces, 57
  - uses for, 10
- DRDA (Distributed Relational Database Architecture), 807
- DRDA Application Requester, 13–14. *See also* host connectivity.
- DRDA Application Server, 13–14. *See also* host connectivity.
- DRDA clients, 408–411
- DROP BUFFERPOOL statement, 358
- drop database command, 195, 326
- DROP DATABASE PARTITION GROUP statement, 56, 330
- DROP DISTINCT TYPE statement, 261
- DROP PROCEDURE statement, 305
- DROP SCHEMA statement, 255
- DROP SEQUENCE statement, uses for, 309
- DROP statement, objects used on, 245
- DROP TABLE statement, 266
- DROP TABLESPACE statement, 353
- DROP VIEW statement, 297

- DROPIN schema privilege, 417–419
- DROPPED TABLE RECOVERY option, 567–568
- Dropped tables, recovery, 567–568
- Dropping. *See also* deleting.
  - buffer pools, 358
  - connections, 122–123
  - DAS (Database Administration Server), 178
  - database partitions, 56
  - databases, 326
  - directories, 195
  - indexes, 289
  - instances, 30, 177
  - partition groups, 330
  - schemas, 255
  - stored procedures, 305
  - table spaces, 352, 353
  - tables, 266
  - UDTs (user-defined types), 261
  - views, 297
- DSS (Decision Support System), 805
- Dual log paths, 808
- Dumb terminal clients, 12
- Dump files, 688
- DUOW (distributed unit of work), 807
- Dynamic SQL, 808
  
- E**
- EBCDIC, 808
- E-business on-demand business model, 4–5
- Echoing commands, 115, 118
- edit command, 112
- Editing. *See* modifying.
- Editions, DB2 UDB. *See* UDB, editions.
- Education. *See also* resources.
  - books and publications, 780
  - computer-based training, 781
  - conferences, 783
  - course offerings, 781
  - e-mail services, 782
  - IBM business partners, 783
  - IBM certification program, 780–781
  - news groups, 782
  - periodicals, 782
  - technical resources, 782
  - tutorials, 780–781
  - user groups, 783
  - Web sites in this book, 779–780
- EDUs (engine dispatchable units)
  - active subagents, 603
  - application-level, 602–604
  - associated (idle) subagents, 603
  - coordinator agents, 602–604, 611
  - database-level, 600–602
  - instance-level, 597–600
  - overview, 596–597
  - per-request, 604–608
  - processes, 596–597
  - threads, 596–597
  - tuning, 608–609
  - unassociated subagents, 603–604
- E-mail problem notification, 692–693
- Embedded SQL, 808
- Emptying tables, 283
- ENABLE QUERY OPTIMIZATION clause, 281
- Encoding schemes, 808
- Encryption, 404–405, 411
- ENFORCED clause, 281
- Engine dispatchable units (EDUs). *See* EDUs (engine dispatchable units).
- Enterprise environment, DB2 UDB edition for, 9–10
- Enterprise Server Edition (ESE), 9–10
- Environment
  - See also* DAS
  - See also* databases
  - See also* directories
  - See also* DPF
  - See also* environment variables
  - See also* profile registry
  - buffer pools, 39
  - case study, 44–45
  - configuration files, 32–35
  - configuration parameters, 34–35
  - connectivity, 35–37
  - data dictionaries, 38
  - illustration, 31
  - indexes, 39
  - instances, 30–32
  - internal implementation, 39–42



- large objects, 39
  - logs, 39
  - overview, 29–30
  - table spaces, 38–39
  - tables, 39
- Environment variables. *See also* DB2INSTANCE;  
DB2NODE.
- changing temporarily, 33
  - changing values, 155
  - checking current setting, 33
  - creating, 155–158
  - DPF, 54
  - exporting, 33
  - listing, 33
  - modifying, 155–158
  - overview, 32–33
  - setting, 154
  - syntax, 33
  - viewing contents of, 155
- Error messages
- logging, 689–690
  - reporting problems, 684–687
  - tracking, 28
- Escape characters, 809
- ESE (Enterprise Server Edition), 9–10
- Evaluation period, 13
- Event Analyzer, 28, 138, 809
- Event Monitor
- definition, 809
  - performance, 669–672
  - troubleshooting locking problems, 471–474
- Everyplace, 7, 10
- Examples. *See also* case studies.
- administration notification logs, 691–692
  - buffer pools, 355–357
  - creating databases, 319–321
  - DB2 commands, 25
  - DDL (Data Definition Language), 25
  - indexes, 286–288
  - querying data, 365–366
  - SELECT statement, 365–366
  - SQL statements, 25
- EXCEPT ALL operator, 387
- EXCEPT operator, 384–385, 387
- exception option, 508
- Exception tables, 508, 809
- Exclamation mark (!), escape character, 112
- Exclusive locks, 809
- Executable statements, 809
- Executables, common, 612
- Execution time, 809
- Exit routines, 809
- Explain, 809
- Explain snapshot, 809
  - Explain tables, performance, 673–675
  - explain tool, performance, 673–675
  - Explainable statements, 810
  - Explained statements, 810
  - Explained statistics, 810
  - Explicit privileges, 810
- Export, 810
- export command, 488–489
  - export utility. *See also* import utility.
    - authority required, 493
    - character delimiter, changing, 490
    - code page, changing, 491
    - column delimiter, changing, 490
    - column names, specifying, 492–493
    - with the Control Center, 495
    - date format, changing, 490
    - definition, 810
    - export command, 488–489
    - exporting large objects, 491–492
    - file type modifiers, 490–491
- Exporting
- access profiles, 228–230
  - environment variables, 33
  - large objects, 491–492
- Express Edition, 9–10
- Expressions, 810
- EXTEND option, 350
- Extender, 803
- Extensible Markup Language (XML), 810
- Extensible Stylesheet Language (XSL), 810
- Extensible Stylesheet Language Transformation (XSLT), 810
- Extent map, 810
- Extents, 332–333, 810

EXTENTSIZE clause, 333

External functions, 811

External names, 811

External procedures, 811

External routines, 811

## F

Fact tables, 811

FAILARCHPATH parameter, 549

Fast Communications Manager (FCM). *See* FCM  
(Fast Communications Manager).

FASTPARSE modifier, 516

FCM (Fast Communications Manager)

definition, 811

inner-partition communication, 595

memory, 622

Federated database support, 422

Federated databases, 811

Federated servers, 811

Federated systems, 811

Federation, 14, 42–44

Fenced, 812

Fenced stored procedures, 305–306

Fenced users, 75–76

Fetch, 812

FETCH FIRST *n* ROWS ONLY clause, 371

*See also* OVER function

*See also* ROWNUMBER function

*See also* WHERE clause

FFDC (first-failure data capture)

default error level for logging, 689

description, 687–688

DIAGLEVEL parameter, 689

DIAGPATH parameter, 688–689

error messages, logging, 689–690

fully qualified path, 688–689

NOTIFYLEVEL parameter, 689–690

related parameters, 688–690

File extensions, 338

File permissions, 116

File type modifiers

export utility, 490–491

import utility, 500

load utility, 511–513

FINALTABLE clause, 381

First Steps, 29, 141–142

First-failure data capture (FFDC). *See* FFDC  
(first-failure data capture).

Fixed length ASCII file format, 487

Fixed-length strings, 812

FixPaks, 100–101

FLUSH PACKAGE CACHE command, 530

force application command, troubleshooting  
locking problems, 467–468

force option, 169

Foreign key constraints, 274–276

Foreign keys, 274–276, 812

Forward recovery, 812. *See also* roll forward  
recovery.

Fragmentation, 812

Free space, 812

Free space, leaving, 511–513

Full outer join, 812

FULLOUTERJOIN keyword, 375–376

Fullselect, 812

Functions

casting, 260–261

column, 369–370

definition, 812

scalar, 369–370

user defined. *See* UDFs (user-defined  
functions).

## G

GA (generally available) code, 100

General Administration Tools

Basic view, 130

Contents pane, 130

Control Center, 129–132

Custom view, 130

Journal tool, 128, 132

Object Details pane, 130–132

Replication Center, 132–133

Task Center, 134

General Parallel File System (GPFS), 812

Generally available (GA) code, 100

GENERATED BY DEFAULT clause, 271–272

GENERATED clause, 270–272

- Generated columns, 500, 813
  - generatedignore modifier, 500
  - generatedmissing modifier, 500
  - Generic Security Service API (GSSAPI), 405–407
  - get admin cfg command, 178
  - get authorizations command, 428–430
  - get db cfg command
    - sample output, 178–181
    - syntax, 185
  - get db cfg show detail command, 182
  - get dbm cfg command, 171, 174–175, 177
  - GET SNAPSHOT command, 668–669
  - GET SNAPSHOT FOR TABLESPACES
    - command, 343–346
  - Global groups, 432–433
  - Global-Level Profile Registry, 158–160
  - Governor. *See* RLF.
  - GPFS (General Parallel File System), 812
  - Grant, 813
  - GRANT statement
    - database authorities, 416–417
    - index privileges, 422–423
    - package privileges, 423–424
    - routine privileges, 424–425
    - schema privileges, 418
    - sequence privileges, 425–426
    - table and view privileges, 420–421
    - table spaces privileges, 418
  - Graphic character, 813
  - GRAPHIC data type, 258–259
  - Graphic string, 813
  - Grid computing, 813
  - Group, 813
  - GROUP BY...HAVING clause, 373–374
  - GROUP\_PLUGIN parameter, 406
  - Groups, required for installation
    - DAS users, 75–76
    - Fenced users, 75–76
    - instance owners, 75–76
    - Linux/UNIX, 75–76
    - in NIS environment, 76–77
    - overview, 72–73
    - Windows, 74
  - GSSAPI (Generic Security Service API), 405–407
  - GSSAPI plug-ins, 405–407
  - GSSPLUGIN authentication, 400, 402
  - GSS\_SERVER\_ENCRYPT authentication, 400
- ## H
- h option, 26
  - HACMP (High Availability Cluster Multiprocessor), 813
  - HADR (High Availability Disaster Recovery)
    - ASYNCR (Asynchronous) mode, 578–580
    - NEARSYNCR (Near Synchronous) mode, 578–580
    - overview, 575–576
    - setup, 576–578
    - SYNCR (Synchronous) mode, 578–580
    - synchronization modes, 578–580
  - HADR Wizard, 580–582
  - Hash partitioning, 813
  - Health Center
    - definition, 813
    - monitoring performance, 138–139
    - troubleshooting locking problems, 479
    - uses for, 28
  - Health monitor notification, 88
  - Help. *See also* resources.
    - CLP, 119–120
    - DB2 commands, 26
    - DB2 documentation. *See* Information Center.
    - h option, 26
    - SQL Assist, 144
    - SQL statements, 25
  - Heterogeneous replication, 813
  - Hierarchical databases, 1
  - High availability
    - cloning a database, 571–572
    - creating a backup image, 573–574
    - creating a standby database, 572–573
    - db2inidb mirror command, 573–574
    - db2inidb snapshot command, 571–572
    - db2inidb standby command, 572–573
    - mirror option, 573–574
    - partitioned environments, 574
    - snapshot option, 571–572
    - split mirroring, 570–571, 574
    - standby option, 572–573
    - suspended I/O support, 570–571

- High Availability Cluster Multiprocessor (HACMP), 813
  - High Availability Disaster Recovery (HADR). *See* HADR (High Availability Disaster Recovery).
  - High cluster ratio, 527
  - High-water mark, 351
  - history command, 112
  - History of DB2, 1–3
  - Host computer, 814
  - Host connectivity, 13–14
  - Host language, 814
  - Host variable, 814
  - HTML (Hypertext Markup Language), 814
  - Hypertext Markup Language (HTML), 814
- I**
- IBM
    - DB2 II (Information Integrator), 15
    - DB2 menu, 27–29, 107–108
    - history of DB2, 1–3
    - on-demand business model, 4–5
    - servers, 723
  - IBMCATGROUP partition group
    - definition, 55
    - description, 328
    - illustration, 320
  - IBMDEFAULTGROUP partition group
    - definition, 55
    - description, 328
    - illustration, 320
  - IBMTMPGROUP partition group
    - definition, 55
    - description, 328
    - illustration, 320
  - Identity columns, 269–272, 500, 814
  - Idle agents, 814
  - Idle (associated) subagents, 603
  - II (Information Integrator), 15
  - Implicit privileges, 426–427, 814
  - IMPLICIT\_SCHEMA authority, 413
  - Import, 814–815
  - import command, 496–497
  - Import modes, 497–498
  - import utility. *See also* export utility; INSERT statement; load utility.
    - authority required, 501–502
    - concurrent write access, 496–499
    - with the Control Center, 502
    - definition, 815
    - file type modifiers, 500
    - generated columns, 500
    - identity columns, 500
    - import command, 496–497
    - import modes, 497–498
    - overview, 496–497
    - regular commits, 499
    - restarting after failure, 499
    - selecting columns, 501
  - Importing access profiles, 230–233
  - IMS tools, 3
  - IN clause, 265
  - IN DATABASE PARTITION GROUP statement, 57
  - IN predicate, 372–373
  - INCLUDE LOGS option, 554
  - Incremental backups, 555–556, 815
  - INDEX IN clause, 265
  - Index keys, 815
  - Index privileges, 422–423
  - Indexes
    - block, 293–294
    - case study, 310–311
    - clustering, 289–290
    - creating, 286
    - definition, 39, 244, 815
    - dropping, 289
    - examples, 286–288
    - modifying, 289
    - naming, 272–273
    - rebuilding, 511
    - specifying, 265
    - uses for, 285
  - indexing mode option, 511
  - Individual privileges, 815
  - Indoubt, 815
  - Indoubt resolution, 815
  - Indoubt transaction, 815
  - Indoubt Transaction Manager, 29, 140

- Infinite active logging, 549
- Inflight, 815
- Information catalog, 816
- Information Center, 17, 28, 134–135
- Information integration, 3
- Information Integrator (II), 15
- Information management products, 3
- Information menu, 134–136
- Information snapshots, 341–346
- Information tools, 28
- Informational configuration parameters, 816
- Informational constraints, 272, 280–282
- Inheritance, 816
- Initialization fullselect, 816
- Inner joins, 374–376, 816
- INNERJOIN keyword, 374–376
- Inoperative packages, 816
- Inoperative triggers, 816
- Inoperative views, 816
- INSERT import mode, 497–498
- Insert rule, 816
- INSERT statement, 379–381. *See also* import utility; load utility.
- Insert trigger, 816
- Insertable views, 299
- Inserting
  - data, 379–380. *See also* import utility; load utility.
  - directory contents, 195
- INSERT\_UPDATE import mode, 497–498
- INSPECT tool, 584
- Installation, creating instances, 162–163
- Installation folder, 80–81
- Installing DB2
  - case study, 102–104
  - compact installation, 79
  - custom installation, 79
  - db2\_install script, 72, 96–97
  - in a DPF environment, 99–100
  - FixPaks, 100–101
  - licensing, 97–99
  - Linux/UNIX
    - manually, 96–97
    - overview, 73
    - required user IDs and groups, 75–76
    - response files, 95
    - with Setup Wizard, 78
  - manually (Linux/UNIX), 96–97
  - on many machines (Silent install), 92–95
  - native installation tools, 72, 96
  - program fixes, 100–101
  - required user IDs and groups
    - DAS users, 75–76
    - Fenced users, 75–76
    - instance owners, 75–76
    - Linux/UNIX, 75–76
    - in NIS environment, 76–77
    - overview, 72–73
    - Windows, 74
  - response files
    - creating, 93–95
    - installing DB2 on Linux/UNIX, 95
    - installing DB2 on Windows, 95
    - Silent install, 92–95
  - with Setup Wizard
    - alert notification feature, 82–83
    - DAS (Database Administration Server), 82
    - DB2 instance, creating and configuring, 83–86
    - DB2 tools catalog, creating, 86–88
    - generating a response file, 79–80
    - health monitor notification, 88
    - installation folder, 80–81
    - installation type, 79
    - Linux/UNIX, 78
    - partitioned database option, 80
    - security for DB2 objects (Windows), 88–90
    - setting user information, 82
    - starting the installation, 90–92
    - Windows, 77–78
- Silent install method, 92–95
- typical installation, 79
- unattended. *See* Silent install.
- Windows
  - overview, 73
  - required user IDs and groups, 74
  - response files, 95
  - security for DB2 objects, 88–90
  - with Setup Wizard, 77–78
- Windows overview, 73

- Instance Level Profile Registry, 158–160
- Instance Node-Level Profile Registry, 158–160
- Instance owners, 75–76, 162–163
- Instance Profile Registry, 158–160
- Instance-level EDUs, 597–600
- Instance-level operations memory, 619–620
- INSTANCE\_MEMORY parameter, 622
- Instance-owning partitions, 817
- Instance-owning servers, 51
- Instances
  - active, determining. *See* DB2INSTANCE.
  - attaching DB2INSTANCE environment variable, 170–171
  - configuring
    - agent pool, 656–657
    - DB2 instance, 83–86
    - default configuration, 178–182
    - intra-partition parallelism, 655
    - parameters, 654
    - requester I/O block size, 655
    - sort heap threshold, 655–656
  - creating
    - 64-bit, 163
    - client, 163–164
    - DB2 instance, 83–86
    - db2icrt command, 177
    - at installation, 162–163
    - during installation, 83–86
    - in multi-partitioned environment, 164
  - DB2, 30–32
  - definition, 816
  - design considerations, 185–186
  - DPF, 51–52
  - dropping, 177
  - listing, 177
  - overview, 160–161
  - starting/stopping, 177
- INSTEAD OF triggers, 302–303
- INT (integer) data type, 256–257
- INTEGER (integer) data type, 256–257
- Integrated on-demand business model, 5
- Interactive mode, 111–112
- Interactive SQL, 817
- Internet resources. *See* online resources.
- Inter-partition parallelism, 817
- Inter-process communication (IPC), 817
- Inter-query parallelism, 817
- INTERSECT ALL operator, 386
- INTERSECT operator, 384–385, 386
- Intersections, 384–385, 386
- INTRA\_PARALLEL parameter, 654
- Intra-partition parallelism, 655, 817
- Intra-query parallelism, 817
- Introduction page, 648
- Invalid packages, 817
- Invoking. *See* starting.
- .INX files, 338
- I/O parallelism. *See* parallelism.
- I/O requirements, performance, 645
- I/O support, suspending, 570–571
- IP addresses, 817
- IPC (inter-process communication), 817
- iSeries server, connectivity to
  - iSeries client, 766–769
  - z/OS client, 749–753
- iSeries support, 6
- isolation keyword, 647
- Isolation levels. *See also* concurrency; locking.
  - See also* CS (cursor stability)
  - See also* RR (repeatable read)
  - See also* RS (read stability)
  - See also* UR (uncommitted read)
  - CS (cursor stability), 445–446
  - default, 445
  - definition, 817
  - highest level, 447–448
  - lowest level, 444
  - modifying
    - API (application programming interface), 453–454
    - bind command, 450–451
    - CLI (call level interface), 452–453
    - in the Command Window, 449–450
    - CURRENT ISOLATION register, 449–450
    - precompile command, 450–451
    - SET CURRENT ISOLATION statement, 449–450
    - statement level isolation levels, 454–455

- querying, 368
    - RR (repeatable reads), 447–448
    - RS (read stability), 446–447
    - UR (uncommitted reads), 444
  - Isolation page, 652–653
  - is\_populated, 647
  - IXF format, 487
- J**
- Java Database Connectivity (JDBC), 818
  - JDBC (Java Database Connectivity), 818
  - JDBC driver, 818
  - JFS (Journaled File System), 818
  - Joining tables, 374–376
  - Joins, 818
  - Journal, 818
  - Journal tool, 28, 128, 132
  - Journaled File System (JFS), 818
- K**
- Kerberos, 404–405, 818
  - KERBEROS authentication, 400, 402
  - Keys, 818
  - Keywords, 818
  - Known discovery, 221–227
  - KRB\_SERVER\_ENCRYPT authentication, 400
- L**
- LARGE clause, 265
  - Large object (LOB), 818
  - Large objects, 39
  - Large table spaces, 253, 819
  - Latency, 819
  - .LB files, 338
  - .LBA files, 338
  - Leaf pages, 819
  - Left outer joins, 819
  - LEFTOUTERJOIN keyword, 375–376
  - .LF files, 338
  - License Center, 29, 97–99, 142, 144
  - Licensing
    - DB2 installation, 97–99
    - License Center, 29
    - phone contact, 13
  - LIKE predicate, 371–372
  - Line continuation, CLP, 120–122
  - Linux, UNIX, Windows (LUW) support, 5–6
  - Linux server, connectivity to
    - iSeries client, 758–761
    - z/OS client, 743–748
  - Linux/UNIX, installing DB2
    - manually, 96–97
    - overview, 73
    - required user IDs and groups, 75–76
    - response files, 95
    - with Setup Wizard, 78
  - List applications command, troubleshooting
    - locking problems, 465–466
  - LIST DATABASE PARTITION GROUPS
    - statement, 56, 329–330
  - list db directory command, 195
  - list dcs directory command, 195
  - LIST HISTORY command, 568–569
  - list node directory command, 195
  - list prefetch command, 819
  - LIST TABLESPACE CONTAINERS FOR
    - command, 562–563
  - LIST TABLESPACES command
    - changing container definitions, 562–563
    - listing table spaces, 341–343
  - list utilities command, 521–522
  - Listener processes, 208
  - Listeners, 594–595
  - Listing. *See also* displaying.
    - databases, 326
    - DB2 commands, 25
    - DCS directory contents, 37, 195
    - directories, 195
    - environment variables, 33
    - installed products, 13
    - instances, 33, 177
    - local database directory contents, 36
    - node directory contents, 37
    - partition groups, 56, 329–330
    - registry variables, 158
    - SQL statements, 25
    - system db directory contents, 36
    - table spaces, 341–346

- LOAD authority, 413
- load command, 504–511
- Load copy, 819
- Load module, 819
- Load querying, 519–520
- load utility. *See also* import utility; INSERT statement.
  - allow no access option, 510–511
  - allow read access option, 511
  - ANYORDER modifier, 516
  - authority required, 516
  - collecting statistics, 514
  - with the Control Center, 516
  - copy yes/no options, 515
  - CPU\_PARALLELISM modifier, 516
  - DATA BUFFER modifier, 516
  - data validation, 515
  - definition, 819
  - DISK\_PARALLELISM modifier, 516
  - exception option, 508
  - exception tables, 508
  - FASTPARSE modifier, 516
  - file type modifiers, 511–513
  - indexing mode option, 511
  - leaving free space, 511–513
  - list utilities command, 521–522
  - load command, 504–511
  - load querying, 519–520
  - loading from a client, 509–510
  - loading from a cursor, 506
  - loading large objects, 513–514
  - lock with force option, 510–511
  - locking considerations, 510–511
  - messages option, 506
  - modified by modifier, 507–509
  - monitoring load operations, 516–522
  - nonrecoverable option, 515
  - overview, 502–503
  - page overflow, 511–513
  - performance, 663–666
  - performance considerations, 515–516
  - pointers, 511–513
  - process description, 503–504
  - rebuilding indexes, 511
  - roll forward recovery, 515
  - savecount option, 506
  - saving rejected records, 507–509
  - set integrity command, 515
  - SORT BUFFER modifier, 516
  - statistic profiles, 514
  - statistics no option, 514
  - statistics use profile option, 514
  - table space states, 518–519
  - table states, 517–518
  - warningcount option, 506
- Loading
  - from a client, 509–510
  - from a cursor, 506
  - databases. *See* data movement utilities.
  - large objects, 513–514
  - table data, performance, 663–666
- LOB (large object), 818
- LOB locator, 819
- lobs from clause, 500
- lobsinfile modifier, 491–492
- Local clients, 11
- Local database directories, 36, 54
- Local database directory, 819
- Local databases, 819
- Local groups, 432–433
- Locator. *See* LOB locator.
- Lock attributes
  - overview, 455–456
  - row-level lock modes, 457–461
  - table-level lock modes, 457
- Lock deferral, 464
- Lock escalation, 464–465, 624, 820
- Lock modes, 458–460
- LOCK TABLE statement, 456
- Lock waits, 461–462
- lock with force option, 510–511
- Locking. *See also* concurrency; isolation levels.
  - avoiding, 479–480
  - case study, 480–481
  - configuring, 661
  - considerations with load utility, 510–511
  - deadlocks, 462–463
  - definition, 820



- scenarios
  - lost updates, 440–442
  - nonrepeatable reads, 442–443
  - phantom reads, 443
  - transactions, 442
  - uncommitted reads, 442
- troubleshooting
  - Activity Monitor, 474–479
  - deadlocks, 472–474
  - Event Monitor, 471–474
  - force application command, 467–468
  - Health Center, 479
  - list applications command, 465–466
  - Snapshot Monitor, 468–471
  - snapshot table functions, 471
- LOCKLIST parameter, 464–465, 658
- Lockout time, 368
- Locks, 820
- LOCKSIZE option, 455–456
- LOCKTIMEOUT parameter, 461–462
- Log disk full condition, 543–544
- Log files, 560, 820
- Log full condition, 543
- Log space, 542
- LOGARCHMETH1 parameter, 546–548
- LOGARCHMETH2 parameter, 549
- LOGARCHOPT1 parameter, 549
- LOGARCHOPT2 parameter, 549
- LOGBUFSZ parameter, 658
- LOGFILSIZ parameter, 542
- Logging
  - configuring, 659
  - default error level, setting, 689
  - error messages, 689–690
  - methods, 545–550, 552
- Logical agents, 820
- Logical links, 161
- Logical operators, 820
- Logical partitions, 46–50, 247
- LOGPRIMARY parameter, 542
- Logs
  - active, 785
  - administration notification, 786
  - archived, 787
  - circular, 793
  - database, 801
  - DB2 environment, 39
  - definition, 820
  - DPF, 54–55
  - primary, 830
  - recoverable, 832
  - secondary, 836
  - transaction. *See also* recovery.
    - active log directory, 542
    - active logs, 544–545
    - archival logging, 546–549
    - circular logging, 545–546
    - database configuration parameters, 547–549
    - handling, 550–551
    - infinite active logging, 549
    - log disk full condition, 543–544
    - log full condition, 543
    - log space, 542
    - logging methods, 545–550
    - offline archive logs, 545
    - online archive logs, 545
    - overview, 540–542
    - primary log files, 542–544
    - secondary log files, 542–544
    - size of log space, 542
    - states of logs, 544–545
    - user exit, 551
- LOGSECOND parameter, 542
- LOGTARGET option, 560
- LONG clause, 265
- long in lobts clause, 500
- Long strings, 820
- Long table spaces. *See* large table spaces.
- LONG VARCHAR (long variable character) data type, 258
- LONG VARGRAPHIC data type, 258
- Long variable character (LONG VARCHAR) data type, 258
- Lost updates, 440–442
- Lotus brand, 4–5
- Lotus worksheet format, 488
- Lowercase, 25, 721–722
- LUW (Linux, UNIX, Windows) support, 5–6

**M**

Maintenance requirements, performance, 663–666

maintenance utility

FLUSH PACKAGE CACHE command, 530

high cluster ratio, 527

maintaining statistics, 526–527

package creation, 530

process overview, 531

REBIND, 530

REORG, 527–530

reorg command, 527–530

reorganizing table data, 527–530

REORGCHK, 527–530

reorgchk command, 527–530

RUNSTATS, 526–527

runstats command, 526–527

Maintenance windows, 820

MANAGED BY DATABASE clause, 339

MANAGED BY SYSTEM clause, 337

Manuals. *See* books and publications; help;

Information Center.

Mass delete, 821

Massively parallel processing (MPP), 821

Materialized query tables, 821

Materialized query tables (MQTs), 284–285

MAXAGENTS statement, 608–609, 610–611

MAXCAGENTS statement, 609

MAX\_CONNECTIONS statement, 608–609, 611

MAX\_COORDAGENTS statement, 608–609, 611

MAXLOCKS parameter, 465, 658

MBCS (multibyte character set), 822

MDC (multidimensional clustering) table

block indexes, 293–294

block maps, 294

cells, 292

choosing dimensions, 294–295

composite block indexes, 294

defining, 291–292

definition, 291–292, 822

description, 291–292

dimension block indexes, 293–294

slices, 292

Memory

32-bit model, 632–633

64-bit model, 634

agent private, 621

agent-level operations, 621

agent-level private, 629–631

allocation, 619–621

analysis, 139

application shared, 621

application-level operations, 621

AWE support with Windows, 634–635

case study, 635–639

database-level operations, 619, 621

instance-level operations, 619

private, agent-level

agent stack, 631

application heap, 629–630

client I/O block size, 631

Java interpreter heap, 631

overview, 629

query heap, 630–631

sort heap, 630

sort heap threshold, 630

statement heap, 631

statistics heap, 631

requirements, performance, 644–645

Memory, shared

application-level

application groups, 627–628

overview, 627

database-level

buffer pools, 624

catalog cache, 625

database memory, 625–627

lock list, 624

logging parameters, 625

overview, 623–624

package cache, 624–625

shared sort heap threshold, 624

utility heap size, 625

instance-level, 619, 621–623

Memory Visualizer, 29, 139

mem-percent keyword, 646–647

Merge, 821

MERGE statement, 382

Merging data, 382

- message clause, 488–489
  - messages option, 506
  - Metadata, 821
  - method n option, 492–493
  - MFP (Multiple FixPak Support), 101
  - Migration, 821
  - MINCOMMIT parameter, 658
  - mirror option, 573–574
  - Mobile devices, DB2 UDB edition for, 7
  - modified by modifier, 507–509
  - Modifying
    - buffer pools, 357–358
    - data. *See also* querying data; SQL.
      - DELETE statement, 379–381
      - deleting, 379–380
      - FINALTABLE clause, 381
      - identifying changes, 380–381
      - INSERT statement, 379–381
      - inserting, 379–380
      - MERGE statement, 382
      - merging data, 382
      - NEWTABLE clause, 380–381
      - OLDTABLE clause, 380–381
      - selecting from changed data, 380–381
      - transition tables, 380–381
      - UPDATE statement, 379–381
      - updating, 379–380
    - DB2INSTANCE environment variable, 155–158
    - DB2INSTANCE environment variables, 155
    - DB2NODE environment variable, 155–158
    - environment variables, 33, 155–158
    - indexes, 289
    - isolation levels
      - API (application programming interface), 453–454
      - bind command, 450–451
      - CLI (call level interface), 452–453
      - in the Command Window, 449–450
      - CURRENT ISOLATION register, 449–450
      - precompile command, 450–451
      - SET CURRENT ISOLATION statement, 449–450
      - statement level isolation levels, 454–455
    - partition groups, 329
    - schemas, 255
    - stored procedures, 305
  - Monitor switch, 821
  - Monitoring
    - agents, 609–611
    - load operations, 516–522
    - tools for. *See also* troubleshooting.
      - Activity Monitor, 136–137
      - db2pd tool, 140–141
      - Event Analyzer, 138
      - Health Center, 138–139
      - Indoubt Transaction Manager, 140
      - Memory Visualizer, 139
  - Moving data. *See* data movement utilities.
  - MPP (massively parallel processing), 821
  - MQTs (materialized query tables), 284–285
  - Multibyte character set (MBCS), 822
  - Multidimensional, 822
  - Multidimensional clustering (MDC) table. *See* MDC (multidimensional clustering) table.
  - Multidimensional database, 822
  - Multipartition databases, 46–50
  - Multi-partition databases, 247–248
  - Multi-partition environment, 340–341
  - Multi-partition partition groups, 327
  - Multiple FixPak Support (MFP), 101
  - Multiple table operations, 522–523
  - Multisite update, 822
  - Multitasking, 822
- N**
- \$N argument, 58
  - Naming, indexes, 272–273
  - Native installation tools, 72, 96
  - NAU (network addressable unit), 822
  - NEARSYNC (Near Synchronous) mode, 578–580
  - Nested savepoints, 822
  - Nested table expressions, 822
  - Nested views, 300–301
  - Net Search Extender, 803
  - NET START command, 166
  - NET STOP command, 168
  - Network addressable unit (NAU), 822
  - Network addresses, 822

- Network File System (NFS), 822
  - Network Identifier, 823
  - Network Information Service (NIS/NIS+), 823
  - Network names, 823
  - Network node (NN), 823
  - Network Node Server, 823
  - Network services, 823
  - Network-qualified names, 823
  - New Technology File System (NTFS), 823
  - NEWTABLE clause, 380–381
  - NEXT VALUE FOR statement, uses for, 309
  - NEXTVAL FOR statement, uses for, 309
  - NFS (Network File System), 822
  - Nicknames, 422, 823
  - NIS, 76–77
  - NIS+, 76–77
  - NIS/NIS+ (Network Information Service), 823
  - NN (network node), 823
  - NO ACTION rule, 277–278
  - NO CACHE clause, 308
  - NO CYCLE clause, 308
  - NO MAXVALUE clause, 308
  - Node configuration file (db2notes.cfg)
    - description, 248–251
    - DPF environment, 50–51
  - Node directories, 36–37, 199–200
  - Node directory, 824
  - nodegroup, 824
  - Nodes, 824
  - Noncumulative backup image. *See* delta backups.
  - Non-DB2 relational database server, 824
  - Non-delimited ASCII (ASC), 824
  - Non-delimited ASCII (ASC) format, 487
  - Non-interactive mode, 114–117
  - Nonleaf pages, 824
  - nonrecoverable option, 515
  - Nonrecoverable *versus* recoverable databases, 552
  - Nonrepeateable reads, 442–443
  - Normalization, 824
  - NOT ENFORCED clause, 281
  - NOT LOGGED INITIALLY clause, 282–283
  - Not logged initially tables, 282–283
  - Notification log. *See* administration notification logs.
  - NOTIFYLEVEL parameter, 689–690
  - notimeout option, 498–499
  - NTFS (New Technology File System), 823
  - NULL values, in tables, 268–269
  - Nullable, 825
  - NULLS, 376
  - Nulls, 825
  - NUMARCHRETRY parameter, 549
  - Number of commits to group, 659
  - Numeric data type, 256–257
  - NUM\_INITAGENTS statement, 609
  - NUM\_INTAGENTS parameter, 654
  - NUM\_IOCLEANERS parameter, 658
  - NUM\_IOSERVERS parameter, 658
  - num\_local\_apps keyword, 647
  - NUM\_POOLAGENTS parameter, 654
  - NUM\_POOLAGENTS statement, 609
  - num\_remote\_apps keyword, 647
  - num\_stmts keyword, 646–647
- O**
- Object Details pane, 130–132
  - Objects, 825
  - ODBC (Open Database Connectivity), 826
  - ODBC driver, 825
  - Offline archive logs, 545
  - Offline backups, 825
  - OFFLINE keyword, 554
  - Offline maintenance, 825
  - Offline restoration, 825
  - OLAP (online analytical processing), 826
  - OLDTABLE clause, 380–381
  - OLTP (online transaction processing), 826
  - On-demand business, 825
  - On-demand business model, 4–5
  - Online analytical processing (OLAP), 826
  - Online archive logs, 545
  - Online backups, 826
  - Online index creation, 826
  - Online index reorganization, 826
  - ONLINE keyword, 554
  - Online maintenance, 826
  - Online resources. *See also* resources.
    - computer-based training, 781
    - course offerings, 781

- DB2 Information Center, 17
  - e-mail services, 782
  - GSSAPI plug-ins, 405–407
  - IBM certification program, 780–781
  - IBM servers, 723
  - news groups, 782
  - PDE (DB2 Personal Developer's Edition), 16
    - software development packages, 16
    - syntax diagrams, 17–18
    - tutorials, 780–781
  - UDE (DB2 Universal Developer's Edition), 16
    - user groups, 783
    - Web sites in this book, 779–780
  - Online restoration, 826
  - Online transaction processing (OLTP), 826
  - Open Database Connectivity (ODBC), 826
  - Open on-demand business model, 5
  - Open system platform support, 1
  - OPERAND nodes, 676
  - Operands, 826
  - OPERATOR nodes, 676
  - Operators, 826
  - Optimized SQL text, 826–827
  - Optimizer, 125, 672–673
  - ORDER BY clause, 373
  - OS/390 support, 6
  - Outer joins, 827
  - OVER function, 377–379
    - See also* FETCH FIRST *n* ROWS ONLY clause
    - See also* ROWNUMBER function
    - See also* WHERE clause
  - Overflow records, 827
  - Overloaded function name, 827
  - Ownership privileges, 827
- P**
- Packages
    - creating, 530
    - definition, 245, 827
    - description, 301
    - privileges, 423–424
    - querying paths, 368
  - Page cleaners, 595
  - Page cleaning buffer pools, 661
  - Page overflow, 511–513
  - Pages, 332, 827
  - Parallelism, 827
  - Parameter markers, 827
  - Parameter names, 827
  - Parameters. *See also* configuration parameters; *specific parameters.*
    - configuring instances, 654
    - database configuration, 658
  - Parent keys, 828
  - Parent rows, 828
  - Parent tables, 828
  - Partition groups
    - classifications, 327
    - creating, 328–329
    - default, 328
    - definition, 243–244, 802
    - description, 251–252
    - DPF environment, 55–56
    - dropping, 330
    - listing, 329–330
    - modifying, 329
    - multi-partition, 327
    - single-partition, 327
  - partitioned database option, 80
  - Partitioned databases, 828
  - Partitioning databases. *See* DPF (database partitioning feature).
  - Partitioning keys, 60–61, 828
  - Partitioning map indexes, 828
  - Partitioning maps, 60–61, 828
  - Partitions
    - active, determining. *See* DB2NODE.
    - case study, 310
    - catalog, 55
    - coordinator, 57
    - definition, 243, 802
    - description, 46–50
    - dropping, 56
    - instances in multi-partitioned environments, 164
    - logical, 46–50, 247
    - multi-partition databases, 247–248
    - single-partition databases, 247–248

- Paths, 828
- Pattern searches, 371–372
- PC version of Integrated Exchange Format (PC/IXF), 828
- PC version of IXF (PC/IXF) format, 487
- PC/IXF (PC version of Integrated Exchange Format), 828
- PC/IXF (PC version of IXF) format, 487
- PDE (DB2 Personal Developer's Edition), 15–16
- PE (Personal Edition), 8, 10
- Percent sign (%), wildcard, 372
- Performance. *See also* Configuration Advisor; configuring.
  - access plans, 675–676
  - case study, 676–680
  - CPU requirements, 645–646
  - disk requirements, 645
  - Event Monitor, 669–672
  - explain tables, 673–675
  - explain tool, 673–675
  - I/O requirements, 645
  - load utility, 515–516, 663–666
  - loading table data, 663–666
  - maintenance requirements, 663–666
  - memory requirements, 644–645
  - monitoring. *See* monitoring, tools for.
  - optimizer, 672–673
  - overview, 644
  - package cache, 624–625
  - reorganizing table data, 663–666
  - REORGCHK utility, 663–666
  - RUNSTATS utility, 663–666
  - Snapshot Monitor, 666–669
    - snapshots, 828
  - statistics gathering, 663–666
  - system/server configuration, 644–646
  - Visual Explain, 675–676
- Per-request EDUs, 604–608
- Personal Edition (PE), 8, 10
- Phantom reads, 443
- Phantom rows, 828
- PIT (point in time) recovery, 554, 561
- Plug-ins, 828
- Plus sign (+), turning off CLP options, 118
- Point in time (PIT) recovery, 554, 561
- Pointers, 511–513
- Points of consistency, 829
- Populated page, 650–651
- Port number, getting, 37
- Pound sign (#), comment delimiter, 116–117
- Precision, 829
- precompile command, 450–451, 829
- Predicate, 829
- Prefetch queue, 595
- Prefetching, 595, 661, 829
- Prepare, 829
- Prepared SQL statement, 829
- PREVIOUS VALUE FOR statement, uses for, 309
- PREVVAL FOR statement, uses for, 309
- Primary databases, 829
- PRIMARY KEY clause, 272–274
- Primary key constraints, 274–276
- Primary keys, 274–276, 829
- Primary log files, 542–544
- Primary logs, 830
- Principal, 830
- Priority page, 650–651
- Private memory, 830
- Privileges
  - database objects. *See* database object privileges.
  - definition, 830
  - storing and retrieving, 427–431
  - Windows, 432–434
- Procedures. *See* stored procedures.
- Processes. *See also* EDUs (engine dispatchable units).
  - agents
    - active subagents, 603
    - associated (idle) subagents, 603
    - case study, 614
    - coordinator agents, 602–604, 611
    - monitoring and tuning, 609–611
    - unassociated subagents, 603–604
  - case study, 613–614
  - common executables, 612
  - connection concentrator, 611, 614
  - EDUs, 596–597

- EDUs (engine dispatchable units)
    - active subagents, 603
    - application-level, 602–604
    - associated (idle) subagents, 603
    - coordinator agents, 602–604, 611
    - database-level, 600–602
    - instance-level, 597–600
    - overview, 596–597
    - per-request, 604–608
    - processes, 596–597
    - threads, 596–597
    - tuning, 608–609
      - unassociated subagents, 603–604
  - FCM (Fast Communication Manager), 595
    - listeners, 594–595
    - monitoring agents, 609–611
    - overview, 593–595
    - page cleaners, 595
    - prefetch queue, 595
    - prefetching, 595
    - tuning
      - agents, 609–611
      - EDUs, 608–609
    - Windows, 612–613
  - Profile registry
    - overview, 33–34
    - registry variables, 158–160
    - setting variables, 34
    - viewing variables, 34
  - Program fixes (FixPaks), 100–101
  - Program updates (FixPaks), 100–101
  - Project Deployment Tool, 28, 127–128
  - Propagating data to servers, 14–15
  - Pseudo deleted, 830
  - Public authority, 830
  - Publications. *See* books and publications.
- Q**
- Query, 830
  - query optimization class, 830
  - Query optimizer, 830
  - Querying, load information, 519–520
  - Querying data. *See also* modifying, data; search; SQL.
    - % (percent sign), wildcard, 372
    - \_ (underline), wildcard, 372
    - CASE expression, 376–377
    - case study, 387–390
    - CAST expression, 370
    - casting data types, 370
    - COALESCE function, 376
    - column functions, 369–370
    - columns
      - combining, 385–386
      - derived, 366
      - intersecting values, 386
    - CTE (common table expression), 383–384
    - current date and time, 368
    - EXCEPT ALL operator, 387
    - EXCEPT operator, 384–385, 387
    - FETCH FIRST n ROWS ONLY clause, 371
    - FULLOUTERJOIN keyword, 375–376
    - GROUP BY...HAVING clause, 373–374
    - hierarchical data, 383–384
    - inner joins, 374–376
    - INNERJOIN keyword, 374–376
    - INTERSECT ALL operator, 386
    - INTERSECT operator, 384–385, 386
    - intersections, 384–385, 386
    - isolation level, 368
    - joining tables, 374–376
    - LEFTOUTERJOIN keyword, 375–376
    - LIKE predicate, 371–372
    - lockout time, 368
    - NULLS, 376
    - ORDER BY clause, 373
    - OVER function, 377–379
    - package paths, 368
    - pattern searches, 371–372
    - BETWEEN predicate, 372
    - IN predicate, 372–373
    - recursive SQL, 383–384
    - result sets, row counts, 366
    - RIGHTOUTERJOIN keyword, 375–376
    - ROWNUMBER function, 377–379
    - rows
      - counting in result sets, 366
      - eliminating duplicates, 367, 385–386
      - grouping, 373–374

- Querying data *continued*
  - rows, retrieving
    - adding to result sets, 377–379
    - by distinct values, 387
    - first *n*, 371
    - higher than *n*, 377–379
    - maximum of *n*, 370–371
    - in specified order, 373
      - between specified values, 372
      - by specified values, 372–373
  - scalar functions, 369–370
  - schema names, 368
  - SELECT COUNT DISTINCT statement, 367
  - SELECT COUNT statement, 366
  - SELECT DISTINCT statement, 367
  - SELECT statement examples, 365–366
  - selective processing, 376–377
  - special registers, 367–369
  - timestamps, 368
  - UNION operator, 384–386
  - UNIONALL operator, 385–386
  - unions, 384–386
  - user authorization, 368
  - WHERE clause, 370–371
- Question mark (?), help request, 26, 119–120
- Quiesce, 830
- Quiesce points, 831
- quiesce tablespaces for table command, 456
- QUIESCE\_CONNECT authority, 413
- Quiescing table spaces, 456
- R**
- rah command, 58
- Rational brand, 4–5
- RDBMS (relational database management system), 832
- Read problems
  - See also* concurrency
  - See also* isolation levels
  - See also* lock
  - See also* locking
  - See also* locks
  - lost updates, 440–442
  - nonrepeateable reads, 442–443
  - phantom reads, 443
  - transactions, 442
  - uncommitted reads, 442
- Read stability (RS), 446–447, 831
- Read-ahead prefetching, 831
- Read-only, 831
- Read-only views, 299–300
- REAL/FLOAT data type, 257
- Rebind, 831
- REBIND utility, 530
- Record identifier (RID), 831
- Record length, 831
- Records, 831
- RECOVER DATABASE command, 569
- Recoverable logs, 832
- Recoverable *versus* nonrecoverable databases, 552
- Recovery. *See also* backup; transaction logs.
  - archival logging, 552
  - automatic after crash, 539
  - backup, 539
  - case study, 584–587
  - circular logging, 552
  - crash, 539
  - databases, 559–560, 569
  - definition, 832
  - dropped tables, 567–568
  - HADR (High Availability Disaster Recovery)
    - ASync (Asynchronous) mode, 578–580
    - NEARSync (Near Synchronous) mode, 578–580
    - overview, 575–576
    - setup, 576–578
    - Sync (Synchronous) mode, 578–580
    - synchronization modes, 578–580
  - HADR Wizard, 580–582
  - log files, 560
  - logging methods *versus* recovery methods, 552
  - to a minimum PIT (point in time), 554, 561
  - RECOVER DATABASE command, 569
  - recoverable *versus* nonrecoverable databases, 552
  - redirected restore, 562–563
  - Restore Data Wizard, 561–562
  - roll forward
    - with Control Center, 566



- databases, 563–565
    - definition, 539–540
    - table spaces, 565–566
  - scenarios, 537–538
  - SQL1015N message, 539
  - strategies, 538
  - table spaces, 560–561
  - terminology, 551–552
  - transactions, 538
  - types of, 539–540
- Recovery history file, 568–569
- Recovery log. *See* database logs.
- Recovery pending, 832
- Recursive common table expressions, 832
- Recursive queries, 832
- Recursive SQL, 383–384
- Redirected restore, 562–563
- REFERENCE UDTs, 260–261
- REFERENCES clause, 275
- Referential constraints, 272, 274–279, 832
- Referential integrity
  - definition, 832
  - establishing, 274–276
  - SQL implications, 276–279
- REFRESH DEFERRED clause, 284–285
- REFRESH IMMEDIATE clause, 284–285
- Register Visual Studio Add-Ins, 142
- Register Visual Studio Add-Ins menu, 29
- Registry. *See* profile registry.
- Registry variables
  - case study, 186–188
  - configuration parameters, 34–35
  - listing, 158
  - setting, 34
  - viewing, 34
- Regular table spaces, 253, 832
- Relational database management system (RDBMS), 832
- Relational databases, 1, 832
- Relocating a database, 523–524. *See also* backups; cloning.
- rem command, 115–116
- Remote clients, 11
- Remote databases, 832
- Remote unit of work (RUOW), 833
- Removing. *See* deleting; dropping.
- Renaming a database, 523–524
- reorg command, 527–530
- REORG utility, 527–530
- Reorganizing table data, performance, 663–666
- reorgchk command, 527–530
- REORGCHK utility, 527–530, 663–666
- Repeatable read (RR), 833
- Repeatable reads (RR), 447–448
- REPLACE import mode, 497–498
- REPLACE\_CREATE import mode, 497–498
- Replication, 14–15, 833
- Replication Center, 28, 132–133, 833
- Reporting problems. *See* troubleshooting.
- Request For Comments (RFC), 833
- Requester I/O block size, configuring instances, 655
- Requesters, 833
- Reserved words, 833
- reset admin cfg command, 178
- reset db cfg command, 185
- reset dbm cfg command, 177
- reset statement, 122–123
- Resetting
  - DAS configuration file, 178
  - database configuration file, 185
  - Database Manager (DBM) Configuration file, 177
- RESIZE option, 350
- Resource limit facility (RLF), 833
- Resources
  - books and publications, 780
  - computer-based training, 781
  - conferences, 783
  - course offerings, 781
  - e-mail services, 782
  - IBM business partners, 783
  - IBM certification program, 780–781
  - news groups, 782
  - periodicals, 782
  - technical resources, 782
  - tutorials, 780–781
  - user groups, 783
  - Web sites in this book, 779–780

- Response file generators, 833
  - Response files
    - creating, 93–95
    - definition, 833
    - generating a, 79–80
    - installing DB2, 95
    - Silent install, 92–95
  - Restore, 834. *See also* backups; recovery.
  - Restore Data Wizard, 561–562
  - RESTORE DATABASE command, 559–560
  - Restore sets, 834
  - RESTRICT keyword, 256
  - RESTRICT rule, 278
  - Result sets, 834
  - Result sets, row counts, 366
  - Result tables, 834
  - Results page, 652, 654
  - Revoke, 834
  - REVOKE statement
    - database authorities, 416–417
    - index privileges, 422–423
    - package privileges, 423–424
    - routine privileges, 424–425
    - schema privileges, 418
    - sequence privileges, 425–426
    - table and view privileges, 421–422
    - table spaces privileges, 418
  - RFC (Request For Comments), 833
  - RID (record identifier), 831
  - Right outer joins, 834
  - RIGHTOUTERJOIN keyword, 375–376
  - RLF (resource limit facility), 833
  - Roll back, 834
  - Roll forward recovery. *See also* forward recovery.
    - with Control Center, 566
    - databases, 563–565
    - definition, 539–540, 834
    - table spaces, 565–566
  - ROLLBACK statement, 538
  - ROLLFORWARD DATABASE command, 563–565
  - Routines, 424–425, 834
  - Row locks, 834
  - ROWNUMBER function, 377–379
    - See also* FETCH FIRST *n* ROWS ONLY clause
    - See also* OVER function
    - See also* WHERE clause
  - Rows
    - counting in result sets, 366
    - definition, 834
    - eliminating duplicates, 367, 385–386
    - grouping, 373–374
    - parent, 828
    - phantom, 828
    - retrieving
      - adding to result sets, 377–379
      - by distinct values, 387
      - first *n*, 371
      - higher than *n*, 377–379
      - maximum of *n*, 370–371
      - in specified order, 373
      - between specified values, 372
      - by specified values, 372–373
      - self-referencing, 836
  - RQIOBLK parameter, 654
  - RR (repeatable read), 447–448, 833
  - RS (read stability), 446–447, 831
  - runcmd command, 112
  - runstats command, 526–527
  - RUNSTATS utility, 526–527, 663–666
  - Runtime clients, 12
  - RUOW (remote unit of work), 833
- S**
- Satellite Administration Center, 29, 144–146, 835
  - Satellite control database, 144
  - Satellite Control Server, 144–146
  - Satellite control servers, 835
  - Satellites, 835
  - savecount option, 506
  - Savepoint levels, 835
  - Savepoints, 835
  - SBCS (single-byte character set), 837
  - Scalar fullselect, 835
  - Scalar functions, 369–370, 835
  - Scale, 835
  - Schedule page, 652–653
  - Scheduling tasks. *See* Task Center.

- Schemas
  - creating, 254–255
  - creating implicitly, 413
  - definition, 254, 835
  - dropping, 256
  - modifying, 256
  - names, querying, 368
  - privileges, 417–419
  - SYSCAT, 264
  - SYSIBM, 264
  - SYSSTAT, 264
- Scrollable cursors, 835
- Scrollable result sets, 836
- Search. *See also* querying data.
  - case-insensitive, 792
  - definition, 836
  - pattern searches, 371–372
  - WHERE clause, 370–371
    - See also* FETCH FIRST *n* ROWS ONLY clause
    - See also* OVER function
    - See also* ROWNUMBER function
- Search condition, 836
- Search discovery, 220–227
- Search the network method, 220–227
- Secondary log files, 542–544
- Secondary logs, 836
- Sections, 836
- Security. *See also* authenticating; authentication.
  - administrative authorities, 411–417
  - authorities, storing and retrieving, 427–431
  - case study, 434–436
  - for DB2 objects (Windows), 88–90
  - overview, 397–398
- Security, privileges
  - database objects
    - federated database support, 422
    - implicit, 426–427
    - indexes, 422–423
    - nicknames, 422
    - packages, 423–424
    - routines, 424–425
    - schemas, 417–419
    - sequences, 425–426
    - table spaces, 419–420
    - tables, 420–422
    - views, 420–422
  - storing and retrieving, 427–431
  - Windows, 432–434
- SELECT COUNT DISTINCT statement, 367
- SELECT COUNT statement, 366
- SELECT DISTINCT statement, 367
- SELECT statement examples, 365–366
- Selecting data. *See* querying data.
- Selective processing, 376–377
- Self-referencing constraints, 836
- Self-referencing rows, 836
- Self-referencing subqueries, 836
- Self-referencing tables, 836
- Semicolon (;)
  - in commands, 58
  - terminator character, 115
- Sequences
  - case study, 309–312
  - definition, 245, 836
  - description, 308
  - privileges, 425–426
- Sequential prefetch, 836
- Serialization, 836
- SERVER authentication, 400, 402
- SERVER objects, 43–44
- Server page, 648–649
- SERVER\_ENCRYPT authentication, 400, 402
- Servers
  - accessing multiple. *See* federation.
  - definition, 837
  - IBM, 723
  - information management products, 3
  - propagating data to, 14–15
- Service names, 837
- SESSION\_USER register, 368
- SET CLIENT CONNECT\_NODE command, 57
- SET CURRENT ISOLATION statement,
  - modifying isolation levels, 449–450
- set integrity command, 515
- SET NULL rule, 278
- Set operators, 837
- setup command, 95

- Setup Tools, 29, 141–142
- Setup Wizard, installing DB2
  - alert notification feature, 82–83
  - DAS (Database Administration Server), 82
  - DB2 instance, creating and configuring, 83–86
  - DB2 tools catalog, creating, 86–88
  - generating a response file, 79–80
  - health monitor notification, 88
  - installation folder, 80–81
  - installation type, 79
  - Linux/UNIX, 78
  - partitioned database option, 80
  - security for DB2 objects (Windows), 88–90
  - setting user information, 82
  - starting the installation, 90–92
  - Windows, 77–78
- Shared memory, 837
- SHEAPTHRES parameter, 630, 654
- SHEAPTHRES\_SHR parameter, 624, 658
- show detail option, 182, 330, 465–466
- Showing. *See* listing.
- Silent install, 92–95
- Single-byte character set (SBCS), 837
- Single-partition databases, 247–248
- Single-partition partition groups, 327
- Single-precision floating point numbers, 837
- Single-user databases, DB2 UDB edition for, 8
  - 64-bit instances, 163
  - 64-bit memory model, 634
  - 64-bit support, 9–10
  - Size of log space, 542
  - Slices, 292, 837
- Small business environment, DB2 UDB edition for, 9
- Small integer (SMALLINT) data type, 256–257
- SMALLINT (small integer) data type, 256–257
- SMS (system-managed space), 336–338
- SMS (system-managed space) table space, 841
- SNA (Systems Network Architecture), 842
- Snapshot Monitor
  - performance, 666–669
  - troubleshooting locking problems, 468–471
  - snapshot option, 571–572
- Snapshot table functions, troubleshooting locking problems, 471
- SNAPSHOT\_LOCK function, 471
- SNAPSHOT\_LOCKWAIT function, 471
- Snapshots
  - db2inidb snapshot command, 571–572
  - definition, 837
  - explain snapshot, 809
  - performance, 666–669
  - table spaces, 341–346
  - troubleshooting locking problems, 468–471
- Sockets, 837
- Soft checkpoints, 837
- Soft links, 161
- SOFTMAX parameter, 658
- Software development
  - on-demand business model, 4–5
  - packages, 15–16
  - PDE (DB2 Personal Developer's Edition), 15–16
  - UDE (DB2 Universal Developer's Edition), 16
  - updates (FixPaks), 100–101
- SORT BUFFER modifier, 516
- Sort heap threshold, configuring instances, 655–656
- SORTHEAP parameter, 630, 658
- Sorting, configuring, 660
- Source programs, 837
- Source tables, 838
- Source type, 838
- Spatial Extender, 803
- Special registers, 367–369, 838
- Split mirroring, 570–571, 574
- SQL (Structured Query Language). *See also* modifying, data; querying data.
  - connections, 838
  - definition, 840
  - escape characters, 838
  - functions, 838
  - methods, 839
  - procedures, 839
  - return codes, 839
- SQL Assist, 29, 144, 145
- SQL Assistant, 838
- SQL communication area (SQLCA), 838

- SQL descriptor area (SQLDA), 838
- SQL PL (SQL procedural language), 839
- SQL statements. *See also* commands; *specific statements.*
  - case sensitivity, 25
  - DCL (Data Control Language), 25
  - DDL (Data Definition Language), 25
  - DML (Data Manipulation Language), 25
  - examples, 25
  - help for, 25
  - issuing from DPF, 57–59
  - listing, 25
  - overview, 25
- SQL0805N "Package not found" error, 219
- SQL1015N message, 539
- SQL\_AUTHENTICATION\_DATAENC
  - authentication, 402
- SQL\_AUTHENTICATION\_DATAENC\_CMP
  - authentication, 402
- SQLCA (SQL communication area), 838
- SQLDA (SQL descriptor area), 838
- SQLDBDIR file, 197–199
- SQLJ, 839
- SQLNODIR file, 199–200
- SRVCON\_GSSPLUGIN\_LIST parameter, 406
- SRVCON\_PW\_PLUGIN parameter, 406
- SRV\_PLUGIN\_MODE parameter, 407
- Standard databases, 839
- Standby databases, 839
- standby option, 572–573
- Star schemas, 839
- Starting
  - CLP (Command Line Processor), 26
  - Command Editor, 123–125
  - Command Window, 109–110
  - DAS, 32
  - DAS (Database Administration Server), 178
  - DB2 installation, 90–92
  - DB2INSTANCE environment variable, 166–168
  - instances, 32, 177
- Statement level isolation levels, 454–455
- Statement savepoints, 839
- Statements, 839. *See also* commands; SQL statements; *specific statements and commands.*
- States of logs, 544–545
- Static SQL, 840
- Statistic profiles, 514
- Statistical modeling, 731–738
- Statistics
  - collecting, 514
  - gathering, performance, 663–666
  - maintaining, 526–527
  - profiles, 840
- statistics no option, 514
- statistics use profile option, 514
- Stored procedures. *See also* development tools.
  - creating, 304
  - definition, 245, 840
  - description, 303–306
  - dropping, 305
  - fenced, 305–306
  - modifying, 305
  - unfenced, 306
- String data type, 257–259
- Strings, 840
- Striping, 332–333
- Strong typing, 840
- STRUCTURE UDTs, 260–261
- Structured Query Language (SQL). *See* SQL (Structured Query Language).
- Structured type, 840
- Structures, 840
- Subagents, 840
- Subordinate agents. *See* subagents.
- Subqueries, 840
- Subselect, 841
- Subset, 841
- Summary tables, 284–285, 841
- Superusers, 841
- Suspended I/O support, 570–571
- SVCENAME parameter, port specification, 193–194
- Symbolic links, 161
- Symphony worksheet format, 488

SYNC (Synchronous) mode, 578–580  
Sync point. *See* points of consistency.  
Synchronization, 146  
Synchronization modes, 578–580  
Synchronous, 841  
Syntax  
    diagrams, 17–18  
    displaying, 26  
SYSADM authority, 412  
SYSCAT... catalog views, 428  
SYSCAT schema, 264  
SYSCATSPACE, 253  
SYSCATSPACE (catalog) table space, 38  
SYSCTRL authority, 412  
SYSIBM schema, 264  
SYSMAINT authority, 412  
SYSMON authority, 412  
SYSSTAT schema, 264  
SYSSTAT tables, 731–738  
System administrators, 841  
System authority, 841  
System catalog. *See* catalog.  
System catalog tables  
    description, 263–264  
    displaying by schema name, 726  
    displaying names of, 726  
    extracting information from  
        buffer pool data, 727–729  
        buffer pool table spaces, 729–731  
        views, 726–727  
    overview, 725–726  
    statistical modeling, 731–738  
    SYSSTAT tables, 731–738  
    what-if modeling, 731–738  
System commands, 25–26  
System database directory, 35–36, 196–198, 841  
System monitors, 802  
System table spaces, 253  
System-managed space (SMS), 336–338  
System-managed space (SMS) table space, 841  
Systems Network Architecture (SNA), 842  
System/server configuration, performance,  
    644–646  
SYSTEM\_USER register, 368

**T**

Table spaces  
    backup, 555  
    container tags, 336  
    containers  
        adding, 346–350  
        description, 331  
        DMS (database-managed space), 339–340  
        SMS (system-managed space), 336–338  
    creating, 333–335  
    default, 253–254  
    definition, 38, 244, 842  
    DMS (database-managed space), 339–340  
    DPF, 57  
    dropping, 352, 353  
    enlarging, 346–350  
    extents, 332–333  
    file extensions, 338  
    high-water mark, 351  
    information snapshots, 341–346  
    large, 253  
    listing, 341–346  
    long, 265  
    multi-partition environment, 340–341  
    pages, 332  
    privileges, 419–420  
    quiescing, 456  
    recovery, 560–561  
    regular, 253  
    roll forward recovery, 565–566  
    shrinking, 350–353  
    sizing, 333  
    SMS (system-managed space), 336–338  
    specifying, 265  
    striping, 332–333  
    system, 253  
    temporary, 253  
    types of, 38, 252–253  
    user, 253  
Tables. *See also* databases; views.  
    automatic value generation, 308–309  
    check constraints  
        definition, 793  
    enforcing data integrity, 279–280

- classification, 263
  - collocation, 842
  - columns
    - changing, 266
    - combining, 385–386
    - delimiter, changing, 490
    - delimiter character, 487
    - derived, 366
    - derived from other columns, 366
    - generated, 500
    - identity, 269–272, 500
    - intersecting values, 386
    - names, specifying, 492–493
    - removing, 266
    - selecting for import, 501
    - unique identifiers, 269–272
  - compression, 283–284
  - creating
    - based on another table, 265–266
    - in a given table space, 38
    - from query results, 266, 284–285
    - temporary, 285–286
    - user tables, 264
  - data types, changing, 266
  - default values, 267–268
  - definition, 244, 842
  - dropping, 266
  - empty cells. *See* NULL values.
  - emptying, 283
  - exception, 508
  - expressions, 842
  - functions, 842
  - joining, 374–376
  - loading. *See* data movement utilities.
  - locking. *See* lock; locking; locks.
  - locks, 842
  - MDC (multidimensional clustering)
    - block indexes, 293–294
    - block maps, 294
    - cells, 292
    - choosing dimensions, 294–295
    - composite block indexes, 294
    - defining, 291–292
    - definition, 291–292
    - description, 291–292
    - dimension block indexes, 293–294
    - slices, 292
  - MQTs (materialized query tables), 284–285
  - not logged initially, 282–283
  - NULL values, 268–269
  - privileges, 420–422
  - reorganizing, 527–530
  - reorganizing data for performance, 663–666
  - rows
    - counting in result sets, 366
    - delimiter character, 487
    - eliminating duplicates, 367, 385–386
    - grouping, 373–374
  - rows, retrieving
    - adding to result sets, 377–379
    - by distinct values, 387
    - first *n*, 371
    - higher than *n*, 377–379
    - maximum of *n*, 370–371
    - in specified order, 373
    - between specified values, 372
    - by specified values, 372–373
  - rules for data. *See* tables, constraints.
  - sequences
    - case study, 309–312
    - definition, 245
    - description, 308–309
  - space containers, 842
  - space high water marks, 842
  - space states, 518–519
  - states, 517–518
  - summary, 284–285
  - system catalog, 263–264
  - temporary, 285–286
  - user, 264–266
- Tables, constraints
- case study, 311–312
  - check, 272, 279–280
  - enforcing, 272, 279–282
  - foreign key, 274–276
  - informational, 272, 280–282
  - primary key, 274–276
  - referential, 272, 274–276

- Tables, constraints *continued*
  - referential integrity
    - establishing, 274–276
    - SQL implications, 276–279
  - unique, 272–273
  - unique key, 274–276
- Task Center, 28, 134, 843
- Tasks, 843
- TCP/IP (Transmission Control Protocol/Internet Protocol), 844
- TCP/IP port, 843
- TCP/IP problems, troubleshooting, 772–778
- Temporary table spaces, 253, 843
- Temporary tables, 285–286, 843
- TEMPSPACE1, 38, 254
- terminate command, 122–123
- Territory codes, 843
- Text Extender, 804
- Thin clients, 12
- 32-bit memory model, 632–633
- Threads, EDUs, 596–597
- Throttled utilities, 843
- Time. *See* date and time.
- Timerons, 675, 843
- timestampformat modifier, 490
- Timestamps, 368, 843
- Tivoli brand, 4–5
- Tivoli Storage Manager (TSM), 843
- Tools and utilities. *See also* troubleshooting; *entries for specific tools and utilities.*
  - Activity Monitor, 29, 136–137
    - troubleshooting locking problems, 474–479
  - case study, 147–150
  - Check for DB2 Updates option, 28
  - CLP (Command Line Processor)
    - \ (backslash), CLP line continuation, 120–122
    - (dash), turning on CLP options, 118
    - " (double quotes), command delimiters, 113–114
    - ! (exclamation mark), escape character, 112
    - + (plus sign), turning off CLP options, 118
    - # (pound sign), comment delimiter, 116–117
    - ? (question mark), help request, 119–120
    - ; (semicolon), terminator character, 115
    - autocommit, disabling, 118
    - back-end process, 122–123
    - command options, 117–119
    - versus* Command Window, 108–111
    - comments, 115–117
    - definition, 110
    - disconnect statement, 122–123
    - echoing commands, 115, 118
    - edit command, 112
    - file permissions, 116
    - files as input, 114–117
    - front-end process, 122–123
    - help information, 119–120
    - history command, 112
    - interactive mode, 111–112
    - line continuation, 120–122
    - modes, 111–117
    - non-interactive mode, 114–117
    - rem command, 115–116
    - removing database connections, 122–123
    - reset statement, 122–123
    - resetting default values, 119
    - runcmd command, 112
    - terminate command, 122–123
    - v (verbose) option, 115, 118
    - wrapping lines, 120–122
  - collecting diagnostic information, 693–694
- Command Editor
  - access plans, displaying. *See* Visual Explain.
  - DB2 Optimizer, 125
  - overview, 123–125
  - starting, 123–125
  - Visual Explain tool, 125–126
- Command Window
  - versus* (Command Line Processor), 108–111
  - overview, 27
  - starting, 109–110
- Configuration Assistant, 142
- configuring database connections. *See* Add Database Wizard; CA (Configuration Assistant).
- DB2, 3



- db2dart, 582–583
  - db2pd tool, 140–141
  - DB2SUPPORT tool, 693–694
  - Development Center, 28, 126–127, 128
  - development tools, 27–28
  - displaying access plans, 29
  - Event Analyzer, 28, 138
  - Event Monitor
    - performance, 669–672
    - troubleshooting locking problems, 471–474
  - First Steps, 29, 141–142
  - general administration, 28
  - General Administration Tools
    - Basic view, 130
    - Contents pane, 130
    - Control Center, 129–132
    - Custom view, 130
    - Journal tool, 128, 132
    - Object Details pane, 130–132
    - Replication Center, 132–133
    - Task Center, 134
  - Health Center, 28, 138–139
  - IBM DB2 menu, 27–29, 107–108
  - IMS, 3
  - Indoubt Transaction Manager, 29, 140
  - Information Center, 28
  - information management products, 3
  - Information menu
    - Check for DB2 Updates option, 135–136
    - Information Center, 134–135
  - information tools, 28
  - INSPECT, 584
  - inspecting a database, 582–584
  - Journal tool, 28
  - License Center, 29, 142
  - Memory Visualizer, 29, 139
  - monitoring tools, 28–29
  - Project Deployment Tool, 28, 127–128
  - Register Visual Studio Add-Ins, 142
  - Register Visual Studio Add-Ins menu, 29
  - Replication Center, 28
  - Satellite Administration Center, 29, 144–146
  - scheduling tasks, 28
  - Setup tools, 29, 141–142
  - Snapshot Monitor
    - performance, 666–669
    - troubleshooting locking problems, 468–471
  - SQL Assist, 29, 144, 145
  - Task Center, 28
  - tool settings, 146
  - tracking error messages, 28
  - troubleshooting, 28
  - utilities, definition, 219
  - Visual Explain, 29
- Tools catalog, 86–88, 804
  - Tools metadata, 804
  - tpm keyword, 647
  - Trace facility, 694
  - Tracking error messages, 28
  - TRACKMOD parameter, 556
  - Training. *See also* resources.
    - books and publications, 780
    - computer-based training, 781
    - conferences, 783
    - course offerings, 781
    - e-mail services, 782
    - IBM business partners, 783
    - IBM certification program, 780–781
    - news groups, 782
    - periodicals, 782
    - technical resources, 782
    - tutorials, 780–781
    - user groups, 783
    - Web sites in this book, 779–780
  - Transaction logs. *See also* recovery.
    - active log directory, 542
    - active logs, 544–545
    - archival logging, 546–549
    - circular logging, 545–546
    - database configuration parameters, 547–549
    - handling, 550–551
    - infinite active logging, 549
    - log disk full condition, 543–544
    - log full condition, 543
    - log space, 542
    - logging methods, 545–550
    - offline archive logs, 545
    - online archive logs, 545

- Transaction logs *continued*
  - overview, 540–542
  - primary log files, 542–544
  - secondary log files, 542–544
  - size of log space, 542
  - states of logs, 544–545
  - user exit, 551
- Transaction managers, 844
- Transactions, 442, 538, 844
  - UOW (unit of work), 846
- Transactions page, 648, 650
- Transition tables, 380–381, 844
- Transition variables, 844
- Transmission Control Protocol/Internet Protocol (TCP/IP), 844
- Trap files, 688
- Triggers
  - after trigger, 786
  - AFTER triggers, 302–303
  - CREATE TRIGGER statement, 302
  - creating, 302
  - definition, 245, 844
  - description, 301–303
  - inoperative, 816
  - insert trigger, 816
  - INSTEAD OF triggers, 302–303
  - temporary tables, 285
  - before trigger, 789
  - BEFORE triggers, 302–303
- Troubleshooting
  - See also* books and publications
  - See also* online resources
  - See also* resources
  - See also* tools and utilities
  - Activity Monitor, 29
  - administration notification log, 687–688, 691–692
  - case study, 613, 695–696
  - Check for DB2 Updates option, 28
  - client-server TCP/IP problems, 772–778
  - core files, 688
  - db2diag.log, 688, 690
  - DB2SUPPORT tool, 693–694
  - diagnosing problems, 683–684
  - dump files, 688
  - e-mail notification, 692–693
  - error messages, 684–687
  - Event Analyzer, 28
  - FFDC (first-failure data capture)
    - default error level for logging, 689
    - description, 687–688
    - DIAGLEVEL parameter, 689
    - DIAGPATH parameter, 688–689
    - error messages, logging, 689–690
    - fully qualified path, 688–689
    - NOTIFYLEVEL parameter, 689–690
    - related parameters, 688–690
  - Health Center, 28
  - IBM DB2 menu, 27–29
  - Indoubt Transaction Manager, 29
  - information tools, 28
  - Journal tool, 28
  - known problems, 694–695
  - Memory Visualizer, 29
  - monitoring tools, 28–29
  - with processes, 613
  - Project Deployment Tool, 28
  - Register Visual Studio Add-Ins menu, 29
  - Replication Center, 28
  - reporting problems, 684–685
  - Satellite Administration Center, 29
  - setup tools, 29
  - SQL Assist, 29
  - Task Center, 28
  - trace facility, 694
  - tracking error messages, 28
  - trap files, 688
  - Visual Explain, 29
- Truncation, 844
- TRUST\_ALLCLNTS parameter, 407–411
- TRUST\_CLNTAUTH parameter, 407–411
- Trusted clients, 407–411, 844
- Try and Buy, 13
- TSM (Tivoli Storage Manager), 843
- Tuning
  - agents, 609–611
  - EDUs, 608–609
- Tuple, 844

- Two-phase commit, 844
  - Typed tables, 845
  - Typical installation, 79
- U**
- UCS-2, 845
  - UDB, editions
    - 64-bit support, 9–10
    - enterprise environment, 9–10
    - ESE (Enterprise Server Edition), 9–10
    - evaluation period, 13
    - Everyplace, 7, 10
    - Express Edition, 9–10
    - LUW (Linux, UNIX, Windows) support, 5–6
      - for mobile devices, 7
      - overview, 5–7
    - PE (Personal Edition), 8, 10
      - single-user databases, 8
      - small business environment, 9
      - summary of, 10
      - Try and Buy, 13
      - for users with minimal skills, 9
    - WSE (Workgroup Server Edition), 8, 10
    - WSUE (Workgroup Server Unlimited Edition), 8
  - UDB clients. *See* clients.
  - UDE (DB2 Universal Developer's Edition), 16
  - UDFs (user-defined functions)
    - creating, 306–307
    - definition, 245, 846
    - description, 306–307
    - external functions, 308
    - sourced functions, 306
    - SQL functions, 307
  - UDTs (user-defined types)
    - creating, 260
    - definition, 846
    - description, 260–261
    - dropping, 261
  - Unambiguous cursors, 845
  - Unassociated subagents, 603–604
  - uncatalog db command, 195
  - uncatalog DCB database command, 195
  - uncatalog node command, 195
  - Uncataloging, directories, 195
  - Uncommitted read (UR). *See* UR (uncommitted read).
  - Underline (  ), wildcard, 372
  - Unfenced, 845
  - Unfenced routine, 845
  - Unfenced stored procedures, 306
  - Unicode, 845
  - Uniform resource locator (URL), 845
  - UNION operator, 384–386
  - UNIONALL operator, 385–386
  - Unions, 384–386, 846
  - UNIQUE clause, 272–274
  - Unique constraints, 272–274, 846
  - Unique indexes, 846
  - Unique key constraints, 274–276
  - Unique keys, 274–276, 846
  - Unit of work (UOW), 846. *See also* transactions.
  - Universal Coordinated Time, 846
  - UNIX server, connectivity to
    - iSeries client, 758–761
    - z/OS client, 743–748
  - Untrusted clients, 407–411, 846
  - UOW (unit of work), 846. *See also* transactions.
  - Updatable views, 298–299
  - update admin cfg command, 178
  - update command, 173–175
  - update db cfg command, 181, 185
  - update dbm cfg command, 177
  - update dbm command, 415
  - Update rule, 846
  - UPDATE statement, 379–381
  - Updating
    - DAS configuration file, 178
    - data, 379–380
    - database configuration file, 181, 185
    - Database Manager (DBM) Configuration file, 35, 177
  - Uppercase, 25, 721–722
  - UR (uncommitted read), 442, 444, 845
  - URL (uniform resource locator), 845
  - User authorization, querying, 368
  - User exit, 551
  - User exit programs, 846

- User IDs, required for installation
    - DAS users, 75–76
    - Fenced users, 75–76
    - instance owners, 75–76
    - Linux/UNIX, 75–76
    - in NIS environment, 76–77
    - overview, 72–73
    - Windows, 74
  - User information, setting, 82
  - User mapping, 847
  - USER register, 368
  - User table spaces, 253
  - User tables, 264–266
  - User-defined functions. *See* development tools;
    - UDFs (user-defined functions).
  - User-defined functions (UDFs). *See* UDFs
    - (user-defined functions).
  - User-defined types (UDTs). *See* UDTs
    - (user-defined types).
  - USERSPACE1, 38, 254
  - UTC (Coordinated Universal Time), 797
  - UTF-8, 847
  - UTF-16, 847
- V**
- v (verbose) option, 115, 118
  - Validation. *See* authentication.
  - VALUE COMPRESSION clause, 283–284
  - Values, 847
  - VARCHAR (variable character) data type,
    - 257–259
  - VARGRAPHIC data type, 258–259
  - Variable character (VARCHAR) data type,
    - 257–259
  - Variable-length strings, 847
  - Variables, 847. *See also* environment variables;
    - registry variables.
  - Verbose (v) option, 115, 118
  - Version recovery, 847
  - Viewing. *See* listing.
  - Views. *See also* tables.
    - creating, 296
    - definition, 244–245, 847
    - deleteable, 298
    - dropping, 297
    - insertable, 299
    - nested, 300–301
    - privileges, 420–422
    - read-only, 299–300
    - of selective subsets, 300
    - temporary tables, 285
    - updatable, 298–299
  - Virtualized on-demand business model, 5
  - Visual Explain
    - definition, 848
    - description, 125–126
    - examining access plans, 675–676
    - uses for, 29
  - VM/VSE support, 6
  - Volatile tables, 848
- W**
- Warehouse. *See* data warehouse.
  - warningcount option, 506
  - Web resources. *See* online resources.
  - Web services, 848
  - WebSphere brand, 4–5
  - WebSphere MQ, 848
  - What-if modeling, 731–738
  - WHERE clause, 370–371
    - See also* FETCH FIRST *n* ROWS ONLY clause
    - See also* OVER function
    - See also* querying data
    - See also* ROWNUMBER function
    - See also* search
  - Windows DB2 installation
    - overview, 73
    - required user IDs and groups, 74
    - response files, 95
    - registry for DB2 objects, 88–90
    - with Setup Wizard, 77–78
  - Windows global group, 848
  - Windows local group, 848
  - Windows server, connectivity to
    - iSeries client, 758–761
    - z/OS client, 743–748

- WITH CHECK OPTION clause, 300
  - WITH COMPARISON clause, 260–261
  - WITH EMPTY TABLE clause, 283
  - WITHOUT ROLLING FORWARD option,
    - 563–565
  - Workgroup Server Edition (WSE), 9–10
  - Workgroup Server Unlimited Edition (WSUE), 9
  - Workload page, 648–649
  - workload\_type keyword, 646–647
  - Worksheet format (WSF), 848
  - WRAPPERS, 43–44
  - Wrappers, 848
  - Wrapping lines, CLP, 120–122
  - Write-ahead logging, 659
  - WSE (Workgroup Server Edition), 9–10
  - WSF (worksheet format), 488, 848
  - WSUE (Workgroup Server Unlimited Edition), 9
- X**
- XML (Extensible Markup Language), 810
  - XML Extender, 804
  - XSL (Extensible Stylesheet Language), 810
  - XSLT (Extensible Stylesheet Language Transformation), 810
- Z**
- z/OS server, connectivity to
    - iSeries client, 762–765
    - z/OS client, 753–757
  - z/OS support, 6

