

SUBJECT INDEX

- /data/ldap, 134
- /etc/cups/mime.convs, 12, 18
- /etc/cups/mime.types, 12, 19
- /etc/dhcd.conf, 35, 40, 57, 65
- /etc/exports, 140
- /etc/group, 122, 216, 269, 293, 294, 363
- /etc/hosts, 6, 29, 51, 52, 61, 90, 245, 359, 369
- /etc/krb5.conf, 236, 358
- /etc/ldap.conf, 136, 237, 239, 279, 310
- /etc/mime.convs, 32, 59, 92, 157
- /etc/mime.types, 32, 59, 92, 157
- /etc/named.conf, 57, 80
- /etc/nsswitch.conf, 33, 57, 60, 61, 94, 97, 136, 221, 234, 239, 245, 279
- /etc/openldap/slapd.conf, 128, 134, 195
- /etc/passwd, 31, 54, 94, 145, 216, 221, 243, 244, 269, 275, 293, 294, 305, 348, 363, 422
- /etc/rc.d/boot.local, 52, 93
- /etc/rc.d/rc.local, 29
- /etc/resolv.conf, 57, 90
- /etc/samba, 383
- /etc/samba/secrets.tdb, 227, 228
- /etc/samba/smbusers, 91
- /etc/shadow, 269, 305
- /etc/squid/squid.conf, 363
- /etc/syslog.conf, 128
- /etc/xinetd.d, 59, 97
- /lib/libnss_ldap.so.2, 136
- /opt/IDEALX/sbin, 280
- /proc/sys/net/ipv4/ip_forward, 29, 52
- /usr/bin, 383
- /usr/lib/samba, 383
- /usr/local, 383
- /usr/local/samba, 383
- /usr/local/samba/var/locks, 263
- /usr/sbin, 383
- /usr/share, 383
- /usr/share/samba/swat, 383
- /usr/share/swat, 383
- /var/cache/samba, 263
- /var/lib/samba, 263, 384
- /var/log/ldaplogs, 128
- /var/log/samba, 384
- %LOGONSERVER%, 166
- %USERNAME%, 123, 124
- %USERPROFILE%, 166
- 8-bit, 261
- abmas-netfw.sh, 52
- accept, 58
- accepts liability, 338
- access, 339, 345
- access control, 343, 349
- Access Control Lists, *see* ACLs 171
- access control settings, 344
- access controls, 339, 344
- accessible, 348
- account, 117, 343
 - ADS Domain, 339
- account credentials, 422
- account information, 244
- account names, 294
- account policies, 392
- accountable, 337, 338
- accounts
 - authoritative, 213
 - Domain, 273, 293
 - group, 273, 293, 336
 - machine, 273, 294
 - manage, 392
 - user, 273, 293, 336
- ACL, 243, 257, 345
- ACLs, 171, 344
- acquisitions, 335
- Act!, 401
- ACT! database, 402
- Act!Diag, 402
- Active Directory, 120, 124, 187, 212, 224, 234, 242, 335–337, 351–353, 355, 356, 360, 382
 - authentication, 363
 - domain, 360

- join, 224
- management tools, 339
- realm, 370
- Server, 341
- server, 230, 358
- tree, 360
- active directory, 274
- AD printer publishing, 169
- ADAM, 120, 235
- add group script, 263
- add machine script, 263, 264
- Add Printer Wizard
 - APW, 169
- add user script, 264
- add user to group script, 263
- adduser, 32, 54, 94
- adequate precautions, 256
- administrative installation, 67
- administrative rights, 346
- administrator, 30, 53, 91
- ADMT, 271
- ADS, 235, 339, 358, 370
 - server, 341
- ADS Domain, 339
- affordability, 188
- alarm, 337
- algorithm, 340
- allow trusted domains, 234
- alternative, 338
- analysis, 339
- anonymous connection, 35, 64
- Apache Web server, 365
- appliance mode, 214
- application server, 46, 67
- application servers, 188
- application/octet-stream, 12, 19, 32, 59, 92, 157
- APW, 169
- arp, 65
- assessment, 335
- assistance, 377
- assumptions, 375
- authconfig, 135
- authenticate, 312, 361
- authenticated, 356
- authenticated connection, 35, 65
- authentication, 190, 245, 305, 355, 356, 362, 365
 - plain-text, 365
- authentication process, 215
- authentication protocols, 364
- authoritative, 213
- authorized location, 342
- auto-generated SID, 293
- automatically allocate, 214
- availability, 367
- backends, 355
- background communication, 199
- Backup, 336
- Backup Domain Controller, *see* BDC 119
- bandwidth, 356
 - requirements, 188
- bandwidth calculations, 47
- BDC, 88, 115, 116, 119, 121, 133, 140, 189, 198, 213, 243, 257, 289, 372
- benefit, 244, 338
- best practices, 336
- bias, 353
- binary database, 49
- binary files, 268
- binary package, 268
- bind interfaces only, 49
- broadcast, 370, 429
 - directed, 189
 - mailslot, 189
- broadcast messages, 49
- broadcast storms, 370
- broken, 338
- broken behavior, 368
- browse, 339
- Browse Master, 428
- browse master, 417
- browse.dat, 269
- Browser Election Service, 428
- browsing, 339, 356, 415
- budgetted, 337
- bug fixes, 337
- bug report, 378
- cache, 402
- cache directories, 363
- caching, 372

- case sensitive, 374
- case-sensitive, 359
- centralized storage, 243
- character set, 261
- check samba daemons, 34, 64
- check-point, 344
- check-point controls, 346
- Checkpoint Controls, 344
- chgrp, 361
- chkconfig, 6, 12, 19, 33, 59, 97, 197
- chmod, 361
- choice, 338, 341
- chown, 363
- CIFS, 257, 417
- cifsfs, 368
- clean database, 293
- clients per DC, 116
- Clock skew, 359
- cluster, 367
- clustering, 367, 373
- code maintainer, 378
- codepage, 261
- collision rates, 370
- commercial, 338
- commercial software, 338
- commercial support, 377–379
- Common Internet File System, *see* CIFS
 - 340
- comparison
 - Active Directory & OpenLDAP, 120
- compat, 216
- compatible, 340
- compile-time, 260
- complexities, 368
- compromise, 118, 336, 340
- computer account, 360
- Computer Management, 344, 353
- computer name, 257
- condemns, 340
- conferences, 340
- configuration files, 256
- configure.pl, 280
- connection, 343
- connectivity, 293
- consequential risk, 340
- consultant, 4, 336–338
- consumer, 338, 341
 - consumer expects, 377
- contiguous directory, 194
- contributions, 255
- control files, 267
- convmv, 261
- copy, 244
- corrective action, 373
- cost, 338
- cost-benefit, 305
- country of origin, 378
- Courier-IMAP, 312
- credential, 344
- credentials, 221, 339
- crippled, 274
- criticism, 335, 337
- Critics, 341
- Cryptographic, 340
- CUPS, 9, 28, 32, 37, 50, 58, 92, 119, 125, 156
 - queue, 32, 58, 92, 156
- cupsd, 51
- customer expected, 377
- customers, 377

- daemon, 6, 51, 257, 356, 365, 386
- daemon control, 97
- data
 - corruption, 117
 - integrity, 243
- data corruption, 374, 402
- data integrity, 374, 401
- data storage, 18
- database, 187, 199, 305
- database applications, 401
- DB_CONFIG, 135
- DCE, 343
- DDNS, *see* dynamic DNS 47
- Debian, 303
- default installation, 383
- default password, 393
- default profile, 119, 122
- Default User, 124, 166
- defective
 - cables, 373
 - HUBs, 373
 - switches, 373
- defects, 340

- defensible standards, 340
- defragmentation, 70
- delete group script, 263
- delete user from group script, 263
- delimiter, 345
- dependability, 340
- deployment, 377
- desired security setting, 350
- development, 340
- DHCP, 27, 36, 37, 69, 99, 189, 198, 199
 - client, 369
 - relay, 88
 - Relay Agent, 198
 - request, 199
 - requests, 88
 - servers, 198
 - traffic, 199
- dhcp client validation, 35, 65
- DHCP Server, 33
- DHCP server, 47
- diagnostic, 238
- diffusion, 341
- digital rights, 341
- digital sign'n'seal, 340, 341
- digits, 369
- diligence, 340
- directory, 187, 214, 260
 - Computers container, 146
 - management, 120
 - People container, 146
 - replication, 120
 - schema, 120
 - server, 121
 - synchronization, 120
- directory tree, 351
- disable, 337
- disaster recovery, 336
- disk image, 119
- disruptive, 274
- distributed, 190, 192, 244, 373
- distributed domain, 191
- DMB, 428
- DMS, 257, 269
- DNS, 27, 33, 47, 189, 312, 370, 382
 - configuration, 245
 - Dynamic, 199
 - dynamic, 382
 - lookup, 245, 358, 359
 - name lookup, 369
 - SRV records, 358
 - suffix, 382
- DNS server, 33, 57
- document the settings, 371
- documentation, 338, 340
- documented, 371
- Domain, 27, 243
 - group, 244
 - groups, 27
 - user, 244
- domain
 - Active Directory, 356
 - controller, 270
 - joining, 381
 - trusted, 244
- Domain accounts, 213
- Domain Administrator, 343
- Domain Controller, 37, 189, 213, 215, 372
 - closest, 189
- domain controller, 257, 263
- Domain Controllers, 244
- domain controllers, 213
- Domain Groups
 - well-known, 388
- Domain join, 219
- Domain logons, 244
- domain master, 286, 289, 292
- Domain Master Browser, *see* DMB 428
- Domain Member, 372
 - authoritative
 - local accounts, 213
 - client, 215
 - desktop, 211
 - server, 211, 214, 215, 224
 - servers, 244, 345
 - workstations, 215
- domain member
 - servers, 213
- Domain Member server, 339, 353
- Domain Member servers, 244
- domain members, 244
- domain name space, 191
- domain replication, 200
- Domain SID, 275, 293
- domain SID, 257

- domain tree, 191
- Domain User Manager, 163
- Domain users, 339
- DOS, 256
- dos2unix, 56, 95
- down-grade, 256
- drive letters, 312
- drive mapping, 339
- dumb printing, 125
- dump, 275, 293
- duplicate accounts, 221
- dynamic DNS, 47

- e-Directory, 305
- Easy Software Products, 125
- economically sustainable, 338
- eDirectory, 119
- education, 190
- election, 417
- employment, 337, 338
- enable, 58
- encrypt passwords, 430
- encrypted, 422
- encrypted password, 425
- encrypted passwords, 242, 243
- End User License Agreement, *see* EULA 338
- enumerating, 360
- essential, 337
- Ethereal, 413
- ethereal, 415, 416
- Ethernet switch, 27
- ethernet switch, 116
- EULA, 338
- Everyone, 344
- Excel, 347
- exclusive open, 401
- experiment, 335
- export, 275
- extent, 338
- External Domains, 214
- extreme demand, 369

- fail, 189
- fail-over, 191, 193
- failed, 219
- failed join, 219, 227, 235

- failure, 243, 361
- familiar, 339
- fatal problem, 372
- fear, 339
- fears, 339
- Fedora, 4
- FHS, 383
- file and print server, 365
- file and print service, 338
- file caching, 372, 402
- File Hierarchy System, *see* FHS 383
- file locations, 383
- file permissions, 393
- file server
 - read-only, 4
- file servers, 133
- file system, 339
 - access control, 55
 - Ext3, 5
 - permissions, 55, 95
- file system security, 352
- filter, 343
- financial responsibility, 337
- firewall, 46, 52, 336
- fix, 338
- flaws, 337
- flexibility, 339
- flush
 - cache memory, 402
- folder redirection, 122, 166, 200
- force group, 347, 353
- force user, 8, 347, 353
- forced settings, 346
- foreign, 216
- foreign SID, 215
- forwarded, 370
- foundation members, 340
- Free Standards Group, *see* FSG 383
- free support, 377, 378
- front-end, 368
 - server, 373
- frustration, 255
- FSG, 383
- FTP
 - proxy, 365
- full control, 344, 350
- fully qualified, 345

- functional differences, 256
- generation, 256
- Gentoo, 303
- getent, 150, 151, 153, 158, 217, 222, 229, 234
- getfacl, 351
- getgrgid(), 243
- getgrnam, 213
- getpwnam, 213, 214, 216
- getpwnam(), 242, 243
- GID, 192, 244, 293
- Goettingen, 364
- government, 190
- GPL, 69
- group account, 17, 134
- group management, 50
- group mapping, 320
- group membership, 28, 55, 218, 348
- group names, 294
- group policies, 273
- Group Policy, 383
- Group Policy editor, 124
- Group Policy Objects, 124
- groupadd, 9, 17, 264, 294
- groupdel, 264, 294
- groupmem, 278
- groupmod, 264, 294
- GSS-API, 425
- guest account, 422, 427, 429, 430
- hackers, 337
- hardware prices, 373
- hardware problems, 373
- Heimdal, 357, 358
- Heimdal Kerberos, 226, 342
- Heimdal kerberos, 236
- help, 377
- helper agent, 363
- hesiod, 216
- hierarchy of control, 344
- high availability, 120
- hire, 338
- HKEY_CURRENT_USER, 123
- HKEY_LOCAL_MACHINE, 166
- HKEY_LOCAL_USER, 200
- host announcement, 415, 420
- hostname, 51, 257
- hosts, 245
- HUB, 116
- Hybrid, 429
- hypothetical, 336
- Idealx, 264, 280
 - smbldap-tools, 140, 146
- identifiers, 214
- identity, 244, 342
 - management, 121
- Identity Management, 120, 190
- Identity management, 240
- identity management, 87, 187, 214, 305
- Identity resolution, 216, 217, 224, 240, 243, 244
- Identity resolver, 365
- IDMAP, 215, 216, 234
- IDMAP backend, 244
- idmap backend, 213
- idmap gid, 234
- idmap uid, 234
- idmap_rid, 234
- IMAP, 305
- import, 275
- income, 338
- independent expert, 337
- inetd, 59
- inetOrgPerson, 305
- inheritance, 351
- initGrps.sh, 30, 31, 54, 78, 94
- initial credentials, 359
- inoperative, 274
- install, 255
- installation, 338
- integrate, 213
- integrity, 336, 337, 342
- inter-domain, 263
- inter-operability, 338, 340, 351, 365
- interactive help, 377
- interdomain trusts, 191
- interfaces, 49
- intermittent, 374
- internationalization, 261
- Internet Explorer, 356
- Internet Information Server, 365
- interoperability, 120

- IP forwarding, 29, 52, 93
- IPC\$, 422
- iptables, 46
- IRC, 377
- isolated, 336
- Italian, 364

- jobs, 337
- joining a domain, 381

- KDC, 358, 359
- Kerberos, 224, 227, 230, 242, 245, 337, 341, 351, 356–359
 - Heimdal, 226
 - interoperability, 342
 - libraries, 226
 - MIT, 226
 - unspecified fields, 342
- kerberos, 342
 - server, 342
- Kerberos ticket, 360
- kinit, 359
- Kixtart, 323
- klist, 359
- krb5, 357
- krb5.conf, 359

- LAM, 392, 393
 - configuration editor, 394
 - configuration file, 393
 - login screen, 394
 - opening screen, 395
 - profile, 394
 - wizard, 394
- large domain, 234
- LDAP, 87, 119, 122, 126, 135, 186, 187, 191, 192, 198, 201, 213, 214, 221, 224, 243, 244, 259, 264, 273, 275, 293, 305, 312, 341
 - backend, 191
 - database, 146, 191, 199, 388
 - directory, 117, 191
 - fail-over, 193
 - initial configuration, 388
 - master, 190
 - master/slave
 - background communication, 199
 - preload, 196
 - schema, 268
 - secure, 122
 - server, 242
 - slave, 190
 - updates, 191
 - ldap, 216
 - LDAP Account Manager, *see* LAM 392
 - LDAP backend, 275
 - LDAP database, 293
 - LDAP Interchange Format, *see* LDIF 122
 - LDAP server, 190
 - LDAP-transfer-LDIF.txt, 196
 - ldap.conf, 217
 - ldapadd, 148, 219
 - ldapsam, 152, 186, 215, 221, 268, 273, 355
 - ldapsam backend, 215
 - ldapsearch, 149
 - LDIF, 122, 196, 305, 321, 388
 - leadership, 340
 - Lightweight Directory Access Protocol, *see* LDAP 187
 - limit, 294
 - Linux desktop, 211
 - Linux Standards Base, *see* LSB 383
 - LMB, 416, 428
 - LMHOSTS, 370
 - load distribution, 373
 - local accounts, 213
 - Local Group Policy, 124
 - local groups, 243
 - Local Master Announcement, 420
 - Local Master Browser, *see* LMB 416, *see* LMB 428
 - local users, 243
 - localhost, 51, 369
 - lock directory, 263
 - locking
 - Application level, 401
 - Client side, 401
 - Server side, 401
 - logging, 363
 - login, 46
 - loglevel, 128
 - logon credentials, 365
 - logon hours, 275, 351
 - logon machines, 275

- logon path, 50
- logon process, 215
- logon scrip, 56
- logon script, 50, 123, 163, 275
- logon server, 189
- logon services, 50
- logon time, 119
- logon traffic, 188
- logon.kix, 323
- loopback, 7
- low performance, 374
- lower-case, 277
- lpadmin, 11, 18, 32, 58, 156
- LSB, 383

- machine, 257
- machine account, 117
- machine accounts, 294
- machine secret password, 88
- MACHINE.SID, 257
- mailing list, 377
- mailing lists, 377
- managed, 341
- management, 214, 242, 243
 - group, 339
 - User, 339
- mandatory profile, 123, 163
- Mandrake, 303
- mapped drives, 243
- mapping, 213, 214, 359
 - consistent, 215
- Mars_NWE, 303
- master, 187
- material, 381
- memberUID, 320
- memory requirements, 47
- merge, 275, 293
- merged, 275
- meta-directory, 199
- meta-service, 352
- Microsoft Access, 401
- Microsoft Excel, 401
- Microsoft ISA, 356
- Microsoft Management Console, *see* MMC
 - 168
- Microsoft Office, 68, 347
- Microsoft Outlook
 - PST files, 200
- migrate, 255, 275
- migration, 17, 28, 119, 273, 293, 303
 - objectives, 274
- Migration speed, 295
- mime type, 12, 32, 59, 92, 157
- mime types, 18
- missing RPC's, 341
- MIT, 358
- MIT Kerberos, 226, 342
- MIT kerberos, 236
- MIT KRB5, 360
- mixed mode, 228
- mixed-mode, 352
- MMC, 168, 341, 353
- mobile computing, 26
- mobility, 187
- modularization, 340
- modules, 365
- MS Access
 - validate, 402
- MS Outlook
 - PST file, 116
- MS Windows Server 2003, 358
- MS Word, 347
- MSDFS, 373
- multi-subnet, 370
- multi-user
 - access, 401
 - data access, 401
- multiple directories, 190
- multiple domain controllers, 115
- multiple group mappings, 294
- mutual assistance, 377
- My Documents, 124
- My Network Places, 12
- mysqsam, 192

- name resolution, 57, 245, 415
 - Defective, 227
- name resolve order, 49, 429
- name service switch, 33, *see* NSS 122
- named, 51, 61, 90
- NAT, 46
- native, 352
- net
 - ads

- info, 230
- join, 227, 245, 360
- status, 230
- getlocalsid, 139, 257
- group, 292
- groupmap
 - add, 54
 - list, 54, 154
 - modify, 54
- rpc
 - info, 258
 - join, 97, 219, 221, 223, 228, 245, 290
 - vampire, 255, 290
 - setlocalsid, 257
- NetBIOS, 189, 245, 369, 370, 429
 - name cache, 200
 - name resolution
 - delays, 116
 - Node Type, 429
- netbios
 - machine name, 259
- netbios forwarding, 370
- NetBIOS name, 359
 - aliases, 191
- netbios name, 257, 259, 369
- NETLOGON, 125, 165
- Netlogon, 382
- netlogon, 189, 322
- netmask, 6
- NetWare, 303, 321
- Netware, 25
- network
 - administrators, 339
 - analyzer, 415
 - bandwidth, 190, 198, 200
 - broadcast, 414
 - captures, 414
 - collisions, 370
 - load, 370
 - logon, 115
 - logon scripts, 274
 - management, 336
 - multi-segment, 118
 - overload, 116
 - performance, 372
 - routed, 187
 - secure, 336
 - segment, 121
 - services, 365
 - sniffer, 414
 - timeout, 117
 - timeouts, 370
 - trace, 415
 - traffic
 - observation, 340
 - wide-area, 121, 221
- Network Address Translation, *see* NAT 46
- network administrators, 339
- network attached storage, *see* NAS 340
- network bandwidth
 - utilization, 115
- Network Default Profile, 124
- network hardware
 - defective, 117
- network hygiene, 368
- network Identities, 243
- network load factors, 87
- Network Neighborhood, 7, 339
- network segment, 372
- network segments, 47
- network share, 119
- networking
 - client, 256
- networking hardware
 - defective, 116
- networking protocols, 341
- next generation, 340
- NextFreeUnixId, 282
- NFS server, 140
- NICs, 373
- NIS, 145, 190, 201, 213, 214, 242–244
- nis, 216
- NIS schema, 201
- NIS server, 201
- NIS+, 190
- nisplus, 216
- NLM, 303
- nmap, 65
- nmbd, 34, 64, 262, 269, 360, 386
- nobody, 363, 422
- Novell, 303, 304
- Novell SUSE SLES 9, 283

- NSS, *see* same service switch 33, 117, 122, 135, 213, 216, 222, 234, 240, 245, 312, 362
- nss_ldap, 118, 122, 134, 136, 151, 213, 214, 216, 238, 239, 270, 279
- nt acl support, 8
- NT4 registry, 274
- NTLM, 356
- NTLM authentication daemon, 356
- ntlm_auth, 360, 361, 364
- NTLMSSP, 364, 365, 425
- NTLMSSP_AUTH, 425
- NTP, 359
- NTUSER.DAT, 123–125, 200
- NULL connection, 7
- NULL session, 422
- NULL-Session, 425

- objectClass, 321
- off-site storage, 336
- Open Magazine, 211
- Open Source, 338
- OpenLDAP, 119, 120, 187, 199, 214, 305, 337, 341, 351, 392
- openldap, 134
- OpenOffice, 68
- operating profiles, 392
- oplock break, 347
- Oplocks
 - disabled, 402
- oplocks, 372
- opportunistic
 - locking, 347
- opportunistic locking, 50, 372, 402
- optimized, 371
- options list, 243
- organizational units, 392
- OS/2, 256
- Outlook
 - PST, 168
- Outlook Express, 48
- over-ride, 339
- over-ride controls, 346
- over-rule, 344, 350
- overheads, 346
- ownership, 347

- package, 5
- package names, 386
- packages, 268
- PADL, 213, 237
- PADL LDAP tools, 122
- PADL Software, 216
- paid-for support, 377
- PAM, 135, 240, 312
- pam_ldap, 134
- pam_ldap.so, 137
- pam_unix2.so, 135
 - use_ldap, 136
- parameters, 263
- passdb backend, 49, 85, 120, 186, 193, 213, 242, 255, 259, 263, 264, 268, 273, 293
- passdb.tdb, 275
- passwd, 9, 18, 54
- password
 - backend, 31, 54, 94
- password caching, 12
- password change, 351
- password length, 422, 425
- payroll, 304
- pdbedit, 145, 152, 160, 291, 293
- PDC, 87, 115, 116, 122, 124, 189, 213, 243, 257, 263, 277, 286, 292, 372
- PDC/BDC ratio, 115
- PDF, 395
- performance, 120, 121, 353, 367, 370
- performance degradation, 347, 372
- Perl, 321, 392
- permission, 347
- Permissions, 349
- permissions, 10, 339, 344, 345, 347, 363
 - excessive, 339
 - group, 348
 - user, 348
- permits, 339
- permitted group, 349
- PHP, 392
- PHP4, 392
- pile-driver, 344
- ping, 61, 62
- pitfalls, 394
- plain-text, 365

- Pluggable Authentication Modules, *see* PAM
 - 135
- policy, 243, 337
- poor performance, 368
- POP3, 305
- POSIX, 117, 320
- Posix, 8, 121, 244, 277, 293, 392
- Posix accounts, 145, 214
- Posix ACLs, 349
- PosixAccount, 145
- posixAccount, 320
- Postfix, 312
- Postscript, 125
- powers, 344
- practices, 336
- precaution, 256
- presence and leadership, 340
- price paid, 338
- primary group, 218, 348
- principals, 342
- print filter, 32, 58, 92, 156
- print queue, 8, 9
- print spooler, 8
- Print Test Page, 170
- printcap name, 50
- printer validation, 35, 65
- printers
 - Advanced, 169
 - Default Settings, 170
 - General, 169
 - Properties, 169
 - Security, 169
 - Sharing, 169
- printing, 50
 - drag-and-drop, 125, 169
 - dumb, 125
 - point-n-click, 125
 - raw, 9
- privacy, 190
- Privilege Attribute Certificates, *see* PAC
 - 343
- privilege controls, 347
- privileged pipe, 361
- privileges, 190, 269, 339, 344
- problem report, 378
- problem resolution, 377
- product defects, 338
- professional support, 378
- profile
 - default, 119
 - mandatory, 188
 - roaming, 116
- profile path, 275
- profile share, 50
- profiles, 259
- profiles share, 274
- programmer, 338
- project, 377
- project maintainers, 341
- Properties, 349
- proprietary, 341
- protected, 339
- protection, 340, 341
- protocol
 - negotiation, 189
- protocol analysis, 414
- protocols, 340
- provided services, 377
- proxy, 356
- public specifications, 340
- purchase support, 378
- Qbasic, 312
- qualified problem, 378
- RAID, 47
- RAID controllers, 374
- Raw Print Through, 125
- raw printing, 32, 58, 92, 156
- Rbase, 312
- rclldap, 197
- realm, 234, 235, 359
- recognize, 339
- record locking, 401
- recursively, 350
- Red Hat, 4, 303
- Red Hat Fedora Linux, 360
- Red Hat Linux, 9, 16, 133, 135, 195, 226, 357, 360
- redirected folders, 124, 188
- refereed standards, 341
- regedit, 12
- regedt32, 124, 166
- registry, 294

- keys
 - SAM, 274
 - SECURITY, 274
- registry change, 352
- Registry Editor, 167
- registry hacks, 352
- registry keys, 166
- reimburse, 338
- rejected, 219, 344
- rejoin, 294
- reliability, 367
- remote announce, 370
- remote browse sync, 370
- replicate, 244, 373
- replicated, 186
- requesting payment, 378
- resilient, 369
- resolution, 269
- resolve, 214, 369
- response, 234
- responsibility, 338
- responsible, 340
- restrict anonymous, 219
- restricted export, 342
- Restrictive security, 228
- reverse DNS, 359
- rfc2307bis, 238
- RID, 234, 320
- risk, 46, 243, 293, 335, 337
- road-map, 341
 - published, 340
- roaming profile, 122, 123, 163, 188, 200
- roaming profiles, 46, 50, 124
- routed network, 372
- router, 29
- routers, 198, 370
- RPC, 228, 343
- rpc, 257
- rpcclient, 258
- RPM, 259, 263, 305
 - install, 5
- rpm, 358, 386
- RPMS, 360
- rpms, 363
- rsync, 140, 244, 312, 373
- rsyncd.conf, 312
- run-time control files, 384
- safe-guards, 339
- SAM, 274
- Samba, 360
- samba, 358
 - starting samba, 6
- Samba accounts, 214
- samba cluster, 367
- samba control script, 387
- Samba Domain, 221, 293
- Samba Domain server, 349
- Samba RPM Packages, 137
- Samba Tea, 360
- sambaDomainName, 282
- sambaGroupMapping, 320
- SambaSAMAccount, 117
- SambaSamAccount, 145
- sambaSamAccount, 320
- SambaXP conference, 364
- SAN, 373
- SAS, 257
- scalability, 367
- scalable, 190
- schannel, 340, 351, 352
- schema, 238, 242, 264, 268
- scripts, 396
- secondary group, 218
- secret, 342
- secrets.tdb, 122, 139, 257, 260
- secure, 336
- secure account password, 243
- secure connections, 393
- secure networking, 340
- secure networking protocols, 341
- Security, 339, 349
- security, 122, 243, 257, 336, 337, 340, 347, 352
 - identifier, 256
 - share mode, 8
 - user mode, 16
- Security Account Manager, *see* SAM 274
- security controls, 339
- security descriptors, 274
- security fixes, 340
- security updates, 340
- SerNet, 226, 360
- server
 - domain member, 257

- stand-alone, 257
- service, 197
 - smb
 - start, 97
- Service Packs, 68
- services, 364
- services provided, 377
- Session Setup, 422
- session setup, 422, 425
- SessionSetUpAndX, 257
- set primary group script, 263
- setfacl, 351
- severely degrade, 372
- SFU, 239
- SGID, 8, 348, 398
- shadow-utils, 294
- share, 243
- Share Access Controls, 343
- share ACLs, 352
- Share Definition
 - Controls, 344
- share definition, 339
- share definition controls, 344, 345, 347, 352
- share level access controls, 352
- share level ACL, 352
- Share Permissions, 344
- shared resource, 339, 350
- shares, 339
- SID, 70, 117, 191, 213, 234, 256, 257, 259, 260, 293, 388
- side effects, 349
- Sign'n'seal, 351, 352
- silent return, 227
- simple, 368
- Single Sign-On, *see* SSO 239
- slapcat, 148, 218, 321
- slapd, 128
- slapd.conf, 279
- slave, 187
- slow logon, 116
- slow network, 374
- slurpd, 197, 199
- smart printing, 121
- SMB, 257
- SMB passwords, 192
- smb ports, 72
- SMB/CIFS, 365
- smbclient, 6, 64, 155, 365
- smbd, 6, 11, 34, 64, 139, 214, 224, 257, 260, 262, 269, 360, 365, 386
 - location of files, 385
- smbfs, 368
- smbldap-groupadd, 153, 320
- smbldap-groupmod, 320
- smbldap-passwd, 151
- smbldap-populate, 146
- smbldap-tools, 278, 280, 312, 396
- smbldap-tools updating, 282
- smbldap-useradd, 151, 197
- smbldap-usermod, 152, 320
- smbmnt, 368
- smbmount, 368
- smbpasswd, 18, 27, 30, 31, 46, 53, 54, 91, 94, 139, 151, 159, 186, 192, 242, 255, 258, 264, 275, 293, 355
- smbumnt, 368
- smbumount, 368
- SMTP, 305
- snap-shot, 274
- socket address, 372
- socket options, 372
- software, 338
- solve, 338
- source code, 338
- SPNEGO, 425
- SQL, 186, 199
- Squid, 357, 358, 361, 363
- squid, 358, 361, 363
- Squid proxy, 356
- SRVTOOLS.EXE, 50, 163, 294, 353
- SSL, 392, 393
- stand-alone server, 257
- starting CUPS, 12, 33, 59, 98
- starting dhcpd, 33, 59, 98
- starting samba, 6, 12, 19, 33, 59, 98
 - nmbd, 386
 - smbd, 386
 - winbindd, 386
- startingCUPS, 19
- startup script, 387
- sticky bit, 28
- storage capacity, 48
- strategic, 274

- strategy, 243
- straw-man, 335
- strict sync, 372
- stripped, 263
- strong cryptography, 342
- subscription, 377
- SUID, 8, 353, 398
- Sun ONE Identity Server, 119
- super daemon, 59
- support, 338, 377
- survey, 211
- SUSE, 303
- SUSE Enterprise Linux Server, 8, 51, 358
- SUSE Linux, 9, 133, 135, 195, 226, 357, 363
- SWAT, 383
- sync always, 372
- synchronization, 359, 373
- synchronize, 188, 312
- synchronized, 243
- syslog, 135
- system level logins, 243
- system security, 339

- tattooing, 294
- TCP/IP, 245
- tdbdump, 221, 228, 278
- tdbsam, 46, 49, 85, 119, 186, 192, 221, 242, 264, 268, 275, 293
- testparm, 33, 62, 138, 227, 263, 371
- ticket, 360
- time server, 49
- Tivoli Directory Server, 119
- TLS, 316
- token, 356
- tool, 293, 338
- TOSHARG2, 11
- track record, 338
- traffic collisions, 116
- transaction processing, 187
- transactional, 199
- transfer, 293
- translate, 349
- traverse, 221
- tree, 305
- Tree Connect, 422
- trust account, 117

- trusted computing, 337
- Trusted Domains, 214
- trusted domains, 244
- trusted third-party, 342
- trusting, 342
- turn-around time, 340

- UDP
 - broadcast, 370
- UID, 8, 117, 122, 192, 244, 293
- un-join, 294
- unauthorized activities, 342
- UNC name, 200
- unencrypted, 392
- Unicast, 189
- unicode, 261
- Universal Naming Convention, *see* UNC
 - name 200
- UNIX, 312
 - groups, 27, 28
- UNIX account, 243
- UNIX accounts, 122
- UNIX/Linux server, 339
- unix2dos, 56, 95
- unknown, 339
- unsupported software, 379
- update, 255, 256
- updates, 337, 340
- updating smbldap-tools, 282
- upgrade, 255, 256, 323
- uppercase, 277
- user
 - management, 32, 54, 94
- user account, 115, 134
- User and Group Controls, 339
- user credentials, 190, 239
- user errors, 243
- user groups, 377
- user identities, 215
- user logins, 243
- user management, 50
- User Manager, 278
- User Mode, 50, 422, 425
- useradd, 9, 18, 32, 54, 94, 264
- userdel, 264
- usermod, 264, 278
- username, 257

- username map, 30, 53, 91
- UTF-8, 261
- utilities, 365

- valid users, 244, 345, 352, 353
- validate, 293, 345
- validated, 190, 226, 336
- validation, 6, 60, 365
- vampire, 295
- vendor, 338
- vendors, 268
- VFS modules, 383
- virus, 50
- VPN, 186
- vulnerabilities, 336

- wbinfo, 220, 221, 228, 360
- weakness, 340
- Web
 - proxy, 365
 - access, 364
- web
 - caching, 355
 - proxying, 355
- Web browsers, 364
- WebClient, 116
- WHATSNEW.txt, 264
- white-pages, 305, 312
- wide-area, 188, 191, 198, 200, 221
- wide-area network, 372, 373
- Winbind, 242, 339, 351
- winbind, 192, 212, 221, 222, 244, 336, 339, 356, 360–362
- winbind enable local accounts, 243
- winbind trusted domains only, 213, 214, 242, 244
- winbind use default domain, 345
- winbindd, 34, 64, 88, 213–216, 244, 262, 263, 269, 360, 365, 386
- winbindd.cache.tdb, 213
- winbindd.idmap.tdb, 213
- Windows, 320
 - client, 257
 - NT, 256
- Windows 2000 ACLs, 349
- Windows 2003 Serve, 335
- Windows 200x ACLs, 352
- Windows accounts, 122
- Windows ACLs, 351
- Windows Address Book, 312
- Windows ADS Domain, 221
- Windows clients, 365
- Windows Explorer, 7
- Windows explorer, 365
- Windows security identifier, *see* SID 70
- Windows Servers, 337
- Windows Services for UNIX, *see* SUS 240
- Windows XP, 26
- WINS, 12, 27, 33, 36, 69, 88, 99, 189, 191, 200, 429
 - lookup, 245
 - name resolution, 370
 - server, 116, 370
- WINS server, 85, 200
- WINS serving, 49
- wins support, 49
- wins.dat, 191, 269
- Word, 347
- workgroup, 6, 257, 260
- Workgroup Announcement, 420
- workstation, 215
- wrapper, 365
- write lock, 402

- xinetd, 59
- XML, 186
- xmlsam, 192

- YaST, 135
- Yellow Pages, 190
- yellow pages, *see* NIS 214