

SUBJECT INDEX

”Printers” folder, 387, 393, 402
-valid, 784
..source/nsswitch, 454
.AppleDouble, 432
.PDS extension, 480
.ai, 361
.eps, 361
.pdf, 361
.profiles, 476
.ps, 361
.recycle, 431
/bin/false, 38, 235
/dev/null, 235
/dev/shadowvol, 434
/etc/cups/, 361
/etc/cups/mime.convs, 351, 352, 362, 371
/etc/cups/mime.types, 351, 352, 371
/etc/fstab, 435
/etc/group, 37, 180, 181, 185, 222, 308,
 440, 605
/etc/groups, 498
/etc/host.conf, 512, 514
/etc/hosts, 87, 122, 512, 513, 515, 578
/etc/hosts>, 512
/etc/inetd.conf, 454, 601
/etc/init.d/samba, 83, 451
/etc/init.d/samba.server, 452
/etc/init.d/smb, 451
/etc/krb5.conf, 85, 88, 227, 230
/etc/ldap.conf, 232, 234
/etc/logginggroup, 605
/etc/mime.conv, 94
/etc/mime.types, 94
/etc/nsswitch.conf, 223, 225, 229, 234, 443,
 446, 512, 514
/etc/openldap/slapd.conf, 27
/etc/openldap/sldap.conf, 167
/etc/pam.conf, 456, 495, 497
/etc/pam.d, 445, 454, 495
/etc/pam.d/, 444, 497
/etc/pam.d/ftp, 455
/etc/pam.d/login, 455
/etc/pam.d/samba, 454
/etc/passwd, 36–38, 61, 76, 77, 79, 90, 92,
 93, 142, 159, 162, 183, 222, 291,
 440, 450, 495, 496
/etc/printcap, 348
/etc/resolv.conf, 512, 578
/etc/samba, 545, 578
/etc/samba/scripts, 198
/etc/samba/secrets.tdb, 83
/etc/samba/smb.conf, 3
/etc/samba/smbpasswd, 159
/etc/samba/smbusers, 201
/etc/shadow, 92, 142
/etc/smbpasswd, 159
/etc/ssl/certs/slapd.pem, 69
/etc/xinetd.d, 454
/etc/xinetd.d/telnet, 454
/export, 92
/lib/libnss_example.so, 443
/lib/libnss_files.so, 443
/lib/security, 454, 497
/lib/security/, 444
/opt/samba/bin, 568
/tmp, 248
/usr/bin/openssl, 572
/usr/lib/samba/vfs, 429
/usr/lib/security, 447, 454
/usr/lib/security/methods.cfg, 447
/usr/local/lib, 447
/usr/local/samba, 449
/usr/local/samba/bin, 451, 452, 568
/usr/local/samba/lib, 578
/usr/local/samba/lib/vfs, 429
/usr/local/samba/private/secrets.tdb, 83
/usr/local/samba/swat, 571
/usr/local/samba/var, 251, 578
/usr/local/samba/var/locks, 130
/usr/sbin, 568, 571
/usr/share/samba/swat, 571
/var/locks/*.tdb, 618
/var/log/samba, 578
/var/run/samba, 130

- /var/spool/cups/, 417
/var/spool/samba, 93, 417
[global], 544
\$, 77
%L, 544
%PDF, 361
%SystemRoot%\System32\config, 67
%i macro, 545
_kerberos.REALM.NAME, 85
_kerberos._udp, 88
_ldap._tcp, 88
_ldap._tcp.pdc.msdc.s.queanya.org, 71
\SERVER, 133
\%L\%U\.profiles, 476
>Domain User Manager, 289
250-user limit, 160
3.0.11, 240
4,500 user accounts, 160
8.3 file names, 245

4294967295, 287

abbreviated keystrokes, 97
abort shutdown script, 692
aborting shutdown, 238
accept connections, 283
Access, 237
access authentication, 148
Access Control, 105
access control, 46, 49, 91, 251, 461
Access Control Entries, *see* ACE 282
Access Control List, 243
access control needs, 561
Access Controls, 560
access controls, 75, 148, 152, 193, 244, 248
access denied, 284
access policies, 157
access rights, 75, 189, 288
account, 5, 46, 80, 498
 backend, 47, 51
 database, 37
 backends, 34
account access controls, 143
account attributes, 225
account backends, 141
account containers, 164
Account Controls, 472

account controls, 76
account database, 159
account deleted, 155
account information, 66, 76, 162, 199
account information database, 147
account management, 225
account migration, 143, 152
account name, 222, 235, 291
account policies, 54
account policy, 151
account restrictions, 472
account security, 152
account storage backends, 556
account storage mechanisms, 141
account storage system, 141
Account Unknown, 181
accountability, 152
accounts, 445
ACL, 168, 181, 238, 282, 313, 619
acl compatibility, 692
ACLS, 243, 314
 File System, 247
 POSIX, 243, 244
 share, 244
 Windows, 244
ACLS on share, 253
ACLS on shares, 244
across network segments, 118
Active Directory, 70, 84, 190, 222, 228, 287
active directory, 34, 47, 48, 54, 57
Active Directory Server, 560
AD4UNIX, 224
ADAM, 230
add a user account, 155
add client machines, 237
add domain users and groups to a local group, 241
add drivers, 308
add group script, 186, 192, 692
add machine script, 63, 69, 78, 79, 90, 106, 237, 556, 693
add printer command, 336
Add Printer Wizard, 299, 307, 313
add printer wizard, 353
add share command, 210, 694
add user script, 147, 152, 556, 694

- add user to group script, 695
add/delete/change share, 238
addirver, 323, 324, 326, 327, 395, 403
additional driver, 330
additional privileges, 238
addmem, 182
addprinter command, 693, 694
`AddPrinterDriver()`, 395
admin users, 251, 264, 695
`admincfg.exe`, 611
administrative actions, 236
administrative duties, 190
administrative privileges, 181, 448
administrative responsibilities, 288
administrative rights, 238, 241
administrative rights and privileges, 241
Administrative Templates, 469
Administrator, 179, 182, 448
Administrator account, 87
administrator account, 79, 80
administrator password, 88
`Administrator%password`, 82
Adobe, 354, 382, 409
Adobe driver, 388
Adobe driver files, 385
Adobe PostScript, 387, 414
Adobe PostScript driver, 394
Adobe PPD, 406
Adobe specifications, 369
ADS, 39, 49, 50, 52, 75, 76, 80, 82, 84, *see also* Active Directory 84, 85–88, 115, 119, 120, 135, 141, 142, 148, 167, 190, 222, 223, 225, 230, 235, 287, 288, 292, 313, 439, 444, 467, 470, 472, 473, 489, 495, 496, 512, 549, 556, 560, 631
ADS DC, 84
ADS domain, 223, 227
ADS domain members, 221
ADS manager, 87
ADS schema, 225
Advanced TCP/IP configuration, 99
advantages, 560
affect users, 467
affordable power, 536
AFPL, 358
AFPL Ghostscript, 365
AFS, 537
afs share, 695
afs username map, 695
AIX, 148, 307, 447
algorithmic mapping, 224
algorithmic rid base, 696
alias group, 181
allocation roundup size, 696
allow access, 282
allow hosts, 722
allow trusted domains, 228, 696
already exists, 89
alternative solution, 560
Amanda, 532
analyzes data, 585
announce as, 696
announce version, 697
anonymous, 93
 print server, 15
 read-write server, 15
anonymous access, 134
anonymous file server, 545
anonymous server, 543
ANSI compiler, 605
anticipate failure, 535
API, 160
Appliances, 441
application servers, 76
`application/cups.vnd-postscript`, 388
`application/octet-stream`, 352, 353, 362, 371
`application/pdf`, 361, 362
`application/postscript`, 361–364, 388
`application/vnd.cups-postscript`, 363, 364
`application/vnd.cups-raster`, 372
`application/vnd.cups-raw`, 352
`application/x-shell`, 362, 363
apt-get, 434
ARCFOUR-HMAC-MD5, 88
architecture, 148
ARP/RARP, 513
ASCII, 362, 523, 525
ASCII text, 363
assign rights, 237
assigned RID, 180
assistance, 627
associations, 177

attach gdb, 585
attribute, 163
attributes, 556
audit file access, 430
audit module, 430
auth, 498
auth methods, 173, 556, 697
authenticate, 76, 81
authenticate users, 81
authenticated, 85
authenticating server, 487
authentication, 34, 37, 48, 51, 58, 83, 146, 148, 158, 189, 454, 496
backend, 80
authentication agents, 50
authentication architecture, 50
authentication backend, 560
authentication control, 445
authentication database, 288
authentication management, 444
authentication mechanisms, 445
authentication methods, 443
authentication module API, 447
authentication regime, 80
authentication reply, 83
authentication server, 66
authentication service, 454
authentication system, 48, 550
authenticatior, 51
authoritative, 136
authoritive, 122
authorization, 443
auto services, 759
auto-reconnect, 146
autogen.sh, 597
autogenerated printcap, 311
automatic account creation, 78
automatic mapping, 223
automatic reconnects, 146
automatic redundancy, 125
autopoweruser.sh, 198
autotyping, 361
AUXILIARY, 162
auxiliary members, 181
availability, 535, 560
available, 94, 697
available port, 340
available printerd, 307
available rights, 236
average print run, 354
b-node, 117
back up, 445
backed up, 561
backend, 537
backend authentication, 560
backend database, 51, 76, 90
backend failures, 539
backend file system pool, 538
backend format, 143
backends, 419
backup, 531, 561
backup domain controller, 560
backup solution, 531
BackupPC, 531, 532
bad hardware, 139
bad logon attempts, 156
Bad networking hardware, 139
bad password, 579
banner pages, 388, 389
barriers, 281
Batch Oplock, 267
BDC, 37, 38, 50, 51, 65, 67–74, 81, 83, 142, 146, 147, 160, 189, 190, 222, 225, 448, 462, 561, 562
BDCs, 560
behavior approximately same, 549
between domains, 290
bias, 125
binary format TDB, 142
BIND, 632, 636
bind interfaces only, 127, 544, 545, 697, 698
BIND9, 120
BIND9.NET, 631
bindery-enabled, 496
block device, 248
block incoming packets, 283
block size, 698
blocking locks, 698
BOBS, 533
bogus, 41
boot disk‘, 445
bridge, 243

- bridges networks, 122
brlock.tdb, *see also* TDB 404
broadcast, 70, 117
broadcast address, 134, 581
broadcast isolated subnet, 125
broadcast messages, 118
broadcast messaging, 70
Broadcast node, 130
broadcast request, 58
broadcast traffic, 134
broadcast-based, 118
broadcast-based name resolution, 82
broadcasts, 125, 135
Browsable, 302, 699
browse across subnet, 134
browse list, 54, 117, 122, 128, 132, 136, 699
browse list handling, 115
browse list maintainers, 122
browse list management, 60, 116
browse lists, 126, 134, 136, 137
browse resources, 134
browse server resources, 134
browse shares, 284
browse.dat, 133
browseable, 4, 302, 309, 310, 316, 699
browser election, 123
browser elections, 125
BrowseShortNames, 425
browsing, 58, 116, 126, 133
browsing across subnets, 115, 134
browsing another subnet, 133
browsing intrinsics, 122
browsing problems, 131, 138
BSD, 61, 77, 299
BSD Printing, 301
BSD-style printing, 305
bug report, 628
bug reports, 591
Bugzilla, 591
built-in commands, 311
bypasses privilege, 237
byte ranges, 266
byte-range lock, 266
byte-range locking, 266, 267
`c:\winnt\inf`, 469
`C:\WinNT\System32\config`, 67
cached
 password, 41
cached encrypted password, 146
cached in memory, 147
cached local file, 267
cached locally, 479
caching, 266, 267
caching reads, 268
caching scheme, 444
caching writes, 268
called name, 282
cannot join domain, 106
canonicalize files, 541
CAP, 525, 527, 609
cap-share, 527
`CAP_LINUX_IMMUTABLE`, 249
capability to delete, 248
case options, 541
case sensitive, 253, 478, 541, 699, 785
case sensitivity, 497
case-insensitive, 35, 302, 541
case-preserving, 35
casesignames, 699
central environment, 148
centralized
 authentication, 49
centralized identity management, 49
centrally managed, 496
certificate, 572
Certificate Authority, *see* CA 620
cfdisk, 434
challenge/response mechanis, 146
change capabilities, 151
change motivations, 559
change notify timeout, 699
change password, 88
change passwords, 150
change share command, 210, 699
changed parameters, 549
changes password, 78
character device, 248
character set, 523
character sets, 524, 550
charset, 523
charset conversion, 524
`chattr`, 249

check for locks, 266
check logs, 90
check password script, 700
checksum-search, 532
chmod, 94, 435
chown, 94, 255, 495
chpass, 77
CIFS, 89
CIFS function calls, 236
CIFS/SMB, 535, 536
classicalprinting, 379
clear purpose preferred, 531
clear-text, 42, 146, 168
clear-text passwords, 144
client client instructions, 97
Client for Microsoft Networks, 105
Client for Novell Networks, 478
client lanman auth, 700
client ntlmv2 auth, 700
client plaintext auth, 701
client schannel, 701
client signing, 701
client use spnego, 90, 701
client-server mode, 150
client-side caching, 267
client-side data caching, 267, 270
clock skew, 86
cluster servers, 537
clustered file server, 536
Clustered smbds, 538
clustering technologies, 536
cluttering, 592
cmd, 139, 241
cmd shell, 241
CN, 69, 619
code maintainer, 628
codepages, 523
collating, 126
collisions, 618
color, 356
COM1:, 340
command-line, 189
command-line utility, 236
comment, 308, 310, 315, 701
commenting out setting, 304
commercial Linux products, 243
commercial support, 627–629
commit the settings, 101
Common Internet Filesystem, *see* CIFS
35
Common restrictions, 472
Common UNIX Printing System, *see* CUPS
299
common.adm, 469
comp.protocols.smb, 591
compatible, 144, 605
compile, 3
compile-time options, 305
complex file name space, 539
complex organization, 560
complexity, 92
compliance, 152
complicated, 135
complicated problem, 537
comprehensive documentation, 544
Computer Account, 80
computer account, 88
computer accounts, 141, 149, 235
Computer Management, 251, 253
Computer Name, 103
computer name, 105, 515
concurrent access, 267
Conectiva, 410
config file, 702
config.cache, 88
CONFIG.POL, 59
Config.POL, 468
configuration
 documentation, 6
configuration files, 567
configuration problem, 591
configuration syntax, 302
configuration techniques, 543
configuration too complex, 95
configuration tool, 567
configuration wizard, 103
configure, 597, 598
configuring a firewall, 283
confirm address, 283
confirm the password, 291
confirm the trust, 291
connect transparently, 536
connection resources, 83
connections, 5

- connections.tdb, *see also* TDB 404
consistent case, 541
console, 454
consumer expects, 627
container, 87
continuity of service, 539
contribute, 544
Control Panel, 103
controls, 282
convert
 domain member server, 52
converted, 143
copy, 702
copy'n'paste, 462
core files, 593
core graphic engine, 355
core values, 560
corrupted file, 223
cosine.schema, 163
country of origin, 628
CP850, 524
CP932, 525, 527
cracker, 283
create, 246
Create a Computer Account, 80
create a domain machine account, 81
create domain member, 80
create machine trust account, 82
create mask, 252, 258, 702, 725, 741
create mode, 702
create partition, 434
Create the Computer Account, 87
create user accounts, 91
create volume, 434
credentials, 35, 49, 69, 86, 103, 201, 235
credentials validation, 70
critical aspects of configuration, 97
crle, 447
cron, 72
cross post, 589
cross-segment browsing, 118
cross-subnet browsing, 122, 123, 130, 135
csc policy, 253, 703
CUPS, 299, 300, 305, 307, 347, 348, 359
 Page Accounting, 413
 quotas, 413
CUPS API, 4, 311
CUPS backends, 368
CUPS filtering, 360
CUPS filtering chain, 366
CUPS libarary API, 94
cups options, 703
CUPS PostScript, 388
CUPS PostScript driver, 388
CUPS print filters, 94
CUPS raster, 360, 365
cups server, 703
CUPS-PPD, 408
cups.hlp, 386
cupsaddsmb, 353, 382, 386, 389, 391–393,
 397
cupsd.conf, 311, 348, 370, 417
cupsmotic, 359, 361, 369, 372, 374, 406,
 408
custom scripts, 160
customer expected, 627
customers, 627
customized print commands, 311
daemon, 4, 287, 445, 601
daemon running, 450
daemons, 454
data caching, 267
data corruption, 139, 269
data interchange, 243
data stream, 300
database, 76, 549
database backend, 143
database backends, 143
DatabaseFS, 436
DAVE, 609
dbx, 593
DCE RPC, 448
DDK, 382, 384
DDNS, 119, 120, 512
de-multiplex, 537
de-multiplexing, 537
deadtime, 703
Debian, 434
Debian Sarge, 433
debug, 593
debug hires timestamp, 704
debug level, 585, 592, 616, 704, 753
debug pid, 704

debug timestamp, 704
debug uid, 704
debugging, 585, 592
debugging passwords, 585
debugging problems, 585
debuglevel, 592, 733
dedicated heartbeat, 539
dedicated print server, 299
default, 705
default accounts, 55
default aliases, 183
default behavior, 221
default case, 253, 704, 759, 773
default devmode, 330, 704
default DNS setup, 88
default gateways, 99
default groups, 183
default mappings, 193
default print command, 311
default print commands, 307
default printer, 312
default printing, 347
default profile, 485, 493
default service, 705
default shells, 450
Default User, 489
default users, 183
defective hardware, 139
defer sharing violations, 705
deferred open, 267
defined shares, 285
delegate administrative privileges, 201
delegated, 182
delegation, 288
delete, 246
delete a file, 248
delete group script, 706
delete printer command, 336
delete readonly, 706
delete roaming profiles, 491
delete share command, 210, 706
delete user from group script, 707
delete user script, 155, 695, 707
delete veto files, 707, 785
deleted files, 431
deleted parameters, 550
deleteprinter command, 706, 707
delmem, 182
demote, 51
demoted, 68
denial of service, 283
deny, 284
deny access, 283
deny hosts, 723
deny modes, 266
deny-none, 267
DENY_ALL, 266
DENY_DOS, 266
DENY_FCB, 266
DENY_NONE, 266
DENY_READ, 266
DENY_WRITE, 266
deployment, 627
deployment guidelines, 149
DES-CBC-CRC, 85
DES-CBC-MD5, 85, 88
desirable solution, 241
desktop cache, 479
desktop profile, 56, 66
desktop profiles, 75, 208
deterents, 281
development libraries, 445
devfsd package, 434
device mode, 329
device-specific commands, 372
dfree command, 707
DFS, 295, *see* MS-DFS, Distributed File Systems 539
DFS junction, 295
DFS links, 295
DFS root, 296
DFS server, 295
DFS tree, 295, 296
DFS-aware, 295
DFS-aware clients, 296
DHCP, 97–100, 102, 134, 512, 631
DHCP servers, 148
DHCP-enabled, 100
DHCP-enabled operation, 98
diagnostic, 233
diagnostic tools, 585
diff, 594
differences, 532
different resources, 545

- differently encrypted passwords, 143
differing protocol, 549
dir, 582
direct internet access, 281
directory, 70, 94, 225, 757
directory access control, 181
directory access permissions, 243
directory controls, 243
Directory Information Tree, *see* DIT 148
directory mask, 252, 703, 708, 725
directory mode, 708
directory permissions, 243, 248
directory schema, 225
directory security mask, 258, 709, 716
Directory Separators, 246
directory server, 161
disable LMB, 124
disable locking, 265
disable netbios, 709
disable roaming profiles, 477
disable spoolss, 709
disabling oplocks, 270
disass, 593
disaster recovery, 561
disconnect a connection, 476
disk, 146
disk space, 561
disparate information systems, 49
display charset, 524, 525, 573, 710
display PostScript, 356
displayName, 163
distort, 356
distribute authentication systems, 560
distributed, 47, 55
distributed account, 143
Distributed Computing Environment, *see* DCE 190
distributed directory, 80
distributed file system, *see* DFS 295, 536
Distributed File Systems, 537
distributed file systems, 537
distributed locking protocol, 539
distribution, 5, 83
dithering algorithm, 369
DMB, 54, 56, 60, 70, 122–126, 128, 131, 135–137
DMB for a workgroup, 133
DMC, 225
DMS, 37, 189, 190, 225, 543
DN, 69, 619
DNS, 54, 70, 71, 84, 86, 98–100, 102, 115, 116, 118, 119, 122, 135, 164, 443, 512, 518, 578, 631, 632
Active Directory, 120
Dynamic, 512, 632
SRV records, 120
DNS Configuration, 139
DNS lookup, 85
DNS name resolution, 82
dns proxy, 117, 578, 710
DNS server, 138
DNS server access, 578
DNS server settings, 99, 101
DNS servers, 148
DNS zon, 85
DNS/LDAP/ADS, 132
document design, 561
documentation, 150, 567, 585
domain, 58, 155, 516
 control, 34
 role, 52
controller, 34, 37, 45, 47
 convert, 51
 hierarchy, 51
controllers, 37
groups, 190
master
 browser, 54
member, 34, 47
 server, 50, 65
member server, 47
security, 37
 protocols, 46
trust account, 47
domain access, 221
domain account access policies, 157
domain admin group, 177
domain Administrator, 240
Domain Admins, 179, 181, 182, 193, 237
Domain Admins group, 180
domain authentication, 190
domain context, 560
domain control, 50, 60, 73, 75, 223, 559
 backup, 34

- primary, 34
domain control database, *see* SAM 66
Domain Controller, 386
domain controller, 60, 66, 70, 76, 235, 441, 448, 449, 467, 496, 560–562
domain controllers, 57, 81, 470, 543, 550
domain environment, 145
domain global, 241
domain global group, 189, 241
domain global groups, 181
domain global user, 241
domain global users, 181
domain group, 439
domain group settings, 181
Domain Groups, 167
domain groups, 177, 183
Domain Guests, 193
domain information, 557
domain join, 227, 448
domain joining, 103
domain logon, 56, 57, 68, 104
domain logon server, 479
domain logons, 54, 58, 133, 146, 710, 711
domain management tools, 78
domain master, 55, 57, 72, 117, 125, 126, 133, 710, 711, 758
Domain Member, 224
joining, 38
domain member, 37, 53, 75, 79, 89, 103, 146, 179, 189, 442, 560
Domain Member Client, *see* DMC 225
domain member client, 182
Domain Member Server, *see* DMS 225
domain member server, 73, 81, 119, 181, 222, 223, 299
domain member servers, 73, 147, 181, 235
domain member workstations, 181
domain members, 75, 125, 445
domain membership, 53, 56, 75
domain name, 105
Domain Name System, *see* DNS 631
domain non-member, 442
domain policies, 469
domain radio button, 103
domain security, 46, 67, 75, 80, 81, 83, 103, 145, 181, 224, 288, 448, 489
domain security account, 76
Domain Server Manager, 183
domain SID, 71, 208
domain trust, 65, 289
domain user, 105, 439, 441
domain user accounts, 190
Domain User Manager, 182, 183, 472
domain user manager, 152
Domain Users, 181, 193
domain users, 445, 455, 457
Domain Users group, 187
domain-level, 83
domain-level security, 83
domain-wide browse list, 126
DOMAIN<1B>, 60
DOMAIN<1C>, 59, 60
DOMAIN<1D>, 60
dont descend, 253, 711
dos charset, 524, 525, 529, 711
dos filemode, 252, 711
dos filetime resolution, 253, 711
dos filetimes, 253, 712
draft, 369
Drive Identification, 246
driver, 302
driver CDROM, 319
driver download, 315
Driver File, 320
driver files, 319
Driver Path, 320
dual daemon mode, 449
dual-daemon winbindd, 550
due diligence, 531
duplex, 374
duplex printing, 375
duplicate, 69
duplication of information, 441
DVI, 362, 363
Dynamic DNS, *see* DDNS 119, *see also* DDNS 631
Dynamic Host Configuration Protocol, *see* DHCP 631
dynamic link loader, 446, 447
dynamic registration files, 636
Dynamic SMB servers, 560
dynamically loadable library modules, 496
e-Directory, 50, 80

ea support, 712
EAs, 247
economically wise, 535
eDirectory, 148
editreg, 472
efficient authentication, 496
election, 60, 122, 124, 125
election criteria, 122
election packet, 125
election process, 125
EMF, 354, 377
enableasu support, 712
enable privileges, 236, 712
enable rid algorithm, 713
enables clients to print, 301
enables NetBIOS over TCP/IP, 118
encapsulating, 117
encoding, 88
encrypted password, 56
encrypt passwords, 81, 159, 504, 549, 583, 713, 749, 755, 779
encrypted, 34, 41, 146
encrypted password, 146
encrypted passwords, 41, 141, 143, 145, 146, 171, 483, 556, 769–771
encrypted session, 168
encryption, 40
encryption key, 80
encryption types, 85, 88
enforcing, 77
English, 525, 572
enhanced browsing, 117, 713
Enhanced MetaFile, *see* EMF 354
enterprise, 160
enumdrivers, 319, 396
enumerate domain groups, 442
enumerate domain users, 442
EnumJobs(), 313
enumports command, 340, 714
enumprinters, 396
environment variables, 312
EPM, *see* ESP meta packager 384
Epson Stylus, 374
Epson Stylus inkjet, 410
equivalence, 240
equivalent rights and privileges, 240
error message, 228, 324
error messages, 578
errors that can afflict, 105
ESC/P, 377
ESP, 358
 Ghostscript, 360, 361, 372
 meta packager, 384
 Print Pro, 375, 386
ESP Ghostscript, 360, 361
established, 291
ethereal, 480, 586, 587
Ethernet adapters, 283
EUC-JP, 525, 526
eucJP-ms locale, 526
Event Viewer, 461
Everyone - Full Control, 250
Everyone group, 313
EVMS, 433
examples, 5
examples/LDAP, 143
exec, 758
execute, 248
existing LDAP DIT, 149
expands control abilities, 143
expired password, 156
explicit trust, 288
explicitly set, 304
exploit opportunities, 467
exploitation, 283
exported file system, 539
exposed, 283
extd_audit module, 430
Extended Attributes, 243
extended attributes, 249
Extended BSD Printing, 305
extended characters, 523
extended protocol, 131
extended SAM, 142
extra machine, 545
fail, 535
failed join, 226, 229
failed logins, 150
failover communication, 539
failover process, 539
failover servers, 539
fails, 90
failure, 228

failure semantics, 538
fake directory create times, 714
fake oplocks, 253, 714
fake-permissions module, 485
fake_permissions, 56
fake_perms, 431, 485
fdisk, 434
Federated Identity Management, *see* FIM
 49
federated organizations, 49
federated-identity, 49
Fiber Channel, 539
fickle, 115
fid, 537
file access permissions, 243
File Naming Conventions, 246
file ownership, 75
file serving, 299
File System, 245
 case sensitivity, 245
 feature comparison, 245
 UNIX, 245
 Windows, 245
file system capabilities, 249
FILE:, 340
filemanager, 133
filename mangling, 550
filter, 362
Filter Oplock, 267
FilterLimit, 370
filters, 362
FIM, 50, 148
firewall, 281, 283, 579
firewall active, 283
firewall setups, 283
fixed IP address, 99, 100
fixed IP addresses, 97
flush local locks, 267
flush name cache, 138
follow symlinks, 715
foomatic, 359, 361, 369, 374, 406, 407
Foomatic database, 410
Foomatic Printer, 369
Foomatic tutorial, 409
foomatic-rip, 361, 369, 372, 406, 408, 409
Foomatic/cupsomatic, 374
force an election, 125
force create mode, 252, 258, 702, 715, 725
force directory mode, 252, 258, 709, 715,
 725
force directory security mode, 252, 258,
 709, 715
force election, 126
force group, 250, 251, 716
force printername, 717
force security mode, 252, 258, 717, 767
force unknown acl user, 214, 717
force user, 250, 251, 264, 270, 717, 718
forced synchronization, 122
foreign domain, 147, 182
foreign SID, 442
foreign user, 442
FQDN, 619
framing error, 618
free support, 627, 628
FreeBSD, 61, 526
freezing, 434
French, 572
front-end virtual server, 537
frustrating experience, 149
fstype, 718
FTP, 147
ftp, 532, 596
ftp access, 455
ftp service, 454
ftp services, 455
ftpd, 498
full rights, 181
functional components, 592
functionality, 559
gateway address, 99
gcc, 585, 605
gdb, 585, 593
GDI, 354, 377
general security service application pro-
 gramming interface, *see* GSSAPI
 49
generic PostScript, 361
generic raster, 365
generic raster format, 360
genlogon.pl, 464
Gentoo, 617
Germany, 535

- get, 582
get quota command, 718
getdriver, 319, 322
getdriverdir, 395
getent, 192, 228, 450
getent group demo, 182
gethostbyname() function call, 132
getpwnam, 162, 222
getpwnam() call, 555
GetSID.exe, 484
getwd cache, 719
GhostScript, *see also* PostScript 356, 357
Ghostscript, 360, 372
 ESP, *see* ESP GhostScript 358
GID, 72, 77, 83, 89, 147, 148, 177, 178,
 189, 193, 221–225, 439, 442, 450
GID numbers, 223
GID range, 287
GIF, 362
Gimp-Print, 366, 409
global print command, 312
global right, 238
global section, 306
Global support, 560
global-level, 301
GNOME, 463
GNU Ghostscript, 360, 365
GNU GPL, 532
GNU tar, 532
GNU/Linux, 429
GPG, 597
GPL, 463
gpolmig.exe, 471
GPOs, 467, 469, 470, 472, 473, 489
grace time, 156
grant rights, 237
graphical objects, 356
graphically illustrated client configuration,
 97
grayscale, 369
greater scalability, 143
greatest mistake, 95
grep, 446
group, 72, 149, 150, 248, 716
 account, 55
 mapping, 48
group account, 182, 225
group accounts, 105, 149, 177, 180, 223
group management, 190
group mapping, 177
group mappings, 178
group membership, 181
group ownership, 439
group permissions, 561
Group Policies, 467
group policies, 467
Group Policy, 468
group policy, 56
Group Policy Container, *see* GPC 470
Group Policy Editor, 468, 473, 565
Group Policy Objects, *see* GPO 467, 560
group policy objects, *see* GPOs 467
Group Policy Template, *see* GPT 470
group privileges, 179
group profiles, 485
group SID, 208
groupadd, 178, 185, 186
groupadd limitations, 185
groupdel, 178
groupmap, 177
groupmod, 178
grouppol.inf, 468
groups, 190, 467
 domain, 180
 mapping, 177
 nested, 181
groups of users, 201
growing, 434
GSSAPI, 49
gtklp, 410
guest, 55, 93
guest account, 93, 94, 134, 138, 309, 312,
 579, 719, 720, 741, 742, 761, 769–
 771
guest ok, 251, 309, 310, 316, 705, 719, 720,
 766
guest only, 720, 769
GUI, 347
h-node, 117, 118
harvesting password hashes, 168
hashed password equivalent, 144
headers files, 88
Heimdal, 85, 86, 227, 496

Heimdal kerberos, 227, 230
help, 627
help command, 582
heterogeneous computing, 439
HEX, 525
hi-res photo, 369
hide dot files, 253, 720
hide files, 253, 720
hide special files, 721
hide unreadable, 252, 721
hide unwriteable files, 252, 721
high availability, 535
high order ports, 283
high-availability, 268
high-availability services, 539
high-speed server interconnect, 539
higher availability, 295
HKEY_CURRENT_USER, 487
HKEY_LOCAL_MACHINE, 469
holy grail, 439
home directories, 143, 450
home directory, 77, 160
home directory template, 455
home drive, 68
homedir map, 721, 748
host msdfs, 295, 722, 746
host multiple servers, 545
host security, 281
host-based protection, 281
hostname, 86
hostname lookups, 722
hosts allow, 282, 310, 579, 722, 723
hosts deny, 282, 310, 579, 722, 723
hosts equiv, 723
house-keeping, 238
HOWTO documents, 149
HP JetDirect, 374
HP Photosmart, 410
HP-GL, 362
HP-GL., 363
hpgltops, 362
HPIJS, 409
HPUX, 307
http, 532
hybrid, 118
Hybrid node, 130
IANA, 365
ID mapping, 73, 550
ID mapping database, 444
ID range, 177
IDEALX, 161
Identification, 105
identify, 228
identity, 222
identity information, 50
identity management, 48, 81
 centralized, 49
identity resolution, 439
IDMAP, 178, 221–223, 228
idmap, 557
IDMAP backend, 148
idmap backend, 72, 73, 147, 223, 224, 439,
 724, 819
idmap GID, 557
idmap gid, 147, 178, 223, 224, 228, 439,
 458, 508, 724, 816, 819
IDMAP infrastructure, 221
idmap UID, 557
idmap uid, 147, 177, 178, 223, 224, 228,
 439, 458, 508, 724, 816, 819
idmap_ad, 148
idmap_ldap module, 557
idmap_rid, 223, 228
IETF, 347
ifconfig, 601, 618
ignore connection, 283
imageraster, 365
immutable, 249
impersonate, 168
implementing oplocks, 270
Implicit Classes, 425
important announcements, 284
Imprints, 341
imprints, 353
include, 543, 725
independent, 91, 544
individual domain user, 181
individual section, 306
inetd, 568, 580, 600
inetd.conf, 580, 581
inetorgperson.schema, 163
inf file, 319
infrastructure, 148, 441

- inherit acls, 725
inherit owner, 725
inherit permissions, 725
inheritance, 249
inherits rights, 179
initdb.ldif, 29
initGroups.sh, 26, 185, 186, 563
inktype, 369
insecure, 91, 282
inspire simplicity, 92
inspired structure, 535
install drivers, 299, 313
interactive help, 627
interdomain
 trust
 account, 47
 trustrs, 34
 interdomain connection, 291
 interdomain trust, 290, 292
 interdomain trust accounts, 141, 149
Interdomain Trusts, 287
 Completing, 289
 creating, 289
 Facilities, 289
interdomain trusts, 190, 288
interface, 98
interface scripts, 152
interface-based exclusion, 281
interfaces, 126, 134, 283, 544, 545, 581, 601, 698, 725, 747
intermediate information, 149
intermediate tools, 148
internal ordering, 567
internationalization support, 568
Internet, 282, 283
Internet Engineering Task Force, *see* IETF 347
Internet Printing Protocol, *see* IPP 347
Internet Protocol TCP/IP, 101
Internetworking Packet Exchange, *see* IPX 516
internetworking super daemon, 567
interoperability, 33, 47, 49, 221, 243, 439, 538
intolerance, 535
invalid shell, 38
invalid users, 250, 251, 579, 726, 764
IP address, 581
IP address automatically, 98, 100
IP addresses, 512
IP aliases, 99
IPC\$, 59, 134, 284
IPC\$ connections, 537
ipchains, 579
ipconfig, 119
iPlanet, 80
IPP, 391
IPP client, 423
iptables, 579
IPX, 131
IRC, 627
IRIX, 429, 526
ISC
 DHCP, 631
 DNS, 631
ISC DHCP server, 98, 102
isolated workgroup, 123
IXFR, 512
Japanese, 525, 572
Japanese locale, 526
Japanese UNIX, 526
Java, 527
JIS X 0208, 525
join, 226
join client, 238
join domain, 62
join the ADS domain, 82
join the domain, 81, 82
join the machine, 80
joined client, 77
Joined domain, 82
joining domain, 448
joining the domain, 82
JPEG, 362
KB 129202, 279
KB 224992, 279
KB 296264, 279
KB 811492, 278
KB 812937, 278
KDC, 84–87
KDE, 463
KDE conqueror, 462

- KDE session, 462
KDEPrint, 347
keepalive, 727
Kerberos, 84, 86–88, 288, 443, 496, 556
 /etc/krb5.conf, 85
kerberos, 47, 85, 227
Kerberos authentication, 88
kernel change notify, 727
kernel oplocks, 727, 731
killall, 601
kinit, 85–88
kixstart, 562
kprinter, 410
KRB, 227
KRB5, 85
krb5.conf, 85
- LAN, 125, 539, 585
LanMan, 48, 66, 76, 143, 313
lanman auth, 727, 746
LanMan logon service, 54
LanMan passwords, 142
LanManager, 35, 104
LanManager-compatible, 128
laptops, 532
large directory, 541
large domain, 228
large numbers of files, 541
large organizations, 288
large readwrite, 728
latency, 269
laws, 152
LDAP, 47, 49–51, 69, 71, 72, 74, 76, 80,
 81, 89, 141, 143, 144, 147–150,
 160–162, 165, 166, 183, 221, 223–
 225, 287, 288, 313, 439, 443, 496,
 556, 560
 directories, 148
 master, 68, 69
 server, 69
 slave, 65, 68
ldap admin dn, 71, 89, 728, 805
LDAP administration password, 71
LDAP administrative password, 89
LDAP backend, 92, 225, 549
LDAP backends, 147
LDAP database, 72, 164, 560
- ldap delete dn, 728
LDAP deployment, 148
LDAP directory, 148, 161, 550
ldap group suffix, 557, 728
LDAP idmap Backend, 147
ldap idmap suffix, 71, 89, 557, 728
ldap machine suffix, 557, 728, 730
ldap passwd sync, 170, 728, 729
ldap port, 729
LDAP queries, 557
LDAP redirects, 224
ldap replication sleep, 69, 729
LDAP server, 224
ldap server, 729, 730
ldap ssl, 168, 730, 752
ldap suffix, 71, 557, 728, 730
ldap timeout, 730
ldap user suffix, 557, 730
LDAP-based, 147, 287
LDAP., 149
LDAP/Kerberos, 549
LDAPS, 168
ldapsam, 55, 76, 141, 160, 161, 183, 224,
 557, 560
ldapsam:trusted, 729
ldapsam_compat, 142, 557
ldapsearch, 556
LDAPv3, 168
ldconfig, 446
ldd, 348
LDIF, 165, 556
LDIF file, 164
legacy systems, 49
legal UNIX system account name, 90
Level1 Oplock, 267
Level1 oplock, 267
Level2 Oplock, 267
level2 oplocks, 731
GPL, 161
libcups, 311, 348
libcups.so, 348
libcups.so.2, 348
Liberty Alliance, 49
libiconv, 527
libnss_winbind, 181, 446
libnss_winbind.so, 443, 446
libnss_wins.so, 514

- libraries, 85
libxml2, 172
licensing, 559
limitations, 288
linewidth, 356
link loader configuration, 447
Links
 hard, 246
 soft, 246
Linux, 148, 495, 526
Linux High Availability project, 539
Linux LVM, 434
Linux LVM partition, 434
LinuxKongress2002, 409
Linuxprinting.org, 369, 405, 409
list of domain controllers, 82
listen for connections, 283
listen own socket, 544
LLC, 511
lm announce, 116, 731
lm interval, 116, 731
LM/NT password hashes, 159, 168
LMB, 54, *see Local Master Browser* 118,
 122–127, *see Local Master Browser*
 127, 128, 131, 133, 135–137
LMHOSTS, 122, 516
lmhosts, 128
load balancing, 295
load printers, 303, 304, 307, 731, 759
loaded modules, 429
loading printer drivers, 309
local
 groups, 190
 master
 browser, 54
local access permissions, 182
local accounts, 223
local administrative privileges, 181
Local Area Connection, 98
Local Area Connection Properties, 100
local authentication, 91
local authentication database, 92
local cache, 516
local disk, 532
local domain, 442
local group, 241
local groups, 181, 182, 222, 443
Local Machine Trust Account, 73
local master, 116, 124, 125, 650, 732
Local Master Browser, 118, 124, 127
local master browser, *see LMB* 122
local names, 118
local print driver, 315
local profile, 477, 479
local profiles, 475
local registry values, 470
Local security policies, 423
local smbpasswd file, 92
local spool area, 300
local subnet, 125
local system printing, 300
local UNIX groups, 189
local user, 222, 454
local user account, 147
local users, 222, 443
locale, 572
localhost, 282
locally known UID, 193
locate domain controller, 70
Lock caching, 266
lock dir, 732
lock directory, 544, 732, 742
lock password, 93
lock spin count, 732, 733
lock spin time, 732
lock the account, 156
locking, 265, 266, 537, 732
locking protocol, 265
locking semantics, 265, 266
locking.tdb, *see also TDB* 404
lockout, 41
log file, 431, 733
log files, 578
 monitoring, 578
log level, 90, 133, 228, 430, 480, 585, 592,
 733
log.nmbd, 133, 581
logging, 431, 592
logical directories, 295
Logical Link Control, *see LLC* 516
logical volume, 434
Logical Volume Manager, *see LVM* 433
Login, 147
login, 454, 495

login name, 5
login shells, 148
LoginID, 222
logon, 37
logon authentication, 71
logon drive, 56, 480, 733
logon home, 56, 169, 176, 476, 477, 480, 483, 733, 734
logon name, 201
logon path, 56, 174, 477, 479, 480, 483, 734
logon processing, 56
logon requests, 66, 70, 74
logon script, 56, 76, 174, 735
Logon Scripts, 560
Logon scripts, 562
logon server, 59, 487
logons, 476
lookups, 159
loopback adapter, 580
loopback interface, 283, 607
lower-case, 35
lowercase filenames, 542
lp, 302, 425
lpadmin, 370, 376, 405, 413
LPD, 307
lpinfo, 368
lppause command, 349, 379, 418, 736, 737
lpq cache time, 308, 736
lpq command, 308, 349, 418, 736
lpresume command, 349, 418, 737
lprm command, 349, 418, 737
LPRNG, 307
lpstat, 4, 403
LPT1:, 340
LsaEnumTrustedDomains, 585
LTSP, 463
Lustre, 537
lvcreate, 434
LVM, 433, 434
LVM snapshots, 435
LVM volume, 434, 435
lvm10 package, 434

m-node, 117
MAC address, 512
MAC Addresses, 513

Mac OS X, 527
machine, 149
 account, 37
machine account, 47, 48, 51, 69, 160, 235
machine account password
 change protocol, 83
machine accounts, 77, 149, 150, 235
machine accounts database, 66
machine authentication, 81
machine name, 513, 515
machine password timeout, 738
Machine Policy Objects, 560
machine SID, 208
Machine Trust Account, 76–78, 80
 creation, 79
 password, 78
 UNIX account, 79
machine trust account, 48, 53, 59, 75, 80, 87, 89
 create privilege, 79
 creation, 77
 password, 53, 76
Machine Trust Accounts, 73, 76
 creating, 77
machine trust accounts, 74, 78, 89, 141, 149
 machine_name, 78
 machine_nickname, 78
Macintosh, 527
macros, 311
magic output, 738, 739
magic script, 738
mail, 148
mailing list, 627
mailing lists, 627
maintaining ids, 550
make, 514, 598
man, 567
man page, 448
man pages, 190
man-in-the-middle, 235
manage accounts, 152
manage drivers, 299
manage groups, 201
manage printers, 201
manage privileges, 236
manage roaming profiles, 475

- manage share permissions, 252
manage share-level ACL, 183
manage shares, 201
manage users, 201
Manageability, 560
manageability, 559
managed by humans, 535
management bottleneck, 269
management costs, 148
management overheads, 48
management procedures, 49
management tools, 150
managing rights, 236
mandatory profiles, 484
Mandrake, 410
Mandriva, 410
mangle prefix, 740
mangled map, 739
mangled names, 739
mangling char, 739, 740
mangling method, 740
manual UNIX account creation, 77
manual WINS server entries, 99, 101
manually configured, 102
manually configured DNS settings, 99
map, 80, 562
map acl inherit, 740
map archive, 725, 741, 777
map hidden, 725, 741, 776, 777
map system, 725, 741, 777
map to guest, 316, 336, 422, 741, 768–771
mapped, 182, 189, 193
mapping, 147, 193
mapping home directory, 285
mapping printer driver, 327
mappings, 89
maps UNIX users and groups, 89
master browser, 125
master browsers, 135
master server, 560
master smb.conf, 545
MasterAnnouncement, 136
match case, 541
max connections, 732, 742
max disk size, 742
max log size, 431, 743
max mux, 743
max open files, 743
max print jobs, 307, 743
max protocol, 743, 746
max reported print jobs, 744
max smbd processes, 744
max stat cache size, 744
max ttl, 744
max wins ttl, 744
max xmit, 616, 745
maximum value, 287
mbd kept spawning, 618
Meccano set, 531
mechanism, 82
media type, 369
member, 52, 237
member machine, 181
memory, 146
message command, 745
messages.tdb, *see also* TDB 404
messaging systems, 148
Meta node, 130
meta-directory, 49
meta-service, 3, 4
meta-services, 544
Microsoft Active Directory, 496
Microsoft Developer Network CDs, 587
Microsoft driver, 382
Microsoft management console, *see* MMC
 48
Microsoft Remote Procedure Call, *see* MSRPC
 442
Microsoft Windows 9x/Me, 78
Microsoft Wolfpack, 539
middle-ware, 148
migrate, 33, 559
migrate account settings, 562
migrate accounts, 158
migrate group, 562
migrate user, 562
migrating, 550
migration, 560
migration plan, 559
migration process, 559
MIME, 361–363, 371
 filters, 361
 raw, 17, 94, 352
MIME conversion rules, 360

- MIME recognition, 360
MIME type, 353, 360, 363, 371
mime.types, 361
min passwd length, 746
min password length, 746
min print space, 746
min protocol, 746
min wins ttl, 746
minimal
 configuration, 4
minimal configuration, 4
minimum security control, 91
misconfigurations, 6
misconfigured settings, 301
misinformation, 75
mission-critical, 268, 299
MIT, 85, 227
MIT Kerberos, 496
MIT kerberos, 227, 230
mixed mode, 39, 292
mixed profile, 477
mkdir, 94, 435
mkfs.xfs, 434
MMC, 48, 177, 224, 225, 251, 253, 468,
 473, 477
MMC snap-in, 470
modem/ISDN, 462
moderately secure, 281
modprobe, 434
module, 435
modules, 429
more than one protocol, 131
mount, 36, 435
mouse-over, 462
moveuser.exe, 484
MS DCE RPC, 448
MS Windows 2000, 70
MS Windows NT4/200x, 142
MS Windows SID, 222
MS WINS, 116
MS-DFS, 539
MS-RPC, 313
MS-WINS replication, 118
msdfs links, 296
msdfs proxy, 746
msdfs root, 295, 722, 746, 747
msg, 573
msg file, 572
MSRPC, 442, 443
multibyte character sets, 550
multibyte charsets, 523
multiple backends, 159
multiple domains, 560
multiple hosting, 543
multiple modules, 429
multiple network interfaces, 126
multiple network segments, 561
multiple personality, 545
multiple server hosting, 544
multiple server personalities, 543
multiple servers, 543, 544
multiple universal naming convention provider,
 see MUP 473
multiple VFS, 429
multiple virtual servers, 544
multiple Windows workgroups or domains,
 102
multiple WINS servers, 118
Multiuser databases, 269
mutual assistance, 627
mutually exclusive options, 117
My Network Places, 101, 134
Myrinet, 538
MySQL, 144
MySQL, 170
MySQL-based SAM, 143
mysqlsam, 143, 560

n security context, 122
n-memory buffer, 516
name cache timeout, 747
name conflict, 309
name lookup, 51, 516
name lookups, 119, 122
name mangling, 699, 704, 739, 740
name registration, 70
name resolution, 116, 118, 122, 132, 138,
 512, 578
name resolution across routed networks,
 122
name resolve order, 117, 132, 648, 660,
 747, 756
name service switch, *see* NSS 36
name-to-address, 128

name_type, 128, 132
nameserv.h, 130
native ACLs, 244
native dump, 532
native member, 52, 75
native mode, 39, 443
NBT, 516
nbtstat, 89, 516
necessary rights, 237
negotiate, 146
negotiating the charset, 524
nested group, 181
Nested Group Support, 241
nested groups, 181, 182
NET, 473
net, 150, 177, 189, 190, 241
 ads, 190
 join, 82, 87, 205, 227
 leave, 206
 printer info, 217
 printer publish, 217
 printer remove, 218
 printer search, 218
 status, 206
 testjoin, 204
 getlocalsid, 209, 556
 groupmap, 26, 178, 184, 563
 add, 193
 delete, 193
 list, 184, 192
 modify, 193
 localgroup, 241
 rap, 190
 session, 217
 rpc, 22, 38, 66, 190
 getsid, 71, 209
 group, 182, 191
 group add, 192
 group addmem, 196, 198
 group delete, 194
 group delmem, 196
 group list, 191
 group members, 196
 group rename, 195
 info, 218, 484
 join, 38, 82, 205, 448, 449, 562
 join bdc, 205
 join member, 205
 list, 236
 printer migrate drivers, 216
 printer migrate forms, 216
 printer migrate printers, 216
 printer migrate security, 216
 printer migrate settings, 216
 right list accounts, 213
 rights grant, 203, 237
 rights list, 202
 rights list accounts, 203
 share add, 210
 share delete, 210
 share migrate, 212
 share migrate all, 215
 share migrate files, 214
 share migrate security, 214
 testjoin, 204
 trustdom add, 207
 trustdom establish, 208, 291
 trustdom list, 206, 207
 trustdom revoke, 208
 user add, 200
 user delete, 200, 206
 user info, 200
 user password, 200
 user rename, 201
 vampire, 211, 562
 setlocalsid, 209
 time, 218
 set, 219
 system, 218
 zone, 219
 use, 88
 net command, 550
 net getlocalsid, 240
 net groupmap, 557
 net rpc user add, 238
 net tool, 556
 net use, 336
 net use /home, 476, 477
 net use lpt1:, 394
 net view, 307, 582
 NetAtalk, 527
 Netatalk, 609
 netatalk, 432
 NetBEUI, 511

- NetBIOS, 37, 47, 70, 72, 115–117, 119, 132, 511, 515, 516
broadcast, 54
name, 37
netbios alias, 544
NetBIOS aliases, 768
netbios aliases, 544, 748
NetBIOS broadcast, 82
NetBIOS disabled, 116
NetBIOS flags, 130
NetBIOS name, 60, 78, 82, 515, 544
netbios name, 544, 545, 647, 748
NetBIOS name cache, 89, 138
NetBIOS name length, 128
NetBIOS name resolution, 138
NetBIOS Name Server, *see* NBNS 519
NetBIOS name type, 122
NetBIOS names, 132, 514
NetBIOS network interface, 131
NetBIOS networking, 115
NetBIOS over TCP/IP, 115, 116, 119, 132, 135, 512
NetBIOS over TCP/IP disabled, 139
netbios scope, 748
NetBIOS-less, 119, 545
NetBIOS-less SMB, 544
NetBIOSless SMB over TCP/IP, 118
NetBT, 516
NETLOGON, 54, 56, 467, 470, 471, 487, 489
Netlogon, 66
netlogon, 51
NetLogon service, 128
netlogon share, 72, 562
Netmon, 587
Netmon., 587
netmon.exe, 480
NetSAMLogon, 476
Netscape's Directory Server, 161
NetServerEnum2, 136
NetUserGetInfo, 59, 475
NetWare, 516
NetWare Bindery, 496
NetWare Core Protocol-based server, 496
NetWkstaUserLogon, 59
network
 browsing, 47
 logon, 55
 service, 60, 66
 performance, 50
 wide-area, 67
network access controls, 243
network access profile, 66
network administrator, 243
network administrator's toolbox, 189
network administrators, 561
network analyzer, 585
network bandwidth, 125, 561
Network Basic Extended User Interface, *see* NetBEUI 516
Network Basic Input/Output System, *see* NetBIOS 116, *see* NetBIOS 516
Network Bridge, 98
Network Bridge Configuration, 98
network browsing problems, 126, 139
network client, 97, 221
network clients, 100
network configuration problems, 97
network difficulty, 97
network environment, 462
Network ID, 103
network interface, 283, 581
network logon, 58, 75, 104, 105
network logon services, 59
network membership, 97
Network Monitor, 587
Network Monitor Tools and Agent, 587
Network Neighborhood, 116, 134, 136, 137, 307, 326
network neighborhood, 136
network policies, 468
network security, 560
network segment, 118, 122, 561
Network settings, 134
network sniffer, 146
network storage, 532
network traffic, 222
NetworkBrowsing, 765
networked workstation, 443
networking advocates, 531
networking environment, 149
networking systems, 105
networks access, 618
Networks Properties, 105

- new account, 291
new parameters, 551
newsgroup, 591
Nexus toolkit, 77
Nexus.exe, 47, 78, 461
NFS, 89, 147, 537, 538, 558
NFS clients, 269
NIS, 37, 71, 162, 223, 443
NIS database, 443
nis homedir, 721, 748
nmbd, 4, 6, 19, 22, 116–118, 133, 138, 226,
 445, 451, 452, 544, 545, 581, 582,
 585, 618
nmblookup, 516, 581
No NetBIOS layer, 119
no network logon service, 91
no printcap file, 94
nobody, 93
nobody account, 312, 545
node-type, 117
NoMachine, 463
NoMachine.Com, 462
non-authentication-based account management, 498
non-authoritative, 136
non-LDAP
 backend, 65
non-member Windows client, 147
non-PostScript, 360, 372
non-PostScript printers, 363, 410
nonhierarchical, 288
nontransitive, 288
normal color, 369
normal user, 201
not domain member, 92
not domain members, 91
not part of domain, 130
not stored anywhere, 146
not transitive, 292
Novell, 80, 478
Novell eDirectory server, 496
NSS, 92, 148, 150, 161, 162, 167, 182, 221,
 222, 229, 439–443, 454, 457
nss_ldap, 72, 148, 150, 221, 224, 233, 234
nss_winsbind.so.1, 446
nsswitch.conf, 36
nt acl support, 252, 255–257, 613, 749
NT domain, 441
NT groups, 83, 183
NT migration scripts, 161
nt pipe support, 749
NT Server Manager, 252
nt status support, 749
NT-controlled domain, 291
NT-encrypted password, 76
NT-encrypted passwords, 142
NT4, 222, 223
NT4 Domain, 222
NT4 domain, 223, 439
NT4 domain members, 221
NT4 style policy updates, 472
NT4 User Manager for Domains, 236
NT4-style, 292
NT4-style domain, 287
NT4-style domains, 288
Nt4sp6ai.exe, 469
NT_STATUS_LOGON_FAILURE, 555
NT_STATUS_UNSUCCESSFUL, 324
NTConfig.POL, 56, 75, 468–472, 487, 565
ntconfig.pol, 469
ntdrivers.tdb, 329, *see also* TDB 404
ntforms.tdb, 329, *see also* TDB 404
NTFS, 245
ntlm auth, 749
ntlm_auth, 50
NTLMv2, 284
ntprinters.tdb, 329, *see also* TDB 404
NTUser.DAT, 472, 485, 565
NTuser.DAT, 480, 483, 562
NTUser.MAN, 485
NTuser.MAN, 480
null passwords, 749
null shell, 77
NX, 462
obey pam restrictions, 504, 749, 797
object class, 556
object class declaration, 557
object module dependencies, 447
ObjectClass, 162
ObjectClasses, 162, 163
obtuse complexity, 561
office server, 18
OID, 162

- old sambaAccount, 557
Omni, 409
on the fly, 80
on-the-fly, 224
on-the-fly logon scripts, 560
on-the-fly policy files, 560
one direction, 288
one domain, 221
one-way trust, 289
only guest, 720
only one WINS server, 129
only user, 251, 285, 750
OpenGFS, 537
OpenLDAP, 50, 69, 80, 142, 143, 161, 162, 496
OpenLDAP backend, 142
OpenSSL, 572, 620
operating costs, 559
operating system search path, 568
oplock, 537
oplock break, 267, 268, 270
oplock break wait time, 270, 273, 750
oplock contention limit, 270, 750
oplock handling, 538
oplock mechanism, 270
oplock messages, 538
oplock parameters, 270
oplocks, 266–268, 715, 727, 731, 751, 785
oplocks disabled, 269
oplocks management, 270
Opportunistic locking, 267
opportunistic locking, 265, 266
optional, 498
ordinary connection, 291
Organization for the Advancement of Structured Information Standards, *see* OASIS 49
organizational directory, 87
organizational unit, 87, *see* OU 470
os level, 55, 116, 124–126, 751
os2 driver map, 610, 751
OSS/Free Software, 463
other, 248
output duplexing, 364
outside threat, 282
own home directory, 285
ownership, 255
ownership cost, 560
ownership rights, 479
p-node, 117
pacakge, 5
packages, 3
packet sniffer, 480
packet trace, 480
PADL, 148, 150, 224, 232
PADL Software, 147
page description languages, *see* PDL 354
page_log, 414
pager program, 301
paid-for support, 627
PAM, 92, 142, 148, 159, 161, 442–446, 454, 457, 495, 497
PAM authentication module, 497
PAM configuration, 445
PAM management, 495
PAM module, 447
PAM modules, 496
pam password change, 751, 753, 754
PAM-capable, 496
pam-devel, 446
PAM-enabled, 441, 495, 496
PAM-specific tokens, 497
pam_krb5.so, 496
pam_ldap, 148
pam_ldap.so, 496
pam_mkhomedir, 455
pam_ncp_auth.so, 496
pam_pwdb.so, 496
pam_securetty.so, 455
pam_smb_auth.so, 496
pam_smbpass.so, 495, 496
pam_smbpasswd.so, 496
pam_unix.so, 455, 496
pam_unix2.so, 496
pam_userdb.so, 496
pam_winbind.so, 444, 454, 455, 496
panic action, 752
parameters, 303
paranoid, 450
paranoid server security, 752
passdb, 73
passdb backend, 17, 55, 76, 141, 144, 148, 150, 152, 155, 159, 160, 171, 172,

- 183, 222, 224, 225, 240, 287, 496, 505, 549, 556, 557, 730, 752
passdb backends, 160, 550
passed across the network, 146
passwd, 93, 150, 151, 443, 495
passwd chat, 752, 753
passwd chat debug, 753
passwd chat timeout, 753
passwd program, 752, 754
password, 66, 291, 498
 plaintext, 59
password aging, 150
password assigned, 289
password backend, 93, 153
password backends, 141
password change facility, 571
password database, 71, 291
password encryption, 159
password expiration, 160
password expired, 156
password history, 48
password level, 42, 582, 612, 617, 754
password management, 444
password prompt, 146
password scheme, 144
password server, 40, 61, 81, 84, 583, 695, 755, 770, 771, 782
password uniqueness, 48
passwords, 440
patch, 594
path, 308, 310, 315, 317, 379, 417, 425, 582, 735, 757
path specified, 90
pauses, 618
PBM, 362
PCL, 354, 355, 376, 377, 380
pdb2pdb, 143
pdb_ldap, 74
pdb_xml, 172
pdredit, 25, 143, 150–153, 155–159, 172, 240, 473, 549, 556, 562, 565
PDC, 37, 38, 50, 51, 60, 65, 67–72, 74, 76, 78, 81–83, 90, 123, 124, 142, 146, 160, 168, 169, 179, 189, 190, 222, 223, 225, 290, 291, 392, 442, 444, 445, 448–450, 462, 557, 560, 589, 618
PDF, 349, 355, 359, 362, 363, 375
pdf, 362
PDF distilling, 359
PDF filter, 94
pdftops, 362, 375
pdftosocket, 374
PDL, 354, 356, 358
PDM, 270
peer domain, 290
Peer node, 130
per-share access control, 250
performance, 541, 560
performance advantage, 265
performance degradation, 541
performance enhancement, 267
performance improvement, 269
performance-based, 160
performed as root, 237
perimeter firewall, 281
permanent changes, 565
Permanent name, 130
Permissions, 253
permissions, 285, 435
 file/directory ACLs, 254
 share, 250
 share ACLs, 250
 UNIX file and directory, 244
permissions and controls, 244
PGP, 597
phasing out NetBIOS, 117
Photo-CD, 362
physical locations, 295
physical network transport layer, 512
PID, 593
pid directory, 544, 757
ping, 561, 578
pipe device, 248
PJL, 380, 388, 414
PJL-header, 414
plague network users, 97
plain-text
 passwords, 41
plaintext, 142
plaintext authentication, 142
plaintext password, 59, 74
plaintext passwords, 143–146, 171
platforms, 605

- PLP, 307
Pluggable Authentication Modules, *see* PAM
 439, *see* PAM 495
PNG, 358, 362
PNM, 362
point 'n' print, 352, 389, 403
Point'n'Print, 299, 313, 314, 324
point'n'print, 353, 369, 393
Poledit, 470
poledit.exe, 468–470
Policies, 468, 471
policies, 565
Policy Editor, 469
policy editor, 468
policy file, 471
policy files, 75
policy settings, 152
port 135, 127
Port 135/TCP, 283
port 137, 127, 581
Port 137/UDP, 283
port 138, 127
Port 138/UDP, 283
port 139, 127
Port 139/TCP, 283
port 445, 127
Port 445/TCP, 283
ports, 302, 586, 796
POSIX, 72, 149, 167, 192
POSIX account, 153, 199
POSIX ACLS, 564
POSIX ACLs, 247, 249
POSIX identity, 149
posix locking, 757
POSIX locks, 538
POSIX semantics, 538
POSIX user accounts, 287
posixAccount, 162, 163
posixGroup, 163, 167
postexec, 757, 758
PostgreSQL database, 143
PostScript, 349, 354, *see also* Ghostscript
 354, 355, 356, 358, 359, 362–364,
 372, 374, 377, 380–383
 RIP, 356
PostScript driver, 323
PostScript interpreter, 356
PostScript Printer Description, *see* PPD
 356
PostScript printers, 420
potential master browsers, 125
potential printer, 315
Power Users, 241
powerful, 50
PPD, 323, 356, 358, 360, 362, 370, 372,
 380, 381, 394, 414, 420
 CUPS, *see* CUPS-PPD 408
PPD-aware, 356
PPDs, 359, 369, 409
PPP, 283
precedence, 125
preeexec, 758
preeexec close, 758
prefered master, 758
preferred master, 55, 116, 124–126, 583,
 758
prefilter, 365
prefilters, 363
preload, 759
preload modules, 758
preserve case, 478, 759, 773
primary domain controller, 545
primary group, 77
Primary Logon, 478
Primary WINS Server, 129
print, 302
 queue, 3
 spooler, 3
print accounting, 299
print command, 307, 310–312, 349, 379,
 418, 760
print commands, 312
print configuration, 300, 302
print environment, 301
print filtering, 300
print job, 311, 312
print jobs, 307
print ok, 759
print processing, 300
print queue, 313, 324, 327, 366
print quota, 354
print server, 93, 299
print service, 299
print spooling, 442

- print spooling system, 347
print statistics, 354
print subsystem, 300, 310
print test page, 329
printable, 308–310, 705, 759
Printcap, 348
printcap, 4, 307, 308, 311, 348, 350, 352, 418, 759, 761
printcap cache time, 759
printcap name, 94, 308, 759
PrintcapFormat, 348
printer, 762
printer admin, 238, 308, 310, 316, 318, 319, 328, 329, 331, 333, 335, 350, 397, 424, 762
printer attributes publishing, 550
printer default permissions, 313
printer driver, 314, 315, 349
printer driver data, 329
printer driver file, 314
printer driver files, 324
printer drivers, 313, 314, 409
printer icon, 326
printer management, 190
printer management system, 347
printer migration, 190
printer monitor, 618
printer name, 706, 762
printer objects, 313
Printer Pooling, 340
printer queue, 313
printer share, 308
printer shares, 302, 307
printers\$ share, 314
Printers, 307
printers, 4, 91, 732
printers admin, 238
Printers and Faxes, 326
printers available, 116
printers section, 308
printing, 307, 311, 312, 348–350, 352, 418, 703, 737, 760–762
printing behavior, 301
printing calls, 313
printing now, 618
printing support, 299, 300
printing system, 300
printing systems, 148
printing-related settings, 302
printing.tdb, 329, *see also* TDB 404
PrintPro, *see* ESP Print Pro 375
private dir, 544, 752, 762
private groups, 180
private key, 572
private network, 281
private networks, 282
private/MACHINE.SID, 71
private/secrets.tdb, 71
privilege, 183, 238
privilege management, 182, 201
privilege model, 236
privilege-granting applications, 497
privileged accounts, 236
privileges, 49, 79, 183, 236, 238, 288, 313
privileges assigned, 236
problem report, 628
problem resolution, 627
problematic print, 300
Process data management, 270
professional support, 628
profile, 56, 59, 66, 143
profile access rights, 485
profile acls, 762
profile contents, 483
profile directory, 479
profile migration tool, 485
profile path, 68, 479, 480
profile sharing, 483
ProfilePath, 480
Profiles, 468
profiles, 59
project, 627
promiscuous mode, 587
promote, 51, 52
promoted, 68
propagate, 65
Properties, 101, 105
protect directories, 248
protect files, 248
protection against attackers, 284
protocol, 743
protocol stack settings, 100
provided services, 627
provisioned, 49

pstops, 363, 364, 375, 414
pstoraster, 365, 372, 374, 414
public, 309, 720
publish printers, 313
publishing printers, 304
punching, 364
purchase support, 628
put, 582
pvcreate, 434

QNX, 307
qualified problem, 628
queue control, 307
queue resume command, 349
queuepause command, 349, 763
queueresume command, 763
quota controls, 148

RAID, 532
random machine account password, 83
range, 199
range of hosts, 282
RAP, 190
raster, 363, 410
raster driver, 360
raster drivers, 365
raster image processor, *see* RIP 356
raster images, 356
rasterization, 365, 374
rastertoalps, 366
rastertobj, 366
rastertoepson, 366, 375
rastertoescp, 366
rastertohp, 366
rastertopcl, 366
rastertoprinter, 366
rastertosomething, 374
rastertoturboprint, 366
raw mode, 371
raw print, 393
raw printers, 347
raw printing, 17, 94, 351, 352
raw SMB, 47
raw SMB over TCP/IP, 119
rawprinter, 370
rcp, 532
rdesktop, 462
rdesktop/RDP, 462
read, 248
read bmpx, 764
read directory into memory, 541
read list, 251, 764
read only, 253, 309, 316, 431, 759, 764, 790
 server, 13
read raw, 617, 764
read size, 616
Read-ahead, 266
read-only, 91, 92, 705
read-only access, 225, 545
read-only files, 91
read-write access, 314
realm, 39, 71, 84, 86, 87, 228, 230, 765
rebooted, 104, 123
rebooting server, 238
recompiling, 544
reconfiguration, 68
record locking, 266
recycle, 431
recycle bin, 429
recycle directory, 431
recycle:exclude, 432
recycle:exclude_dir, 432
recycle:keeptree, 431
recycle:maxsize, 432
recycle:noversions, 432
recycle:repository, 431
recycle:touch, 432
recycle:versions, 432
Red Hat Cluster Manager, 539
Red Hat Linux, 69, 79, 180
redirect, 72
redirection, 441
redirector, 267
redundancy, 118
reference documents, 92
refusing connection, 283
regedit.exe, 486
regedt32, 487
regedt32.exe, 473
register driver files, 324
register NetBIOS names, 122
registered, 128, 326
registers, 124

- registry, 51, 143, 265, 467–469, 486
registry change, 146
registry keys, 485
registry settings, 471
regulations, 152
rejoin, 208
relationship password, 291
Relative Identifier, *see* RID 183
relative identifier, *see* RID 46, 160, *see also* RID 160
reliability, 47, 560
Remote Access Dial-In User Service, *see also* RADIUS 496
remote announce, 117, 118, 122, 127, 133, 134, 765
remote browse sync, 117, 118, 123, 127, 128, 134, 765
remote desktop capabilities, 462
remote desktop management, 462
remote domain, 289, 291
remote login, 462
remote management, 189, 442
Remote Procedure Call, *see* RPC 190
Remote Procedure Call System Service, *see* RPCSS 473
remote profile, 479
remote segment, 128, 561
Remote X, 462
Remote X protocol, 462
remote-update protocol, 532
rename, 246
render, 351
rendering, 374
repeated intervals, 118
replicate, 72, 160
replicated, 34, 47, 70, 71, 470
replicated SYSVOL, 470
replication, 47, 69
 browse lists, 134
 SAM, 52, 65–67, 71, 74
 WINS, 118, 129, 130
replication protocols, 129
repository, 223
requesting payment, 628
required, 498
requisite, 498
research, 531
resizing, 434
resolution, 369
resolution of NetBIOS names, 115
resolve NetBIOS names, 126
resolver functions, 443
resource failover, 539
resource kit, 471, 483
resource-based exclusion, 281
response, 228
restrict anonymous, 720, 766
restrict DNS, 132
reviewers, 543
revoke privileges, 237
RFC 1001, 632
RFC 1002, 632
RFC 1179, 307
RFC 2307, 148
RFC 2307., 162
RFC 2830, 619
rfc2307bis, 233
RFC2830, 69
RFCs, 585
rich database backend, 142
rich directory backend, 143
RID, 46, 78, 180, 183, 223, 224, 228, 240, 444, 557
RID 500, 240
RID base, 224
right to join domain, 238
rights, 49, 58, 88, 236
rights and privilege, 201
rights and privileges, 182, 240
rights assigned, 236
RIP, 372
rlogind, 498
Roaming Profile, 431
roaming profiles, 54, 475, 477, 480
rogue machine, 138
rogue user, 76
root, 79, 80, 104, 235, 766
root account, 236, 240
root dir, 757, 766
root directory, 766
root postexec, 767
root preeexec, 562, 767
root preeexec close, 767
root user, 237

- rotate, 356
- RPC, 83, 439, 448, 476
- RPC calls, 457, 537
- RPC modules, 550
- rpc.lockd, 266
- rpcclient, 189, 319, 327, 403, 473
 - adddriver, 389, 391, 395–397, 400
 - enumdrivers, 395, 401
 - enumports, 395
 - enumprinters, 395, 398, 401–403
 - getdriver, 396, 397, 399, 401
 - getprinter, 396, 399, 401, 404
 - setdriver, 388, 389, 391, 395, 398, 401
- rsh, 532
- rsync, 71, 72, 74, 147, 160, 531, 532, 596
- rsyncd, 531
- runas, 331
- rundll32, 331, 333, 403, 466
- SAM, 47, 51, 66, 67, 73–76, 142, 147, 444
 - delta file, 67
 - replication, 52, 67
- SAM backend, 147, 148
 - LDAP, 65
 - ldapsam, 66, 142, 147, 160
 - ldapsam_compat, 141
 - mysqlsam, 142, 170
 - non-LDAP, 65
 - smbpasswd, 141, 159
 - tdbsam, 66, 142, 160
 - xmssql, 142, 172
- Samba 1.9.17, 129
- Samba account, 78
- Samba administrator, 445
- Samba backend database, 90
- Samba daemons, 83
- Samba differences, 549
- Samba mailing lists, 531
- Samba private directory, 87
- Samba SAM, 147
- Samba SAM account, 90
- Samba schema, 143
- Samba security, 281
- Samba-2.2.x LDAP schema, 142
- Samba-3-compatible LDAP backend, 549
- Samba-PDC-LDAP-HOWTO, 161
- samba-to-samba trusts, 287
- samba-vscan, 437
- samba.schema, 162, 163, 557
- sambaDomain, 557
- sambaGroupMapping, 557
- sambaHomeDrive, 168
- sambaHomePath, 168
- sambaIdmapEntry, 557
- sambaLogonScript, 168
- SambaNTPassword, 168
- sambaProfilePath, 168
- SambaSAMAccount, 72, 150, 155, 157, 160
- sambaSAMAccount, 168
- sambaSamAccount, 149, 162, 163, 167–169, 556
- sambaUNIXIdPool, 557
- SambaXP conference, 535
- samdb interface, 160
- same domain/workgroup, 545
- Sarbanes-Oxley, 152
- scalability, 47, 65, 141, 160, 288
- scalable, 148
- scalable backend, 288
- scalable coherent interface, *see* SCI 538
- scale, 356
- scanner module, 429
- schannel, 63
- schema, 233
- schema file, 143
- scp, 532
- script, 90
- scripted control, 189
- scripts, 133, 149
- SCSI, 539
- SeAddUsersPrivilege, 202, 236, 238
- SeAssignPrimaryTokenPrivilege, 238, 239
- SeAuditPrivilege, 238, 239
- SeBackupPrivilege, 202, 238, 239
- SeChangeNotifyPrivilege, 238, 239
- Seclib, 255
- secondary controller, 560
- SeCreateGlobalPrivilege, 239
- SeCreatePagefilePrivilege, 238, 239
- SeCreatePermanentPrivilege, 238, 239
- SeCreateTokenPrivilege, 238, 239
- secret, 144
- secrets.tdb, 71, 89, 166, *see also* TDB 404
- section name, 3

- secure, 91
secure access, 49
secure authentication, 235
secure communications, 168
secured networks, 281
SECURITY, 741
 security, 34, 37, 40, 42, 43, 52–54, 61, 81, 83, 85, 281, 389, 420, 544, 545, 556, 583, 611, 695–697, 713, 720, 738, 750, 764, 768, 790
 controllers, 37
 modes, 34
 settings, 5
 security = user, 81
 security account, 190
 Security Account Manager, *see* SAM 51, *see also* SAM 66
 Security Assertion Markup Language, *see* SAML 49
 security context, 80
 security contexts, 288
 security credentials, 225, 289
 security domain, 288
 security domains, 288
 security flaw, 285
 security hole, 284
 security identifier, *see* SID 46, 208
 security level, 40
 security levels, 35
 security mask, 252, 258, 703, 717, 767
 Security Mode, 34
 security mode, 33, 60
 security modes, 35
 security name-space, 221
 security policies, 285
 security settings, 550
 security structure, 288
 security vulnerability, 284
 security-aware, 371
 SeDebugPrivilege, 238, 239
 SeDiskOperatorPrivilege, 202, 236, 238
 SeEnableDelegationPrivilege, 239
 SeImpersonatePrivilege, 239
 SeIncreaseBasePriorityPrivilege, 238, 239
 SeIncreaseQuotaPrivilege, 238, 239
 SeLoadDriverPrivilege, 238, 239
 SeLockMemoryPrivilege, 238, 239
 SeMachineAccountPrivilege, 202, 236, 238, 239
 SeManageVolumePrivilege, 239
 separate instances, 544
 separate servers, 543
 separate shares, 307
 separate workgroups, 545
 SePrintOperatorPrivilege, 202, 236, 238
 SeProfileSingleProcessPrivilege, 238, 239
 SeRemoteShutdownPrivilege, 202, 236, 238, 239
 SeRestorePrivilege, 202, 238, 239
 server failure, 536
 Server Manager, 77, 78, 461, 462
 Server Manager for Domains, 79
 Server Message Block, *see* SMB 35
 server pool, 537, 538
 server schannel, 771
 server signing, 771
 server string, 702, 772
 Server Type, 34
 Domain Controller, 24
 Domain Member, 20, 73, 75
 Stand-alone, 12
 server type, 189
 domain member, 38
 Server Types, 222
 server-mode, 43
 service name, 5
 service-level, 301, 307
 services provided, 627
 SeSecurityPrivilege, 238, 239
 SeShutdownPrivilege, 238, 239
 session, 498
 session services, 47
 session setup, 35, 40
 sessionid.tdb, *see also* TDB 404
 SessionSetupAndX, 222
 SeSyncAgentPrivilege, 239
 SeSystemEnvironmentPrivilege, 238, 239
 SeSystemProfilePrivilege, 238, 239
 SeSystemtimePrivilege, 238, 239
 set a password, 93
 set directory, 772
 set group id, *see* SGID 248
 set primary group script, 772
 set printer properties, 308

set quota command, 772
set user id, *see* SUID 248
SeTakeOwnershipPrivilege, 202, 236, 238, 239
SeTcbPrivilege, 238, 239
setdriver, 396, 397
SetPrinter(), 396
setting up directories, 248
SeUndockPrivilege, 239
severely impaired, 119
SFU, 234
SFU 3.5, 225
SGI-RGB, 362
SGID, 248
shadow, 150
shadow copies, 434
shadow password file, 83
shadow utilities, 178
shadow_copy, 433, 435
shadow_copy module, 433
share, 3, 243, 306
share access, 250
share ACLs, 564
share management, 190
share modes, 537, 773
Share Permissions, 254
share permissions, 252
share settings, 244
share stanza controls, 564
share-level, 35, 36, 295
share-level ACLs, 183
share-mode, 91
share-mode security, 60
share-mode server, 91
share.info.tdb, 251, *see also* TDB 404
shared secret, 76
shares, 116
shares and files, 445
Sharing, 253
shell scripts, 310
shift, 356
Shift_JIS, 525, 526
short preserve case, 253, 478, 704, 773
Shortcuts, 246
shortcuts, 97, 479
show add printer wizard, 307, 336, 773
show-stopper-type, 559
shutdown script, 692, 774
SID, 46, 62, 71, 72, 83, 89, 144, 147, 150, 177, 178, 208, 221–224, 228, 236, 240, 439, 442, 484, 544, 550, 562
SID management, 190
SID-to-GID, 178
SIDs, 565
signing, 63
simple access controls, 561
simple configuration, 5
simple guide, 549
Simple Object Access Protocol, *see* SOAP 49
simple operation, 142
simple print server, 93
simple printing, 301
simplest
 configuration, 5
simplicity, 91
Simplicity is king, 561
single DHCP server, 102
single repository, 141
single server, 537
Single Sign-On, 386
single sign-on, *see* SSO 46, *see also* SSO 48, 75
single-byte charsets, 524
single-logon, 58
single-sign-on, 560
single-user mode, 445
slapadd, 165
slapd, 162
slapd.conf, 163, 168
slapd.pem, 69
slappasswd, 165
slave servers, 560
slow browsing, 139
slow network, 617
slow performance, 618
smart printers, 347
SMB, 40, 90, 92, 116, 118, 132, 283, 313, 516, 532, 537, 538, 585
SMB encryption, 146
SMB locks, 538
SMB name, 515
SMB networking, 585
smb passwd file, 775
SMB Password, 496

- SMB password, 151
SMB password encryption, 144
smb ports, 544, 545, 775
SMB printers, 423
SMB requests, 537
SMB semantics, 537
SMB Server, 496
SMB server, 146
SMB services, 538
SMB signing, 90, 550
SMB state information, 537
SMB-based messaging, 117
smb-cdserver.conf, 545
smb.conf, 545
SMB/CIFS, 70, 90, 146, 524
SMB/CIFS server, 159
smbclient, 88, 322, 323, 532, 580, 581, 585
smbd, 4–6, 19, 22, 160, 162, 166, 222, 226,
 238, 302, 304, 430, 440, 445, 448,
 451, 452, 538, 541, 544, 545, 585
smbgroupedit, 189
smbgrpadd.sh, 185
smbHome, 169
smbldap-groupadd, 192
smbldap-tools, 161
smbpasswd, 38, 55, 71, 74, 76, 85, 89, 141,
 142, 150–152, 159–162, 166, 222,
 223, 290, 473, 556, 557
smbpasswd format, 154
smbpasswd plaintext database, 160
SMBsessetupX, 59
smbspool, 419
smbstatus, 422, 593
SMBtconX, 59
smbusers, 282
SMS, 587
Snapshots, 434
sniffer, 60, 585
socket, 544
socket address, 544, 775
socket options, 615, 616, 727, 775
SOFTQ printing system, 307
Solaris, 148, 454, 495, 526
Solaris 9, 452
source code, 5
space character, 186
special account, 235, 290
special section, 315
special sections, 306
special stanza, 315
specific restrictions, 250
Specify an IP address, 102
spinning process, 594
spool, 302
 directory, 3
spool files, 312
spoiled file, 300
spooler., 3
spooling, 311, 351
 central, 351
 peer-to-peer, 351
spooling path, 302
spooling-only, 351
SPOOLSS, 313
SQL backend, 170
SQUID, 50
SRV records, 85, 120
SRV RR, 512
SrvMgr.exe, 78
srvmgr.exe, 79
SRVTOOLS.EXE, 78, 462
SSH, 323
ssh, 71, 74, 160, 532
SSL, 572
SSO, 48, 75, 148
stability, 560
stack trace, 593
stand-alone server, 222
standalone, 34, 52, 189, 222, 223
standalone filter, 365
standalone server, 81, 91, 155, 299, 560
standard confirmation, 289
stanza, 4, 542
stapling, 364
StartDocPrinter, 313
starting samba
 nmbd, 4, 19, 22
 smbd, 4, 19, 22
 winbindd, 5, 22, 440
startsmrb, 601
StartTLS, 168
startup
 process, 5
startup script, 449

stat cache, 776
state, 536
state information, 536
state of knowledge, 535
static WINS entries, 130
status32 codes, 550
sticky bit, 248, 561
storage mechanism, 150
storage methods, 150
store dos attributes, 776
stphoto2.ppd, 374
strange delete semantics, 541
strict allocate, 777
strict locking, 266, 777
strict sync, 777
stripped of comments, 568
strptime, 157
stunnel, 572
su, 498
subnet mask, 99, 102, 581
subnets, 118, 123
subscription, 627
subsuffix parameters, 557
Subversion, 595, 596
successful join, 88
successful migration, 560
sufficient, 498
suffixes, 361
SUID, 248
Sun, 80
Sun ONE iDentity server, 496
Sun Solaris, 495
SUN-Raster, 362
support, 627
support exposure, 559
SVN
 web, 595
SVRTOOLS.EXE, 48
SWAT, 3, 567
swat, 6, 568, 571
 enable, 571
 security, 572
SWAT binary support, 568
swat command-line options, 568
SWAT permission allowed, 571
symbolic links, 296
sync always, 777
synchronization, 51, 60, 128, 136
synchronization problems, 440
synchronize, 72, 86, 127, 136
synchronized, 71
syntax tolerates spelling errors, 302
syslog, 778
syslog only, 778
system access controls, 142
system accounts, 152
system administrator, 235
system groups, 193
system interface scripts, 236
system policies, 468
System Policy Editor, 468, 470, 486
system security, 183
system tools, 531
SYSV, 307
SYSVOL, 470
tail, 578
Take Ownership, 255
take ownership, 238
tape, 561
tar, 532
tarball, 5
tattoo effect, 565
TCP, 127, 536
TCP data streams, 537
TCP failover, 536
TCP port, 47
TCP port 139, 512, 544
TCP port 445, 512, 544
tcp ports, 449
TCP/IP, 98, 102, 116, 131
TCP/IP configuration, 99, 101
TCP/IP configuration panel, 99
TCP/IP protocol configuration, 97
TCP/IP protocol settings, 98, 100
TCP/IP protocol stack, 128
TCP/IP-only, 131
tcpdump, 586
TDB, 142, 327, 404, 544
 backing up, *see* tdbbackup 405
tdb, 444, 538
TDB database, 324
TDB database files, 329
tdb files, 251

- tdbbackup, 405, 618
tdbdump, 251
tdbsam, 55, 141, 143, 153, 160, 183, 222, 223, 560
tdbsam databases, 159
technical reviewers, 543
Telnet, 147
telnet logins, 454
template, 485
template homedir, 455, 778, 819
template shell, 778, 819
temporary location, 310
Terminal Server, 537
Testing Server Setup, 87
testparm, 6, 93, 301–305, 578, 585
tethereal, 586
text/plain, 362
texttops, 362
tid, 537
TIFF, 362
TightVNC, 462
time difference, 86
time format, 157
time offset, 778
time server, 778
time-to-live, *see* TTL 130
timestamp logs, 704
tool, 253
tools, 93, 149
tools\reskit\netadmin\poledit, 468
traditional printing, 311
training course, 531
transfer differences, 532
transformation, 362
transitive, 288
transparent access, 76
transparently reconnected, 536
transport connection loss, 268
Transport Layer Seccurity, TLS
 Configuring, 620
 Introduction, 619
transport layer security, *see* TLS 69
Transport Layer Security, TLS
 Testing, 624
 Troubleshooting, 625
trigger, 53, 67
trivial database, 142, *see* TDB 160
troubleshoot, 303
troubleshooting, 419
Tru64 UNIX, 526
trust, 46, 149
 account, 37
trust account, 37, 292
 interdomain, 47
 machine, 48
trust account password, 65
trust accounts, 149, 190
trust established, 289
trust relationship, 288–290, 292
trust relationships, 287–289, 550
trusted, 136, 235
trusted domain, 182, 287–289, 291, 443
trusted domain name, 291
trusted party, 290
trusting domain, 287–289
trusting party, 290
trusts, 287, 288
TTL, 130
turn oplocks off, 270
turnkey solution, 149
two-up, 374
two-way
 propagation, 65
two-way trust, 288, 289
UCS-2, 525
UDP, 54, 117, 122, 125, 127, 134
UDP port 137, 512
udp ports, 449
UDP unicast, 122
UID, 72, 76, 78, 83, 89, 144, 147–150, 177, 189, 193, 199, 221–225, 235, 439, 442, 450
uid, 163
UID numbers, 223
UID range, 287
unauthorized, 76
unauthorized access, 243
UNC notation, 320
unexpected.tdb, *see also* TDB 404
unicast, 117
Unicode, 524, 550
unicode, 523
Unicode UTF-8, 527

unified logon, 441
UNIX, 526
 server, 33
UNIX account, 76, 78, 79
unix charset, 524, 525, 527, 529, 710, 779
UNIX Domain Socket, 248
UNIX domain socket, 442
unix extensions, 779
UNIX file system access controls, 244
UNIX group, 193
UNIX groups, 177, 441
UNIX home directories, 285
UNIX host system, 236
UNIX ID, 444
UNIX locking, 266
UNIX login ID, 76
unix password sync, 657, 754, 779
UNIX permissions, 564
UNIX printer, 307
UNIX printing, 300
UNIX system account, 90
UNIX system accounts, 235
UNIX system files, 531
UNIX user identifier, *see* UID 76
UNIX users, 83, 441
UNIX-style encrypted passwords, 143
UNIX-user database, 92
UNIX/Linux group, 180
UNIX/Linux user account, 199
unlink calls, 431
unlinked, 248
unprivileged account names, 93
unsigned drivers, 423
unstoppable services, 536
unsupported encryption, 88
unsupported software, 629
update encrypted, 779
updates, 284
upload drivers, 299
uploaded driver, 307
uploaded drivers, 314
uploading, 314
upper-case, 35
uppercase, 86, 90, 541, 542
uppercase character, 186
USB, 374
use client driver, 308, 352, 392, 779
use computer anywhere, 523
use kerberos keytab, 780
use mmap, 780
use sendfile, 783
use spnego, 784
user, 36, 149, 248, 583, 769, 782
user access management, 76
user account, 149, 152, 159, 199
 Adding/Deleting, 150
user account database, 67
User Accounts
 Adding/Deleting, 151, 167
user accounts, 149, 223, 235
user and group, 441
user and trust accounts, 141
user attributes, 160
user authentication, 442
user database, 71, 159
user encoded, 208
user groups, 627
user logons, 235
User Management, 151, 167
user management, 150, 190
User Manager, 291, 461, 485
User Manager for Domains, 462
user or group, 237
user profiles, 479
User Rights and Privileges, 240
user-level, 35
User-level access control, 105
user-level security, 146
user-mode security, 60
user.DAT, 478, 483
User.MAN, 485
user.MAN, 478
useradd, 77, 79
username, 66, 251, 782, 783
username and password, 103
username level, 780
username map, 80, 199, 201, 769, 781
username-level, 42
userPassword, 165
users, 285, 467, 782
UsrMgr.exe, 78
UTF-8, 524–526
UTF-8 encoding, 573
utmp, 784

- utmp directory, 784
- valid username/password, 284
- valid users, 250, 251, 579, 582, 783, 784
- validate, 6, 577
- validate every backup, 561
- validation, 48, 467
- vendor-provided drivers, 351
- verifiable, 136
- verify, 303
- version control, 433
- veto files, 253, 707, 785
- veto oplock files, 751, 785
- VFS, 56, 429
- VFS module, 433, 485
- VFS modules, 429, 436
- vfs object, 786
- vfs objects, 429, 786
- vgcreate, 434
- vgdisplay, 434
- vipw, 61, 77
- Virtual File System, *see* VFS 429
- virtual server, 537, 539
- virus scanner, 429
- Visual Studio, 382
- vital task, 535
- VNC/RFB, 462
- volume, 786
- volume group, 434
- volunteers, 589
- vscan, 437
- vuid, 537
- W32X86, 319, 320, 382, 386
- W32X86/2, 360
- WAN, 125, 269
- wbinfo, 450
- Web-based configuration, 567
- WebClient, 139
- Welcome, 104
- well known RID, 240
- well-controlled network, 561
- well-known RID, 183
- wide links, 786
- wide smbconfoptions, 719, 767
- wide-area network bandwidth, 496
- win election, 126
- Win32 printing API, 313
- WIN40, 320, 321, 386
- Winbind, 92, 441, 443–447, 449, 454, 455, 457, 495, 496
- winbind, 83, 181, 182, 222–226, 287, 439, 448
- Winbind architecture, 550
- winbind cache time, 786, 819
- winbind enum groups, 786, 819
- winbind enum users, 787, 819
- winbind gid, 724
- Winbind hooks, 441
- winbind nested groups, 787
- winbind separator, 450, 787, 819
- Winbind services, 449
- winbind trusted domains only, 788
- winbind uid, 724
- winbind use default domain, 788, 819
- Winbind-based authentication, 495
- winbind.so, 457
- Winbindd, 449
- winbindd, 5, 6, 22, 72, 73, 150, 177, 182, 199, 221, 222, 287, 440, 442, 445, 446, 448–450, 452, 454, 544
- winbindd daemon, 451
- Windows, 221, 527
- Windows 2000, 85, 88, 115, 288
- Windows 2000 Professional TCP/IP, 99
- Windows 2000 server, 292
- Windows 2003, 86, 90
- Windows 200x/XP, 119, 300
- Windows 9x/Me, 104, 130, 131, 461
- Windows 9x/Me/XP Home, 76
- Windows account management, 441
- Windows client, 241
- Windows client failover, 268
- Windows domain, 555
- Windows Explorer, 134, 320
- Windows group, 177, 180, 193, 235
- Windows group account, 240
- Windows groups, 193
- Windows Internet Name Server, *see* WINS 519
- Windows Logon, 478
- Windows Me TCP/IP, 101
- Windows Millennium, 101

- Windows Millennium edition (Me) TCP/IP, 101
Windows network clients, 116
Windows NT domain name, 105
Windows NT PostScript driver, 420
Windows NT Server, 291
Windows NT/2000/XP, 326
Windows NT/200x, 129, 130, 445
Windows NT/200x/XP, 308
Windows NT/200x/XP Professional, 76, 103, 106
Windows NT3.10, 66
Windows NT4, 252, 300
Windows NT4 domains, 289
Windows NT4 Server, 290
Windows NT4/200X, 149
Windows NT4/200x, 179
Windows NT4/200x/XP, 70, 183, 253
Windows NT4/2kX/XPPro, 235
Windows PPD, 407
Windows privilege model, 236
Windows Registry, 76
windows registry settings, 479
 default profile locations, 488, 490
 profile path, 479
 roaming profiles, 477
Windows Resource Kit, 478
Windows Security Identifiers, *see* SID 221
Windows Terminal server, 462
Windows user, 235
Windows user accounts, 199
Windows workstation., 241
Windows XP Home, 146
Windows XP Home Edition, 489
Windows XP Home edition, 48, 58, 104
Windows XP Professional, 98, 300
Windows XP Professional TCP/IP, 100
Windows XP TCP/IP, 98
Windows95/98/ME, 326
winnt.adm, 469
WINS, 47, 51, 54, 70, 82, 93, 99–102, 116–119, 122, 124, 126, 128, 129, 132–136, 138, 519, 632
wins, 514
WINS Configuration, 139
wins hook, 117, 788
WINS lookup, 82
wins proxy, 117, 789
WINS replication, 130
WINS Server, 117
WINS server, 122, 123, 126, 129, 133, 139
wins server, 117, 128–130, 789
WINS server address, 122
WINS server settings, 102
WINS servers, 128
WINS service, 129
WINS Support, 117
wins support, 117, 128–130, 650, 745, 746, 789
wins.dat, 130
WINSSERVER, 747
without Administrator account, 240
without ADS, 560
work-flow protocol, 49
workgroup, 40, 52, 53, 58, 61, 81, 105, 123, 126, 133, 516, 544, 710, 711, 751, 765, 789
 membership, 53
workstations, 143
world-writable, 248
writable, 309, 310, 790
write, 248
write access, 248
write cache size, 790
Write caching, 266
write changes, 225
write list, 251, 316, 790
write permission, 87
write raw, 617, 790
writeable, 431, 764, 790
wtmp directory, 790
WYSIWYG, 354

X Window System, 355
X.509 certificates, 619
XFS file system, 433
xfsprogs, 434
xinetd, 568, *see* inetd 580, 601
XML format, 143
XML-based datasets, 410
xmlsam, 160
xpp, 410
Xprint, 355
xxxxBSD, 495

yppasswd, 150, 151

Zero Administration Kit, 469

zero-based broadcast, 126