A

Access control authentication, 127-128 defined, 237 in ILM automation, 205 in SANs, 151-153 Access control lists (ACLs), 151 Access time controller, 23 defined, 237 Accidental data loss, 11 ACLs (access control lists), 151 Acronyms, 231–232 Actuator assemblies, 22 Addressing in FC, 46-47 in SCSI, 31 Age in information lifecycle, 188, 194 American National Standards Institute (ANSI) standard, 35 Analyzers, FC, 143 Angle brackets (<>) in XML, 211 Appliances in remote copy, 105-106 SAN, 148 Application independence in information, 185 Application-level backup and recovery, 89-94 Application security, 127, 160 Arbitrated loops defined, 237 FC, 46, 140 Archives vs. backups, 93-94 defined, 237

Arrays backing up, 71 benefits of, 20-21 defined, 237 RAID. See RAID (Redundant Array of Independent Disks) Association of Storage Networking Professionals (ASNP), 226 Asymmetrical encryption, 129-130 Asynchronous processes, 237 Asynchronous remote copy, 111–113 ATA (AT Attachment) specification, 35-37 Attacks denial of service, 130 man-in-the-middle, 131 programmer error exploits, 130-131 viruses and Trojan horses, 131-132 Auditing in ILM automation, 205, 207 Authentication, 127–128 defined, 237 in iSCSI, 144 in NFS, 151 in SANs, 137–138 two-factor and multifactor, 128 user vs. host, 128 Autoloaders, 76, 81 Automation DLM, 175-176 ILM, 205-206 auditing and tracking, 207 CAS, 207-208 information movers, 208 policy engines for, 206 search and classification engines for, 207 SAN encryption, 153

Availability, 2 for business continuity, 13 defined, 237 in DLM, 173 in protection costs, 204

В

Backup sets, 88 Backup windows defined, 237 purpose of, 57 Backups, 2, 56-57. See also Restoration and recovery application-level, 89-94 vs. archives, 93-94 case study, 94–95 DAS external, 61-62 internal. 60 defined, 237 disk-based, 14 disk-to-disk, 81-84 disk-to-disk-to-tape, 84-85 full and incremental, 87-88 home systems, 92 integrity of, 12 interrupted, 65 key points, 95-96 LAN-based, 62-65 LAN-free. 66–69 methods comparison, 72-73 NAS, 70-72 off-site, 91-92 performance of, 59 problems with, 57–59 vs. remote copy and replication, 97-99 remote copy with, 116 rotating, 86-87 RTO and RPO in, 59-60 SAN, 65-67, 92-94 selective. 88-89 server-less, 69-70 single-tape, 86 software for, 73-75

storage systems for, 57-59 structured object constraints, 90-91 tape, 80-81, 83-84 Bad media in restore operations, 77–78 Bandwidth in network restore operations, 79 in remote copy, 107-109 Basel Accords and Basel Accords II, 203, 228 Basics of SCSI, 226 Behaviors and policies, 172 Bibliography, 249 Bingham McCucthen case study, 94–95 Biodiversity, 128-129 Biometrics, 128 Bits. 24 Blocks and block I/O, 24, 26 defined, 238 deterministic behavior for, 50 in remote copy, 107 Book resources, 225–226 Bottom-up policy approach, 167 Breaches data loss from, 10-11 DoS attacks from, 156 unintentional, 155 Buffer overruns, 130 Buffers in disk to disk to tape backups, 85 Building Storage Networks, 225 Bunkering, 113–115 **Business continuity** availability for, 13 defined, 238 Business risk, 5-6 Bytes, 24

С

Cabling in FC, 44 in parallel SCSI, 32–33 for SAN, 41 Capacity levels in HSM, 177–178 CAS (Content Addressed Storage) defined, 238

vs. ILM, 181 in ILM automation, 207-208 Cascade failures, 238 Case studies backups, 94–95 ILM, 208–209 replication, 120 storage systems, 164 Catalogs for backups, 73-74 CD-ROM/RW storage, 238 CDBs (Command Descriptor Blocks), 34 Changing values in ILM, 199–201 Characteristics of information, 185 CIFS (Common Internet File System), 39 defined, 238 in file replication, 119 security, 151 Cipher text, 129 Classes, 186–187 Classification in context, 186-188 in ILM automation, 205, 207 Client/server architecture in SCSI, 34 Clients, 238 Command Descriptor Blocks (CDBs), 34 <command> tags, 171 Common Internet File System (CIFS), 39 defined, 238 in file replication, 119 security, 151 Compatibility of FC, 49 Complete backup sets, 88 Complexity of data protection, 166 Compliance for policies, 172 Compression for backups, 74, 82 defined, 238 Comptroller of the Currency, 203, 227 Conferences, 226-227 Configuration holes in IP-based SANs, 147-148 Connections in IP-based SANs, 147 Connectivity, risk from, 12–13, 156–157

Content Addressed Storage (CAS)

defined, 238 vs. ILM, 181 in ILM automation, 207-208 Content of information in context, 189-190 in information lifecycle, 195 Context, 183 classification for. 186-188 content in, 189–190 defined. 238 e-mail anatomy, 186-187 state in, 188 tracking state and history in, 188-189 types of, 184–185 Continuity, business, 13 Controllers for arrays, 20-21 defined, 238 RAID. 28-29 SCSI, 149-150 Copied data in information lifecycle, 194 Copper FC cable, 44 Copying in ILM automation, 205 remote. See Remote copy Corruption, data, 78–79 Costs information creation, 199 protection, 166, 204-205 in remote copy, 116 restoration, 6 CRM (customer relationship management) systems, 7 Current state in information, 188

D

DAS (Direct Attach Storage), 18, 29 ATA, 35–37 backups external, 61–62 internal, 60 defined, 239 SCSI, 29–35 security for, 135–136

DASD (Direct Access Storage Devices), 18, 239 Data defined, 238 models for, 3-4 Data at rest, 152 Data corruption defined. 238 in restore operations, 78-79 Data in motion, 152 Data Lifecycle Management (DLM), 2-3, 172 - 173automation, 175-176 defined. 238 multi-tier storage architectures in, 176-178 policies in, 174-175 Data loss, 5–6 accidental, 11 from disasters, 9–10 effect of, 6-9 from security breaches, 10-11 from system failure, 11-12 Data management layer, 4 Data migration defined, 239 DLM, 176 Data movers defined, 239 in server-less backup, 70 Data path width in parallel SCSI, 32 Data protection, 1-2 changes in, 14-15 defined, 239 importance of, 4-5 key points, 15-16 practices and techniques, 2–3 Data Protection Act of 1998, 203, 227 Data retention defined, 239 requirements, 8 Databases context of, 184 replicating, 118-119

Death of information in ILM, 195-196 Decision making in ILM automation, 205 Default ALLOW posture, 124-125 Default DENY posture, 124–125 Defense in depth, 125 authentication and access control, 127-128 defined. 239 host and application defense, 127 perimeter defense, 125-126 Delays in remote copy, 107, 109-111 Denial of service (DoS) attacks, 130 defined, 239 in IP-based SANs, 145-146 from security breaches, 156 Dense Wave Division Multiplexing (DWDM), 115 Designing Storage Networks, 226 Destruction policies in DLM, 174 Detail in policies, 170 Detecting intruders, 147 Determinable values, 185 Deterministic fabrics, 50 Device layer in storage model, 3–4 Device names in policies, 171 Devices in SCSI, 31, 148-149 Differential SCSI, 33 Direct Access Storage Devices (DASD), 18, 239 Direct Attach Storage (DAS), 18, 29 ATA, 35–37 backups external, 61-62 internal, 60 defined, 239 SCSI, 29–35 security for, 135–136 Directive 2002/58/EC, 203 Directors defined, 239 in FC topology, 46 Disasters data loss from, 9–10 restoring data in, 76-77

Discovery services in IP-based SANs,

145-146 Disk-based backups, 14 Disk drives, 20 arrays, 20-21 crashes, 11 defined, 241 in RAID. 26-29 Disk system remote copy, 102-104 Disk-to-disk backups defined, 239 process, 81-84 Disk-to-disk-to-tape backups defined, 239 process, 84-85 Distances in remote copy latency, 110-111 Diversity of defense characteristics, 128-129 defined, 239 DLM (Data Lifecycle Management), 2–3, 172 - 173automation, 175–176 defined, 238 multi-tier storage architectures in, 176 - 178policies in, 174-175 DNS (Domain Naming Service), 239 Document management vs. ILM, 181-182 Document type definitions (DTDs), 211-219, 239 Dongles, 128 DoS (denial of service) attacks, 130 defined, 239 in IP-based SANs, 145-146 from security breaches, 156 Double homed hosts, 159 Drive controllers for arrays, 20-21 DTDs (document type definitions), 211-219, 239 Duplication in information protection costs, 204 DVD-ROM/RW storage, 239 DWDM (Dense Wave Division Multiplexing), 115

Ε

E-mail anatomy of, 186-187 replication of, 118-119 E-Privacy Directive, 203 Electromagnetic interference (EMI), 115 Enclosure services, 148–149 Encryption, 129–130 defined, 240 effectiveness of, 156, 162 in FC, 139 in SANs, 151–153 End-user practices and policies, 172 Enterprises, 240 Error correction methods in parallel SCSI, 32 Error reporting for backups, 75 Errors in programming exploiting, 130–131 SCSI, 149-150 Essential Guide to Telecommunications, 2.2.5 European Union laws, 227 Event-driven replication, 118 Exception handling, 131 Expected state in information, 188 Explicit context, 184 Extended copies, 240 Extended Copy protocol, 70 Extending SANs, 51–52 Extensible Markup Language (XML) defined, 247 for policies, 168, 170-171 schema, 183, 211-219 External DAS backups, 61–62 External vectors in storage system security, 153-155 Externally readable structures, 184

F

Fabrics deterministic, 50 switched, 45-46 virtual, 159-161

245

Failover defined, 240 in remote copy, 100-101 False positive events, 126 FC. See Fibre Channel (FC) FC Ping, 142 FC-SP (Fibre Channel Security Protocol), 163 FCAP (Fibre Channel Authentication Protocol), 163 FCIP (Fibre Channel over IP), 141 FCP (Fibre Channel SCSI), 29, 32 Federal Emergency Management Agency, 227 Fibre Channel (FC), 44 addressing in, 46-47 arbitrated loops, 46, 140 defined, 240 FC-SP and FCAP protocols, 163 hard zoning in, 159–160 network stack, 44-45 SAN components in, 47-48 vs. SAN, 41 topology, 45–46 vulnerabilities, 136 authentication, 137-138 encryption, 139 FC analyzers, 143 FC arbitrated loop and LIPs, 140 file system bypassing, 142–143 gateway devices, 140–141 isolation, 139-140 management interfaces in, 141-142 trust issues, 143-144 Fibre Channel Arbitrated Loop, 46, 140 Fibre Channel Authentication Protocol (FCAP), 163 Fibre Channel Industry Association, 226 Fibre Channel over IP (FCIP), 141 Fibre Channel SCSI (FCP), 29, 32 Fibre Channel Security Protocol (FC-SP), 163 File heads defined, 240

in NAS, 38-39 File I/O, 26, 240 File replication, 119 File systems, 25–26 bypassing in FC, 142-143 defined, 240 in location paths, 191 Filers. 240 Financial losses, 4 Fines. 8 Firewalls defined, 240 diversity of, 129 with iSCSI, 146–147 operation of, 125-126 Flexibility, ILM for, 182 Full backups, 87–88, 240 Full-bandwidth connections, 45

G

Gateway devices, 140–141 Gigabit Ethernets, 240 Gigabits, 240 Gigabytes, 241 Glossary, 237–248 GnuPG program, 190 Government Accountability Office, 227 Government documents and resources, 227–228

H

HA (high availability), 241 Hard disk drives, 20 arrays, 20–21 crashes, 11 defined, 241 in RAID, 26–29 Hard zoning in FC, 48, 138, 159–160 Hardware-assisted RAID, 28–29 Hardware layer in storage model, 3–4 Hashes defined, 241 purpose of, 190 HBAs (host bus adapters)

defined. 241 in FC, 47 in SCSI. 30 Head assemblies, 22 Heads, 22, 78-79 Health Insurance Portability and Accountability Act (HIPAA), 202 Heat, data corruption from, 79 Hierarchical addressing in SCSI, 31 Hierarchical policies, 167-168 Hierarchical Storage Management (HSM), 177 - 178Hierarchical structures in XML, 211 High availability (HA), 241 High Voltage Differential (HVD) SCSI, 33 HIPAA (Health Insurance Portability and Accountability Act), 202 History in context, 188-189 Home systems, backing up, 92 Host-based authentication, 128, 151 Host bus adapters (HBAs), 30 defined, 241 in FC, 47 in SCSI, 30 Hostnames in location paths, 191 Hosts defined. 241 double homed, 159 in FC, 137-138 for remote copy, 101-102, 116 in SAN, 43 security for, 127, 160 spoofed, 145 HSM (Hierarchical Storage Management), 177 - 178HTML files, web server farms for, 40 Human compliance for policies, 172 HVD (High Voltage Differential) SCSI, 33 Hybrid NAS-SAN devices, 40-41

I

I/O (Input/Output) access time, 23 basics, 21–22

data access. 22 defined, 241 I/O stack, 24–26 block I/O, 26 file I/O, 26 raid, 26-29 IDE/ATA storage protocols, 18, 241 IDSs (Intrusion Detection Systems), 126, 242 iFCP (Internet Fibre Channel Protocol), 141 ILM. See Information life cycle management (ILM) ILM Summit, 226 Image copies, 89, 241 Images, ILM for, 183 Implicit context, 184 INCITS (International Committee on Information Technology Standards), 35 Incremental backups, 87-88, 241 Inference engines, 189-190 Information defined. 241 location paths of, 190–192 models, 3-4 transformations, 189 Information assurance, 180, 182, 241 Information life cycle management (ILM), 3, 179-180 automating, 205-206 auditing and tracking in, 207 content addressed storage in, 207-208 information movers in, 208 policy engines for, 206 search and classification engines for, 207 benefits of, 182 case study, 208-209 context in. See Context defined, 241 general model for, 193–195 information perimeter, 192-193, 242 information protection costs, 204-205 information value in, 181–182

information value in continued changes, 199–201 matching, 198-199 key points, 209–210 life and death of information in, 195-196 misconceptions, 181–182 paths in, 190–192, 242 policies in, 203-204 purpose of, 180–181 regulatory concerns, 201-203 schema, 196–198 unstructured and structured information in, 182–183 Information Lifecycle Management Initiative, 195 Information management layer, 4 Information movers, 208, 242 Information value in ILM, 181–182 Initiators in SCSI, 30–31 Inside intruders, 10 Integrity of backups, 12 of data, 2 Intelligent storage switches, 104 Internal DAS backups, 60 Internal vectors in storage system security, 153-155 International Committee on Information Technology Standards (INCITS), 35 Internet Fibre Channel Protocol (iFCP), 141 Interrupted backups, 65 Intruders, 10 Intrusion Detection Systems (IDSs), 126, 242 Intrusion Response Systems (IRSs), 126 IP connection management in, 161-162 FC over, 140-141 **IP-based SANS** extending, 52 vulnerabilities, 144-148 working with, 49–50

IP SANs: An Introduction to iSCSI, iFCP, and FCIP Protocols for Storage Area Networks, 226 IPSEC, 242 IRSs (Intrusion Response Systems), 126 iSCSI, 50 authentication in, 144 defined, 242 firewalls with, 146–147 Isolation in FC, 139–140 IT (information technology), 242

Jukeboxes, 21, 242

K

I

Keys, encryption, 129-130, 152-153

L

LAN-based backups, 62–65 LAN-free backups, 66–69 Lasers, 22 Latency in access time, 23 defined. 242 in remote copy, 107, 109-111 Laws. See Regulatory concerns Lawsuits, 8–9 LDAP (Lightweight Directory Access Protocol), 242 Least privilege concept, 124–125, 242 LEDs (light-emitting diodes), 115 Levels of protection in DLM, 174 Libraries, 21, 81 Library of Congress, 227 Life of information in ILM, 195–196 Light-emitting diodes (LEDs), 115 LIPs (Loop Initialization Primitives) defined, 242 problems from, 140 Load balancing defined, 243 in failover, 100-101

Petrocelli_index.fm Page 249 Thursday, August 18, 2005 4:20 AM

INDEX

Local network connections for remote copy, 116 Location paths of information, 190–192 Locking in SCSI, 149, 162 Logical device names in policies, 171 Logical Unit Numbers (LUNs), 31 defined, 243 locking, 162, 243 masking, 34-35, 162, 243 Loop Initialization Primitives (LIPs) defined, 242 problems from, 140 Loops, FC arbitrated, 46, 140 Loss of data. 5–6 accidental, 11 from disasters, 9-10 effect of, 6–9 from security breaches, 10-11 from system failure, 11–12 Low Voltage Differential (LVD) SCSI, 33 LUNs (Logical Unit Numbers), 31 defined, 243 locking, 162, 243 masking, 34-35, 162, 243 LVD (Low Voltage Differential) SCSI, 33

Μ

Magneto-optical disks, 20, 243 Malformed SCSI commands, 145 Man-in-the-middle attacks, 131 Management in FC vulnerabilities, 141–142 networks for, 158-159 Management Information Systems (MIS), 243 Management layer in storage model, 4 Management software for SANs, 160–161 Manmade disasters, 10 MANs (Metropolitan Area Networks) defined, 243 remote copy in, 110 SANs over, 51–52 Manual encryption in SAN, 152-153 Master devices in parallel ATA, 35

Matching values in ILM, 198-199 MD-5 hashes, 190 Media. 22 access time, 23 for backups, 60-61 defined, 243 in restore operations, 77–78 streaming, 23–24 Megabits, 243 Megabytes, 243 Metadata defined. 243 in ILM, 15 purpose of, 185 Metropolitan Area Networks (MANs) defined, 243 remote copy in, 110 SANs over, 51–52 MidAmerica Bank case study, 208-209 MIME type, 243 Mirroring defined, 243 in RAID, 27 remote, 100 MIS (Management Information Systems), 243 Monoculture with vendor lock-in, 157 Monthly backup sets, 88 Moved data in information lifecycle, 194 Moving in ILM automation, 205 MP3 (Moving Pictures Experts Group Layer-3) standard, 244 Multifactor authentication, 128 Multimode fiber optic cable, 44 Multiple TCP/IP connections, 147 multi-tier storage architectures, 176–178

Ν

Naming services in IP-based SANs, 145-146 NAS. See Network Attached Storage (NAS) NAS-enabled backups, 62-65 NAT (network address translation), 126

249

Natural disasters data loss from, 10 remote copy for, 99 NDMP (Network Data Management Protocol) defined, 244 for NAS backups, 71-72 support for, 75 Nested tags, 211 Network address translation (NAT), 126 Network Attached Storage (NAS) backing up devices, 70–72 defined, 244 file heads in, 38-39 hybrid NAS-SAN devices, 40-41 replication in, 119 security for, 151 storage architectures using, 39–40 Network Data Management Protocol (NDMP) defined, 244 for NAS backups, 71–72 support for, 75 Network File System (NFS), 39 Network latency, 109 Network Security: A Beginner's Guide, 225 Networks in location paths, 191 for management, 158-159 optical, 115 remote copy on, 104-106, 109 in restore operations, 79 risk from, 12–13 storage on, 14-15 NFS (Network File System), 39 defined, 244 in file replication, 119 security, 151 Noise in parallel SCSI, 32 Nondisruptive failover, 100 Nonvolatile storage, 19 NRAID level, 244

0

Object-oriented file systems (OOFD), 26 Obscurity, security through, 154 Off-site backups, 81, 91–92 Office of Public Sector Information, 227 On-disruptive failover, 244 One-way database replication, 119 OOFD (object-oriented file systems), 26 Operations, risk to, 7–8 Opportunity costs, 199 Optical media, 20, 22 Optical networking, 115 Organizations, 226–227 Outside intruders, 10 Overall delay in remote copy, 110

P

Packet filtering, 125 Parallel ATA, 35-36 Parallel SCSI, 29, 31–33 Passwords in authentication, 127-128 in encryption, 152 Path width in parallel SCSI, 32 Paths of information, 190–192 PdMain case study, 120 Peer to Peer Remote Copy (PPRC), 103-104 Performance of backups, 59 cost of. 204 of restoring data, 76 Perimeter defense, 125–126 Persistent storage, 19 PGP (Pretty Good Privacy), 152, 190 Photographs, ILM for, 183 Point-in-time backups, 82-83 Point-to-point FC topology, 45–46 Policies defined, 244 in ILM, 203–204 Policy-based data protection, 165-166 characteristics of, 167-168 DLM, 172–178 failures in, 171–172

guidelines for, 166-168

key points, 178 languages for, 168 sample policy, 168–171 Policy-driven management, 161 Policy engines defined, 244 in DLM. 176 in ILM, 206 Port blocking in FC, 48 in packet filtering, 125 Port-level access control, 161 Port zoning in FC, 138, 159 Postures access control, 151 security, 124-125 PPRC (Peer to Peer Remote Copy), 103-104 Pretty Good Privacy (PGP), 152, 190 Privacy, ILM for, 182 Private keys, 129 Processes, policies for, 167, 172 Productivity, data protection for, 5 Programming errors exploited, 130-131 in SCSI, 149-150 Propagation delay, 109 Provisioning in SANs, 43 Proxies, 126 Public Company Accounting Board, 201 Public keys, 130

Q

QoS (Quality of Service) defined, 244 in remote copy, 104

R

Radio frequency interference (RFI), 115 RAID (Redundant Array of Independent Disks), 26–28 controllers in, 28–29 defined, 244 vs. remote copy, 99–100

remote copy with, 116 Random errors in restore operations, 78 **RDBMs** (Relational Database Management Systems), 119 Read heads, 244 Records management vs. ILM, 181-182 Recovery, 245. See also Restoration and recovery Recovery Point Objective (RPO) in backups, 59-60 defined, 245 Recovery Time Objective (RTO) in backups, 59–60 defined, 245 Redundant Array of Independent Disks (RAID), 26–28 controllers in, 28-29 defined, 244 vs. remote copy, 99–100 remote copy with, 116 Regulatory concerns, 201 costs, 199 data protection for, 5 e-Privacy Directive, 203 Health Insurance Portability and Accountability Act, 202 and laws, 203 Sarbanes-Oxley Act, 201–202 **Relational Database Management Systems** (RDBMs), 119 Relationships, 136, 185, 194 Remote copy, 2, 14, 99-100 vs. backups, 97-99 case study, 120 defined, 245 design considerations for, 106-107 bandwidth, 107-109 bunkering, 113-115 costs, 116 latency, 107, 109-111 SANs, 107 synchronous and asynchronous, 111-113 failover in, 100-101

Remote copy continued key points, 121 vs. replication, 117 topologies in, 101 disk system, 102-104 host-based, 101-102 network-based, 104-106 Remote network connections, 116 Replacement value of information, 199 Replication, 117–118 vs. backups, 97–99 case study, 120 database and e-mail, 118-119 defined. 245 event-driven vs. timed, 118 file, 119 key points, 121 Resource efficiency, ILM for, 182 Resource material, 225-226 Restoration and recovery, 2, 56, 245. See also Backups application-level, 89-94 costs of, 6 defined, 245 in disaster recovery, 76-77 issues bad backups, 79-80 bad media, 77-78 data corruption, 78-79 network congestion, 79 selective, 88-89 software for, 73–75 storage systems for, 57-59 Retention policies, 174 RFI (radio frequency interference), 115 Risk, 5–6 from connectivity, 12–13, 156–157 storage security breach outcomes, 155-156 vendor lock-in, 157-158 Rotating backups, 86–87 **RPO** (Recovery Point Objective) in backups, 59-60 defined, 245

RTO (Recovery Time Objective) in backups, 59–60 defined, 245 Rules, policies for, 167 Rules-based context, 184–185

S

Sales, risk to, 6–7 SANs. See Storage Area Networks (SANs) Sarbanes-Oxley (SOX) Act, 201-202 SAS (Serial Attached SCSI) benefits of, 30 defined, 245 working with, 33–34 SATA (Serial ATA), 30 characteristics, 36-37 defined, 245 in DLM, 176 SAS support for, 33–34 Scaling in san, 43 Scanned documents, ILM for, 183 Schema defined, 245 ILM, 196-198 XML, 183, 211-219 Scope in information protection costs, 204 SCSI (Small Computer Systems Interface), 18, 29-30 addressing in, 31 controllers in, 149-150 defined, 245 in file system bypassing, 142-143 inline management of, 148-149 in IP-based SAN attacks, 145 iSCSI, 50 LUNs in, 31 locking, 162, 243 masking, 34-35, 162, 243 parallel, 29, 31-33 protocols, 34 SAS, 33–34 standards, 35 targets and initiators in, 30-31, 245

SCSI Enclosure Services (SES), 148-149

SCSI Trade Association, 226 Search engines for ILM automation, 207 vs. inference engines, 189-190 SearchStorage.Com site, 227 Secrets, theft of, 8–9 Securities and Exchange Commission, 203, 227 Security concepts, 124 defense in depth, 125-128 diversity of defense, 128-129 encryption, 129-130 key points, 132 least privilege, 124–125 typical attacks, 130–132 Security postures, 124-125, 245 Security through obscurity, 154 Selective backup and restore, 88-89 Serial ATA (SATA), 30 characteristics, 36-37 defined. 245 in DLM, 176 SAS support for, 33-34 Serial Attached SCSI (SAS) benefits of. 30 defined, 245 working with, 33–34 Server-less backups, 69-70 Server Message Block (SMB) protocol, 39 Server type programming errors, 149–150 Servers in LAN-based backups, 62–63 SES (SCSI Enclosure Services), 148-149 SHA-1 hashes, 190 Shadow copies, 74 Shadowing in RAID, 27 Shareholder lawsuits, 8 Simple Name Server (SNS), 146 Single-mode fiber optic cable, 44 Single-tape backups, 86 Slashes (/) in XML, 211 Slave devices in parallel ATA, 35 Small Computer Systems Interface. See SCSI (Small Computer Systems Interface)

Smart cards, 128 SMB (Server Message Block) protocol, 39 Snapshots vs. backups, 89 defined, 245 replication, 119 SNIA (Storage Networking Industry Association), 226 SNS (Simple Name Server), 146 SNUG (Storage Networking User Groups), 226 Soft zoning in FC, 48, 138 Software for backups and restore, 73-75 failures in, 11, 147-148 with vendor lock-in, 157-158 Solid-state storage defined, 246 uses. 20 SOX (Sarbanes-Oxley) Act, 201–202 Specificity in policies, 168 Speed of backups, 59 of restoring data, 76 Spoofing defined, 246 IP-based SAN hosts, 145 WWN, 138-139 SQL replication commands, 119 SRDF (Symmetrix Remote Data Facility), 103 Standard lifecycles, 195 State in context, 188 defined, 246 Stateful failover, 100, 246 Storage and storage technology, 17-18 access time, 23 arrays, libraries, and jukeboxes, 20-21 for backup and recovery, 57-59 DAS. See Direct Attach Storage (DAS) data access in, 22 history of, 18–21 I/O, 21-22

Storage and storage technology continued I/O stack, 24–29 vs. ILM, 181 key points, 52–53 model for, 3-4 NAS, 37-41 roles of, 19-20 SAN. See Storage Area Networks (SANs) security for. See Storage system security streaming tape, 23-24 Storage Area Networks (SANs), 19, 41-43 backups, 65-67, 92-94 components of, 43-44 defined. 246 FC. 44-49 hybrid NAS-SAN devices, 40-41 IP-based, 49-50, 52 iSCSI, 50 over MANs and WANs, 51-52 remote copy for, 107 risk multiplier of, 157 security in, 136 access control and encryption, 151-153 authentication, 137-138 FC vulnerabilities. 136-144 IP-based vulnerabilities, 144–148 NAS security, 151 SCSI vulnerabilities, 148-150 switch operating systems, 161 system management software for, 160-161 Storage Networking Industry Association (SNIA), 226 Storage Networking User Groups (SNUG), 226 Storage Networking World, 226 Storage switches defined, 246 intelligent, 104 Storage system security, 2, 134 case study, 164 checklist for, 162–163 DAS, 135–136 internal and external vectors in, 153-155

key points, 164-165 practices for, 158-163 risk in, 155–158 role of, 134-135 SAN security. See Storage Area Networks (SANs) secure FC channel protocols, 163 Streaming transfer defined, 246 tape, 23-24 Striping in RAID, 27 Structured data backup constraints, 90–91 classifying, 186 in ILM, 182–183 Sufficient action for data protection, 8 Switched fabric, 45-46, 246 Switches FC, 45-46, 138-139 intelligent, 104 SANs, 161 Symmetrical encryption, 129 Symmetrix Remote Data Facility (SRDF), 103 Synchronous processes, 246 Synchronous remote copy, 111–113 System failure, data loss from, 11–12 System management software for SANs, 160-161

Т

T10 and T11 committees, 227 Tags in XML, 211 Tape drives for backups, 80–81, 83–84 defined, 246 in restoring data, 77 streaming, 23–24 Tape heads in restore operations, 78–79 Tape libraries, 21 Targets in SCSI, 30–31 TCP/IP defined, 246 in IP-based SANs, 147

Technology in policies, 167, 172

Theft of information, 8–9 Third Party Copy, 70 Throughput in data restoration, 77 Timed replication, 118 Top-down policy approach, 167 Topologies FC, 45-46 in remote copy, 101 disk system, 102-104 host-based, 101-102 network-based, 104-106 Totally trusting relationships, 136 Tracking context state, 188-189 in ILM automation, 205, 207 Transend Services case study, 164 Transfer time, 23 defined. 246 in parallel SCSI, 32 Transformations, information, 189 Transformed data in information lifecycle, 194 Transmission delay, 109 Triggers in information lifecycle, 194 information value as, 199 Trojan horses, 131-132 TrueCopy system, 103 Trunking defined, 246 for remote copy, 101 Two-factor authentication, 128 Two-way database replication, 119

U

Ultra SCSI types, 30 UML (unified markup language) defined, 247 for policies, 168 Unattended backups, 61, 74 Understandability of policies, 168 Uniform Resource Locators (URLs), 192 Unintentional security breaches, 155 Universal Resource Identifiers (URIS), 192 Unstructured information backing up, 91 classifying, 187 in ILM, 182–183 URIS (Universal Resource Identifiers), 192 URLS (Uniform Resource Locators), 192 User-level authentication vs. host authentication, 128 in NFS, 151 in SAN security, 137–138 Usernames in authentication, 127–128 Using SANs and NAS, 225 Utilities as security threats, 135–136

V

Value managers, 24-25 Value matching in ILM, 198-199 Value-oriented resource assignment, 203-204 Vendor lock-in, 157-158 Vendor-specific policies, 167 Verifying backup integrity, 12 Versions in location paths, 191 Virtual fabrics, 159-161 Virtual Private Networks (VPNs) defined, 247 for off-site backups, 91 Virtual tape method benefits. 82 defined, 247 Viruses, 131–132 Volume managers, 24–25, 247 Volumes, 24-25, 247 VPNs (Virtual Private Networks) defined, 247 for off-site backups, 91

W

WANs (Wide Area Networks) defined, 247 for off-site backups, 91 SANs over, 51–52 Web server farms, 40

Web sites, 226 Weekly backup sets, 88 *What is Fibre Channel?*, 226 Wide SCSI types, 30 Wire speed in data restoration, 77 World Wide Names (WWNs) defined, 247 in FC, 46–47, 138–139 Write heads, 22, 247 Written policies, 167

Х

X-Copy, 70 XML (Extensible Markup Language) defined, 247 for policies, 168, 170–171 schema, 183, 211–219 XML in a Nutshell, 225

Z

Zoning defined, 247 in FC, 48, 137–140, 159–160 Petrocelli_index.fm Page 257 Thursday, August 18, 2005 4:20 AM

•

0

•

Petrocelli_index.fm Page 258 Thursday, August 18, 2005 4:20 AM

•

•

•

Petrocelli_index.fm Page 259 Thursday, August 18, 2005 4:20 AM

•

0

•

Petrocelli_index.fm Page 260 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 261 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 262 Thursday, August 18, 2005 4:20 AM

•

0

•

______ _____

Petrocelli_index.fm Page 263 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 264 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 265 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 266 Thursday, August 18, 2005 4:20 AM

•

•

•

______ _____

Petrocelli_index.fm Page 267 Thursday, August 18, 2005 4:20 AM

•

0

•

______ _____

Wouldn't it be great

if the world's leading technical publishers joined forces to deliver their best tech books in a common digital reference platform?

They have. Introducing InformIT Online Books powered by Safari.

Specific answers to specific questions.

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

Immediate results.

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

Cut, paste and annotate.

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

Customized for your enterprise.

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit **http://www.informit.com/onlinebooks** for details.





informit.com/onlinebooks



inform

www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, indepth features, interviews, and IT reference recommendations – all written by experts you know and trust.

Online Books

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.





Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.

