

Index

- access
 - collaboration, 42
 - expert users, 34–36
- activities
 - chartering, 117
 - building teams, 117–119
 - Exploratory 360°, 120
 - planning initial projects, 121–122
 - shaping methodologies, 121
 - cycles, 113
 - non-bottleneck, 226
- actor-goal lists, 167–168
- adaptation of methodologies, 238
- add-on practices, 303
- administration
 - add-on practices, 303
 - agile development, 264–265
 - auditor's report
 - conclusions, 297–298
 - findings, 293–296
 - recommendations, 297–298
 - scope, 293
 - camera calibration, 278
 - CMM(I), 252–254
 - code, 233
 - collaboration, 42
 - configuration, 8, 11, 37–40
 - conventions, 148–149
 - coordinators, 153
 - iteration, 163–164
 - project maps, 154
 - project status, 159–161
 - release plans, 155–158
 - risk lists, 162
 - viewing schedules, 166
 - cycles, 112–117
 - chartering, 117–122
 - daily and weekly, 131
 - delivery, 123–125
 - development episodes, 132
 - integration, 130
 - iteration, 126–128
 - process overview, 133
 - distributed teams, 260–261
 - executive sponsors, 118
 - field reports
 - analysis, 285–286
 - calibration, 281–282
 - chronology, 270–274
 - comments, 289–292
 - completion, 283
 - compliance, 284–285
 - consolidation, 282–283
 - CP entry and edit, 280–281
 - evaluation, 287–289
 - executive summary, 269–270
 - first planning meeting, 274–276
 - reflection workshops, 278–279
 - viewing meeting, 277
 - walking skeleton, 276–277
 - fixed-scope, 263
 - fixed-time, 263
 - grounding, 223–231
 - interviews, 60–62, 266
 - large teams, 262
 - management, 228
 - marking, 72
 - methodologies
 - chapter formats, 241
 - descriptions, 235–239
 - focus of, 243–244
 - misinterpretations, 205
 - code ownership, 216
 - communication, 208, 212
 - delivery, 213
 - demo deliveries, 210
 - infrastructure, 209
 - iterations, 206–207, 218–219
 - milestones, 214
 - mission statements, 215
 - regression testing, 217
 - user availability, 211
- mission statements, 12, 146–147
- multiple deliveries, 113
- planning, 47, 73
- projects, 228. *See also* projects
- properties, 17–18
 - Automated Testing, 37–40
 - Easy Access To Expert Users, 34–36
 - Focus, 32–33
 - Frequent Delivery, 19–20
 - Osmotic Communication, 24–28
 - Personal Safety, 29–31
 - Reflective Improvement, 22–23
- reflection workshop results, 151
- rules, 2–5, 7–16, 233
- RUP, 248–251
- safety, 258
- samples, 144
- Scrum, 246–248
- starting, 266
- strategies
 - Blitz Planning, 68–74
 - burn charts, 94–100, 102–107
 - daily stand-up meetings, 78
 - Delphi Estimation, 76–77
 - Early Victory, 48
 - essential interaction design, 79–81, 83–90
 - Exploratory 360°, 46–47
 - Incremental Rearchitecture, 51–53
 - Information Radiators, 54–57
 - Methodology Shaping, 60–63
 - Process Miniatures, 91
 - reflection workshops, 65–67
 - side-by-side programming, 92–93
 - Walking Skeleton, 50
- summary sheets, 240
- UML, 256–257
- XP, 244–245
- agile development
 - essential interaction design strategy, 79–81, 83–90
 - rating, 264–265
- Agile Development Manifesto, 10
- allocation of teams to roles, 148–149
- amicability, 42
- analysis
 - activities, 113
 - agile development, 264–265
 - Blitz Planning strategy, 68–74
 - coarse grained, 153
 - design, 295
 - development, 295
 - field reports, 285–289
 - fine-grained, 153
 - first planning meeting, 274–276
 - incremental releases, 86
 - initial projects, 121–122
 - iteration, 163–164
 - iterations
 - one-week, 126–127
 - two-month, 128
 - products, 293–294
 - projects, 47, 73
 - release plans, 123, 155–158
- annotating user roles, 81
- architecture
 - IE, 9
 - Incremental Rearchitecture, 51–53
 - RUP, 248
 - system, 183
 - Walking Skeleton strategy, 49
 - UML, 256–257
- assignment of roles, 149. *See also* roles
- auditor's report
 - conclusions, 297–298
 - findings, 293–296
 - recommendations, 297–298
 - scope, 293
- automated testing, 8, 15, 37–40
 - regression testing, 6
 - results, 20
- availability, 14, 211
- backlogs, dynamic, 246
- behavior, stages of, 9
- billing, block time, 172
- Blitz Planning strategy, 13, 68–74
- block time billing, 172
- brainstorming, 70
- bug reports, testers, 199
- building teams, 117–119
- burn charts, 94–100, 102–107
- burn-down charts, 160
- business experts, 138, 167–168
 - project maps, 154
 - requirements files, 169–172
 - user cases, 174–175
- business-value sampling, 46
- calibration, 281–282
- CamCal, 293
- camera calibration
 - mission statement, 146–147
 - project, 278
- capturing
 - output, 74
 - tasks, 84
 - user roles, 81
- certification, 244
- chapter formats, methodologies, 241
- chartering, 117
 - Exploratory 360° strategy, 46, 120
 - initial project planning, 121–122
 - methodology shaping, 121
 - RUP, 248
 - team building, 117–119
- charts
 - burns, 94–100, 102–107
 - project status, 160
- check-in meetings, 126
- chronology (field reports), 270–271
- calibration, 281–282
- completion, 283
- consolidation, 282–283
- CP entry and edit, 280–281
- Exploration phases, 273–274
- first planning meetings, 274, 276
- reflection workshops, 278–279
- viewing meetings, 277
- walking skeletons, 276–277
- CMM(I) certification, 244, 252–254
- coarse grained planning, 153
- code, 233
- changes, 172

- code (*cont.*)
 - evolubility, 243
 - feedback, 209
 - framework estimation, 77
 - frequent delivery, 19–20
 - ownership, 216
 - personal safety property, 212
 - refactoring, 39
 - rules, 233
 - source, 191
 - testing, 13, 196–198
 - cohesion, building, 30
 - collaboration, 31, 42
 - comments
 - field report, 289–292
 - project status, 159–161
 - common domain models, 188–189
 - communication
 - close, 24
 - customer, 295
 - daily stand-up meetings, 78
 - distributed teams, 260–261
 - efficiency of, 225
 - elements, 224
 - feedback, 225. *See also* feedback
 - Information Radiators strategy, 54–57
 - large teams, 262
 - misinterpretations, 208, 212
 - osmotic, 2, 8, 16, 24–28
 - paths, 12, 16
 - problem solving techniques, 4
 - reflective improvement, 7
 - Scrum, 246–248
 - side-by-side programming, 92–93
 - completion, 283
 - delivery cycle, 124–125
 - iteration cycle, 127
 - compliance, 11
 - field report, 284–285
 - ISO 9001, 295
 - components
 - system architecture, 183
 - UML, 256–257
 - conclusions, auditor's report, 297–298
 - concurrent development, 112, 226, 228
 - cone of silence, 28
 - configuration
 - automated testing, 37–40
 - control of changes, 297
 - essential interaction design strategy, 79–81, 83–90
 - inputs, 295
 - management, 8, 11
 - notes, 192–195
 - outputs, 296
 - planning, 295
 - reviews, 3, 6, 296
 - rules, 3. *See also* rules
 - testing, 5
 - trust, 212
 - validation, 297
 - verification, 296
 - consolidation, 282–283
 - continuous integration-with-test, 37
 - contracts, services, 171–172
 - control of changes
 - design, 297
 - development, 297
 - conventions
 - habitability, 303
 - shaping, 121
 - teams, 148–149, 238
 - coordinators, 138, 153
 - iteration, 163–164
 - project maps, 154
 - project status, 159–161
 - release plans, 155–158
 - risk lists, 162
 - viewing schedules, 166
- costs
- of decisions, 228
 - of development, 226–228
- CPs (correspondence pairs), 280–281
- critical aspects of development, 228
- criticality, 233
- current assignments, 16
- customer communication, 295. *See also* communication
- cycles
 - daily, 131
 - delivery, 113
 - development, 113
 - iteration, 113, 218–219
 - life cycles, 284–285
 - multiple projects, 112
 - projects, 112–117
 - chartering, 117–122
 - daily and weekly, 131
 - delivery, 123–125
 - development episodes, 132
 - integration, 130
 - iteration, 126–128
 - process overview, 133
- daily cycles, 131
- daily stand-up meetings, 78, 247
- decisions, economic consequences of, 228
- defects, 233
- delivery, 16, 123
 - completion rituals, 124–125
 - cycles, 113
 - demo misinterpretations, 210
 - frequent, 8, 19–20, 247
 - increments, 12
 - iterations, 13
 - misinterpretations, 213
 - multiple, 113
 - packages, 191
 - plans, 4
 - postdelivery reflection workshops, 128
 - real user deployment, 124
 - release plan recalibration, 123
 - safety, 303
 - workflow dependency graphs, 111
- Delphi Estimation strategy, 76–77
- demos, 4, 210
- dependency graphs, 111
- deployment, 124. *See also* delivery
- description of elements, 235–239
- design, 13
 - automated testing, 37–40
 - control of changes, 297
- essential interaction design strategy, 79–81, 83–90
- inputs, 295
 - management, 8, 11
 - notes, 192–195
 - outputs, 296
 - planning, 295
 - reviews, 3, 6, 296
 - rules, 3. *See also* rules
 - testing, 5
 - trust, 212
 - validation, 297
 - verification, 296
- designer-programmers, 138, 142, 178–179
- common domain models, 188–189
- delivery packages, 191
- design notes, 192–195
- screen drafts, 181–182
- source code, 191
- tests, 196–198
- detaching, 9
- determination of requirements, 294
- developers, Blitz Planning strategy, 68–74
- development
 - agile, 264–265
 - code, 233
 - concurrent, 112
 - control of changes, 297
 - cycles, 113. *See also* cycles
 - efficiency, 303
 - episodes, 132
 - essential interaction design strategy, 79–81, 83–90
 - inputs, 295
- outputs, 296
 - planning, 295
 - properties, 22. *See also* properties
 - reflective improvement, 22–23
 - reviews, 296
 - rules, 233
 - RUP, 248
 - simultaneous, 112
 - speed of, 226–228
 - validation, 297
 - verification, 296
- diagrams
 - actor-goal lists, 167–168
 - common domain models, 188–189
 - design notes, 192–195
 - project maps, 154
- diminishing returns, 225
- discipline, 225
- distributed teams, 260–261
- documentation, 2, 225
- designer programmers, 178–179
 - common domain models, 188–189
 - delivery packages, 191
 - design notes, 192–195
 - screen drafts, 181–182
 - source code, 191
 - tests, 196–198
 - videos, 13
- domains
 - common models, 188–189
 - models, 46
- drafts, screen, 181–182
- drawings, common domain models, 188–189
- duration of projects, Process Miniature strategy, 91
- dynamic backlogs, 246
- Early Victory strategy, 20, 48
- Easiest Thing First, Hardest Second strategy, 48
- easy access to expert users, 8
- economic consequences of decisions, 228
- editing, 5, 280–281
- efficiency, 232, 243
 - development, 303
 - methodologies, 233
 - non-bottleneck activities, 226
 - of communication, 225
- element-by-element descriptions, methodologies, 235–239
- elements
 - communication, 224
 - validation, 224
- empirical evidence, grounding, 223–231
- end-to-end functions, Walking Skeleton strategy, 49
- entries, CPs, 280–281
- episodes, development, 132
- errors
 - bug reports, 199
 - continuous integration-with-test, 37
- essential interaction design, 79–81, 83–90
- estimation
 - Delphi Estimation strategy, 76–77
 - tasks, 70
- evaluation
 - agile development, 264–265
 - field reports, 285–289
- exchanges, information, 225
- executive sponsors, 68–74, 118, 140. *See also* management
- executive summaries, 269–270
- Expert in Earshot strategy, 28
- expert users, 119, 138–140, 167–168. *See also* users
 - access, 8, 34–36
 - availability, 211
 - Blitz Planning strategy, 68–74
 - collaboration, 42
 - feedback, 209
 - user role models, 176–177
- expertise rankings, 76–77

310 *Index*

- Exploration phase, 273–274
- Exploratory 360° strategy, 46–47, 120
- Extreme Programming (XP), 3, 235–245
- face-to-face communication, 225
- feedback, 209. *See also* communication increasing, 225
- osmotic communication, 24–28
- field reports
 - analysis, 285–286
 - chronology, 270–271
 - calibration, 281–282
 - completion, 283
 - consolidation, 282–283
 - CP entry and edit, 280–281
 - Exploration phase, 273–274
 - first planning meeting, 274–276
 - reflection workshops, 278–279
 - viewing meeting, 277
 - walking skeleton, 276–277
- comments, 289–292
- compliance, 284–285
- evaluation, 287–289
- executive summary, 269–270
- files, requirements, 169–172
- findings, auditor's reports, 293–296
- fine-grained planning, 153
- first planning meetings, 274–276
- fixed-time projects, 263
- fixed-length iterations, 20
- fixed-scope projects, 263
- flexibility of development, 226–228
- fluency, 10
- focal roles, 83
- focal tasks, 85
- focus user groups, 79
- focus, 8, 32–33
 - CMM(I), 252–254
 - of methodologies, 243–244
 - Scrum, 246–248
- following, 9
- formality, 225
- formatting. *See also* configuration methodologies, 241
- project status, 159–161
- frameworks, estimation of, 77
- frequency
 - deliveries, 8, 19–20
 - integration, 20, 37–40
 - personal collaboration, 16
 - Scrum, 247
- fuzzy descriptions of elements, 235
- goals, actor-goal lists, 167–168
- Gold Rush strategy, 112
- graphs, dependency, 111
- grounding, 223–231
- habitability, 232, 243, 303
- help text (writers), 201
- Highest Business Value First strategy, 48
- iceberg lists, 155
- identifying releases, 73
- IE (Information Engineering), 9
- implementation of Walking Skeleton strategies, 49
- imprecise descriptions of elements, 235
- improvement, reflective, 22–23
- inception of RUP, 248
- increasing feedback, 225
- Incremental Rearchitecture strategy, 51–53
- incremental release plans, 86
- increments
 - delivery, 12
 - length of time, 14
 - walking skeleton, 276–277
- information
 - exchanging, 225
 - radiators, 164
- Information Engineering (IE), 9
- Information Radiators strategy, 54–57
- infrastructure
 - Incremental Rearchitecture, 51–53
 - misinterpretations, 209
- initial projects, planning, 121–122
- inputs, design/development, 295
- inspections, usability, 89
- integration, 8
 - automated testing, 37–40
 - continuous integration-with-test, 37
 - cycles, 130
 - frequent, 20
 - periods, 113
 - workflow dependency graphs, 111
- intentions, violation of, 211
- interaction
 - essential interaction design strategy, 79–81, 83–90
 - screen drafts, 181–182
- interactive communication, 225
- interfaces
 - regression testing, 217
 - system architecture, 183
- intermediate deliverables, reducing need for, 225
- interviews, 266
 - projects, 60–62
 - users, 4
- ISO 9001 compliance, 295
- ISO-9000 certification, 244
- items, unclassified, 237
- iteration, 163–164
 - cycles, 113, 126
 - one-week, 126–127
 - two-month, 128
 - delivery, 13, 113
 - fixed-length, 20
 - misinterpretations, 206–207
 - optimal length, 218–219
 - start-up/shut-down, 218
- jam sessions, 75
- Keep/Try reflection workshops, 65–67
- key properties, 8
- large teams, 224, 262
- lead designers, 118–119, 138–141, 154, 183
- length of iterations, 218–219
- life cycles, compliance, 284–285
- lists
 - actor-goal, 167–168
 - iceberg, 155
 - risk, 162
- loss of comfort (C), 233
- loss of discretionary moneys (D), 233
- loss of essential moneys (E), 233
- loss of life (L), 233
- management. *See also* administration
 - agile development, 264–265
 - configuration, 8, 11, 37–40
 - executive sponsors, 118
 - projects, 228
- Management System Audit Plan, 293
- manuals, training/user, 201
- mapping
 - Blitz Planning strategy, 68–74
 - burn charts, 94–100, 102–107
 - navigation maps, 86
 - Project Maps, 77
 - projects, 154
- marking Walking Skeleton strategies, 72
- maximum progress, 150
- meetings
 - daily stand-up, 78
 - first planning, 274–276
 - iteration cycles, 126
 - safety, 258
 - viewing, 277
- methodologies, 16
 - element-by-element descriptions, 235–239
 - chapter formats, 241
 - efficiency, 233
 - focus, 243–244
 - grounding, 223–231
 - RUP, 248–251
 - safety, 258
 - Scrum, 78
 - shaping, 121
 - summary sheets, 240
 - UML, 256–257
 - unclassified items, 237
- Methodology Shaping strategy, 60–63
- milestones, misinterpretations of, 214
- Mimeo radio devices, 2
- minimum distractions, 150
- minute-to-minute processes, 4
- misinterpretations, 205
 - code ownership, 216
 - communication, 208, 212
 - delivery, 213
 - demo deliveries, 210
 - infrastructure, 209
 - iterations, 206–207, 218–219
 - milestones, 214
 - mission statements, 215
 - regression testing, 217
 - user availability, 211
- mission statements, 12, 146–147, 215, 278
- models
 - common domain, 188–189
 - CP entry and edit, 280–281
 - domains, 46
 - roles, 83, 176–177
 - tasks, 84
- modification
 - automated testing, 37–40
 - code, 172
 - control of changes, 297
 - essential interaction design strategy, 79–81, 83–90
 - inputs, 295
 - management, 8, 11
 - notes, 192–195
 - outputs, 296
 - planning, 295
 - reviews, 3, 6, 296
 - rules, 3. *See also* rules testing, 5
 - trust, 212
 - validation, 297
 - verification, 296
- monotony, 219
- multiple deliveries, 113
- multiple meeting locations, 14
- multiple project cycles, 112
- navigation maps, 86
- nested-cycle view, 133
- non-bottleneck activities, 226
- No-Process process, 247
- notes, design, 192–195
- one-week iterations, 126–127
- optimal length of iterations, 218–219
- optimization
 - automated testing, 37–40
 - code, 172
 - control of changes, 297
 - essential interaction design strategy, 79–81, 83–90
 - inputs, 295
 - management, 8, 11
 - notes, 192–195
 - outputs, 296
 - planning, 295
 - project plan priorities, 73
 - reviews, 3, 6, 296
 - rules, 3. *See also* rules testing, 5
 - trust, 212
 - validation, 297
 - verification, 296
- organizational boundaries, collaboration across, 42

- osmotic communication, 1, 8, 24–28, 224.
 - See also* communication
 - distributed teams, 260–261
 - large teams, 262
- output
 - capturing, 74
 - design/development, 296
 - oversteering, 118
- ownership
 - code, 216
 - models, 12
- packages, delivery, 191
- paths, communication, 12, 16
- patterns, 238
- PC-attached whiteboards, 2
- performance
 - automated testing, 37–40
 - code, 172
 - control of changes, 297
 - essential interaction design strategy, 79–81, 83–90
 - inputs, 295
 - management, 8, 11
 - notes, 192–195
 - outputs, 296
 - planning, 295
 - project plan priorities, 73
 - reviews, 3, 6, 296
 - rules, 3. *See also* rules
 - RUP, 248
 - testing, 5
 - trust, 212
 - validation, 297
 - verification, 296
- periods, integration, 113
- personal collaboration, 16. *See also* collaboration
- personal safety, 8, 29–31, 42, 212, 258
- personalities, 16, 79
 - adverse affect on methodologies, 236
 - testing, 90
- phases, Exploration, 273–274
- planning, 13
 - activities, 113
 - agile development, 264–265
 - Blitz Planning strategy, 68–74
 - coarse grained, 153
 - design, 295
 - development, 295
 - field reports, 285–289
 - fine-grained, 153
 - first planning meeting, 274–
 - incremental releases, 86
 - initial projects, 121–122
 - iteration, 163–164
 - iterations
 - one-week, 126–127
 - two-month, 128
 - products, 293–294
 - projects, 47, 73
 - release plans, 123, 155–158
- postdelivery reflection workshops, 128
- predictability, 244
- printing whiteboards, 2
- priorities
 - analysis, 285–286
 - methodologies, 243–244
 - optimizing, 73
 - of projects, 232
 - safety, 303
- problem solving techniques, 4
- Process Miniatures, 47, 66
- Process Miniatures strategy, 91
- processes, 225
 - CMM(I), 253
 - cycles, 115, 133. *See also* cycles
 - No-Process, 247
 - RUP, 248–251
- productivity, 243
- products
 - planning, 293–294
- project samples, 144
- roles, 138, 140–144
 - business experts/expert users, 167–177
 - coordinators, 153–156, 158–166
 - designer programmers, 178–189, 191–199
 - lead designers, 183
 - reflection workshop results, 151
 - sponsors, 146–147
 - team structure, 148–149
 - writers, 201
- programming, side-by-side, 92–93. *See also* code; design
- progress, burn charts, 94–100, 102–107
- Project Maps, 77
- projects
 - add-on practices, 303
 - agile development, 264–265
 - auditor's report
 - conclusions, 297–298
 - findings, 293–296
 - recommendations, 297–298
 - scope, 293
 - camera calibration, 278
 - CMM(I), 252–254
 - code, 233
 - collaboration, 42
 - conventions, 148–149
 - coordinators, 153
 - iteration, 163–164
 - project maps, 154
 - project status, 159–161
 - release plans, 155–158
 - risk lists, 162
 - viewing schedules, 166
 - cycles, 112–117
 - chartering, 117–122
 - daily and weekly, 131
 - delivery, 123–125
 - development episodes, 132
 - integration, 130
 - iteration, 126–128
 - process overview, 133
 - distributed teams, 260–261
 - field reports
 - analysis, 285–286
 - calibration, 281–282
 - chronology, 270–274
 - comments, 289–292
 - completion, 283
 - compliance, 284–285
 - consolidation, 282–283
 - CP entry and edit, 280–281
 - evaluation, 287–289
 - executive summary, 269–270
 - first planning meeting, 274–276
 - reflection workshops, 278–279
 - viewing meeting, 277
 - walking skeleton, 276–277
 - fixed-scope, 263
 - fixed-time, 263
 - grounding, 223–231
 - interviews, 60–62, 266
 - large teams, 262
 - management, 228
 - marking, 72
 - methodologies
 - chapter formats, 241
 - descriptions, 235–239
 - focus of, 243–244
 - misinterpretations, 205
 - code ownership, 216
 - communication, 208, 212
 - delivery, 213
 - demo deliveries, 210
 - infrastructure, 209
 - iterations, 206–207, 218–219
 - milestones, 214
 - mission statements, 215
 - regression testing, 217
 - user availability, 211
- mission statements, 12, 146–147
- multiple deliveries, 113
- planning, 47, 73
- properties, 17–18
 - automated testing, 37–40
 - expert user access, 34–36
 - focus, 32–33
 - frequent delivery, 19–20
 - osmotic communication, 24–28
 - personal safety, 29–31
 - reflective improvement, 22–23
 - reflection workshop results, 151
 - rules, 2–5, 7–16, 233
 - RUP, 248–251
 - safety, 258
 - samples, 144
 - Scrum, 246–248
 - starting, 266
 - strategies
 - Blitz Planning, 68–74
 - burn charts, 94–100, 102–107
 - daily stand-up meetings, 78
 - Delphi Estimation, 76–77
 - Early Victory, 48
 - essential interaction design, 79–81, 83–90
 - Exploratory 360°, 46–47
 - Incremental Rearchitecture, 51–53
 - Information Radiators, 54–57
 - Methodology Shaping, 60–63
 - Process Miniatures, 91
 - reflection workshops, 65–67
 - side-by-side programming, 92–93
 - Walking Skeleton, 50
 - summary sheets, 240
 - UML, 256–257
 - XP, 244–245
- properties, 17–18, 239
 - automated testing, 37–40
 - compliance, 284–285
 - expert user access, 34–36
 - focus, 32–33
 - frequent delivery, 19–20
 - key, 8
 - osmotic communication, 24–28
 - personal safety, 29–31
 - reflective improvement, 22–23
 - Scrum, 246, 248
- proposals, field summaries, 271
- prototypes, field summaries, 271
- QA (quality assurance), testing personalities, 90
- RAD (Rapid Application Development), 293
- rapid feedback, 209
- rating agile development, 264–265
- Rational Unified Process, 244
- real users
 - availability, 211
 - delivery to, 124
 - feedback, 209
- recalibration of release plans, 123
- recommendations, auditor's report, 297–298
- refactoring code, 39
- reflection workshops, 47, 247, 266, 278–279
 - results, 151
 - strategies, 65–67
- reflective improvement, 7–8, 22–23
- regression testing, 6, 15, 217
- releases
 - identifying, 73
 - incremental plans, 86
 - plans, 123, 155–158
- repeatability, 244
- reports
 - auditor's
 - conclusions, 297–298
 - findings, 293–296
 - recommendations, 297–298
 - scope, 293
 - bug, 199

312 *Index*

- field
 - analysis, 285–286
 - chronology, 270–271
 - calibration, 281–282
 - completion, 283
 - comments, 289–292
 - compliance, 284–285
 - consolidation, 282–283
 - CP entry and edit, 280–281
 - evaluation, 287–289
 - executive summary, 269–270
 - Exploration phase, 273–274
 - first planning meeting, 274, 276
 - reflection workshops, 278–279
 - viewing meeting, 277
 - walking skeleton, 276–277
- requirements
 - CMM(I), 252–254
 - determination of, 294
 - Exploration phase, 273–274
 - files, 169–172
 - Incremental Rearchitecture, 51–53
 - reviews, 294
 - sampling, 46
 - technology, 4
- results
 - automated test, 20
 - reflection workshops, 151
- reviews
 - design, 3, 6, 296
 - development, 296
 - requirements, 294
- revisions, 5
- risk lists, 162
- roles
 - compliance, 284–285
 - focal, 83
 - models, 83, 176–177
 - users, 81
 - work products, 138–144
 - business experts/expert users, 167–177
 - coordinators, 153–156, 158–166
 - designer programmers, 178–182, 188–198
 - lead designers, 183
 - reflection workshop results, 151
 - sponsors, 146–147
 - team structure, 148–149
 - testers, 199
 - writers, 201
- rules
 - chapter formats, 241
 - defining, 266
 - projects, 2–5, 7–16
 - teams, 262
- RUP (Rational Unified Process), 248–251
- safety, 232, 243, 258
 - collaboration, 42
 - core of Crystal Clear, 303
 - personal, 29–31
- samples, 46, 144
- schedules
 - burn charts, 94–98, 100–107
 - viewing, 166, 207
- schemas, common domain models, 188–189
- scope, 263, 293
- screen drafts, 181–182
- Scrum methodology, 78, 246–248
- serial development, 226–228
- services, contracts, 171–172
- shaping methodologies, 121
- shut-down, iteration, 218
- side-by-side programming strategies, 3, 92–93
- simultaneous development, 112
- sizes
 - large, 262
 - teams, 224, 233
- skill, 225
- small teams, 224
- sorting tasks, 70
- source code, 191. *See also* code; projects
- spare leader capacity, 119
- speed of development, 226–228
- spikes, 46, 50
- sponsors, 138
 - executive, 140
 - mission statements, 146–147
 - project map, 154
- stand-up meetings, 126
- starting
 - iteration, 218
 - projects, 266
- statements, mission, 146–147, 278
- status
 - iteration, 163–164
 - projects, 159–161
- strategies
 - Blitz Planning, 68–74
 - burn charts, 94–98, 100–107
 - daily stand-up meetings, 78
 - Delphi Estimation, 76–77
 - Early Victory, 48
 - essential interaction design, 79–81, 83–90
 - Exploratory 360°, 46–47
 - Incremental Rearchitecture, 51–53
 - Information Radiators, 54–57
 - Methodology Shaping, 60–63
 - Process Miniatures, 91
 - reflection workshops, 65–67
 - side-by-side programming, 92–93
 - Walking Skeleton, 50, 72
- structures, teams, 148–149
- subteams, 262
- summary sheets, 240
- supercycles, 113, 127, 219
- sweet spots of speed development, 227
- system architecture, 183
- tables, actor-goal lists, 167–168
- tasks
 - capturing, 84
 - cards, 274
 - estimation, 70
 - focal, 85
 - mapping, 70
 - models, 84
 - sorting, 70
 - tagging, 70
- teams
 - conventions, 238
 - distributed, 260–261
 - as groups, 138
 - large, 262
 - reflection workshop results, 151
 - size of, 224, 233
 - structure, 148–149
- technical environments, 8
- technology
 - requirements, 4
 - sampling, 46
- testers, 139, 199
- testing, 5
 - automated, 8, 15, 37–40
 - automated test results, 20
 - code, 13, 196–198
 - personalities, 90
 - regression, 6, 15, 217
- text, system architecture, 183. *See also* documentation
- TickIT Guide, 293
- time, 263
- time-boxing, 246
- timelines, Blitz Planning strategies, 68–74
- tolerances, 6–7
- tools, 11, 248
- tracking
 - agile development, 265
 - coarse grained, 153
 - fine-grained, 153
 - training manuals, 201
 - transition zones, 12
 - troubleshooting, bug reports, 199
 - trust, 29, 212, 258
 - two-month iterations, 128
- UI (User Intentions), 88
- UML (Unified Modeling Language), 256–257
- unclassified items in methodologies, 237
- understanding, 225
- undetected defects, 16, 233
- Unified Modeling Language. *See* UML
- updating initial project plans, 122
- usability inspections, 89
- use cases, 174–175, 239
- users, 12
 - access, 8, 34–36
 - availability, 14, 211
 - Blitz Planning strategy, 68–74
 - collaboration, 42
 - demos, 4
 - deployment, 124
 - expert, 119, 140, 167–177
 - feedback, 209
 - focal user groups, 79
 - identifying, 266
 - interviews, 4
 - iterations
 - manuals, 201
 - misinterpretations, 206–207
 - role models, 176–177
 - roles, 81
 - screen drafts, 181–182
 - viewing prior to delivery, 14
- validation
 - design, 297
 - development, 297
 - elements, 224
- values, business-value sampling, 46
- verification, 296
- video documentation, 13
- viewing
 - meetings, 277
 - schedules, 166, 207
- visual modeling, RUP, 248
- Walking Skeleton strategies, 48–50, 72, 276–277
- weekly cycles, 131
- whiteboards, 2
- work products. *See also* products
 - compliance, 284–285
 - concurrent development, 112
 - project samples, 144
 - roles, 138–144
 - business experts/expert users, 167–177
 - coordinators, 153–156, 158–166
 - designer programmers, 178–182, 188–198
 - lead designers, 183
 - reflection workshop results, 151
 - sponsors, 146–147
 - team structure, 148–149
 - testers, 199
 - writers, 201
- workflow, dependency graphs, 111
- working environments, 16
- workshops
 - essential interaction design, 80
 - methodology shaping, 63
 - reflection workshops. *See* reflection workshops
- Worst Thing First strategy, 48
- writers, 139, 201
- XP (Extreme Programming) methodologies, 3, 235–239, 244–245