

# Index

---

## A

- Abstraction, level of, 6, 75, 269
- Active names, 112
- Activity diagram, 194, 195
- Activity state, 194
- Actors
  - catalog of, 303–304
  - communication association, 25–28
  - definition, 3, 22, 23
  - describing, 101–103
  - documenting, 98–104
  - generalization relationship between, 272–274
  - as glossary term, 42
  - goals of, 104–105
  - graphical representation of, 21, 89
  - identifying, 87–98, 96–97, 133
  - naming, 89–90, 98–101
  - primary, 88–89
  - printer as, 95–96
  - relationship to stakeholders, 91, 103–104
  - and stimulus-response system, 177
  - supporting, 90
  - and system interaction, 210
  - systems as, 22, 91–92, 94
  - users as, 21–22, 89, 103–104
- Advisor user, 54
- Advisory boards, as means of involving stakeholders, 67
- Alternative flows
  - alternative flows for, 247
  - completion of, and return to use case, 247
  - defining, 189–190
  - definition, 31
  - examples of, 190, 309–319, 323–325
  - exceptions and error conditions, 33
  - and extending use case, 260, 265
  - and extension points, 245, 246, 247
  - identifying, 242–243
  - naming, 244–245
  - optional behavior and variations, 32–33
  - and postconditions, 37–38
  - purpose of, 191
  - representing in separate sections, 243–244
  - use of, to manage scope, 190–192
  - use of, to capture unusual or complex behavior, 220–221
  - using extension points with, 245
- Ambassador user, 54, 60
- Analysis, vs. synthesis, 17
- Analysis and design, use case realizations in, 150
- Analysts, as stakeholders, xvi, 292
- Applications
  - development standards, 43
  - user's familiarity with, 103
- Arrowheads, 25–28, 111
- Assumptions, capturing, in workshops, 138
- Audience
  - of descriptions, 209, 211, 214–215
  - of review, 282–283

## 340 | INDEX

- Authenticate user use case, 179
- Author, of use case, 284
- Authoring life cycle, 152–160
  - Briefly Described state, 154
  - Bulleted Outline state, 154–155
  - Detailed Description state, 157–159
  - Discovered state, 153–154
  - Essential Outline state, 155–157
  - Fully Described state, 159–160
  - summary table of states, 171
- Authorities, 53
- B**
- Base use case. *See* Extension points
- Basic flow, 31
  - defining, 185
  - examples of, 308–309, 322–323
  - writing, 230–231
- Batch processing, 96, 262
- Bounded alternative flows, 189
- Brainstorming. *See* Workshop, use-case modeling
- Brief description
  - of actors, 101–102, 133, 142
  - examples of, 302, 321–322
  - length of, 29, 114
  - purpose of, 29
  - reviewing, 287
  - of stakeholders, 64
  - of stakeholder role, 65
  - use case, example, 308
  - of use cases, 113, 154
- Briefly Described state, 154
- Bulleted Outline state, 154–155
- Business model, 109–110
- Business object model. *See* Domain model
- Business rules, 137–138
  - in domain model, 218–219
- Business use cases, 142–143
- C**
- Cockburn, Alistair, 30
- Commonality, 106, 253
- Communication
  - association, and actors, 25–28
  - and use-case model, 17
- Computer experience, user's level of, 103
- Conceptual model, 13–14, 107
- Concurrent threads, 194
- Confidentiality, 166
- Constraints
  - definition, 16
  - design, 79
  - reasons for, 78–79
  - as supplementary requirements, 44
  - types of, 77–78
  - in use case documentation, 116–117
- Context diagram, 131–133, 139
- Conversational style description, 152, 157–158
- CRUD, 221–222
- Customer
  - definition, 16
  - priority, 164
  - as stakeholder, xvi, 53, 291
- D**
- Data-capture use case, 36
- Data flow, and communication association, 26–27
- Dataflow diagrams, 106, 139
- Decision Points, 194
- Declarative requirements, 11, 46–47
- Decomposition, 139, 195–196, 286
- Deployment, use cases and user's manuals, 151
- Description
  - conversational form, 157–158
  - detailed, 159
  - of essential use case, 156
  - flow of events, 30–35
  - as function of use case, 23
  - narrative form, 158
  - of postconditions, 37–39, 228–229
  - of preconditions, 37, 227–228
  - purpose of, 29
  - review of, 287
  - size and complexity of, 35–36
  - of stakeholder, 73
  - as story, 24–25
  - styles of, 30
  - of use case, 134
  - See also* Brief description; Fully Described state
- Design of Everyday Things, The*, 13
- Detail
  - and audience, 214–215
  - CRUD, 222
  - managing, 212–213
  - in use cases, 9–10, 36, 209–210, 213–214, 226–227
  - use of alternative flows to manage, 220–221
  - use of domain model to manage, 215–217, 218–219

- use of glossary to manage, 217–218
  - use of subflows to manage, 219–220
- Detailed Description state, 157–159
- Developers, as stakeholders, xvi, 292–293
- Development team
  - activities of, in modeling process, 161–163
  - as stakeholders, 51, 53
  - terms used by, 41–42
  - as use case reviewers, 278, 282
- Devices, 95–96
- Diagrams
  - actor representation in, 21
  - arrowheads in, 25–28
  - communication association in, 25–28
  - context, 131–133, 139
  - dataflow, 106
  - domain model, 40, 217
  - flow of events, 36
  - include relationship in, 255–256
  - precondition and postcondition in, 38
  - public extension points in, 265
  - requirements pyramid, 7, 12, 50, 70, 72
  - review of, 285–286
  - of stakeholder community, 52
  - UML activity diagram/flowchart, 194–195
  - as use case documentation, 111
  - use-case model, 20, 28
  - use-case modeling process, 162
  - use case representation in, 23
  - value of, 141–142, 210
- Discovered state, 153
- Documentation
  - actors, 101–104
  - of feature requirements, 76–77
  - glossary as source for, 41
  - product overview/summary, 82
  - product position statement, 80–82
  - stakeholders and, 55–56
  - Supplementary Specifications, 12
  - of use cases, 111–117
  - user's manuals, 151
  - Vision document, 82–84
  - See also* Diagrams; Domain model; Glossary; Technical writers
- Domain classes, 222
- Domain knowledge, 103, 204
- Domain model
  - business rules in, 218–219
  - and data requirements, 222
  - definition, 216
  - diagram, 217
  - purpose of, 40, 216
  - review of, 288
  - updating, 218
  - use of to manage detail in glossary, 215–218
  - writing, 236–239
- Dynamic System Development Method (DSDM), 54–55
- E**
- Ease of use requirement, 73
- Elements of Style*, 207
- End state, 194
- Environment, system
  - constraints, 79–80
  - and use-case modeling, 15–16
- Error conditions, 33
- Essential Outline state, 155–158
- Essential use cases, 152, 155–157
- Events
  - definition, 42
  - external, 175–176
  - major, 176–177
  - minor, 176–177
  - specifying, through detail, 226–227
  - See also* Flow of events
- Exception flows. *See* Alternative flows
- Exceptions and error conditions, 33
- Executive Sponsor, 54
- Extend relationship
  - abuse of, 286
  - and alternative flows, 260, 265
  - circumstances that warrant, 259–260
  - mechanics of, 260
  - and process transaction, 260–262
  - purpose of, 259
  - summary of, 275
  - use and benefits of, 264
- Extensibility requirement, 73–74
- Extension points, 186–189
  - definition, 186
  - as headings, 187
  - naming, 187
  - public, 264–266
  - and specialization, 272
  - types of, 188
  - using to target alternative behavior, 245
- External events, 175–177

## 342 | INDEX

**F**

Facilitator, workshop, 124

Features requirements

definition, 5–6

description of, in Vision document, 84

documenting, 76–77

functional and nonfunctional, 75

immediacy of, 75–76

level of abstraction, 75

mapping to use cases, 9–10

relationship to needs and system, 74–75

and stakeholder understanding of project, 76

in use case documentation, 116–117

Flowchart, 194

Flow of events

basic, 31–32, 185

before use case relationships, 253

contents guidelines, 184–185

defining, 183–185

description of, 30–35

diagram of, 36

extension points, 186–189

and identifying actors, 94

as map, 30–31

narrative style, 183

in outlining case of events, 114

relationships between, 35

scenarios, 196–197, 248–249

and system scope, 165, 190–192

visualizing, 193–196

writing, 229–236

*See also* Alternative flows; Basic flow; Subflows

Focus groups

as means of involving stakeholders, 67

members as users, 61

Folder icon, 165

Fragmentary use cases, 251, 258, 286

Fully Described state, 159–160

Functional requirements

definition, 8

features, 75

use of package to reflect, 166

Functions, 106–108

Funding, 54, 77

**G**

General alternative flows, 189

Generalization

between actors, 272–274

between use cases, 266–272, 275, 286

Glossary

and domain model, 40, 215–218

example, 326–330

and flow of events, 185

importance of, 42–43

purposes of, 41

review of, 288

simple, 40

terms in, 41–42

updating, 218

and use–case descriptions, 215

as workshop tool, 136–138

writing, 43, 236–239

Guard Conditions, 194

**H**

Happy day scenario. *See* Basic flow

High-level product requirements. *See* Feature requirements

**I**

Implementation, and use cases, 150

Include relationship

common errors in using, 258–259

common mistakes of using, 253

definition, 253

in diagrams, 255–256

summary of, 275

using, 253–258

Information sources, identifying, 93

Instability, 168–169

Interviews, as means of involving stakeholders, 67

**J**

Jacobson, Ivar, xiii–xiv, 291

**L**

Leffingwell and Widrig, 7

Legal and regulatory requirements, 43

Life cycle, authoring. *See* Authoring life cycle.

Life cycle, of project. *See* Project life cycle.

Life cycle, of software development, 148–152

**M**

Managers, as stakeholders, xvi, 292, 294–295

*Managing Software Requirements*, 7

Marketer, 60

Mental model, 13–14

- Mentor, 127–129, 202
- Menu options, 106–108
- Messaging devices, as users, 59
- Model, UML definition, 20
- Moderator, of review meeting, 284
- MoSCoW rules, 74, 76
  
- N**
- Named subflows, 239–242, 247
- Naming
  - actors, 89–90, 98–101
  - alternative flows, 189–190, 244–245
  - extension points, 187
  - packages, 167
  - use cases, 112–113
- Narrative form description, 158, 207–208
- Navigation, use of prototypes to describe, 212
- Needs requirements
  - definition, 5
  - description of, in Vision document, 84
  - stakeholders', 72–74
  - of system, 105–106
- Newspaper style, 183, 207
- Nonfunctional requirements
  - capturing, in workshops, 138
  - definition, 8
  - described using declarative requirements, 11
  - features, 75
  - purpose of, 15
  - in supplementary specifications, 45
- Norman, Donald, 13
  
- O**
- Object-oriented programming, use cases in, xiii, 148
- Object-Oriented Software Engineering*, 291
- Operating requirements, 79–80
- Operational capability, 164
- Operational use cases, 110
- Optional flows. *See* Alternative flows
- Outlining
  - essential, 155–157
  - flow of events, 183–184
  - lack of detail to show commonality, 253
  - use cases, 113–116, 154–155
  
- P**
- Package
  - downside of, 166–167, 168
  - levels of, 167
  - naming, 167
  - reasons for using, 165–166
  - UML definition, 165
- Pareto principle, 71
- Passive names, 112–113
- Postconditions
  - alternative flows and, 37–39
  - definition, 179
  - describing, 229
  - in diagrams, 38
  - examples of, 229, 321, 325
  - necessity of, 228–229
  - review of, 287
  - and sequencing use cases, 180–181
- Preconditions, 37
  - definition, 178
  - description, 37, 227–228
  - in diagrams, 38
  - examples of, 178, 227–228, 308, 322
  - and identifying use cases, 182
  - necessity of, 227
  - and sequencing use cases, 180–181
  - in terms of result, 178–179
  - use of, to reduce validation, 181
- Primary actors, 88–89
- Primary use cases, 304–305
- Printer-as-actor, 95–96
- Problem analysis, 69–72
- Problem domain, 16
- Problem statement template, 70
- Process transactions, 260–262
- Product overview /summary, 82, 84
- Product position statement, 80–82, 83
- Product requirements. *See* Feature requirements
- Project life cycle
  - construction and transition phases, 297–298
  - elaboration phase, 297
  - inception phase, 296–297
  - iterative development, 296
  - production release, 298
  - requirements in, 299
  - use cases in, 295–296, 298
  - See also* Authoring life cycle
- Project management, 151
- Project team, 291–295
  - using workshop to build, 120
  - writing of use-case descriptions, 202

## 344 | INDEX

## Prototypes

- use of, in reviews, 288
- of user interface, 211–212

Public extension points, 264–266

## Q

Quality requirements, 44

Questionnaires, as means of involving stakeholders, 67

## R

Rational Unified Process

- Supplementary Specifications, 12, 43
- use–case description, 30
- use–case driven approach, 148–149
- and use case review, 281
- Vision document, 82–84

Realization. *See* Use-case realization

Recorder, of review meeting, 284

Relationships, use case

- dangers of using, 252–253
- definition, 174
- extend relationship, 259–264
- generalization, 266–272
- include, 253–259
- purpose of, 252
- summary of, 275
- using alternative flows and subflows instead of, 252

Requirements

- authoring, ongoing, 168
- data, 222
- declarative, 11, 46–47
- definition, 5
- description of, in Vision document, 84
- features, 5–6
- functional, 8, 10–11
- and identifying actors, 91
- needs, 5
- nonfunctional, 8, 11
- operating, 79–80
- pyramid, 7, 12, 50, 70, 72
- software, 6–8, 10–12
- in software development life cycle, 149
- special, 46–47
- stakeholders as source of, 55–56
- supplementary, 15, 43–46
- traceability, 7, 298–299
- types of, 5–8, 12

use-case model and, 150

*See also* Constraints

Review

- audience expectations, 282–283
- of basic, included, and extended use cases, 266
- benefits of, 277–279
- of brief descriptions, 287
- content and timing of, 280–281
- of diagrams, 285–286
- formal, 280
- of glossary and domain model, 288
- goal of, 279
- informal, 279–280
- in use case life cycle, 169
- as means of involving stakeholders, 67–68
- meeting, running of, 284–285
- perspectives, 282
- of preconditions and postconditions, 287
- preparing for, 283
- prototypes and storyboard in, 288
- stakeholder involvement in, 61, 277
- of use–case descriptions, 287

Risks

- capturing, in workshops, 138
- managing, through use cases, 222, 226

Role playing, as means of involving stakeholders, 68

## S

Scenario

- capturing, 248–249
- definition, 196
- use of, 196–197

Sequence use cases, 180–181

Software development

- life cycle, 148–152
- and use case descriptions, 204–205

Software requirements, 6–8, 10–12

- See also* Functional requirements;
- Nonfunctional requirements

Specialized use cases, 270–272

Special requirements, 46–47, 247–248, 321

Specific alternative flows, 189

Sponsors, 53

Stakeholder community, diagram of, 52

Stakeholder representatives

- definition, 54
- identification and recruitment of, 64–67

- involvement in use-case modeling, 62–63, 67–69
- roles of, 57–58
- as source of requirements, 55–57
- types of, 54–55
- Stakeholders
  - definition, 16, 51–52
  - description of, in Vision document, 83
  - identification of, 63–64
  - involvement in project, 58, 61, 63–68
  - needs of, defining, 72–74
  - perspective of problem, 70–71
  - reasons for understanding, 50–51, 61–63
  - relationship to actors, 91, 103–104
  - representatives, 53–54
  - roles, 54–55, 55–58, 116
  - shared vision, 68–82, 120
  - as source of requirements, 55–56
  - terms used by, 41–42
  - types of, 52–53
  - usefulness of use cases for, 14
  - See also* Users
- Standard users, 59
- Start state, 194
- State Transition, 194
- Status information requirement, 73
- Stimulus-response model, 176–177
- Storyboards, 210–211, 279–280, 288
- Style guide, use-case, 206
- Subflows, 34–35
  - defining, 185–186
  - example of, 319–321
  - synchronization bars, use of to show, 194
  - syntax for, 186
  - use of to simplify descriptions, 219–220
  - writing, 239–242
- Supplementary requirements, 15
  - importance and function of, 44–46
  - types of, 43–44
  - See also* Nonfunctional requirements
- Supplementary Specifications documentation, 12, 43, 45–46
  - authoring, 161
  - use cases, use in identifying, 111
  - writing, 247–248
- Supporting actors, 90
- Supporting use cases, 110, 306–307
- Swim lanes, 194
- Synchronization bars, 194
- Synthesis, vs. analysis, 17, 204
- System
  - and actor interaction, 210
  - definition, 175
  - development life cycle, 148–152
  - and external events, 175–177
  - families of, 267
  - internal behavior, and flow of events, 231–236
  - overview of, 164
  - requirements, 50, 73, 79
  - scope of, 164–165, 190–192
  - as stimulus–response machine, 176
  - use cases, 142–143
- System boundary
  - context diagram, 131–133
  - and external events, 175–176
  - and identifying actors, 88, 93
  - and scenarios, 197
  - and workshop focus, 141
  - and workshop structure, 131–133
- System clock, 96
- Systems
  - as actors, 22, 91–92, 94, 97
  - information needs of, 105–106
  - with no user interface, 92
- T**
- Technical writers, xvii, 292, 294
- Technology Adopters, 59
- Testers
  - and actor characteristics, 273
  - as stakeholders, xvii, 292, 293
  - as use-case description audience, 209
  - as use case reviewers, 282
- Testing, 149
- Traceability, 7, 298–299
- U**
- Unified Modeling Language (UML)
  - activity diagram/flowchart, 194
  - actor definition, 22
  - arrowheads, 27
  - domain model, 40, 43
  - flow of events as property, 30
  - model definition, 20
  - package definition, 165
  - properties, 30
  - system definition, 175
  - use case definition, 24
  - use-case model definition, 20



## 346 | INDEX

- Use-case catalog, 304–307
- Use-case descriptions, 30–39
  - actor–system interactions, 210
  - audience for, 209, 211, 214–215
  - authors, characteristics of, 203–205
  - brief, 113, 134, 154
  - definition, 178
  - depth of detail, 9–10, 36, 209–210, 226–227
  - describing, 227–228
  - in diagrams, 38
  - diagrams and storyboards, 210–211
  - estimating time requirements for, 205–206
  - examples of, 178, 227–228, 308–321, 321–326
  - and identifying use cases, 182
  - managing detail in, 212–223
  - mentoring approach to, 202
  - narrative style, 207–208
  - necessity of, 227
  - ownership of, 202
  - programmers as writers, 202–203
  - purpose of, 202
  - review of, 287
  - and sequencing use cases, 180–181
  - style guide, 206
  - in terms of result, 178–179
  - use of to reduce validation, 181
  - user interface prototypes, 211–212
  - writing style, 206–207
- Use-case diagram
  - and description, 141–142
  - and discovery of use case, 153–154
  - as documentation, 111
  - purpose of, 4–5
  - simple, example, 4
  - value of, 141–142
- Use-case model
  - actors, as basic building block of, 21–22
  - authoring steps, 152–160
  - communication association, 25–28
  - complexity of, vs. complexity of design, 192–193
  - components, 3–4
  - consolidation and review, 169
  - diagram, 20, 28
  - evaluating, 266
  - major and minor events, 176–177
  - in software development life cycle, 148–152
  - as system overview, 164
  - and system scope, 164–165, 190–192
  - UML definition, 20
- Use-case modeling
  - five rules of, 17–18
  - general principles of, 15–18
  - involvement of stakeholders in, 62–63
  - preparation for, 85
  - process, 161–163
- Use-case properties, 174
  - definition, 30
  - extension points, 186–189
  - See also* Description; Diagrams; Flow of events; Postconditions; Preconditions; Relationships; Special requirements
- Use-case realization, 197–199
- Use cases
  - business vs. system, 142–143
  - comprehensiveness of, 14–15
  - as conceptual model of system, 13–14
  - data capture, 36
  - definition, 3–4, 23, 24, 213
  - as design tool, 180, 213
  - documenting, 111–117
  - as expression of requirements, 5, 10–12
  - in future, 300
  - as glossary term, 42
  - graphical representation of, 23
  - identifying, 104–111, 134, 182
  - interaction of, 180–181
  - level of detail, 9–10, 36, 209–210, 213–214, 226–227
  - level or granularity of, 104–105, 213–214
  - vs. menu options or function, 106–108
  - misconceptions about, 11
  - naming, 112–113
  - operational, 110
  - outlining, 113–116, 154–155
  - primary, examples of, 304–305
  - purpose of, xv, 107
  - as requirements–modeling technique, 9–10
  - specialized, 270–272
  - and stakeholders, 14
  - as story, 24–25
  - styles of, 152
  - supporting, 110, 306–307
  - and system state, 175–182
  - usefulness of, 13
  - value to actor, 108–109, 213–214
- Use case scenarios, 196–197, 248–249
- User ambassador, 60
- User-experience designers, xvii, 292, 293–294



User interface prototypes, 211–212

## Users

- as actors, 21–22, 103
- Advisor, 54
- Ambassador, 54
- characteristics of, 103
- definition, 16
- description of, in Vision document, 83
- frequency of use, 103
- identification of, 63–64
- information needs of, 105–106
- needs of, defining, 72–74
- number of, 103
- as stakeholders, 51, 53, 58–61
- types of, 58–60, 89, 103–104, 166

## V

### Validation

- rules, captured in use-case descriptions, 222
- use of preconditions to reduce, 181

### Value

- to actor, 108–109
- description of, as function of use case, 23
- of use case, xiii, 213–214

Value test, 285–286

### Vision

- establishing, as a group activity, 163
- as preparation for modeling workshop, 122, 131

Visionary, 54

### Vision document

- actors, use of in identifying, 91, 103, 133
- definition, 82
- purpose of, 83
- sections, 83–84
- use cases, use in identifying, 109–110

## W

Waterfall approach, 295

Working group member, as user, 60–61

Workshop, requirements, 50, 168

Workshop, use-case modeling

- capturing issues, risks, and assumptions in, 138
- capturing nonfunctional requirements in, 138
- common problems, 138–143
- composition of, 123–124
- consolidating and validating results, 134–135
- facilitator, 124
- glossary, as support for, 136–138
- ground rules, 129–130
- as means of involving stakeholders, 67
- mentor for, 127–129
- objectives of, 125–126
- ongoing, 168
- preparing for, 121–126
- reasons for, 119–121
- scheduling and facilities, 126
- size of, 122–123
- structure of, 129–136
- wrap-up and next steps, 135–136