

Index

- : (colon), 80
- < < > > (guillemets), 34, 56

- A

- Abstraction, 3
- Acronyms, 54
- Action field, 140
- Actions tab, 140
- ActiveX controls (Microsoft), 163
- Activities. *See also* Activity diagrams
 - basic description of, 241
 - creating, 42, 49, 140–141
 - ending, 48–49
 - final, 48–49
 - initial, 48–49
 - starting, 48–49
- Activity diagrams. *See also* Activities
 - basic description of, 40–49
 - creating, 41–42
- activity icon, 42
- Actors
 - basic description of, 21–25, 241
 - creating, 23
 - documentation for, 23–25
 - good, definition of, 22
 - identifying, questions for, 21–22
 - system behavior and, 21
 - UML notation for, 22
 - use case diagrams and, 37–40
- AddACourseOffering class, 64–65, 98, 100, 177, 179–180
- Aggregation relationships, 90–92, 176–178.
See also Relationships
 - basic description of, 241
 - inheritance versus, 125
 - iterations and, 176–178, 180
- Alternate flows, 30, 31
- Analysis
 - of behavior, 129–142
 - classes and, 57
 - cost-benefit, 15
 - flow of events documentation and, 29
 - packages and, 62
 - Rational Unified Process and, 9–10
- Anonymous objects, 77

- Architecture, system
 - 4 + 1 view of, 154, 155
 - basic description of, 241
 - component view of, 158–161, 163
 - deployment view of, 155, 164–165
 - designing, 151–168
 - implementation view of, 155, 157–162
 - logical view of, 55, 62, 74–75, 77,
154–159
 - need for, 153
 - process view of, 155, 163–164
 - teams, 154
 - use case view of, 23, 27, 37, 40, 74,
75, 155, 166
- Association classes, 115, 241
- Association icon, 37
- Association relationships, 35–36, 89–92,
176–178, 241. *See also* Relationships
- Attributes
 - basic description of, 54, 55, 241
 - creating, 110–111
 - designing, 182–183
 - displaying, 112–114
 - documenting, 111–112
 - inheritance and, 119–120, 123–125, 184
 - relocating, 124–125
 - setting, 182
- Attributes tab, 182

- B

- Behavior
 - analyzing, 129–142
 - basic description of, 53–54, 103–116
 - dynamic, 131–132
 - inheritance and, 120
 - modeling, 131–132
 - representing, 105–106
- Bidirectional relationships, 176. *See also*
Relationships
- Blueprints, 3
- Booch, Grady, 5, 6, 57, 175
- Boundary classes, 147, 173
 - basic description of, 57–58
 - identifying, 64
 - sequence diagrams and, 80–81

- Boundary stereotype, 56
- Brainstorming, 15
- Browse:Create Collaboration Diagram menu
 - command, 82
- Browse:Create Sequence Diagram menu
 - command, 83
- Business
 - modeling, 9-10

- C

- C++ programming, 156, 159, 187-208
- Cancel button, 174
- Cardinality field, 95
- Checking, consistency, 147-148, 243
- Class(es). *See also* Classes (listed by name); Inheritance
 - assigning objects to, 80
 - basic description of, 54-56, 242
 - boundary, 57-58, 64, 80-81, 147, 173
 - combining, 145-146
 - control, 58-59, 64, 146, 147
 - creating, 55-56
 - creating a view of, 85
 - design, 174-175
 - diagrams, 65-68
 - discovering, 57-59
 - documenting, 59-61
 - eliminating, 147
 - entity, 57, 64
 - finding, 51-69
 - mapping, to components, 162
 - relocating, 62-63
 - splitting, 146
 - stereotypes and, 56
- Classes (listed by name). *See also* Classes
 - AddACourseOffering class, 64-65, 98, 100, 177, 179-180
 - Course class, 64-65, 89-91, 98, 105, 108-111, 122, 146, 179-180
 - CourseOffering class, 64-65, 67, 83, 90-91, 94, 96, 105-107, 110, 123-124, 131-133, 178-181
 - DBCOURSEOFFERING class, 178-181
 - Department class, 106, 146
 - ProfessorCourseOptions class, 98
 - Professor class, 64-65, 110, 120, 179-80
 - ProfessorCourseManager class, 64-65, 83, 89, 98, 100
 - ProfessorCourseOptions class, 64, 106, 179
 - StudentInformation class, 146
 - Transcript class, 146
 - ValidIDList class, 179-180
- Closure, 156
- Coding
 - basic description of, 184-185
 - iterations and, 184-185
- Cohesion, 156
- Collaboration diagrams, 148
 - basic description of, 82-84, 242
 - creating, 82-83
- Commands
 - Browse:Create Collaboration Diagram command, 82
 - Browse:Create Sequence Diagram command, 83
 - New:Activity Diagram command, 41
 - New:Actor command, 23
 - New:Attribute command, 111
 - New:Class Diagram command, 85, 112
 - New:Class command, 55
 - New:Operation command, 108
 - New:Package command, 62, 159
 - New:Sequence Diagram command, 78
 - New:Statechart Diagram command, 131
 - New:Use Case Diagram command, 39
 - New:Use Case command, 27, 74
 - Options:Select Compartment Items command, 113
 - Options:Show All Attributes command, 113
 - Options:Show All Operations command, 113
 - Options:Show Visibility command, 68
 - Options:Stereotype Display command, 114
 - Query:Add Classes command, 113
 - Query:Filter Relationships command, 113
 - Tools:Commands command, 59, 68
 - Tools:Options command, 175, 183
- Communicate associations
 - basic description of, 36
 - creating, 37-38
- Complexity, 3-4, 81-82

- Components. *See also* Component view
 - creating, 161–162
 - mapping classes to, 162
 - process view and, 163–164
 - source code for, 159–160
 - Component view, 158–161, 163. *See also* Components
 - Conditional logic, 81–82
 - Consistency checking, 147–148, 243
 - Construction phase, 9
 - Containment, 177
 - Control classes
 - basic description of, 58–59
 - examining/checking, 146, 147
 - identifying, 64
 - sequencing of, 146, 147
 - Control stereotype, 56
 - Cost-benefit analysis, 15
 - Course class, 64–65, 89–91, 98, 105, 108–111, 122, 146, 179–180
 - Course name field, 174
 - Course number field, 174
 - CourseOffering class, 64–65, 67, 83, 90–91, 94, 96, 105–107, 110, 123–124, 131–133, 178–181
 - Course offerings scroll box, 174
 - Creativity, 7
- D
- DBCOURSEOffering class, 178–181
 - Decision points, 40, 43–45
 - Department attribute, 105
 - Department class, 106, 146
 - Dependency icon, 38
 - Dependency relationship, 35, 177–178, 180, *See also* Relationships
 - Deployment, 9–10, 155, 164–165
 - Deployment view, 155, 164–165. *See also* Deployment
 - Designing Object-Oriented C++ Applications Using the Booch Method (Martin), 156
 - Detail tab, 45, 95, 157, 177
 - Diagrams
 - activity, 40–49, 82–83
 - basic description of, 37–40
 - class, 65–68
 - collaboration, 82–84, 148
 - creating, 37, 65–68
 - linking, 82
 - sequence, 77–81, 84–85, 107–108
 - statechart, 131–132, 246
 - use case, 37–40, 247
 - Diagram tab, 68, 175, 183
 - Diagram toolbar, 37
 - Discriminator, 121–125
 - DLLs (Dynamic Link Libraries), 163–164
 - Documentation
 - of actors, 23–25
 - of attributes, 111–112
 - of classes, 59–61
 - of the flow of events, 29–32
 - of iterations, 184–185
 - of operations, 108–109
 - reviews, 148
 - of scenarios, 77
- E
- Edit Compartment window, 113
 - Elaboration phase, 9–10, 29, 153
 - basic description of, 243
 - classes and, 57–58
 - packages and, 62
 - system behavior and, 21
 - End State icon, 49
 - Engineering
 - reverse, 185, 187–220
 - Entity classes
 - basic description of, 57
 - identifying, 64
 - Entity stereotype, 56
 - Entry actions, 140–141
 - Error handling, 156–157
 - Event(s)
 - flow of, for use cases, 29–30, 33
 - tracing, 148
 - Exceptions, 156
 - Exception stereotype, 56
 - Exit actions, 140–141
 - Exit criteria, for iterations, 171
 - Extend relationships. *See also* Relationships
 - basic description of, 35–36
 - creating, 38

F

Fields

- Action field, 140
 - Cardinality field, 95
 - Course name field, 174
 - Course number field, 174
 - Guard Condition field, 45
 - Name field, 47, 75
 - Stereotype field, 38, 59, 75
- Flow charts, 40. *See also* Activity diagrams
- Folders, representation of packages as, 62
- Functionality, 26, 28–29, 35, 37
- documenting operations and, 108–109
 - system architecture and, 156
 - use case realization and, 73

G

- Generalization, 119–120, 243
- General tab, 59, 182
- Guard Condition field, 45
- GUI (graphical user interface), 106, 156, 174, 179–180
- Guillemets (< < > >), 34, 56

H

- Homogenization, 145

I

- Identity, 53–54
- Implementation. *See also* Implementation view
- basic description of, 244
 - classes, 67
 - Rational Unified Process and, 9–10
- Implementation view, 155, 157–162. *See also* Implementation
- Inception phase, 9, 153
- basic description of, 244
 - creating brief descriptions of use cases

during, 28

- defining projects and, 15–16
- system behavior and, 21

- Include relationships. *See also* Relationships
- basic description of, 35–36
 - creating, 38

Incremental development, 7–8

Inheritance

- basic description of, 117–128, 244
- creating, 121
- designing for, 184
- double, 125–126
- generalization and, 119–120
- single, 125–126
- trees, 121–125

Interfaces package, 65

Iteration(s). *See also* Iterative development

- building, 169–186
- life cycles and, 7–8, 173, 174–175
- planning process, 171–173

Iterative development. *See also* Iterations

- basic description of, 7–8, 244
- classes and, 57, 160
- flow of events documentation and, 29
- Rational Unified Process and, 10

J

- Jacobson, Ivar, 5, 6
- Java, 159, 163

L

- Layers, system, 158, 244
- Life cycle(s)
- activity diagrams and, 40–49
 - documenting operations and, 108–109
 - homogenization and, 145
 - iterations and, 7–8, 173, 174–175
 - Rational Unified Process and, 8–9
 - the role of process and, 7
- location attribute, 105
- Logic, 81–82
- Logical view, 55, 62, 74–75, 77, 154–159
- "Look and feel" of systems, 58

M

- Main class diagram, 66–68
- Main Use Case diagram, 37–40
- Martin, Robert, 156
- Menu commands
 - Browse>Create Collaboration Diagram menu command, 82
 - Browse>Create Sequence Diagram menu command, 83
 - New:Activity Diagram menu command, 41
 - New:Actor menu command, 23
 - New:Attribute menu command, 111
 - New:Class Diagram menu command, 85, 112
 - New:Class menu command, 55
 - New:Operation menu command, 108
 - New:Package menu command, 62, 159
 - New:Sequence Diagram menu command, 78
 - New:Statechart Diagram menu command, 131
 - New:Use Case Diagram menu command, 39
 - New:Use Case menu command, 27, 74
 - Options>Select Compartment Items menu command, 113
 - Options>Show All Attributes menu command, 113
 - Options>Show All Operations menu command, 113
 - Options>Show Visibility menu command, 68
 - Options:Stereotype Display menu command, 114
 - Query:Add Classes menu command, 113
 - Query:Filter Relationships menu command, 113
 - Tools:Commands menu command, 59, 68
 - Tools:Options menu command, 175, 183
- Messages
 - in collaboration diagrams, 82, 83
 - creating, 78–79
 - notation for, 78
 - sequence diagrams and, 78–79
- "Method wars," 5
- Model(s)
 - basic description of, 3, 244
 - checking, 143–150
 - view-controller point of view, 57

Multiplicity

- creating, 95–96
- implementation, 179
- indicators, 95–96
- inheritance and, 119
- reflexive relationships and, 97

N

- Name field, 46, 75
- Namespace support, 75
- Naming. *See also* Role names
 - objects, 77–78
 - relationships, 92–93
- Navigation, 35, 176–177, 179
- New:Activity Diagram menu command, 41
- New:Actor menu command, 23
- New:Attribute menu command, 111
- New:Class Diagram menu command, 85, 112
- New:Class menu command, 55
- New:Operation menu command, 108
- New:Package menu command, 62, 159
- New:Sequence Diagram menu command, 78
- New:Statechart Diagram menu command, 131
- New:Use Case Diagram menu command, 39
- New:Use Case menu command, 27, 74
- Nodes, 164–165
- Notation tab, 59
- Note icon, 82
- Numbering schemes, 120
- numberOfferingsInDepartment attribute, 105

O

- Object(s)
 - assigning, 80
 - basic description of, 53, 244
 - classes as groups of, 54–56
 - in the ESU course registration problem, 63–65
 - interaction, discovering, 71–86
 - naming, 77–78
 - representation of, 53–54
- Object Message icon, 79
- Objectory notations, 6
- offerNumber attribute, 105
- OK button, 174
- OMG (Object Management Group), 6

- OMT, 5
- OMT-2, 5
- Operation(s)
- basic description of, 54, 244
 - creating, 106–108
 - designing, 182–183
 - displaying, 112–114
 - documenting, 108–109
 - inheritance and, 119–121, 123–125, 184
 - mapping messages to new, 108
 - relocating, 124–125
 - signatures, 110, 182–183
- Operations tab, 182
- Options:Select Compartment Items menu command, 113
- Options:Show All Attributes menu command, 113
- Options:Show All Operations menu command, 113
- Options:Show Visibility menu command, 68
- Options:Stereotype Display menu command, 114
- P
- Package(s), 110, 157–159
- attributes/operations for, displaying, 112–114
 - basic description of, 61–63
 - class diagrams and, 65
 - creating, 65, 159
 - global, 157
- Package relationships, 98–100. *See also* Relationships
- Patterns
- emergence of, 175–176
 - iterations and, 175–176
- PeopleInfo package, 65
- PofessorCourseOptions class, 98
- Polymorphism, 120, 245
- PowerBuilder, 159
- Preconditions, 30, 32
- Problem statements, 17
- Process. *See also* Process view
- Rational Unified Process and, 8–9
 - role of, 7
 - triangle for success and, 4
- Process view, 155, 163–164. *See also* Process
- Professor class, 64–65, 110, 120, 179–80
- ProfessorCourseManager class, 64–65, 83, 89, 98, 100
- ProfessorCourseOptions class, 64, 106, 179
- Projects
- beginning, 15–18
 - defining the right, 15–18
 - problem statements and, 17
- "Proof of concept" prototypes, 15, 245
- Prototypes, 9–10, 15, 153, 245
- Public classes, 61
- Q
- Query:Add Classes menu command, 113
- Query:Filter Relationships menu command, 113
- Quit button, 174
- R
- Rational RequisitePro, 34–35
- Rational Software website, 11
- Rational Unified Process, 8–9, 57
- iterations and, 174
 - system architecture and, 156
 - use case realizations and, 74
- Rectilinear lines, creating, 45–46
- Refinement, 177–178
- Reflexive relationships, 96–97, 148. *See also* Relationships
- Relationship(s)
- aggregation, 90–92, 125, 176–178, 180
 - association, 35–36, 89–92, 176–178
 - bidirectional, 176
 - creating, 89–90, 91, 97–98
 - dependency, 35, 177–178, 180
 - designing, 176–177, 179–180
 - event tracing and, 148
 - extend, 35–36, 38
 - finding, 98
 - include, 35–38
 - inheritance and, 119, 123–125, 184
 - naming, 92–93
 - need for, 89
 - operation signatures and, 110
 - package, 98–100

- reflexive, 96–97, 148
 - specifying, 89–101
 - Requirements, 9–10, 245
 - Reuse, 156, 158, 184
 - Reverse engineering, 185, 187–220
 - with C + +, 187–208
 - with Visual Basic, 209–220
 - with Visual C + +, 209–220
 - Risks, 7–8, 17
 - Role names, 93–95, 96–97
- S
- Scenario(s)
 - basic description of, 73, 245
 - documenting, 77
 - iterations and, 171–172
 - primary, 73
 - secondary, 73
 - use case realization, 73–76
 - walk-throughs, 148
 - Semantics, 4, 6
 - Sequence diagrams, 12, 84–85
 - basic description of, 77–81, 84, 245
 - boundary classes and, 80–81
 - complexity and, 81–82
 - creating, 78
 - with operations, 107–108
 - Signatures, 110, 182–183
 - Smalltalk, 119
 - Specialization, 120–121, 245
 - State(s)
 - basic description of, 53–54, 132–133, 245
 - closed, 53
 - creating, 133, 136–137
 - details, 138–140
 - open, 53
 - special, 135–137
 - start, 135–137
 - stop, 135–137
 - transitions, 133–138, 245
 - Statechart diagrams, 131–132, 246
 - Stereotype field, 38, 59, 75
 - Stereotypes
 - basic description of, 36, 246
 - classes and, 56, 59
 - creating, 59, 60
 - display of, setting, 114
 - process view and, 163–164
 - use case realizations and, 74–75
 - Structure
 - basic description of, 103–116
 - inheritance and, 120
 - representing, 105–106
 - studentID attribute, 120
 - StudentInformation class, 146
 - Success, triangle for, 4
 - Swimlane icon, 47
 - Swimlanes
 - basic description of, 47–48, 246
 - creating, 47–48
 - Synchronization bars, 40, 46–47, 246
 - System architecture
 - 4 + 1 view of, 154, 155
 - component view of, 158–161, 163
 - deployment view of, 155, 164–165
 - designing, 151–168
 - implementation view of, 155, 157–162
 - logical view of, 55, 62, 74–75, 77, 154–159
 - need for, 153
 - process view of, 155, 163–164
 - teams, 154
 - use case view of, 23, 27, 37, 40, 74, 75, 155, 166
 - System layers, 158
- T
- Templates, 29
 - Testing
 - basic description of, 184–185, 246
 - iterations and, 184–185
 - Rational Unified Process and, 9–10
 - timeOfDay attribute, 105
 - Tools:Commands menu command, 59, 68
 - Tools:Options menu command, 175, 183
 - Trade studies, 15
 - Transcript class, 146
 - Transition(s), 9, 42–46
 - basic description of, 246
 - guarded, 44–45
 - state, 133–138
 - Transition icon, 43, 44
 - Transition phase, 9

U

Unidirectional Association icon, 37
UniversityArtifacts package, 65, 67
Use case(s). *See also* Use case view
 basic description of, 25–35, 247
 creating, 19–50
 diagrams, 37–40, 247
 flow of events for, 29–35
 formal definition of, 25
 good, 26
 identifying, questions for, 25–27
 realization, 73–76
 relationships, 35–36
 specification, 75
 UML notation for, 26
Use Case Specification, 29–34
Use case view, 23, 27, 37, 39, 41, 74, 75, 155,
 166. *See also* Use cases
User-friendly systems, 58
User interface, designing, 173–174
Utility stereotype, 56

V

ValidIDList class, 179–180
View menu, 24, 28
Visibility display, 68
Vision, product, 16
Visual Basic (Microsoft), 3, 209–238
Visual C++ (Microsoft), 209–220
Visual modeling, 3–12, 247

W

Webster's New Collegiate Dictionary, 145
Workflow, 40. *See also* Activity diagrams