
Index

Note: *Italicized* pages refer to tables/figures.

A

- ABORT choice, Oracle SVRMGRL, 246
- About item, 362
- Acceptance testing, 261
- Access. *See* Microsoft Access
- Access, unauthorized, 104, 105. *See also* Passwords; Security
- Access keys, 363
- Account locking, 106
- Account_Status column, in USER_USERS, 200
- Add, in Forms *6i*, 277
- Administration accounts, and security, 106
- Administration button, 306
- Administrator installation, with *8i* and *9i*, 220
- Admin_Option, 207
- Adobe Acrobat Reader, 268
- Aliases, 216
- ALL_CONS_COLUMNS view, 204, 205
- ALL_CONSTRAINTS view, 204, 205
- ALL_TABLES view, 120, 203
- ALL view, 199, 211
- ALTER command
 - and stopping triggers, 409
 - and tablespace creation, 140
- ALTER/DROP/CREATE TABLESPACE, 136
- ALTER statement, 110, 138
- Ampersand (&), and access keys, 363
- ANALYZE function, 77
- AND, in SQL, 20
- ANSWER_ID, 342
- ANSWER_QUESTION_ID, 341
- ANSWERS table, 47, 65, 67, 115, 135, 331
 - creating, 69, 146
 - linking to Question_ID column of QUESTIONS table, 66
 - and normalization, 48
- ANY, 114
- Apache listener configuration, for Oracle9iAS portal, 424
- Apache Web server, 36, 418
- APPEND, 167, 170, 171, 175
- Applets, 417
- Application developers, and security, 106
- Application user, with *8i* and *9i*, 220
- Architectures, 36
- Artificial intelligence, 36
- Audio, adding to reports, 34
- Auditing, 104, 107, 211-212
- AUDIT_SEQ, 406
- Audit table, for authors, 406
- AUDIT_TABLE, 407
- AUTHOR_AUDIT table, 406, 407

448 • INDEX

Author data, in data file, 166
 Author fields, 177, 276
 Author ID, 177
 AUTHORS table, 55, 63, 67, 68, 115, 135, 188, 268, 278
 Author ID in first column for, 177
 building form using, 269, 270-272
 control file for loading, 167-168
 creating, 144
 and data file, 165
 empty, 190
 first author created with, 276
 and GUI form, 186
 input file for, 167
 and sequences, 391-392
 Auto-Join data blocks, unchecking, 333, 340, 345
 AVG, 374, 398, 399

B

Bachman, Charles, 7
 Backup and Recovery wizards, 250
 Backups, 244, 256, 262
 DBA and monitoring of, 264
 and recovery, 250-260
 .bad file, 164, 171
 BAD folder, 169
 Bad records, 163, 164
 Base tables, 198
 BEGIN, in PL/SQL, 22, 23, 27
 BETWEEN command, in SQL, 20
 BETWEEN operator, 390
 Blocks, 22
 BREAK ON command, 375
 four conditions taken by, 374
 Brio, 372

Browse button, in *iSQL*Plus*, 416
 Browsers, 37, 417, 418, 433, 437
 Business analysis, and Oracle Windows
 installation, 76
 Business opportunity, 39-49
 Business role, 108
 Business users
 building for BUS1_ROLE, 127
 creating, 118
 and profiles, 108
 roles for, 115
 subroles for, 109
 Buttons, 354
 and GUI forms creation, 290-292, 294
 in Main Screen in Forms 6i, 317, 345-352

C

Calculations, 374-381
 CALL_FORM, 354
 Canvases
 data block items created on, 336
 GUERRILLA TEST DESCRIPTIONS added
 to, 279
 and GUI forms creation, 287-289
 GUI forms creation and buttons on, 291
 images on, 293
 Canvas screen (Forms 6i), Object Navigator, 274
 Carriage returns, and "Input truncated to 13
 characters" error, 416
 Cartesian product, 404
 CASCADE command, 110
 CASCADE CONSTRAINTS, 144
 Case sensitivity, 167, 201
 CHANGE command, 380
 CHAR, 177

- Characters, eliminating, 396
- CHAR format, 56
- Charts, and Oracle Reports, 33
- Check constraint, 59, 61
- Check feature, including NOT NULL, 14
- CHECK function, 406
- Check menu item, 362
- Child item, in menu item, 358
- Clear item, 362
- Client installations, with *8i* and *9i*, 220
- Client PC, 418, 437
- Clients, installing, 83
- Client/server technology, 8
- CLOSE button, Oracle Forms Builder, 287
- CLOSE_FORM, 354
- CODASYL, 7
- Codd, Dr. Edgar F., 7, 8
 - rules for relational database management system by, 6-7
- Colons, 350, 357, 406
- Color(s)
 - and GUI forms creation, 294
 - in Main Screen, 317
 - test form, 330
- Column definitions, within parentheses, 137
- Columns, 49, 57, 62, 66
 - and data classifications, 56
 - in data dictionary views and tables, 201
 - date, 386
 - grants given about, 207
 - and joins, 381-382
 - looking at constraints on, 204
 - NULL, 399
 - in tables, 10, 12
 - in tables for waiver exam, 52, 54, 58
 - triggers on, 405
- Comma-delimited files, 166, 168, 178, 409
 - loading, 163, 175
 - skipping fields in, 179
- Command-line editor, 379-380
- Commas
 - and control file, 167
 - in syntax for table creation, 137
- Comments, 167, 374
- Compile button, Oracle Forms Builder, 287
- Compile errors, and GUI forms creation, 295
- Compiler errors, and triggers, 407
- Compiling menus, 364-365
- COMPUTE, 374
- CONCAT, 393
- Concatenation of strings, 393
- Conditional logic, 179, 181
- Conference on Data Systems Languages.
 - See* CODASYL
- Configuration files, 432
- Constraint errors, 332
- Constraints, 12-14, 15, 52, 56, 59, 60, 137
 - and data dictionary views, 202
 - finding for tables, 204
 - importing into tables, 259
 - looking up on tables, 259-260
 - reenabling, 255
 - value of, 171
- CONSTRAINTS = N parameter, 255
- Constraint_Type, 204
- Control files, 82, 167-168, 176

450 • INDEX

Control form, 308, 309-310
 Conventional path method, 182
 Copy item, 362
 COUNT, 374, 398, 399, 402
 COUNTER, in PL/SQL, 28
 COURSE table, PL/SQL example, 23, 24
 CREATE/ALTER PROFILE statements, 107
 CREATE command, 25, 138, 140
 Created column, in USER_USERS, 200
 CREATE INDEX command, 60
 CREATE ROLE WAIVER_DEV_ROLE, 114
 CREATE TABLE, 62, 136, 137
 CREATE TABLESPACE, 113
 CREATE TABLESPACE syntax, EXTENT
 MANAGEMENT LOCAL added to, 139
 CREATE TYPE messages, 258
 CREATE USER, 117
 Crystal Reports, 372
 .csv data file, 166, 167-168
 .ctl suffix, for control files, 164
 Cursors, 23, 28
 CURSOR section, in PL/SQL, 30
 Customers, needs of, 41
 Custom installation, with 8*i* and 9*i*, 220
 Custom menus, 358, 366
 Cut item, 362
 CWE1P_BLOCK, 290
 CWE1P_CANVAS, 287, 288, 291
 opening, 355
 CWE1P database, 84, 100, 225
 exporting, 252, 253, 254, 255
 CWE1P forms, menus put on, 358
 CWE1P_MAIN, 285

CWE1P_MAIN.fmb, copying as
 WEBCWE1P_MAIN.fmb, 434
 CWE1P_MAIN form, 295, 356
 CWE1P_PROJECT folder, 289
 CWE1P_SELECT_TEST form, 354, 357
 CWE1P_SPLASH_BLOCK, 296, 435
 CWE1P_SPLASH_CANVAS, 296, 297, 435
 CWE1P_SPLASH window, 296
 CWE1P tables, accessing, 414
 CWE1P_TAKE_TEST_CANVAS, 328, 329
 CWE1P_WINDOW, 288
 CWETEST ID, 229, 230
 CWE2P database, 249
 CW1 tablespace, 137

D

Dashes, in syntax for control file, 167
 Data
 backup and recovery of, 242, 250-260
 in tables for waiver exam, 55, 56-64
 Database administrators, 1, 2
 roles for, 106
 tasks and programming by, 83
 V\$ views used by, 212
 Database administrator tasks, 241-264
 backup and recovery, 250-260
 database instances, 261
 modification and tuning, 262-264
 and Oracle licensing, 243
 startup and shutdown, 243-250
 and system upgrades, 242-243
 Database design, and system security, 104
 Database instances, 242, 261

- Databases, 3, 9, 241-242
 - creating, 80-82, 241
 - DBA and startup/shutdown of, 242, 243-250
 - linking, 84
 - tablespaces created during creation of, 81
- Database triggers, 31
- Data block forms, 308
- Data block items, creating on canvas, 336
- Data blocks, 77, 290, 328, 329, 345
- Data Block Wizard (Forms 6i), 186, 187, 270, 333, 339, 345
- Data Block Wizard Welcome screen, 269
- Data classifications, in relational databases, 56
- Data Definition Language, 16, 167
- Data dictionary, 14, 15, 77, 82, 111, 120-121, 197-214, 243
 - description of, 198
 - finding tables and views in, 200
 - items in, 198-199
 - and naming conventions, 213
 - views relevant to tablespaces, roles, and password limits, 121
- Data dictionary views, 199-214
 - auditing, 211-212
 - constraints, 204
 - four major groups of, 199
 - limits, 210
 - primary keys, 204-205
 - profiles, 205-206
 - roles, 206-208
 - tables, 203
 - tablespaces, 211
 - users, 209-210
 - V\$ tables, 212-213
- Data fields, for Main Screen, 313-316
- Data files, 77, 165-167
- Data handling, with SQL*Loader, 182-183
- Data Manipulation Language, 16
- Data normalization, 6, 43
- Data redundancy, reducing, 48
- Data security, 104, 105
- Data types, note on, 177
- Data warehousing, 31, 36-37
- Date columns, 386
- DATE data type, 389
- Date fields, adding, 180
- DATE format, 56, 182
- Dates, 186
 - handling, 386-391
 - in spool file name, 384-386
 - .dat, for data, 164
- DBA_PROFILES view, 111, 205, 206
- DBA_ROLE_PRIVS view, 207
- DBA_ROLES view, 206
- DBAs. *See* Database administrators
- DBA_USERS view, 205
- DBA view, 199, 211
- dbms_output.put_line, 28
- DDL. *See* Data Definition Language
- DD-MON-YYYY format, and date storage in MM/DD/YYYY format, 390
- Debugging, 27, 28
- DECIMAL INTEGER, 177
- DECLARE section, in PL/SQL, 22, 23, 27
- DECLARE statement, 408
- DECODE function, 397
- Default profile, 107

452 • INDEX

- Default_Tablespace column, in USER_USERS, 200
 - DEL command, 381
 - DELETE operation, 405
 - Delete Relationship button, 345
 - DESC command, 398
 - DESCRIBE operation, 213
 - Descriptor tables, 67
 - Design
 - database, 41
 - table, 46
 - DESTROY, for replacing objects, 258
 - Detail block, 328, 330, 339-344
 - Developer accounts, building, 125
 - Developer Graphics Builder, 33
 - Developer profile, creating, 113-114
 - Developer role, 108, 114
 - Developers
 - and profiles, 108
 - and security, 106
 - Developer *6i*, Oracle Forms with, 31, 32, 33
 - Development tools, 31-36
 - Oracle Forms, 31-33
 - Oracle Reports, 33-36
 - DEVEL tablespace, 78
 - Dial-in configuration, Oracle Net Configuration Assistant screen for, 227
 - Direct path method, 182
 - DISCARD folder, 169
 - Discard records, 163
 - Discoverer, 372
 - Distribution independence, and relational database management systems, 7
 - DML. *See* Data Manipulation Language
 - Documentation, and system security, 104
 - Double quotes, 409, 410
 - around names, 178
 - and saving SQL script in text editor, 184
 - in syntax for control file, 167
 - Drawing tools, and GUI forms creation, 294
 - DROP command, 25
 - for deleting profiles, 110
 - for deleting sequences, 392
 - and tablespace creation, 138, 140
 - DROP/CREATE TABLE, 136
 - Drop-down lists, 345
 - .dsc, for discard file, 164
 - Duplicate key error, 332
 - Duplicate keys, and import step, 255
- E**
- Editor, note on, 143
 - Edlin tool, 379
 - Einstein, Albert, xi
 - Ellison, Larry, 8
 - Empty tables, 167
 - ENABLE command, and starting triggers, 409
 - END command, in PL/SQL, 22
 - Enforce data integrity, 186, 270
 - ENTER button, for GUI form, 290
 - Enterprise Edition, Oracle9i Application Server, 420
 - Enterprise manager utilities, 244
 - Enterprise version, starting/stopping database with, 244
 - Equal to operator (=), 61
 - Errors, 120, 164, 249, 338, 353, 436
 - form, 437

- “FRM-30087,” 280
 - “FRM-xxx,” 327, 370
 - and global paths, 357
 - handling, 327, 369
 - and HAVING statement, 403
 - and IMPORT, 256
 - “Input truncated to 13 characters,” 416
 - memory, 240
 - note on, 156
 - “Object DOES NOT EXIST,” 201
 - Oracle, 257
 - “ORA-00001,” 368
 - “ORA-0403,” 120
 - “ORA-xxx,” 325, 327, 402
 - and port numbers, 238
 - referential integrity and checking on, 64
 - SQL, 257
 - in syntax, 137, 140
 - and table data entrance, 278
 - and trigger creation, 407
 - and User ID checks, 323
 - valid, 368
 - Exam registration, ID checks for, 318-327
 - EXAMS button, 307, 356
 - Excel, 83
 - Exception handling, 23
 - EXCEPTION section, in PL/SQL
 - block, 22, 23
 - Exceptions handling, parts to, 408
 - EXCEPTION statement, 408
 - EXIT button
 - in Forms *6i*, 326, 327
 - for GUI form, 290
 - EXIT command, in PL/SQL, 28
 - EXIT_FORM, 354, 357
 - Expiry_Date column, in USER_USERS, 200
 - Export step, 251-255
 - EXPORT utility, 251, 252, 256
 - Extensible Markup Language, 33
 - Extents, 77, 78
- F**
- Failed login attempts, 113
 - Failures, and transaction processing, 79
 - FETCH command, in PL/SQL, 28
 - Fields
 - fixed-length, 175, 176
 - skipping in comma-delimited files, 179
 - Fill Color icon, 311
 - FINISHED button, 308, 351
 - Firewalls, 416
 - First Normal Form, 43, 45, 46, 47
 - Fixed-format files, 180, 181
 - Fixed-format flat files, loading, 163
 - Fixed-format record, sample, 175
 - Flat files, 162, 176
 - .fmb files, 354, 436
 - fmrPCweb.res file, 437
 - fmrweb.res file, 437
 - .fmx files, 354, 436
 - .fmx program, 432
 - Folders
 - and EXPORT, 252
 - SQLLOAD, 164
 - Foreign keys, 13, 14, 52, 65, 68, 73, 205
 - Form error, 437
 - Forms
 - access to, 109

454 • INDEXForms (*continued*)

- building a piece at a time, 370
 - calling from forms, 307-308
 - custom menus attached to, 358
 - generating, 186
 - linking, 354-357
 - menu items attached to, 367
 - menus added to, 365-369
 - in Object Navigator, 337
 - simple, 268-274
 - using, 308-309
- Forms *6i*, 186, 188, 265-370
- creating real GUI forms with, 278-295
 - creating simple forms with, 268-274
 - installing, 266-268
 - main screen of, 306-369
 - navigating among forms in, 354
 - running the form in, 275-278
 - runtime screen in, 275
 - saving in, 293
 - security, 441-444
 - splash screen in, 296-306
 - starting, 269
 - syntax problems in, 324
- Forms *6i* components, 281-282
- canvas, 282
 - Object Navigator, 281
 - PL/SQL Editor, 282
 - Property Palette, 282
- Forms menu bar, 358
- FORMS60PATH, 436
- Forward slash (/), for running commands after making changes, 381
- %FOUND, 29n1

- Fraudulent update, 104
- "FRM-30087" error, 280
- "FRM-xxx" error, 327, 370

G

- Global paths, 356, 357, 436
 - Global variable, 295
- Grants
- DBA and management of, 242
 - kinds of, 207
- GRANT statements, 112
- for business roles, 115-116
 - and roles, 114
 - for Student role, 116
 - and user creation, 117
- Graphical user interface, 2, 136, 416
- Graphics
- displaying on splash screen, 299-300
 - test form, 330
- Graphs, and Oracle Reports, 33
- Greater than operator (>), 61
- Greater than or equal to operator (>=), 61
- GREATEST command, 390, 398
- GROUP BY clause, 77, 402-403
- GROUP BY statement, 400
- Guerrilla Exams screen, 439, 440
- GUERRILLA1 server, 84
- Guerrilla Oracle, guerrilla part of, 4
- GUERRILLA_ORACLE folder, 367, 436
- GUERRILLA TEST DESCRIPTIONS, 279
- Guerrilla toolbox, 371-416
- calculations, 374-381
 - date handling, 372, 386-391
 - DECODE function, 397

feeding other systems, 372, 409-410
 iSQL*Plus, 414-416
 letter and number manipulation, 372,
 392-396
 linking to Access, 372, 410-414
 number functions, 372, 398-401
 queries, 371, 381-386
 reporting made simple, 371, 372-374
 sequences, 372, 391-392
 TRANSLATE command, 396-397
 triggers, 372, 405-409
 verbs and adverbs, 372, 402-405
 GUI. *See* Graphical user interface
 GUI form, data added to tables
 with, 186-195
 GUI forms creation, 278-295
 and buttons, 290-292
 and components of Forms *6i*, 281-282
 and images, 293-294
 main screen, 284
 preparation for, 278-280
 and saving work, 293
 select test screen, 284
 splash screen, 283, 285-289
 steps in, 282-285
 take test screen, 285
 tools, 294-295

H

Hardware, 76
 HAVING command, 403
 headsep (head separator) character, 374
 Help index, information on "FRM-xxx" errors
 in, 370

Help item, 369
 Help parent menu item, 363
 Help topic window, with *8i*, 221
 Hierarchical structures, 6
 Host Name field, IP address in, 238
 Hours, with date handling, 388
 Housekeeping, before loading, 164-165
 HTML. *See* HyperText Markup Language
 Human Genome Project, 56
 Human Resources data, security policy for, 105
 HyperText Markup Language, 35, 83, 432

I

IBM, 7, 8
 Icons, 356
 IDs, 105,
 security, 441-444
 superuser, 136
 and test registration, 318
 tracking, 352-353
 IF...THEN statements, 22
 Images
 adding to reports, 34
 adding to splash screen canvas, 298
 and GUI forms creation, 293-294
 IMMEDIATE choice, Oracle SVRMGRL, 246
 IMMEDIATE parameter, 246
 Import step, 255-260
 IMPORT utility, 252, 256
 and CONSTRAINTS = N parameter, 255
 and DESTROY, 258
 uses for, 251
 IMS, 7, 8

456 • INDEX

- INCLUDING CONTENTS command, in syntax for tablespace creation, 138
 - IN command, in SQL, 19, 20
 - Indexes, 15, 60, 77, 78, 262
 - Informix, 8
 - Ingres, 8
 - INITCAP command, 393
 - Initial extent, 78
 - Initial value, setting in Property Palette, 349
 - INIT.ORA, 81, 82
 - IN operator, 390
 - INPUT command, 381
 - Input files, and table layout mismatch, 180
 - “Input truncated to 13 characters” error, 416
 - INSERT, 23, 167, 170, 171, 183
 - Insert, in Forms *6i*, 277
 - INSERT log, 173
 - INSERT operation, 405, 407
 - INSERT statement, 185, 392
 - Installation types screens
 - in Oracle *8i*, 219
 - in Oracle *9i*, 220
 - Instances, 76-77, 261
 - of databases, 261
 - of objects, 12
 - INSTEAD OF statement, 405
 - INSTR command, 394-395
 - Integrity constraints
 - and import step, 255
 - information on in data dictionary, 198
 - minimizing, 262
 - Integrity independence, and relational database management systems, 6
 - Interfacing, 83
 - Internet, 8
 - Internet Explorer, 242
 - Internet Explorer users, note for, 263-264
 - INTERSECT, 383
 - Intersect table, 11
 - IP address, 237, 437
 - and host name, 237, 238
 - and PC configuration, 226
 - Is equal to (=), 19
 - Is greater than (>), 19
 - Is greater than or equal to (>=), 19
 - Is less than (<), 19
 - Is not equal to (!= or <> or ^=), 19
 - iSQL*Plus, 414-416
 - login screen, 414
 - work screen, 415
- J**
- Java, 432
 - JInitiator, installing, 434, 437
 - Joins, 77, 381
 - Journal of the Association for Computing Machinery*, 6
- K**
- Keyboard file, checking on Web server, 437
 - Keyboard map files, 437
 - Keys, 56
 - foreign, 13, 14, 52, 65, 68, 73, 205
 - logical, 13
 - nonprimary, 73
 - primary, 12, 13, 48, 59, 60, 62, 69, 73, 137, 205
 - uniqueness among, 64
 - value of using, 171

L

LAN. *See* Local area network

Laptops, 240

LAST_DAY command, 390

Layout Editor, 310, 317, 339, 344, 354

- getting to for canvas, 345
- SELECT_TEST canvas in, 338

Layout Wizard (Forms 6i), 270, 271, 272, 273, 341

LEAST command, 390, 398

Legacy, porting to new Oracle database, 136

Legato, 250

LENGTH command, 393

Less than operator (<), 61

Letters, manipulating, 392-396

Licenses and licensing, 76, 242, 243

LIKE statement, 19

Limits, 210

Line Color icon, 311

Linking forms, 354-357

Link table, 67

LIST command, 380

List of values, 311, 313, 314, 316-318

Lists, 19

LOAD commands, 184

Loading tables, 162-195

- and advanced SQL*Loader, 179-183
- and control file, 167-168
- and data file, 165-167
- and housekeeping, 164-165
- and running SQL*Loader, 169-178
- and SQL*Loader (Method 1), 162
- using a GUI form (Method 3), 186-195
- using a script (Method 2), 183-186

Load Script button, iSQL*Plus, 416

Local area network, 3, 226

Locally managed, tablespaces defined as, 139

Lock_Date column, in USER_USERS, 200

LOG folder, 169

Logical data independence, and relational data base management systems, 6

Logical key, 13

Logical operators, 59, 60, 61

Logins, and profiles, 113

.log, for log files, 164

Logo screens, 296

Logs, checking, 264

Loops, 22

LOV. *See* List of values

LOV Wizard, 314, 315, 316, 317

LOWER command, 393

LPAD, 395

LTRIM, 395, 396

M

Magic types, 362, 363

Main screen (Forms 6i), 306-370

- building a control form, 309-310
- building screen items, 311
- buttons on, 345-352
- calling forms from forms, 307-308
- data, 313-316
- detail block, 339-344
- error handling, 327
- linking the forms, 354-357
- list of values, 316-318
- master block, 331-338
- menus, 358-370

458 • INDEX

- Main screen (Forms 6i) (*continued*)
 - message box, 311-312
 - test form creation, 327-330
 - tracking IDs, 352-353
 - triggers, 318-327
 - using the forms, 308-309
 - Maintenance, 244
 - Malicious update, 104
 - Many-to-many relationship, 11, 12
 - Master block, 331-338
 - Master-detail relationships, in Forms 6i, 328
 - Master table, in data block, 328
 - Math symbols, with number functions, 398
 - MAX, 374, 398, 399
 - Memory
 - errors, 240
 - for 8i and 9i installation, 86
 - Menu bars, 354
 - Menu editor, 360
 - Menu items, 358
 - activating, 363-365
 - attaching to form, 367
 - creating, 360-363
 - Menu module, creating, 358-359
 - Menus
 - adding to forms, 365-369
 - building a piece at a time, 370
 - compiling, 364-365
 - custom, 358
 - Menus in Forms 6i, 357, 358-370
 - activating menu items, 363-365
 - adding menus to forms, 365-369
 - creating menu items, 360-363
 - creating menu modules, 358-359
 - Message box, 311-312
 - Microsoft Access
 - linking to, 410-414
 - linking to Oracle, 84
 - starting, 411
 - Microsoft Internet Explorer, Oracle Forms Server, 433
 - Microsoft ODBC for Oracle driver, 412
 - Middle tier, 417, 418
 - MIN, 374, 398, 399
 - MINUS command, 383
 - Minutes, with date handling, 388
 - Misspellings, 357, 407, 437
 - .mmb files, 436
 - MM/DD/YYYY standard format, and date storage in Oracle format, 390
 - .mmx file, copying to Web server, 436
 - Modification and tuning, 242, 262-264
 - “Module built successfully” message, 364
 - MONTHS_BETWEEN command, 390
 - Multidisk systems, and tablespaces, 138
 - Multiple forms, 336
- N**
- Naming standards, 213
 - National Science Foundation, 8
 - Negative numbers, incrementing by, 392
 - Net8. *See* Oracle Net8
 - Net8 Configuration Assistant. *See* Oracle Net8 Configuration Assistant
 - Net Service Name Wizard
 - communications protocol screen, 230, 237
 - database name typed in, 238
 - protocol settings screen, 230, 238
 - test screen, 231, 239
 - Welcome screen, 237
 - NET START command, 249

- NET STOP command, 249
 - NEW_FORM, 354
 - NEW_VALUE, 377, 379
 - NEXT_DAY command, 390
 - NEXT EXTENT clause, 78
 - NEXT.VAL, 31
 - Nicknames, 201
 - 9i. See Oracle 9i*
 - Non-key joins, 382
 - Nonprimary keys, 73
 - Nonsubversion, and relational database management systems, 7
 - Nonunique index, 60
 - Nonvolatile, 36
 - NORMAL choice, Oracle SVRMGRL, 246
 - Normal forms
 - First, 43, 46, 47
 - Second, 45, 46, 48
 - Third, 47, 48
 - NORMAL (in ALTER statement), in syntax for tablespace creation, 138
 - Normalization, 49, 52, 54, 60
 - break in, 55
 - reasons for, 48
 - NOT BETWEEN command, in SQL, 20
 - Notepad
 - note on input data created with, 178
 - script saved in, 139
 - Not equal to operator (!= or ^= or <>), 61
 - %NOTFOUND, 29n1
 - NOT NULL, 14, 58, 68
 - NSF. *See* National Science Foundation
 - NT. *See* Windows NT
 - NULL, 14, 398
 - Null constraint, 58
 - NUM, 374
 - NUMBER format, 56
 - Number functions, 398
 - Numbers, manipulating, 392-396
 - NUMERIC EXTERNAL, 177
- O**
- “Object DOES NOT EXIST” error message, 201
 - Object Navigator, 273, 279, 281, 308, 345, 354, 356
 - and activating menu items, 364
 - and adding menus to form, 365
 - and building splash screen, 296
 - button name changes with, 352
 - and canvas screen, 274
 - and data blocks, 329
 - deleting data block information in, 344
 - form in, 337
 - and lists of values, 317
 - and menu module creation, 359
 - and radio button group, 349
 - and User ID checks, 322, 324
 - Object Navigator screen, PRE-FORM selected under Triggers in, 295
 - Objects, 15, 212
 - OCOPY, 250
 - One-to-many relationship, 11
 - Open cursors, checking for, 29n1
 - OPEN_FORM, 354
 - OR, in SQL, 20
 - Oracle, 8
 - date format in, 182
 - dictionary used by, 198-199
 - five-digit numbering schema for releases by, 242

460 • INDEX

- Oracle (*continued*)
 - NET STOP and NET START commands in, 249
 - system upgrades by, 242
 - user groups, 262
- Oracle Corporation, 15
- Oracle databases, 76
 - linking Access to, 410-414
 - linking other databases to, 84
- Oracle Designer, description of, 214
- Oracle Discoverer, 372
- Oracle 8
 - database, 215
 - RMAN in, 250
- Oracle 8i, 33, 83, 99
 - installation types screen, 219
 - installing, 85-101
 - install screen, 222
 - RMAN in, 250
 - saving new service, 240
 - server, 1, 2
 - summary installation screen, 221
 - Welcome screen, 86
- Oracle 8i client
 - adding another service to, 235-240
 - Client-Autorun screen, 216, 217
 - handling failures in installation of, 240
 - installation of, 215, 216-234
- Oracle 8i Tuning and Administration* (Thorpe), 262
- Oracle Enterprise Manager tools, 250
- Oracle errors, 257
- Oracle Forms, 3, 31-33, 76
 - Oracle Forms Builder
 - tool palette in, 294
 - Welcome to Form Builder screen in, 285
 - Oracle Forms Developer, 266
 - Oracle Forms Runtime screens
 - Guerrilla Exams, 439
 - Guerrilla Test Authors, 276, 277
 - "take test," 439
 - Oracle Forms Server, 36, 431
 - Oracle home, 79
 - ORACLE_HOME/ORANT/BIN directory, 307
 - Oracle HTTP Server in SSL Mode, 422
 - Oracle HTTP Service, 414
 - Oracle installation settings screen, 266
 - Oracle Installer, 266, 428
 - Oracle instance, 76-77
 - Oracle licensing, DBA and enforcement of, 242, 243
 - Oracle logon screen, 438
 - Oracle Managed Objects, 248
 - Oracle Net8, 83, 101, 136, 224
 - Oracle Net8 Configuration Assistant, 225, 235, 236
 - adding more services to, 240
 - another net service name screen, 229
 - communications protocol screen, 226
 - completion screen, 233
 - connect fail message screen, 231
 - dial-in configuration screen, 227
 - Net Service Name Configuration, Connecting screen, 228
 - Net Service Name Configuration, database SID screen, 229
 - Net Service Name Configuration Done screen, 232

- Net Service Name Configuration, Net Service Name screen, 228
- Net Service Name Configuration Test, 227
- Service Naming highlighted in screen, 236
- Welcome screen, 224, 225
- Oracle Net Manager, Service Naming directory screen, 239
- Oracle 9i, 33, 83, 96, 414
 - installation types screen, 220
 - installing, 85-101
 - install screen, 223
 - RMAN shipped with, 250, 251
 - running Oracle services screen, 99
 - server, 1, 2
 - summary installation screen, 222
 - Welcome screen, 217
- Oracle 9i Application Server (9iAS), 417, 418-419
 - Enterprise Edition, 420
 - installation screens, 427-429
 - installing, 419
 - Java orientation with, 434
 - server, 36
 - testing, 433
- Oracle 9i Application Server Forms Server, installing, 422
- Oracle 9i Application Server portal, Apache listener configuration for, 424
- Oracle 9i Application Server Reports Server, installing, 422
- Oracle 9i client
 - adding another service to, 235-240
 - handling failures in installation of, 240
 - installation of, 215, 216-234
 - saving new service in, 240
- Oracle RDBMS, system security for, 104
- Oracle Reports, 3, 31, 33-36, 76, 377
- Oracle Server, 3, 15, 37, 76
 - and building tables, 136
 - DBA and installation of, 241
- Oracle servers, defining to client PC, 216-234
- Oracle Services ID, 247
- "Oracle smart," and clients, 215-216
- Oracle SQL*Loader. *See* SQL*Loader
- Oracle SQL*Plus. *See* SQL*Plus
- Oracle Technical Network, 371
- Oracle tools installation options screen, 266
- Oracle Universal Installer, 87, 216, 419, 421, 422, 423, 428
 - Apache listener configuration for Oracle9iAS portal screen, 424
 - component Locations screen, 224
 - configuration tools screen, 96, 223
 - database configuration screen, 93
 - database identification screen, 93, 94
 - database product screen, 90, 91
 - default directories screen, 88
 - deinstalling and reinstalling, 100
 - Destination Oracle Home and Oracle Home Name screen, 421
 - end of installation screen, 97, 233
 - file locations screens, 218, 219
 - installation types, 91, 92
 - Install screen, 95
 - inventory screen, 98
 - Oracle9i Application Server installation screens, 427-429
 - Oracle9i install screen, 422
 - products and storage requirements screen, 94, 95
 - standard status bar, 89

462 • INDEX

- Oracle Universal Installer (*continued*)
 - summary screen for Oracle9i Application Server, 426
 - system password for wireless edition screen, 426
 - Welcome screen, 420
 - Wireless Edition screen, 425
 - Oracle Universal Wizard, 215
 - Oracle Web, 33, 36, 419
 - Oracle Web tools, 3
 - Oracle Windows installation, 75-101
 - concepts, 76-80
 - major parts of, 80-84
 - Oracle Wireless Edition technology, 37
 - ORADIM command, 249
 - “ORA-00001” error, 368
 - ORA-0403 error message, 120
 - “ORA-xxx” error message, 325, 327, 402
 - ORDER BY clause, 77, 402, 403
 - Outer joins, 382
 - Output, from system design, 41
 - Output drop-down list, iSQL*Plus, 416
 - Output spool file, 153-162
 - Ozzie, Ray, xi
- P**
- Parameter file, and IMPORT utility, 256-257
 - Parameters, in Oracle Forms Server test screen, 431, 432
 - Parent-child relationships, 6
 - Parentheses
 - in syntax for table creation, 137
 - and triggers, 407
 - Parent item, in menu item, 358
 - Password aging, 106
 - Password complexity, 106
 - Password history, 107
 - Password limits, views relevant to, 121
 - Passwords, 104, 114
 - management policy for, 106-107
 - for sensitive administration accounts, 106
 - and user security, 105
 - Paste item, 362
 - Patch software, 243
 - PB. *See* Petabytes
 - Performance
 - DBA and analysis of, 262
 - and tablespaces, 139
 - and triggers, 409
 - Person ID, from PERSON table, 25-26
 - PERSON table
 - example of SQL from, 16
 - PL/SQL example, 22, 23, 24, 25
 - and SQL*Plus report, 20-21
 - Petabytes, 77
 - Physical data independence, and relational database management systems, 6
 - Pirating policy, 243
 - Plain menu items, 362
 - PL/SQL (Procedural Language/SQL), 3, 22-31, 37, 76, 83
 - running, 143
 - successful completion of procedure in, 30
 - PL/SQL Editor, 282, 363
 - Pop-up menus, 369
 - Port numbers, and errors, 238
 - POSITION statement, data types defined with, 177
 - PRE-FORM trigger, 356, 435

Presentation, 37
 Primary keys, 13, 48, 59, 60, 62, 69, 73, 137
 finding for table, 204-205
 uniqueness of, 12, 14
 Privileges, 105, 106, 111-112, 136
 and auditing, 107
 in data dictionary, 198
 and data dictionary views, 201
 Procedure Builder, 33
 Procedures, 114
 PRODUCT_COMPONENT_VERSION
 view, 243
 Production instance, 261
 Profiles, 104, 108
 creating, 132
 and data dictionary views, 202
 DBA and creation of, 241
 script for building, 121
 showing, 205
 for waiver database security, 113-114
 WILD_HORSES, 110
 Programmer installation, with 8*i* and 9*i*, 220
 Programmers, and security, 106
 Programming, 104, 213
 Prompt selection, 313
 PROMPT statement, 377
 Property palette, 282, 292, 294, 310, 313, 317
 changes in, 288, 289
 initial value set in, 349
 and menu items creation, 361
 and Oracle Forms Builder, 188, 189
 and splash screen, 299
 for USER_ID, 320-321
 Pseudocolumns, 375, 379
 Public synonyms, 79, 120, 201

Q

Queries, 277, 381-386, 401
 Query Builder, 33
 QUESTION_ID, 341
 Question Id block, on Guerrilla Exams
 screen, 440
 QUESTIONS table, 44, 45, 48, 68, 69, 115, 331,
 332
 ANSWERS table linked to Question_ID
 column of, 66
 building, 65
 constraints added to, 63
 creating, 135, 146
 defining data for, 57
 and relationships, 64
 QUESTIONS_TYPE_DESC table, 54, 57, 63, 65,
 68, 135, 145
 Quit item, 362
 Quotes/Quotation marks
 for character fields, 183
 deleting at end of strings, 396
 double, 167, 178, 184, 409, 410
 rules for, 410
 single, 167, 301, 338, 409, 410

R

Radio button group, 345, 347, 348, 349
 Radio buttons, 345, 347
 changing properties of, 348
 and GUI forms creation, 294
 Radio menu item, 362
 RDBMSs. *See* Relational database management
 systems
 Records, adding in Oracle Forms Runtime, 191,
 192, 193, 194, 195
 Recovery. *See* Backup and recovery

464 • INDEX

- Recovery Manager, 250
 - Redo logs, 82
 - Redundancy, reducing, 48
 - References clause, 69
 - guidelines for use of, 73
 - References TABLE(column) command, 66
 - Referential integrity, 13, 64, 65, 66, 67, 137, 145, 278
 - and import step, 255
 - note about, 73
 - Referential integrity constraints, 82, 332
 - and CASCADE CONSTRAINTS, 144
 - in tables, 135, 143
 - and tables linked together, 71-72
 - Refresh, cautionary note about, 261
 - Register and Continue to the test button trigger, 352
 - Registry
 - settings changes in, 248
 - shutdown information in, 248
 - Relational database management systems, 3, 5, 37
 - Codd's rules for, 6-7
 - and constraints, 12-14
 - and relationships, 10-12
 - Relational databases, 10-14, 56
 - Relational Software Inc., 8. *See also* Oracle Corporation
 - Relationships, 10-12
 - for tables for waiver exam, 55, 64-72
 - REPLACE, 167, 170, 173
 - Reports
 - access to, 109
 - in browser, 35
 - with Oracle Reports, 34
 - writing, 372-374
 - Repository, 214
 - Reserved words, in SQL*Loader, 167
 - Return value column, 314, 315
 - RMAN. *See* Recovery Manager
 - ROLE_ROLE_PRIVS view, 208
 - Roles, 104, 105, 108-111, 114-116, 206-208, 213
 - creating, 132
 - for database administrators, 106
 - and data dictionary views, 201
 - DBA and creation of, 241
 - and grants, 207, 208
 - script for building, 121
 - security policies defined for, 109
 - and user security, 105
 - views relevant to, 121
 - ROLE_SYS_PRIVS view, 208
 - ROLE_TAB_PRIVS view, 207
 - Rollback segments, 82, 262
 - Rollback tables, 262
 - %ROWCOUNT, 29n1
 - Rows, 49. *See also* Columns
 - and data classifications, 56
 - in tables, 10, 12
 - Row triggers, 405
 - RPAD, 395
 - RTRIM, 395, 396
 - Rulers, and GUI forms creation, 294
 - Runtime installation, with 8*i* and 9*i*, 220
- S**
- Sandboxes, in Forms 6*i*, 281-282
 - Save Script button, in iSQL*Plus, 416
 - Saving
 - in Forms 6*i*, 277, 278
 - reminders about, 293, 327, 331, 337, 344, 351, 356-357, 364, 436

- Schemas, 78-79, 107
- SCORE column, 402
- Screen items, building, 311
- Scripts
 - access to, 109
 - SQL*Plus load, 183
 - table creation, 148-153
 - variation on use of, 184-186
 - for waiver database security, 121-133
- Second Normal Form, 45, 46, 48
- Seconds, with date handling, 388
- Security, 37, 76, 81, 82, 83, 103-133, 241, 369, 441-444
 - auditing, 107
 - building security schema, 107-112
 - data security, 105
 - password management policy, 106-107
 - and protection issues, 103
 - system security, 104
 - tasks involved in, 104
 - user security, 105-106
 - waiver database security, 112-133
- “SECURITY_LOAD.SQL,” 122
- Security policies, for different roles, 109
- Security schema
 - building, 107-112
 - DBA and development of, 241
 - privileges, 111-112
 - profiles, 107, 108
 - roles, 107, 108-109
 - users, 107, 110-111
- Segments, 77, 78
- “SELECT ALL TABLES” privilege, 206
- “SELECT ANY TABLE” privilege, 202
- SELECT command, 201, 380, 387, 393
 - and queries, 381
 - and test scores, 400, 401
- SELECT * FROM ALL_CONSTRAINTS, 14, 15
- SELECT * from table-name command, 278
- SELECT * FROM DBA_CONSTRAINTS, 14
- SELECT * FROM USER_CONSTRAINTS, 14
- SELECT items, GROUP BY items matched with, 402
- SELECT statement, 377, 401
 - hours, minutes, and seconds added to, 388
- SELECT * statements, qualifying, 201
- SELECT_TEST canvas, 336, 338, 352
- SELECT_TEST .fmb form, 366
- SELECT_TEST form, 328
- Semicolons, 301, 357
 - in syntax for table creation, 137
 - in syntax for tablespace creation, 138
 - and table creation, 144
 - and triggers, 407
- Separator menu item, 362
- SEQUEL, 7. *See also* SQL
- SEQUENCE command, 392
- Sequence numbers, loading, 182
- Sequences, 31, 78, 391-392, 406
- Server configurations, 15
- Server environment, 15
- Servers, 263
 - installing, 80
- Service Naming directory, Oracle Net Manager, 239
- SESSION, 114
- Session information, and auditing, 212
- SESSION_PRIVS, 210

466 • INDEX

- SESSION_ROLES, 210
- SET ECHO command, 140
- Seven-character naming schema, 213
- SGA. *See* System global area
- Shapes, and GUI forms creation, 294
- Shortcuts, 307
- Shutting database down, reasons for, 244
- SID. *See* System identifier
- Sign In button, 319, 321, 325
- Simple forms, creating, 268-274
- Single quotes, 167, 301, 338, 409, 410
- Size of data types, 177
- SmartTriggers, 321
- Smart triggers, 326, 350, 357
- Software AG, 8
- Sorts, 77
- SOUNDEX command, 394
- Space allocation/deallocation, and tablespaces, 139
- Spelling, 407. *See also* Misspellings
- Splash canvas, positioning items in, 304
- Splash screen, 296-306, 354
 - building, 296
 - building in Forms *6i*, 285-287
 - building timer for, 301
 - displaying the graphic, 299-300
 - image and text added to canvas, 298-299
 - removing, 435
 - and syntax note, 301
 - on the Web, 434
- SPOOL command, 140
- Spool file name, date put in, 384-386
- Spooling, 201
 - turning off, 162
- Spreadsheets
 - loading into tables, 162
 - and variations on using a script, 184-186
- SQL. *See* Structured Query Language
- SQL command line, and backspacing restriction, 141
- SQL>DESCALL_CONSTRAINTS, 204
- SQL>DESC ALL_CONSTRAINTS
- SQL>DESC ALL_TABLES, 203
- SQL/DS, 8
- SQL errors, 257
- .sql file, 143, 185
- SQL*Loader, 2, 82, 83, 136, 186, 244
 - and data files, 165
 - data formats handled by, 177
 - data handling with, 182-183
 - and data loading methods, 182
 - naming files in, 164
 - running, 169-178
 - syntax rules for, 167
 - and table loading, 162
 - temporary tables loaded with, 180
- SQL*Loader 500 error, 178
- SQLLOAD file, creating, 164
- SQL*Net, 224. *See also* Oracle Net8
- SQL*Plus, 3, 20-21, 37, 76, 80, 83, 100, 101, 278, 279, 343
 - and creating/loading tables, 136, 139
 - default editor with, 141
 - prompt, 111
 - and report writing, 372-374, 376
 - and User ID checks, 326
- SQL*Plus screen, 240
- SQL*Plus script, 183

- SQL programming languages, 16-31
 - PL/SQL, 22-31
 - SQL, 16-20
 - SQL*Plus, 20-21
- SQL> prompt, 139, 140, 185, 416
 - command-line editor run from, 380
 - commands run from, 132-133
- SQL script, in text editor, 184
- SQL statements, and auditing, 107
- .sql type, 139
- SQR, 372
- Start/end test times, calculating, 391
- Start in field, Guerrilla Tests Properties screen, 307
- Starting up/shutting down databases, and DBA, 243-250
- Statement triggers, 405
- STD, 374
- Storage, in RDBMS, 11, 12
- Strings, 56, 392-396
 - and date calculations, 389
 - more functions for working with, 396-397
- Structured English Query Language. *See* SEQUEL
- Structured Query Language, 5, 8, 16-20, 37, 76
 - basic commands in, 17-18
 - syntax, 18, 19
- Student accounts, creating, 129
- “STUDENT_ANSWER_HISTORY not defined” message, 351
- STUDENT_ANSWER_HISTORY table, 47, 59, 63, 64, 70, 148, 345, 350
- Student IDs, tracking, 352-353
- Student role, 108
 - creating, 116
 - and grants, 124
- STUDENT_ROLE, 117
- Students, and profiles, 108
- STUDENTS table, 46, 52, 53, 59, 61, 65, 116, 433
 - creating, 69-70, 147
 - modified, 62
 - and relationships, 64
- Subfolders, in SQLLOAD file, 164
- SUBSTR command, 394
- SUM, 374, 398, 399
- Superuser ID, 136
- SVRMGRL, 249, 250
 - starting up/shutting down, 245-247
- SYNONYM, 114
- Synonyms, 31, 79, 120, 201
- Syntax
 - for accessing in schema, 78-79
 - for changing spreadsheet into SQL script, 184-186
 - for CREATE or REPLACE TABLE, 331
 - for data blocks, 351
 - for date commands, 390
 - and DECODE function, 397
 - errors in, 137, 140, 357
 - and EXPORT utility, 255
 - and Forms *6i*, 301, 324
 - and GROUP BY clause, 402
 - for NULL values, 399
 - for parameter file, 256
 - for script created with text editor, 184
 - for sequences, 392
 - SQL, 18, 19
 - and SQL*Loader, 167
 - with tablespace creation, 136-139
 - for WILD_HORSES profile, 110
- SYSDATE, 375, 379, 391

468 • INDEX

SYS ID, special security note on, 106
 System Administrator account, 269
 System blocks, 77
 System design, output from, 41
 System global area, 76-77
 System ID, 80, 106, 229
 SYSTEM/MANAGER ID, 136, 139
 SYSTEM privileges, 111-112, 207, 208
 System R, 7, 8
 SYSTEM schema, 79
 System security, 104
 System Support Files screen, 268
 SYSTEM tablespace, 77, 78, 110, 198
 System upgrades, by DBA, 242-243

T

TABLE, 114
 Table creation script, in entirety, 148-153
 Table creation syntax, 136-139
 syntax rules, 137
 tablespaces, 138-139
 Table data, sequencing and entering of, 278
 Table design
 and Oracle Windows installation, 76
 and system security, 104
 Table loading, 162-195
 with GUI form (Method 3), 186-194, 195
 and import step, 255
 with a script (Method 2), 183-186, 195
 sequence for, 278
 with SQL*Loader (Method 1), 195
 Table normalization, and Oracle Windows installation, 76
 Tables, 15, 49, 77, 78, 135-195, 241, 375
 base, 198
 building, 48
 checking, 178
 constraints on, 14
 creating, 82, 135, 139-140, 143-148
 damaged, 256
 data dictionary, 203
 DBA and creation of, 241
 designing, 46
 finalizing for waiver exam, 51-73
 grants given about, 207
 loading, 162-195
 looking up constraints on, 259-260
 and Oracle Windows installation, 76
 output spool file for, 153-162
 overview of creating and loading, 136
 refining for waiver exam, 52-55
 in relational database management system, 10, 12
 rights to, 120
 and triggers, 406
 V\$, 212-213
 TABLESPACE line, 137
 Tablespaces, 77-78, 137, 138-139, 241
 creating, 132, 140-143
 creation of during Oracle database creation, 81
 defining as locally managed, 139
 finding, 211
 note on, 142
 temporary, 262
 views relevant to, 121
 for waiver database security, 112-113
 TABLESPACE USERS, creating, 119
 "Take test" canvas, in Forms 6i, 328

- TAKE_TEST canvas, 339, 341, 345, 346
- Target field, Guerrilla Tests Properties screen, 307
- Temporary tables, 23, 180
- Temporary_Tablespace column in USER_USERS, 200
- Temporary tablespaces, 262
- Temporary work table, 25
- TEMP_PERSON_TABLE, 23, 26
- TEMP tablespace, 77, 78, 110, 112, 113, 119
- TERM OFF, 384
- Test forms, 327-330, 336
- TEST_HISTORY table, 47, 52, 53, 59, 116, 387
 - creating, 147
 - defining, 70
 - modified, 62
 - and relationships, 64
- Test ID box, 309
- TEST_ID column, 316
- Test ID field, 326
- TEST_ID table, 46, 47, 53, 58, 63, 66, 115, 135, 332
 - creating, 65, 144
 - and relationships, 67, 68
- Testing, Oracle9i Application Server, 433
- TEST_QUESTION_LINK table, 46, 53, 63, 135, 332
 - creating, 146
 - and relationships, 64, 69
- Test registration, ID checks for, 318-327
- Tests, choosing, 308
- TESTS table, 45
- Tests Taken report, 376, 378
- Test tables, and security, 105
- TEST TAKEN table, 44, 45
- TEST_TYPE_DESC table, 54, 58, 63, 68, 135, 144
 - data loaded into, 279
 - defining, 67
- TEST_TYPE_DESC table
 - and relationships, 65, 66
- Text, adding to splash screen canvas, 298
- Text Color icon, 312
- Text editor, script created with, 184
- Thick clients, 37
- Thin clients, 37
- Third Normal Form, 47, 48, 60
- Third-party products, for backup and recovery, 250
- Thorpe, Heidi, 262
- Three-tier system, 418
- TIME format, 56
- Timer, building for splash screen, 301
- Timer code, 435
- TNSNAMES.ORA file, 216, 240
- TO_CHAR, 386, 387, 390
- TO_DATE, 386, 390
 - note on, 389
- Toolbars, 354
- Tools, and GUI forms creation, 294-295
- Totals, 374
- Tracking student IDs, 352-353
- Transaction control, 16
- Transaction processing, 79-80
- Transistor, 8
- TRANSLATE command, 396
- Tree structures, 6
- Trigger function, 318
- Triggers, 31, 114, 357, 363, 405-409
 - creating, 356, 405-406, 407

470 • INDEXTriggers (*continued*)

- disabling, 435
- and linking forms, 354
- Main Screen, 318-327
- and Plain menu items, 362
- and splash image, 299
- and splash screen, 302
- starting/stopping, 409
- using, 406-409

Tuning and modification, 242, 262-264

Turing award (ACM), 8

TYPE = 'all files,' 122

TYPE table, 47, 48

U

Unauthorized access, 104, 105

Undo item, 362

Unions, 381, 382

UNION statement, 383

UNIQUE constraint, 171

Unique forms, 308

Unique index, 60

Uniqueness constraint, 58

University of California (Berkeley), 8

UPDATE operation, 405, 407

UPDATE section (PL/SQL), 28, 29

Upgrades, 244, 261

UPPER command, 393

URLs, 432, 433, 437

User accounts, 82, 108, 110

- creating, 117

- and data dictionary, 213

- locking, 113

User accounts (*continued*)

- script for building, 121

- support for, 112

USER_AUDIT_STATEMENT, 212

USER_AUDIT_TRAIL view, 212

USER_CATALOG view, 209

USER data dictionary views, 210

USER_ID, property palette for, 320-321

User_ID column, in USER_USERS, 200

User ID fields, adding, 180

Username column, in USER_USERS, 200

User names, in data dictionary, 198

USER_ROLE_PRIVS view, 208

Users, 104, 136, 209-210, 241.

- See also* Business users

- adding, 82

- creating, 133

- creating and assigning roles to, 124

- DBA and creation of, 241

- and waiver database security, 117-120

User security, 104, 105-106

USER_SOURCE table, 212

USERS tablespace, 78, 112

USER_SYS_PRIVS view, 209

USER tables, public synonym for, 200

USER_TABLESPACES view, 211

USER-TS_QUOTAS view, 211

USER_USERS view, 209

USER views, 199, 211

V

Value, of primary and foreign keys, 13

VANSWERS2, 339, 344, 345

VAR, 374
 VARCHAR2 format, 56
 Variables
 global, 295
 with Oracle Reports, 377
 script prompts for, 121, 133
 with table creation, 137
 V\$BGPROCESS view, 212
 V\$DATAFILE view, 212
 Verbs, in SQL*Loader, 167, 170
 Versions, compatibility issues among, 242
 Video, adding to reports, 34
 VIEW, 114
 Views, 15, 31, 37, 78, 353
 Visual Basic, 84
 VQUESTIONS2, 340
 V\$SESSION view, 212
 V\$SYSSTAT view, 212
 V\$ tables, 212-213
 V\$ views, 199

W

Waiver database, 108
 Waiver database security, 112-132
 and data dictionary, 120-121
 and profiles, 113-114
 and roles, 114-116
 scripts for, 121-133
 and tablespaces, 112-113
 and users, 117-120
 Waiver exam/test
 finalizing tables for, 51-73
 taking and correcting, 440
 Web, the, 9, 37, 76, 417-440
 WEBCWE1P_MAIN.fmb, 434
 WEBCWE1P_MAIN.FMX folder, copying to
 FORMS60 directory on Web server, 436
 WEBCWE1P_MAIN form, compiling, 436
 WEB DB, 31
 Web enabling, for Oracle Windows, 83
 Web Form Tester, Oracle Forms Server, 431
 Web server, 418, 437
 WEBTEST.fmx, 433
 WHEN_BUTTON_PRESSED, 350, 351
 WHEN statement, 181
 WHEN_TIMER_EXPIRED trigger, 435
 WHERE clause, 402, 404-405
 dates in, 390
 operators used with, 405
 WHERE condition, and SELECT statement, 381
 WILD_HORSES profile, 110
 WILD_HORSES_ROLE, 112
 WILD_HORSES table, 112, 180-181
 Window item, 369
 Windows NT, 75, 419
 Oracle Admin Assistant and starting/
 stopping database in, 248
 server, 3
 starting database with, 247
 Windows 2000 (W2K), 75, 419
 deinstalling and reinstalling, 100
 server, 3
 Services screen, 247
 starting database with, 247, 248
 Windows 2000 Oracle database server, services
 screen, 244

472 • INDEX

Wireless technology, 37

Wizards, 15

 Backup and Recovery, 250

 for configuring network parameters, 216

 with Developer 6*i*, 32

 8*i* and 9*i* Install, 85

 with Oracle Reports, 34

WordPad, note on input data created with, 178

Workbooks, 372

X

XML. *See* Extensible Markup Language

Y

Year, signifying with four digits, 391



