



Index

<%=, <%, <# syntax

data binding evaluation syntax, 210
server-side code blocks, 4, 11, 36, 49

A

a control, **href** property, 53–54

AcquireRequestState event, 108

add subelement, **appSettings** element, 75
key/value pairs, 93–94

AddAttribute and **AddStyleAttribute**
methods, 231

AdRotator class, 58, 59–61

allow element, 361

AllowCustomPaging property, **DataGrid**
control, 198, 199

AllowPaging property, **DataGrid** control,
197, 199, 200

AllowSorting property, **DataGrid**
control, 202

AlternatingItemTemplate, data binding,
215

Anonymous Requests/Sec performance
counter, 151

AppDomain class, 20
role in ASP.NET, 98

AppDomainSetup class, 20, 21
application level, placement of elements,
70, 74

Application property, **HttpContext**
class, 102

Application Restarts performance
counter, 151

Application Running performance
counter, 151

application state, 322, 323, 324–327

Application_End event, 109

ApplicationInstance property,
HttpContext class, 102

applications, desktop applications *versus*
Web Forms applications, 33–35

Application_Start event, 109

appSettings element, 70
storing name/value pairs, 75–77
subelement **add**, 75

AppSettings static indexer, 77

ArrayConverter class, 279

.ascx extension, user controls, 266

.ashx files, 116–117

ASP

sample page, 4
compilation *versus* interpretation, 6–7
similarity with ASP.NET, 3

AspCompat attribute, **@Page** directive,
25, 28

ASP.NET, deployment, 67–68

aspnet_isapi.dll file
HTTP pipeline threading, 132
processModel element, 77

aspnet_wp.exe file
worker processes, 2

- control of aspects by **processModel** element, 77
- assemblies, ASP.NET classes, 2
- @Assemblies** directive, 85–86
- assemblies** element, 85–86
- Assembly** attribute, **@Register** directive, 23
- @Assembly** directive, 23, 34, 101
- AsyncCallback** delegate, 136, 140–143
- AsyncHandler** class, 140–143
- asynchronous handlers, 134–144
- AsyncRequest** class, 138–143
- AsyncRequestState** class, 137–138, 140–143
- AuthenticateRequest** event, 107, 376
- authentication
 - clients, 355–357, 360–363
 - optional methods, 370–371
 - role-based, 375–377
 - servers, 354–355
 - Web Forms, 363–368
 - Web Forms, with cookies, 369–370
- authentication** element, 69, 360
- AuthenticationType** property, **IIdentity** interface, 359
- authorization
 - clients, 360–363
 - Web Forms, 363–368
- authorization** element, 69, 360, 364
- AuthorizeRequest** event, 107
- AutoEventWireup** attribute, **@Page** directive, 25, 63
- event handlers, 44
- AutoGenerateColumns** property, **DataGrid** control, 196

B

- BaseCompareValidator** class, 58
- BaseType** property, 8
- BaseValidator** class, 58, 173–174
- Basic authentication, 356
- BeginProcessRequest** method, 135, 136, 140–143
- BeginRequest** event, 106, 107

- Bindable** attribute, control properties, 278
- binding data to controls. *See* data binding
- BindingContainer** property, **DataBoundLiteralControl** class, 212, 213
- BooleanConverter** class, 279
- BoundColumns** property, **DataGrid** control, 196, 197
- Browsable** attribute, control properties, 278
- Browsable** attribute, **WebControl** class, properties, 251–252
- browserCaps** element, 69
- Buffer** attribute, **@Page** directive, 26
- Button** class, 58, 262
- ByteConverter** class, 279

C

- Cache API Entries performance counter, 151
- Cache API Hit Ratio performance counter, 151
- Cache property
 - HttpContext** class, 102
 - Page** class, 310
- CacheEntry** class, 314–315
- Cache.Insert()** method, 316
- CachePath** property, 20
- Cache.Remove** method, 317–318
- caching. *See also* data caching; page output
 - caching
 - opportunities, 291–292
- Calendar** class, 58
- CancelCommand** property, **DataGrid** control, 204–208
- CanConvertFrom** method, 283
- CanConvertTo** method, 283
- Cassini (Microsoft)**, hosting ASP.NET, 98
- Category** attribute, control properties, 278
- CharConverter** class, 279
- CheckBox** control, state management, 261
- CheckBoxList** control, 186
- ClassName** attribute, **@Page** directive, 26
- client-side form validation, 164–165

- clientConnectedCheck** attribute,
 - processModel** element, 79
- clientId** JavaScript identifier, 246–248
- ClientTarget** attribute, **@Page** directive, 26, 239–240
- clienttarget** element, 69
- ClientValidationFunction** property,
 - CustomValidator** control, 176
- CLR (Common Language Runtime), 18–22
- code-behind
 - basics, 11–15
 - event handling, **Page** base class, 15–18
 - Web Forms, 50–53
- CodeBehind** attribute, 62–64
- CodePage** attribute, **@Page** directive, 26
- CollectionConverter** class, 279
- Columns** property, **DataGrid** control, 196
- comAuthenticationLevel** attribute,
 - processModel** element, 79
- comImpersonationLevel** attribute,
 - processModel** element, 79
- Common Language Runtime (CLR), 18–22
- CompareValidator** control, 58, 178
 - properties, 175
- compilation** element, 69
- Compilations Total performance counter, 151
- CompilerOptions** attribute, **@Page** directive, 26, 28
- CompleteRequest** method, 136, 142
- ComponentConverter** class, 279
- composite controls
 - basics, 262
 - child controls, 262–264
 - custom events, 264–266
- configuration** element, 69
- ConfigurationSettings** class, 76–77
- ConfigurationSettings.GetConfig()** method, 93
- configuring ASP.NET
 - ConfigurationSettings** class, 76–77
 - elements, settings, 85–86
 - event handlers, custom section handler, 90–94
 - hierarchy, 70–73
 - impact of changes, 74–75
- location** element, multiple settings in single file, 73–74
- processModel** element, attributes, 74–84, 78–82
- processModel** element, impact of configuration changes, 74–75
- processModel** element,
 - ProcessModelInfo** class, 83–84
 - reading information, 86–90
- web.config** file, 68–70
- web.config** file and IIS, 75
- ContentType** attribute, **@Page** directive, 26
- Context** property, **Page** and **HttpApplication** classes, HTTP pipeline, 101–103
- Control** attribute, **@Reference** directive, 23
- Control** base class, 54–57
- @Control** directive, user controls, 266
- ControlDesigner** class, 288
- controls. *See* custom controls
- Controls** collection, 223
- ControlToCompare** property,
 - CompareValidator** control, 175
- ConvertFrom** method, 283
- ConvertTo** method, 283
- cookieless** attribute, **sessionState** element, 336
- cookies, HTTP state management, 321
 - session key management, 333–337
- counters, performance-monitoring, 150–152
- cpuMask** attribute, **processModel** element, 79
- CreateChildControl()** method, 263
- CreatePlaceholderDesignTimeHtml** function, 289
- CssClass** attribute, **WebControl** class, 61
- Culture** attribute, **@Page** directive, 26
- CultureInfoConverter** class, 279

- Current** property, **HttpContext** class, 102, 103
 - CurrentPageIndex** property, **DataGrid** control, 198, 200
 - custom controls
 - basics, 222–224
 - browser-independent reusable Web components, 237–240
 - classes, **HtmlTextWriter**, 229–230
 - classes, **System.Web.UI.Control**, 226–229
 - client-side scripts, 244–248
 - composite controls, 262–266
 - data binding, 269–275
 - designer integration, basics, 275
 - designer integration, designer classes, 287–289
 - designer integration, properties, and appearance, 275–278
 - designer integration, properties, attributes, 278
 - designer integration, properties, converting types, 278–284
 - designer integration, properties, editors, 284–287
 - inner content to specify control state, 243–244
 - state management, explicit post-backs, 259–261
 - state management, **ViewState** collection, 253–258
 - subproperties, 240–242
 - System.Web.UI.Controls.WebControl**, 248–253
 - user controls, 266–268
 - using, 225–226
 - validation, 268–269
 - writing, 224–225
 - custom handlers
 - .ashx** files, 116–117
 - basics, 110–113
 - factories, 118–119
 - file processing, 114–116
 - pooling, 117
 - custom modules
 - basics, 120–123
 - filters, 123–130
 - versus* **global.asax** file, 131–132
 - pooling, 130
 - customErrors** element, 69
 - CustomValidator** class, 58
 - CustomValidator** controls, 180–181
 - properties, 176
- ## D
- data binding
 - basics, 183–185
 - controls, 186–188
 - controls, **DataGrid**, 196–208
 - controls, templates, 209–219
 - custom controls, 269–275
 - to database sources, **DataReader** *versus* **DataSet**, 193–196
 - to database sources, **DataSet**, 186, 190–193
 - data caching. *See also* page output caching
 - basics, 310–313
 - CacheEntry** class, attributes, 314–315
 - CacheEntry** class, **Dependency** attribute, 314, 316
 - considerations, 318–320
 - guidelines, 318–320
 - objects, lifetime duration, 314, 315
 - objects, removing, 317–318
 - opportunities, 292
 - DataAdapter.Fill()** method, 192, 193
 - DataBind()** method, 183, 186
 - in custom controls, 270
 - DataBinder** class, templated controls, 213–214
 - DataBinding** event,
 - DataBoundLiteralControl** class, 212, 213
 - DataBindingCollectionEditor** class, 285
 - DataBoundLiteralControl** class, 212, 213
 - DataGrid** control, 58, 186
 - basics, 196–197
 - data binding, 185

- editing, 204–208
 - paging, 197–201
 - sorting, 202–204
 - templates, 209, 214
 - DataGridItem** class, 58
 - DataGridItemEventArgs** class, 43
 - DataGridItemEventHandler** class, 43
 - DataItem** property, **Container** class, 213
 - DataList** control, 58, 186
 - templates, 214, 218–219
 - DataListItem** class, 58
 - DataReader** binding, *versus* **DataSet**
 - binding, 193–196
 - DataReader** control, data binding, 185
 - DataSet** binding, *versus* **DataReader**
 - binding, 193–196
 - DataSet** collection, data binding, 186, 190–193
 - DataSource** property, 183, 186, 269, 270
 - DataTable** collection, 186
 - DataTextField** property, 270
 - DataValueField** property, 270
 - DataView** collection, data binding, 186, 190–191
 - DateTimeConverter** class, 279
 - Debug** attribute, **@Page** directive, 26, 152
 - Debugging. *See also* diagnostics; error handling
 - debugging, 152–154
 - DecimalConverter** class, 279
 - defaultRedirect** attribute, **Custom Errors** element, 156
 - DefaultValue** attribute, control properties, 278
 - delegate subscription, explicit, 43–44
 - deny** element, 361
 - Dependency** attribute, **CacheEntry** class, 314, 316
 - deployment, ASP.NET, 67–68
 - web.config** XML file, 68
 - Description** attribute, **@Page** directive, 26
 - designer integration
 - basics, 275
 - designer classes, 287–289
 - properties, and appearance, 275–278
 - properties, attributes, 278
 - properties, converting types, 278–284
 - properties, editors, 284–287
 - desktop applications, *versus* Web Forms applications, 33–35
 - diagnostics. *See also* debugging; error handling
 - page tracing, 146–152
 - Digest authentication, 356
 - digital certificates, 354
 - authentication, 357
 - DisplayMode** property,
 - ValidationSummary** control, 176
 - Disposed** event, 108
 - DoubleConverter** class, 279
 - downlevel** client target, 239
 - Dreamweaver, support for Web controls, 61–62
 - DropDownList** control, 58–60
 - data binding, 186, 189–190
 - state management, 261
 - validation, 174
 - Duration** attribute
 - @OutputCache** directive, 23, 293, 294, 297, 304
 - DynamicBase** property, 21, 22
- ## E
- EditCommand** property, **DataGrid** control, 204–208
 - EditCommandColumn** property, **DataGrid** control, 204–208
 - EditItemIndex** property, **DataGrid** control, 204–208
 - EditItemTemplate**, data binding, 215
 - Editor** attribute, control properties, 278, 284–287
 - Editor** class, 285–287
 - EditValue** method, 285
 - Enable** attribute, **processModel** element, 78
 - enabled** attribute, **trace** element, 150

EnableSessionState attribute, **@Page** directive, 26

EnableViewState attribute, **@Page** directive, 26

EnableViewStateMac attribute, **@Page** directive, 26

EndProcessRequest method, 135, 136, 140–143

EndRequest event, 106, 108

EnsureChildControls() method, 263–264

EnumConverter class, 279

Error event, 108

error handling

- basics, 154–156
- unhandled exceptions, 157–160

Error property, **HttpContext** class, 102

ErrorMessage attribute, **@Page** directive, 26, 155

Errors During Execution performance counter, 151

Eval() method, 214

event handling

- Page** base class, 15–18
- sequencing, 48–50
- server-side, 42–47

EventHandler delegate type, 43–47

- custom events, 264–266

exceptions. *See* error handling

ExpandableObjectConverter

- attribute, control properties, 284

Expires attribute, **CacheEntry** class, 314, 315

Explicit attribute, **@Page** directive, 26

F

FileAuthorizationModule, 121

Filter property, **Request** or **Response** objects, 123–130

filters, custom modules, 123–130

FindControl method, 264

FindTraceStartTag method, filtering requests/responses, 125

FooterTemplate, data binding, 215

forms. *See* validation, forms; Web Forms

FormsAuthentication class, 366, 372, 374

FormsAuthenticationModule, 121

FrontPage, support for Web controls, 61–62

G

GAC (global assembly cache), 2

GenericPrincipal class, 358, 375, 376

GET requests, 111, 112

GetApplicationInstance method, 100

GetDataItem function, data binding, 272

GetDesignTimeHtml method, 288

GetEditStyle method, 285

GetHandler() method, 118

GetItemCount method, 199

GetType() method, 8

global assembly cache (GAC), 2

global.asax file, 104

- with code-behind, 105
- versus* custom modules, 131–132

events, 109

globalization element, 69

Globally Unique Identifiers (GUIDs), 334

GUIDs (Globally Unique Identifiers), 334

H

Handler property, **HttpContext** class, 102

handlers (custom)

- .ashx** files, 116–117
- basics, 110–113
- factories, 118–119
- file processing, 114–115
- pooling, 117

handling errors. *See* error handling

handling events. *See* event handling

hashing passwords, 372–374

- salted hashes, 374–375

HashTable collection, 186

HeaderTemplate, data binding, 215

HeaderText property,

- ValidationSummary** control, 176

HmlGenericControl type, 53, 56

href property, **a** control, 53–54

HTCs (HTML Components), 238

- HTML Components (HTCs), 238
- HTML tag mappings, **HtmlControl**
 - classes, 55–56
- HtmlAnchor** class, 55
- HtmlButton** class, 55
- HtmlContainerControl** classes, 55
- HtmlControl** base class, 54–55
 - tag mappings, 55–56
- HtmlControl** classes, custom controls, 222
- HtmlDecode** class, 32
- HtmlEncode** class, 32
- HtmlForm** class, 55
- HtmlFormControl** class, 223
- HtmlGenericControl** class, 55
- HtmlImage** classes, 55
- HtmlInputButton** class, 55
- HtmlInputButton** control, 44
- HtmlInputCheckbox** class, 55
- HtmlInputControl** class, 55
- HtmlInputFile** class, 55
- HtmlInputFile** control, validation, 174
- HtmlInputHidden** class, 55
- HtmlInputImage** classes, 55
- HtmlInputRadioButton** class, 55
- HtmlInputText** control
 - state management, 261
 - validation, 174
- HtmlSelect** class, 55
- HtmlSelect** control, 186
 - state management, 261
 - validation, 174
- HtmlTable** class, 55
- HtmlTableCell** class, 55
- HtmlTableRow** class, 55
- HtmlTextArea** class, 55
- HtmlTextArea** control, validation, 174
- HtmlTextWriter** class
 - custom controls, 229
 - enumeration values, 235–236
 - enumeration values, attributes, 233
 - enumeration values, styles, 234
 - enumeration values, tags, 234–235
 - methods, 230–233
 - methods, non-stack-based, 236–237
 - static character properties, 237
- Html32TextWriter** class, 233
- HTTP pipeline
 - classes, **HttpApplication**, 103–107
 - classes, **HttpApplication**, events, 107–109
 - classes, **HttpApplication**, object declarations, 110
 - custom handlers, **.ashx** files, 116–117
 - custom handlers, basics, 110–113
 - custom handlers, factories, 118–119
 - custom handlers, pooling, 117
 - custom modules, basics, 120–123
 - custom modules, filters, 123–130
 - custom modules, pooling, 130
 - custom modules, *versus* **global.asax** file, 131–132
 - pipeline threading, asynchronous handlers, 134–144
 - pipeline threading, basics, 132–134
 - request processing, classes and methods, 97–101
 - request processing, **HttpContext** class, 101–103
- HTTP state management, RFC2109
 - proposal, 321
- HttpApplication** class, 100, 101
 - basics, 103–107
 - events, 107–109
 - object declarations, 110
 - state management, 324–327
- HttpApplicationFactory** class, 100
- HttpAsyncHandler** interface, 101
- HttpBrowserCapabilities** class, 238, 239
 - output caching, 302
- HttpCachePolicy** class, 295
- HttpContext** class, 99, 100, 101, 140
 - properties, 101–103
- HttpCookie** class, 344–348
- HttpForbiddenHandler** class, file processing, 115
- httpModules** element, 70
- HttpRequest** class, 29–30, 100
 - versus* **Request** class (ASP), 28

HttpResponse class, 28–32, 100
HttpRuntime class, 99
httpRuntime element, 70
HttpServerUtility class, 28–32
HttpSessionState class, 328–333
http.sys service, 85
HttpWorkerRequest class, 99
HyperLink class, 58

I – J

IDataReader binding, 186, 188–190
IDataRecord interface, 213
identity element, 70
idleTimeout attribute, **processModel** element, 78, 81
Ie4 client target, 239
Ie5 client target, 239
IEnumerable interface, 271, 272
IHttpAsyncHandler interface, 135, 140
IHttpHandler interface, 111
 file processing, 114
 request processing, 98
IHttpHandlerFactory interface, 118
IHttpModule interface, 101
 custom modules, 120–121
IIdentity interface, 359
 IIS 6.0, and **processModel** element, 84–85
 IIS (Internet Information Server)
 inetinfo.exe, 2
 and **web.config** files, 75
IList interface, 271
Image class, 58
ImageButton class, 58
ImageUrlEditor class, 285
img control, **src** attribute, 53–54
@Implements directive, 24
 attributes, 23
@Import directive, attributes, 23
inetinfo.exe, IIS process, 2
inetinfo.exe file
 HTTP pipeline threading, 132
 request processing, 98
Inherits attribute, **@Page** directive, 27
Init event, 15–18

InnerText attribute, 40, 48
InstanceDescriptor class, 283
Int16Converter class, 279
Int32Converter class, 279
Int64Converter class, 279
 Integrated Windows authentication, 356
Interface attribute, **@Implements** directive, 23
 Internet Information Server (IIS),
 inetinfo.exe, 2
 Internet Information Server (IIS), and
 web.config files, 75
IPostBackDataHandler interface, 259–261
IPrincipal interface, 358
 role-based authentication, 375
IsAuthenticated property, **IIdentity** interface, 359
IsDebuggingEnabled property,
 HttpContext class, 102
IsCustomErrorEnabled property,
 HttpContext class, 102
IsEnabled property, **TraceContext** object,
 148–149
IsImportant property, **NameControl**
 control, 224, 226
 state management, 255–256
IsInCancellablePeriod property,
 HttpContext class, 102
IsPostBack property, **NameControl**
 control, state management, 255–256
IsReusable property, 112
 pooling handlers, 117
 pooling modules, 130
Items property, **HttpContext** class, 102,
 103
ItemTemplate, data binding, 215

K – L

Kerberos authentication, 357
Key attribute, **CacheEntry** class, 314

Label class, 58
Language attribute, **@Page** directive, 27
LCID attribute, **@Page** directive, 27

LinkButton class, 58

ListBox control

- data binding, 184, 186, 189
- validation, 174

ListControl class, 58

- properties, 58

LiteralControl class, 222, 223

- state management with inner content, 243–244

LiteralControl control, composite

- controls, 262

Load event, 15–18

LoadControl method, user controls, 267

LoadPostData method, 259–261

LoadViewState method, 272

localOnly attribute, **trace** element, 150

Location attribute, **OutputCache**

- directive, 294, 296–298

Location attribute, **@OutputCache**

- directive, 23

location element, 362

- web.config** files, 73–74

loginUrl attribute, **authentication** element, 368

logLevel attribute, **processModel** element, 79

M

machine level, placement of elements, 70, 74

machine.config file

- elements available, 70–73
- impact of configuration changes, 74–75
- processModel** element, 77

machineKey element, 70

Macromedia Dreamweaver, support for

- Web controls, 61–62

ManualResetEvent class, 136

MaximumValue property,

- RangeValidator** control, 176

maxIoThreads attribute, **processModel** element, 80

maxWorkerThreads attribute,

- processModel** element, 80

memoryLimit attribute, **processModel** element, 78, 81

metabase.xml file, 84

Microsoft

- Cassini, hosting ASP.NET, 98
- FrontPage, support for Web controls, 61–62
- Passport authentication, 363

MinimumValue property,

- RangeValidator** control, 176

Mode attribute, **Custom Errors** element, 156

mode attribute, **sessionState** element, 336

modules (custom)

- basics, 120–123
- filters, 123–130
- versus* **global.asax** file, 131–132
- pooling, 130

monitoring performance. *See*

- performance-monitoring counters

MTA (multithreaded apartment) model, 28

MultiPage class, output caching, 301

multithreaded apartment (MTA) model, 28

N

Name attribute, **@Assembly** directive, 23

name attribute, **authentication** element, 368

Name property, **IIdentity** interface, 359

Name property, **NameControl** control, 224–225

- state management, 255–256

NameControl control, 224–225

Namespace attribute

- @Import** directive, 23
- @Register** directive, 23

NameValueCollection, 93–94, 259

NameValueFileSectionHandler class, 93–94

.NET classes, 2

- ASP.NET compilation, 7

O

OnDataBinding method, 270
OnEvent syntax, event handlers, 44–46
OnRemoveCallback attribute,
 CacheEntry class, 314
Operator property, **CompareValidator**
 control, 175
Output Cache Hit Ratio performance
 counter, 151
output caching. *See* page output caching
Output property, **Response** object, 8
OutputCache directive
 attributes, 294
 basics, 293–296
 considerations, 307–310
 guidelines, 307–310
 pages, fragments, 304–307
 pages, multiple versions, 298–304
@OutputCache directives, attributes, 23
OutputCacheModule, 121

P

Page attribute, **@Reference** directive, 23
Page base class, 14
 event handling, 15–18
Page-derived classes, server-side controls,
 36–37
@Page directives, attributes, 22, 23, 25–28
page output caching. *See also* data caching
 basics, 293–296
 considerations, 307–310
 guidelines, 307–310
 opportunities, 291–292
 OutputCache directive, attributes, 294
 OutputCache directive, **Location**
 attribute, 296–298
 pages, fragments, 304–307
 pages, multiple versions, 298–304
page tracing, 146–147
 application level, attributes, 149–150
 performance-monitoring counters,
 150–152
 writing trace messages, 148–149
Page_ClientValidate() method, 172
PageControl class, 223
Page_Init method, 17, 63
Page_Load method, 17, 63
pageOutput attribute, **trace** element,
 149, 150
Page_PreRender methods, 17
pages element, 70, 85–86
Page_Unload methods, 17
Page_Validators array, 172
Panel class, 58, 59–61
Passport authentication, Microsoft, 363
PassportAuthenticationModule, 121
Password attribute, **processModel**
 element, 79
passwords
 hashing, 372–374
 salted hashes, 374–375
 storing, 372–374
path attribute, **authentication** element,
 368
perfmon.exe (Performance monitor tool),
 152
Performance monitor tool (**perfmon.exe**),
 152
performance-monitoring counters, page
 tracing, 150–152
PersistenceMode attribute, control
 properties, 278
Pipeline Instance Count performance
 counter, 151
pipeline threading
 asynchronous handlers, 134–144
 basics, 132–134
pooling in custom modules, 130
Post requests, server-side controls, 38, 39
PostRequestHandlerExecute event, 108
PreRender event, 15–18
PreRequestHandlerExecute event, 108
PreSendRequestContent event, 108
PreSendRequestHeaders event, 108
Priority attribute, **CacheEntry** class, 314,
 318
processModel element, 70
 aspnet_isapi.dll file, 77

- attributes, 78–82
- basics, 77–78
- control of aspects of **aspnet_wp.exe** (worker process), 77
- and IIS 6.0, 84–85
- impact of configuration changes, 74–75
- information access, 83–84
- machine.config** file, 77
- ProcessModelInfo** class, 83–84
- ProcessRequest** method, 99, 101
 - handlers, file processing, 115
- properties, classes, **ListControl**, 58
- protection** attribute, **authentication** element, 368

Q – R

- Queue** collection, 186
- RadioButton** class, 58
- RadioButtonList** control, 58, 59, 60, 186
 - validation, 174
- RaisePostDataChangedEvent** method, 259, 260
- RangeValidator** control, properties, 58, 176
- @Reference** directives, attributes, 23
- ReferenceConverter** class, 279
- referencing, root path syntax, 53–54
- @Register** directive, user controls, 267
- @Register** directives, attributes, 23
- RegisterClientScriptBlock** function, 246–248
- RegularExpressionValidator** control, 58, 178–179
 - characters, 1179
 - properties, 175, 176
- ReleaseHandler()** method, 118
- ReleaseRequestState** event, 108
- Render** method, 228
 - non-stack-based, 236–237
- RenderBeginTag** and **RenderEndTag**
 - methods, 230, 231
- RenderChildren** method, 228
- RenderControl** function, 228

- Repeater** control, 58, 186
 - Layout, Flow** settings, 88–89
 - data binding, 185
 - templates, 210, 214, 217–218
- Request** class (ASP) *versus* **HttpRequest** (ASP.NET) class, 28
- Request Execution Time performance counter, 151
- Request** objects, filtering, 123–130
- request processing
 - classes and methods, 97–101
 - HttpContext** class, 101–103
- Request** property, **HttpContext** class, 102
- requestLimit** attribute
 - processModel** element, 78
 - trace** element, 149, 150
- requestQueueLimit** attribute,
 - processModel** element, 78
- Requests Queued performance counter, 151
- Requests Rejected performance counter, 151
- Requests/Sec counter, 151
- Requests Succeeded counter, 151
- RequiredFieldValidator** control, 58, 167, 168
- ResolveRequestCache** event, 108
- Response** objects
 - ASP.NET *versus* ASP, 31
 - filtering, 123–130
 - Output** property, 8
- Response** property, **HttpContext** class, 102
- responseDeadlockInterval** attribute,
 - processModel** element, 79
- ResponseEncoding** attribute, **@Page** directive, 27
- responseRestartDeadlockInterval**
 - attribute, **processModel** element, 79
- restartQueueLimit** attribute,
 - processModel** element, 78
- RFC2109 proposal for HTTP state management, 321
- RNGCryptoServiceProvider**, 369–370

roles attribute, **allow** and **deny** element, 361
 root path reference syntax, 53–54
runat=server attribute, 36, 37, 39
 ASP migration to ASP.NET, 11
 HTML controls, 54

S

salted hashes, 374–375
SaveViewState and **LoadViewState**
 functions, 257
SaveViewState method, 272
 scripting languages, ASP.NET, 5
section element, 92
 security. *See* Web security
securityPolicy element, 70
SeparatorTemplate, data binding, 215
Serializable attribute, state management, 256
Server property, **HttpContext** class, 102
 server-side controls, Web Forms
 basics, 35–37
 client-server interactions, 37–39
 code-behind, 50–53
 versus desktop applications, 33–35
 events, 42–47
 events, sequencing, 48–50
 HtmlControl base class, 54–57
 referencing, root path syntax, 53–54
 ViewState element, 39–42
 server-side form validation, 164–165
serverErrorMessageFile attribute,
 processModel element, 80
ServerValidate property,
 CustomValidator control, 176
Session property, **HttpContext** class, 102
 session state, 322, 323
 basics, 327–333
 Globally Unique Identifiers (GUIDs), 334
 session key management, 333–337
 storing out of process, 337–343
 session state timeouts, **web.config** files, 68–70
Session_End event, 109
 Sessions Active counter, 151
 Sessions Total counter, 151
Session_Start event, 109
sessionState element, 69, 70, 335
 attributes, 336
SessionStateModule, 121
SetShadowCopyPath() method, 20
 shadow copying, 18–22
ShadowCopyFiles property, 20
ShowMessageBox property,
 ValidationSummary control, 176
ShowSummary property,
 ValidationSummary control, 176
shutdownTimeout attribute,
 processModel element, 78
 site level, placement of elements, 70, 74
SlidingExpiration attribute, **CacheEntry**
 class, 314, 315
SmartNavigation attribute, **@Page**
 directive, 27
 Solution Explorer, 62
SortedList collection, 186
SortExpression property, **DataGrid**
 control, 202
sqlConnectionString attribute,
 sessionState element, 336
Src attribute, **@Assembly** directive, 23
src attribute, **img** control, 53–54
Src attribute, **@Page** directive, 27
Src attribute, **@Register** directive, 23
 user controls, 267
Stack collection, 186
 state management
 application state, 322, 323, 324–327
 cookie state, 322, 323, 344–348
 events, sequencing, 48
 RFC2109 proposal, 321
 session state, 322, 323
 session state, basics, 327–333
 session state, Globally Unique
 Identifiers, 334
 session state, session key management,
 333–337

- session state, storing out of process, 337–343
 - types of state, 322
 - types of state,
 - advantages/disadvantages, 323
 - view state, 322, 323, 348–350
 - stateConnectionString** attribute,
 - sessionState** element, 336
 - Stream**-derived class, 123–128
 - Strict** attribute, **@Page** directive, 27
 - StringCollection** collection, 186
 - syntax, root path reference, 53–54
 - System.ComponentModel.TypeConverter**, 280
 - System.Configuration** namespace, 77
 - System.Drawing.Design.UITypeEditor**, 285
 - System.Web.HttpCachePolicy** class, 295
 - System.Web.UI.Control**, methods,
 - properties, and events, 226–229
 - System.Web.UI.Controls.WebControl**, 248–253
 - System.Web.UI.Design.ControlDesigner**, 288
 - System.Web.UI.HtmlControls.HtmlControl** base class, HTML controls, 54–57
 - System.Web.UI.Page** base class, 8–11
 - events, 16
 - HTML controls, 54–57
 - System.Web.UI.Page.InitOutputCache()** method, 295
 - System.Web.UI.StateBag**, 253
- T**
- Table** class, 58
 - TableCell** class, 58
 - TableHeaderCell** class, 58
 - TableRow** class, 58
 - TabStrip** class, output caching, 301
 - tag mappings. *See* HTML tag mappings
 - Tagname** attribute, **@Register** directive, 23
 - TagPrefix** attribute, **@Register** directive, 23, 276, 277
 - templated controls, 214–217
 - basics, 209–210
 - DataBinder** class, 213–214
 - DataList**, 218–219
 - evaluation syntax, 210–213
 - Repeater**, 217–218
 - TextBox** class, 58
 - state management, 261
 - TextBox** control
 - composite controls, 262
 - validation, 174
 - TextBoxControl** class, 223
 - TextChanged** event, 260
 - threading in HTTP pipelines
 - asynchronous handlers, 134–144
 - basics, 132–134
 - ThreadStart** delegate, 138
 - timeout** attribute
 - authentication** element, 368
 - processModel** element, 78, 81
 - sessionState** element, 336
 - TimerModule** class, 121–123
 - ToolBar** class, output caching, 301
 - ToolboxData** attribute, 276
 - Trace** attribute, **@Page** directive, 27
 - page tracing with **Trace=true**, 146–147
 - trace** element, 70
 - attributes, 149–150
 - Trace** property, **HttpContext** class, 102
 - TraceContext** class, 148–149
 - TraceIsEnabled** property, **HttpContext** class, 102
 - TraceMode** attribute
 - @Page** directive, 27
 - trace** element, 149, 150
 - tracing pages. *See* page tracing
 - Transaction** attribute, **@Page** directive, 27
 - TreeView** class, output caching, 301
 - trust** element, 70
 - Type** property
 - CompareValidator** control, 175
 - RangeValidator** control, 176
 - TypeConverter** attribute, control
 - properties, 278, 280, 281–284

U

UICulture attribute, **@Page** directive, 27
UInt16Converter class, 279
Unload event, 15–18
UpdateCommand property, **DataGrid** control, 204–208
UpdateRequestState event, 108
uplevel client target, 239
UrlAuthorizationModule, 121
UrlEditor class, 285
User property, **HttpContext** class, 102
userName attribute, **processModel** element, 79
users attribute, **allow** and **deny** element, 361
Util assembly, 85

V

validation controls, 173–181
 architecture, basics, 166–168
 architecture, client-side, 170–173
 architecture, pages, 169–170
 custom controls, 268–269
 fundamental elements, 166
 validation of forms
 basics, 163–164
 client-side, 164–165
 server-side, 164–165
ValidationExpression property,
RegularExpressionValidator control, 176
ValidationSummary control, 58, 167, 177
 properties, 176
ValidatorEnable() method, 172
ValidatorHookupControl() method, 172
ValidatorOnChange() method, 172
ValidatorOnLoad() method, 172
ValidatorsValidate() method, 172
ValidatorUpdateDisplay() method, 172
ValidatorUpdateIsValid() method, 172
ValueToCompare property,
CompareValidator control, 175
VaryByControl attribute, **@OutputCache** directive, 23, 294, 305, 306

VaryByCustom attribute, **@OutputCache** directive, 23, 294, 301, 302, 303
VaryByHeader attribute, **@OutputCache** directive, 23, 294, 299–301
VaryByParam attribute, **@OutputCache** directive, 23, 294, 298–299, 304–306
VbSourceHandler class, file processing, 115
verbs attribute, **allow** and **deny** element, 361
ViewState element, Web Forms, 39–42
__VIEWSTATE hidden field, state management, 348–350
VirtualItemCount property, **DataGrid** control, 198, 199, 200
 Visual Studio .NET
 building Web Forms, 62–64
 designer integration, basics, 275
 designer integration, designer classes, 287–289
 designer integration, properties, and appearance, 275–278
 designer integration, properties, converting types, 278–284
 designer integration, properties, editors, 284–287
 designer integration, properties, properties, 278

W

WarningLevel attribute, **@Page** directive, 27
 Web applications, *versus* desktop applications, 33–35
 Web Forms
 building with Visual Studio .NET, 62–64
 client-server interactions, 37–39
 code-behind, 50–53
 controls, server-side, 35–39
versus desktop applications, 33–35
 events, 42–47
 events, sequencing, 48–50
HtmlControl base class, 54–57

- referencing, root path syntax, 53–54
 - ViewState** element, 39–42
 - WebControl** base class, 57–58
 - WebControl** base class, *versus*
 - HtmlControl** base class, 57–58
 - Web security
 - ASP.NET basics, 357–360
 - authentication, clients, 355–357, 360–363
 - authentication, optional methods, 370–371
 - authentication, role-based, 375–377
 - authentication, server, 354–355
 - authentication, Web Forms, 363–368
 - authentication, Web Forms, with cookies, 369–370
 - authorization, clients, 360–363
 - authorization, Web Forms, 363–368
 - basics, 353–354
 - password storage, 372–374
 - salted hashes, 374–375
 - system identity, 377–379
 - web.config** files
 - basics, 68
 - elements available, 69
 - hierarchy, 70–72
 - and IIS (Internet Information Serve), 75
 - location** element, 73–74
 - placement locations, 70, 74
 - session state timeouts, 68–70
 - WebControl** base class
 - classes, **ListControl**, 58–59
 - custom controls, 222
 - versus* **HtmlControl** base class, 61–62
 - properties, 248
 - webGarden** attribute, **processModel** element, 78, 81, 82
 - WebServices** element, 70
 - WebUIValidation.js** file, 170, 171
 - WindowsAuthenticationModule**, 121
 - WindowsPrincipal** class, 358
 - WithEvents** keyword, 52, 63
 - Worker Process Restarts performance counter, 151
 - worker processes
 - aspnet_wp.exe**, 2
 - w3wp.exe**, 2
 - WorkerRequest** property, **HttpContext** class, 102
 - Write** method, filtering requests/responses, 125
 - WriteBeginTag** and **WriteEndTag** methods, 229, 235, 236
 - w3wp.exe** file, 84
 - HTTP pipeline threading, 132
 - worker processes, 2
- ## X – Z
- xcopy** command, ASP.NET deployment, 67–68
 - Xml** class, 58, 59–61
 - XmlFileEditor** class, 285
 - XmlUrlEditor** class, 285
 - XslUrlEditor** class, 285