



Index

<%=, <%, <%# syntax
data binding evaluation syntax, 210
server-side code blocks, 4, 11, 36, 49

A

a control, **href** property, 53–54
AcquireRequestState event, 108
add subelement, **appSettings** element, 75
key/value pairs, 93–94
AddAttribute and **AddStyleAttribute**
methods, 231
AdRotator class, 58, 59–61
allow element, 359
AllowCustomPaging property, **DataGrid**
control, 198, 199
AllowPaging property, **DataGrid** control,
197, 199, 200
AllowSorting property, **DataGrid** control,
202
AlternatingItemTemplate, data binding,
215
Anonymous Requests/Sec performance
counter, 151
AppDomain class, 20
role in ASP.NET, 98
AppDomainSetup class, 20, 21
application level, placement of elements,
70, 74
Application property, **HttpContext**
class, 102

Application Restarts performance
counter, 151
Application Running performance
counter, 151
application state, 320, 321, 322–325
Application_End event, 109
ApplicationInstance property,
HttpContext class, 102
applications, desktop applications *versus*
Web Forms applications, 33–35
Application_Start event, 109
appSettings element, 70
storing name/value pairs, 75–77
subelement **add**, 75
AppSettings static indexer, 77
ArrayConverter class, 277
.ascx extension, user controls, 264
.ashx files, 115–117
ASP
sample page, 4
compilation *versus* interpretation, 6–7
similarity with ASP.NET, 3
AspCompat attribute, **@Page** directive,
25, 28
ASP.NET, deployment, 67–68
aspnet_isapi.dll file
HTTP pipeline threading, 132
processModel element, 77
aspnet_wp.exe file
worker processes, 2
assemblies, ASP.NET classes, 2

@Assemblies directive, 85–86
assemblies element, 85–86
Assembly attribute, **@Register** directive, 23
@Assembly directive, 24, 34, 101
AsyncCallback delegate, 136, 140–143
AsyncHandler class, 140–143
 asynchronous handlers, 134–143
AsyncRequest class, 138–143
AsyncRequestState class, 137–138, 140–143
AuthenticateRequest event, 107, 374
 authentication
 clients, 353–355, 358–361
 optional methods, 368–369
 role-based, 375–375
 servers, 352–353
 Web Forms, 361–366
 Web Forms, with cookies, 367–368
authentication element, 69, 358
AuthenticationType property, **IIdentity** interface, 357
 authorization
 clients, 358–361
 Web Forms, 361–366
authorization element, 69, 358, 362
AuthorizeRequest event, 107
AutoEventWireup attribute, **@Page** directive, 25, 62–65
 event handlers, 44
AutoGenerateColumns property, **DataGrid** control, 196

B

BaseCompareValidator class, 58
BaseType property, 8
BaseValidator class, 58, 173–174
 Basic authentication, 354
BeginProcessRequest method, 135, 136, 140–143
BeginRequest event, 106, 107
Bindable attribute, control properties, 276
 binding data to controls. *See* data binding

BindingContainer property,
 DataBoundLiteralControl class, 212, 213
BooleanConverter class, 277
BoundColumns property, **DataGrid** control, 196, 197
Browsable attribute
 control properties, 276
 WebControl class, properties, 251
browserCaps element, 69
Buffer attribute, **@Page** directive, 26
Button class, 58, 260
ByteConverter class, 277

C

Cache API Entries performance counter, 151
 Cache API Hit Ratio performance counter, 151
Cache property
 HttpContext class, 102
 Page class, 308
CacheEntry class, 312–313
Cache.Insert() method, 314
CachePath property, 20
Cache.Remove method, 315–316
 caching. *See also* data caching; page output caching
 opportunities, 289–289
Calendar class, 58
CancelCommand property, **DataGrid** control, 204–208
CanConvertFrom method, 280
CanConvertTo method, 280
Cassini (Microsoft), hosting ASP.NET, 98
Category attribute, control properties, 276
CharConverter class, 277
CheckBox control, state management, 259
CheckBoxList control, 58, 186
ClassName attribute, **@Page** directive, 26
 client-side form validation, 164–165, 170–173
clientConnectedCheck attribute,
 processModel element, 79

- clientID** JavaScript identifier, 246–247
- ClientTarget** attribute, **@Page** directive, 26, 239–240
- clienttarget** element, 69
- ClientValidationFunction** property,
 - CustomValidator** control, 176
- CLR (Common Language Runtime), 18–22
- code-behind
 - basics, 11–15
 - event handling, **Page** base class, 15–18
 - Web Forms, 50–53
- CodeBehind** attribute, 62–65
- CodePage** attribute, **@Page** directive, 26
- CollectionConverter** class, 277
- ColorConverter** class, 277
- Columns** property, **DataGrid** control, 196
- comAuthenticationLevel** attribute,
 - processModel** element, 79
- comImpersonationLevel** attribute,
 - processModel** element, 79
- Common Language Runtime (CLR), 18–22
- CompareValidator** control, 58, 178
 - properties, 175
- compilation** element, 69
- Compilations Total performance counter, 151
- CompilerOptions** attribute, **@Page** directive, 26, 28
- CompleteRequest** method, 136, 141
- ComponentConverter** class, 277
- composite controls
 - basics, 260
 - child controls, 260–262
 - custom events, 262–264
- configuration** element, 69
- ConfigurationSettings** class, 76–77
- ConfigurationSettings.GetConfig()** method, 93
- configuring ASP.NET
 - ConfigurationSettings** class, 76–77
 - elements, settings, 85–86
 - event handlers, custom section handler, 90–94
 - impact of changes, 74–75
- location** element, multiple settings in single file, 73–74
- processModel** element, attributes, 74–84, 78–82
- processModel** element, impact of configuration changes, 74–75
- processModel** element,
 - ProcessModelInfo** class, 83–84
 - reading information, 86–90
- web.config** file, 68–70
- web.config** file and IIS, 75
- ContentType** attribute, **@Page** directive, 26
- Context** property, **Page** and
 - HttpApplication** classes, HTTP pipeline, 101–103
- Control** attribute, **@Reference** directive, 23
- Control** base class, 54–57
- @Control** directive, user controls, 264
- ControlDesigner** class, 286
- controls. *See* custom controls
- Controls** collection, 223
- ControlToCompare** property,
 - CompareValidator** control, 175
- ConvertFrom** method, 280
- ConvertTo** method, 280
- cookieless** attribute, **sessionState** element, 334
- cookies, HTTP state management, 319
 - session key management, 331–335
- counters, performance-monitoring, 150–152
- cpuMask** attribute, **processModel** element, 79
- CreateChildControl()** method, 261
- CreatePlaceholderDesignTimeHtml** function, 286
- CssClass** attribute, **WebControl** class, 61
- Culture** attribute, **@Page** directive, 26
- CultureInfoConverter** class, 277
- Current** property, **HttpContext** class, 102, 103

- CurrentPageIndex** property, **DataGrid** control, 198, 200
 - custom controls
 - basics, 222–224
 - browser-independent reusable Web components, 237–240
 - classes, **HtmlTextWriter**, 229–230
 - classes, **System.Web.UI.Control**, 226–229
 - client-side scripts, 244–247
 - composite controls, 260–264
 - data binding, 267–272
 - designer integration, basics, 272
 - designer integration, designer classes, 285–287
 - designer integration, properties, and appearance, 272–276
 - designer integration, properties, attributes, 276
 - designer integration, properties, converting types, 276–282
 - designer integration, properties, editors, 282–284
 - inner content to specify control state, 242–243
 - state management, explicit post-backs, 257–260
 - state management, **ViewState** collection, 251–256
 - subproperties, 240–242
 - System.Web.UI.Controls.WebControl**, 247–251
 - user controls, 264–266
 - using, 225–226
 - validation, 266–267
 - writing, 224–225
 - custom handlers
 - .ashx** files, 115–117
 - basics, 110–113
 - factories, 117–120
 - file processing, 114–115
 - pooling, 117
 - custom modules
 - basics, 120–123
 - filters, 123–130
 - versus* **global.asax** file, 130–131
 - pooling, 130
 - customErrors** element, 69
 - CustomValidator** class, 58
 - CustomValidator** controls, 180–181
 - properties, 176
- ## D
- data binding
 - basics, 183–185
 - controls, 186–188
 - controls, **DataGrid**, 196–208
 - controls, templates, 209–219
 - custom controls, 267–272
 - to database sources, **DataReader** *versus* **DataSet**, 193–196
 - to database sources, **DataSet**, 186, 190–193
 - data caching. *See also* page output caching
 - basics, 308–311
 - CacheEntry** class, attributes, 312–313
 - CacheEntry** class, **Dependency** attribute, 312, 314
 - considerations, 316–318
 - guidelines, 316–318
 - objects, lifetime duration, 312, 313
 - objects, removing, 315–316
 - opportunities, 289
 - DataAdapter.Fill()** method, 192, 193
 - DataBind()** method, 183, 186
 - in custom controls, 268
 - DataBinder** class, templated controls, 213–214
 - DataBinding** event,
 - DataBoundLiteralControl** class, 212, 213
 - DataBindingCollectionEditor** class, 282
 - DataBoundLiteralControl** class, 212, 213
 - DataGrid** control, 58, 186
 - basics, 196–197
 - data binding, 185, 188
 - editing, 204–208
 - paging, 197–201

- sorting, 202–204
 - templates, 209, 214
 - DataGridItem** class, 58
 - DataGridItemEventArgs** class, 43
 - DataGridItemEventHandler** class, 43
 - DataItem** property, **Container** class, 213
 - DataList** control, 58, 186
 - templates, 214, 218–219
 - DataListItem** class, 58
 - DataReader** binding, *versus* **DataSet**
 - binding, 193–196
 - DataReader** control, data binding, 185
 - DataSet** binding, *versus* **DataReader**
 - binding, 193–196
 - DataSet** collection, data binding, 186, 190–193
 - DataSource** property, 183, 186, 267, 268
 - DataTable** collection, 186
 - DataTextField** property, 268
 - DataValueField** property, 268
 - DataView** collection, data binding, 186, 190–191
 - DateTimeConverter** class, 277
 - Debug** attribute, **@Page** directive, 26, 152
 - Debugging. *See also* diagnostics; error handling
 - debugging, 152–154
 - DecimalConverter** class, 277
 - defaultRedirect** attribute, **Custom Errors** element, 156
 - DefaultValue** attribute, control
 - properties, 276
 - delegate subscription, explicit, 43–44
 - deny** element, 359
 - Dependency** attribute, **CacheEntry** class, 312, 314
 - deployment, ASP.NET, 67–68
 - web.config** XML file, 68
 - Description** attribute, **@Page** directive, 26
 - designer integration
 - basics, 273
 - designer classes, 285–287
 - properties, and appearance, 273–276
 - properties, attributes, 276
 - properties, converting types, 276–282
 - properties, editors, 282–284
 - desktop applications, *versus* Web Forms applications, 33–35
 - diagnostics. *See also* debugging; error handling
 - page tracing, 146–152
 - Digest authentication, 354
 - digital certificates, 352
 - authentication, 355
 - DisplayMode** property,
 - ValidationSummary** control, 176
 - Disposed** event, 108
 - DoubleConverter** class, 277
 - downlevel** client target, 239
 - Dreamweaver, support for Web controls, 62
 - DropDownList** control, 58–60
 - data binding, 186, 189–190
 - state management, 259
 - validation, 174
 - Duration** attribute, **@OutputCache** directive, 23, 291, 292, 295, 302
 - DynamicBase** property,
 - AppDomainSetup** class, 21, 22
- ## E
- EditCommand** property, **DataGrid** control, 204–208
 - EditCommandColumn** property,
 - DataGrid** control, 204–208
 - EditItemIndex** property, **DataGrid** control, 204–208
 - EditItemTemplate**, data binding, 215
 - Editor** attribute, control properties, 276, 282–284
 - Editor** class, 282–284
 - EditValue** method, 283, 284
 - Enable** attribute, **processModel** element, 78
 - enabled** attribute, **trace** element, 150
 - EnableSessionState** attribute, **@Page** directive, 26

EnableViewState attribute, **@Page** directive, 26

EnableViewStateMac attribute, **@Page** directive, 26

EndProcessRequest method, 135, 136, 139–140, 142

EndRequest event, 106, 108

EnsureChildControls() method, 261–262

EnumConverter class, 277

Error event, 108

error handling

- basics, 154–156
- unhandled exceptions, 157–160

Error property, **HttpContext** class, 102

ErrorMessage attribute, **@Page** directive, 26, 155

Errors During Execution performance counter, 151

Eval() method, 214

event handling

- Page** base class, 15–18
- sequencing, 48–50
- server-side, 42–47

EventHandler delegate type, 43–47

- custom events, 262–264

exceptions. *See* error handling

ExpandableObjectConverter attribute, control properties, 281

Expires attribute, **CacheEntry** class, 312, 313

Explicit attribute, **@Page** directive, 26

F

FileAuthorizationModule, 120

Filter property, **Request** or **Response** objects, 123–130

filters, custom modules, 123–130

FindControl method, 262

FindTraceStartTag method, 124–125

FontConverter class, 277

FooterTemplate, data binding, 215

forms. *See* validation, forms; Web Forms

FormsAuthentication class, 364, 370, 372

FormsAuthenticationModule, 120

FrontPage, support for Web controls, 62

G

GAC (global assembly cache), 2

GenericPrincipal class, 356, 373, 374

GET requests, 111, 112

GetApplicationInstance method, 100

GetDataItem function, data binding, 269

GetDesignTimeHtml method, 286

GetEditStyle method, 283

GetHandler() method, 117

GetItemCount method, 199

GetType() method, 8

GetVaryByCustomString method, 300

global assembly cache (GAC), 2

global.asax file, 104

- with code-behind, 105
- versus* custom modules, 130–131

events, 109

example usage, 106

globalization element, 69

Globally Unique Identifiers (GUIDs), 332

GUIDs (Globally Unique Identifiers), 332

H

Handler property, **HttpContext** class, 102

handlers (custom)

- .ashx** files, 115–117
- basics, 110–113
- factories, 118–119
- file processing, 114–115
- pooling, 117

handling errors. *See* error handling

handling events. *See* event handling

hashing passwords, 370–372

- salted hashes, 372–373

HashTable collection, 186

HeaderTemplate, data binding, 215

HeaderText property,

- ValidationSummary** control, 176

HmlGenericControl type, 53, 56

href property, **a** control, 53–54

HTCs (HTML Components), 238

HTML Components (HTCs), 238

- HTML tag mappings, **HtmlControl**
 - classes, 55–56
- HtmlAnchor** class, 55
- HtmlButton** class, 55
- HtmlContainerControl** classes, 55
- HtmlControl** base class, 54–55
 - tag mappings, 55–56
- HtmlControl** classes, custom controls, 222
- HtmlDecode** class, 32
- HtmlEncode** class, 32
- HtmlForm** class, 55
- HtmlFormControl** class, 223
- HtmlGenericControl** class, 55
- HtmlImage** classes, 55
- HtmlInputButton** class, 55
- HtmlInputButton** control, 44
- HtmlInputCheckbox** class, 55
- HtmlInputControl** class, 55
- HtmlInputFile** class, 55
- HtmlInputFile** control, validation, 174
- HtmlInputHidden** class, 55
- HtmlInputImage** classes, 55
- HtmlInputRadioButton** class, 55
- HtmlInputText** control
 - state management, 259
 - validation, 174
- HtmlSelect** class, 55
- HtmlSelect** control, 186
 - state management, 259
 - validation, 174
- HtmlTable** class, 55
- HtmlTableCell** class, 55
- HtmlTableRow** class, 55
- HtmlTextArea** class, 55
- HtmlTextArea** control, validation, 174
- HtmlTextWriter** class
 - custom controls, 229
 - enumeration values, 235–236
 - enumeration values, attributes, 232–233
 - enumeration values, styles, 233
 - enumeration values, tags, 234–235
 - methods, 229–233
 - methods, non-stack-based, 236
 - static character properties, 237
- Html32TextWriter** class, 232
- HTTP pipeline
 - classes, and methods for request processing, 97–101
 - classes, **HttpApplication**, 103–107
 - classes, **HttpApplication**, events, 107–109
 - classes, **HttpApplication**, object declarations, 110
 - classes, **HttpContext**, for request processing, 101–103
 - custom handlers, **.ashx** files, 115–117
 - custom handlers, basics, 110–113
 - custom handlers, factories, 117–120
 - custom handlers, pooling, 117
 - custom modules, basics, 120–123
 - custom modules, filters, 123–130
 - custom modules, pooling, 130
 - custom modules, *versus* **global.asax** file, 130–131
 - pipeline threading, asynchronous handlers, 134–143
 - pipeline threading, basics, 132–134
- HTTP state management, RFC2109
 - proposal, 319
- HttpApplication** class, 100, 101
 - basics, 103–107
 - events, 107–109
 - object declarations, 110
 - state management, 322–325
- HttpApplicationFactory** class, 100
- HttpAsyncHandler** interface, 101
- HttpBrowserCapabilities** class, 238, 239
 - output caching, 300
- HttpCachePolicy** class, 293
- HttpContext** class, 99, 100, 101, 140
 - properties, 101–103
- HttpCookie** class, 342–346
- HttpForbiddenHandler** class, file
 - processing, 115
- httpHandler** element, 112
- httpModules** element, 70
- HttpRequest** class, 28, 29, 100
 - versus* **Request** class (ASP), 28

HttpResponse class, 28, 30–31, 100
HttpRuntime class, 99
httpRuntime element, 70
HttpServerUtility class, 28, 31–32
HttpSessionState class, 326–331
http.sys service, 85
HttpWorkerRequest class, 99
HyperLink class, 58

I – J

IDataReader binding, 186, 188–190
IDataRecord interface, 213
identity element, 70
idleTimeout attribute, **processModel** element, 78, 81
Ie4 client target, 239
Ie5 client target, 239
IEnumerable interface, 269
IHttpAsyncHandler interface, 101, 134, 135, 139–142
IHttpHandler interface, 100, 111
 file processing, 114
 request processing, 98
IHttpHandlerFactory interface, 117
IHttpModule interface, 101
 custom modules, 120–121
IIdentity interface, 357
 IIS 6.0, and **processModel** element, 84–85
 IIS (Internet Information Server)
 inetinfo.exe, 2
 and **web.config** files, 75
IList interface, 269
Image class, 58
ImageButton class, 58
ImageUrlEditor class, 282
img control, **src** attribute, 53–54
@Implements directive, 24
 attributes, 23
@Import directive, 24
 attributes, 23
inetinfo.exe, IIS process, 2
inetinfo.exe file
 HTTP pipeline threading, 132
 request processing, 98
Inherits attribute, **@Page** directive, 27
Init event, 15–18, 63
InitializeComponent event, 63
InnerText attribute, 40, 48
InstanceDescriptor class, 281
Int16Converter class, 277
Int32Converter class, 277
Int64Converter class, 277
 Integrated Windows authentication, 354
Interface attribute, **@Implements** directive, 23
 Internet Information Server (IIS),
 inetinfo.exe, 2
 Internet Information Server (IIS), and
 web.config files, 75
IPostBackDataHandler interface, 257–259
IPrincipal interface, 356
 role-based authentication, 373
IsAuthenticated property, **IIdentity** interface, 357
IsDebuggingEnabled property,
 HttpContext class, 102
IsCustomErrorEnabled property,
 HttpContext class, 102
IsEnabled property, **TraceContext** object,
 148–149
IsImportant property, **NameControl** control, 224, 226
 state management, 253–254
IsInCancellablePeriod property,
 HttpContext class, 102
IsPostBack property, **NameControl** control, state management, 253–254
IsReusable property, 112
 pooling handlers, 117
 pooling modules, 130
Items property, **HttpContext** class, 102, 103
ItemTemplate, data binding, 215

K – L

Kerberos authentication, 355
Key attribute, **CacheEntry** class, 312

Label class, 58
Language attribute, **@Page** directive, 27
LCID attribute, **@Page** directive, 27
LinkButton class, 58
ListBox control
 data binding, 184, 186, 189
 validation, 174
ListControl class, 58
 properties, 58
LiteralControl class, 222, 223
 state management with inner content,
 242–243
LiteralControl control, composite
 controls, 260
Load event, 15–18, 63, 65
LoadControl method, user controls, 265
LoadPostData method, 257–259
LoadViewState method, 269
localOnly attribute, **trace** element, 150
Location attribute, **@OutputCache**
 directive, 23, 292, 294–296
location element, 360
 web.config files, 73–74
loginUrl attribute, **authentication**
 element, 366
logLevel attribute, **processModel**
 element, 79

M

machine level, placement of elements, 70,
74
machine.config file
 elements available, 70–73
 impact of configuration changes, 74–75
 processModel element, 77
machineKey element, 70
Macromedia Dreamweaver, support for
 Web controls, 62
ManualResetEvent class, 136
MaximumValue property,
 RangeValidator control, 176
maxIoThreads attribute, **processModel**
 element, 80

maxWorkerThreads attribute,
 processModel element, 80
memoryLimit attribute, **processModel**
 element, 78, 81
metabase.xml file, 84
Microsoft
 Cassini, hosting ASP.NET, 98
 FrontPage, support for Web controls,
 62
 Passport authentication, 361
MinimumValue property,
 RangeValidator control, 176
Mode attribute, **Custom Errors** element,
 156
mode attribute, **sessionState** element, 334
modules (custom)
 basics, 120–123
 filters, 123–130
 versus **global.asax** file, 130–131
 pooling, 130
monitoring performance. *See*
 performance-monitoring counters
MTA (multithreaded apartment) model,
28
MultiPage class, output caching, 300
multithreaded apartment (MTA) model,
28

N

Name attribute, **@Assembly** directive, 23
name attribute, **authentication** element,
366
Name property, **IIdentity** interface, 357
Name property, **NameControl** control,
224–225
 state management, 253–254
NameControl control, 224–225
Namespace attribute
 @Import directive, 23
 @Register directive, 23
NameValueCollection, 93–94, 257
NameValueFileSectionHandler class,
93–94
.NET classes, 2

ASP.NET compilation, 7

O

OnDataBinding method, 268
OnEvent syntax, event handlers, 44–46
OnInit method, 63
OnRemoveCallback attribute,
 CacheEntry class, 312
Operator property, **CompareValidator**
 control, 175
Output Cache Hit Ratio performance
 counter, 151
output caching. *See* page output caching
Output property, **Response** object, 8
OutputCache directive
 attributes, 292
 basics, 291–294
 considerations, 305–308
 guidelines, 305–308
 pages, fragments, 302–305
 pages, multiple versions, 296–302
@OutputCache directives, attributes, 23
OutputCacheModule, 120

P

Page attribute, **@Reference** directive, 23
Page base class, 14
 event handling, 15–18
Page-derived classes, server-side controls,
 36–37
@Page directives, attributes, 22, 23, 25–28
page output caching. *See also* data caching
 basics, 291–294
 considerations, 305–308
 guidelines, 305–308
 opportunities, 289–289
OutputCache directive, attributes, 292
OutputCache directive, **Location**
 attribute, 294–296
 pages, fragments, 302–305
 pages, multiple versions, 296–302
page tracing, 146–147
 application level, attributes, 149–150

 performance-monitoring counters,
 150–152
 writing trace messages, 148–149
Page_ClientValidate() method, 172
PageControl class, 223
Page_Init method, 17
Page_Load method, 17, 65
pageOutput attribute, **trace** element,
 149, 150
Page_PreRender methods, 17
pages element, 70, 85–86
Page_Unload method, 17
Page_Validators array, 172
Panel class, 58, 59–61
Passport authentication, Microsoft, 361
PassportAuthenticationModule, 120
Password attribute, **processModel**
 element, 79
passwords
 hashing, 370–372
 salted hashes, 372–373
 storing, 370–372
path attribute, **authentication** element,
 366
perfmon.exe (Performance monitor
 tool), 152
Performance monitor tool
 (**perfmon.exe**), 152
performance-monitoring counters, page
 tracing, 150–152
PersistenceMode attribute, control
 properties, 276
Pipeline Instance Count performance
 counter, 151
pipeline threading
 asynchronous handlers, 134–143
 basics, 132–134
pooling in custom modules, 130
Post requests, server-side controls, 38, 39
PostRequestHandlerExecute event, 108
PreRender event, 15–18
PreRequestHandlerExecute event, 108
PreSendRequestContent event, 108
PreSendRequestHeaders event, 108

Priority attribute, **CacheEntry** class, 312, 316

processModel element, 70

- aspnet_isapi.dll** file, 77
- attributes, 78–83
- basics, 77
- control of aspects of **aspnet_wp.exe** (worker process), 77
- and IIS 6.0, 84–85
- impact of configuration changes, 74–75
- information access, 83–84
- machine.config** file, 77
- ProcessModelInfo** class, 83–84

ProcessRequest method, 99, 101, 141

- handlers, file processing, 115

properties, classes, **ListControl**, 58

protection attribute, **authentication** element, 366

Q – R

Queue collection, 186

RadioButton class, 58

RadioButtonList control, 58, 59, 60, 186

- validation, 174

RaisePostDataChangedEvent method, 257, 258

RangeValidator control, properties, 58, 176

@Reference directives, attributes, 23

ReferenceConverter class, 277

referencing, root path syntax, 53–54

@Register directives

- attributes, 23
- custom controls, 225, 275
- user controls, 265

RegisterClientScriptBlock function, 245–246

RegularExpressionValidator control, 58, 178–179

- characters, 1179
- properties, 175, 176

ReleaseHandler() method, 118

ReleaseRequestState event, 108

Render method, 228

- non-stack-based, 236–237

RenderBeginTag and **RenderEndTag** methods, 229, 230

RenderChildren method, 228

RenderControl function, 228

Repeater control, 58, 186

- Layout, Flow** settings, 88–89
- data binding, 185
- templates, 210, 214, 217–218

Request class (ASP) *versus* **HttpRequest** (ASP.NET) class, 28

Request Execution Time performance counter, 151

Request objects, filtering, 123–130

request processing

- classes and methods, 97–101
- HttpContext** class, 101–103

Request property, **HttpContext** class, 102

requestLimit attribute

- processModel** element, 78
- trace** element, 149, 150

requestQueueLimit attribute, **processModel** element, 78

Requests Queued performance counter, 151

Requests Rejected performance counter, 151

Requests/Sec counter, 151

Requests Succeeded counter, 151

RequiredFieldValidator control, 58, 167, 168

ResolveRequestCache event, 108

Response objects

- ASP.NET *versus* ASP, 31
- filtering, 123–130
- Output** property, 8

Response property, **HttpContext** class, 102

responseDeadlockInterval attribute, **processModel** element, 79

- ResponseEncoding** attribute, **@Page** directive, 27
 - responseRestartDeadlockInterval** attribute, **processModel** element, 79
 - restartQueueLimit** attribute, **processModel** element, 78
 - RFC2109 proposal for HTTP state management, 319
 - RNGCryptoServiceProvider**, 367–368
 - roles** attribute, **allow** and **deny** element, 359
 - root path reference syntax, 53–54
 - runat=server** attribute, 36, 37, 39
 - ASP migration to ASP.NET, 11
 - HTML controls, 54
- S**
- salted hashes, 372–373
 - SaveViewState** and **LoadViewState** functions, 255
 - SaveViewState** method, 269
 - scripting languages, ASP.NET, 5
 - section** element, 92
 - security. *See* Web security
 - securityPolicy** element, 70
 - SeparatorTemplate**, data binding, 215
 - Serializable** attribute, state management, 254
 - Server** property, **HttpContext** class, 102
 - server-side controls, Web Forms
 - basics, 35–37
 - client-server interactions, 37–39
 - code-behind, 50–53
 - versus* desktop applications, 33–35
 - events, 42–47
 - events, sequencing, 48–50
 - HtmlControl** base class, 54–57
 - referencing, root path syntax, 53–54
 - ViewState** element, 39–42
 - server-side form validation, 164–165
 - serverErrorMessageFile** attribute, **processModel** element, 80
 - ServerValidate** property, **CustomValidator** control, 176
 - Session** property, **HttpContext** class, 102
 - session state, 320, 321
 - basics, 325–331
 - Globally Unique Identifiers (GUIDs), 332
 - session key management, 331–335
 - storing out of process, 335–341
 - session state timeouts, **web.config** files, 68–70
 - Session_End** event, 109
 - Sessions Active counter, 151
 - Sessions Total counter, 151
 - Session_Start** event, 109
 - sessionState** element, 69, 70, 333
 - attributes, 334
 - SessionStateModule**, 120
 - SetShadowCopyPath()** method, 20
 - shadow copying, 18–22
 - ShadowCopyFiles** property, 20
 - ShowMessageBox** property, **ValidationSummary** control, 176
 - ShowSummary** property, **ValidationSummary** control, 176
 - shutdownTimeout** attribute, **processModel** element, 78
 - site level, placement of elements, 70, 74
 - SlidingExpiration** attribute, **CacheEntry** class, 312, 313
 - SmartNavigation** attribute, **@Page** directive, 27
 - Solution Explorer, 62
 - SortedList** collection, 186
 - SortExpression** property, **DataGrid** control, 202
 - sqlConnectionString** attribute, **sessionState** element, 334
 - Src** attribute, **@Assembly** directive, 23
 - src** attribute, **img** control, 53–54
 - Src** attribute, **@Page** directive, 27
 - Src** attribute, **@Register** directive, 23
 - user controls, 265
 - Stack** collection, 186
 - state management
 - application state, 320, 321, 322–325

- cookie state, 320, 321, 342–346
 - events, sequencing, 48
 - RFC2109 proposal, 319
 - session state, 320, 321
 - session state, basics, 325–331
 - session state, Globally Unique Identifiers, 332
 - session state, session key management, 331–335
 - session state, storing out of process, 335–341
 - types of state, 320
 - types of state,
 - advantages/disadvantages, 321
 - view state, 320, 321, 346–348
 - stateConnectionString** attribute,
 - sessionState** element, 334
 - Stream**-derived class, 123–128
 - Strict** attribute, **@Page** directive, 27
 - StringCollection** collection, 186
 - syntax, root path reference, 53–54
 - System.ComponentModel.TypeConverter**, 277
 - System.Configuration** namespace, 77
 - System.Drawing.Design.UITypeEditor**, 283
 - System.Web.HttpCachePolicy** class, 293
 - System.Web.UI.Control**, methods,
 - properties, and events, 226–229
 - System.Web.UI.Controls.WebControl**, 247–251
 - System.Web.UI.Design.ControlDesigner**, 286
 - System.Web.UI.HtmlControls.HtmlControl** base class, HTML controls, 54–57
 - System.Web.UI.Page** base class, 8–11
 - events, 16
 - HTML controls, 54–57
 - System.Web.UI.Page.InitOutputCache()** method, 293
 - System.Web.UI.StateBag**, 252
- T**
- Table** class, 58
 - TableCell** class, 58
 - TableHeaderCell** class, 58
 - TableRow** class, 58
 - TabStrip** class, output caching, 300
 - tag mappings. *See* HTML tag mappings
 - TagName** attribute, **@Register** directive, 23
 - TagPrefix** attribute, **@Register** directive, 23, 225, 275, 277
 - templated controls, 214–217
 - basics, 209–210
 - DataBinder** class, 213–214
 - DataList**, 218–219
 - evaluation syntax, 210–213
 - Repeater**, 217–218
 - TextBox** class, 58
 - state management, 259
 - TextBox** control
 - composite controls, 260
 - validation, 174
 - TextBoxControl** class, 223
 - TextChanged** event, 258
 - threading in HTTP pipelines
 - asynchronous handlers, 134–143
 - basics, 132–134
 - ThreadStart** delegate, 138
 - timeout** attribute
 - authentication** element, 366
 - processModel** element, 78, 81
 - sessionState** element, 334
 - TimerModule** class, 121–123
 - ToolBar** class, output caching, 300
 - ToolboxData** attribute, 275
 - Trace** attribute, **@Page** directive, 27
 - page tracing with **Trace=true**, 146–147
 - trace** element, 70
 - attributes, 149–150
 - Trace** property, **HttpContext** class, 102
 - TraceContext** class, 148–149
 - TraceIsEnabled** property, **HttpContext** class, 102

- TraceMode** attribute
 - @Page** directive, 27
 - trace** element, 149, 150
 - TraceRedirectStream** class, 124–128
 - tracing pages. *See* page tracing
 - Transaction** attribute, **@Page** directive, 27
 - TreeView** class, output caching, 300
 - trust** element, 70
 - Type** property
 - CompareValidator** control, 175
 - RangeValidator** control, 176
 - TypeConverter** attribute, control properties, 276, 279–281, 286
- U**
- UICulture** attribute, **@Page** directive, 27
 - UInt16Converter**, **UInt32Converter**, and **UInt64Converter** classes, 277
 - Unload** event, 15–18
 - UpdateCommand** property, **DataGrid** control, 204–208
 - UpdateRequestState** event, 108
 - uplevel** client target, 239
 - UrlAuthorizationModule**, 120
 - UrlEditor** class, 282
 - User** property, **HttpContext** class, 102
 - userName** attribute, **processModel** element, 79
 - users** attribute, **allow** and **deny** element, 359
 - Util** assembly, 85
- V**
- validation controls, 173–181
 - architecture, basics, 166–168
 - architecture, client-side, 170–173
 - architecture, pages, 169–170
 - custom controls, 266–267
 - fundamental elements, 166
 - validation of forms
 - basics, 163–164
 - client-side, 164–165
 - server-side, 164–165
 - ValidationExpression** property, **RegularExpressionValidator** control, 176
 - ValidationSummary** control, 58, 167, 177
 - properties, 176
 - ValidatorEnable()** method, 172
 - ValidatorHookupControl()** method, 172
 - ValidatorOnChange()** method, 172
 - ValidatorOnLoad()** method, 172
 - ValidatorsValidate()** method, 172
 - ValidatorUpdateDisplay()** method, 172
 - ValidatorUpdateIsValid()** method, 172
 - ValueToCompare** property, **CompareValidator** control, 175
 - VaryByControl** attribute, **@OutputCache** directive, 23, 292, 303, 304
 - VaryByCustom** attribute, **@OutputCache** directive, 23, 292, 299, 300
 - VaryByHeader** attribute, **@OutputCache** directive, 23, 292, 297–300
 - VaryByParam** attribute, **@OutputCache** directive, 23, 292, 296–297, 302–304
 - VbSourceHandler** class, file processing, 115
 - verbs** attribute, **allow** and **deny** element, 359
 - ViewState** collection, state management, 251–255
 - ViewState** element, Web Forms, 39–42
 - __VIEWSTATE** hidden field, state management, 252, 346–348
 - VirtualItemCount** property, **DataGrid** control, 198, 199, 200
 - Visual Studio .NET
 - building Web Forms, 62–65
 - designer integration, basics, 273
 - designer integration, designer classes, 285–287
 - designer integration, properties, and appearance, 273–276
 - designer integration, properties, attributes, 276
 - designer integration, properties, converting types, 276–281

designer integration, properties,
editors, 281–285

W

WarningLevel attribute, **@Page** directive,
27

Web applicaitons, *versus* desktop
applications, 33–35

Web Forms

building with Visual Studio .NET,
62–65

client-server interactions, 37–39

code-behind, 50–53

controls, server-side, 35–39

versus desktop applications, 33–35

events, 42–47

events, sequencing, 48–50

HtmlControl base class, 54–57

referencing, root path syntax, 53–54

ViewState element, 39–42

WebControl base class, 57–58

WebControl base class, *versus*

HtmlControl base class, 57–58

Web security

ASP.NET basics, 355–358

authentication, clients, 353–355,
358–361

authentication, optional methods,
368–369

authentication, role-based, 373–375

authentication, server, 352–353

authentication, Web Forms, 361–366

authentication, Web Forms, with
cookies, 367–368

authorization, clients, 358–361

authorization, Web Forms, 361–366

basics, 351–352

password storage, 370–372

salted hashes, 372–373

system identity, 375–377

WebColorConverter class, 277

web.config files

basics, 68

elements available, 69

hierarchy, 70–72

and IIS (Internet Information Serve), 75

location element, 73–74

placement locations, 70, 74

session state timeouts, 68–70

WebControl base class

classes, **ListControl**, 58–59

custom controls, 222

versus **HtmlControl** base class, 61–62

properties, 247–248

webGarden attribute, **processModel**

element, 78, 81, 82

WebServices element, 70

WebUIValidation.js file, 170, 171

WindowsAuthenticationModule, 120

WindowsPrincipal class, 356

Worker Process Restarts performance

counter, 151

worker processes

aspnet_wp.exe, 2

w3wp.exe, 2

WorkerRequest property, **HttpContext**

class, 102

Write method, filtering

requests/responses, 124, 125

WriteBeginTag and **WriteEndTag**

methods, 229, 235, 236

w3wp.exe file, 84

HTTP pipeline threading, 132

worker processes, 2

X – Z

xcopy command, ASP.NET deployment,
67–68

Xml class, 58, 59–61

XmlFileEditor class, 282

XmlUrlEditor class, 282

XslUrlEditor class, 282