

Index

A

- Abbreviation, standards for, 72
- Acceptance testing
 - application development, 294, 296
 - ETL development, 272, 277
 - meta data repository and, 326–327, 332
- Access interface, meta data repository, 325
- Access requirements
 - analyzing for prototype, 163
 - database design for, 204, 206–207
- Acronyms, standards for, 72
- Activities
 - application development, 295–297
 - application prototyping, 163–164
 - business case assessment, 45–48
 - data analysis, 141–143
 - data mining, 313–315
 - database design, 204–207
 - enterprise infrastructure evaluation, nontechnical, 75–76
 - enterprise infrastructure evaluation, technical, 61–62
 - ETL design, 231–232
 - ETL development, 276–277
 - implementation, 352–354
 - meta data repository analysis, 186–188
 - meta data repository design, 254–255
 - meta data repository development, 331–332
 - project planning, 90–92, 98–100
 - project requirements definition, 118–121
 - release evaluation, 369–370
- Activity Dependency Matrix, 405–410, xxvii
- Additional reading. *see* Bibliography/additional reading
- Administrative support, DBMS features, 60
- Agenda, post-implementation review, 367
- Aggregation
 - database design and, 204, 206
 - defining, 286
 - managing growth in data volume with, 350
 - OLAP tools providing, 285
 - source data transformation and, 262
- Alerts, 347
- Amount counts, ETL reconciliation, 228, 265–266
- Analysis tools. *see also* data mining
 - application development considerations, 282
 - multidimensional, 287–289
 - multivariate, 289
 - OLAP, 283–287, 291
- Analytical data model, 314–315
- APIs (application programming interfaces), 58, 239, 244, 292
- Application design document, 297
- Application developers
 - application development, 298
 - book chapters of interest, xxxi
 - Human Resource Allocation Matrix, 383–385
 - implementation, 355
 - responsibilities of, 24
- Application development, 281–300
 - activities, 295–297
 - Activity Dependency Matrix, 408
 - additional reading, 299
 - considerations about, 282–283
 - construction stage, 13–14
 - deliverables, 297
 - Entry & Exit Criteria and Deliverables Matrix, 399
 - environments, 292–295
 - Human Resource Allocation Matrix, 383

- Application development *continued*
 - multidimensional analysis factors, 287–289
 - OLAP architecture and, 289–292
 - OLAP tools and, 283–287
 - overview of, 281
 - Practical Guidelines Matrix, 481–482
 - risks of not performing, 299
 - roles, 298–299
 - Task/Subtask Matrix, 442–444
 - Application inventory, 70–71
 - Application lead developer
 - application development, 298
 - application prototyping, 165
 - book chapters of interest, xxxi
 - database design, 208
 - Human Resource Allocation Matrix, 380–385
 - implementation, 355
 - project planning, 101
 - project requirements definition, 121–122
 - release evaluation, 371
 - responsibilities of, 22
 - Application program library, 297
 - application programming interfaces (APIs), 58, 239, 244, 292
 - Application prototyping, 149–168
 - activities, 163–164
 - Activity Dependency Matrix, 407
 - additional reading, 167
 - best practices, 153–155
 - business analysis stage, 12
 - considerations about, 150–151
 - deliverables, 165
 - Entry & Exit Criteria and Deliverables Matrix, 393
 - environment, 293–294
 - Human Resource Allocation Matrix, 381
 - overview of, 149
 - Practical Guidelines Matrix, 467–469
 - purposes of, 151–152
 - risks of not performing, 166–167
 - roles, 165–166
 - successful, 159–163
 - Task/Subtask Matrix, 427–430
 - types of, 156–159
 - Application release concept, 361–363
 - Application requirements document
 - contents of, 113, 114–116
 - revising for prototype, 165
 - writing, 121
 - Application test plans, 297
 - Application Track, 17–18
 - Applications
 - meta data repository design, 255
 - meta data repository development, 331–332
 - security measures for, 340–341
 - Arbitration boards, 26
 - Architecture
 - enterprise, 68–71
 - OLAP, 289–292
 - security and, 342
 - three-tier computing, 56
 - Associations discovery technique, 306, 307–308
 - Assumptions, project planning and, 87–88
 - Authentication, defined, 345
 - Automation silos (stovepipe systems)
 - data discrepancies of, 130
 - effects of, 65–66
 - Availability, application requirements
 - document, 116
- B**
- Back end, 17
 - Backups
 - overview of, 345–347
 - physical database design, 203
 - Bandwidth, 348
 - BI infrastructure architect
 - book chapters of interest, xxxi
 - Human Resource Allocation Matrix, 379, 382, 385
 - meta data repository design, 256
 - nontechnical enterprise infrastructure
 - evaluation, 77
 - release evaluation, 371
 - responsibilities of, 22
 - technical enterprise infrastructure
 - evaluation, 63
 - BI target databases. *see also* Database design
 - building, 206–207
 - designing, 205–206
 - designing load programs, 223–224
 - ETL implementation strategies, 213–215
 - operational databases vs., 194
 - overview of, 196
 - physical design of, 207–208
 - as sources for data mining, 306–307
 - Bibliography/additional reading
 - application development, 299
 - application prototyping, 167

- business case assessments, 50
 - data analysis, 146–147
 - data mining, 317
 - database design, 209–210
 - development steps, 27
 - enterprise infrastructure evaluation, 78–80
 - ETL design, 234–235
 - ETL development, 279
 - implementation, 356–357
 - meta data repository analysis, 190
 - meta data repository design, 257–258
 - meta data repository development, 335
 - project planning, 103
 - project requirements definition, 123–124
 - release evaluation, 375
 - Bottom-up source data analysis, 133–136
 - Brainstorming, 267–268
 - Budget, 84–89, 114, 156, 364, 460, 468
 - Business
 - application prototyping and, 150–151, 155
 - architecture models, 69–70
 - Business analysis stage
 - defined, 6
 - development steps in, 12
 - issues, 35–37
 - nontechnical infrastructure activities, 67
 - parallel development tracks, 19
 - stovepipe systems and, 65–66
 - Business case assessment, 29–50
 - activities, 45–48
 - Activity Dependency Matrix, 405
 - additional reading, 50
 - business analysis issues, 35–37
 - business drivers, 33–35
 - business justification, 31–33
 - considerations about, 30–31
 - cost-benefit analysis, 37–40
 - deliverable, 48
 - Entry & Exit Criteria and Deliverables Matrix, 387
 - Human Resource Allocation Matrix, 379
 - justification stage, 11
 - overview of, 29
 - Practical Guidelines Matrix, 455–456
 - risk assessment, 40–45
 - risks of not performing, 49–50
 - roles, 49
 - Task/Subtask Matrix, 411–413
 - Business-focused data analysis
 - data domain rules, 134–135
 - data integrity rules, 135–136
 - meta data, 131–133, 143
 - overview of, 127
 - Business representative
 - application development, 298
 - application prototyping, 166
 - application release concept, 361
 - application release concept guidelines, 362–364
 - book chapters of interest, xxix
 - business case assessment, 49
 - data analysis, 144
 - data mining, 316
 - ETL development, 278
 - ETL integration testing, 269
 - guidelines for project planning, 460
 - Human Resource Allocation Matrix, 379–381, 383, 385
 - justifying BI decision, 32–33
 - logical data modeling, 131
 - meta data repository development, 333
 - nontechnical infrastructure needs, 67
 - project planning, 82, 101
 - project requirements definition, 114, 122
 - release evaluation, 371
 - responsibilities of, 22
 - Business sponsor
 - book chapters of interest, xxix
 - business case assessment, 49
 - Human Resource Allocation Matrix, 379, 385
 - post-implementation review, 368
 - project-specific requirements of, 114
 - release evaluation, 372
 - responsibilities of, 24
- C**
- Caching, DBMS, 60
 - Calling card fraud, 312
 - Campaigns, marketing, 312
 - CASE tools
 - defined, 241
 - nontechnical infrastructure and, 64, 75, 459
 - populating meta data repository using, 322
 - Centralized meta data repository, 242–244
 - Change-control procedures
 - application release guidelines, 363
 - post-implementation review, 366
 - practical guidelines for, 460
 - project planning, 88–89
 - Chaos, minimizing hardware, 54–55

- Cipher text, 345
 - Classification, data mining, 309, 310–311
 - Classifications, meta data, 176–182
 - Cleansing data. *see* Data cleansing
 - Clustering
 - data mining technique, 309
 - physical database design decisions, 202
 - Competition, business case assessment, 47
 - Compilation, unit testing, 269
 - Complexity risk, 41
 - Computer utilization, 347
 - Connectivity paths, 343
 - Constraints, project
 - overview of, 86–88
 - planning considerations, 84, 418
 - Construction stage
 - defined, 6
 - development steps in, 13–14
 - parallel development tracks and, 19
 - Contingency plan, 86
 - Core team members
 - nontechnical enterprise infrastructure
 - evaluation, 65
 - post-implementation review, 367
 - release evaluation, 489
 - responsibilities of, 21–23
 - Cost-benefit analysis
 - business issues, 37–40
 - determining ROI, 47
 - ETL tools and, 230
 - project planning and, 82
 - Costs
 - considerations about, 30
 - constraints, 84
 - determining or revising, 99
 - justifying, 31–33
 - post-implementation review of budget, 364
 - Practical Guidelines Matrix, 455–456
 - prototyping and, 151
 - risk and, 42
 - standardizing of data and, 37
 - CPM (critical path method), 95–96, 101
 - Credit card fraud, 312
 - Critical path method (CPM), 95–96, 101
 - Critical success factors, 99
 - CRM (customer relationship management), 9, 39
 - Cross-organizational integration
 - immature attempts to organize meta data, 240
 - need for nontechnical infrastructure, 66–68
 - overview of, 8–11
 - project-specific vs., 16
 - CRUD (create, read, update, delete) access, 207, 331
 - customer relationship management (CRM), 9, 39
 - Customers
 - market management of, 312
 - planning incremental rollouts, 339
 - Customization
 - meta data repository design, 242–243
 - meta data repository development, 320
- D**
- Data
 - accuracy, 140
 - application prototyping and, 153
 - application requirements document and, 115
 - business analysis issues, 35–37
 - conversion rules, 134
 - domain rules, 134–135
 - formats, 140
 - integrity rules, 135
 - managing growth in, 349–350
 - names, 132
 - naming standards, 72
 - policy, 133
 - precision, 140
 - project requirements, 106
 - reliability, 140
 - resolving discrepancies, 143
 - sharing, 60
 - transformation activities, 261–263
 - values, 221–222
 - Data administrator
 - book chapters of interest, xxxi
 - data analysis, 144
 - database design, 208
 - Human Resource Allocation Matrix, 379–382, 385
 - logical data modeling, 131
 - meta data repository analysis, 188
 - meta data repository design, 256
 - nontechnical enterprise infrastructure
 - evaluation, 77
 - project planning, 101
 - project requirements definition, 122
 - release evaluation, 372
 - responsibilities of, 22

- Data analysis, 125–148
 - activities, 141–143
 - Activity Dependency Matrix, 406
 - additional reading, 146–147
 - bottom-up source data analysis, 133–136
 - business analysis stage, 12
 - business-focused vs. traditional, 127
 - considerations about, 126–127
 - data cleansing, 136–141
 - deliverables, 143–144
 - Entry & Exit Criteria and Deliverables Matrix, 392
 - Human Resource Allocation Matrix, 381
 - overview of, 125
 - Practical Guidelines Matrix, 464–466
 - risks of not performing, 145–146
 - roles, 144–145
 - Task/Subtask Matrix, 425–426
 - top-down logical data modeling, 128–133
- Data cleansing, 136–141
 - application requirements document and, 115
 - data analysis and, 126
 - data mining and, 313
 - estimates for, 461
 - ETL design and, 215–216
 - ETL development and, 262
 - overview of, 136–141
 - tools for, 241
 - writing specifications for, 143
- Data content, 133. *see also* Domain
- Data control language. *see* DCL (data control language)
- Data definition, 132
- Data definition language. *see* DDL (data definition language)
- Data dictionaries, 61, 239–240
- Data identifier, 132–133
- Data-in philosophy, 195
- Data integration
 - ETL transformation programs, 221
 - logical data modeling for, 127
 - normalization rules, 262
 - prototyping best practices, 155
- Data integrity
 - business rules for, 135–136
 - source data selection and, 139
- Data length
 - defined, 133
 - technical data conversion rules for, 134
- Data management middleware, 57
- Data marts
 - approach, 351
 - implementation strategies, 213
 - staging area, 232, 475
- Data mining, 301–318
 - activities, 313–315
 - Activity Dependency Matrix, 409
 - additional reading, 317
 - applications of, 311–313
 - considerations about, 302–303
 - construction stage, 13–14
 - defining, 303–307
 - deliverables, 315
 - Entry & Exit Criteria and Deliverables Matrix, 400
 - Human Resource Allocation Matrix, 383
 - operations, 310–311
 - overview of, 301
 - Practical Guidelines Matrix, 483–484
 - risks of not performing, 316
 - roles, 316
 - Task/Subtask Matrix, 445–446
 - techniques, 307–310
 - tools, 241, 302
- Data mining expert
 - book chapters of interest, xxxi
 - data mining, 316
 - Human Resource Allocation Matrix, 383–385
 - implementation, 355
 - release evaluation, 372
 - responsibilities of, 22
- Data mining operations, 310–311
- Data mining techniques, 307–310
- Data-out philosophy, 195, 196
- Data owners
 - data analysis, 145
 - data quality, 137
 - logical data modeling, 131
 - Practical Guidelines Matrix, 464
 - responsibilities of, 25
- Data quality
 - data analysis and, 126, 137, 142
 - general business requirements for, 110–111
 - normalization, 195
 - planning project for, 461
 - standards, 73
- Data quality analyst
 - book chapters of interest, xxxi

- Data quality analyst *continued*
 - business case assessments, 49
 - data analysis, 144
 - ETL design, 233
 - Human Resource Allocation Matrix, 379–382, 385
 - nontechnical enterprise infrastructure
 - evaluation, 77
 - project planning, 102
 - project requirements definition, 122
 - release evaluation, 372
 - responsibilities of, 22
- Data relationship, 132
- Data rule, 133
- Data types
 - defined, 133
 - technical data conversion rules for, 134
- Database administrator
 - application development, 298
 - application prototyping, 153, 166
 - book chapters of interest, xxxi
 - data mining, 316
 - database design, 193, 208–209
 - ETL design, 233
 - ETL development, 278
 - Human Resource Allocation Matrix, 379–385
 - implementation, 355
 - meta data repository development, 334
 - personnel utilization and, 348–349
 - project planning, 102
 - release evaluation, 372
 - responsibilities of, 22
 - technical enterprise infrastructure
 - evaluation, 63
- Database design, 191–210
 - activities, 204–207
 - Activity Dependency Matrix, 407
 - additional reading, 209–210
 - considerations about, 192–193
 - deliverables, 207–208
 - design stage, 13
 - Entry & Exit Criteria and Deliverables Matrix, 395
 - Human Resource Allocation Matrix, 382
 - logical, 197–200
 - overview of, 191
 - philosophies, 193–196
 - physical, 201–204
 - Practical Guidelines Matrix, 472–474
 - risks of not performing, 209
 - roles, 208–209
 - Task/Subtask Matrix, 433–435
- Database management system. *see* DBMS (database management system)
- Database segmentation, data mining, 311
- Databases
 - backup and recovery, 345–347
 - data mining, 311, 315
 - drivers, 58
 - loading production, 353
 - maintaining, 207–208, 338
 - meta data repository, 331, 332–333
 - OLAP architecture support of, 292
- Dataset placement, 201–202
- DBMS (database management system)
 - considerations about, 53–54
 - criteria for selecting, 59–61
 - design considerations, 192
 - dictionaries, 322–323
 - gateways, 57–59
 - meta data from tools, 241
 - meta data in, 240
 - Practical Guidelines Matrix, 458
 - query resolution, 199
 - scalability, 55
 - security, 343
 - technical enterprise infrastructure evaluation
 - activities, 61–62
- DCL (data control language)
 - database security and, 206
 - defined, 208
 - meta data repository design and, 256
- DDL (data definition language)
 - building BI target databases and, 206
 - defined, 208
 - meta data repository design and, 255
- Deadline management, 155
- Decentralized meta data repository, 244–245
- Decision-support initiatives
 - assessing business drivers, 33–35
 - dynamics of, 10
 - justifying, 31–33
 - overview of, 5
- Decision-support system (DSS) solutions, 46–47
- Deleted records, processing, 218–219
- Deliverables. *see also* Entry & Exit Criteria and Deliverables Matrix
 - application development, 297

- application prototyping, 150, 155, 165
 - business case assessment, 48
 - data analysis, 143–144
 - data mining, 315
 - database design, 207–208
 - enterprise infrastructure evaluation,
 - nontechnical, 76–77
 - enterprise infrastructure evaluation, technical, 62–63
 - ETL design, 233
 - ETL development, 277
 - implementation, 354
 - meta data repository analysis, 188
 - meta data repository design, 255–256
 - meta data repository development, 332–333
 - project planning, 100–101
 - project requirements definition, 121
 - release evaluation, 371
 - Demo prototype, 158
 - Demonstrations, prototype, 164
 - Deployment stage
 - defined, 6
 - development steps in, 14
 - parallel development tracks and, 19
 - Derivation process, ETL development, 262
 - Design stage
 - defined, 6
 - development steps in, 13
 - parallel development tracks and, 19
 - Developers, 373, 385
 - Development approaches
 - cross-organizational, 8–11
 - overview of, 5–6
 - post-implementation review on, 366
 - traditional, 6–8
 - Development environment, 293–294
 - Development steps
 - Activity Dependency Matrix, 405–410
 - additional reading, 27
 - arbitration boards, 26
 - cross-organizational integration, 8–11
 - decision-support initiatives, 5
 - defining, 4–5
 - development approaches, 5–6
 - engineering stages and, 11–16
 - Entry & Exit Criteria and Deliverables Matrix, 387–403
 - establishing standards, 72
 - Human Resource Allocation Matrix, 379–385
 - justification for using, 26–27
 - parallel development tracks, 17–20
 - Practical Guidelines Matrix, 455–490
 - project team structures, 20–25
 - Task/Subtask Matrix, 411–454
 - traditional development approach, 6–8
 - Deviation detection, data mining, 311
 - Dictionaries, data
 - DBMS, 61, 322–323
 - overview of, 239–240
 - Dimension tables, star schema, 198–199
 - Directory, meta data repository, 330
 - Display, OLAP tools, 287
 - Distributed logic middleware, defined, 57
 - Distributed XML-enabled meta data solution, 245–247
 - Distribution, data mining, 313
 - Documentation
 - meta data repository, 333
 - production, 354
 - Domain. *see also* Data content
 - business meta data and, 143, 177
 - enforcements, 228
 - violations, 135, 479
 - Domain counts, ETL reconciliation, 228, 265–266
 - Double maintenance, defined, 246
 - Drivers, database, 58
 - Drivers, of business, 30, 32, 33–35
- E**
- E-R (entity-relationship) meta data repository, 247–248, 254–255
 - E-R (entity-relationship) modeling. *see* Logical data models
 - Ease of use, defining, 469
 - Edits, ETL unit testing, 269
 - EIS (executive information system), 283, 305–306
 - Encryption, 344, 345
 - Engineering stages, 11–16
 - Business analysis stage, 12
 - Construction stage, 13–14
 - dependencies, 15
 - Deployment stage, 14
 - Design stage, 13
 - development approach, 5–6
 - Justification stage, 11
 - parallel development tracks and, 17–20
 - Planning stage, 11
 - project-specific vs. cross-organizational steps, 16

- Enterprise architecture, 68–71
- Enterprise infrastructure evaluation, nontechnical, 63–80
 - activities, 75–76
 - Activity Dependency Matrix, 405
 - additional reading, 79–80
 - architecture components, 68–71
 - considerations about, 64–65
 - deliverable, 76–77
 - Entry & Exit Criteria and Deliverables Matrix, 389
 - Human Resource Allocation Matrix, 379
 - need for, 66–68
 - overview of, 52
 - planning stage, 11
 - Practical Guidelines Matrix, 459
 - risks of not performing, 78
 - roles, 77–78
 - standards for, 71–75
 - stovepipe development effects and, 65–66
 - Task/Subtask Matrix, 416–417
- Enterprise infrastructure evaluation, technical, 53–63
 - activities, 61–62
 - Activity Dependency Matrix, 405
 - additional reading, 78–79
 - considerations about, 53–54
 - DBMS requirements, 58–61
 - deliverables, 62–63
 - Entry & Exit Criteria and Deliverables Matrix, 388
 - hardware platform scalability, 54–57
 - Human Resource Allocation Matrix, 379
 - middleware platform, 57–58
 - overview of, 51
 - planning stage, 11
 - Practical Guidelines Matrix, 457–458
 - risks of not performing, 63
 - roles, 63
 - Task/Subtask Matrix, 414–415
- Enterprise logical data model, 129–130, 142–144
- Entity-relationship (E-R) meta data repository, 247–248, 254–255
- Entity-relationship (E-R) modeling. *see* Logical data models
- Entry & Exit Criteria and Deliverables Matrix, 387–403
 - application development, 399
 - application prototyping, 393
 - business case assessments, 387
 - data analysis, 392
 - data mining, 400
 - database design, 395
 - defined, xxvii
 - enterprise infrastructure evaluation, 388–389
 - ETL design, 396
 - ETL development, 398
 - implementation, 402
 - meta data repository analysis, 394
 - meta data repository design, 397
 - meta data repository development, 401
 - project planning, 390
 - project requirements definition, 391
 - release evaluation, 403
- Environments
 - application development, 292–295
 - multi-tier, 341–344
 - production, 293–294, 353
 - setting up implementation, 353
- Error-handling, ETL process flow design, 228
- Estimating techniques, 92–93
- ETL developers
 - book chapters of interest, xxxi
 - ETL development, 278
 - Human Resource Allocation Matrix, 383–385
 - implementation, 355
 - release evaluation, 373
 - responsibilities of, 24
- ETL (extract/transform/load) design, 211–236
 - activities, 231–232
 - Activity Dependency Matrix, 408
 - additional reading, 234–235
 - considerations about, 212–213
 - deliverables, 233
 - design stage, 13
 - Entry & Exit Criteria and Deliverables Matrix, 396
 - evaluating tools for, 229–231
 - extract programs, 219–220
 - Human Resource Allocation Matrix, 382
 - implementation strategies, 213–215
 - load programs, 223–224
 - overview of, 211
 - Practical Guidelines Matrix, 475–476
 - preparing for process, 215–219
 - process flow, 225–229
 - risks of not performing, 234
 - roles, 233–234

- Task/Subtask Matrix, 436–437
 - transformation programs, 221–223
 - ETL (extract/transform/load) development, 259–280
 - activities, 276–277
 - Activity Dependency Matrix, 408
 - additional reading, 279
 - considerations about, 260–261
 - construction stage, 13–14
 - deliverables, 277
 - Entry & Exit Criteria and Deliverables Matrix, 398
 - Human Resource Allocation Matrix, 383
 - overview of, 259
 - peer reviews, 267
 - Practical Guidelines Matrix, 479–480
 - reconciliation, 263–267
 - risks of not performing, 279
 - roles, 278
 - source data transformation, 261–263
 - Task/Subtask Matrix, 440–441
 - Testing, 268–273
 - ETL lead developer
 - book chapters of interest, xxxi
 - data analysis, 144
 - database design, 209
 - ETL design, 225–228, 234
 - ETL development, 278
 - Human Resource Allocation Matrix, 380–385
 - implementation, 355–356
 - project planning, 102
 - release evaluation, 373
 - responsibilities of, 22
 - ETL process flow, 225–229
 - ETL program library, 277
 - ETL test plan, 273–275, 277
 - ETL Track, 17
 - Evaluation
 - nontechnical enterprise infrastructure. *see* Enterprise infrastructure evaluation, nontechnical
 - technical enterprise infrastructure. *see* Enterprise infrastructure evaluation, technical
 - Executive information system (EIS), 283, 305–306
 - Exit criteria. *see* Entry & Exit Criteria and Deliverables Matrix
 - Extended team members
 - post-implementation review, 367
 - release evaluation, 489
 - responsibilities of, 23–25
 - External data
 - analyzing sources of, 141–142
 - business analysis issues, 36–37
 - Extract programs, 219–220, 225
 - Extract/transform/load (ETL) design. *see* ETL (extract/transform/load) design
- F**
- Facilitator
 - Human Resource Allocation Matrix, 385
 - post-implementation review, 368–369
 - release evaluation, 373
 - responsibilities of, 25
 - Fact tables, star schema, 197–198
 - Financial investment risk, 42
 - Financial services, data mining, 312–313
 - Finish to Finish, task dependencies, 94–95
 - Finish to Start, task dependencies, 94–95
 - Forecasting technique, data mining, 309–310
 - Formats
 - preparing for ETL process, 215
 - resolution of differing, 222
 - Formula-based estimations, 92–93
 - Fraud detection, data mining, 312
 - Front end, 17–20
 - Functional project requirements, 106, 115
 - Functionality, application prototyping, 467
- G**
- Gantt charts, 100, 101
 - Gap analysis security matrix, 343–344
 - Gateways, 57–59, 245–247, 485
 - General business requirements, 108–112
 - data quality requirements, 110–111
 - interviewees for, 109–110
 - overview of, 108–109
 - project-specific requirements vs., 107
 - report, 111–112
 - Goals
 - data mining, 313
 - project, 85
 - Group IDs (group identifiers), 207
 - Growth management, 349–351
 - GUI (graphic user interface) components, prototypes, 161

- Guidelines. *see also* Practical Guidelines Matrix
 nontechnical enterprise infrastructure evaluation, 64–65
 physical database design, 201–204
 prototyping, 161–162
 using application release concept, 362–363
- H**
- Hardware
 data and usage growth and, 351
 platform requirements, 54–57
 Practical Guidelines Matrix, 458
 technical enterprise infrastructure evaluation, 53, 61–62
- Help desk (support)
 implementation and, 338–339, 353
 role of extended team members, 24–25
- Help function. *see* Online help function
- Historical load process, ETL, 217
- History
 basing project estimates on, 92–93
 data requirements and, 106
- Homonyms, 222
- Human Resource Allocation Matrix, 379–385, xxvii
- I**
- Implementation, 337–358
 activities, 352–354
 Activity Dependency Matrix, 409
 additional reading, 356–357
 considerations about, 338–339
 data backup and recovery, 345–347
 deliverables, 354
 deployment stage, 14
 Entry & Exit Criteria and Deliverables Matrix, 402
 growth management, 349–351
 Human Resource Allocation Matrix, 384
 incremental rollout, 339
 monitoring utilization of resources, 347–349
 overview of, 337
 Practical Guidelines Matrix, 487–488
 risks of not performing, 356
 roles, 355–356
 security management, 340–345
 Task/Subtask Matrix, 450–452
- Incremental load process, ETL, 217–219
- Indexing
 approaches to, 473–474
 managing growth in data through, 349
 physical database design and, 202–203
 poor database performance and, 224
- Information
 accessibility of, 30
 needs, 35
- Information architecture, 67–68, 70, 73
- Infrastructure architect role. *see* BI infrastructure architect
- Initial load programs, ETL, 216–217
- Instruction guides, 329, 353
- Insurance fraud, data mining, 312
- Integration risk, 41
- Integration testing
 application development, 296
 ETL development, 270, 276
 meta data repository development, 326–327, 332
- Interface
 meta data repository design, 238
 meta data repository development, 324–325
- Internet access, security, 344–345
- Interviewing
 general business requirements, 109–110
 overview of process, 116–118
 project-specific requirements, 113–114
- Intuitive estimating technique, 92–93
- Inventory
 application, 70–71
 controlling through data mining, 313
- Issues log
 application prototyping using, 165
 guidelines for project planning, 460
 management procedures using, 90–91
- IT (information technology) managers
 application release concept, 361, 362–364
 justifying BI decision, 32–33
 logical data modeling, 131
 responsibilities of, 24–25
- Iterative releases. *see also* Application prototyping; Release concept; Release evaluation
 building meta data repository projects in, 242
 comparing BI applications with traditional, 7–8
 cross-organizational integration and, 9–11
 guidelines for, 467–469
 implementation planning for, 339

J

- Justification stage
 - assessing business case, 31–33, 45–46
 - assessing business drivers, 33–35
 - defined, 6
 - development step in, 11
 - parallel development tracks and, 19

K

- Knowledge discovery, 305, 400, 483

L

- Libraries
 - application program, 354
 - ETL program, 277, 354
 - meta data repository program, 328, 333, 354
- Licensing (buying), meta data repository, 242–245, 250–254
- Link analysis, data mining, 311
- Load process, 60
- Load programs, ETL design, 223–224
- Load sequence, ETL design, 228
- Log data, Web, 294–295
- Logical data identifiers, 132–133
- Logical data models
 - business meta data components of, 131–133
 - enterprise, 129–130
 - nontechnical enterprise infrastructure evaluation and, 64
 - overview of, 128
 - participants in, 131
 - project-specific, 128–129
 - refining, 142
 - requirements for expanding, 120
 - standards for, 73
- Logical database design
 - overview of, 207
 - snowflake schema, 200
 - star schema, 197–200
- Logical meta model, 184–186
- Logon, 341

M

- Management
 - of data growth, 349–350
 - data mining applications, 312–313
- Manuals, meta data repository, 329
- Market basket analysis
 - defined, 308
 - using data mining tools for, 306–307
- Market management, data mining, 312
- Marketing
 - data mining considerations, 302
 - multidimensional analysis factors, 288
- MDC (Meta Data Coalition), 325
- Merging utility, 225, 228
- Meta data
 - capture, 73
 - immature attempts to organize, 239–240
 - importance of, 172–173
 - migration process, 331
 - populating meta data repository, 321–324
 - sources of, 240–242
- Meta data administrator
 - book chapters of interest, xxxi
 - data analysis, 145
 - Human Resource Allocation Matrix, 379–385
 - implementation, 356
 - meta data repository analysis, 189
 - meta data repository design, 256
 - meta data repository development, 323, 334
 - nontechnical enterprise infrastructure evaluation, 78
 - project planning, 102
 - project requirements definition, 122
 - release evaluation, 373
 - responsibilities of, 22
- Meta data classifications, 176–182
- Meta Data Coalition (MDC), 325
- Meta data repository
 - implementation of, 354
 - nontechnical infrastructure considerations, 64, 67
 - overview of, 71
 - standards for, 73
- Meta data repository analysis, 169–190
 - activities, 186–188
 - Activity Dependency Matrix, 407
 - additional reading, 190
 - business analysis stage, 12
 - challenges of implementing, 182–184
 - considerations about, 170–171
 - deliverables, 188
 - Entry & Exit Criteria and Deliverables Matrix, 394
 - Human Resource Allocation Matrix, 381
 - importance of meta data, 172–173
 - logical meta model, 184–186
 - meta data classifications, 176–182
 - as navigation tool, 174–176

- Meta data repository analysis *continued*
 - overview of, 169
 - Practical Guidelines Matrix, 470–471
 - risks of not performing, 189
 - roles, 188–189
 - Task/Subtask Matrix, 431–432
 - Meta data repository design, 237–258
 - activities, 254–255
 - Activity Dependency Matrix, 408
 - additional reading, 257–258
 - centralized, 242–244
 - considerations about, 238–239
 - decentralized, 244–245
 - deliverables, 255–256
 - design stage, 13
 - distributed XML-enabled, 245–247
 - entity-relationship, 247–248, 254–255
 - Entry & Exit Criteria and Deliverables Matrix, 397
 - Human Resource Allocation Matrix, 382
 - licensing, 250–254
 - meta data silos, 239–242
 - object-oriented, 248–250, 254–255
 - overview of, 237
 - Practical Guidelines Matrix, 477–478
 - risks of not performing, 257
 - roles, 256
 - Task/Subtask Matrix, 438–439
 - Meta data repository developers
 - book chapters of interest, xxxi
 - Human Resource Allocation Matrix, 383–385
 - implementation, 356
 - meta data repository development, 334
 - release evaluation, 373
 - responsibilities of, 24
 - Meta data repository development, 319–336
 - activities, 331–332
 - Activity Dependency Matrix, 409
 - additional reading, 335
 - considerations about, 320–321
 - construction stage, 13–14
 - deliverables, 332–333
 - directory, 330
 - Entry & Exit Criteria and Deliverables Matrix, 401
 - Human Resource Allocation Matrix, 383
 - interface processes, 324–326
 - overview of, 319
 - populating, 321–324
 - Practical Guidelines Matrix, 485–486
 - preparing for rollout, 327–330
 - risks of not performing, 334
 - roles, 333–334
 - Task/Subtask Matrix, 447–449
 - testing, 326–327
 - Meta data repository program library, 328, 333, 354
 - Meta data repository test plan, 333
 - Meta Data Repository Track, 18
 - Meta-meta data, 186
 - Middleware. *see also* Gateways
 - platform, 57–58
 - technical enterprise infrastructure evaluation of, 53, 61–62
 - Migration process, meta data, 331
 - Mitigation plan, 86
 - Mnemonics, 223
 - Mock-up prototype, 156–157
 - MOLAP (multidimensional OLAP) tools, 292
 - Monitoring
 - database performance, 207
 - resource utilization, 347–348
 - Multi-tier environment, security, 341–344
 - Multidimensional database design
 - OLAP tools, 284–289, 292
 - overview of, 195–196
 - Multidimensional OLAP (MOLAP) tools, 292
 - Multivariate analysis, 288
- N**
- Navigation tool, meta data, 174–176
 - Negotiation skills, 365
 - Networks
 - DBMS selection criteria for, 60
 - evaluating technical infrastructure, 53
 - monitoring utilization of, 347–348
 - services staff, 24–25
 - technical enterprise infrastructure evaluation activities, 62
 - Nontechnical enterprise infrastructure evaluation. *see* Enterprise infrastructure evaluation, nontechnical
 - Normalization rules
 - E-R modeling based on, 128
 - ETL development, 262
 - operational databases and, 194–195
 - Note-taking, interviewing process, 118

O

Object Management Group (OMG), 325
 Object-oriented (OO) meta data repository,
 248–250, 254–255
 Objectives
 project, 47, 85
 prototype, 160, 467
 ODBC (Open Database Connectivity), 58
 OLAP (online analytical processing) tools
 advantages of, 284–285
 architecture, 289–292
 data mining vs., 305
 features of, 285–287
 meta data, 241
 multidimensional analysis factors, 287–289
 overview of, 283
 populating meta data repository and, 323
 post-implementation review, 365
 Practical Guidelines Matrix, 457
 OMG (Object Management Group), 325
 Online analytical processing. *see* OLAP (online
 analytical processing) tools
 Online help function
 application development, 296–297
 meta data repository, 255–256, 327–328,
 332, 477
 OO (object-oriented) meta data repository,
 248–250, 254–255
 Open Database Connectivity (ODBC), 58
 Operational data
 assessing business cases, 47
 business analysis issues, 36–37
 Operational databases
 embedded process logic and, 222
 overview of, 193
 Operational prototype, 159
 Operational systems
 cleansing, 141
 data mining, 306–307
 Operations staff role, 24
 Organization risk, 42

P

Parallel development tracks, 17–20
 Parallel query execution, 204
 Partitioning, database design, 202
 Passwords
 gap analysis matrix and, 343
 security management and, 341

Peer reviews, 67, 267

Performance

application requirements document content
 on, 115
 database design for, 192
 E-R meta data design for, 248
 ETL design for, 212
 ETL development testing for, 271–272,
 276–277
 indexing schemes and, 224
 load, 225
 monitoring database, 207
 project requirements and, 107
 selecting DBMS based on, 60

Performance testing

application development, 296
 ETL development, 271–272, 276
 with prototypes for, 152

Personnel utilization, 348

Pert charts, 100, 101

Physical database design, 201–204, 206

Placement, dataset, 201–202

Plain text, defined, 345

Planning stage

defined, 6
 development steps in, 11
 parallel development tracks and, 19

Point-to-point gateways, defined, 58

Policies, standards, 75

Portfolio management, 313

Post-implementation reviews, 364–369

activities, 369–370
 organizing, 366–368
 release evaluation considerations, 360
 session flow, 368–369
 topics for, 364–366

“Power users”, 18, 110, 114, 173, 325

Practical Guidelines Matrix, 455–490

application development, 481–482

application prototyping, 467–469

business case assessment, 455–456

data analysis, 464–466

data mining, 483–484

database design, 472–474

defined, xxvii

enterprise infrastructure evaluation, nontech-
 nical, 459

enterprise infrastructure evaluation, technical,
 457–458

- Practical Guidelines Matrix *continued*
- ETL design, 475–476
 - ETL development, 479–480
 - implementation, 487–488
 - meta data repository analysis, 470–471
 - meta data repository design, 477–478
 - meta data repository development, 485–486
 - project planning, 460–461
 - project requirements definition, 462–463
 - release evaluation, 489–490
- Predictive modeling, data mining, 310–311
- Presentation services, OLAP, 290–291
- Primary keys
- logical data identifiers vs., 133
 - resolution of duplicate, 221
- Private data, 36–37
- Procedures, 64–65, 75
- Process flow, ETL
- contents of, 233
 - designing, 212, 225–229, 232
 - integration testing and, 269
 - preparing for, 215–219
- Process independence, 128–129
- Product evaluation, 251–252
- Production
- environment, 293–294, 353
 - meta data repository development, 327–330, 332
 - planning implementation, 338
- Profit, cost-benefit analysis, 39
- Programming specifications
- ETL design, 233
 - meta data repository design, 256
- Programs
- application, 296
 - ETL, 232–233, 277
 - meta data repository, 332, 333
- Project charter, 99, 100–101
- Project core team members, 20–23
- Project manager
- book chapters of interest, xxx
 - business case assessment, 49
 - Human Resource Allocation Matrix, 379–380, 385
 - peer reviews, 267
 - post-implementation review, 368
 - project planning, 82, 83–84, 102
 - release evaluation, 373
 - responsibilities of, 22
- Project planning, 81–103
- activities, 98–100
 - Activity Dependency Matrix, 406
 - additional reading, 103
 - considerations about, 82–83
 - critical path method, 95–96
 - defining the project, 84–90
 - deliverables, 100–101
 - Entry & Exit Criteria and Deliverables Matrix, 390
 - estimating techniques, 92–93
 - Human Resource Allocation Matrix, 380
 - managing the project, 83–84
 - overview of, 81
 - planning stage, 11
 - planning the project, 90–98
 - Practical Guidelines Matrix, 460–461
 - resource assignments and, 93–94
 - resource dependencies and, 95
 - risks of not performing, 103
 - roles, 101–102
 - scheduling, 96–98
 - task dependencies, 94–95
 - Task/Subtask Matrix, 418–421
- Project requirements definition, 105–124
- activities, 118–121
 - Activity Dependency Matrix, 406
 - additional reading, 123–124
 - business analysis stage, 12
 - considerations about, 106–107
 - deliverable, 121
 - Entry & Exit Criteria and Deliverables Matrix, 391
 - general business, 108–112
 - Human Resource Allocation Matrix, 380
 - interviewing process and, 116–118
 - overview of, 105
 - Practical Guidelines Matrix, 462–463
 - project-specific, 112–116
 - risks of not performing, 122–123
 - roles, 121–122
 - Task/Subtask Matrix, 422–424
- Project-specific requirements
- application requirements document and, 114–116
 - cross-organizational developmental steps vs., 16
 - general business requirements vs., 107
 - interviewees for, 113–114
 - logical data models and, 128–129
 - overview of, 112–113

- Project team risk, 42
- Promotions, 312
- Proof-of-concept prototype, 157
- Prototype charter
 - contents of, 165
 - overview of, 160–161
 - preparing, 164
- Prototyping. *see* Application prototyping
- Q**
- QA (Quality assurance)
 - analyst, 24
 - environment, 293–294
- QA testing
 - application development, 296
 - ETL development, 272, 277
 - meta data repository development, 327
- Quality, project constraints and, 87
- Queries
 - bandwidth and, 348
 - database design for, 192
 - DBMS selection criteria for, 60
 - designing prototype for, 164
 - monitoring database performance of, 207
 - OLAP and, 286, 291
 - parallel execution design for, 204
- Questionnaires, interview, 117
- R**
- Readiness assessment, 30
- Reading, additional. *see* Bibliography/additional reading
- Reconciliation, ETL, 263–267
 - activities of, 228
 - calculating totals, 264–266
 - designing, 213
 - overview of, 263–264
 - preparing for, 215
 - standards, 74
 - storing statistics, 266–267
- Record counts, ETL reconciliation, 228, 264–265
- Records, processing deleted, 218–219
- Recovery
 - overview of, 345–347
 - physical database design, 203–204
- Reference guides. *see* Instruction guides
- Referential integrity (RI), 224, 473, 476
- Regression analysis, data mining, 309
- Regression testing
 - application development, 296
 - ETL development, 271–272, 276
 - meta data repository development, 326–327, 332
- Relational OLAP (ROLAP) tools, 292
- Release concept, 5, 14, 361–364
- Release evaluation, 359–376
 - activities, 369–370
 - Activity Dependency Matrix, 410
 - additional reading, 375
 - application release concept, 361–364
 - considerations about, 360
 - deliverables, 371
 - deployment stage, 14
 - Entry & Exit Criteria and Deliverables Matrix, 403
 - Human Resource Allocation Matrix, 385
 - overview of, 359
 - post-implementation reviews, 364–369
 - Practical Guidelines Matrix, 489–490
 - risks of not performing, 374
 - roles, 371–374
 - Task/Subtask Matrix, 453–454
- Reorganization, physical database design, 203
- Reports
 - business case assessment, 48
 - database design, 192
 - defining requirements for, 120
 - early meta data, 239
 - general business requirements, 111–112
 - nontechnical infrastructure assessment, 76
 - OLAP, 291
 - operational system, 195
 - prototype design, 164
 - technical infrastructure assessment, 62
- Request for information (RFI), 63
- Request for proposal (RFP), 63
- Research, interviewing process, 117
- Resource dependencies, 95
- Resources. *see* Bibliography/additional reading
- Return on investment. *see* ROI (return on investment)
- Revenue, 39
- Reviews, post-implementation, 364–369
- RFI (request for information), 63
- RFP (request for proposal), 63
- RI (referential integrity), 224, 473, 476
- Risk management, data mining, 312

- Risk, of omitting
 - application development, 299
 - application prototyping, 166–167
 - business case assessment, 49–50
 - data analysis, 145–146
 - data mining, 316
 - database design, 209
 - ETL design, 234
 - ETL development, 279
 - implementation, 356
 - meta data repository analysis, 189
 - meta data repository design, 257
 - meta data repository development, 334
 - nontechnical enterprise infrastructure
 - evaluation, 78
 - project planning, 103
 - project requirements definition, 122–123
 - release evaluation, 374
 - technical enterprise infrastructure evaluation, 63
- Risks
 - assessment, 40–45
 - business case assessment and, 456
 - common project, 85–86
 - considerations about, 30
 - data mining and, 312
 - justifying, 33
 - project planning and, 99, 460
 - security standards minimizing, 74
- ROI (return on investment)
 - activities for determining, 45–47
 - assessing risk on, 42
 - considerations about, 30
 - cost-benefit analysis of, 37–40
 - hardware platforms and, 55
 - post-implementation review of, 365
- ROLAP (relational OLAP) tools, 292
- Roles
 - application development, 298
 - application prototyping, 165–166
 - BI arbitration board, 26
 - business case assessment, 49
 - core team members, 21–23
 - data analysis, 144–145
 - data mining, 316
 - database design, 208–209
 - ETL design, 233–234
 - ETL development, 278
 - extended team members, 23–25
 - Human Resource Allocation Matrix, 379–385
 - implementation, 355–356
 - limited, 25
 - meta data repository analysis, 188–189
 - meta data repository design, 256
 - meta data repository development, 333–334
 - nontechnical enterprise infrastructure
 - evaluation, 77–78
 - project planning, 101–102
 - project requirements definition, 121–122
 - release evaluation, 371–374
 - technical enterprise infrastructure evaluation, 63
- S**
 - Savings, cost-benefit analysis, 39
 - Scalability
 - DBMS selection criteria for, 60
 - hardware platforms and, 54–57
 - Practical Guidelines Matrix, 457
 - Schedules
 - deadline management, 155
 - interview, 117
 - meta data repository rollout, 329
 - post-implementation review, 364, 367
 - project, 96–97
 - prototype activities, 152–153
 - setting up production, 353
 - Scope
 - application development and, 282
 - defining requirements for, 120
 - post-implementation review, 365
 - Scope, application prototyping
 - building slimware to limit, 155
 - considerations about, 150
 - determining, 163–164
 - limiting, 153
 - system analysis and, 159–160
 - Scope, project planning
 - change-control and, 88–89
 - considerations about, 82
 - determining requirements for, 98–99
 - overview of, 85
 - Scribe
 - Human Resource Allocation Matrix, 385
 - post-implementation review, 369
 - release evaluation, 373
 - responsibilities of, 25
 - Security, 340–345
 - application requirements document and, 115–116
 - database, 206

- DBMS selection criteria for, 61
- implementation and, 338
- Internet access, 344–345
- measures for, 340–341
- meta data repository, 328
- multi-tier environments and, 341–344
- officers, 24
- project requirements and, 106
- standards, 74
- Web, 294
- Security gap analysis matrix, 343–344
- Sequential pattern discovery technique, 308
- Server platforms, 328, 351
- Service-level agreements. *see* SLAs (service-level agreements)
- Services, OLAP, 291
- Show-and-tell prototype, 156
- “Single-swim-lane” development practices, 7–8, 9
- Skills survey, 162–163
- SLAs (service-level agreements)
 - defining preliminary, 120–121
 - establishing standards, 74–75
 - nontechnical enterprise infrastructure evaluation, 76
- Slimware, 155
- Snowflake schema, 200
- Software, application release concept, 361–362
- Sorting utilities, ETL process, 225, 228
- Source data
 - analyzing quality of, 142
 - bottom-up analysis of, 133–136
 - creating inventory of, 67
 - data analysis considerations of, 126
 - for data mining, 306–307
 - defining requirements for, 120
 - determining condition of, 99
 - ETL development, 260, 261–263
 - guidelines for analyzing, 465–466
 - selection process for, 137–139
 - transformation problems with, 221–222
- Source-to-target mapping document
 - contents of, 233
 - creating, 231–232
 - overview of, 225–226
- Spreadsheets, 322
- SQL (Structured Query Language)
 - E-R meta data repository design and, 248
 - gateways using, 58
 - object-oriented meta data repository design and, 249
- object-oriented meta data repository design and, 249
- Staffing
 - data mining, 302
 - database design, 193
 - meta data repository analysis, 171, 183
 - meta data repository design, 239
 - meta data repository development, 320–321
 - parallel development tracks, 17–18
 - post-implementation review, 365
 - project core team, 21
 - project planning, 82
 - resource dependencies, 95
 - step core team, 21
- Staging area, ETL
 - contents of, 233
 - design considerations, 212
 - designing for, 228–229
 - setting up, 232
- Stakeholders
 - application prototyping, 166
 - data analysis, 145
 - Human Resource Allocation Matrix, 381, 385
 - project-specific requirements, 114
 - release evaluation, 374
 - responsibilities of, 24
- Stand-alone systems, 7–8
- Standards
 - nontechnical, 64–65, 67, 71–75
 - technical, 54
- Star schema, 197–200
- Start to Finish, task dependencies, 94–95
- Start to Start, task dependencies, 94–95
- Statistical analysis, 303–305
- Step core team members, 20–23
- Stock performance, 313
- Stored procedures, 60
- Stovepipe systems (automation silos), 65–66, 130
- Strategic architect, 24
- Stress testing, 271–272
- Structured Query Language (SQL)
 - E-R meta data repository design and, 248
 - gateways using, 58
 - object-oriented meta data repository design and, 249
- Subject matter expert
 - application development, 298
 - application prototyping, 166
 - book chapters of interest, xxxi

- Subject matter expert *continued*
- business case assessment, 49
 - data analysis, 145
 - data mining, 316
 - ETL design, 234
 - ETL development, 278
 - ETL integration testing, 269
 - Human Resource Allocation Matrix, 379–383, 385
 - meta data repository analysis, 189
 - project planning, 102
 - project requirements definition, 114, 122
 - release evaluation, 374
 - responsibilities of, 22
- Subtask matrix. *see* Task/Subtask Matrix
- Success, measuring, 360
- Summarization
- database design, 204, 206
 - defining, 285
 - ETL development, 262
 - managing growth in data with, 350
 - OLAP tools providing, 285
- Support (help desk)
- implementation and, 338–339, 353
 - role of extended team members, 24
- Synonyms, 222
- SYSTABLES, 323
- T**
- Tape recording, interviewing process, 118
- Task dependencies, 94–95
- Task/Subtask Matrix, 411–454
- application development, 442–444
 - application prototyping, 427–430
 - business case assessment, 411–413
 - data analysis, 425–426
 - data mining, 445–446
 - database design, 433–435
 - defined, xxvii
 - enterprise infrastructure evaluation, 414–417
 - ETL design, 436–437
 - ETL development, 440–441
 - implementation, 450–452
 - meta data repository analysis, 431–432
 - meta data repository design, 438–439
 - meta data repository development, 447–449
 - project planning, 418–421
 - project requirements definition, 422–424
 - release evaluation, 453–454
- TCP/IP (Transmission Control Protocol/Internet Protocol), 351
- Team members
- Application track, 18
 - assessing risk to, 42
 - book chapters of interest, xxxi
 - core team. *see* Core team members
 - database design, 193
 - ETL track, 17
 - extended team. *see* Extended team members
 - Meta Data Repository track, 18
 - post-implementation review, 367
 - project planning, 82
 - prototyping, 154, 468
 - resource assignment and, 93–94
- Technical data conversion rules, 134
- Technical enterprise infrastructure evaluation. *see* Enterprise infrastructure evaluation, technical
- Test logs, 274–275, 297, 327, 333
- Testers
- application development, 298
 - book chapters of interest, xxxi
 - ETL development, 278
 - Human Resource Allocation Matrix, 383
 - meta data repository development, 326–327, 334
 - responsibilities of, 25
- Testing
- acceptance, 268, 272, 277, 296, 326–327, 334
 - application development, 296–297
 - application prototypes, 154
 - integration (system), 268, 270, 276, 296, 326–327, 332
 - meta data repository development, 326–327, 331–333
 - nontechnical enterprise infrastructure evaluation, 65, 76
 - performance (stress), 268, 271–272, 276, 296
 - quality (QA), 268, 272, 277, 296, 327
 - regression, 268, 271–272, 276, 296, 326–327, 332
 - standards for, 73–74
 - unit, 268–269, 276, 296, 326, 331
- Testing, ETL development, 268–275
- considerations about, 260
 - peer reviews and, 267–268
 - plan for, 273–275, 277
- Time
- boxing, 152–153
 - constraints, 84
 - sequence discovery, data mining, 309–310

- Tool administrators, 25
 - Tool interface process, meta data repository, 324–325
 - Tools. *see also* OLAP (online analytical processing) tools
 - access and analysis, 282
 - application prototyping, 151, 164
 - data cleansing, 139
 - meta data sources, 240–242
 - Tools, ETL
 - considerations about, 212
 - evaluating, 229–231
 - test functionality of, 232
 - Top-down logical data modeling
 - define business rules, 465
 - overview of, 128–133
 - Training
 - application development, 296–297
 - materials, 297, 333
 - meta data repository, 329–330, 332, 333
 - planning for, 338–339
 - post-implementation review, 365
 - Transformation programs
 - designing, 221–223
 - designing ETL process flow, 228
 - ETL development, 261–263
 - Triggers, 60, 86
- U**
- Unit testing
 - application development, 296
 - ETL development, 269, 276
 - meta data repository development, 326, 331
 - Universal gateways, defined, 58
 - Usage
 - DBMS selection criteria for, 60
 - managing growth in, 350–351
 - Utilization, of resources, 347–348
- V**
- Validation, 151
 - Vendor evaluation, 252–254
- Vendors**
- application release concept, 361–362
 - evaluating ETL tools, 230–231
 - licensing meta data repository from, 242, 244, 250–254
 - post-implementation review, 366
- Very large databases. *see* VLDBs (very large databases)
- Visual-design prototype, 157–158
- VLDBs (very large databases)
 - data backup and recovery on, 346–347
 - designing, 201
 - hardware requirements for, 351
 - Practical Guidelines Matrix, 457
- W**
- Waterfall deployment, 7–8
 - Web
 - application development considerations, 283
 - environment, 294–295
 - security, 344–345
 - Web developers
 - application development, 297
 - book chapters of interest, xxxi
 - Human Resource Allocation Matrix, 383–385
 - implementation, 356
 - release evaluation, 373
 - responsibilities of, 25
 - Web master
 - application development, 297
 - application prototyping, 166
 - book chapters of interest, xxxi
 - Human Resource Allocation Matrix, 381, 383–385
 - implementation, 356
 - release evaluation, 374
 - responsibilities of, 25
 - Word processing files, 321–322
- X**
- XML-enabled meta data solution, 245–247. *see also* Distributed XML-enabled meta data solution.

