

Index

- Abstract classes, 220
- Accept unsecured communication, but always respond using IPSec option, 613
- Access Allowed elements, 350
- Access control. *See* Permissions
- Access control entries (ACEs), 30, 299–300, 350, 885
- Access control lists (ACLs), 885
 - in auditing, 503
 - composition of, 350–351
 - for cross-forest authentication, 405
 - displaying and modifying, 814
 - for domain user accounts, 258
 - managing, 868, 870
 - for objects, 30, 151, 238
 - with SIDs, 250
 - troubleshooting, 864–865
- Access Control Settings dialog box, 363–364
- Access Denied elements, 350
- Access tab
 - in NNTP, 707
 - in SMTP, 700, 702
- Access this computer from network policy, 405
- Access tokens, 258
- Accessories/Utilities component, 95
- Account expires option, 264
- Account is disabled property, 260
- Account lockout, 885
- Account Lockout Counter policy, 493
- Account Lockout Duration policy, 493
- Account Logon logs, 503
- Account Management logs, 503, 505
- Account Operators group, 285
- Account Policies settings, 305
- Account tab
 - for authentication service, 392
 - for properties, 262–264
- Accounts. *See* Groups; Users and user accounts
- ACEs. *See* Access Control Entries
- Acknowledgment messages, 732
- acldiag.exe tool, 864–883
- ACLs. *See* Access Control Lists
- Acoustic Echo Cancellation (AEC), 565
- Acoustic Gain Control (AGC), 565
- ACPI (Advanced Configuration and Power Interface), 865, 885
- ACS (Admission Control Service), 886
- Actions
 - for Dfs, 383
 - for IP filters, 611–614
 - in MMC, 126
- Activate Scope window, 550
- Active Desktop, 664
- Active Directory, 16–17, 149–150, 885
 - accessing objects in, 238
 - administrative delegation in, 186, 241–243
 - administrative view of, 154–155
 - API options for, 182–184
 - certificates for, 452–453, 455, 461
 - with Cluster Services, 721
 - connections in, 246–247
 - data stores and partitions in, 154
 - directory services, 150–155
 - and group policies, 294–300, 332
 - installing, 200–208
 - locating objects in, 237–239

- Active Directory (*cont.*)
 - managing, 187
 - migration and backward compatibility in, 180–181
 - moving objects in, 876–877
 - open standards support for, 173–174
 - DNS, 173–176
 - interoperability issues, 176
 - LDAP, 178–180
 - naming conventions, 176–178
 - permissions in, 238–241
 - planning for
 - domain controllers, 198–199
 - logical structure, 194–197
 - namespace, 188–190
 - physical structure, 190–193
 - sizing, 199
 - upgrades, 197–198
 - publishing to, 377
 - registering IAS with, 597
 - security in, 184–185
 - snap-in tools for, 181–182, 208–209
 - Active Directory Domains and Trusts manager, 209–217
 - Active Directory Replication monitor, 235
 - Active Directory Schema Manager, 217–223
 - Active Directory Sites and Services, 223–231
 - Active Directory Users and Computers, 231–235
 - structure of, 155
 - domain controllers, 164–166, 198–199
 - domain forests, 158–159, 195–197
 - domain relationships, 163–164
 - domain trees, 157–158, 195
 - domains, 157
 - file, 152–154
 - Global Catalog, 170–173, 244–246
 - logical, 155–162, 194–197
 - master operation, 172–173, 193
 - organizational units, 158–159, 194, 236–237
 - physical, 162–166, 190–193
 - replication, 167–169, 190–193
 - scaling and extensibility, 159–160
 - schema, 160–162
 - sites, 163, 190–193
 - trust relationships in, 184–185
 - user interface in, 184
- Active Directory Connector (ADC), 246
- Active Directory Domains and Trusts snap-in tool, 208–209
 - for cross-forest authentication, 406
 - for domain controller administration, 216–217
 - for domain naming operations masters, 214–216
 - for mixed and native mode, 213–214
 - for trust relationships, 211–213
 - for UPN suffixes, 214
- Active Directory Installation Wizard, 201–206
- Active Directory integrated zone information, 531–532
- Active Directory Replication monitor, 235
- Active Directory Schema Manager snap-in tool, 161, 217–218
 - for attributes, 220–222
 - for domain schema operations master, 222–223
 - for object classes, 218–222
 - for permissions, 239
 - for schema availability and restoration, 223
- Active Directory Services Interface (ADSI), 864, 886
 - objects in, 161–162
 - resources for, 182–183
 - scripts in, 183–184, 754
- Active Directory Sites and Services snap-in tool, 223–227
 - for application licensing server, 228–229
 - for domain controllers
 - backup and restoration, 229–230
 - moving between sites, 229
 - removing from sites, 230–231
 - for forced replication checks, 230
 - for Global Catalogs, 244–246
 - for MSMQ services, 738
 - for routing links, 734
 - for sites
 - links and transports between, 227
 - new, 227
 - replication schedules between, 227–228
 - subnets for, 227
- Active directory user objects for certificates, 413
- Active Directory Users and Computers snap-in tool, 231
 - for administrative delegation, 241
 - for authentication service, 392
 - for computer account management, 231–234
 - for domain user accounts, 258
 - for domain user properties, 259–260
 - for group policies, 327, 332
 - for groups, 284, 288
 - for MSMQ services, 735, 739–744
 - for operations masters, 235
 - for remote access VPNs, 586
 - for RIS, 107
 - for shared folders, 377

- for Terminal Services connections, 657–658, 666–667
 - for user profiles, 274–275
- Active partitions, 619, 886
- ActiveX components
 - defined, 886
 - restricting, 513
- Adapters
 - defined, 886, 896
 - requirements for installation, 90–91
 - for Terminal Services connections, 659–661
- Adaptive Start function, 17
- ADC (Active Directory Connector), 246
- Add a file or folder dialog box, 307
- Add a Script dialog box, 341–342
- Add BOOTP Entry dialog box, 564
- Add Catalog dialog box, 729
- Add Directory dialog box, 729
- Add Group dialog box, 305
- Add IP Filter dialog box, 586
- Add New User dialog box, 254, 256
- Add option for group policies, 334
- Add Printer Wizard, 849
- Add Recovery Agent Wizard, 429
- Add/Remove Columns dialog box, 459, 465
- Add/Remove Hardware Wizard, 132
- Add/Remove Programs tool, 310–311
- Add/Remove Snap-in dialog box, 217
- Add/Remove Standalone Snap-in dialog box, 327–328
- Add/Remove Windows Components option, 596
- Add sender's certificates to my address book option, 425
- Add Snap-in dialog box, 217
- Add Standalone Snap-in dialog box, 327–329
- Add Upgrade Package dialog box, 316
- Additional domain controller for an existing domain option, 206
- Address classes, 886
- Address Leases scope, 552
- Address Pool scope, 552–553
- Address pools, 886
- Address Range Assignment window, 581
- Address Resolution Protocol (ARP), 523–525, 819, 886
- Address tab, 260–263
- Address translation tables, 819
- Addresses, 886
 - IP. *See* Dynamic Host Configuration Protocol; IP addresses
 - in user accounts, 261–263
- Addressing schemes in current enterprise inventory, 73
- Addressing tab, 607, 609–610
- .adm files, 302–303
- Admin-Context-Menu, 184
- Admin-Property-Pages, 184
- Admin\$ share, 374
- Administration, 14–16
 - Control Panel for, 130–133
 - interface for, 18–20, 133–137
 - in native and mixed modes, 83
 - roles in, 12–14
 - snap-in tools for, 124–128, 904
- Administration queues, 732
- Administrative delegation, 186, 241–243
- Administrative security, 184–185
- Administrative Templates settings, 301–303
- Administrative Tools icon, 131–132
- Administrator accounts
 - purpose of, 252
 - security for, 489–491
- Administrators, 886
- Administrators group, 285
- Adminpak application suite, 161, 217
- Admission Control Service (ACS), 885
- Adprep program, 97–98
- ADSI. *See* Active Directory Services Interface
- Advanced Attributes dialog box
 - for compression, 619
 - for encryption, 428
- Advanced certificate request link, 451
- Advanced certificates, 451–452
- Advanced Configuration and Power Interface (ACPI), 865, 885
- Advanced Digest Authentication, 680
- Advanced Encryption Standard, 491
- Advanced Menu system, 60
- Advanced Options menu, 644–645
- Advanced Power Management (APM), 865
- Advanced published or assigned option, 319
- Advanced Security Settings dialog box
 - for e-mail, 426, 515
 - for subfolders, 363–364
- Advanced Security Settings for Software Config dialog box, 356–357
- Advanced settings option, 721
- Advanced tab
 - for BOOTP, 562
 - for DHCP, 553–554, 556
 - for scavenging, 545
- Advanced Settings tab, 247
- Advanced TCP/IP Settings dialog box, 561
- AEC (Acoustic Echo Cancellation), 565
- AES (Advanced Encryption Standard), 491
- Affect the group option, 721

- AGC (Acoustic Gain Control), 565
- Agents
 - defined, 886
 - in MOM, 748
- AH (Authentication Headers), 573–574, 601–602
- Alerter service, 842
- Alerts
 - for messages, 10
 - in MOM, 12, 749
- Aliases in MSMQ, 744
- All network adapters configured with this
 - protocol option, 661
- All network connections option, 605
- All tab, 328, 331
- All Tasks option, 723
- All User profiles, 269–271
- All-User remote access credentials, 143
- All users with common application settings for
 - universal access option, 654
- Allow access option, 265, 586–587
- Allow anonymous connections option, 710
- Allow IIS to control password option, 710
- Allow only secure dynamic updates option, 532
- Allow permission
 - options for, 352–354
 - priority of, 277
 - for shared folders, 369
- Allow unsecured communication with a non-IPSec-aware computer option, 613
- Alternate word forms in queries, 728
- Always update DNS option, 560
- Ampersands (&)
 - in batch commands, 786
 - in Index Services queries, 727–728
- Analysis
 - of current enterprise. *See* Current enterprise analysis
 - of security, 487, 492–494
- AND operator, 727–728
- Anonymous access and authentication control
 - option, 446
- Anonymous access in IIS, 679, 694, 696
- Anonymous Authentication, 679
- Anonymous Logon group, 369
- Any IP address option, 610
- APIs. *See* Application Programming Interfaces
- APM (Advanced Power Management), 865
- apmstat.exe tool, 865
- AppFixes technology, 66
- AppleTalk protocol, 886
- Application Center, 10–11
- Application Configuration Wizard, 719
- Application Data file, 270
- Application layer, 521
- Application licensing server, 228–229
- Application pools, 681–682
- Application Programming Interfaces (APIs)
 - for Active Directory, 182–184
 - defined, 886
- Application server mode, 653
- Applications. *See also* Software
 - for clusters, 717
 - compatibility of, 66–67
 - in current enterprise inventory, 73
 - dependencies for, 64–66
 - packaging, 310–311
 - profiling, 64
 - properties for, 313–321
- Applications tab, 39–40, 862–863
- Apply changes to this folder, subfolders and
 - files option, 428
- Apply Group Policy permissions, 300, 339–341
- Archive attribute, 793
- Archiving option, 49
- ARP (Address Resolution Protocol), 523–525, 819, 886
- arp command, 819
- AS (authentication service) exchange, 391–394
- ASDL (Asynchronous Digital Subscriber Line), 524
- Ask for Assistance list, 137
- ASR (automatic system recovery), 645
- ASR Savesets, 645
- Assign software installation method, 310–311
- Assisted Support Help function, 139
- assoc command, 812
- Associations, file
 - for disguising file types, 497–498
 - displaying and changing, 812
 - improvements in, 120
- Asterisks (*)
 - with comp, 788
 - with del, 805
 - with dir, 796
 - with fc, 785
 - with find, 855
 - in Index Services queries, 728
- Asymmetric encryption, 886
- Asymmetrical keys, 407–408
- Asynchronous communication, 886
- Asynchronous Digital Subscriber Line (ASDL), 524
- Asynchronous transfer mode (ATM) protocol, 886
- at command, 43, 860–862
- At signs (@) in queries, 727

- attrib command, 812–813
- Attributes, 150–151, 887
 - in Active Directory, 155, 160–162, 219, 221–222
 - creating, 221–222
 - displaying, 793–799, 812–813
 - in Global Catalog, 170–171, 245–246
 - identifying, 220
- Attributes tab, 219
- AU (Automatic Update) feature, 110–111
- Audio conferencing, TAPI for, 565–566
- Audio redirection, 673
- Audit Failed File/Folder operation element, 351
- Audit Successful File/Folder operation element, 351
- Auditing, 500–501, 887
 - in current enterprise analysis, 80
 - event selection in, 504–506
 - Event Viewer for, 503–507
 - in IIS, 680
 - log retention method in, 501
 - in MSMQ, 742–744
 - offline, 501–502
 - procedures in, 504
 - in security policies, 479
- Auditing tab, 744
- Authenticated Users group, 219, 300, 369
- Authentication, 23, 887
 - with Cluster Services, 722
 - cross-forest, 197
 - in IIS, 679–680, 694, 696
 - in IPSec, 603–604, 607
 - Kerberos. *See* Kerberos authentication
 - of local user accounts, 250
 - in MSMQ, 742
 - in SMTP, 700
 - in tunneling protocols, 573–574
 - in VPNs, 570–571
- Authentication Headers (AH), 573–574, 601–602
- Authentication Method tab, 603, 607
- Authentication Methods dialog box, 599
 - in IIS, 696
 - in PKI, 448
- authentication service (AS) exchange, 391–394
- Authentication tab, 589
- Authentication-Type attribute, 588
- Authenticode, 425–426
- Author mode in MMC, 128
- Authoritative domain controller backups, 229–230
- Authoritative restoration, 644, 887
- Authority Information Access list, 470
- Authority logs, 458–459, 465–467
- Authorization in DHCP, 547–548
- Authorization Manager snap-in, 487
- Auto-Configuration for Multiple Network Connectivity feature, 143
- Auto-install this application by file extension activation option, 313
- Autoexec.nt file, 61
- Automated installation, 104–105
- Automated System Recovery and Preparation Wizard, 645
- Automatic Certificate Request dialog box, 439
- Automatic Certificate Request Settings, 422
- Automatic Certificate Request Setup Wizard, 440–441
- Automatic system recovery (ASR), 645
- Automatic Update (AU) feature, 110–111
- Automatic version and history in XML database, 677
- Automatically dial this initial connection option, 590
- Automatically select certificate store option, 447
- Automatically synchronize the Offline Files when I log on and log off my computer option, 345
- Automatically update DHCP client information in DNS option, 560
- AutoPlay feature, 109
- Autorun function, turning off, 500
- Auxiliary classes, 218
- Availability issues
 - in schema, 223
 - in security policies, 479
- Available Standalone snap-in tool, 328–329
- Back-end applications and tools, 9–10
- Background Intelligent Transfer Service (BITS), 761
- Background printing, 850–851
- BackOffice suite, 11
- Backslashes (\)
 - in NTFS, 56
 - in text searches, 856
- Backup and Restore Wizard, 637–639, 645
- Backup Domain Controllers (BDCs), 82, 887
 - in Active Directory, 164
 - upgrading, 198
 - in Windows NT upgrades, 87
- Backup Job Information dialog box, 636
- Backup Log tab, 639
- Backup media pools, 887
- Backup Operators, 285
 - defined, 887
 - security for, 491

- Backup Operators dialog box, 306
- Backup Type tab, 639
- Backup utility, 646
- Backups, 782–785
 - in Active Directory, 180
 - for certificates, 456–458, 463–464, 471–475
 - current policies for, 73
 - default options for, 638, 640
 - in DHCP, 561–562
 - for domain controllers, 229–230
 - for Encrypted File System, 429–431
 - Ntbackup for, 637–643, 782–785
 - permissions for, 636
 - security for, 499, 636
 - strategy for, 635–636
 - types of, 636
 - in Windows NT upgrades, 87
 - in XML database, 677
- Bandwidth, 887
 - in current enterprise analysis, 78
 - in IIS, 684
- Basic Authentication, 679–680
- Basic disk storage type, 617–618, 887
- Basic encryption option, 589
- Basic input/output system (BIOS), 887
- Basic volumes, 887
- Batch commands, 785–786
- Batch group, 369
- Batch menu selections, 761
- Batch programs, 887
 - environment variables in, 775, 777
 - file selection in, 767–768
 - pausing, 779, 781, 786
- Batch restoration, 643–644
- BDCs. *See* Backup Domain Controllers
- Best-effort delivery systems, 512
- BIND (Berkeley Internet Name Domain), 887
- BIOS (basic input/output system), 887
- \$Bitmap file, 53
- Bitmaps in NTFS, 56
- BITS (Background Intelligent Transfer Service), 761
- Bits (binary digits), 887
- Bits per second (bps), 887
- bitscli command, 124, 761
- BizTalk Server 2000/2002, 9
- Block options for IP filter actions, 611
- Block Policy inheritance option, 334, 336
- Blocking policy inheritance, 298–299, 334, 336
- Boolean operators, 727–728
- Boot CD ROM, physical access to, 499–500
- \$Boot file, 53
- Boot files, 888
- Boot.ini file
 - properties of, 760
 - sections in, 57–58
- Boot loader, 57
- Boot logging, 888
- Boot partitions, 888
- bootcfg command, 134, 760
- Booting
 - defined, 887
 - process of, 57–60
- BOOTP (Bootstrap Protocol)
 - defined, 888
 - and DHCP, 556–557, 562–564
- BOOTP Table node, 563
- Bootsect.dos file, 58
- bottlenecks, processor, 47
- Bps (bits per second), 887
- Braces ({}) in reference guide, 758
- Brackets ([])
 - in reference guide, 758
 - in text searches, 856
- Branches, 150
- Bridgehead servers, 226
- Bridges, 526
- Broadband, drivers for, 524
- Broadband PPPoE, 566
- Browse for a Group Policy Object dialog box, 328, 330–331
- Browser option, 137
- Browsers, 888
 - ActiveX components in, 513
 - security for, 512–513
- Browsing
 - Dfs directories, 382
 - Websites, 688–689
- Built-in groups, 284, 888
- C API in LDAP, 179
- Cab files
 - compressing files into, 761–762
 - extracting files from, 766–767
- Caches, 888
 - in DNS, 530
 - for folder redirection, 324
 - for Index Services, 730
- Caching servers, 511
- cacls command, 814
- call command, 786
- Callback numbers, 888
- Called-Station-Id attribute, 588
- Calling-Station-Id attribute, 588
- CALs (Client Access Licenses), 92
- Cancel Request option, 634

- Canceling
 - document printing, 854
 - operator requests, 634
- Canonical names, 888
- Capacity issues
 - in Cluster Services, 717–718
 - in Global Catalog, 171
- Carets (^) in text searches, 856
- CAs. *See* Certificate Authorities
- Cascading menu system, 116–117
- Case sensitivity in queries, 727
- Catalogs
 - GC, 170–173, 893
 - attributes for, 245–246
 - for cross-forest authentication, 405
 - enabling, 244–245
 - for groups, 282
 - moving, removing, and duplicating, 245
 - Indexing Services
 - creating, 729
 - directories in, 729–730
- Categories tab, 318–321
- CBC (Cipher Block Chaining), 402
- CDFS (CD-ROM File System), 54, 889
- Central policy administration, 18
- Centralized organizational models, 75
- Cert Publishers group, 433
- Certificate Authorities (CAs), 410, 888
 - components of, 410–411
 - hierarchies for, 414–417
 - installation of, 432–435
 - Microsoft, 418–421
 - third-party, 418
 - and trusted authorities, 412–417
- Certificate Authority snap-in tool, 95
 - for authority logs, 459
 - for backups, 471–475
 - for properties, 469–473
 - starting and stopping, 462, 468
- Certificate dialog box, 451
- Certificate Export Wizard, 457–458
- Certificate Import Wizard, 436–439, 447, 458
- Certificate Manager Import Wizard, 452
- Certificate request agents, 411
- Certificate Request Wizard, 445–446, 452–453, 460, 582
- Certificate Revocation dialog box, 466
- Certificate Revocation Lists (CRLs), 419, 424
 - displaying, 462
 - settings for, 469
- Certificate Service, 94
- Certificate Service Providers (CSPs), 418
- Certificate snap-in tool, 582
- Certificate Templates, 451, 458
- Certificate Trust Lists (CTLs)
 - in IIS, 681
 - policies for, 422
- Certificate Wizard, 694
- Certificates, 888
 - authority logs for, 458–459, 465–467
 - backups for, 456–458, 463–464, 471–475
 - CAs for. *See* Certificate Authorities
 - distributing, 436–445
 - exporting, 456–458, 463–464
 - in IAS, 594
 - in IIS, 680–681, 694
 - for Internet, 513
 - in IPSec, 582, 604
 - properties of, 469–473
 - for remote access VPNs, 582
 - retrieving, 445–456
 - in SMTP, 700
 - stores for, 412–417, 439–446
- Certificates dialog box, 446
- Certificates snap-in tool, 412–414
 - for exporting certificates, 456
 - for PKI, 441–443
- Certification Authority Backup Wizard, 472–473, 475
- Certification Path tab, 443
- Certification Wizard, 700
- CGI (Common Gateway Interface), 888
- Challenge Handshake Authentication Protocol (CHAP), 571
- Change Drive Letter or Path option, 619
- Change logon program, 670
- Change Media Types dialog box, 632
- Change Mount Order option, 634
- Change notification process, 168
- Change permission for shared folders, 369
- Change Permissions permission, 359
- Change port program, 670
- Change User option, 654
- Change user program, 670
- CHAP (Challenge Handshake Authentication Protocol), 571
- Character-based administrative interfaces, 133–137
- Chat mode, 817–818
- chdir command, 803–804
- Checkpoint files, 154
- Child domain in an existing domain tree option, 207
- Child domains, 888
 - creating, 206–208

- Child domains (*cont.*)
 - DNS names for, 188–189
 - planning, 195
- Child objects, 888
- chkdsk command, 858–859
- chkntfs command, 859
- choice command, 136, 761
- CIM (Common Information Model), 18
- Cipher Block Chaining (CBC), 402
- Circular logging, 153
- Class Properties dialog, 220
- Classes
 - in Active Directory, 155, 160, 162
 - creating, 221–222
 - in DHCP, 548–556
 - identifying and modifying, 218–220
 - in IP addresses, 522–523
 - vendor, 553–556
- Classless Source Routing option, 546
- Classless State Route option, 546
- Clean Install option, 98
- Clear this database before importing option, 485
- ClearType technology, 147
- Client access licenses (CALs), 92
- Client-Friendly Name attribute, 588
- Client IDs, 35
- Client Installation Wizard, 107
- Client-IP-Address attribute, 588
- Client (respond only) policy, 603
- Client/server communication
 - in DHCP, 559–560
 - in Kerberos authentication, 394–396
- Client Service for NetWare, 842
- Client Settings tab, 659–660
- Client-Vendor attribute, 588
- Clients, 889
 - certificates for, 411
 - in Dfs sharing, 381–382
 - in DHCP, 558–560
 - in DNS, 530, 536–537
 - in RADIUS, 598–599
 - in remote access VPNs, 589–591
 - routing configuration in, 526–527
 - in Terminal Services, 650–651, 659–660, 669–670
- clip command, 136, 761
- Clipboard
 - redirection to, 761
 - Remote Desktop for, 671
- ClipBook Server service, 842
- Clock, displaying and setting, 815–817
- Clone Principal tool, 865–866
- clonepr.dll tool, 865–866
- cls command, 792
- Cluster Administrator tool, 714, 719
- Cluster-aware applications, 889
- cluster.exe utility, 720
- Cluster Services, 95, 713–714, 889
 - application selection for, 717
 - cluster administration in, 719–720
 - concerns in, 715–716
 - database for, 716–717
 - failover and failback in, 714–715, 719
 - failure points in, 718–719
 - grouping and capacity issues in, 717–718
 - installing, 94
 - network issues in, 718
 - new features for, 721–723
 - properties for, 720–721
 - required domain accounts in, 718
- Clustering
 - defined, 889
 - in IIS, 685
- CMAK (Connection Manager Administration Kit), 143–145
- CN (Common-Name) attribute, 176
- Code signing, certificates for, 411
- Collector groups, 746–747
- Collisions
 - in Automatic Update, 111
 - in replication, 169
- Columns for authority logs, 459, 465
- COM (Component Object Model), 18, 184, 889
- Command line
 - for IIS administration, 678
 - for script administration, 686
- Command-line process views, 48
- Command Prompt, 133–137, 758, 889
- Command summary, 758
 - backup, 782–785
 - batch, 785–786
 - comparison, 785–789
 - compression, 789–791
 - display, 791–801
 - file management, 801–811
 - file manipulation, 812–813
 - miscellaneous, 814–818
 - networking, 818–848
 - print, 848–855
 - search, 855–858
 - system management, 858–864
 - Windows .NET, 759–782
- Commerce Server 2000/2002, 10–11
- Commercial Internet System, 11
- Commit Charge data, 46

- common.adm templates, 303
- Common Gateway Interface (CGI), 888
- Common groups, 284–285, 889
- Common Information Model (CIM), 18
- Common-Name (CN) attribute, 176
- common tasks delegation, 242–243
- Common user profiles, 269
- Communication Manager, 143–144
- Communication ports, 889
- Community names, 889
- comp command, 788–789
- compact command, 790–791
- Comparing files, 785–789
- Compatibility
 - Active Directory, 180–181
 - application, 66–67
- Compatibility Help function, 139
- Compatws.inf template, 482
- Complete option, 634
- Complete trust domain models, 86
- Component Object Model (COM), 18, 184, 889
- Component services, 38–39
- compress command, 761–762
- Compress contents to save disk space option, 619
- Compressed attribute, 793
- Compression
 - for files, 761–762, 789–791
 - in tunneling protocols, 574
 - on volumes, 619–620
- Compulsory tunnels, 576
- Computer accounts, 889
 - certificates for, 441–442
 - managing, 231–234
- Computer Browser service, 842
- Computer Configuration policies, 301, 322–323
- Computer Management snap-in tool, 19, 133, 617
 - for local user accounts, 253–254
 - for MSMQ services, 738
- Computer Management (Local) snap-in tool, 658
- Computer Settings and Database Settings, 486
- Computers
 - disabling configuration settings for, 332–338
 - in domain databases, 831
 - names for, 99, 232, 263
 - publishing to Active Directory, 377
- Computers tab, 328, 331
- Conditional batch file commands, 785–786
- Conditional forwarding in DNS, 536
- conf.adm templates, 303
- Confidentiality issues, 479
- Config.nt file, 61
- Configuration
 - Active Directory connections, 246–247
 - DHCP, 547–553, 558–560
 - disabling settings for, 332–338
 - DNS clients, 536–537
 - DNS servers, 541–542
 - Kerberos authentication, 874–875
 - in native and mixed modes, 82
 - policies for, 301
 - RADIUS clients, 598–599
 - in remote access VPNs, 582–584, 589–591
 - routing, 526–527
 - scripts for, 322–323
 - security, 483–486
 - system, 104–105
 - Terminal Service connections, 656–664
- Configuration data
 - in Active Directory, 154
 - vs. schema data, 161
- Configuration Manager, 31–32
- Configuration partitions, replication of, 223–224
- Configure a DNS Server Wizard, 532–533
- Configure Device dialog box, 585
- Configure DHCP Options window, 551
- Configure Your Server tool, 532, 547
- Confirm Attribute Changes dialog box, 429
- Connect Description window, 819
- Connect to DNS Server option, 540
- Connect to Printer window, 849
- Connect to the network at my workplace option, 590
- Connect To window, 819–820
- Connect window, 828
- Connection agreements, 247
- Connection Manager, 142, 144–145
- Connection Manager Administration Kit (CMAK), 143–145
- Connection Manager Profiles function, 142
- Connection object for replication, 168, 192
- Connection Type tab, 605, 608
- Connections and connectivity
 - Active Directory, 247
 - in current enterprise inventory, 73
 - displaying, 823
 - in installation, 107
 - in IPSec, 605, 608
 - multiple domain controllers for, 165–166
 - for Remote Access Service, 514
 - for shared resources, 844–845
 - for Terminal Services, 656–664
 - testing, 824–826, 877–878
- Connections tab, 246

- Connectivity tester, 877–878
- Connector technology, 246
- Console option in MMC, 125
- Contacts in Internet Explorer, 145
- Containers, 150–151
- Contains operator, 727
- Content tab, 443, 456, 513
- Contents of pane, 793
- Context switching, 36–37
- Control Access through Remote Access Policy option, 265, 587
- Control Management Server 2001, 10
- Control Panel, 130–133
- Controlling threads, 28
- convert command, 52, 92, 814
- Cookies directory, 269
- Copy backups, 636
- Copy batch backups, 644
- copy command, 806–808
- Copy option for permissions, 360
- Copy To Dialog box, 275–276
- Copying
 - files, 361–362, 805–809, 824, 826–827
 - permissions, 360–362
 - user profiles, 275–276
- Costs
 - for routing links, 735
 - for site links, 225
 - TCO, 70
- Cprofile program, 670
- CPU time, 889
- CPU usage, 889
- CPU Usage data, 44
- CPU Usage History data, 44
- CPUs
 - monitoring, 44
 - requirements for, 7, 89–90
 - throttling, 38, 684, 691
 - utilization of, 44, 46–47, 889
- Crashes, system dumps for, 871–872
- CRC (cyclical redundancy check), 889
- Create and submit a request to this CA link, 451, 457
- Create associated pointer (PTR) record option, 534
- Create Child Objects permissions, 239
- Create Files/Write Data permission, 356, 358
- Create Folders/Append Data permission, 358
- Create IP Security Policy option, 603, 605
- Create New Domain Tree in an Existing Forest option, 196
- Create Shortcut option, 119, 345
- Create Volume option, 621–623
- CreateProcess calls, 36
- CreateThread calls, 36
- Creator group, 369
- Creator Owner group, 369
- Credentials for remote access, 143
- CRL Distribution Points, 470
- CRL Publishing Parameters tab, 462, 467
- CRLs. *See* Certificate Revocation Lists
- Cross-forest authentication, 197, 405–406
- Cryptographic Provider options, 451, 459
- Cryptographic Service Providers (CSPs), 889
- CS (client/server) exchange
 - in DHCP, 559–560
 - in Kerberos authentication, 394–396
- Cscript.exe, running, 752–754
- CSPs (Certificate Service Providers), 418
- CTLs. *See* Certificate Trust Lists
- Curly braces ({} in reference guide, 758
- Current enterprise analysis, 71
 - for inventory, 72–73
 - legacy analysis in, 72, 74
 - for organizational processes and dynamics, 75–76
 - for organizational structure, 74–75
 - for physical structures, 77–80
 - for security requirements, 76
 - for user profiles, 77
- Current transaction files, 153
- Current user, determining, 781–782
- Current working directories, 496–497
- Custom error messaging, 686–687
- Custom Errors tab, 697–698
- Custom Security Method Settings dialog box, 614
- Custom Tasks delegation, 242–243
- Cyclical redundancy check (CRC), 889
- DAACLs. *See* Discretionary Access Control Lists
- Daily backups, 636
- Data Decryption Field (DDF), 427–428
- Data encryption. *See* Encryption
- Data Encryption Standard (DES) algorithm, 54, 402, 491
- Data link layer, 520
- Data Recovery Field (DRF), 428
- Data stores
 - in Active Directory, 154
 - for certificates, 412–417, 439–446
- Database Settings compared to Computer Settings, 486
- Databases
 - in Active Directory, 152, 204
 - for Cluster Services, 716–717
- Datacenter Edition. *See* Windows Server 2003

- Datagrams, 520
 - IP, 521–522
 - in tunneling protocols, 574
- Date and Time Properties window, 815
- date command, 815–816
- Date tab, 815
- Date/Time tab, 815
- Dates
 - in certificates, 410
 - displaying and setting, 815–817
 - in Index Services queries, 727
 - in installation, 99
- Day-And-Time-Restrictions attribute, 588
- Dbgtrace program, 670
- DC (Domain-Component) attribute, 176
- DC security template, 482
- dcdiag.exe tool, 866–867
- DCOM (Distributed Common Object Model), 2
- dcpromo.exe utility, 206–208
- dcpromo.log file, 88
- DCs. *See* Domain controllers
- DDE (dynamic data exchange), 842, 890
- DDF (Data Decryption Field), 427–428
- Dead-letter queues, 732
- Debugging DNS configuration, 189
- Decentralized administration, 195
- Decentralized organizational models, 75
- Default file, 62
- Default Domain Controllers Policy dialog box, 300
- Default Domain Policy GPO, 436, 438
- Default Domain snap-in tool
 - for audit policies, 500–501
 - for public key policies, 480
- Default Global Catalog, 171
- Default groups for clusters, 719
- Default security templates, 481
- Default SMTP Virtual Server Properties dialog box, 701
- Default user account membership, 283–286
- Default User folder, 267
- DEFAULTIPSITELINK directory, 169
- Defined User Classes option, 555
- Defragmentation, 629–630
- del command, 804–805
- Delay-load application dependencies, 65
- Delegated Access mode in MMC, 128
- Delegated administrators, saving MMC to, 128–129
- Delegation
 - in Active Directory, 186, 241–243
 - of domain controller administration, 216–217
 - in IIS, 686
 - in Kerberos authentication, 399–400
- Delegation of Control Wizard, 241–243
- Delegation Wizard, 241–243
- Delete Child Objects permissions, 239
- Delete Partition option, 619
- Delete permission, 359
- Delete Subfolders and Files permission, 359
- Delete temporary folders on exit setting, 664
- Deleting
 - computer accounts, 233
 - Dfs shares, 388
 - domain controller servers from sites, 230–231
 - environment variables, 864
 - files, 804–805
 - folders, 802–803
 - Global Catalogs, 245
 - icons, 119
 - media pools, 632
 - MSMQ queues, 740–741
 - object attributes, 219
 - organizational units, 236
 - partitions, 619
 - permissions, 360
 - scripts, 341
 - software, 317
 - trusts, 212–213
- Deletion tab, 247
- Delivery tab, 701–702
- Demand paging, 29
- Demilitarized Zones (DMZs), 508, 596
- Denial of service attacks, 514
- Deny access option, 586–587
- Deny permission
 - options for, 352–356
 - priority of, 277
 - for shared folders, 369
- Denying permissions in shared folders, 367
- depend.exe tool, 866
- Dependencies
 - application, 64–66, 866
 - for clusters, 721
 - determining, 866
 - for processes, 38
- Dependencies tab, 38
- Dependency Walker tool, 64–66, 866
- Dependent MSMQ clients, 733
- Dependent objects in ADSI, 183
- Deploy Software dialog box, 313, 319
- Deployment
 - in current enterprise analysis, 78–80
 - for software installation, 313–314

- Deployment tab, 313–314
- DES (Data Encryption Standard) algorithm, 402, 491
- Description tab, 610
- Design Access GPO Options dialog box, 337
- Desktop directory, 269
- Desktop icons, 117–119
- Desktop Management Task Force (DMTF), 19
- Destination IP addresses in packet filtering, 509
- Destination Network option, 585
- DESX (Data Encryption Standard algorithm), 54
- Details
 - for certificates, 443
 - for events, 49
- Details tab, 443–444
- Detection
 - in Automatic Update, 111
 - of hardware, 132
- Device Driver Referral Help function, 140
- Device Driver Rollback facility, 108
- Device drivers, 28–29, 890
 - displaying, 762
 - Last Known Good Files for, 108–109
 - managing, 108
 - monitoring, 46
 - for networking, 524
 - rolling back, 108
- Device Manager, 22, 524, 890
- Device selection dialog box, 108
- Device Settings tab, 854
- Dfs. *See* Distributed file system
- Dfs links, 890
- Dfs roots, 890
- dfsutil.exe tool, 866, 868
- DHCP. *See* Dynamic Host Configuration Protocol
- DHCP Client service, 842
- DHCP Database Backups feature, 546
- DHCP Database NetShell Migrations feature, 546–547
- DHCP servers, 100–102
- DHCP snap-in tool, 547–550, 555, 560
- DHCP User Classes dialog box, 555
- Diagnostics
 - for MSMQ connectivity, 736
 - for networks, 747–748, 771
 - for permissions, 864–865
 - for remote storage, 880, 882
- Diagnostics tab, 736
- Dial-in tab
 - for remote access VPNs, 586
 - for user account properties, 261, 264–266
- Dial-up Connection option, 590
- Dial-up connections, 890
- Dial-up group, 369
- Differential backups, 890
- Digest Access Authentication, 390
- Digest Authentication, 680
- Digital Signature Standard (DSS), 890
- Digital signatures, 890
 - in certificates, 410–411
 - in IPSec, 602
 - in PKI, 408–410
- dir command, 795–798
- DirectDraw technology, 566
- Directories, 150, 890
 - Active. *See* Active Directory
 - in catalog, 729–730
 - in NTFS, 55–56
 - services for, 150–155
 - for user profiles, 269
 - working, 496–497
- Directory icon, 122–123
- Directory partitions, 890
- Directory replication, 890
- Directory Replicator service, 842
- Directory Security tab
 - in FTP, 710–711
 - in IIS, 694–695
 - in PKI, 446
- Directory Service, 891
- Directory Service Access category logs, 503
- Directory service container objects, 183
- Directory service leaf objects, 183
- Directory services commands, 763
 - on networks, 763
 - syntax of, 764
- Directory System Agent (DSA) layer, 151
- DirectSound technology, 565
- Disable Computer Configuration settings
 - option, 334
- Disabling
 - configuration settings, 332–338
 - libraries, 631
 - Terminal Services, 656
- Disaster management
 - automatic system recovery, 644–645
 - emergency repair disks for, 646–647
 - fault tolerance for, 647
 - manual, 644–645
 - Recovery Console for, 646
 - uninterrupted power supplies for, 647
- Discard forward (name-to-address) lookups
 - when lease expires option, 561
- Disconnect option, 592
- Disconnect Network Drive option, 122

- Discretionary Access Control Lists (DACLs),
 - 299–300, 350
 - in auditing, 503, 506
 - defined, 889
- Disk Cleanup option, 625
- Disk Defragmenter snap-in, 629–630
- Disk Fragmenter snap-in, 617
- Disk groups for clusters, 719
- Disk Management snap-in tool, 617, 624
 - for dynamic disks, 618
 - for FAT/FAT32 properties, 626–627
 - for mirrored volumes, 623
 - for NTFS properties, 625–626
 - for partition management, 619
 - for RAID-5 volumes, 623
 - for spanned volumes, 621
 - for striped volumes, 621
- Disk mirroring, 622–623, 891
- diskperf command, 860
- Disk Probe snap-in tool, 617, 870
- Disk Quota snap-in tool, 22, 617
- Disk space, requirements for, 7
- Disks, 615–616
 - available space on, 767–768
 - backups, 635–640
 - checking, 858–860
 - disaster management, 644–647
 - dynamic disk upgrades, 618
 - file systems in, 616
 - fragmentation, 629–630
 - in installation, 91, 105, 107
 - managing. *See* Disk Management snap-in tool
 - monitoring, 46
 - for MSMQ, 736
 - partitions, 91, 619
 - performance counters for, 860
 - power management for, 772
 - quotas, 627–628
 - removable media and libraries, 630–634
 - requirements for, 90
 - restoration, 640–644
 - storage types for, 616–618
 - tools for, 616–617
- Dispatching threads, 28
- Display
 - in installation, 99
 - requirements for, 90
- Display Specifier object, 184
- Display the full path in the title bar option, 801
- Displaying
 - Access Control Lists, 814
 - application dependencies, 64–66
 - associated extensions, 812
 - attributes, 793–799, 812–813
 - date and time, 815–817
 - device drivers, 762
 - DNS settings and properties, 868–869
 - file contents, 791–793
 - help, 799–801
 - host names, 821
 - local certificate stores, 439–446
 - network connections, 822
 - network services, 831
 - object permissions, 239–241
 - open files, 771
 - path names, 801
 - processes, 44–48, 778
 - properties, 793–799
 - remote access clients, 592–593
 - replication topology, 879–881
 - routing table data, 822
 - shared resources, 839–840, 848
 - TCP/IP connections, 823
- Distinguished names (DNs), 176, 891
- Distribute event management, 749
- Distributed Common Object Model (DCOM), 2
- Distributed file system (Dfs), 23, 890
 - advantages of, 382–383
 - concerns about, 383
 - creating, 379–382
 - in IIS, 685
 - maintaining and troubleshooting, 866, 868
 - sharing in, 377
 - standalone, 383–388
 - standalone vs. fault-tolerant, 377–378
- Distributing certificates, 436–444
- Distribution, software. *See* Software
- Distribution groups, 277, 282
- Distribution lists, 744
- DLLs (dynamic linked libraries), 34, 891
- DMTF (Desktop Management Task Force), 19
- DMZs (Demilitarized Zones), 508, 596
- DNS. *See* Domain Name System
- DNS Domain Name option, 552
- DNS Dynamic Update protocol, 175, 891
- DNS screen, 205–206
- DNS Server option, 552
- DNS servers in installation, 102
- DNS snap-in tool, 540
- DNS tab, 560–561
- dnscmd.exe tool, 868–869
- Do not allow permissions on this file or folder
 - to be replaced option, 308
- Do not dial the initial connection option, 590
- Do not display this package in the Add/Remove Programs Control Panel option, 314

- Do not require Kerberos preauthentication option, 392
- Do not use recursion field option, 544
- Document name in printing, 851
- Documents tab, 694–695
- Dollar signs (\$)
 - in Index Services queries, 727
 - in text searches, 856
- Domain Administrator account passwords, 489–490
- Domain Administrator Group, 219
- Domain Admins group, 286
- Domain-Component (DC) attribute, 176
- Domain Computers group, 286
- Domain controllers, 83, 891
 - in Active Directory, 164–166, 201
 - adding, 206
 - backup and restoration of, 229–230
 - delegating administration of, 216–217
 - Global Catalog roles in, 170–173
 - group policy refreshing by, 325–326
 - identifying, 879–880
 - in installation, 102
 - master operation roles in, 172–173
 - membership of, 166
 - moving between sites, 229
 - naming contexts on, 870–871
 - planning for, 198–199
 - removing from sites, 230–231
 - troubleshooting, 866–867
 - upgrading, 198
 - in Windows NT upgrades, 87
- Domain Controllers group, 286
- Domain databases, computers in, 831
- Domain forests, 893
 - in Active Directory, 158–159, 202
 - DNS names for, 188–189
 - planning, 195–197
 - scaling and extensibility of, 159–160
- Domain Guests group, 286
- Domain local groups, 279–280, 891
 - creating, 288–293
 - permissions for, 291–292
- Domain Master tab, 235
- Domain models
 - defined, 891
 - in Windows NT upgrades, 85–86
- Domain Name System (DNS), 2–3, 528–529, 891
 - and Active Directory, 175
 - client configuration for, 536–537
 - clients and servers in, 530
 - conventions in, 529
 - with DHCP, 560–561
 - forwarding for, 544–545
 - Group Policy for, 566
 - installation of, 532–536
 - interoperability issues in, 176
 - namespace for, 188–190
 - recursion in, 530–531
 - scavenging in, 544–546
 - secondary servers for, 538–544
 - security issues in, 516
 - settings and properties for, 868–869
 - in Windows NT upgrades, 87
 - zone information in, 531–534
- Domain names
 - defined, 892
 - for internal and external use, 189
- Domain naming masters, 172, 892
 - changing location of, 215–216
 - identifying, 214–215
- Domain partitions, 223–224
- Domain Root Certification Authorities, policies for, 422
- Domain schema operations masters, 222–223
- Domain trees, 892
 - in Active Directory, 157–158
 - planning, 195
- Domain user accounts, 257–258
 - creating, 258–259
 - properties for, 259–266
- Domain Users group, 286
- Domains, 891
 - in Active Directory, 154, 157, 163–164
 - adding domain controllers to, 206
 - DNS names for, 188–189
 - in installation, 92–94, 97
 - managing, 879
 - passwords for, 492
 - planning, 194
 - relationships between, 163–164
 - for Remote Access Service, 514
 - renaming, 189–190
- Domains/OUs tab, 328, 330
- Down option
 - for group policies, 334
 - for scripts, 341
- Download CA Certificate link, 446
- Download phase in Automatic Update, 111
- Download Signed ActiveX Controls permission, 513
- Download Unsigned ActiveX Controls permission, 513
- DRF (Data Recovery Field), 428

- Drive letters, assigning, 619
- Drive\$ share, 374
- driverquery command, 134, 762
- Drivers. *See* Device drivers
- Drop all packets except those that meet the criteria below option, 586
- DSA (Directory System Agent) layer, 151
- dscls.exe tool, 868, 870
- dsadd command, 134, 763–764
- dsastat.exe tool, 870–871
- dsget command, 135, 763–764
- dskprobe.exe command, 870
- dsmmod command, 134, 763–764
- dsmove command, 134, 763–764
- dsquery command, 135, 763–764
- Dsrms tool, 134
- DSS (Digital Signature Standard), 890
- Dual-boot environments
 - creating, 92
 - security issues in, 59, 500
- DualView Monitoring Facility, 123
- dumpchk.exe tool, 871–872
- Duplicating Global Catalogs, 245
- Duration intervals in DHCP, 550–551
- Dynamic data exchange (DDE), 842, 890
- Dynamic disk storage type, 618
- Dynamic Host Configuration Protocol (DHCP), 174–175, 527, 546–547, 890
 - authorization in, 547–548
 - backup and restore options for, 561–562
 - and BOOTP, 556–557, 562–564
 - client-side configurations for, 558–560
 - with DNS, 560–561
 - fault tolerance in, 557–558
 - in remote installation, 105–106
 - scopes and classes in, 548–556, 562–563
 - server-side configurations, 547–553
 - for VPNs, 580
 - with WINS, 563–565
- Dynamic integral user intervention, 32
- Dynamic linked libraries (DLLs), 34, 891
- Dynamic Update feature, 111, 534

- E-mail. *See* Electronic Mail
- EAP. *See* Extensible Authentication Protocol
- echo command, 786, 799
- Edb.chk file, 154
- Edb.log file, 153
- Edit Dial-in Profile dialog box, 590
- Edit option
 - for group policies, 334
 - for scripts, 341

- Edit Rule properties dialog box, 608–609
- Editing
 - multiple user objects, 234
 - templates, 482–483
- edlin editor, 804
- Effective permissions, 366
- EFS. *See* Encrypted File System
- 88 class, 220
- Electronic mail
 - certificates for, 411
 - PKI for, 425–426
 - security for, 514–516
- Emergency repair disks (ERDs), 646–647
- Enable automatic scavenging of stale records option, 545
- Enable Boot Logging option, 646
- Enable LDAP routing option, 703
- Enable library option, 631
- Enable quota management option, 627
- Enable updates for DNS clients that do not support dynamic updates option, 561
- Enable VGA Mode option, 646
- Encapsulated Security Payload (ESP) method, 572, 574, 601–602
- Encapsulation in VPNs, 570, 572
- Encrypt contents to secure data option, 428
- Encrypted Data Recovery Agents, 429
- Encrypted File System (EFS), 23, 54, 426–427, 892
 - certificates for, 411
 - issues in, 429–431
 - policies for, 421
 - process in, 427–429
- Encryption, 426–427
 - certificates for, 411
 - in IIS, 679–681
 - for IP, 512
 - issues in, 429–431
 - in Kerberos authentication, 401–403
 - in MSMQ, 742
 - for passwords, 490–491
 - in PKI, 408, 426–431
 - process in, 427–429
 - for remote access VPNs, 589
 - for Terminal Services connections, 657
 - in tunneling protocols, 573–574
 - in VPNs, 570–572
- Encryption keys vs. sessions keys, 403
- Encryption tab, 589
- End Process option, 41
- End Task option, 41
- Ending processes, 41–42, 863, 874

- endlocal command, 786
- Enforce function for policy inheritance, 298–299
- Enforce password history policy, 492
- Enforce Show Policies Only option, 338
- Enforce user logon restrictions policy, 403–404
- Enterprise Admins group, 286
- Enterprise Certificate Authorities, 419
- Enterprise-class scalability, 748
- Enterprise Domain Controllers group, 369
- Enterprise Edition. *See* Windows Server 2003
- Enterprise trusts for certificates, 413
- Entire Network dialog box, 122
- Entire Network icon, 122
- Environment tab
 - for environment variables, 864
 - for Terminal Services, 662–664, 667
- Environment variables
 - defining and changing, 864
 - setting, 775, 777
- Environmental path settings, 496–498
- Environmental subsystems, 32–35
- Equals operator, 727
- erase command, 804–805
- ERDs (emergency repair disks), 646–647
- Error control values, 59
- Error messages
 - in Event Viewer, 48
 - in IIS, 697–698
- Errors records in event logs, 503–504
- ESE (Extensible Storage Engine), 151
- ESP (Encapsulated Security Payload) method, 572, 574, 601–602
- Event management, 11
- Event Viewer, 48–50, 503–507
- eventcreate command, 135, 765
- Eventlog service, 842, 892
- Eventquery.vbs tool, 135, 765–766
- Events, 892
 - in auditing, 504–506
 - creating, 765
 - extracting, 765–766
 - in logging, 305, 480, 501–502, 504–506
 - triggers for, 766
- eventtriggers command, 135, 766
- Everyone group, 369
- Exception lists, 723–724
- Exchange Server 2000, 10–11
- Exclamation points (!) in Index Services queries, 727
- Excluded Files tab, 639
- Exclusion ranges, 549
- Executive managers, 29–32
- Executive mode, 26–32
- Executive Services buffer, 32
- Exit Module tab, 470–471
- expand command, 791
- Explicit application dependencies, 65
- Explicit permissions, 892
- Explicit trusts, 185, 211–212
- Export File Format option, 464
- Export Private Key option, 463
- Exporting certificates, 456–458, 463–464
- Express messages, 732
- Extend Volume option, 621
- Extended errors facility, 403
- Extensibility in Active Directory, 159–160
- Extensible Authentication Protocol (EAP)
 - defined, 892
 - in IAS, 594
 - for VPNs, 571
- Extensible Markup Language (XML), 8, 677
- Extensible Search Mechanism Help function, 139
- Extensible Storage Engine (ESE), 151
- Extensions
 - associations for, 497–498, 812
 - in installation, 317–318
- Extensions tab, 470
- Extents in NTFS, 54
- External connectivity in current enterprise inventory, 73
- External use, domain names for, 189
- extract command, 766–767
- Extracting
 - events, 765–766
 - files, 766–767
- Extraneous services as security threat, 498–499
- F (Full Control) permissions, 351
 - in Active Directory, 239
 - for shared folders, 370
- Failback
 - in Cluster Services, 714–715, 719
 - defined, 892
- Failed Requests store, 466
- Failover, 892
 - in Cluster Services, 714–715, 719
 - multiple domain controllers for, 166
- Failure Audit messages, 48
- Fat clients, 650
- FAT. *See* File Allocation Table file system
- Fault tolerance, 892
 - in DHCP, 557–558
 - in disaster management, 647
 - in distributed file systems, 377–378
 - and DNS zones, 537–544
 - in NTFS file system, 53

- Favorites directory, 269
- Favorites option in MMC, 126
- fc command, 785–788
- Feedback in current enterprise analysis, 78–79
- FEKs (file encryption keys), 54, 427–428
- Fibre channel technology, 22
- File Allocation Table (FAT) file system, 892
 - Disk Management for, 626–627
 - disk structure in, 51–52
 - in installation, 91–92
- File Download dialog box, 446, 450
- File encryption keys (FEKs), 54, 427–428
- File Extensions tab, 317–318
- File Replication Service (FRS), 85
- File Security tab, 699
- File Server for Macintosh, 842
- File servers in installation, 102
- File systems, 22–23
 - in current enterprise inventory, 73
 - in disk management, 617, 626–627
 - FAT and FAT32, 51–52
 - in installation, 91–92
 - NTFS, 52–56
 - policy settings for, 306–309
 - Remote Desktop for, 671
 - security snap-ins for, 480
- Files
 - in Active Directory, 152–154
 - associations for, 120, 497–498, 812
 - attributes for, 793–799, 812–813
 - backing up. *See* Backups
 - in batch processing, 767–768
 - comparing, 785–789
 - compressing, 761–762, 789–791
 - contents of, 791–793
 - copying, 361–362, 805–809, 824, 826–827
 - creating, 804
 - expanding view of, 119
 - extensions for, 317–318, 497–498, 812
 - extracting, 766–767
 - managing, 121
 - moving, 809
 - names for, 52–53, 55–56, 811
 - in NTFS file system, 54–56
 - ownership of, 779–780
 - permissions for. *See* Permissions
 - properties of, 793–799
 - publishing to Active Directory, 377
 - recovering, 411
 - removing, 804–805
 - renaming, 811
 - replacing on reboot, 770
 - restoring, 640–642
 - searching for, 140–142
 - searching for strings in, 855–858
 - sending to printers, 849–851
 - sharing, 834
 - sorting, 813
 - transferring in installation, 111–112
 - type of, 811
 - versions of, 871
- Files and Settings Transfer Wizard, 111–112
- Files Service Manager, 19
- File tab, 699
- File to Export option, 464
- File Transfer Protocol (FTP), 893
 - in IIS, 679, 706–711
 - security issues in, 516
 - transferring files with, 820–821
- filever.exe utility, 871
- Filter Action tab, 611–612
- Filters
 - for authority logs, 459, 466
 - for cross-forest authentication, 405
 - in Event Viewer, 49
 - for group policies, 300, 339–341, 343
 - in IIS, 691, 693
 - for IPSec, 607, 609–614
 - for L2TP over IPSec, 584–586
 - in native and mixed modes, 82
 - packet, 509–510
 - for passwords, 82, 494
- find command, 855–856
- Find dialog box, 123–124
- Find File window, 312
- Find MSMQ Queue tab, 740
- Find Printers dialog box, 122–123
- Finding information
 - computer accounts, 233–234
 - in Dfs sharing, 382
 - in Event Viewer, 49
 - files, 140–142
 - Index Services for, 725
 - MSMQ queues, 740
 - in network directory, 122–124
 - objects, 17, 237–239
 - registry items, 775–776
 - strings, 855–858
- findstr command, 856–858
- finger utility, 516
- Firewalls, 144, 508–509, 893
 - in MSMQ, 734
 - packet filtering by, 509–510
 - proxy services in, 510–511
 - stateful inspection in, 511
- Flash memory, 22

- Flattemp program, 671
- Flooding e-mail, 514
- Floppy drives, physical access to, 499–500
- Folder Replication Service (FRS), 380–381
- Folders, 119
 - attributes of, 793–799
 - backing up, 635
 - creating, 801–802
 - for encrypted files, 428
 - expanding view of, 119
 - moving between, 803–804
 - permissions for, 350, 352
 - setting, 352–356
 - special, 356–361
 - properties of, 793–799
 - publishing to Active Directory, 377
 - redirecting, 324–325, 342–347
 - removing, 802–803
 - renaming, 811
 - restoring, 640–642
 - searching for, 140–142
 - sharing, 904
 - creating shared folders for, 367–371
 - facilitating, 371–374
 - hidden shares, 374–376
 - permissions for, 366–371, 376
 - publishing for, 377
- for command, 786
- Forced replication checks, 230
- Forests, 893
 - in Active Directory, 158–159, 202
 - cross-forest authentication in, 405–406
 - DNS names for, 188–189
 - in installation, 97
 - planning, 195–197
 - scaling and extensibility of, 159–160
- forfiles command, 136, 767–768
- Formatting partitions, 619
- Fortezza encryption, 681
- Forward application dependencies, 65
- Forward lookups
 - defined, 893
 - in DNS, 532–535, 540–542
- FORWARDABLE TGT flag, 393, 400
- FORWARDED TGT flag, 393, 400
- Forwarders tab, 544–545
- Forwarding
 - in DNS, 536, 544–545
 - in Kerberos authentication, 400–401
- FQDNs (Fully Qualified Domain Names), 529
- Fragmentation, 629–630, 893
- Frame types support in tunneling protocols, 574
- Framed-Protocol attribute, 588
- freedisk command, 136, 767–768
- Free text mode in queries, 727–728
- Frequency
 - of backups, 635
 - of replication, 225
- FriendlyName tag, 310
- From a specified range of addresses option, 580
- From Exchange tab, 247
- From This Location menu, 370
- From Windows tab, 247
- Front-end tier, 10
- FRS (File Replication Service), 85
- FRS (Folder Replication Service), 380–381
- FTP. *See* File Transfer Protocol
- ftp command, 820–821
- FTP Publishing Service, 842
- FTP Site tab, 708–709
- Full Access mode in MMC, 128
- Full Control permissions, 351
 - in Active Directory, 239
 - for shared folders, 371
- Full Scan option, 723
- Full Security level, 651–653
- Full Text Search Help function, 140
- Fully Qualified Domain Names (FQDNs), 529
- Funding availability in current enterprise
 - analysis, 79
- Fuzzy queries, 728
- Gateway Service for NetWare, 842
- Gateways, 527, 893
- GCs. *See* Global Catalogs
- GDDs (Graphics Device Drivers), 31
- General tabs
 - for Active Directory connection configuration, 246
 - for application properties, 313
 - for backup, 638
 - for certificates, 442–443, 468–469
 - for compression, 789
 - for DHCP scope, 553
 - for disk management, 625–626
 - for DNS servers, 541–542
 - for Encrypted File System, 428
 - for file properties, 794–795
 - for Global Catalogs, 245
 - for IAS, 596
 - for libraries, 631
 - for media pools, 632
 - for mode changing, 214
 - for MSMQ, 739
 - for NNTP, 705–706
 - for object classes, 218

- for organizational unit properties, 237
- for printers, 854
- for processes, 38
- for remote access VPNs, 585
- for routing links, 735
- for scavenging, 546
- for SMTP, 700–701
- for Terminal Services connections, 657–668
- for user account properties, 261–262
- for Windows Scripting Host, 752
- Generic Routing Encapsulation (GRE) headers, 572
- gettype command, 136, 767–768
- gflags.exe command, 872–874
- Global Catalogs (GCs), 170–173, 244, 893
 - attributes for, 245–246
 - for cross-forest authentication, 405
 - enabling, 244–245
 - for groups, 282
 - moving, removing, and duplicating, 245
- Global flags, editing, 872–874
- Global groups, 280–281, 893
 - common, 283–284
 - creating, 286–290
 - managing, 834–835
- Globally Unique Identifiers (GUIDs), 893
 - in Active Directory, 177
 - for domains, 189
 - for GPCs, 296
- goto command, 786
- GPCs (Group Policy Containers), 296
- GPOs. *See* Group Policy Objects
- gprestart command, 135, 768
- gpupdate command, 769
- GPTs (Group Policy Templates), 296
- Grant remote access permission option, 588
- Granularity of administrative functions, 14
- Graphical reporting tools, 750
- Graphics Device Drivers (GDDs), 31
- GRE (Generic Routing Encapsulation) headers, 572
- Greater than signs (>)
 - in batch commands, 786
 - in Index Services queries, 728
 - in text searches, 856
- Group memberships, 893
- Group policies, 893
 - and Active Directory, 294–300, 332
 - Administrative Templates for, 301–303
 - benefits of, 293–294
 - for certificates, 436–444
 - disabling configuration settings in, 332–338
 - filtering in, 300, 339–341
 - and folder redirection, 324–325, 342–343
 - GPOs in. *See* Group Policy Objects
 - inheritance in, 296–299
 - IntelliMirror for, 343–347
 - local computer policy, 327–332
 - Resultant Set of Policy, 343
 - scripts for, 321–323, 341–342
 - security settings for, 303–309
 - for security templates, 480
 - Software Installation and Management for, 309
 - software installation node for, 310–323
 - user and computer, 301
 - WMI filtering for, 343
- Group Policy Containers (GPCs), 296
- Group Policy Creators Owners group, 286
- Group Policy Objects (GPOs), 294–296, 325, 893
 - creating and linking, 332
 - PDC Operations Manager for, 326
 - refreshing policy settings, 325–326
 - storage of, 296
- Group Policy refresh interval for computers
 - Properties dialog box, 325
- Group Policy refresh interval for domain controllers Properties dialog box, 327
- Group Policy snap-in tool
 - categories in, 301
 - for DNS, 566
 - for Encrypted Data Recovery Agents, 429
 - for PKI, 421–422
- Group Policy tab, 237, 332–335, 337
- Group Policy Templates (GPTs), 296
- Groups, 276–277, 893
 - assigning, 286
 - built-in, 283, 888
 - in Cluster Services, 717–718, 722
 - creating, 286–290
 - with cross-forest authentication, 405
 - managing, 14, 834–837
 - in native and mixed modes, 82
 - nesting, 82, 277–278
 - policies for. *See* Group policies
 - relationships in, 277–278
 - scope in, 278
 - for shared folders, 371
 - types of, 281–282
 - for user accounts, 258, 264, 267, 283–286
 - using, 282–284
- Growth in current enterprise analysis, 76
- Guest accounts, 252, 893
 - in MSMQ, 741
 - security for, 491
- Guests group, 285
- GUIDs. *See* Globally Unique Identifiers

- HAL (Hardware Abstraction Layer), 28, 893
- Handles, 35–36
- Hard drives. *See* Disks
- Hardware
 - adding, 132
 - in boot process, 59
 - in current enterprise analysis, 79
 - inventory management for, 746
 - managing, 14
 - support for, 21–22
- Hardware Abstraction Layer (HAL), 28, 893
- Hardware Compatibility List (HCL), 14
- Hardware tab, 626
- Hardware Wizard, 22, 617
- Hashes, 893
 - for digital signatures, 408–409
 - for passwords, 490–491
- HCL (Hardware Compatibility List), 14
- Headers
 - in IIS, 696
 - in IPSec, 573–574, 601–602
- Heap allocations, monitoring, 46
- Help
 - displaying, 799–801
 - Help and Support Center, 137–140
 - for net commands, 837
- help command, 799–800
- Hibernate mode, 772–773
- Hidden attribute, 793
- Hidden files
 - profile, 269
 - viewing, 119–120
- Hidden shares, 374–376, 507–508
- Hierarchies
 - in administration, 14
 - for Certificate Authorities, 414–417
- High process priority, 37
- High security templates, 484–487
- High-volume user activity, domain controllers
 - for, 165
- Hisecdc.inf template, 482
- Hisecws.inf template, 482
- Historical perspective of Windows .NET, 2–3
- Hives, 61, 894
- HKEY_CLASSES_ROOT Registry key, 61
- HKEY_CURRENT_CONFIG Registry key, 61
- HKEY_CURRENT_USER Registry key, 61
- HKEY_LOCAL_MACHINE Registry key, 59–61
- HKEY_USERS Registry key, 61
- Home directories, 894
- Home Directory tab
 - in FTP, 710–711
 - in IIS, 691, 694
- Home Networking Wizard, 146
- Host Integration Server, 9, 11
- hostname command, 821
- Hosts
 - in ADSI, 183
 - in Dfs sharing, 379, 381
 - displaying, 821
- HTML (Hypertext Markup Language), 184, 894
- HTTP (HyperText Transfer Protocol), 174, 512, 894
- HTTP Headers tab, 696–697
- Http.sys component, 683, 685–686
- HW-AUTHENT TGT flag, 393
- HyperTerminal application, 819–820
- I don't want to set up this server to use RADIUS
 - now option, 580–581
- IAS. *See* Internet Authentication Service
- ICS (Internet Connection Sharing), 144, 528
- Identifying
 - attributes, 220
 - domain controllers, 879–880
 - domain schema operations master, 222–223
 - object classes, 218–220
- Idle process state, 37
- Idle timeouts in IIS, 683
- if command, 786
- IIS. *See* Internet Information Services
- IIS scripts tool, 135
- IKE (Internet Key Exchange) protocol, 573–574
- Image names in Processes window, 44
- Images in Internet Explorer, 145–146
- Implicit application dependencies, 65
- Implicit groups and permissions, 365–366, 369
- Import Template dialog box, 485
- Importing certificates, 458
- Imprecise queries, 728
- In-routing servers, 734–735
- Include my digital ID when sending signed
 - messages option, 425
- Incremental backups, 636, 894
- Incremental security templates, 481–482
- Independent MSMQ clients, 733
- Index Services, 95, 723–724, 894
 - catalogs in, 729–730
 - for finding data, 725
 - properties for, 730–731
 - query language for, 726–728
 - sizing, 725–726
- Index this attribute in the Active Directory
 - option, 245
- Indexing attributes for Global Catalogs,
 - 245–246

- Indexing Services snap-in tool, 625–626, 723–724, 729–730
- inetcorp.adm templates, 303
- inetsinfo.exe, 685–686
- inetres.adm templates, 301–302
- inetsset.adm templates, 303
- .inf files
 - defined, 894
 - for security templates, 480
- Inflected operator, 728
- Information records, 503–504
- Informational messages, 48
- Infrared modems, drivers for, 524
- Infrastructure masters, 172–173, 235
 - defined, 894
 - in installation, 97–98
- Inherit from parent the permissions that apply to child objects option, 357
- Inheritance, 894
 - in group policies, 296–299
 - of permissions, 239, 357–361
 - of rights and privileges, 14, 277–278
- INITIAL TGT flag, 393
- Initialize and Script ActiveX Controls Not Marked Safe permission, 513
- Input Filters dialog box, 585
- Install applications settings for this user only option, 654
- Install the upgrade package option, 315
- Install this certificate link, 449
- Installation
 - Active Directory, 200–208
 - in Automatic Update, 111
 - Certificate Authorities, 432–435
 - Domain Name System, 532–536
 - Internet Authentication Service, 596–597
 - Routing and Remote Access Service, 578–581
 - software. *See* Software
 - Terminal Services, 94–95, 651–656
 - Terminal Services clients, 669–670
- Windows .NET, 88
 - adapter information for, 90–91
 - across networks, 100
 - automated or unattended, 104–105
 - AutoPlay feature in, 109
 - basic, 97–98
 - checklist for, 96
 - device driver management in, 108–109
 - disk duplication in, 105
 - disk partitions in, 91
 - file system choice in, 91–92
 - Files and Settings Transfer Wizard in, 111–112
 - licensing modes in, 92
 - optional services and components in, 94–95
 - preparation for, 89
 - product updates in, 110–111
 - Remote OS Installation, 105–107
 - server migration order in, 94–96
 - of server versions, 98–99
 - system configuration in, 100–103
 - System Preparation tool in, 105–106
 - System Restore in, 112
 - troubleshooting, 107
 - uninstalling, 113
 - Windows Product Activation in, 109–110
 - workgroups vs. domain issues in, 92–94
- Instant Messaging, 145
- Integral subsystems, 32–33
- Integrated Services Digital Network (ISDN), 524
- Integrity issues in security policies, 479
- Intelligent agents, 748
- IntelliMirror technology, 67–68, 343–344
 - for policies, 324
 - for roaming documents and preferences, 344–347
- Inter-Site Topology Generator (ISTG), 225
- Interact with the session option, 658
- Interactive group, 369
- Interface, 115–116
 - administrative tools, 130–133
 - administrator, 18–20
 - character-based, 133–137
 - ClearType technology, 147
 - desktop icons, 117–119
 - DualView Monitoring Facility, 123
 - Help and Support Center, 137–140
 - internationalization and localization, 147
 - Internet connectivity, 142–146
 - Microsoft Management Console, 124–129
 - My Computer tool, 119–122
 - My Network Places, 122–123
 - for remote access VPNs, 577–578
 - Search, 140–142
 - toolbar and cascading menu system, 116–119
 - user, 17–18
 - Winkey quick keys, 146–147
- Intermediate Certificate Authorities, 413–415
- Internal connectivity in current enterprise inventory, 73
- Internal routines, 28
- Internal use, domain names for, 189
- International language support in index services, 724
- Internationalization, 147

- Internet
 - certificate management for, 513
 - VPNs over. *See* Remote access VPNs
- Internet Authentication Service (IAS), 592–596, 894
 - installing, 596–597
 - RADIUS client configuration in, 598–599
 - registering, 597
 - remote access policies in, 597
- Internet Authentication Service snap-in tool, 596–597, 599
- Internet browsers, 888
 - ActiveX components in, 513
 - security for, 512–513
- Internet Connection Firewall, 144
- Internet Connection Sharing (ICS), 144, 528
- Internet connectivity, 142–146
- Internet Explorer, 145–146
 - accessing, 118
 - for certificates, 443–444
 - for sharing folders, 374
- Internet Information Services (IIS), 95, 675–676, 894
 - data and process reliability in, 681–685
 - features in, 684–685
 - with FTP server, 706–711
 - isolation mode in, 685–686
 - management components in, 686–687
 - with NNTP server, 705–708
 - scripts in, 770
 - security in, 678–681, 694–695
 - with SMTP server, 699–704
 - Web application environment in, 686
 - Websites in
 - administering, 688–690
 - creating, 687–689
 - permissions for, 689–690
 - properties of, 690–699
 - WMI provider and command-line administration in, 678
 - XML database for, 677
- Internet Information Services snap-in tool, 680, 687, 689–690, 705
- Internet interfaces for remote access VPNs, 577–578
- Internet Key Exchange (IKE) protocol, 573–574
- Internet messaging, 744
- Internet Options dialog box, 445
- Internet Protocol (IP). *See* Dynamic Host Configuration Protocol; IP; IP addresses
- Internet Protocol (TCP/IP) Properties dialog box, 527, 537, 558
- Internet Security and Acceleration Server 2000, 10–11
- Interoperability
 - in Active Directory, 176
 - in MOM, 12, 748
- Interprocess Communication Manager, 29–30
- Interprocess Communications (IPC), 38
- Interrupt Time counter, 47
- Interrupts/sec counter, 47
- Intersite links and transports
 - creating, 227
 - in current enterprise analysis, 78
 - site links for, 225
- Intersite replication
 - process in, 168
 - schedules for, 227–228
- Intranet interfaces, 577–578
- Intrasite replication, 168
- inuse command, 136, 770
- INVALID TGT flag, 393
- Inventories
 - in current enterprise analysis, 72–73
 - for libraries, 632
 - managing, 746
- I/O Manager, 31
- IP (Internet Protocol), 894
 - datagrams in, 521–522
 - filters in, 607, 609–614
 - routing in, 525–528
 - security in, 512. *See also* IPSec; Virtual Private Networks
 - subnets in, 162–163
 - transport link options for, 227
- IP Address and Port Settings dialog box, 688
- IP Address Range window, 549–550
- IP addresses, 521–522, 894
 - Address Resolution Protocol for, 523–525
 - DHCP for. *See* Dynamic Host Configuration Protocol
 - for IIS, 688
 - in packet filtering, 509
 - parts of, 522–523
 - for secondary servers, 540
 - subnet masks for, 523
 - for VPNs, 580–581
- IP Filter List tab, 607, 609
- IP Security. *See* IPSec
- IP Security Policies on Active Directory settings, 305
- IP Security Policy Wizard, 603, 606
- IPC (Interprocess Communications), 38
- IPC\$ share, 374
- ipconfig command, 525, 821–822

- IPSec (IP Security), 21, 23, 601–602
 - authentication methods in, 603–604, 607
 - certificates for, 582, 604
 - connection types in, 605, 608
 - IP filters for, 607, 609–614
 - for L2TP, 573–574, 584–586
 - policies for, 602–604
 - tunnel settings in, 604–605, 608
- Ipseccmd.exe tool, 135
- ipxroute command, 822
- ISAPI Filters tab, 691, 693
- ISDN (Integrated Services Digital Network), 524
- Isolation mode in IIS, 685–686
- Issued Certificates store, 466
- Issuing Certificate Authorities, 414–415
- ISTG (Inter-Site Topology Generator), 225
- IT Organization in current enterprise inventory, 72
- Italics in reference guide, 758
- Items to Synchronize dialog box, 348
- Iterative requests in DNS, 530

- Java Virtual Machine (JVM), 145
- JavaScript language, 322
- Job objects, 38
- Journals in MSMQ, 732, 740
- JScript language, 18

- KCC. *See* Knowledge Consistency Checker
- Kerberos authentication, 174, 389–391, 894
 - authentication service exchange in, 391–394
 - client/server exchange in, 394–396
 - with Cluster Services, 722
 - configuring, 874–875
 - cross-forest authentication in, 405–406
 - delegation in, 399–400
 - forwarding in, 400–401
 - in IIS, 679
 - in IPSec, 604
 - logon process in, 396–397
 - policies for, 403–405
 - referral tickets in, 397–399
 - smart cards with, 431–432
 - symmetrical encryption and shared keys in, 401–403
 - ticket-granting service exchange in, 394–396
- Kernel, 895
 - in boot process, 59
 - memory for, 46
- Kernel mode, 26–32, 895
- Kernel-Mode Crypto Module, 491
- Key Distribution Centers (KDCs), 390–394, 894
- keyboard, Winkey quick keys, 146–147

- Keys
 - in Kerberos authentication, 401–403
 - in Public Key Infrastructure, 407–411
 - in Registry, 61–62
- kill.exe utility, 874
- Killing processes, 41–42, 778–779, 863, 874
- Knowledge Consistency Checker (KCC)
 - defined, 894
 - for replication, 167, 192
- ksetup.exe utility, 874–875
- ktpass.exe utility, 874–875

- L (List Folder Contents) permission, 351
- L2TP. *See* Layer 2 Tunneling Protocol
- L2TP over IPSec filters, 584–586
- Language support in index services, 724
- LANs. *See* local area networks
- Last Known Good Files, 108–109
- LastKnownGood Configuration option, 646
- LastKnownGood control set, 59
- Latency in replication, 191–192
- Launching tools, 137
- Layer 2 Tunneling Protocol (L2TP), 21
 - defined, 895
 - for VPNs, 573–574
- LDAP. *See* Lightweight Directory Access Protocol
- LDAP Duplication/Update Protocol (LDUP), 179
- LDAP Routing tab, 701, 703
- ldp.exe tool, 876
- Lease Duration window, 551
- Leases, DHCP, 550–551, 559–560
- Legacy analysis, 72, 74
- Less than signs (<)
 - in Index Services queries, 728
 - in text searches, 856
- Libraries, 630–631
 - enabling and disabling, 631
 - inventories for, 632
 - media type for, 632
- License Servers for Terminal Services, 650
- Licensing
 - in current enterprise inventory, 73
 - in installation, 92, 99
 - in Terminal Services, 650, 664
- Licensing Site Settings Properties dialog box, 229
- Life-cycle analysis, 74
- Lightweight Directory Access Protocol (LDAP), 174, 895
 - for Active Directory, 178–180
 - Digest/SASL for, 390
 - in LDAP routing, 701, 703

- Lightweight Directory Access Protocol (*cont.*)
 - managing, 876
 - for MSMQ, 744
- Limit journal storage to (KB) option, 740
- Limit message storage to (KB) option, 740
- Line Printer Remote (LPR) service, 895
- Links
 - in Active Directory, 152
 - in Dfs sharing, 380–381, 385–388
 - GPOs to Active Directory, 332
 - intersite, 227
 - in NTFS, 54
 - testing, 824–826
- List Folder Contents (L) permission, 351
- List Folder/Read Data permission, 356, 358
- listdc.vs file, 88
- listdomains.vbs file, 88
- ListView technology, 121
- LM Security Support Provider service, 842
- Lmhosts file, 530
- Load management
 - in RADIUS, 600
 - in Terminal Services, 668–669
- Local area networks (LANs)
 - defined, 895
 - drivers, 524
- Local backups, 636
- Local caches, 530
- Local certificate stores, 439–446
- Local computer option, 441
- Local Computer Policy snap-in tool, 327–332
- Local computers, 895
- Local Disk Properties dialog box, 624–625
- Local File Properties dialog box, 600
- Local groups, 279–280, 895
 - built-in, 284
 - managing, 836–837
- Local passwords, 493
- Local Policies, 305, 480
- Local Procedure Call Facility, 29
- Local/Remote Computer Policy snap-in tool, 480
- Local Security Authorities (LSAs), 168, 390, 432
- Local Settings file, 270
- Local stores, 412–417
- Local user accounts, 250–252
 - creating, 253–257
 - defined, 895
- Local user profiles, 267, 273–274
- Local Users and Groups snap-in tool, 666–667
- Localization, 147
- Localized administration, 195
- Locating. *See* Finding information
- Locations dialog box, 370–372
- Lock Computer option, 332
- Lock Workstation option, 336–338
- Lockdown Wizard, 675, 678
- Locking devices for physical security, 499
- Lockout policies. *See also* System lockdown
 - analyzing, 487
 - for passwords, 493
- Log files. *See* Logs
- Log on locally policy, 405
- Log On To option, 263
- Logging modes for group policies, 343
- Logging off, 863
- Logging on as another user, 817
- Logging option in Event Viewer, 49
- Logical structures, 70–71, 155–156
 - domains, 157
 - forests, 158–159
 - organizational units, 158–159
 - planning, 194–197
 - scaling and extensibility, 159–160
 - schema, 160–162
 - trees, 157–158
- Logman tool, 48
- Logoff program, 671
- Logoff scripts, 321
- Logon Denied option, 262
- Logon Hours option, 262, 265
- Logon/logoff events, auditing, 505
- Logon/Logoff tab, 347
- Logon names
 - as another user, 817
 - in authentication service, 390
 - for domain user accounts, 259
 - for local user accounts, 253
- Logon Permitted option, 262
- Logon scripts
 - for group policies, 321, 341
 - for profile paths, 271
- Logon services in Windows NT upgrades, 84
- Logon Settings tab, 662
- Logon tab for processes, 38
- Logon Workstations window, 263, 265
- Logons, 895
 - in boot process, 59–60
 - in Kerberos authentication, 396–397
 - in Terminal Services, 662
- Logs
 - in Active Directory, 152–154, 201, 204
 - for certificates, 458–459, 465–467
 - event, 48, 305, 480, 501–502, 504–506, 765
 - in RADIUS, 599–600
- Loose consistency in replication, 191

- LPC (Local Procedure Calls), 29–30
- lpdsvc (LPD Service), 842, 854–855
- lpq command, 851–852
- lpr command, 850
- LPR (Line Printer Remote) service, 895
- LSAs (Local Security Authorities), 168, 390, 432
- LSDOU inheritance model, 294–296

- M (Modify) permissions, 351
- MAC (Media Access Control) addresses, 523–524
- Macros in software tracing, 63
- Mail
 - certificates for, 411
 - PKI for, 425–426
 - security for, 514–516
- Manage Authorized Servers dialog box, 548
- Managed By tab, 237
- Management and Monitoring Tools component, 95
- Management tools
 - in current enterprise inventory, 73
 - in MOM, 12, 750–751
- Managing Multiple Remote Access Servers window, 581
- Mandatory attributes, 219, 221
- Mandatory user profiles, 268–269
- Map Network Drive option, 121
- Mapping
 - in Dfs sharing, 380–381
 - extensions, 497–498
 - memory, 56–57
 - network drives, 121, 372–373
- Mark Keys as exportable options, 452
- Master Boot Records (MBRs), 57, 895
- Master DNS servers, 540–541
- Master domain models, 85, 198
- Master File Table redundancy, 53
- Master operation roles, 172–173
 - location of, 193
 - managing, 235
- Max Lifetime for Service Ticket policy, 404
- Max Lifetime for User Ticket policy, 404
- Max Lifetime for User Ticket Renewal policy, 404
- Maximum connections option, 661
- Maximum password age policy, 492
- Maximum wait time for Group Policy scripts settings, 322
- Max Tolerance for Comp Clock Sync policy, 404
- MAY POSTDATE TGT flag, 393
- MBRs (Master Boot Records), 57, 895
- md command, 802
- MD5 (Message Digest 5), 402, 408
- Media
 - for backups, 635
 - removable, 630–634
- Media Access Control (MAC) addresses, 523–524
- Media errors in installation, 107
- Media pools, 632–633
- Media tab, 632
- Member Of tab, 261, 264, 267
- Member servers
 - defined, 895
 - in Windows NT upgrades, 87
- Member tab, 288
- Members tab, 290
- Memory
 - in boot process, 58
 - for device drivers, 762
 - flash, 22
 - for Index Services, 726
 - in installation, 107
 - mapping, 56–57
 - monitoring, 44, 46
 - for MSMQ, 736–737
 - for processes, 876
 - requirements for, 7
 - stored and virtual, 51–57
 - for Terminal Services, 655
- Memory support in IIS, 684
- memsnap.exe utility, 876
- Menu system, 117–119
- Message Digest 5, 402, 408
- Message digests, 680
- Message Queuing component, 95, 895
- Messages
 - chat mode, 817–818
 - FTP, 710
 - mail
 - certificates for, 411
 - PKI for, 425–426
 - security for, 514–516
 - MSMQ, 731–732
 - authentication of, 741–742
 - properties for, 741
 - purging, 741
 - routing for, 733–736
 - storage size of, 739
 - SMTP, 703–704
- Messages tab
 - in FTP, 710
 - in SMTP, 703–704
- Messenger service, 842
- Metacharacters in text searches, 856

- Metadata, 54
- MetaFrame technology, 657
- Metering software, 746–747
- \$Mft file, 53
- \$MftMirr file, 53
- MFTs (Master File Tables), 54, 895
- Microkernel, 28
- Microsoft Certificate Authorities, 418–421
- Microsoft Challenge Handshake Authentication Protocol (MS CHAP), 571
- Microsoft Cryptographic Provider, 427
- Microsoft DHCP Server service, 842
- Microsoft Explorer, 119, 793–795
- Microsoft Graphical Identification and Authentication (MSGINA) dialog box, 432
- Microsoft Management Console (MMC), 19–20, 124–125, 895
 - Active Directory snap-ins in, 181–182, 208–209
 - Active Directory Domains and Trusts manager, 209–217
 - Active Directory Replication monitor, 235
 - Active Directory Schema Manager, 217–223
 - Active Directory Sites and Services, 223–231
 - Active Directory Users and Computers, 231–235
 - creating and using, 125–126
 - modes in, 128
 - saving, 128–129
- Microsoft Message Queuing (MSMQ) services
 - administrative tools for, 738
 - enhancements to, 744–745
 - finding, 739
 - installing, 736–738
 - journals in, 732, 739
 - messages in, 731–732
 - authentication of, 741–742
 - properties for, 741
 - purging, 741
 - routing for, 733–736
 - storage size of, 739
 - network topology for, 732–733
 - permissions in, 742
 - queues in, 732–733
 - deleting, 740
 - finding, 740
 - security issues in, 741–744
- Microsoft Network Monitor dialog box, 747
- Microsoft Operations Manager (MOM), 11–12
 - features of, 749–751
 - purpose of, 748
- Microsoft Point-to-Point Encryption (MPPE)
 - method, 572
- Microsoft Scripting Debugger component, 95
- Microsoft Services for UNIX, 34
- Microsoft trust list signing, 411
- Mid-tier suites, 10
- Migration
 - in Active Directory, 180–181
 - in installation, 94–96
- MIME (Multipurpose Internet Mail Extensions), 425
- Minimum password length policy, 492
- Mirror sets, 896
- Mirrored filters, 610
- Mirrored volumes, 622–623
- Missing files, detecting, 64
- Mixed administrative models, 75
- Mixed mode environments, 896
 - changing to native mode, 213–214
 - security in, 83–84
 - in Windows NT upgrades, 81–85
- mkdir command, 802
- MMC. *See* Microsoft Management Console
- Mobile computers, ClearType technology for, 147
- Mobile Information Server, 10
- Modem drivers, 524
- Modes
 - licensing, 92
 - in MMC, 128
 - native and mixed, 82
- Modifications tab, 319–321
- Modify (M) permissions, 351
- Modify Security Method dialog box, 613
- MOM. *See* Microsoft Operations Manager
- Monitoring
 - memory, 44, 46
 - proactive, 12
 - replication, 235
 - tools for, 95
- Monitors
 - DualView Monitoring Facility for, 123
 - power management for, 772
- more command, 792–793
- Morris, James, 183
- Mount order of work queues, 634
- move command, 809
- Move dialog box, 233
- movetree.exe utility, 876–877
- Moving
 - Active Directory objects, 876–877
 - computer accounts, 233
 - domain controllers between sites, 229
 - files, 361–362, 809
 - between folders, 803–804
 - Global Catalogs, 245

- icons, 119
- media pools, 633
- organizational units, 237
 - permissions affected by, 361–362
- MPPE (Microsoft Point-to-Point Encryption)
 - method, 572
- MS CHAP (Microsoft Challenge Handshake Authentication Protocol), 571
- MS-DOS, 896
- Msg program, 671
- .MSI packages, 310–311
- msinfo32.exe utility, 876–877
- MSMQ. *See* Microsoft Message Queuing services
- Multicasting in MSMQ, 744–745
- Multihomed hosts, 525
- Multimaster domain models, 85
- Multimaster replication, 896
 - in Active Directory, 156
 - in native and mixed modes, 82
- Multiple boots, 896
- Multiple domain controllers, 165–166
- Multiple forests, 196–197
- Multiple Instances Help function, 140
- multiple servers, performance monitoring of, 47
- Multiprocessor support, 7, 37–38
- Multipurpose Internet Mail Extensions (MIME), 425
- Multitasking, 34, 36–37
- My Computer tool, 119–122
- My Documents directory
 - in profiles, 269
 - redirecting, 344–347
- My Documents icon, 117
- My IP address option, 607
- My Network Places
 - for searches, 122–123
 - for sharing folders, 372
- My Network Places icon, 118
- My Recent Documents file, 270
- My Services, 10
- Name resolution, cross-forest authentication
 - for, 197
- Name Server (NS) resource records, 897
- Name Servers tab, 541
- Named attributes, 150
- Named pipes, 36, 896
- Names
 - in Active Directory, 176–178
 - in certificates, 410
 - of computers, 99, 232, 263
 - of Dfs links, 380
 - of domain user accounts, 258–259
 - of domains, 189–190
 - of files, 52–53, 55–56, 811
 - of folders, 811
 - in IAS, 595
 - in installation, 99
 - in logon restrictions, 263
 - of network messages, 817–818, 837
 - of organizational units, 237
 - of standalone Dfs shares, 385
- Namespaces, 93, 176, 188–190, 896
- Naming contexts, 870–871
- Naming services. *See* Domain Name System; Dynamic Host Configuration Protocol
- NAS-Identifier attribute, 588
- NAS-IP-Address attribute, 588
- NAS-Port-Type attribute, 588
- NAT (Network Address Translation), 144
- Native mode, 896
 - changing to, 213–214
 - in Windows NT upgrades, 81–85
- Navigation, 17
 - Command Prompt, 758–759
 - folder, 803–804
- NBT (NetBIOS over TCP/IP) gateways, 565
- nbtstat command, 822
- NEAR operator, 727–728
- Negotiate security options, 611
- Negotiation in IPsec, 602
- Nesting groups, 82, 277–278
- net accounts command, 829–830
- net computer command, 831
- net config command, 831
- net config server command, 831–832
- net config workstation command, 832–833
- net continue command, 833
- net file command, 834
- .NET Framework, 8–9, 15–16
- net group command, 834–835
- net help command, 800, 837
- net helpmsg command, 801, 837
- net localgroup command, 836–837
- Net Logon service, 842
- net name command, 817–818, 837
- net pause command, 837–838
- net print command, 838, 852–853
- net send command, 818, 838
- net session command, 838–839
- net share command, 507, 839–840
- net start command, 841
- net statistics command, 840–841
- net stop command, 841
- net time command, 816–817, 841

- net use command, 844–845
- net user command, 844–848
- net view command, 848
- NetBIOS names
 - entering, 204
 - in logon restrictions, 263
- NetBIOS Node Type option, 552
- NetBIOS over TCP/IP (NBT) gateways, 565
- netdiag.exe tool, 877–878
- netdom.exe utility, 135, 771, 879
- NetHood file, 270
- NETLOGON share, 374
- netsh command, 135, 771
- netstat command, 823
- Network Adapter tab, 659–661
- Network adapters, 896
 - for media frames, 524
 - for Terminal Services connections, 659–661
 - for window size, 528
- Network Address Translation (NAT), 144
- Network card drivers, 896
- Network Connection Wizard, 20, 589–591
- Network DDE service, 842
- Network DDE DSDM service, 842
- Network directory, searching, 122–124
- Network group, 369
- Network Identification tab, 821
- Network Interface Cards (NICs), 896
 - for media frames, 524
 - for Terminal Services connections, 659–661
 - for window size, 528
- Network layer in OSI model, 520
- Network Media Bridge, 526
- Network Monitor, 193, 747–748
- Network Monitor Agent service, 842
- Network News Transfer Protocol (NNTP) server, 705–708, 896
- Network services
 - displaying, 831
 - managing, 831–832
 - pausing, 837–838
 - reactivating, 833
 - starting, 841
 - statistics information for, 840–841
 - stopping, 841
- Network Services component, 95
- Network settings option, 721
- Networks and networking, 519
 - architecture in, 519–521
 - backups for, 636
 - in Cluster Services, 718, 721–722
 - commands for, 818–848
 - and communications, 20–21
 - connections in
 - displaying, 822
 - for Global Catalog, 171
 - testing, 824–826
 - for VPNs, 589–591
 - connectivity tester for, 877–878
 - copying files over, 824, 826–827
 - in current enterprise inventory
 - addressing schemes, 73
 - applications, 73
 - operating systems, 72
 - speeds, 78
 - diagnostics for, 747–748, 771
 - directory services commands on, 763
 - encrypted files on, 430
 - executing commands over, 828
 - Group Policy for, 566
 - in Index Services, 723
 - in installation, 90, 100
 - IP addressing in, 521–525
 - IP routing in, 525–528
 - mapping drives on, 121, 372–373
 - for MSMQ, 732–733
 - naming services and IP assignments in. *See* Domain Name System; Dynamic Host Configuration Protocol
 - PPPoE support for, 566
 - real-time communications in, 565
 - routing tables for, 827
 - security for, 506
 - for browsers, 512–513
 - for e-mail, 514–516
 - firewalls for, 508–511
 - for network shares, 507–508
 - for RAS servers, 514
 - TCP/IP issues in, 516
 - for Web, 511–512
 - TAPI streaming support for, 565–566
 - time synchronization on, 816–817, 841
 - user management for, 844–848
- New Authentication Method Properties dialog box, 607
- New Boot Image option, 563
- New Class dialog box, 555
- New Connection Wizard, 526
- New Group option, 288
- New Host Record dialog box, 534–535
- New Link dialog box, 385, 387
- New Object - Group dialog box, 288, 290
- New Object - User window, 258–261
- New option for group policies, 334
- New Pointer (PTR) option, 534
- New Quota option, 628

- New Remote Access Policy option, 587, 597
- New Reservation dialog box, 553, 564
- New Resource Record dialog box, 536
- New Restriction dialog box, 466
- New Root Wizard, 383–384, 386
- New Scope Wizard, 547, 549–551
- New Site Link dialog box, 227
- New Static Route option, 582
- New Superscope Wizard, 556
- New Task dialog box, 41
- New User dialog box, 253–255
- New Zone Wizard, 533–535, 540–541
- NICs. *See* Network Interface Cards
- NIST Hash Algorithms, 490–491
- nltest.exe utility, 879–880
- NNTP (Network News Transfer Protocol) server, 705–708, 896
- No Override option, 337
- Nodes
 - defined, 897
 - IP addresses for, 521
- Non-repudiation in e-mail, 514
- Nonauthoritative backups, 229
- Nonauthoritative restores, 897
- Noncaching proxies, 511
- Nonces, 402–403
- Noncontainer objects, 897
- Nonpaged memory, 897
- Nonresident data in NTFS, 54
- Nontransitive trusts, 897
- Normal backups, 636, 897
- Normal messages, 732
- Normal process priority, 37
- NOT operator, 727–728
- Notification for DNS servers, 541–544
- Notify dialog box, 542
- Notssid.inf template, 482
- NS (Name Server) resource records, 897
- nslookup command, 824, 897
- NT LAN Manager (NTLM) authentication, 897
- Ntbackup utility, 637–643, 644, 782–785
- Ntdetect.com file, 58
- Ntds.dit file, 152, 160, 167
- NTDS settings object, 168
- Ntdsutil utility, 230, 644
- NTFS file system, 52–56, 897
 - compression in, 619–620
 - converting to, 814
 - Disk Management for, 625–626
 - in installation, 91–92
 - permissions in, 349–350
 - for folders, 352–357
 - inheritance of, 357–361
 - ownership, 362–366
 - standard and special, 350–351
- NTGlobalFlag, 872–874
- NTLDR file, 57, 59
- NTLM (NT LAN Manager) authentication, 897
- NTLM authentication, 389–390
- Ntuser.DA_ file, 62
- Number of seconds before forward queries time out option, 544
- Number signs (#) in queries, 727
- Numbers in queries, 727
- Object Access category logs, 503
- Object Identifiers (OIDs), 161, 594
- Object Linking and Embedding (OLE), 897
- Object Manager, 29, 36
- Object table, 152
- Objects and object classes, 36, 150–152, 155, 897
 - attributes for, 150, 160–162, 170–171, 219
 - creating, 221–222
 - finding, 17, 237–239
 - identifying and modifying, 218–220
 - permissions for. *See* Permissions
 - in schema, 160–162
 - in Windows NT upgrades, 83
- Obtain an IP address automatically option, 558
- Obtain DNS server address automatically option, 558
- Offline auditing, 501–502
- Offline cluster server nodes, 897
- Offline Files Wizard, 345
- Offline Folder settings, 324
- Offline servers in Dfs sharing, 382
- OIDs (Object Identifiers), 161, 594
- OLE (Object Linking and Embedding), 897
- On-demand router-to-router VPNs, 575
- On-demand starting in IIS, 683
- On-disk catalogs, 897
- On Idle tab, 347
- On-media catalogs, 898
- On-the-fly editing, 677
- One-way trusts, 85, 185, 211–212, 898
- Online cluster server nodes, 898
- OnNow applet, 22
- Open Database Connectivity (ODBC), 897
- Open Directory Service Interfaces (ODSI), 183
- Open files, displaying, 771
- Open Files node for shares, 374, 376
- Open option, 446
- Open Shortest Path First (OSPF) protocol, 526
- Open standards for Active Directory, 173–174
 - DNS, 175–176

- Open standards for Active Directory (*cont.*)
 - interoperability issues, 176
 - LDAP, 178–180
 - naming conventions, 176–178
- Open Systems Interconnect (OSI) model, 519–521
- Open With window, 498, 791
- openfiles command, 135, 771
- Operating system files, 119
- Operating systems
 - in legacy analysis, 74
 - maintenance of, 13
- Operational management in current enterprise analysis, 80
- Operations Manager, 747–751
- Operations Master dialog box, 218
- Operations masters, 172–173, 898
 - location of, 193
 - managing, 235
- Operator requests, managing, 633–634
- Operators
 - defined, 898
 - in IIS, 691
- Operators tab, 691, 692
- Optional attributes, 219, 221
- Optional services and components, 94–95
- Options option for group policies, 334
- OR operator, 727–728
- Organization name in installation, 99
- Organization tab, 261
- Organizational analysis in current enterprise analysis
 - of processes and dynamics, 75–76
 - of structure, 74–75
- Organizational-Unit (OU) attribute, 176
- Organizational units (OUs), 14, 74–75, 898
 - in Active Directory, 158–159
 - creating, 236–237
 - planning, 194
- Orphaned files, 898
- Orphaning work processes, 683
- Orphans, 898
- OS/2 subsystem
 - limitations of, 34
 - as security threat, 498–499
- OSI (Open Systems Interconnect) model, 519–521
- OSPF (Open Shortest Path First) protocol, 526
- OU (Organizational-Unit) attribute, 176
- OUs. *See* Organizational units
- Out-routing servers, 734–735
- Outbound Security option, 701
- Overriding
 - environment settings, 664
 - policy inheritance, 298–299
- Owner tab for permissions, 367
- Owners
 - defined, 898
 - in printing, 851
- Ownership, 362
 - denying rights example, 362–363
 - of files, 779–780
 - implicit groups in, 365–366
 - in MSMQ, 743
 - permission settings in, 350, 364–366
 - transferring ownership example, 363–365
- Package can upgrade over the existing package option, 315
- Packaging applications, 310–311
- Packet filtering, 509–510
- Packet headers, 898
- Packets, 898
- Page faults, 898
- Paged pools, 898
- Paged results, 247
- Pagefileconfig command, 135, 771
- Pagefiles, 56–57, 771
- Pages in printing, 851
- Paging, 51
 - defined, 898
 - in virtual memory model, 29, 56–57
- Parallel ports device, Remote Desktop for, 671
- Parent classes, 218
- Parent domains, 898
- Parent objects, 898
- Parentheses in batch commands, 786
- Partition boot sectors, 898
- Partition Table, 57
- Partitioned nodes in clustering, 716
- Partitions, 898
 - in Active Directory, 154
 - in installation, 91
 - managing, 619
- Password Authentication Protocol (PAP), 571
- Passwords, 898
 - for administrator accounts, 99, 489–491
 - in authentication service, 390
 - for BIOS settings, 500
 - with Cluster Services, 722
 - for domain user accounts, 257, 259–260
 - filtering, 82, 494
 - local, 493
 - for local user accounts, 253

- in native and mixed modes, 82
 - policies for, 487, 492–494
 - for Remote Access Service, 514
 - setting, 494
 - user responsibility for, 517
 - writing down, 490, 494
- Passwords must meet password filter requirements policy, 492
- Passwords never expires property, 260
- Patch files
 - in Active Directory, 154
 - redeploying, 315–317
- Path to target setting, 385
- pathping command, 824, 826
- Paths, 899
 - in Dfs sharing, 385
 - displaying, 801
 - profile, 271–272
 - for scripts, 341
 - security for, 496–498
- Pattern matching
 - in Index Services queries, 728
 - in string searches, 856–858
- pause command, 786
- Pausing
 - batch files, 779, 781, 786
 - FTP, 706
 - Index Services, 729
 - network services, 837–838
 - NNTP, 705
 - printing, 853–854
 - in remote access clients, 591
 - in SMTP, 700
- PDC Emulators, 83, 172, 899
- PDC operations masters, 235, 326
- PDCs. *See* Primary Domain Controllers
- Peak Memory Usage, 899
- Pels, 899
- Pending certificates, 449, 455
- Pending Requests store, 466
- Per seat licensing modes
 - defined, 899
 - in installation, 92
- Per server licensing modes
 - defined, 899
 - in installation, 92
- Performance Monitor, 193
- Performance monitoring
 - in current enterprise analysis, 80
 - for disks, 860
 - in MOM, 749–750
- Performance Properties tab, 691
- Performance screen, 44–48
- Performance tab
 - in IIS, 693
 - in Task Manager, 40, 863
- Periods (.) in text searches, 856
- Permission Entry for Software Config dialog box, 356, 358
- Permission Entry for Subfolder dialog box, 356, 363
- Permissions, 899
 - in Active Directory, 238–241
 - in ActiveX, 513
 - for backups, 636
 - for groups, 264, 291–292
 - in IIS, 679, 681
 - inheriting, 239
 - for local user accounts, 256–257
 - in MSMQ, 742
 - for network shares, 507
 - NTFS, 349–350
 - for folders, 352–357
 - inheritance of, 357–361
 - ownership, 362–366
 - standard and special, 350–351
 - for RAS Server, 205
 - for shared folders, 366–371, 376
 - with SIDs, 250
 - in SMTP, 700
 - for Terminal Services connections, 661
 - troubleshooting, 864–865
 - user responsibility for, 517
 - for Websites, 689–690
- Permissions for Software Configuration dialog box, 369, 371
- Permissions tab, 661
- Permissions Wizard, 689–690
- Permit options for IP filter actions, 611
- Persisted ASP template caches in IIS, 684
- Persistent router-to-router VPNs, 575
- Personal stores, 413
- Personal user profiles, 269–271
- Personnel in current enterprise analysis
 - needs of, 79
 - training of, 74
- PF History data, 46
- PF Usage data, 46
- Phrase mode in queries, 727–728
- Physical layer in OSI model, 519–520
- Physical memory, 46, 51
- Physical security, 499–500
- Physical structures, 70–71, 162
 - in current enterprise analysis, 73, 77–80
 - domain controllers, 164–166
 - domain relationships, 163–164

- Physical structures (*cont.*)
 - planning, 190–193
 - sites, 163
- PIDs (process identifiers), 778, 901
- ping command, 824–825, 899
- Pipe symbol (|)
 - in batch commands, 786
 - in Index Services queries, 727
 - in reference guide, 758
- Pipes, 36
- PKCS (Public Key Cryptography Standards), 491
- PKI. *See* Public Key Infrastructure
- Planning
 - for Active Directory
 - domain controllers, 198–199
 - logical structure, 194–197
 - namespace, 188–190
 - physical structure, 190–193
 - sizing, 199
 - upgrades, 197–198
 - for Windows .NET, 69–70
 - current enterprise in, 71–80
 - logical and physical structures in, 70–71
 - Windows NT upgrades, 81–88
 - planning modes for group policies, 343
 - Plug and Play facility, 21, 899
 - Plug and Play Manager, 31
 - Plus signs (+) with copy, 808
 - pmon.exe utility, 879
 - Point-to-Point Protocol (PPP)
 - defined, 899
 - in VPNs, 572
 - Point-to-Point Protocol over Ethernet (PPPoE), 566
 - Point-to-Point Tunneling Protocol (PPTP), 21
 - defined, 899
 - in VPNs, 573–574
 - Pointer (PTR) resource records, 899
 - Pointer (PTR) tab, 536
 - Points of presence (POPs)
 - defined, 899–900
 - RADIUS for, 593, 595
 - Policies, 899
 - group. *See* Group policies
 - IPSec, 602–604
 - Kerberos authentication, 403–405
 - PKI, 421–422
 - for remote access VPNs, 586–589
 - RSoP, 769
 - for security, 478–479
 - SCA tool for, 483–487
 - templates for, 479–483
 - in ZAW, 18
 - Policy change events
 - auditing, 506
 - logs for, 503
 - Policy Module tab, 469–471
 - Policy Settings store, 466
 - Policy Templates dialog box, 302–303
 - pool allocations, monitoring, 46
 - POP3 servers in installation, 102
 - POPs. *See* points of presence
 - Port devices, Remote Desktop for, 671
 - Port IDs, 900
 - Port rules, 900
 - Portable Operating System Interface
 - Computing Environment (POSIX), 900
 - as security threat, 498–499
 - support for, 34
 - Ports, 900
 - in IAS, 596–597
 - for packet filtering, 509–510
 - for printers, 849, 851, 854
 - for remote access VPNs, 584–585
 - Ports tab, 596–597, 854
 - POSTDATED TGT flag, 393
 - Potential change and growth in current
 - enterprise analysis, 76
 - Power failures, 647
 - Power management, configuring, 771–774
 - Power Manager, 32
 - Power On Self-Test (POST), 57
 - Power Users group, 257
 - powercfg command, 136, 771–774
 - PPP. *See* Point-to-Point Protocol
 - PPPoE (Point-to-Point Protocol over Ethernet), 566
 - PPTP. *See* Point-to-Point Tunneling Protocol
 - PRE-AUTHENT TGT flag, 393
 - Pre-Boot Execution Environment (PXE), 68, 105–106
 - Predefined keys, 900
 - Preemptive multitasking, 34, 36–37
 - Preliminary initialization in boot process, 59
 - Preliminary Steps window, 532
 - Preprocessors in software tracing, 63
 - Presentation layer in OSI model, 521
 - Preshared keys in IPSec, 604
 - Primary Domain Controllers (PDCs), 83, 900
 - in Active Directory, 164–165
 - upgrading, 198
 - in Windows NT upgrades, 87
 - Primary partitions, 900
 - Primary zone option, 532–533
 - print command, 850–851

- Print jobs, 900
- Print Operators group, 285
- Print scripts tool, 135
- Print Server for Macintosh service, 843
- Print servers
 - defined, 900
 - in installation, 102
- print\$ share, 374
- Print spoolers, 900
- Printer drivers, 900
- Printer fonts, 900
- Printer permissions, 900
- Printer Wizard, 108
- Printers, 900
 - creating, 848–849
 - finding, 122–124
 - information about, 838
 - managing, 853–854
 - properties for, 854
 - publishing to Active Directory, 377
 - Remote Desktop for, 671–672
 - sending files to, 849–851
- Printers folder, 848
- Printers window, 850
- PrintHood file, 270
- Printing
 - background, 850–851
 - scripts for, 774–775
 - status of, 851–853
- Printing Node Help function, 140
- Printing pools, 900
- Priorities
 - for permissions, 277
 - for processes, 28, 863
- Private keys
 - defined, 900
 - exporting, 456–457, 463–464
- Private queues, 732
- Privilege use events
 - auditing, 506
 - logs for, 503
- Privileged Time counter, 46
- Privileges, 277–278. *See also* Permissions
- Prcnfg.vbs script, 774
- Prndrvr.vbs script, 774
- Prnjobs.vbs script, 774
- Pnmngr.vbs script, 774
- Prnport.vbs script, 775
- Prnqctl.vbs script, 775
- Procedures in reference guide, 758
- Process identifiers (PIDs), 778, 901
- Process Manager, 29
- Process Monitor, 879
- Process Viewer, 879
- Processes, 35–37, 901
 - commands for, 860–863
 - component services, 38–39
 - in current enterprise analysis, 75–76
 - displaying, 44–48, 778, 780
 - in IIS, 681–685, 691
 - Interprocess Communications, 38
 - listing, 883
 - memory used by, 876
 - multi-processor support, 37–38
 - starting, 41–42
 - stopping, 778–779
 - Task Manager, 39–42
 - terminating, 41–42, 863, 874
 - throttling, 684, 691
- Processes tab, 40–41, 863
- Processor accounting, 38
- Processor Queue Length counter, 46–47
- Processor Time counter, 46
- Processors, throttling, 773
- Product types, determining, 769–770
- Product updates, automatic, 110–111
- Profile tab, 261, 271–272, 274–275
- Profiles. *See* User profiles
- Program Files Properties dialog box, 352
- Propagate inheritable permissions to all subfolders and files option, 308
- Properties
 - Active Directory, 162
 - application, 313–321
 - certificate, 469–473
 - cluster, 720–721
 - computer account, 231
 - Domain Name System, 868–869
 - domain user account, 259–266
 - file and folder, 793–799
 - group policy, 334
 - Index Services, 730–731
 - MSMQ, 741
 - object class, 218–219
 - printer, 854
 - Website, 690–699
- Properties dialog box, 218–219
- Protected environmental subsystems, 32
- Protected user mode system, 32–35
- Protocol tab, 610–611
- Protocols, 901
 - in installation, 99
 - for IP filters, 610–611
- PROXIBLE TGT flag, 393, 399
- Proxy authentication, 399
- Proxy Server program, 11

- Proxy servers
 - operation of, 510–511
 - for RADIUS, 600
- PROXY TGT flag, 393, 399
- PTR (Pointer) resource records, 899
- Public key certificates, 604
- Public key cryptography, 901
- Public Key Cryptography Standards (PKCS), 491
- Public Key Infrastructure (PKI), 389, 406–407, 901
 - authenticode in, 425–426
 - certificates in. *See* Certificate Authorities; Certificates
 - digital signatures in, 408–410
 - for e-mail, 425–426
 - encryption in, 408, 426–431
 - for IPsec, 601
 - keys in, 407–411
 - public key policies for, 421–422
 - roaming and recovery in, 418
 - for Web security, 422–425
- Public Key Policies settings, 305
- Public keys, 901
- Public queues, 732
- Public Web Site option, 689–690
- Publication Settings tab, 471, 474
- Publishing
 - applications, 310–311
 - for folder sharing, 377
- Purging MSMQ messages, 741
- pviewer.exe command, 879
- PXE (Pre-Boot Execution Environment), 68, 105–106

- Quality of Service (QoS), 901
- Quality of Service (QoS) Packet Scheduler, 528
- Quantum types, 37
- Queries in Index Services, 901
 - forms for, 725
 - language for, 726–728
- Query process program, 671
- Query session program, 671
- Query termsrv program, 671
- Question marks (?)
 - with comp, 788
 - with del, 805
 - with dir, 796
 - with fc, 785
- Queues, 901
 - MSMQ. *See* Microsoft Message Queuing services
 - print, 851–853
- Quorum of Nodes feature, 722

- Quorum resources for clusters, 714, 716
- Quota limits, 901
- Quota tab, 626–628
- Quotas, disk, 626
 - for all users, 627–628
 - for individual users, 628
- Quotation marks (") in Index Services queries, 727

- R (Read) permissions, 351
 - in Active Directory, 239
 - for shared folders, 369
- RADIUS. *See* Remote Authentication Dial-In User Service
- RAID (Redundant Array of Independent Disks), 901
- RAID-5 volumes, 623, 901
- RAM (Random Access Memory), 901
 - for installation, 90
 - paging, 51
- Ranges in text searches, 856
- Rapid fail protection in IIS, 683
- RAS. *See* Remote Access Service Servers
- rcp command, 824, 826–827
- rd command, 803
- RDNs (relative distinguished names), 177, 902
- RDP-TCP (Remote Desktop Protocol) stack, 656–657
- Re-order Mounts option, 634
- Read permissions, 351
 - in Active Directory, 239
 - for shared folders, 369
- Read Attributes permission, 356, 358
- Read & Execute (RX) permissions, 351
- Read Extended Attributes permission, 356, 358
- Read-Only attribute, 793
- Read-Only Memory (ROM), 901
- Read-Only mode in Registry Editor, 62
- Read Permissions permission, 356, 359
- Real-time communication servers in installation, 102
- Real-Time Communications (RTC), 565
- Real-Time message multicasting, 744
- Real time process priority, 37
- Realm names in IAS, 595
- Reboot, replacing files on, 770
- Recoverable MSMQ messages, 732
- Recovery
 - in disasters. *See* Disaster management
 - in PKI, 418
 - in security policies, 479
 - in Windows NT upgrades, 87
- Recovery agents, 901

- Recovery Console, 646, 902
- Recovery tab, 38
- Recreational Software Advisor Council (RSAC)
 - rating system, 696
- Recursion in DNS, 530–531
- Recycle Bin, 118, 902
- Recycling IIS work processes, 683–684
- Redeploying software patches, 315–317
- Redirecting folders, 324–325, 342–347
- Redirection
 - to clipboard, 761
 - for Terminal Services, 671–673
- Redundancy
 - domain controllers for, 165
 - Master File Table, 53
- Redundant Array of Independent Disks (RAID), 901
- Referral tickets, 397–399
- Referrals in LDAP, 179
- Refreshing policy settings, 325–326
- Refuse option for operator requests, 634
- Reg.exe tool, 135
- regfind command, 775–776
- Regional settings
 - for date and time, 815
 - in installation, 99
- Regional Settings Properties window, 815
- Register program, 671
- Register this connection's address in DNS
 - option, 560
- Registered file types, 902
- Registry, 59–60, 902
 - in domain controller backups, 229
 - extension associations in, 498
 - monitoring, 46
 - permissions for, 494–495
 - policy settings in, 306–309
 - searching in, 775–776
 - security snap-ins for, 480
 - structure of, 61–62
 - tattooing, 338
- Registry boots, 902
- Registry Editor, 62–63
- Registry.pol file, 302
- Regular expressions
 - in Index Services queries, 727–728
 - in text searches, 856
- Relational mode in queries, 727
- Relational operators, 728
- Relationships
 - in groups, 277–278
 - in object classes, 218
- Relationships tab, 218
- Relative distinguished names (RDNs), 177, 902
- Relative Ids (RIDs), 902
 - masters for, 173, 235, 902
 - in Windows NT upgrades, 83
- Relative names, 902
- Relaxed Security level, 651–653
- Relay agents, 556–557
- Reliability in IIS, 681–682
- Relog tool, 48
- rem command, 786
- Remote access
 - credentials for, 143
 - defined, 902
 - in IAS, 597
- Remote Access Connection Manager service, 843
- Remote Access ISNSAP service, 843
- Remote Access Server, 843
- Remote Access Service (RAS) servers, 21, 265–266
 - defined, 902
 - in installation, 102
 - permissions for, 205
 - security for, 514
- Remote access VPNs, 576
 - client configuration for, 589–591
 - Internet and intranet interfaces for, 577–578
 - IPSec certificates for, 582
 - L2TP over IPSec filters, 584–586
 - policies for, 586–589
 - routing setup for, 578–581
 - static router configuration for, 582–584
 - tunnel ports for, 584–585
 - viewing clients in, 592–593
- Remote administration, 902
 - in SMS, 747
 - in Terminal Services, 653
- Remote Assistance Help function, 139–140
- Remote Authentication Dial-In User Service (RADIUS), 592–596, 902
 - client configuration in, 598–599
 - load balancing in, 600
 - logging in, 599–600
 - proxy servers for, 600
- Remote computers, 902
- Remote Control tab, 667–668
 - for Terminal Services connections, 657–658
 - for user account properties, 261
- Remote Desktop, 671–672
- Remote Desktop Protocol (RDP-TCP) stack, 656–657
- Remote Desktop Users group, 649–650
- Remote Desktop Web Connection, 665

- Remote Desktops MMC, 665–666
- Remote Installation component, 95
- Remote Installation Preparation (RIPrep), 106
- Remote Installation Services (RIS), 106
- Remote Installation Services Setup Wizard, 106
- Remote Interactive Logon right, 649–650
- Remote OS Installation, 68, 105–107
- Remote Procedure Call (RPC) facility, 902
 - in Active Directory replication, 167
 - regulation of, 29–30
- Remote Procedure Call (RPC) Locator service, 843
- Remote Procedure Call (RPC) Service, 843
- Remote storage
 - diagnostic information for, 880, 882
 - for removable media, 634–635
- Remote Storage Service (RSS), 22
- Remote Storage snap-in tool, 634–635
- Remote systems, executing commands on, 828
- Remoteboot service, 843
- Removable media and storage, 630–634
- Removable Media snap-in tool, 630
- Removable Storage Management (RSM), 22
- Removable Storage snap-in tool, 19, 631–634
- Remove Lock Computer Properties dialog box, 332, 334
- Remove Lock Computer setting, 335–336
- Remove option
 - for permissions, 360
 - for scripts, 341
- Remove Software dialog box, 317
- Removing. *See* Deleting
- ren command, 811
- rename command, 811
- Renaming
 - domains, 189–190
 - files and folders, 811
 - organizational units, 237
- RENEWABLE TGT flag, 393
- Renewals, DHCP, 560
- Reorganizing icons, 119
- Repackaging tools, 311
- repadmin.exe utility, 879–881
- Reparse points, 54
- Replace existing permissions on all subfolders and files with inheritable permissions option, 308
- Replacing files on reboot, 770
- Replicate this attribute to the Global Catalog option, 246
- Replication, 902
 - in Active Directory, 167–169
 - collisions in, 169
 - component objects for, 168–169
 - forced checks in, 230
 - frequency of, 225
 - intersite and intrasite, 167
 - latency in, 191–192
 - monitoring, 235
 - in native and mixed modes, 82
 - planning, 190–193
 - schedules for, 225, 227–228
 - topology in, 192–193, 879–881, 903
 - and Windows NT upgrades, 85
 - in zones, 538–539
- Replication Monitor tool, 193, 880
- Replicator group, 285
- replmon.exe command, 880
- Report messages, 732
- Report queues, 732
- Reporting
 - DNS configuration, 189
 - in MOM, 12
- Reporting tools in MOM, 750
- Request a certificate link, 451
- Request Handling tab, 470–471
- Request routing, 197
- Request Security Properties dialog box, 612
- Request store, 413
- Require user's permission option, 658
- Required upgrade for existing packages option, 314–315
- Rescan Disks option, 621
- Reservations in DHCP, 552–553, 563
- Reserved log files, 154
- Reset Lockout Counter policy, 493
- Reset session program, 671
- Resident data in NTFS, 54
- Resource Kit, 64, 864–883
- Resource Monitor, 714
- Resource records (RRs), 903
- Resources
 - for ADSI, 182–183
 - for clusters, 714, 721
 - displaying shared, 839–840, 848
 - finding, 122–124
 - shared connections for, 844–845
- Response messages, 732
- Response queues, 732
- Restart option for remote access clients, 591
- Restoration, 642–644
 - authoritative, 644
 - batch, 642–643
 - in current enterprise inventory, 73
 - in DHCP, 561–562
 - of domain controllers, 229–230

- operation of, 640–643
 - of schema, 223
 - security for, 499
- Restore and Manage Media tab, 641–642
- Restore points, 112
- Restore tab, 638, 640
- Restricted group, 369
- Restricted Groups settings, 304–306
- Restricted user option, 257
- Restrictions
 - for authority logs, 459, 466
 - for groups, 304–306, 480
 - for logons, 263, 403–404
 - for scripts, 512
- Resultant Set of Policy (RSOP), 343, 769
- Resuming
 - printing, 853–854
 - remote access clients, 591
- Reverse lookup zones, 532–535
- Revert To Basic Disk command, 618
- Revoke Certificate option, 459
- Revoked Certificates Properties dialog box, 467
- Revoked Certificates store, 466
- RIDs. *See* relative identifiers
- Rights, 277–278. *See also* Permissions
- RIP (Routing Information Protocol), 526
- RIPrep (Remote Installation Preparation), 106
- RIS (Remote Installation Services), 106
- rmdir command, 803
- Roaming
 - IntelliMirror for, 344–347
 - in PKI, 418
 - user profiles for, 268, 274–276
- Rolling back device drivers, 108
- Rollout support, 80
- ROM (Read-Only Memory), 901
- Root CA certificates, retrieving, 446–451
- Root Certificate Authorities, 414–415
- Root nodes in Dfs sharing, 377–379
- Root shares, permissions in, 507
- Roots, 903
- Rootsec.inf template, 482
- Route command, 827
- route print command, 583
- Routers, 525–526, 903
 - in DHCP, 552
 - for remote access VPNs, 575–576, 582–584
 - testing, 824, 826
- Routing
 - cross-forest authentication for, 197
 - in IP, 525–528
 - in MSMQ, 733–736
 - for remote access VPNs, 578–581
- Routing and Remote Access Service, 578–581
- Routing and Remote Access Service Wizard, 578–581
- Routing and Remote Access snap-in tool
 - for IP routing, 526
 - for RADIUS client configuration, 598
 - for viewing remote access clients, 592–593
- Routing Information Protocol (RIP), 526
- Routing links
 - auditing, 745
 - for MSMQ, 733, 735
- Routing tab, 735
- Routing tables
 - displaying and modifying, 822
 - in IP routing, 525–526
 - managing, 827
- RPC. *See* Remote Procedure Call facility
- RPC (Remote Procedure Call) Locator service, 843
- RPC (Remote Procedure Call) Service, 843
- RRs (resource records), 903
- RSA, 903
- RSAC (Recreational Software Advisor Council)
 - rating system, 696
- rsdiag.exe utility, 880, 883
- rsh command, 828
- RSM (Removable Storage Management), 22
- RSOP (Resultant Set of Policy), 343, 769
- RSS (Remote Storage Service), 22
- RTC (Real-Time Communications), 565
- Rules in MOM, 748–751
- Rules tab, 606
- Run ActiveX Controls and Plug-Ins permission, 513
- Run dialog box
 - for launching tools, 137
 - for sharing folders, 373
- Run legacy logon scripts hidden option, 322
- Run menu, 137
- Run-time engine, 9
- Runs in NTFS, 54
- RX (Read & Execute) permissions, 351
- S/MIME (Secure Multipurpose Internet Mail
 - Extensions), 425, 904
- SACLs. *See* System Access Control Lists
- SADS, 161
- Safe Mode
 - defined, 903
 - for disaster recovery, 645
- SAM. *See* Security Account Manager
- Sam. file, 62
- SAN (Storage Area Network) support, 722

- SASL (Simple Authentication and Secure Layer), 390
- Save password as encrypted clear text option, 264
- Saving
 - computer account queries, 234
 - Microsoft Management Console, 128–129
 - templates, 483
- sc command, 135, 775
- SCA. *See* Security Configuration and Analysis
 - snap-in tool
- Scalability
 - in IIS, 684
 - in MOM, 12, 748
 - in native and mixed modes, 82
- Scaling in Active Directory, 159–160
- Scanner dialog box, 108
- Scanning documents for indexing, 723
- Scavenge stale resource records option, 546
- Scavenging in DNS, 544–546
- Schannels (Secure Channels) in PKI, 407, 422
- Schedule for NTDS Site Settings dialog box, 228
- Schedule Jobs tab, 639
- Schedule service, 843
- Schedule tab
 - for Active Directory connection configuration, 247
 - for backups, 638
- Scheduled tab, 347
- Scheduled Tasks Setup window, 43
- Scheduling
 - at command for, 860–862
 - backups, 638–639
 - printers, 854
 - replication, 225, 227–228
 - tasks, 43
- Scheduling tab, 854
- Schema, 903
 - of Active Directory, 152, 154–155, 160–162
 - availability and restoration of, 223
 - managing, 217–223
- Schema Active Directory Service (SADS)
 - Interface, 161
- Schema Admins group, 286
- Schema masters, 173
 - defined, 903
 - in installation, 97
- Schema partitions, replication of, 223–224
- Schema table, 152, 154
- SchTasks.exe tool, 135
- Scope, 903
 - in DHCP, 548–553, 556–557, 562–563
 - in groups, 278
 - domain local, 278–280
 - global, 280–281
 - universal, 281
- Scope Options dialog box, 553–554
- Scope Options node, 552
- Script ActiveX Controls Marked Safe for Scripting permission, 513
- Script tab, 752
- Scripts, 18, 903
 - in ADSI, 183–184, 754
 - for group policies, 321–323, 341–342
 - in IIS, 686
 - for printing, 774–775
 - restricting, 512
 - Windows Scripting Host for, 750–756
- sdcheck.exe tool, 881, 882
- SDI Delegated Access mode, 128
- Search Companion, 141–142
- Search feature, 140–142
- Searching
 - for computer accounts, 233–234
 - in Dfs sharing, 382
 - in Event Viewer, 49
 - for files, 140–142
 - in help, 137–140
 - Index Services for, 725
 - for MSMQ queues, 740
 - in network directory, 122–124
 - for objects, 17, 237–239
 - in registry, 775–776
 - for strings, 855–858
- seccedit command, 325, 487, 881
- Secondary DNS servers
 - notification for, 541–544
 - synchronizing, 538–541
- Secondary zones, 531–532
- Secure Channels (Schannels) in PKI, 407, 422
- Secure e-mail, certificates for, 411
- Secure Hash Algorithm 1 (SHA-1), 408, 491, 903
- Secure HTTP protocol, 512
- Secure Multipurpose Internet Mail Extensions (S/MIME), 425, 904
- Secure Server (require security) policy, 603
- Secure Sockets Layer (SSL), 904
 - in IIS, 681
 - in PKI, 407, 422
- Secure storage for backup media, 636
- Secure Web Site option, 690
- Securedc.inf template, 482
- Securews.inf template, 482
- Securities tab, 634

- Security, 23, 477–478
 - in Active Directory, 184–185
 - analysis of, 487, 492–494
 - Authorization Manager for, 487
 - in Automatic Update, 111
 - configuring, 484–486
 - in current enterprise analysis, 76
 - for e-mail, 514–516
 - firewalls for, 144, 508–511
 - in FTP, 516, 709–711
 - group filtering for, 300, 339–341
 - and group policies, 303–309
 - in IIS, 675–676, 678–681, 694–695
 - for Internet browsers, 512–513
 - IP. *See* IPSec
 - in MSMQ, 742–744
 - for network shares, 507–508
 - in NTFS file system, 53
 - permissions for. *See* Permissions
 - physical, 499–500
 - policies for, 478–487
 - for RAS servers, 514
 - for removable storage, 634
 - in SMTP, 700–704
 - system lockdown for. *See* System lockdown
 - in TCP/IP, 516
 - templates for, 479–483
 - for Terminal Services, 650–653
 - for user accounts, 479–480, 488–491
 - user responsibility for, 516–517
 - VPNs for. *See* Virtual Private Networks
 - Web, 422–425, 511–512
 - in Windows NT upgrades, 83–84
- Security Account Manager (SAM)
 - defined, 903
 - in Windows NT upgrades, 84
- Security Accounts tab, 708–709
- Security Configuration and Analysis (SCA)
 - snap-in tool, 479–480, 482–483
 - for security analysis, 487
 - for security configuration, 484–486
- Security Configuration Editor, 23, 303
- Security descriptors, 904
 - in NTFS, 55
 - obtaining, 881, 883
- Security dialog box, 360–361
- Security file, 62
- Security groups, 904
 - assigning, 282
 - nesting, 82
 - tasks of, 277
- Security identifiers (SIDs), 30, 83, 904
 - with cross-forest authentication, 405
 - for domains, 189
 - masters for, 173
 - in remote installation, 105
 - for user accounts, 250
- Security Lockdown Wizard, 675
- Security Log, 501, 503
- Security tab, 238
 - for certificates, 471
 - for disk management, 626
 - for e-mail, 514–515
 - for groups, 291
 - for Internet browsers, 513
 - in MSMQ, 743–744
 - in NNTP, 708
 - for object classes, 219
 - for permissions, 240, 352–353, 360, 363–364, 368
 - for printers, 854
 - for RADIUS client configuration, 598
 - in SMTP, 703–704
 - for Windows Scripting Host, 753
- Security Methods tab, 611–612
- Security Reference Monitor (SRM), 30
- Security Support Providers (SSPs), 390
- Security Template snap-in tool, 303, 304, 479–481
 - for custom templates, 483
 - predefined templates in, 481
- Security window, 817, 863
- Select Attribute dialog box, 589
- Select Computer dialog box, 442
- Select Computer window, 817
- Select Configuration Action window, 532–533
- Select Group Policy Object dialog box, 329
- Select Registry Key dialog box, 306–307
- Select User or Group dialog box, 275–276
- Select Users, Computers, or Groups dialog box
 - for permissions, 353–355
 - for shared folders, 370–371
- Security window, 817, 863
- Select Users, Contacts, Computers, or Groups dialog box, 290–291
- Select Users, Group, or Computer dialog box, 744
- Semaphores, 36
- Send Message option, 592
- Send to All option, 592
- Sending files to printer, 849–851
- SendTo file, 270
- Serial numbers in certificates, 410
- Serial ports device, Remote Desktop for, 671

- Server cluster nodes, 102
- Server Extensions tab, 697–698
- Server-Gated Cryptography (SGC), 681
- Server Message Blocks (SMBs), 904
- Server Operators group, 285
- Server (request security) policy, 603
- Server Role window, 532
- Server service, 843
- Server-side configurations for DHCP, 547–553
- Server versions, installation of, 98–99
- Servers
 - authentication of, 411, 742
 - in Dfs sharing, 382–383
 - in DNS, 530, 538–544
 - migration order of, 94–96
 - in MSMQ, 741–742
 - proxy, 510–511, 600
 - for replication, 169
 - for routing, 733, 735
 - settings for, 831–832
 - for Terminal Services, 664
- Servers listed on the Name Servers tab option, 541
- Service accounts in MSMQ, 741
- Service Controller, 59–60, 775
- Service Resource Records (SRV RR), 175, 904
- Service Tickets, 394–395, 397–399
- Service-Type attribute, 588
- Services failures in installation, 107
- Services window, 860
- Session IDs, 44
- Session key perfect forward secrecy option, 613
- Session keys vs. encryption keys, 403
- Session layer in OSI model, 521
- Session Manager, 59
- Sessions, listing, 838–839
- Sessions node, 374, 376
- Sessions tab
 - for Terminal Services, 662–663, 667, 670
 - for user account properties, 261
- Set Active Policy Module dialog box, 470
- Set Up Custom Policy option, 587
- setlocal command, 786
- Setting date and time, 815–817
- settings, transferring in installation, 111–112
- Settings option for offline operations, 346
- Settings tab
 - for folder redirection, 344–345
 - in NNTP, 707
- Setup.log file, 62
- Setup Manager Wizard, 99, 104–105
- Setup security.inf template, 481–482
- setx command, 136, 775, 777
- SGC (Server-Gated Cryptography), 681
- SHA-1 (Secure Hash Algorithm 1), 408, 491, 903
- Shadow Copies tab, 625
- Shadow program, 671
- Share this folder option, 291, 369
- Shared Folders snap-in tool, 374–375
- Shared keys in Kerberos authentication, 401–403
- Shared resources
 - connections for, 844–845
 - in Dfs sharing, 381–382
 - displaying, 839–840, 848
- Shared Secret Keys technology, 602
- Shared System Volume, 205
- SharePoint Portal Service, 10
- SharePoint Team Services servers, 102
- Sharing
 - Dfs. *See* Distributed file system
 - files, 834
 - folders, 904
 - creating shared folders for, 367–371
 - facilitating, 371–374
 - hidden shares, 374–376
 - permissions for, 366–371, 375
 - publishing for, 377
- Sharing tab
 - for disk management, 626–627
 - for folders, 369, 371
 - for groups, 291
 - for printers, 854
- Shell-Context-Menu, 184
- Shell-Property-Pages, 184
- Shell Update Release (SUR), 2
- Shift command, 786
- Shiva Password Authentication Protocol (SPAP), 571
- Shortcuts
 - creating, 119, 345, 806
 - spoofing, 498
- Show all files option, 794
- Show Files option, 341
- Show hidden files option, 269
- Show IP Routing Table option, 583–584
- Show Status option, 385
- Shut Down Windows dialog box, 673
- shutdown command, 135, 777
- Shutdown scripts, 321–322
- Shutting down, 777, 863
- SIDs. *See* security identifiers
- sidwalk.exe utility, 882, 884
- Signatures, 890
 - in certificates, 410–411
 - in IPSec, 602
 - in PKI, 408–410

- Simple Authentication and Secure Layer (SASL), 390
- Simple Mail Transfer Protocol (SMTP), 174, 700, 904
 - in Active Directory replication, 167
 - properties of, 699–704
 - transport link options for, 227
- Simple Network Management Protocol (SNMP)
 - defined, 904
 - managing, 882
- Simple Network Time Protocol (SNTP), 174
- Simple Object Access Protocol (SOAP), 9
- Simple TCP/IP Services, 843
- Single-domain models, 85, 197
- Site Gates tab, 735
- Site hosting scalability, 684
- Site link bridges, 169
- Site links, 225–226
 - creating, 227
 - for replication, 169
- Site Server, 11
- Sites, 71, 904
 - in Active Directory, 163
 - creating, 227
 - domain controller membership in, 166
 - Global Catalogs for, 170–173
 - moving domain controllers between, 229
 - planning, 190–193
 - removing domain controller servers from, 230–231
 - subnets for, 227
 - Web. *See* Websites
- Sites and Servers Management snap-in tool, 171
- Sites tab, 328, 330
- Size
 - of Active Directory, 199
 - of Index Services, 725–726
 - of MSMQ messages, 739–740
 - of pagefiles, 56–57
 - in printing, 851
 - of Terminal Services, 654–656
- Smart cards, 22
 - defined, 904
 - with Kerberos authentication, 431–432
- SMP (symmetric multi-processing), 37–38
- SMS. *See* System Management Server
- SMTP. *See* Simple Mail Transfer Protocol
- SNA Server, 11
- Snap-in tools, 124–128, 904
- SNMP. *See* Simple Network Management Protocol
- SNMP Utility Tool, 882
- snmputil.exe command, 883
- SNTP (Simple Network Time Protocol), 174
- SOAP (Simple Object Access Protocol), 9
- Socket pooling, 684
- Sockets, 904
- Software. *See also* Applications
 - in current enterprise analysis, 73, 79
 - installation and distribution of, 746–747
 - categories in, 318–321
 - deployment method for, 313–314
 - file extensions in, 317–318
 - for group policies, 309–323
 - installation example, 311–313
 - modifications in, 319–321
 - packaging applications, 310–311
 - removing software, 317
 - for upgrading, 314–317
 - inventory management for, 746
 - managing, 19
 - metering, 746–747
 - tracing, 63–64
- Software Config dialog box, 369, 371
- Software Config Properties dialog box, 356
- Software Configuration folder, 291
- Software configuration Properties dialog box, 353
- Software file, 62
- Software Installation and Management feature, 309
- Software patches, redeploying, 315–317
- sort command, 813
- Sorting
 - events, 49
 - file contents, 813
 - file listings, 797
- Source IP addresses in packet filtering, 509
- Spanned volumes, 620–621, 904
- SPAP (Shiva Password Authentication Protocol), 571
- Special characters in queries, 727
- Special permissions, 350–351, 356–361, 904
- Specialized administrative functions, 14
- Specific GPO option, 315
- Specific IP address option, 610
- Specific IP subnets option, 610
- Specify Group and Location dialog box, 344–345
- Speed with subnets, 163
- Split transactions, 154
- Spoofing
 - e-mail, 514
 - IP, 512
 - shortcuts, 498
- Spooler service, 843

- SQL Server 2000, 9, 11
- Square brackets ([])
 - in reference guide, 758
 - in text searches, 856
- SRM (Security Reference Monitor), 30
- SRV RR (Service Resource Records), 175, 904
- SSL. *See* Secure Sockets Layer
- SSPs (Security Support Providers), 390
- Stand-alone Root option, 383
- Standalone Certificate Authorities, 419
- Standalone distributed file systems, 377–378, 383–388
- Standard attributes, 55
- Standard Edition. *See* Web Server 2003
- Standard permissions, 350–351
- Standard zone information, 531–532
- Standby mode, power management for, 772
- Start Menu directory, 269
- Start Service option, 462
- Start toolbar, 116, 119
- Starting
 - Certificate service, 462, 468
 - FTP services, 706
 - Index Services, 729
 - network services, 841
 - NNTP, 705
 - processes, 41–42
 - remote access clients, 591
 - services in boot process, 59
 - tasks, 862
- Startup and Recovery dialog box, 58
- Startup initialization in boot process, 57
- Startup scripts, 321–322
- Startup/shutdown events, 505
- State option, 721
- Stateful inspection, 511
- Static Route dialog box, 582–583
- Static router configuration, 582–584
- Static routes, 904
- Statistics for network services, 840–841
- Status
 - of disks, 858–859
 - of folders, 346
 - of printing, 851–853
 - of remote access clients, 592–593
- Status dialog box, 593
- Status windows, 851–853
- Still camera dialog box, 108
- Stop Service option, 462
- Stopping
 - Certificate service, 462, 468
 - FTP services, 706
 - Index Services, 729
 - network services, 841
 - NNTP, 705
 - processes, 778–779
 - remote access clients, 591
 - SMTP, 700
- Storage Area Network (SAN) support, 722
- Storage media, theft of, 499
- Storage snap-in tool, 617
- Storage tab, 471
- Store password using reversible encryption
 - for all users in domain policy, 490, 492
- Store the zone in Active Directory option, 532
- Stored memory, 51–57
- Stores
 - in Active Directory, 154
 - for certificates, 412–417, 439–446
- Streaming media
 - in installation, 102
 - TAPI support for, 565–566
- Strings, searching for, 855–858
- Stripe sets, 904
- Stripe sets with parity, 904
- Striped volumes, 621–622
- Strong encryption option, 589
- Strongest encryption option, 589
- Structural classes, 220
- Structural layer modes, 26
- Structures. *See* Logical structures; Physical structures
- Sub zones in DNS, 536
- Subdirectories
 - copying, 808–810
 - displaying, 793, 798
- Subfolder Properties window, 368
- Subkeys
 - defined, 905
 - in Registry, 61
- Subnet dialog box, 227–228
- Subnet masks, 905
 - in DHCP, 549
 - for IP addresses, 523, 527
- Subnets
 - in Active Directory, 162–163
 - for sites, 227–228
- Subsystems, 34
- Success Audit messages, 48
- Summary tab, 753
- Superscopes, 556–557
- SUR (Shell Update Release), 2
- Sustaining Properties dialog box, 334–337
- Switching tasks, 862
- Symbolic links, 54
- Symmetric multi-processing (SMP), 37–38

- Symmetrical encryption, 401–402
- Symmetrical keys, 407
- Synchronization
 - on networks, 816–817, 841
 - of offline operations, 122, 346–348
 - planning, 190–191
- Synchronization Manager, 346–348
- System Access Control Lists (SACLs), 903
 - in auditing, 503, 506
 - purpose of, 350
- system.adm template, 302–303
- System attribute, 793
- System configuration, 104–105
- System driver load, 57
- System dumps, 871–872
- System file, 62
- System group, 219, 369
- System Hook application dependencies, 65
- System information, gathering, 876–877
- System lockdown, 488
 - auditing in, 500–506
 - backup and restoration security in, 499
 - dual-boot environment issues in, 500
 - environmental path settings in, 496–498
 - extraneous services in, 498–499
 - password policies in, 492–494
 - physical security in, 499–500
 - Registry and file system permissions in, 494–495
 - Trojan horses and viruses in, 495–496
 - user account security in, 488–491
- System Log, 503, 505
- System logs, 50
- System management
 - commands for, 858–864
 - tools for, 19
- System Management Server (SMS), 11, 68, 745–747
 - for inventory management, 746
 - for network diagnostics, 747
 - remote administrative tools in, 746
 - for software installation and distribution, 745–746
 - for software metering, 746
- System Monitor tool, 47
- System partitions, 905
- System Preparation tool, 105–106
- System Properties dialog box, 273–274
- System queues, 732
- System requirements, 89–90
- System Restore feature, 112
- System security application, 84
- System services, 28, 305, 480
- System State
 - defined, 905
 - in domain controller backups, 229
- System Variables, 864
- systeminfo command, 135, 778
- Systems, theft of, 499
- SYSVOL directory, 374
 - defined, 905
 - in domain controller backups, 229
- Take Ownership permission, 359, 363–365
- takeown command, 136, 778, 780
- TAPI (Telephony Application Programming Interface), 565–566, 779, 781, 905
- Task Manager, 39–42, 862–863
 - Performance screen in, 44–48
 - for Terminal Services, 667–668
- Task pads, 128–129
- Task Scheduler, 19, 43
- taskkill command, 135, 779
- tasklist command, 135, 778, 780
- Tasks, 862
 - killing, 874
 - scheduling, 43
- Tattooing Registry, 338
- TCO (total cost of ownership), 70
- TCP (Transmission Control Protocol), 520, 528
- TCP/IP. *See* Transmission Control Protocol/Internet Protocol
- TCP/IP NetBIOS Helper service, 843
- TCP/IP Print Service, 854–855
- Telephones tab, 261, 264
- Telephony Application Programming Interface (TAPI), 905
 - importing properties and rights for, 779, 781
 - support for, 565–566
- Telnet program, 828–829
 - defined, 905
 - security issues in, 516
- Templates
 - administrative, 301–303
 - building, 483
 - certificate, 419–421, 451, 458
 - editing, 482–483
 - predefined, 481
 - SCA tool for, 483–487
 - snap-ins for, 479–481
- Templates file, 270
- Temporary folders, 664
- Term weighting queries, 728
- Terminal Server User group, 369

- Terminal Services, 95, 649–651, 905
 - Active Directory Users and Computers snap-in for, 657–658, 666–667
 - clients for, 650–651, 659–660, 669–670
 - command line programs for, 670–671
 - connection configuration for, 656–664
 - enabling and disabling, 656
 - installing, 94–95, 651–656
 - for load management, 668–669
 - Local Users and Groups snap-in for, 666–667
 - Remote Desktops for, 665–666
 - server settings for, 664
 - sizing, 654–656
 - Task Manager for, 667–668
 - Terminal Services Manager for, 666–667
 - user perspective of, 671–673
- Terminal Services Configuration snap-in tool, 656–657
- Terminal Services Manager, 666–667
- Terminal Services Profiles tab, 261, 667, 669
- Terminal Services servers, 103
- Terminating processes, 41–42, 863, 874
- Test environments in current enterprise analysis, 79
- Testing
 - MSMQ connectivity, 735–736
 - network connectivity, 824–826, 877–878
 - in Windows NT upgrades, 88
- TFTP. *See* Trivial File Transfer Protocol
- tftp command, 820–821
- TGS (ticket-granting service) exchange
 - defined, 905
 - in Kerberos authentication, 394–396
- Theft, 499
- Thin clients, 650–651
- Third-party certificate authorities, 418
- 32-bit virtual memory, 53
- Threads, 28, 35–37, 905
- Throttling, 38
 - processes, 684, 691
 - processors, 773
- Ticket-granting service (TGS) exchange
 - defined, 905
 - in Kerberos authentication, 394–396
- Ticket-granting tickets (TGTs), 391–394, 397, 905
- Tildes (~) in queries, 727
- Time
 - displaying and setting, 815–817
 - in Index Services queries, 727
 - in installation, 99
 - synchronizing, 816–817, 841
 - time command, 816
 - Time tab, 815
 - timeout command, 136, 779, 781
- Timestamps
 - in Active Directory, 169
 - in Kerberos authentication, 402–403
- tlst.exe utility, 884
- TLS. *See* Transport Layer Security protocol
- Toolbar, 116–119
- Tools tab, 625–626
- Topology, 905
 - in Dfs sharing, 381–382
 - in MSMQ, 732–733
 - in replication, 192–193, 879–881, 903
- Total cost of ownership (TCO), 70
- Totals data for processes, 46
- Tracerpt tool, 48
- Tracing software, 63–64
- Traffic issues
 - in clustering, 716
 - in current enterprise inventory, 73
- Training
 - in current enterprise analysis, 80
 - in legacy analysis, 74
- Transaction log files, 153
- Transfer from master option, 544
- transferring
 - files and settings in installation, 111–112
 - ownership, 363–365
- Transit media type support capabilities, 574
- Transitive trusts, 185, 905
 - explicit, 211
 - in native and mixed modes, 82
- Transmission Control Protocol (TCP), 520, 528
- Transmission Control Protocol/Internet Protocol (TCP/IP), 175, 905
 - configuration settings for, 821–822
 - connections for, 823
 - network model in, 521
 - security issues in, 516
- Transport layer in OSI model, 520
- Transport Layer Security (TLS) protocol
 - in IIS, 681
 - in PKI, 407, 422
- Transport links, 227
- Transport mechanism of site links, 225
- Transport mode in IPsec, 601
- Traverse Folder/Execute File permission, 358
- Trees, 150
 - in Active Directory, 157–158
 - creating, 208
 - planning, 195
 - scaling and extensibility of, 159–160
- Trend analysis, 12

- Triggers
 - for events, 766
 - in MSMQ, 744
- Trivial File Transfer Protocol (TFTP), 905
 - for BOOTP, 563
 - security issues in, 516
- Trojan horses, 905
 - threats from, 495–496
 - user responsibility for, 517
- Troubleshooting
 - Distributed File System, 866, 868
 - domain controllers, 866–867
 - installation, 107
 - permissions, 864–865
- Troubleshooting Diagnostic Tool Help function, 140
- Trust computer for delegation option, 430
- Trust list signing, 411
- Trust relationships, 906
 - in Active Directory, 184–185
 - creating, 211–213
 - identifying, 879–880
 - managing, 879
 - in Windows NT upgrades, 84
- Trust Wizard, 405–406
- Trusted authorities, 412–417
- Trusted Domain Root Authority stores, 433
- Trusted domains, 397–399
- Trusted Root Authority stores, 415–416
- Trusted Root Certificate stores, 413
- Trusted Root Certificate Authorities stores, 438
- Trusts, 185
 - in native and mixed modes, 82
 - for Remote Access Service, 514
 - removing, 212–213
 - verifying, 212
- Tscon program, 671
- Tsdiscon program, 671
- tsecimp command, 135, 779, 781
- Tskill program, 671
- Tsprof program, 671
- Tsshtutdn program, 671
- Tunnel Setting tab, 604–605, 608
- Tunnel-Type attribute, 588
- Tunnels
 - in IPSec, 604–605, 608
 - in VPNs, 570–572, 584–585
- Two-way trusts, 86, 211
- type command, 792
- Typeperf tool, 48
- UDP (User Datagram Protocol), 520
- unattend.txt file, 103, 107
- Unattended installation, 104–105
- UNC. *See* Universal Naming Convention
- Unicode in NTFS file system, 53
- Uniform Resource Identifiers (URIs), 565
- Uniform Resource Locators (URLs), 177, 906
- Uninstall the existing package option, 315
- Uninstall this application when it falls out
 - of the scope of management option, 313–314
- Uninstalling Windows .NET, 113
- Uninterrupted power supplies (UPSs), 647
- Universal Data Format (UDF), 54
- Universal Description, Discovery, and Integration (UDDI), 9
- Universal Disk Format, 22
- Universal groups, 281
- Universal Naming Convention (UNC), 906
 - for Active Directory, 177
 - for file access, 352
 - for folder sharing, 374
- Universal run-time engine, 9
- Universal serial bus (USB), 21
- Universally unique identifiers (UUIDs), 184
- UNIX features, 34
- Unlimited connections option, 661
- Up option
 - for group policies, 334
 - for scripts, 341
- Update DNS only if DHCP client requests
 - option, 560
- Update Sequence Numbers (USNs), 169
- Upgrade tab, 314–317
- Upgrades
 - to Active Directory, 197–198
 - dynamic disks, 618
 - software, 314–317
 - Windows NT. *See* Windows NT upgrades
- UPN Suffixes, 214
- UPNs. *See* user principal names
- UPS service, 843
- UPSs (uninterrupted power supplies), 647
- URIs (Uniform Resource Identifiers), 565
- URLs (Uniform Resource Locators), 177, 906
- USB (universal serial bus), 21
- Use temporary folders per session setting, 664
- User accounts. *See* User profiles; Users and user accounts
- User cannot change password property, 260
- User Certificate information, 448–449
- User Certificate link, 448
- User classes in DHCP, 555–556
- User Datagram Protocol (UDP), 520
- User interface, 17–18, 184

- User logons
 - in boot process, 59–60
 - UPN suffixes for, 214
- User mode
 - in Microsoft Management Console, 128
 - in Windows 2000, 32–35
- User must change password at next logon property, 260
- User must log on to change the password policy, 492
- User names, 253
- User Names in Processes window, 44
- User principal names (UPNs)
 - in Active Directory, 177
 - with cross-forest authentication, 405
 - suffixes for, 214
- User profiles, 267–268, 906
 - common and personal, 269–271
 - creating, 271–276
 - in current enterprise analysis, 77
 - directory structure for, 268
 - paths for, 271–272
 - setup examples, 273–276
 - types of, 267–270, 281–282
- User Profiles tab, 273–274
- User rights, 906
- User rights policies, 906
- User Time counter, 46
- User Variables, 864
- Users and Passwords dialog box, 254, 256–257
- Users and user accounts, 249–250, 905
 - configuring
 - disabling settings for, 332–338
 - policies for, 301
 - scripts for, 321
 - default membership for, 283–286
 - domain, 257–258
 - creating, 258–261
 - properties for, 260–266
 - local, 250–257
 - managing, 14, 829–830, 844–848
 - profiles in. *See* User profiles
 - security for, 479–480, 488–491
 - for shared folders, 371
 - Terminal Services for, 671–673
- Users group, 257, 285
- USNs (Update Sequence Numbers), 169
- UUIDs (universally unique identifiers), 184

- Variables, environment, 864
- VBScript language, 18
- VDMs (Virtual DOS Machines), 34, 906
- Vector space model in queries, 728

- Vendor classes in DHCP, 553–556
- Verification
 - of trusts, 212
 - in Windows NT upgrades, 88
- VERITAS WinInstall LE repackaging tool, 311
- Versions
 - in Dfs sharing, 378
 - file, 871
 - server, 98–99
- Vertical bars (|)
 - in batch commands, 786
 - in Index Services queries, 727
 - in reference guide, 758
- Very Large Memory (VLM) APIs, 29
- Video camera dialog box, 108
- video streaming, 566
- View option in MMC, 126
- View Files option, 346
- View tab
 - for path names, 801
 - for profile files, 269
- View the session option, 658
- View the status of a pending certificate request link, 449
- Viewing. *See* Displaying
- Virtual DOS Machines (VDMs), 34, 906
- Virtual memory, 51, 906
 - in NTFS file system, 53
 - paging in, 56–57
- Virtual Memory Manager (VMM), 29
- Virtual private networks (VPNs), 20–21, 569–570, 906
 - authentication in, 570–571
 - Connection Manager for, 144–145
 - encryption in, 570–572
 - IAS for, 592–600
 - IP security in, 574, 601–614
 - L2TP for, 573–574
 - PPTP for, 573–574
 - RADIUS account logging in, 599–600
 - RADIUS proxy servers for, 600
 - remote access. *See* Remote access VPNs
 - router-to-router configuration for, 575–576
 - tunnels in, 570–572
 - voluntary and compulsory tunnels in, 576
- Virtual servers, 721
- Virtual Studio.NET and C#, 9
- Viruses, 495–496
 - in e-mail, 514, 516
 - user responsibility for, 517
- Visual Basic Scripting Edition, 322
- VLM (Very Large Memory) APIs, 29
- \$Volume file, 53

- Volumes, 906
 - compressing, 619–620
 - managing, 619–623
 - mirrored, 622–623
 - RAID-5, 623
 - spanned, 620–621
 - striped, 621–622
- Voluntary tunnels, 576
- VPNs. *See* Remote access VPNs; Virtual Private Networks

- W (Write) permissions, 239, 351
- Waitfor.exe tool, 136
- WANs. *See* wide area networks
- Warning messages
 - in booting, 59
 - in Event Viewer, 48, 503–504
- WAS (Web Administration Service), 683
- WDM (Windows Driver Model), 21, 28–29
- Web Administration Service (WAS), 683
- Web-Based Enterprise Management (WBEM), 18–19, 116
- Web browsers, 888
 - ActiveX components in, 513
 - security for, 512–513
- Web Distributed Authoring and Versioning (WebDAV), 686
- Web Edition. *See* Windows Server 2003
- Web gardens, 682
- Web Publishing, 146
- Web security, 511–512
 - HTTP, 512
 - PKI, 422–425
 - script restrictions for, 512
- Web servers
 - in Dfs sharing, 383
 - in installation, 103
- Web Service Description Language (WSDL), 9
- Web Sharing tab, 626–627
- Web Site Access Permissions dialog box, 688–689
- Web Site Creation Wizard, 688–689
- Web Site Description dialog box, 688
- Web Site Directory Location dialog box, 688
- Web Site tab, 690–691
- Websites
 - administering, 688–690
 - creating, 687–689
 - permissions for, 689–690
 - properties for, 690–699
- WebView technology, 121
- “Well-connected” operating systems, 77
- Where.exe tool, 136
- whoami command, 136, 781–782
- Wide area networks (WANs), 906
- Wildcards
 - with comp, 788
 - with copy, 808
 - with del, 805
 - with dir, 796
 - with fc, 785
 - with find, 855
 - in Index Services queries, 728
 - with rename, 811
- Win32 services, managing, 775
- Win32 subsystem, 33–34
- Win64 support in IIS, 684
- winchat application, 817
- WinDiff tool, 789
- windows.adm templates, 303
- Windows Components Wizard, 433–435, 653
- Windows Driver Model (WDM), 21, 28–29
- Windows-Group attribute, 588
- Windows Image Acquisition (WIA) dialog boxes, 108
- Windows Installer service, 22
- Windows Integrated Authentication option, 446
- Windows Internet Name Service (WINS), 175, 563–565, 843, 906
- Windows Management Instrumentation (WMI), 116
 - for Group policies, 343
 - for IIS, 678
 - for load management, 668
 - for MOM, 748–749
- Windows Manager, 31
- Windows Media component, 95
- Windows NT upgrades, 81
 - domain models in, 85–86
 - in legacy analysis, 72
 - mixed-mode security in, 83–84
 - mixed-mode variations in, 84–85
 - native vs. mixed-mode installations in, 81–85
 - PDC emulator in, 83
 - steps in, 86–88
- Windows on Windows (WOW), 34, 655
- Windows Open Services Architecture (WOSA), 183
- Windows Product Activation (WPA), 109–110
- Windows Scripting Host (WSH), 18, 750
 - for running scripts, 322, 751–754
 - sample scripts, 754–756
- Windows Server 2003, 2–3, 8
 - and administrative roles, 12–14
 - components of, 9–11

- Windows Server 2003 (*cont.*)
 - DataCenter Edition, 5–7, 29
 - editions compared, 6–7
 - Enterprise Editions, 5–7, 29
 - foundation technologies in, 8–9
 - history, 2–3
 - Setup wizard, 99
 - Standard Edition, 5–7
 - system requirements, 7
 - Web Edition, 5–7
- Windows Update Integration Help function, 139
- Windows XP, 4
- WinFrame technology, 657
- Winkey quick keys, 146–147
- winnt.adm templates, 303
- Winnt.exe utility, 100, 103–104
- WINS. *See* Windows Internet Name Service
- WINS Server option, 552
- WINS servers in installation, 103
- Wizards, 18
- WMI. *See* Windows Management Instrumentation
- wmplayer.adm templates, 303
- WordPad application, 791
- Work process isolation mode in IIS, 681
- Work queues, mount order of, 634
- Workgroups
 - defined, 906
 - in installation, 92–94
- Working directories, 496–497
- Workstation service, 843
- Workstations, 4
 - locking, 336–338
 - settings for, 832–833
 - in Windows NT upgrades, 87
- WOSA (Windows Open Services Architecture), 183
- WOW (Windows on Windows), 34, 655
- WPA (Windows Product Activation), 109–110
- Write permissions, 239, 351
- Write Attributes permission, 356, 359
- Write Extended Attributes permission, 356, 359
- Wscript.exe program, 751–752
- WSDL (Web Service Description Language), 9
- WSH. *See* Windows Scripting Host
- X.500 standard, 907
- X.509 v3 certificates standard, 174
- xcopy command, 808–810
- XML (Extensible Markup Language), 8, 677
- Yes, create a forward lookup zone now
 - option, 532
- Yes, create the reverse lookup zone now
 - option, 532
- Yes, make this folder and all its subfolders available offline option, 345
- .ZAP packages, 310–311
- Zero Administration Windows (ZAW), 18
- Zombies, 42
- Zone Name window, 534
- Zone Transfers tab, 541, 543
- Zone Type window, 533
- Zones, 531–537, 907
 - and fault-tolerance, 537–544
 - replication in, 538–539