
Index

- acceptance testing, 222
- activity
 - definition, 249
 - key concept in RUP, 40
- Actor** artifact
 - as used in the **Find Actors and Use Cases** activity, 73
 - definition, 250
- analysis
 - and iterative development, 98
 - described, 97-136
 - in the J2EE developer roadmap, 97
 - overview, 99
- Analysis Class** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Use-Case Analysis** activity, 124
 - definition, 250
 - in analysis, 97-99
 - in design, 137
- analysis mechanism, 108
- Analyze Behavior** workflow detail, 110
- applet, 10, 14, 19
- application client, 10, 14, 20
- application component provider
 - definition, 250
- application concurrency
 - definition, 250
- architecture
 - definition, 229
- Architectural Analysis** activity, 102
- Architecture Reviewer** role
 - definition, 250
- artifact
 - definition, 250
 - key concept in RUP, 38
- assembly
 - and deployment, 30
- asset, 168
- auction application
 - Actors**, 74
 - analysis mechanisms, 108
 - described, 61-66
 - design and implementation mechanisms, 143
 - enterprise components, 155
 - functional features and constraints, 64
 - key abstractions, 106
 - other requirements and properties, 65
 - overview, 61
 - problem statement, 62
 - stakeholders and users, 63
 - Supplementary Specification**, 79
 - Use Cases**, 77
 - Use-Case Priority List**, 82
- bean class, 26
- Bean-Managed Persistence entity bean. *See* BMP entity bean.

BMP (Bean-Managed Persistence) entity bean, 29
 boundary class, 127
 business modeling, 221
 business tier, 8, 15

Capture a Common Vocabulary activity, 72

Change Request artifact

as used in the **Review the Analysis** activity, 135
 as used in the **Review the Architecture** activity,
 174

as used in the **Review the Design** activity, 192

as used in the **Review the Implementation**
 activity, 205, 218

as used in the **Review the Initial Architecture**
 activity, 109

as used in the **Review the Requirements**
 activity, 83, 93

as used in the **Review the User Experience**
 activity, 103

definition, 250

Class Design activity, 187

CMP (Container-Managed Persistence) entity bean, 29

component

definition, 250

Component Design activity, 186

configuration

definition, 250

configuration and change management, 223

configuration item

definition, 250

construction phase, 48

container

and servers, 12

applet container, 12

application client container, 12

EJB container, 12

web container, 12

overview, 12

Container-Managed Persistence entity bean.

See CMP entity bean.

control class, 127

Data Model artifact

as used in the **Database Design** activity, 190

as used in the **Implement Design Elements**
 activity, 207

definition, 250

in the J2EE developer roadmap, 54

Database Design activity, 190

Database Designer role

definition, 250

Define an Initial Architecture workflow detail, 100

Define the System workflow detail, 70

deployment

and J2EE, 30

and RUP, 222

deployment configuration

standalone, 15

EJB-centric, 16

web-centric, 17

multitier, 18

Deployment Model artifact

as used in the **Architectural Analysis** activity, 102

as used in the **Describe Distribution and**
Concurrency activity, 170

as used in the **Structure the Implementation**
Model activity, 200

definition, 251

in design, 138

in the J2EE developer roadmap, 55

deployment view, 231

Describe Distribution and Concurrency activity,
 170

design

and iterative development, 138

described, 137-193

in the J2EE developer roadmap, 137

overview, 139

Design Class artifact

as used in the **Class Design** activity, 187

as used in the **Component Design** activity, 186

as used in the **Identify Design Elements** activity,
 146

as used in the **Identify Design Mechanisms**
 activity, 141

as used in the **Implement Design Elements**
 activity, 207

as used in the **Incorporate Existing Design**
Elements activity, 167

as used in the **Subsystem Design** activity, 180

as used in the **Use-Case Design** activity, 177

definition, 251

in design, 138

in implementation, 195

Design Guidelines artifact

as used in the **Architectural Analysis** activity, 102

as used in the **Class Design** activity, 187

as used in the **Database Design** activity, 190

as used in the **Identify Design Elements** activity,
 146

as used in the **Identify Design Mechanisms**
 activity, 141

as used in the **Incorporate Existing Design**
Elements activity, 167

- as used in the **Subsystem Design** activity, 180
 - as used in the **Use-Case Analysis** activity, 124
 - as used in the **Use-Case Design** activity, 177
 - definition, 251
- design mechanism, 143
- Design Model** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Class Design** activity, 187
 - as used in the **Component Design** activity, 186
 - as used in the **Database Design** activity, 190
 - as used in the **Describe Distribution and Concurrency** activity, 170
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Implement Design Elements** activity, 207
 - as used in the **Incorporate Existing Design Elements** activity, 167
 - as used in the **Perform Unit Tests** activity, 216
 - as used in the **Structure the Implementation Model** activity, 200
 - as used in the **Subsystem Design** activity, 180
 - as used in the **Use-Case Analysis** activity, 124
 - as used in the **Use-Case Design** activity, 177
 - definition, 251
 - in analysis, 97
 - in design, 137
 - in implementation, 194
 - in the J2EE developer roadmap, 54
- Design Package** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Incorporate Existing Design Elements** activity, 167
 - as used in the **Structure the Implementation Model** activity, 200
 - definition, 251
- design patterns, 147
- Design Reviewer** role
 - definition, 251
- Design Subsystem** artifact
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Implement Design Elements** activity, 207
 - as used in the **Incorporate Existing Design Elements** activity, 167
 - as used in the **Subsystem Design** activity, 180
 - as used in the **Use-Case Design** activity, 177
 - definition, 251
 - in design, 138
 - in implementation, 195
- Developer** role
 - definition, 251
- Detail a Use Case** activity, 86
- Detail the Design** workflow detail, 175
- developer roadmap. *See* J2EE developer roadmap.
- discipline
 - definition, 251
 - key concept in RUP, 41
- EJB (Enterprise JavaBeans), 11, 15, 23
 - elaboration phase, 47
 - enterprise component, 147-149
 - Enterprise JavaBeans. *See* EJB.
 - entity bean, 28
 - entity class, 127
 - environment, 225
- Find Actors and Use Cases** activity, 73
- Framework Component** artifact
 - as used in the **Component Design** activity, 186
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Implement Design Elements** activity, 207
 - as used in the **Incorporate Existing Design Elements** activity, 167
 - as used in the **Subsystem Design** activity, 180
 - as used in the **Use-Case Design** activity, 177
 - definition, 251
 - in design, 138
 - in implementation, 195
- Glossary** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Capture a Common Vocabulary** activity, 72
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Structure the Use-Case Model** activity, 91

Glossary artifact *continued*

- as used in the **Use-Case Analysis** activity, 124
- definition, 251
- in requirements, 68

home interface, 23-24

HTTP (HyperText Transfer Protocol), 12

HTTPS API, 12

HyperText Transfer Protocol API. *See* HTTP API.

Identify Design Elements activity, 146

Identify Design Mechanisms activity, 141

Implement Design Elements activity, 206

Implement Design Elements workflow detail, 206

implementation

- and iterative development, 197
- described, 195-219
- in the J2EE developer roadmap, 195
- overview, 197

Implementation Directory artifact

- as used in the **Implement Design Elements** activity, 207
- as used in the **Structure the Implementation Model** activity, 200
- definition, 252
- in implementation, 195

Implementation File artifact

- as used in the **Implement Design Elements** activity, 207
- as used in the **Perform Unit Tests** activity, 216
- definition, 252
- in implementation, 195

Implementation Guidelines artifact

- as used in the **Implement Design Elements** activity, 207
- as used in the **Perform Unit Tests** activity, 216
- as used in the **Structure the Implementation Model** activity, 200
- definition, 252

implementation mechanism, 143

Implementation Model artifact

- as used in the **Database Design** activity, 190
- as used in the **Describe Distribution and Concurrency** activity, 170
- as used in the **Implement Design Elements** activity, 207
- as used in the **Perform Unit Tests** activity, 216
- as used in the **Structure the Implementation Model** activity, 200
- definition, 252
- in implementation, 195
- in the J2EE developer roadmap, 54

implementation optimizations, 212

Implementation Reviewer role

- definition, 252
- implementation view, 231

Implementer role

- definition, 252
- Incorporate Existing Design Elements** activity, 167
- inception phase, 47
- input form, 115
- integration testing, 222
- integration tier, 8, 15

Interface artifact

- as used in the **Component Design** activity, 186
- as used in the **Identify Design Elements** activity, 146
- as used in the **Identify Design Mechanisms** activity, 141
- as used in the **Implement Design Elements** activity, 207
- as used in the **Incorporate Existing Design Elements** activity, 167
- as used in the **Subsystem Design** activity, 180
- as used in the **Use-Case Design** activity, 177
- definition, 252
- in implementation, 195

iteration

- definition, 252
- key concept in RUP, 44

Iteration Plan artifact

- definition, 252

J2EE (Java 2 Platform, Enterprise Edition)

- component technologies, 19
- described, 5-33
- introduction, 5
- services, 11
- technology overview, 10

J2EE Connector Architecture. *See* JCA.

J2EE design patterns. *See* design patterns.

J2EE developer roadmap

- activities and artifacts, 56
- described, 51-59
- introduction, 51
- models, 54
- roles, 53
- scope and rationale, 52
- J2EE-specific content, 57

J2EE modules, 30

J2SE (Java 2 Platform, Standard Edition)

- services, 12

JAAS (Java Authentication and Authorization Service), 11

- Java 2 Platform, Enterprise Edition. *See* J2EE.
- Java 2 Platform, Standard Edition. *See* J2SE.
- Java API for XML Parsing. *See* JAXP.
- Java Authentication and Authorization Service.
See JAAS.
- Java DataBase Connectivity. *See* JDBC.
- Java Message Service. *See* JMS.
- Java Naming and Directory Interface. *See* JNDI.
- Java servlet. *See* servlet.
- Java Transaction API. *See* JTA.
- JavaMail, 11
- JavaServer Pages. *See* JSP.
- JAXP (Java API for XML Parsing), 11
- JCA (J2EE Connector Architecture), 11
- JDBC (Java DataBase Connectivity), 11, 29
- JMS (Java Message Service), 11, 29
- JNDI (Java Naming and Directory Interface), 12
- JTA (Java Transaction API), 11
- JSP (JavaServer Pages), 11, 14, 21

- key abstraction, 106

- local home interface, 23, 26
- local interface, 23, 26
- logical view, 231

- message-driven bean, 29
- model
 - definition, 252
 - in the J2EE developer roadmap, 52
- Model the User Experience** activity, 112
- modeling conventions. *See* UML modeling conventions.
- multitier architectures, 7

- Navigation Map** artifact
 - as used in the **Model the User Experience** activity, 112
 - definition, 252
 - in analysis, 98

- Perform Unit Tests** activity, 216
- phase
 - definition, 252
 - key concept in RUP, 46
- Prioritize Use Cases** activity, 81
- presentation tier, 7, 14
- Programming Guidelines** artifact
 - as used in the **Implement Design Elements** activity, 207
 - as used in the **Perform Unit Tests** activity, 216
 - definition, 252

- process view, 231
- project management, 224

- Rational Unified Process (RUP). *See* RUP.
- Reference Architecture** artifact
 - as used in the **Architectural Analysis** activity, 102
 - definition, 253
- Refine the Architecture** workflow detail, 139
- Refine the System Definition** workflow detail, 84
- remote interface, 23, 25
- Remote Method Invocation over Internet Inter-Orb Protocol. *See* RMI-IIOP.
- requirement
 - definition, 253
- requirements,
 - and iterative development, 69
 - described, 67-95
 - in the J2EE developer roadmap, 67
 - overview, 69
- Requirements Reviewer** role
 - definition, 253
- Requirements Specifier** role
 - definition, 253
- requirements view, 230
- Review the Analysis** activity, 135
- Review the Architecture** activity, 174
- Review the Design** activity, 192
- Review the Implementation** activity, 205, 218
- Review the Initial Architecture** activity, 109
- Review the Requirements** activity, 83, 93
- Review the User Experience** activity, 123
- Review Record** artifact
 - as used in the **Review the Analysis** activity, 135
 - as used in the **Review the Architecture** activity, 174
 - as used in the **Review the Design** activity, 192
 - as used in the **Review the Implementation** activity, 205, 218
 - as used in the **Review the Initial Architecture** activity, 109
 - as used in the **Review the Requirements** activity, 83, 93
 - as used in the **Review the User Experience** activity, 103
 - definition, 253
- Risk List** artifact
 - as used in the **Prioritize Use Cases** activity, 81
 - definition, 253
- RMI-IIOP, 12
- roadmap
 - definition, 253

- role
 - definition, 253
 - in the J2EE developer roadmap, 52
 - key concept in RUP, 39
- round-trip engineering, 213
- RUP (Rational Unified Process)
 - best practices, 35
 - described, 35-49
 - introduction, 35
 - key concepts, 37-38
 - roadmap, 51
- sample application. *See* auction application.
- Screen** artifact
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Model the User Experience** activity, 112
 - definition, 253
 - in analysis, 97
 - in design, 138
- session bean, 27
- servlet, 10, 14, 20
- Software Architect** role
 - definition, 253
- software architecture
 - describing, 229
- Software Architecture Document** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Describe Distribution and Concurrency** activity, 170
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Incorporate Existing Design Elements** activity, 167
 - as used in the **Prioritize Use Cases** activity, 81
 - as used in the **Structure the Implementation Model** activity, 200
 - as used in the **Use-Case Design** activity, 177
 - content, 232
 - definition, 253
 - described, 229-234
 - in analysis, 98
- stakeholder
 - definition, 254
- stateful session bean, 28
- stateless session bean, 28
- Structure the Implementation Model** activity, 200
 - Structure the Implementation Model** workflow detail, 198
- Structure the Use-Case Model** activity, 91
- Subsystem Design** activity, 180
- Supplementary Specification** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Class Design** activity, 187
 - as used in the **Database Design** activity, 190
 - as used in the **Describe Distribution and Concurrency** activity, 170
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 142
 - as used in the **Model the User Experience** activity, 112
 - as used in the **Structure the Use-Case Model** activity, 91
 - as used in the **Use-Case Design** activity, 177
 - definition, 254
 - in requirements, 68
- System Analyst** role
 - definition, 254
 - system testing, 222
- Test Guidelines** artifact
 - as used in the **Perform Unit Tests** activity, 216
 - definition, 254
- Test Results** artifact
 - as used in the **Perform Unit Tests** activity, 216
 - definition, 254
- Test Script** artifact
 - as used in the **Perform Unit Tests** activity, 216
 - definition, 254
- testing, 222
- transition phase, 48
- UML modeling conventions, 235
- unit testing, 216
- Use Case** artifact
 - as used in the **Capture a Common Vocabulary** activity, 72
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Model the User Experience** activity, 112

- as used in the **Structure the Use-Case Model** activity, 91
- as used in the **Use-Case Analysis** activity, 124
- as used in the **Use-Case Design** activity, 177
- definition, 254
- flow of events, 88
- in requirements, 67-68
- Use-Case Analysis** activity, 124
- Use-Case Design** activity, 177
- Use-Case Model** artifact
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Capture a Common Vocabulary** activity, 72
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Model the User Experience** activity, 112
 - as used in the **Prioritize Use Cases** activity, 81
 - as used in the **Structure the Use-Case Model** activity, 91
 - as used in the **Use-Case Analysis** activity, 124
 - definition, 254
 - in requirements, 68
 - in the J2EE developer roadmap, 53
- Use-Case Modeling Guidelines** artifact
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Structure the Use-Case Model** activity, 91
 - definition, 254
- Use-Case Package** artifact
 - as used in the **Structure the Use-Case Model** activity, 91
 - as used in the **Find Actors and Use Cases** activity, 73
 - definition, 254
- Use-Case Priority List** artifact
 - as used in the **Prioritize Use Cases** activity, 81
 - definition, 254
- Use-Case Realization** artifact
 - as used in the **Use-Case Analysis** activity, 124
 - as used in the **Use-Case Design** activity, 177
 - definition, 255
 - in analysis, 97
 - in design, 137
 - use-case specification, 87
- Use-Case Storyboard** artifact
 - as used in the **Model the User Experience** activity, 112
 - definition, 255
 - in analysis, 97
 - in design, 138
- User-Experience Designer** role
 - definition, 255
- User-Experience Guidelines** artifact
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Model the User Experience** activity, 112
 - definition, 255
- User-Experience Model** artifact
 - as used in the **Identify Design Elements** activity, 146
 - as used in the **Identify Design Mechanisms** activity, 141
 - as used in the **Model the User Experience** activity, 112
 - as used in the **Use-Case Analysis** activity, 124
 - definition, 255
 - in analysis, 98
 - in design, 137
 - in the J2EE developer roadmap, 54
- User-Experience Reviewer** role
 - definition, 255
- virtual directory
 - definition, 255
- Vision** artifact
 - in requirements, 68
 - as used in the **Architectural Analysis** activity, 102
 - as used in the **Capture a Common Vocabulary** activity, 72
 - as used in the **Detail a Use Case** activity, 86
 - as used in the **Find Actors and Use Cases** activity, 73
 - as used in the **Prioritize Use Cases** activity, 81
 - definition, 255
- workflow detail
 - definition, 255
 - key concept in RUP, 43
- workspace
 - definition, 255