



Index

Note: Tables and figures are indicated by *italicized* page locators.

- Abstract data types, support for, 414–415
- Abstract definitions, reuse of, 86
- Abstraction, 65
 - and ontologies, 403
 - support for, 411–412, 422
- Abstract processes, 280
 - executable processes *versus*, 289
- Accord, 348
- Ace Hardware, 297
- ACID (Automatic, Consistent, Isolated, and Durable) test, 141–142, 419
- ACK messages, with SWIFT, 347
- Action layer, in RosettaNet communication model, 306, 307
- Active digital exchanges, 109, 110
- Active Directory (Microsoft), 210
- Active type importers, 222
- ActiveX, 108, 165, 318
- Activities, in BPEL4WS process syntax, 284–285
- Adapters, 70, 75, 89, 90, 231–232, 444
 - centralized *versus* distributed, 223
 - dynamic, 222, 223
 - information *versus* service-oriented, 223–224
 - and integration servers, 193, 197, 198, 211, 215
 - and J2EE connector architecture, 217–232
 - purpose of, 217–219
 - static, 222
 - thick, 220–221
 - thin, 219
- AD/Cycle, 320
- ADTs. *See* Abstract data types
- Advanced message framework, layers within, 157
- Agent-Agent interaction
 - configuration, in Functional Service View, 434
- Agent layer, in RosettaNet communication model, 306, 307
- Agent network component, in Functional Service View, 433
- Agent-Service interaction
 - configuration, in Functional Service View, 434
- Agent-Service-Service interaction configuration, in Functional Service View, 434
- Aggregated user interface, 99
- AICPA. *See* American Institute of Certified Public Accountants
- Alphanumeric information, integration servers and, 202
- American Institute of Certified Public Accountants, 247
- Any-to-any capabilities, with integration servers, 195

- APIs. *See* Application programming interfaces
- API/SQL, 176
- AppCenter, 149–150, 164
- Applets, 188
- Application changes, costs
with, 81
- Application contracts, 230
- Application data, in BPEL4WS messages, 288
- Application development, Java Message Service and, 183
- Application hosting, Java-based middleware standards and, 184–185
- Application integration, xix, 77–78, 111
BPIOAI and, 74–76
Business Process Execution Language for Web Services and, 279–291
business process integration *versus*, 12
database-oriented
middleware and, 169–175
designing to scale, 389–391
distributed objects and, 161–165, 168–169
ebXML and, 259–278
Extensible Markup Language and, 442–448
factoring in standards, 318–320
forms of, 1
future of, 20–21
information-oriented, 25–53
integration servers and, 191–215
Java-based middleware standards and, 177–190
Java middleware standards compatibility and, 178
leveraging ontologies and, 393–404
management layers and, 29
manifesto, 405–422
missing pieces with Web services and, 91
role of distributed objects in, 168–169
RPCs, messaging, and, 150–151
Security Assertion Markup Language and, 329–330
SOAP and, 313
supply chain integration related to, 361–362
transactional middleware and, 138–140
twelve steps to, 369–392
UCCnet and, 298
Universal Description, Discovery, and Integration and, 320–324
value of, 391–392
Web Service Description Language and, 316–317
Web services fitting with, 86–91
WS-Security and, 326
XML and, 235–247, 257
XML-enabled solutions for, 445–447
XML encryption and, 327
XML Key Management Specification and, 329
XML Signature and, 327–328
XML standards and, 447–448
XrML and, 332
XSLT and, 247–256, 447, 448
- Application integration approaches, 6–19
business process integration-oriented, 6, 10–13, 15–16
data federation, 7, 8, 9
data replication, 7
information-oriented, 6
interface processing, 9–10
portal-oriented, 6, 19
service-oriented, 6, 16–19
- Application integration-enabled middleware, 361
- Application integration-enabled repositories, capabilities of, 207
- Application integration problems, Web services and solving of, 87
- Application integration stack, vertical subsystems on top of, 339
- Application integration technology, “verticalization” of, 337–368
- Application interface dictionary, 384, 385–386
application semantics, 385
business processes, 385–386
- Application interfaces, 193, 197
by example, 37–38
identifying, 384–386
as information producers/consumers, 35–37, 39–40
- Application logic, 43
- Application objects, with CORBA ORB, 168
- Application ontologies, 398
- Application semantics, 27, 408, 413, 443
- Application server architecture, Java-enabled, 184
- Application servers, 28, 105, 109, 133–134, 144–150, 162, 204, 332
application architecture with, 147, 148
architecture of, 133
Enterprise JavaBeans, 147–149
evolving transactions and, 146–147
object state management and, 147
transactional COM+, 149–150

- Application services
 - binding, 83
 - definition of, 79–80
 - frameworks, 95
 - moving to, 96–97
 - sharing, 78, 81
- Application-to-application integration, 382–383
- Architectural patterns, 382
- Ariba, 92, 315, 322
- Asynchronous middleware, 120, 136
- Asynchronous validation, in
 - Omgeo CTM, 343
- Auditing, 205, 206, 417
- Authentication, and CTM, 344
- Autonomous-distributed solutions, 89–91, 90
- Baan, 40, 146, 219, 236, 442
- Back-end applications, 108
- Back-end resources,
 - transactions and, 141
- BAM. *See* Business activity monitoring
- Bank identifier codes, 345, 347
- BAPI. *See* Business Application Programming Interfaces
- BDs. *See* Broker Dealers
- BEA, 78, 131, 188, 311
- Beans, 187
- Behavior-based ontologies, 402
- BICs. *See* Bank identifier codes
- Binary integers, integration servers and, 202
- Binary messaging, 250
- Binding definitions, in WSDL document, 316
- Bindings, 86, 287, 316, 317
- Bit fields, integration servers and, 202
- BizTalk, xx, 236, 241, 247, 250, 447
- BLOBs, integration servers and, 202
- “Blocking” middleware, 120, 125
- Boeing, 293
- Boolean logic, rules engines and use of, 204
- BOV. *See* Business Operational View
- BPA. *See* Business Process Automation
- BPEL, 300
- BPEL4WS. *See* Business Process Execution Language for Web Services
- BPI. *See* Business process integration
- BPIOAI. *See* Business Process Integration-Oriented Application Integration
- BPM. *See* Business Process Modeling
- BPML, 280
- BPML. *See* Business Process Modeling Language
- Broker Dealers, 342, 343, 344
- B2B. *See* Business-to-business
- B2B Application Integration* (Linthicum), xx
- B2B commerce, XML/edi and, 271
- B2B connections, leveraging
 - SOAI and, 82–83
- B2B domain, leveraging
 - ontologies in, 397
- B2B e-business, 111
- B2Bi. *See* Business-to-Business Integration
- B2B information exchange,
 - POAI and, 101, 102, 103
- B2C. *See* Business-to-Consumer
- B2C e-business, 111
- Business activity monitoring, 340, 422
- Business Application Programming Interfaces (SAP), 6, 10, 226
- Business collaboration, ebXML and, 275
- Business data synchronization for items, 296
- Business events, 56, 386
- Business modeling, 380
- Business Operational View, 272, 304, 427
- Business process analysis, and PIP creation, 302
- Business Process and
 - Information Meta Model, ebXML, 273–275
- Business Process and
 - Information Modeling, 268
- Business Process Automation, 63
- Business process engine, with BPIOAI, 57, 58
- Business processes, 385–386
- Business Process Execution
 - Language for Web Services, 260
 - and application integration, 279–291
 - correlation and, 289
 - data handling with, 289
 - description of, 280, 281–282
 - ebXML and, 268
 - by example, 289–291
 - exception handling with, 287
 - as holistic standard, 325
 - life cycle, 288
 - message properties with, 288–289
 - process syntax in, 284–287
 - as service-based standard, 295
 - value of, 291
 - and WSDL, 282–284
- Business process integration, 10–16
 - by example, 14
 - services provided by, 13
 - walking through a process, 15

- Business Process Integration-Oriented Application Integration, 11, 12, 13, 55–76, 78
and application integration, 74–76
common business process model with, 57
definition of, 59–62, 64
description of, 56
drilling down on?, 64–70
by example, 60–61
goal of, 16
implementing, 72
middleware interfaces with, 74
modeling tool, 73, 74
process modeling with, 74
semantics of, 63
standards, 71
steps in, 67
technology behind, 57–59
three layers of, 69–70, 71
tools and approaches with, 72–73
- Business Process Integration-Oriented Application Integration model, components in, 73
- Business process integration solution, components of, 58
- Business process model, nesting within, 68
- Business Process Modeling, 63, 302
- Business Process Modeling Language, 71–72
- Business process monitoring interface, with BPIOAL, 57
- Business properties dictionary, and PIP development, 304
- Business protocol data, in BPEL4WS messages, 288
- Business protocols, 280, 281, 284
- Business requirements, and Web services, 86, 87
- Business service agreements, ebXML and expression of, 261
- Business-to-business, xix, 323, 324
- Business-to-Business Application Integration, 1
XML and, 245–246, 445–447
XSLT and, 247–248
- Business-to-Business Integration, 443
- Business-to-Consumer, 102
- C, 39, 133
- C++, 39, 93, 95, 165, 204, 382
- Call-Level Interface, 34, 108, 129, 228
- Candidate systems, lists of, 45
- CASE. *See* Computer-Aided Software Engineering
- Cataloging data, and approaching information integration, 49–50
- Catalog services, 294
- CCI. *See* Common Client Interface
- CDS. *See* Cell Directory Service
- Cell Directory Service, 125
- Centralized adapters, 223
- Central Trade Manager, Omgeo, 342–344
- CGI. *See* Common Gateway Interface
- CICS (IBM), 131, 184, 187
- CLI. *See* Call-Level Interface
- Clinton, Bill, 348
- CLIs, 173, 174
- CLS, 345
- Clusters
of PIPs, 304, 305
published RosettaNet within, 306
- COBOL, 38, 39, 41, 133, 202
- Cohesion
coupling *versus*, 27–28
support for, 410–411
- Collaboration, ebXML and, 259
- Collaboration Protocol Agreement, 261, 262–268, 276
- Collaboration Protocol Profile, 261, 262, 269, 275, 276
- COM. *See* Component Object Model
- Command layer, in UCCnet message set, 298, 299
- Commerce XML, 241
- Common business model, 380–381
- Common Client Interface, 228, 229, 231
- Common facilities, with CORBA ORB, 167
- Common Gateway Interface, 107
- Common Object Request Broker Architecture, 19, 39, 86, 94, 126, 128, 147, 148, 152, 164, 165, 169, 313, 314, 317
four parts of ORB, 166–167
- Common processes, sharing, 78
- Common transport layers, 294
- Compensating actions, 287
- COM+, 147, 164, 165, 168, 169
- COM+ RPC, 164
- Component Broker, 184
- Component-Dynamic Load Balancing, within Windows 2000, 150
- Component Object Model, 39, 86, 94, 128, 148, 152, 314, 317
- Component-oriented programming, 87–88
- Composite applications, 5, 79, 80, 84, 87–88, 89, 409
- Computer-Aided Software Engineering, 50, 376
- Configuration management capabilities, for integration servers, 211
- Conformance, to ebXML, 276–277

- ConnectionFactory object, 183
 Connectionless
 communication, 120–121
 Connection management, 230
 Connection-oriented
 communication, 120
 Connection pooling, 176
 Connectivity, 407–412
 JCA specification and, 185–186
 reasons for, 407–408
 support for abstraction and, 411–412
 support for cohesion and, 410–411
 support for coupling and, 410
 support for information-oriented connections and, 408–409
 support for service-oriented connections and, 409–410
 support for transaction-oriented connections and, 411
 Consumers, 352–353
 Containers, with BPEL4WS, 289
 Content, support for differences in, 413–414
 Content-based routing, 203, 416
 Context, 381
 Contracts, types of, 230
 Controller bouncing, 41
 Conversions, with XSLT, 255–256
 CORBA. *See* Common Object Request Broker Architecture
 Core components, 268
 Correlation, with BPEL4WS, 289
 Correlation set, 289
 Coupling
 cohesion *versus*, 27–28
 support for, 410
 CPA. *See* Collaboration Protocol Agreement
 CPP. *See* Collaboration Protocol Profile
 Crest, 345
 CRM. *See* Customer Relationship Management
 Cross-enterprise processes, 65, 66
 CTM. *See* Central Trade Manager
 Customer Relationship Management, 2, 236, 442
 cXML. *See* Commerce XML
 DAML+OIL Web Ontology Language, 401
 Data, 93
 in BPEL4WS messages, 288–289
 cataloging, 49–50
 Database connection pooling, 132, 142
 Database federation, 7, 9
 Database gateways, 173, 174–175
 EDA/SQL, 175–176
 Database-Message Resource Coordination, 159
 Database multiplexing, with transactional middleware, 142–143
 Database-oriented middleware, 124, 129–130, 138
 and application integration, 169–175
 benefits with, 172
 description of, 172–173
 functions of, 172
 Java-enabled, 179
 overview of current status, 176
 types of, 173
 Database replication, 7
 Databases, as information producers/consumers, 34–35
 Database servers, 108
 Data cataloging, 374–375
 Data conversion, 201–203, 414
 Data dictionaries, 49, 372–374, 375
 approaching information integration with, 45
 data latency, 373–374
 data structure, 374
 integrity issues, 372
 Data federation, 6, 7, 8, 9
 Data flow diagrams, 379
 Data handling, with BPEL4WS, 289
 Data identification, 45, 371
 Data latency, 46–48, 373–374
 Data marts, 202
 Data replication, 6, 7
 Data structure, 48–49, 374
 Data transformation scenarios, identifying, 386
 Data typing, 48
 Data values, modifying, 202
 Data warehouses, 47, 202
 DB2, 41, 170, 219, 245, 445
 DCE. *See* Distributed Computing Environment
 DCOM. *See* Distributed Component Object Model
 Decryption, with SWIFT, 348
 Defensive communication, MOM for, 154
 Delphi, 95
 Depository Trust & Clearing Corporation, 342
 Design patterns, 382
 Detached signatures, 328
 DHTML, 330
 Dictionaries, in RosettaNet development process, 302, 303–304
 Digital exchanges, 104
 description of, 109–110
 types of, 109–110
 Digital signatures, 306, 327
 Digital Signature Services (DSS) Technical Committee, for OASIS, 328

- Direct communication model, 121
- Direct Interface, and CTM, 344
- Directory Server (Netscape), 210
- Directory services, integration servers and, 193, 209–210
- Discovery and deployment phase, in Functional Service View, 272
- Distributed adapters, 223
- Distributed application J2EE, 188
- Distributed Component Object Model, 94, 313
- Distributed Computing Environment (Open Software Foundation), 117, 125, 152, 153
- Distributed dynamic program links, 144
- Distributed object frameworks, 94
- Distributed objects, 28, 77, 78, 93, 115, 119, 138, 146, 161, 162
 advantages with, 163–164
 and application integration, 161–165, 168–169
 disadvantages with, 163
 as middleware, 128
 role of in application integration, 168–169
 technology, 82–83
 using, 129, 164–165
- Distributed Relational Data Access, 175
- DMRC. *See* Database-Message Resource Coordination
- DNS. *See* Domain Name System
- DOCTYPE declaration, 331
- Documentation, 379
- Document/data layer, in UCCnet message set, 298, 299
- Document Object Model, 186, 250, 251
- Document reuse, with UCCnet, 300
- Document Type Definitions, 274, 331
 and Omgeo CTM, 343
 and PIP message structure, 308, 309
 and XML documents, 239
- DO loops, 93
- DOM. *See* Document Object Model
- Domain frameworks, 95
- Domain Name System, 210
- Domain-specific extensions, 340–341
- DPLs. *See* Distributed dynamic program links
- DRDA. *See* Distributed Relational Data Access
- DTCC. *See* Depository Trust & Clearing Corporation
- DTDS. *See* Document Type Definitions
- Dynamic adapters, 222
- Dynamic data application interfaces, 226
- Dynamic Invocation Interface stub, 165
- Dynamic switching, 144
- EAI. *See* Enterprise Application Integration
- EAN International, 297
- EAN.UCC Message Architecture, 298
- EAN.UCC standards, 297
- EBCDIC, 443
- e-Business
 PIP model, 304
 Web as common platform for, 103
 XML-enabled standards and, 246–247
- ebXML. *See* Electronic Business XML
- ebXML Business Process and Information Meta Model, 273–275
- ebXML Business Process Meta Model, 271
- ebXML Meta Model, 274, 275
- ebXML Registry/Repository, 187
- EDA/Data Drivers, 176
- EDA/Extenders, 176
- EDA/Link, 176
- EDA/Server, 176
- EDA/SQL. *See* Enterprise Data Access/SQL
- EDI. *See* Electronic Data Interchange
- Edwards, J. D., 40
- EIS. *See* Enterprise Information Systems
- EJB. *See* Enterprise JavaBeans
- EJB container, 148, 149
- EJB Server, 149
- Electronic Business XML, xx, 55, 71, 186, 235, 247, 261, 300, 338, 406
 and application integration, 259–278
 architecture, 272–273
 and BPEL4WS, 268
 business process modeling, 273–276
 components, 261–270
 conformance to, 276–277
 future of, 278
 as holistic standard, 325
 messaging service, 269
 as process-based standard, 294
 registry architecture, 270
 synergy with, 309
 UCCnet and, 309
 UDDI and, 277
 vertical application integration solutions and, 337
 XML/edi compared with, 271

- Electronic Data Interchange, xx,
70, 301, 305, 306, 338, 339
cost savings with, 294
as message-based standard,
296
partner/profile subsystems,
261
- Elements, of XML documents,
238
- ELSE, 204
- Embedded devices, as
information producers/
consumers, 43–44
- Encryption, 287, 326, 327, 344
- Enterprise Application
Integration, xix, 1
- Enterprise Application
Integration* (Linthicum), xx
- Enterprise business model,
approaching, 378
- Enterprise Data Access/SQL
(Information Builders),
175–176
- Enterprise Information
Systems, 185, 228, 231
- Enterprise integration, 65
- Enterprise JavaBeans, 130, 145,
147–149, 150, 177, 186, 187
- Enterprise metadata model
building, 51–52, 375–376
physical model, 52
- Enterprise processes, 65, 66
- Enterprise Resource Planning,
9, 29, 353, 365, 366
- Enterprises, reuse goals and, 79
- Entity beans, 187
- Entity correspondence, 397
- Entity Relationship Diagram,
50, 51, 376
- Enveloped signature, 328
- Enveloping signature, 328
- e-paymentsPlus, 346
- ERD. *See* Entity Relationship
Diagram
- ERP. *See* Enterprise Resource
Planning
- e-Speak (Hewlett-Packard), 323
- ETC. *See* Electronic trade
confirmation
- Event-driven Web services
solutions, 87, 88
- Exception handling, with
BPEL4WS, 287
- Executable business processes,
280, 284
- Executable processes, abstract
processes *versus*, 289
- Exshare data, 344
- Extensible Financial Reporting
Markup Language, 247
- Extensible HTML, 330–332
- Extensible Markup Language,
xx, 70, 213, 227, 235, 247,
252, 301, 306, 313, 318,
320, 339, 406
and application integration,
235–247, 257, 332,
442–448
benefits with, 241
ebXML encoded in, 261
integration realities and,
444–445
integration solutions with,
245–246
and Java, 186–187
limitations with, 241–243
metadata, 240
and middleware, 244–245,
445
namespaces, 241, 242
and Resource Description
Framework, 399
RosettaNet and, 308
standards enabled by,
246–247
tokens, 271
value of, 237–243
- Extensible Stylesheet Language,
330
- Extensible Stylesheet Language
Transformation, 235, 241,
246
and application integration,
247–256, 447, 448
- applications with, 255–256
for B2B application
integration, 247–248
description of, 248,
250–251
framework, 186
leveraging inside middleware,
250
processors and processing,
252–253
text-based formats created
with, 248, 249
transformation process with,
254–255
XML document
transformation with,
251–252
and XPath, 251
- External enterprise
systems, 99
- Fail-safe, 417
- FAP. *See* Format and Protocol
- Fast messages, 159
- Fault tolerance, 144
- Federated configuration, for
integration servers,
212–213, 214
- File servers, 107
- Filters, 416
- FIN, 346
- Finance, 338
- Financial community, and
SWIFT, 345–348
- Fire and forget model, 123
- Flat files, 169, 173
- Floating point values,
integration servers and,
202
- Flow control, 193, 203, 416
- Food Lion, 297
- Ford, 293
- Forecasting, and supply chains,
356–359
- FOR loops, 93
- Format and Protocol, 175
- Frameworks, 78, 95

- Functional Service View (FSV),
273, 304, 427
business action and business
signal specification, 433
business transaction
dialog specification,
432–439
network component design,
432
phases in, 272
Function return abstraction
application interfaces, 226
Function return data
application interfaces, 226
Function return service
application interfaces, 226
- Generalizations, 395
GLN. *See* Global Location
Number
Global identifiers, 299
Global Location Number, 299
GLOBALregistry, 297, 298
Global Straight Through
Processing, 337, 338, 342
Global Straight Through
Processing Association,
342, 345, 348
Global Trade Item Number, 299,
300
GloNetXchange, 300
“Good-enough” latency
data, 48
Graphical user interfaces,
208–209
Graphic modeling tool, with
BPIOAI, 57
Green pages, and UDDI, 277,
321
GSTP. *See* Global Straight
Through Processing
GSTPA. *See* Global Straight
Through Processing
Association
GTIN. *See* Global Trade Item
Number
Gymsym, 355
- Health care, 338
Health Insurance Portability
and Accountability Act,
337, 338, 339, 348–350,
368, 402
Hierarchical models, database-
oriented middleware and,
169
HIPAA. *See* Health Insurance
Portability and
Accountability Act
Holistic standards, 325
Horizontal ontologies, 398
Horizontal standards, 309
HTML. *See* Hypertext Markup
Language
HTTP, 107, 306, 309
Hub-and-spoke configuration,
211, 212, 213
Hypertext Markup Language,
107, 248, 252
- IBM, 78, 92, 188, 192, 311, 315,
319, 322
CICS, 131
Distributed Relational Data
Access
MQSeries, 128, 155
IBM AIX, MQSeries and, 156
IBM mainframe floating points,
integration servers and,
202
IBM OS/2, MQSeries and, 156
IDEs. *See* Interface development
environments
Idiom, 382
IDLs. *See* Interface Definition
Languages
IETF. *See* Internet Engineering
Task Force
IF, 204
IFV. *See* Implementation
Framework View
IIOP. *See* Internet Inter-ORB
Protocol
Impact analysis, for integration
servers, 211
- Implementation Framework
View, 304, 427–428
business message and
communications
specification, 440, 441 of
Partner Interface Process,
439–441
Implementation phase, in Func-
tional Service View, 272
Implicit transactions, 148
Import/Export Adapter, and
CTM, 344
IMs. *See* Investment Managers
Information, ontologies and,
396–398, 402
Information content, 443
Information dissemination,
middleware products for,
158
Information integration
application services *versus*,
79–80
approaching, 44–52
Information movement,
mapping, 387
Information-oriented adapters,
service-oriented adapters
versus, 223–224
Information-Oriented
Application Integration, 6,
25–53, 55, 77, 78, 81, 140,
409
advantages with, 27
approaching information
integration, 44–52
coupling *versus* cohesion,
27–28
by example, 29–31
implementation preparation
with, 371
information
producers/consumers and,
34–44
layer of control over BPIOAI,
59
mixing/matching integration
approaches, 33

- normalizing problem
 - domain, 52–53
- and process awareness, 421
- from Service-Oriented
 - Application Integration to, 4–5
- Information-oriented
 - connections, support for, 408
- Information producers and
 - consumers, 34–44
 - application interfaces, 34, 35–37, 39–40
 - databases, 34–35
 - embedded devices, 43–44
 - user interface, 40–43
- Information routing, 415–416
 - filters, 416
 - intelligent routing, 416
- Informix, 50, 170, 246
- Integration brokers, 2, 29, 30, 154
- Integration broker technology, 48, 49
- Integration servers, 119, 134, 138, 332
 - adapters for, 211
 - and application integration, 191–215
 - data conversion with, 201–203
 - definition of, 192
 - directory services and, 209–210
 - evolution of, 213
 - future of application
 - integration and, 214–215
 - intelligent routing with, 203
 - management layer of, 210–211
 - message warehousing
 - through, 205–207, 418
 - primary components
 - of, 194
 - process integration tools and, 211
 - provisions of, 193–196
- repository services and, 207–208
- rules processing with, 204–205
- schema conversion with, 199–201
- services, 192–193
- topologies for, 211–214
- transformation layer in, 198–199
- user interface and, 208–209
- version control for, 211
- Integration services, 339–340
- Integration technology, with
 - BPIOAI, 58
- Integrity, 46
- Intelligent routing, 78, 192, 194, 203, 416
- Intercompany application
 - integration
 - Web services and, 312
 - XML and, 236
- Intercompany process
 - integration, and
 - RosettaNet, 309
- Interface abstraction, 13, 66
- Interface Definition Languages, 86, 317
- Interface Definition Language
 - stub, 165
- Interface development
 - environments, 102, 185
- Interface processing, 6, 9–10
- Interfaces, 384, 386
- Interface types, 225–226
- Internal enterprise systems, 99
- Internal processes, 66
- Internal Revenue Code of 1986, 348
- Internet, 152, 162, 260
 - OBI specification and, 306
 - supply chains and, 362
 - XML and, 235
 - Yellow Pages for, 322
- Internet Engineering Task
 - Force, standards, 186
- Internet Inter-ORB Protocol, 125, 164, 165
- Internet repositories, 271
- Internet Server Application
 - Programming Interface, 107–108
- Interprocess category of Java
 - middleware, 179
- Intracompany application
 - integration
 - Web services and, 312
 - XML and, 236–237, 245–246
- Investment Managers, 342, 343, 344
- IOAI. *See* Information-Oriented
 - Application Integration
- IOAPI, 56
- ISAM, 173
- ISAPI. *See* Internet Server
 - Application Programming
 - Interface
- ISO 15022, 341, 343
- ISO/OSI communication
 - reference model, 307
- Item synchronization, with
 - UCCnet, 297
- Iteration, 93
- I2, 354
- Java, 39, 93, 133, 145, 147, 165, 204, 316, 318
 - JDBC for, 108
 - JMS message transport
 - services for, 180
 - and middleware, 189–190
 - XML and, 186–187
- Java API
 - for XML-based RPC, 187
 - for XML Messaging, 186
 - for XML Processing, 186
 - for XML Registries, 187
- Java-based middleware
 - categories, 178
 - application hosting, 178
 - connectivity, 178
 - database oriented, 178, 179
 - interprocess, 178, 179

- Java-based middleware
 - categories (*cont.*)
 - message oriented, 178, 179–181
 - transaction processing, 178
- Java-based middleware standards, and application integration, 177–190
- JavaBeans, 148
- Java Database Connectivity, 34, 130, 169, 173, 174, 176, 177, 320
 - for Java, 108
 - in J2EE, 186
- Java IDL, in J2EE, 186
- Java Message Service, 179
 - and application development, 183
 - message structure, 180
- Java Message System, xxi, 177, 186, 187, 406
- Java Naming and Directory Information, 183
- JavaSoft, 179
- Java Transaction API, 186–187
- Java Transaction Service, 187
- Java 2 Platform, Enterprise Edition, 186–187, 189, 320
 - deployment specification, 186
 - distributed application, 188
 - messaging, 188
 - transactional, 187
- JAX, 177
- JAXM. *See* Java API for XML Messaging
- JAXP. *See* Java API for XML Processing
- JAXR. *See* Java API for XML Registries
- JAX-RPC. *See* Java API for XML-based RPC
- JCA. *See* J2EE Connector Architecture
- JCA adapters, packaging, 231
- JCA resource adapters, 229–231
- JDBC. *See* Java Database Connectivity
- JMS. *See* Java Message System
- JMS domains, 180
- JMS messages, 180
- JMS provider, 180
- JNDI. *See* Java Naming and Directory Information
- Journalized communication, MOM for, 154
- JTA. *See* Java Transaction API
- JTS. *See* Java Transaction Service
- J2EE. *See* Java 2 Platform, Enterprise Edition
- J2EE Connector Architect, 10
- J2EE Connector Architecture, 37, 177, 185–186, 226–228, 232, 339, 406
 - adapters and, 217–232
 - basic architecture, 228
 - elements and services with, 228–229
 - resource adapters, 229–231
 - thick or thin?, 227
- J2EE containers, JCA in, 185
- Kearny, A. T., 296
- Kerberos, 326
- Knowledge-oriented middleware (KOM), 450–451
- Latency, data, 46–48
- Lawson Software, 40
- Legal compliance, 294
- Linthicum, David
 - Enterprise Application Integration*, xx
- Linux, 41, 189
- Load balancing
 - with integration servers, 213
 - with TP monitors, 132–133
 - with transactional middleware, 143
- Local transactions, XA transactions *versus*, 230
- Logging, 417–418
- Logic, classes of, 93
- Logical middleware model, 116
- Logical model, 376
 - approaching information integration and, 50–51
 - normalizing, 377
- Long-term transactions, 420
- Lowe's, 297
- MacOS, MQSeries and, 156
- “Macro-messaging” models, 152
- Mail API, 157
- Mainframe databases, 140
- Maintenance, 392
- Managed applications, 229
- Managed environments, 229
- Management, integration servers and, 193, 210–211
- Management layer, of integration server, 210, 211
- Manufacturing/retail/distribution, 337, 338, 350–359
- Manugistics, 354
- Many-to-many capabilities, with integration servers, 195
- Many-to-many information routing, 415
- Many-to-many middleware, 119–120
- Many-to-one information routing, 415
- MAPI. *See* Mail API
- Mapping
 - information movement, 387
 - onotologies and, 396
 - servers, 398
- MATCH AGREED status, 343
- Matching, in Omgeo Central Trade Manager, 343
- Mercator, 192
- Mercator GSS for Omgeo, 343
- Message archiving, 205, 206
- Message-based standards, 294, 295–296
- Message body, in RosettaNet business messages, 308

- Message brokers, 49, 118, 154, 160, 366
- MessageConsumers, 183
- Message definitions, in WSDL document, 316
- Message exchange controls-Request account change, 437, 439
- Message exchange controls-Request quote, 435
- Message handling layer, in RosettaNet communication model, 306, 307
- Message header, in RosettaNet business messages, 308, 309
- Message integrity, 205, 206, 418
- Message mining, 205, 418
- Message-oriented Java-enabled middleware, 179–181
- Message-Oriented Middleware, 117, 124, 126–128, 137, 193 and application integration, 150–151 applications with, 154–155 examples of, 155–160 future of, 160–161 message brokers as, 154 transactional middleware communication and, 144 using, 152–155
- MessageProducers, 183
- Message queuing, 38, 127–128, 152
- Messages, 86
- Message transformation layer, rules engines combined with, 204
- Message validation, in Omgeo CTM, 343
- Message warehousing, 192, 205–207, 416, 418
- Messaging, 115, 150–151, 268
- Messaging J2EE, 188
- Messaging system, within BPIOAI, 70, 71
- Metadata, 240, 294
- Meta Model, ebXML, 274, 275
- Method-oriented application integration, distributed objects and, 164
- MFC. *See* Microsoft Framework Classes
- Microsoft, 92, 311, 315, 316, 319, 322, 323
- Open Database Connectivity, 130
- transactionality support through, 149–150
- Microsoft AppCenter, 147
- Microsoft Foundation Classes, 95
- Microsoft Message Queue server, 150
- Microsoft Transaction Server, 147, 150
- Microsoft Windows NT, MQSeries support for, 159
- Microsoft Windows 2000, 150
- Microsoft Windows XP, 150, 189
- Middleware, 115–136, 338 application servers, 133–134 asynchronous, 120 choosing, 135–136 database-oriented, 124, 129–130 definition of, 116 distributed objects as, 128 emerging platforms, 189 evolution of, 137 Extensible Markup Language and, 445 integration servers and, 134 Java and, 178, 189–190 knowledge-oriented, 450–451 many-to-many, 119–120 message-oriented, 126–128 models, 116–123 point-to-point, 117–118 request and response, 122–123 synchronous, 120
- transactional, 124, 411
- transaction-oriented, 130
- types of, 124–133
- XML's value to, 244–245
- XSLT leveraged inside of, 250
- Middleware interfaces, with BPIOAI, 74, 75
- “Middleware paradox,” 128
- MIME messages, 308
- Modeling, 65, 422
- MOM. *See* Message-Oriented Middleware
- Monitoring, 65, 422
- MQ. *See* Message queuing
- MQ Integrator (IBM), 160
- MQSeries (IBM), 117, 128, 155, 179 as heterogenous MOM solution, 156, 157
- Java Message Service and, 183, 184
- platforms supported by, 156
- three layers of, 158
- MRD. *See* Manufacturing/retail/distribution
- MSMQ (Microsoft), 128, 155
- MSXML3, 253
- MT511 message protocol, 343
- MTS (Microsoft), 131
- M2BEGIN verb, 159
- M2M, 297
- Multidimensional models, database-oriented middleware and, 169
- Multihub configuration, for integration servers, 212–213, 214
- Multimedia files, 107
- Multiple-enterprise-system portals, 104, 105
- Multiplexing, 176
- Multitier application development, 164
- NAICS, 277
- NAK messages, with SWIFT, 347

- Namespaces, XML, 241
- NCR UNIX, MQSeries
 - and, 156
- Near-time data, 48, 373–374
- NEON, 160
- Nested elements, 238, 332
- Nesting, within business process model, 68
- .NET, 5, 17, 19, 78, 314–316
- Netscape, 165
- Netscape Application
 - Programming Interface, 107
- NetWare Directory System and Directory Services (Novell), 210
- Network File System (NFS), 152
- Nonmanaged environments, 229
- Nonrelational database models, 176
- Nonrepudiation, 327
- Normalization, 52–53, 377–378
- Notification of Business
 - Exceptions, in CTM, 344
- NSAPI. *See* Netscape
 - Application Programming Interface
- OASIS. *See* Organization for the Advancement of Structured Information Standards
- Oasys, 342, 343
- OBI specification (CommerceNet), 306, 308
- Object frameworks, service frameworks *versus*, 94, 95, 96
- Object Linking and Embedding, 168
- Object Management Group, 126, 128, 164, 323
- Object-oriented models, database-oriented middleware and, 169
- Object-oriented technology, 93
- Object Request Broker, 165
 - CORBA, 166–167
 - idea behind, 165
- Objects, 93
- Object services, in CORBA
 - ORB, 167
- Object state management, and application servers, 147
- Object Transaction Services, OMG endorsement of, 164
- ODBC. *See* Open Database Connectivity
- OIF. *See* Open Integration Framework
- OLE. *See* Object Linking and Embedding
- OMG. *See* Object Management Group
- Omgeo, 337, 341, 342, 348
- Omgeo Alert service, 344
- Omgeo Central Trade Manager, 342–344
- Omgeo Oasys, 342
- One-time data, 48, 374
- One-to-one information routing, 415
- Ontologies
 - abstraction and, 403
 - and application integration, 394
 - applications with, 398–399
 - developing, 396
 - leveraging of and application integration, 393–404
 - Resource Description Framework and, 399–400
 - value of, 403–404
 - vertical, 402
 - Web-based standards and, 400–401
- Ontology servers, 398
- Opaque data, 281
- Open Database Connectivity (Microsoft), 130, 169, 173, 174, 176, 320
- for ActiveX, 108
- EDA/SQL and, 175
- OpenDoc, 318, 320
- Open Integration Framework, 245–246, 446
- Open Software Foundation, DCE, 152
- Open Unix, 320
- Open VMS, MQSeries and, 156
- Operation definitions, in WSDL document, 316
- Optimization, 65, 422
- OR, 204
- Oracle, 9, 40, 50, 170, 219, 246
- ORB. *See* Object Request Broker
- Organization for the Advancement of Structured Information Standards, 71, 91, 260
- Digital Signature Services (DSS) Technical Committee, 328
- XML-Based Security Services Technical Committee, 328
- OSF. *See* Open Software Foundation
- OS/2, MQSeries and, 156, 159
- OS/390, J2EE within, 189
- OTS. *See* Object Transaction Services
- OWL. *See* Web Ontology Language
- Packaged applications, 10, 39–40
- Packaging and deployment interfaces, 229
- Parsers, XML documents and, 240
- Partner and message management, for UCCnet, 298
- Partner Interface Process, 71, 301–302
- blueprint data, 431
- business activity descriptions, 430
- business activity performance controls, 431

- business data entities, 431
- business documents, 431
- business process flow
 - diagram, 429
- clusters and segments, 304, 305
- communication, 308
- end states, 429–430
- Functional Service View, 432–439
- Implementation Framework View, 439–441
- partner role descriptions, 430
- start state, 429
- Partner Interface Process
 - communication, 308
- Partner Interface Process
 - Specification, 304, 424–441
 - business operational view, 428–431
 - document management, 426–427
 - Functional Service View, 432–439
 - Implementation Framework View, 439–441
 - introduction, 427–428
- Passive digital exchanges, 109–110
- Passive type importers, 222
- Patterns, 381, 406
 - types of, 381–382
 - value of, 383–384
- PDAs. *See* Personal digital assistants
- PDF, 252
- PeopleSoft, 9, 40, 41, 42, 104, 108, 146, 219, 226, 236, 245, 246, 408, 442, 445, 446
- Performance, 388, 390
- Persistence, 416–418
 - logging, 417–418
 - message warehousing, 416, 418
- Personal digital assistants, 107
- Personal ontologies, 395, 396
- Physical middleware model, 116
- Physical model, 376, 377
- PIP. *See* Partner Interface Process
- PIP1A1, “Request Account Setup,” 428
- PKCS#7 digital signatures, 306
- PKI. *See* Public Key Infrastructure
- Platform heterogeneity, 443
- PL/1 picture data, integration servers and, 202
- POAI. *See* Portal-Oriented Application Integration
- Point-to-point messaging, Java Message Service and, 181, 182
- Point-to-point middleware, 117–118, 150
- Point-to-point model, MOM support for, 127
- Portal architecture, 106–109
 - application servers, 106, 109
 - back-end applications, 106, 108
 - components of, 106, 107
 - database servers, 106, 108
 - Web clients, 106, 107
 - Web servers, 106, 107–108
- Portal-level integration,
 - disadvantages with, 103
- Portal-Oriented Application Integration, 19, 20, 56, 99–111, 100, 139
 - advantages of, 103
 - application servers for, 146
 - by example, 101–102
 - and portal power, 102–103
 - Web-enabled world and, 103–105
- Portals, 99
 - and application integration, 100, 111
 - multiple-enterprise-system, 104, 105
 - power with, 102–103
 - single-system, 104
 - trading community, 104, 106
- Ports, 86
- PortType definitions, in WSDL document, 316
- portTypes, 286, 316, 317
 - in BPEL4WS by example, 290, 291
- PowerBuilder, 95
- PP2A2, Query Product Information, 302
- Preamble Header, in PIP message, 308
- Prebuilt processes, 294
- Private information, 353
- Private keys, 327
- Private processes, 353
- Problem, 381
- Problem domains
 - approaching, 44–52
 - normalizing, 52–53
 - and ontologies, 394
 - understanding, 370
- Process awareness, 420–422
- Process-based ontologies, 402
- Process-based standards, 294–295
- Process cataloging, 379–380
- Processes, types of, 66
- Process execution and modeling, 340
- Process instances, with BPEL4WS, 288
- Process integration, 378–379
- Process integration tools,
 - for integration servers, 211
- Process isolation, 355–356
- Process layer, in RosettaNet communication model, 306, 307
- Process management support,
 - for UCCnet, 298
- Process model, within BPIOAI, 71
- Process-Oriented Application Integration, 353
- Process Templates, with XML/edi, 271

- Process-to-process messaging model, 152
- Program editor, 205
- Progress Software, 188
- Protocol-relevant data, in
 BPEL4WS messages, 288
- Protocol support, for UCCnet, 298
- Pseudocode, 379
- Public information, 353
- Public key cryptography, 327
- Public Key Infrastructure, 91, 326, 328
- Public Law 104-191, 348
- Public processes, 353
- Publish/subscribe (pub/sub), 122
- Publish/subscribe engines, with MQSeries, 159-160
 for queuing products, 158
- Publish/subscribe messaging, Java Message Service and, 181, 182
- Pyramid, MQSeries and, 156
- QueueConnection, 181, 182
- QueueConnectionFactory, 181, 182
- Queued communication, 121-122
- Queue object, 181
- QueueReceiver, 181, 182
- QueueSender, 181, 182
- QueueSession, 181, 182
- Quine, W. V., 394
- Ralston Purina, 300
- RDA. *See* Remote Data Access
- RDF. *See* Resource Description Framework
- Real-time business integration, moving to, 2
- Real-time data, 46-47, 373
- Reference models, 395
- Registries, ebXML, 269, 270
- Registry and Repository services, with ebXML, 269
- Relational models, database-oriented middleware and, 169
- Remote Data Access (ISO/SAG), 175
- Remote Method Invocation, 116, 177, 179, 188
- Remote Procedure Calls, 313
- Repositories
 application information in, 199
 integration servers and, 193, 207-208
 Internet, 271
 thick adapters and, 220
- Request account change interactions: Service-Agent-Service, 436
- Request account change interactions: Agent-Service-Service, 438
- Request account change interactions: Service-Service, 435
- Request and response middleware, 122-123
- Request response model, 122-123
- Resource adapters, 228, 229-231, 338-339
- Resource Description Framework, 241, 399-400
- Resource ontologies, 395, 396, 398
- Reusability, 18, 78-79
- Reusable processes, 294, 340
- Risk analysis process, 79
- RMI. *See* Remote Method Invocation
- RMI-IIOP, 187, 188
- Root element, in XML documents, 238
- RosettaNet, xx, 55, 71, 236, 247, 270, 298, 300-309, 338, 447, 448
 and B2B application integration, 309
 business process analysis, 302
 communication reference model, 307
 description of, 301-302
 development process, 303
 dictionaries, 301, 303-304
 for high-tech manufacturing, 293, 300, 301
 history behind, 301
 as holistic standard, 325
 networked application protocols, 309
 PIP clusters and segments, 305-306
 PIP communication, 308
 PIP development, 303
 PIP message structure, 308-309
 as process-based standard, 294
 technology, 306-308
 value of PIPs, 304-305
 and vertical application integration solutions, 337
- RosettaNet Implementation Framework, 304
- Routing, 29
- Remote Procedure Calls (RPCs), 115, 117, 124, 125-126, 135-136
 and application integration, 150-151
 future of, 160-161
 transactional middleware communication and, 144
 using, 151-152
- Rules, 92-93
- Rules editor, 205
- Rules engine, 194, 195, 204
- Rules processing, 192, 201, 204-205
- Rules wizard, 205
- Run-time phase, in Functional Service View, 272
- SAA. *See* SWIFTAlliance Access
- SAE. *See* SWIFTAlliance Entry

- SAG. *See* SWIFTAlliance Gateway
- SAML. *See* Security Assertion Markup Language
- SAP, 9, 36, 40, 101, 146, 236, 245, 246, 442, 445, 446
- SAP R/3, 104, 108, 219
- SAX. *See* Simple API for XML
- Saxon XSLT processor, 253
- Scalable development, with transactional middleware, 142
- Scaling issues, 389–391
- Scenarios, 92–94
- Schema conversions, 199–201, 255
- Scope, 287
- Scopus, 40
- SCO UNIX, MQSeries and, 156
- Screen scraping, 40
- Secure IP Network, 346
- Secure Socket Layer, 306, 309, 326, 330
- categories of, 294–296
 - dynamics of, 325
 - horizontal, 309
 - message-based, 294, 295–296
 - process-based, 294–295
 - proviso with, 332–333
 - service-based, 294, 295
- Security
- portal-level integration, 103
 - RosettaNet, 306
 - SWIFT, 345, 347
 - transactional middleware, 142
- Security Assertion Markup Language, 91, 328, 329–330
- Security layer, in RosettaNet communication model, 306, 308
- SeeBeyond, 192
- Segments, 304, 305, 306
- Selection, 93
- Semantic Web, 400, 404
- Sequential processing, 93
- Server bouncing, 41
- Service-Agent-Service interaction configuration, in Functional Service View, 434
- Service-based standards, 294, 295
- Service Content, in PIP message, 308
- Service definitions, in WSDL document, 316
- Service frameworks, understanding, 94–95
- Service Header, in PIP message, 308
- Service layer, in RosettaNet communication model, 306, 307
- Service link, 282, 286
- Service Messages, with SWIFT, 347
- Service network component, in Functional Service View, 433
- Service-oriented adapters, 225
- information-oriented adapters *versus*, 223–224
- Service-Oriented Application Integration, 16, 17, 18–19, 28, 47, 48, 56, 77–97, 191, 224, 324
- and coupling, 410
 - description of, 78–79, 81, 83
 - layer of control over, with BPIOAI, 59
 - leveraging of, 82–83
 - leveraging patterns for, 381
 - moving from Information-Oriented to, 4–5
 - and process awareness, 421
 - and scenarios, 92–94
 - and service frameworks, 94–95
 - and transactional middleware, 140
 - and vertical markets, 339
 - and Web services, 84–91
- Service-Oriented Architecture, 402
- Service-oriented connections, support for, 409–410
- Service-oriented middleware technology, xx
- Service references, 286, 287
- Services, within Web Services Description Language, 86
- Service-Service-Agent interaction configuration, in Functional Service View, 434
- Service-Service interaction configuration, in Functional Service View, 434
- Servlets, 188
- Session beans, 187
- SGML, 332
- Shared ontologies, 395, 396, 398
- Shared processes, 66
- Short-term transactions, 419–420
- Siebel, 40
- Simple API for XML, 186, 250
- Simple Object Access Protocol, 79, 186, 232, 235, 311, 313, 316
- ebXML and, 259, 268
 - UCCnet and, 299
- Single-system portals, 104
- SIPN. *See* Secure IP Network
- Skateboard creation, BPIOAI and, 64, 65–67
- Smalltalk, 95, 165, 188
- Smart message distribution, 159
- SOA. *See* Service-Oriented Architecture
- SOAI. *See* Service-Oriented Application Integration
- SOAP. *See* Simple Object Access Protocol
- SOAP-RP, 186
- Society for Worldwide Interbank Financial Telecommunication. *See* SWIFT

- Software Agents, with XML/edi, 271
- Solaris, MQSeries and, 156
- Solution, 381
- Specialized processes, 66
- Specification schema, 274, 275
- SQL. *See* Structured Query Language
- SQL gateways, 174
- SSL. *See* Secure Socket Layer Standards
- State diagrams, 379
- State-full messaging, 206
- Stateless component model, 147
- State management, 420
- Static adapters, 222
- Static data application interfaces, 225
- Stovepipes, rules in, 92
- Straight Through Processing (STP), 341-342, 368, 402
- Structural transformation, XSLT processing and, 251, 252
- Structured Query Language, 34
- Stubs, and Object Request Brokers, 165
- Sun, 78, 147, 150, 152, 311, 319
- SuperValu, 297
- Supplier and consumer systems, 353
- Suppliers, 352
- Supply chain entities, 352-353
- Supply chain integration, 337
 - and application integration, 361-362
 - manufacturing, retail, and distribution approached with, 350-359
 - and RosettaNet, 309
 - value of, 351-352
- Supply chain integration standards
 - future of, 310
 - RosettaNet, 293, 300-309
 - UCCnet, 293, 296-300
- Supply chains, 365-367, 408
 - adverse effects on efficiency of, 357
 - concepts within, 354
 - defining, 353-356
 - example, 354
 - forecasting and, 356-359
 - process with, 363-365
 - real-time business integration and, 2-3
- Support frameworks, 95
- SWIFT, 337, 342, 345-348
- SWIFTAlliance Access, 346
- SWIFTAlliance Entry, 346
- SWIFTAlliance Gateway, 346
- SWIFTAlliance Webstation, 346
- SWIFT Messages & Services, 346
- SWIFT messaging, markets served by, 345
- SWIFTNet, 346
- SWIFTNet Ling, 346
- SWIFTNet PKI, 346
- Sybase, 50, 170, 173, 219, 246
- Symmetric multiprocessing (SMP)-based server, 150
- Synchronous communication, 168
- Synchronous middleware, 120, 136
- Synchronous validation, in Omgeo CTM, 343
- SYNCpoint, 297
- Synergy, with horizontal standards, 309
- System-level contracts, 230
- System-level contracts and services, 229
- System Messages, with SWIFT, 347
- Systems integrator, 195
- Tactical standards, 325
- Tags, in XML documents, 238
- TCP/IP. *See* Transmission Control Protocol/Internet Protocol
- Technical properties dictionary, and PIP development, 303-304
- Technology selection, 387
- Telekurs data, 344
- Template rules, parts of, 254-255
- TemporaryQueue, 181, 182
- Testing, 388, 391
- Text-based messaging, 250
- TFM. *See* Transaction Flow Manager
- Thick adapters, 215, 219, 220-221
- Thin adapters, 215, 219
- Thomson Financial, 342
- Threading, 132
- Three-tier architecture, 143
- TIBCO, 158, 160
- Tokens, XML, 271
- Topics, 182-183
- Topologies, for integration servers, 211-214
- TP. *See* Transaction Processing
- Trade, ebXML for, 261
- Trade Detail, in Omgeo, 343
- Trade Level, in Omgeo, 343
- Trading community portal, 104, 106
- Transactional COM+, AppCenter used with, 149-150
- Transactionality, 418-420
 - long-term transactions, 420
 - short-term transactions, 419-420
 - state management, 420
- Transactional J2EE, 187
- Transactional middleware, 118, 119, 124, 138, 411
 - and application integration, 138-140
 - communication and, 144
 - database multiplexing with, 142-143
 - fault tolerance with, 144
 - load balancing with, 143

- Transactional RPCs,
 - transactional middleware communication and, 144
- Transaction capacities, 294
- Transaction controls, 418
- Transaction Flow Manager, 338, 342
- Transaction layer, in RosettaNet communication model, 306, 307
- Transaction management, 231
- Transaction-oriented connections, support for, 411
- Transaction-oriented middleware, 130
- Transaction Processing, 116
- Transaction processing (TP) monitors, 28, 130–133, 138, 140, 144, 146, 162, 187
 - importance of, 145
 - services provided by, 132
- Transactions, 78, 132, 140, 185, 411, 419
 - evolving, 146–147
 - implicit, 148
 - long-term, 420
 - short-term, 419–420
- Transaction servers, 115
- Transaction tracking, 418
- Transfer layer, in RosettaNet communication model, 306, 308
- Transformation, 29, 78, 412–415
 - with integration servers, 192
 - support for abstract data types, 414–415
 - support for differences in application semantics, 413
 - support for differences in content, 413–414
 - XSLT and, 254–255, 256
- Transformation, routing, and rules layer, within BPIOAI, 69–70, 71
- Transformation API for XML, 186
- Transformation layers, 194, 198–199, 412
- Transmission Control Protocol/Internet Protocol, 188, 309
- Transora, 300
- Transparent data, 281
- Transport layer, in UCCnet message set, 298, 299
- TrAX. *See* Transformation API for XML
- Trees, 252, 253, 254
- TRPCs. *See* Transactional RPCs
- TrustAct, 346
- Tuxedo (BEA), 131, 187
- Two-phase commits, 144
- Type definitions, in WSDL document, 316
- typedEntityIdentification, 300
- Type importers, 222
- UAK messages, with SWIFT, 347
- UCC. *See* Uniform Code Council
- UCCnet
 - components of, 298
 - description of, 296–297
 - future of, 300
 - message set, 298–300
 - for retail supply chains, 293, 296–297
 - service areas with, 297
 - subscribing to, 297
 - and vertical application integration solutions, 337
- UCCnet Technical Application Programming Interface, 298
- UCCnet Technical User's Guide*, 298
- UDDI. *See* Universal Description, Discovery and Integration
- UDDI Business Registry, 320, 321, 322, 323
- UML. *See* Unified Modeling Language
- UN/CEFACT, 260
- Unified Modeling Language, 274, 275, 303, 378, 380
- Uniform Code Council, 296, 298, 305
- Uniform Resource Indicator, XML namespaces identified by, 242
- United Nations Body for Trade Facilitation and Electronic Business, 71
- United Nation/SPSC codes, 277
- Universal Description, Discovery and Integration, 5, 79, 85, 90, 92, 187, 311, 315
 - and application integration, 320–324
 - business registration database, 322
 - ebXML and, 259, 277
 - invocation model, 321
- UNIX, 125
- UNK messages, with SWIFT, 347
- Update Guard, and CTM, 344
- URI. *See* Uniform Resource Indicator
- User interfaces
 - as information producers/consumers, 40–43
 - integration server and, 208–209
 - using, 41–42
- User to User Messages, with SWIFT, 347
- UTAPI. *See* UCCnet Technical Application Programming Interface
- Values management, with data conversion, 202
- VANs, 362
- Vendor-Independent Messaging, 157
- Version control, for integration servers, 211

- Vertical industries, 337
 digital exchanges and portals
 for, 110
 “Verticalization” of application
 integration technology,
 337–368
 Vertical ontologies, 399, 402
 Vertical subsystems,
 implementing, 341
 VIM. *See* Vendor-Independent
 Messaging
 Virtual database middleware,
 174
 Virtual databases, 9
 VSAM, 173
- Wal-Mart, 293, 297, 300
 WANs. *See* Wide area networks
 Web-based standards, and
 ontologies, 400–401
 Web clients, 107
 WebMethods, 192
 Web Ontology Language, 399,
 401, 404
 Web servers, 107
 Web services, xx, 5, 28, 37, 77,
 85, 86–91, 164, 224, 339.
See also Business Process
 Execution Language for
 Web Services
 adapters and, 232
 considerations with, 311–312
 as distributed objects, 161
 ebXML built on, 260
 as enabling standard, 324
 by example, 84
 fit between application
 integration and, 86–91
 and future of application
 integration, 78
 missing pieces of, 328
 .NET and, 315
 and portals, 99
 rationale behind, 79
 support for, 409–410
 synergy with, 309
 Universal Description,
 Discovery and Integration
 and, 92
 Web Services Description
 Language, 79, 85, 86, 90,
 232, 316–317, 331
 Web Services Interoperability
 Organization, 319
 Web Services-Security
 and application integration,
 326
 standards with, 319
 Web Services User Interface, 91,
 328
 Wegmans Food Markets, 300
 “Well-formed” XML
 documents, 238
 WFMC, 279, 280
 White pages, and UDDI, 277,
 321
 Wide area networks, 362
 Windows NT, MQSeries and,
 156
 Windows operating system, 94
 Wireless devices, 107
 Wizards, 205, 208
 Workflow tools, 63
 World Wide Web, 401
 World Wide Web Consortium,
 247, 248, 330, 331, 399,
 400, 401
 WSDL. *See* Web Services
 Description Language
 WS-I. *See* Web Services
 Interoperability
 Organization
 WS-Security. *See* Web Services-
 Security
 WSUI. *See* Web Services User
 Interface
 W3C. *See* World Wide Web
 Consortium
- XA, 320
 XA transactions, local
 transactions *versus*, 230
 XEDI. *See* XML for EDI
 XFRML. *See* Extensible
 Financial Reporting
 Markup Language
 XKMS. *See* XML Key
 Management Specification
 XML. *See* Extensible Markup
 Language
 XML-Based Security Services
 Technical Committee
 (OASIS), 91, 328
 XML documents, 238–240,
 251–252
 XML/edi, ebXML compared
 with, 271
 XML encryption, and
 application integration,
 327
 XML for EDI, 241, 247
 XML Key Management
 Specification, 91, 328, 329
 XML Query, 247
 XML Schema, 241, 247, 316
 XML Signature, and application
 integration, 327–328
 XML Signatures, types of, 328
 XML specifications, BPEL4WS
 as extension of, 282
 XPath, 251, 283
 XPointer, 251
 XrML. *See* Extensible Rights
 Markup Language
 XSL. *See* Extensible Stylesheet
 Language
 XSLT. *See* Extensible Stylesheet
 Language Transformation
- Yellow pages, and UDDI, 277,
 321
 Zero-latency real time, 47