

Index

Note: An italic *e* after a page number indicates an entry that is a code sample.

A

- Absolute positioning, 93, 100-101
- AbsoLuteLayoutDemo, 101
- AbstractAction, 69, 514
- AbstractBorder, 541
- AbstractButton, 18, 156, 163
- AbstractColorChooserPanel, 172
- AbstractDocument, 72
- AbstractListModel, 178
- AbstractSpinnerModel, 361
- AbstractTableModel, 395
- Accelerators, 282-283, 624
- Accessibility, 141, 254, 519-534
 - See also Assistive technologies
 - API for, 532-534
 - of components, 526-528
 - of custom components, 529-532
 - how it works, 538
 - support for, 520
 - testing for, 521-525
- Accessibility utilities, 521, 525
- Accessible object, 528
- Accessible interface, 529
- Accessible tree, 523
- AccessibleAction, 525, 528, 533
- AccessibleComponent, 524, 529, 533
- AccessibleContext, 524, 528
- AccessibleExtendedComponent, 528
- AccessibleHypertext, 525
- AccessibleJComponent, 529-530, 533
- AccessibleJLabel, 529
- AccessibleRole, 531
- AccessibleScrollDemo, 522, 524^e
- AccessibleSelection, 525
- AccessibleState, 531
- AccessibleStateSet, 530
- AccessibleText, 528
- AccessibleValue, 528
- Accessory component, 216
- Action map, 623-624
- Action objects, 61, 66, 67, 513-518, 646-648
 - API for, 516
- ActionDemo, 514-516^e
- ActionEvent, 20, 283
- ActionListener, 646-648
 - API for, 646
 - interface, 109
- ActionMaps, 623, 626
- actionPerformed, 70, 109, 261-262, 271-272
- Adapters, event, 122
- add, 14, 18, 27, 29-30
- addActionForKeyStroke, 68
- addActionListener, 17, 20, 22, 29, 109, 112, 118, 162, 185, 290, 299, 426, 513
- addCaretListener, 75, 82, 649
- addChangeListener, 118, 349-350, 355, 363, 364, 652
- addChoosableFileFilter, 212, 219
- addChooserPanel, 171
- addComponentListener, 56, 655
- addContainerListener, 659
- addDocumentListener, 73, 81, 662
- addElement, 270-272
- addFocusListener, 592, 667-668
- addInternalFrameListener, 250, 672
- addItem, 185, 400
- addItemListener, 179
- addKeyListener, 56, 678
- addKeymap, 68
- addLayoutComponent, 98

INDEX

- addListSelectionListener, 270
 - addMouseListener, 56, 114-116, 284, 553, 592, 690, 697
 - addMouseListenerToHeaderInTable, 413
 - addMouseMotionListener, 56, 260, 336, 696-697
 - addPropertyChangeListener, 223
 - addSeparator, 346
 - addTab, 382-383, 385, 434, 436
 - addTableModelListener, 378, 708
 - addTreeExpansionListener, 454, 711
 - addTreeSelectionListener, 441, 453, 715
 - addTreeWillExpandListener, 454, 719
 - addUndoableEditListener, 69, 81, 721
 - Alignment (*X* and *Y*), 94
 - problems with, 471
 - AlignmentAction, 80
 - Alpha-compositing mode, 139
 - Alternate input devices, 519
 - AncestorListener, 120, 123
 - anchor, 484
 - Animation, 149-152
 - Anonymous inner class, 116
 - <APPLET> tag, 153, 613
 - Applets, 149-155
 - API for, 154
 - compiling and running, 6-8
 - embedding, 153
 - features, 149
 - images in, 152
 - threads in, 150-152
 - Application-controlled filters, 212
 - archive attribute, 614
 - ArrayListTransferHandler, 552
 - ArrowIcon, 619*e*
 - Assistive technologies, 17, 24
 - See also* Accessibility
 - Atomic components, 41-42
 - AUTO_RESIZE_NEXT_COLUMN, 393
 - AUTO_RESIZE_OFF, 393
 - AUTO_RESIZE_SUBSEQUENT_COLUMNS, 393
 - autoscrolls property, 336
 - AWT event model, 13
 - AWT painting system, 130
- B**
- Background image loading, 131, 617
 - Basic controls, 40
 - BasicDnD, 548, 549, 550
 - BeepAction, 79
 - Beeper, 108-109, 646*e*
 - BevelBorder, 539, 541-542
 - BINGO application, 397
 - BlankArea, 689-690*e*
 - BLDComponent, 468*e*
 - Block increment, 329
 - BoldAction, 67
 - BorderDemo, 538*e*
 - BorderFactory, 541
 - BorderLayout, 89, 93, 97, 428, 459-461
 - API for, 461
 - BorderLayoutDemo 89, 459*e*
 - Borders, 14, 19, 27, 54, 535-544
 - adding, 19
 - API for, 542-543
 - compound, 27
 - custom, 541
 - using, 539-540
 - Bound properties, 120
 - BoundedRangeModel, 356
 - Box, 468-470, 474
 - BoxAlignmentDemo, 472*e*
 - Box.Filler, 468-470
 - BoxLayout, 26, 89, 99, 402, 462-475
 - API for, 473
 - features of, 464-467
 - fixing alignment problems in, 471
 - specifying component sizes in, 472
 - BoxLayoutDemo, 189, 462*e*
 - BoxAlignmentDemo, 472*e*
 - Branch nodes, 437
 - buildChooser, 172
 - Built-in filters, 212
 - ButtonDemo, 157, 434, 618*e*
 - ButtonGroup, 30, 311-313
 - ButtonHtmlDemo, 45*e*
 - ButtonModel, 50
 - Buttons, 14, 156-162
 - APIs for, 160
 - default, 24
 - features of, 159
 - setting up, 17-18

INDEX

C

- Caching of images, 618
- CardLayout, 90, 476-478
 - API for, 478
 - using, 476-478
- Caret, 649
 - caret, 76
 - events, 649
- CaretListener, 649
 - API for, 650
- CaretListenerLabel, 75
- caretUpdate, 75, 650
- CDE/Motif look and feel, 629-630
- Cell editor, 398-399, 403
- Cell renderer, 272-273, 398, 405, 446
- CelsiusConverter, 21e
- CelsiusConverter2, 23e
- Change listeners, 652-653
- changedUpdate, 74, 123, 662, 663
- ChangeEvent, 652
- ChangeListener, 117, 652
 - API for, 652
- changeShape, 474
- changeToParentDirectory, 219
- Character mask, 221
- Check boxes, 163-166
 - API for, 165
 - menu items, 277
- checkAll, 558, 569
- CheckBoxDemo, 163e
- Class path, setting, 7, 611
 - CLASSPATH environment variable, 612
- clearSelection, 274
- Clipboard transfer, 545
- Clipping area, 143
- close, 237
- Close button, 14
- Chooser panel, custom, 171
- collapsePath, 454
- Color choosers, 167-175
 - API for, 173
 - custom, 171-172
 - in dialog, 170
 - preview panels of, 171
- Color management, 138
- Color patterns, 139
- ColorAndTextTransferHandler, 566
- ColorChooserDemo, 117-118, 167e
- ColorChooserDemo2, 169-171e
- ColorEditor, 403
- ColorRenderer, 408
- ColorSelectionMode, 168
- Columns, 391
- Combo boxes, 25, 28, 176-186
 - API for, 184
 - custom renderer, 181-183
 - editable, 180
 - event handling on, 29, 178
 - renderer of, 181-183
 - uneditable, 177
 - using as editor, 400
- ComboBoxDemo, 177-178e
- ComboBoxDemo2, 180, 360e
- ComboBoxEditor, 181
- ComboBoxModel, 178
- ComboBoxRenderer, 182-184
- Common button API, 157
- Compiler, 7
- ComponentAdapter, 657
- ComponentEvent, 113
- ComponentEventDemo, 633, 654e
- ComponentListener, 21, 56, 119, 123, 654-656
 - API for, 656
- Components
 - atomic, 40-43
 - custom, making focusable, 592
 - compound, 114, 179, 357
 - heavyweight, 285
 - laying out, 87-106
 - problems using, 735-737
 - text, 60-82
 - using HTML in, 43-45
 - visual index to, 37-43
- ComponentUI, 54, 578
- Compound component, 114, 179, 357
- CompoundBorder, 541, 543
- Constraints, and GridBagLayout, 482
- consumes, 624-625
- Container, 55, 120
- ContainerAdapter, 123, 660
- ContainerEvent, 123, 659-660
- ContainerEventDemo, 658-659e
- ContainerListener, 658-660
 - API for, 659-660

INDEX

- Containers, 18, 37-40, 46-49, 120
 - adding to, 48-49
 - basic controls, 40
 - general-purpose, 38
 - root pane, 49
 - special, 39
 - top-level, 37, 46-49
 - Containment hierarchy, 46-48, 130, 133-134
 - top-level containers and, 46-49
 - Content pane, 14, 24, 27, 101, 150, 316-317
 - adding components to, 24, 27, 48-49
 - setting the layout of, 27
 - contentsChanged, 124, 683
 - CONTIGUOUS_TREE_SELECTION, 453, 715
 - continuousLayout property, 376
 - Control areas of a scroll bar, 333
 - ConversionPanel, 293e
 - Converter, 51-52, 292-293e
 - ConverterRangeModel, 52e
 - Coordinate system, 135
 - Coordinate transformations, 138
 - CoordinateArea, 136e
 - CoordinatesDemo, 136-137e
 - CopyAction, 79, 573
 - Corner, 332, 333, 527, 529-530e
 - CrayonPanel, 52, 171-172e
 - createAppletImageIcon, 615
 - createBevelBorder, 542
 - createColoredLabel, 260
 - createCompoundBorder, 28, 473, 540-541, 543
 - createDefaultModel, 81
 - createDialog, 170
 - createEmptyBorder, 18, 19, 26, 28, 345-346, 463, 527, 539, 543
 - createEtchedBorder, 539, 542
 - createHorizontalBox, 474
 - createHorizontalGlue, 286, 269-471, 474
 - createHorizontalStrut, 345, 474
 - createImageIcon, 24, 254, 604
 - createLineBorder, 473, 527, 535, 539-540, 542
 - createMatteBorder, 151, 540, 543
 - createRigidArea, 463-464, 468-469, 474
 - createRootPane, 154, 243
 - createStandardLabels, 351, 355
 - createTitledBorder, 28, 260, 540-541, 543
 - createVerticalBox, 474
 - createVerticalGlue, 469, 474
 - createVerticalStrut, 474
 - Cross-platform (Java) look and feel, 17
 - Cursors, 119, 136, 300, 434, 689
 - motion, 689
 - position, 119
 - CustomComboBoxDemo, 182e
 - CustomDialog, 195e
 - CustomIconDemo, 619e
 - CustomLayoutDemo, 99, 100e
 - Cut/copy/paste support, 573
 - CutAction, 79, 573
 - CyclingSpinnerListModel, 362
- D**
- DataFlavor, 561, 581
 - custom, 571
 - Data transfer. *See* Drag and drop
 - DateFormat, 226, 232, 399, 405
 - DateFormatter, 226
 - Date-formatting patterns, 181
 - Deactivation, defined, 723
 - Deadlock, 74, 634
 - DEFAULT_LAYER, 320
 - Default button, 24
 - Default close operation, 241
 - Default formatter, 231
 - Default layout manager, 26
 - DefaultBoundedRangeModel, 52, 356
 - DefaultCaret, 76, 82
 - DefaultCellEditor, 400-401, 414
 - DefaultDocumentEvent, 663
 - DefaultEditorKit, 66-76
 - DefaultFormatterFactory, 229-231
 - DefaultHighlighter, 82
 - DefaultKeyTypedAction, 79
 - DefaultListModel, 268, 271
 - DefaultMutableTreeNode, 439, 448
 - DefaultStyledDocument, 72, 202-203
 - DefaultTableCellRenderer, 444
 - DefaultTableColumnModel, 414
 - DefaultTableModel, 414
 - DefaultTreeCellEditor, 451
 - DefaultTreeModel, 448
 - DefaultTreeSelectionMode, 443-446, 451
 - Deiconifying, defined, 723
 - Depth, 258

INDEX

- Desktop panes, 101, 245
 - Determinate progress bars, 301
 - DiagonalLayout, 99e
 - Dialogs, 32, 187-199
 - API for, 196-198
 - button text for, 194
 - closing, 195
 - creating, 190-193
 - features of, 189
 - showing, 190-193
 - user input into, 195
 - DialogDemo, 188-190, 195, 704e
 - Dimmed icons, 616
 - DIRECTORIES_ONLY mode, 208, 210
 - directoryChanged property, 704
 - DISCONTIGUOUS_TREE_SELECTION, 453, 715
 - Display formatter, 231
 - DISPOSE_ON_CLOSE, 241
 - Divider, 372, 379
 - Dividing line, 343
 - DnD. *See* Drag and drop
 - DO_NOTHING_ON_CLOSE, 241-242, 673
 - Document, 64, 71, 661
 - filter, 72
 - Documents, 70-73
 - changes on, 73
 - implementing a document filter, 72
 - DocumentEvent, 74, 123, 662-663
 - DocumentEventDemo, 661-662e
 - DocumentListener, 74, 661-664
 - API for, 663-664
 - DocumentSizeFilter, 72-73
 - Double buffering, 54, 130-131
 - Drag and drop, 4, 545-582
 - adding cut/copy/paste support, 573-578
 - API, 578-580
 - cursor icons, 547
 - extending default support, 553-558
 - replacing default support, 559-661
 - using with a custom component, 569-570
 - using with a custom DataFlavor, 571-572
 - DragColorDemo, 551, 562, 563, 565, 566e
 - DragColorTextFieldDemo, 550, 551, 565, 566, 573e
 - dragEnabled property, 578
 - DragFileDemo, 551, 567, 568e
 - DRAG_LAYER, 321
 - DragListDemo, 551, 552, 572e
 - DragPictureDemo, 569, 571, 574, 577e
 - DragPictureDemo2, 574, 575, 577e
 - DragSourceDragEvent, 547
 - drawLine, 139
 - drawRect, 138-139
 - Drop-down list, 176
 - DynamicTreeDemo, 52, 447e
- E**
- Echo character, 299
 - Edit formatter, 231
 - Editable combo box, 180
 - Editable displays, 42
 - Editor
 - cell, 357
 - kits, 76
 - for tables, 398
 - Editor panes, 64, 76, 202-205
 - using to display text from URL, 202
 - versus text panes, 202
 - EditorKit, 64, 76, 202
 - Element, 71
 - ElementChange, 663
 - Emacs key bindings, 65, 68
 - Empty borders, 95, 133, 327
 - Empty space, 19, 343, 510, 535, 543
 - EmptyBorder, 133, 541
 - ensureFileIsVisible, 219
 - ensureIndexIsVisible, 271-272, 274, 341
 - Escape key events, 744
 - EtchedBorder, 539, 541-542
 - Event adapters, 114
 - Event-dispatching thread, 21, 97, 130, 150-152, 510, 617, 632-638, 639, 650
 - Event handling, 19-20, 107-128
 - design considerations, 112
 - low-level, 113
 - multiple listeners, 109-111
 - problems with, 739-740
 - using inner classes and anonymous inner classes, 115-117
 - Event listeners, 19, 107-128
 - Event model, 109
 - Event sources, 19-20, 109-110, 113, 117, 515
 - EventHandler, 117
 - EventObject, 112-113, 125

INDEX

- Events
 - information about, 112
 - low-level, 113
 - semantic, 113
- EventType, 663
- EXIT_ON_CLOSE, 14, 237, 241
- expandPath, 454
- ExpandVetoException, 452, 719
- ExtendedDnDDemo, 554, 555*e*

- F**
- File choosers, 206-220
 - API for, 218-219
 - choosing, 211
 - customizing, 214
 - providing an accessory component, 216-217
 - using, 206
- File-selection mode, 208, 210
- File services, 206
- FileAndTextTransferHandler, 568
- FileFilter, 212
- FileChooserDemo, 207-208*e*
- FileChooserDemo2, 210-212*e*
- FileOpenService, 206
- FILES_AND_DIRECTORIES, 210
- FILES_ONLY, 210
- FileSaveService, 206
- FileView, 214-215
 - customizing, 214
- fill, 139
- Filler, 468
- fillRect, 139
- fillXxx, 138
- Filters
 - application-controlled, 212
 - built-in, 212
 - file, 212
 - user-choosable, 212
- fireTableCellUpdated, 397
- fireTableChanged, 397
- fireTableDataChanged, 397
- fireTableRowsDeleted, 397
- fireTableRowsInserted, 397
- fireTableRowsInserted, 397
- fireTableRowsUpdated, 397
- fireTableStructureChanged, 397
- Flavor, 560, 561
- FlowLayout, 26, 90, 150, 479-480
 - API for, 480
 - using, 479
- FlowLayoutDemo, 90, 95, 479*e*
- Focus cycle, 586, 667
- Focus cycle root, 586
- Focus owner, 585, 598, 599
- Focus subsystem, 583-602, 666, 743
 - API for, 599
 - architecture of, 584
 - customizing, 593-595
 - timing, 597-599
 - tracking, 595-597
 - validating input in, 587-592
- Focus traversal cycle, 586
- Focus traversal keys, 586
- Focus traversal policy, 586
- FocusConceptsDemo, 585*e*
- Focused window, 585
- FocusEvent, 123, 668-689
- FocusEventDemo, 665-667*e*
- focusGained, 123, 667-668
- FocusListener, 119, 665-669
 - API for, 668-669
- focusLost, 123, 666
- focusOwner property, 704
- FocusTraversalDemo, 593*e*
- FocusTraversalPolicy, 594
- FollowerRangeModel, 51-52, 653*e*
- Font property changes, 705
- Fonts, 705
- FontFamilyAction, 80
- FontListener, 705
- FontMetrics, 55
- FontSizeAction, 80
- ForegroundAction, 80
- Formats, 224, 226
- Formatted text fields, 24, 221-235
 - API for, 231
 - creating, 224-225
 - setting, 225-226
 - specifying formats for, 226-227
 - specifying formatters for, 228-230
 - using MaskFormatter with, 227-228
 - using with a slider, 351
- FormattedTextFieldDemo, 222, 223, 224, 226, 229, 254, 588*e*
- Formatter factories, 228-229

INDEX

FormatterFactoryDemo, 230e
 Formatting mask, 228
 FRAME_CONTENT_LAYER, 320
 FrameDemo, 236e
 FrameDemo2, 239, 240e
 Frames, 46, 236-244
 API for, 241-243
 closing, 240
 creating, 236-237
 decorations on, 238-239
 internal. *See* Internal frames
 location of, 237
 showing, 236-237
 size of, 237
 using with a custom icon, 239
 Framework, 199e
 Full-screen exclusive mode, 238

G

GenealogyExample, 450e
 GenealogyModel, 451e
 General-purpose containers, 292
 Geometry, 138
 getAcceptAllFileFilter, 219
 getAccessibleContext, 279-280, 520,
 526-528, 530, 532
 getAccessibleRole, 530, 533
 getAccessibleStateSet, 530-531, 533
 getAccessory, 219
 getAction, 65, 160, 185, 516
 getActionByName, 66, 68
 getActionCommand, 29, 112, 158, 161, 297,
 313, 404, 577, 607, 647, 672
 getActionMap, 352, 574, 577, 625, 626
 getActions, 76, 80
 getAlignmentX, 54, 59, 94, 472
 getAlignmentY, 54, 59, 94, 472
 getAllFrames, 252
 getAllFramesInLayer, 252
 getAllowsChildren, 452
 getAllowsInvalid, 234
 getBackground, 55, 142, 170, 183, 406, 741
 getBlockIncrement, 701-702
 getBlue, 408
 getBorder, 55, 473
 getBorderInsets, 541
 getBottomComponent, 379, 386
 getBounds, 59, 243
 getButton, 692
 get-caret, 82
 get-caret-color, 82
 get-caret-position, 82
 get-cell-editor-value, 402, 404
 get-cell-renderer, 407
 get-change, 663
 get-child, 659, 660
 get-child-at, 448
 get-child-indices, 448, 713
 get-children, 713
 get-choosable-file-filters, 219
 get-chooser-panels, 174
 get-class, 153, 361, 396
 get-click-count, 319, 691-692
 get-client-property, 54
 get-clip, 742
 get-clip-bounds, 143, 742
 get-color, 118, 168, 174, 364, 365, 404
 get-color-from-model, 172
 get-column, 392, 398, 400, 415, 709
 get-column-class, 394, 398-399
 get-column-count, 394, 396
 get-column-model, 392, 400, 415
 get-column-name, 394, 396
 get-columns, 415, 421, 425
 get-commits-on-valid-edit, 234
 get-component, 58, 113, 285, 657, 693
 get-component-after, 594, 600
 get-component-at, 57, 386
 get-component-before, 595, 600
 get-component-count, 58, 295, 504
 get-components, 98
 get-components-orientation, 99
 get-constraints, 498, 505
 get-container, 659, 660
 get-content-pane, 13-14, 37, 48, 93, 95,
 153, 198, 237, 243, 250, 323, 494
 get-control-buttons-are-shown, 219
 get-copy-action, 574, 576, 579
 get-corner, 339
 get-cross-platform-look-and-feel-
 class-name, 16
 get-currency-instance, 224, 231
 get-current, 303, 306
 get-current-directory, 219, 628-629
 get-current-keyboard-focus-manager, 577,
 597, 705
 get-cut-action, 574, 576, 579
 get-date, 362, 367

INDEX

getDateInstance, 405
getDeepestComponentAt, 319
getDefaultButton, 323
getDefaultCloseOperation, 199, 242, 250
getDefaultRenderer, 412, 415
getDefaultToolkit, 73, 153, 272, 303, 306, 353, 589
getDescription, 213, 216, 527
getDesktopPaneForComponent, 198
getDisabledIcon, 160, 255
getDisabledIconAt, 386
getDisabledSelectedIcon, 160
getDisabledTextColor, 78
getDisplayedMnemonic, 160, 255
getDisplayedMnemonicIndex, 255
getDisplayedMnemonicIndexAt, 386
getDisplayName, 172
getDividerLocation, 379
getDividerSize, 373, 378
getDocument, 73, 74, 81, 303, 419
getDocumentProperties, 81
getDot, 75
getDragEnabled, 78, 174, 219, 275, 453, 578
getDragMode, 252
getEchoChar, 299
getEdit, 69, 721-722
getEditor, 186, 361, 366
getEditorKit, 76
getEnd, 367
getEndPosition, 81
getExtension, 213-215
getFileFilter, 219
getFileSelectionMode, 218
getFileView, 219
getFirstComponent, 595, 600
getFirstIndex, 686, 688
getFirstRow, 398, 708
getFirstVisibleIndex, 274
getFocusTraversalKeys, 586, 600
getFont, 45, 55, 183, 704
getFontMetrics, 55
getForeground, 55, 168, 183, 741
getForegroundAt, 386
getFormatter, 233
getFrameForComponent, 198
getFrameIcon, 251
getGlassPane, 154, 243, 318, 323
getGreen, 408
getGroup, 314
getHeaderRenderer, 412, 415
getHeight, 59, 135-136, 142, 505, 530, 697, 741
getHighlighter, 82
getHorizontalAlignment, 161, 256, 424
getHorizontalScrollBar, 667-668
getHorizontalScrollBarPolicy, 339
getHorizontalTextPosition, 161, 256
getIcon, 160, 215, 255, 607-608, 621
getIconAt, 386
getIconHeight, 143, 262-263, 332, 526, 621
getIconImage, 242
getIconTextGap, 161, 256
getIconWidth, 142-143, 262-263, 332, 526, 621
getID, 693
getImage, 152, 239, 597, 675
getImageLoadStatus, 621
getImageObserver, 621
getIncrement, 527
getIndex0, 683-684
getIndex1, 683-684
getInitialDelay, 641
getInitialComponent, 600
getInputMap, 67, 80, 352, 574, 625-627
getInsets, 60, 98-99, 101-102, 136, 141-143, 373
getInstance, 143
getIntegerInstance, 352
getIntValue, 365
getInverted, 355
getItem, 478, 675
getItemAt, 185
getItemCount, 185
getItemSelectable, 164
getItemSelected, 675
getJMenuBar, 154, 243, 250, 287, 323
getKeyChar, 677, 679, 681
getKeyLocation, 680, 681
getKeyCode, 679, 681
getKeymap, 68
getKeyModifiersText, 681
getKeystroke, 67-68, 279-280, 283, 352, 674, 576, 586, 625-627

INDEX

getKeyText, 679, 681
getLabelFor, 256
getLabelTable, 355
getLargeDisplayIcon, 173
getLastComponent, 600
getLastDividerLocation, 380
getLastIndex, 688
getLastRow, 709
getLastSelectedPathComponent, 441, 453, 715
getLastSelectionPathComponent, 716
getLastVisibleIndex, 274
getLayer, 265
getLayeredPane, 154, 243, 256, 323
getLayout, 59, 295
getLayoutAlignmentX, 99
getLayoutAlignmentY, 99
getLayoutOrientation, 274
getLeadSelectionPath, 716
getLeftComponent, 379
getLength, 81, 419, 663
getLineCount, 421
getLineEndOffset, 421
getLineOfOffset, 421
getList, 367
getListCellRendererComponent, 183-184
getLocale, 95
getLocation, 60, 243
getLocationOnScreen, 60
getMajorTickSpacing, 355
getMargin, 78, 161
getMark, 75, 650-651
getMaximum, 306, 310, 355, 367
getMaximumDividerLocation, 380
getMaximumSize, 58, 94, 98, 141, 497, 739
getMaxSelectionIndex, 274
getMaxValue, 506
getMaxWidth, 415
getMessage, 227, 302, 303, 306
getMillisToDecideToPopup, 31
getMinimum, 303, 308, 310, 355, 367
getMinimumDividerLocation, 380
getMinimumSize, 58, 94, 141, 373, 497, 739
getMinimumSelectionIndex, 274
getMinorTickSpacing, 355
getMinValue, 506
getMinWidth, 415
getMnemonic, 161
getMnemonicAt, 386
getModel, 185, 273, 308, 356, 363-366
getModifiers, 319, 647, 693
getModifiersEx, 681, 693
getModifiersExText, 681, 693
getMonths, 359
getMouseModifiersText, 692
getMultiClickThreshold, 162
getName, 56, 216
getNextFocusableComponent, 584
getNextMatch, 275, 454
getNextValue, 366
getNote, 310
getNewValue, 706
getNumber, 367
getOffset, 663
getOldValue, 706
getOldState, 731
getOppositeComponent, 669
getOppositeWindow, 731
getOrientation, 95, 309, 347, 355, 378
getOverwriteModel, 324
getPage, 204
getParent, 58
getPaintTicks, 355
getPassword, 298-299
getPasteAction, 579
getPath, 204, 712-713, 716
getPaths, 716
getPercentComplete, 302, 308
getPoint, 318, 692
getPosition, 265
getPreferredScrollableViewportSize, 336-337, 340-341, 736
getPreferredSize, 54, 48, 94, 98, 141, 334, 497, 739
getPreferredValue, 506
getPreferredWidth, 415
getPressedIcon, 160
getPreviewPanel, 174
getPreviousValue, 366
getProgressMonitor, 301, 309
getPropertyValue, 705-706
getRenderer, 186
getResizeWeight, 380
getResource, 430, 604, 608-614, 621
getResourceAsStream, 614-615, 621

INDEX

getResources, 29
getRightComponent, 379
getRolloverIcon, 160
getRolloverSelectedIcon, 160
getRootPane, 24, 58, 154, 243, 323
getRows, 421
getScrollableBlockIncrement, 334-335, 340
getScrollableTracksViewportWidth, 334, 340
getScrollableTracksViewportHeight, 334, 340
getScrollableUnitIncrement, 334, 340
getScrollAmount, 701-702
getScrollsOnExpand, 340, 454
getScrollType, 702
getSelectedComponent, 385
getSelectedFile, 209, 218
getSelectedFiles, 218
getSelectedIcon, 160
getSelectedIndex, 270, 274, 385
getSelectedIndices, 274
getSelectedItem, 185
getSelectedText, 78
getSelectedValue, 274
getSelectedValues, 274
getSelectionColor, 78
getSelectionEnd, 78
getSelectionMode, 274, 453
getSelectionMode, 453, 685, 715
getSelectionPath, 453
getSelectionPaths, 453
getSelectionStart, 78
getSelectionTextColor, 78
getSize, 59, 135, 243
getSmallDisplayIcon, 172
getSource, 113, 117, 647, 651, 653, 672, 684, 688, 708, 712-713, 716, 722
getSourceActions, 555, 566, 580
getStart, 367
getStartPosition, 81
getState, 289
getStateChange, 675
getStepSize, 367
getString, 309
getStyledDocument, 204
getSystemLookAndFeelClassName, 629
getTabLayoutPolicy, 385
getTableHeader, 414
getTableCellEditorComponent, 402-403, 405
getTableCellRendererComponent, 408
getTabPlacement, 385
getText, 22, 81, 160, 255, 298, 420, 424-425, 559
getTextField, 360, 366
getTitle, 251
getTitleAt, 386
getToggleClickCount, 454
getToolTipLocation, 435
getToolTipText, 407-411, 434-435
getTopComponent, 379
getTopLevelAncestor, 58
getTransferData, 560, 571, 580
getTransferDataFlavors, 571, 580
getTransferHandler, 578
getTreeCellRendererComponent, 444
getTreePath, 713
getType, 663, 684, 709
getTypeDescription, 215
getUnitIncrement, 701
getUnitsToScroll, 701-702
getURL, 637
getUserObject, 441
getValidatedText, 195
getValue, 225-226, 233, 308, 355, 366-367, 517
getValueIsAdjusting, 270, 355, 688
getVerticalAlignment, 161, 256
getVerticalTextPosition, 161, 256, 339
getViewportBorder, 339
getViewPortView, 327
getVisibleRowCount, 274, 340-341
getVisualRepresentation, 580
getWheelRotation, 702
getWhen, 693
getWidth, 59, 135, 415, 505
getWindow, 731
getX, 59, 505, 692
getY, 59, 505, 692
Ghost images, 138
GIF image format, 24
Glass pane, 316-317
GlassPaneDemo, 317-318e
Glue, 469-470
Gradients, 139

INDEX

Graphics, 134, 138-139, 143
 Graphics2D, 138, 139, 141
 GraphPaperLayout, 100*e*
 GraphPaperTest, 100*e*
 GridBagConstraints, 482-483, 486
 GridBagLayout, 26, 90, 481-489
 API for, 377
 constraints in, 482-485
 GridBagLayoutDemo, 91, 481, 485, 487*e*
 gridheight, 483
 GridLayout, 26, 91, 97, 263, 490-491
 API for, 491
 GridLayoutDemo, 91*e*
 gridwidth, 483
 gridx, 483
 gridy, 483
 GTK+, 4, 140, 628, 629, 736

H
 Handlers, 550
 hasFocus, 559
 HashMap, 65
 Hashtable, 351
 Heavyweight components, 288
 Heavyweight window, 285
 Height, component size, 135
 HelloWorldSwing.html, 8*e*
 HelloWorldSwing, 6-7, 12*e*
 Hidden files, 212
 HIDE_ON_CLOSE, 249
 HierarchyBoundsListener, 120
 HierarchyListener, 120
 highestLayer, 265
 Highlighter, 82
 Horizontal space, 100
 HORIZONTAL_SCROLLBAR_ALWAYS, 330
 HORIZONTAL_SCROLLBAR_AS_NEEDED, 330
 HSB, 171
 HTML
 support for in J2SE releases, 738
 use in buttons, 45
 use in components, 22, 43-46
 HtmlDemo, 44*e*
 HTMLDocument, 202
 HTMLEditorKit, 77, 202
 Hue-saturation-brightness (HSB) color
 model, 171
 HyperlinkListener, 123

I
 Icon objects, 23, 238, 603-622
 API for, 620-622
 custom, 618-619
 image icons, 616-617
 loading images using getResources, 608-613
 loading images into applets, 613-618
 IconDemoApplet, 605-606, 613-616*e*
 IconDisplay, 141, 142
 Iconifying, 14, 236, 654, 723
 Image objects, 240
 IMAGEDIR parameter, 614
 ImageFileView, 214*e*
 ImageFilter, 213-214*e*
 ImageIcon, 24, 29, 152, 603-604
 API for, 620
 ImageObserver, 621
 ImagePreview, 216, 707*e*
 Images, 152
 in applets, 149-152
 Immutable combo box models, 178
 Indeterminate progress bar, 300, 303-304
 indexOfComponent, 385
 indexOfTab, 385
 Information displays, illustrated, 41-43
 initColumnSizes, 392
 initialValue, 194
 Inner classes, 69, 115-117
 anonymous, 116
 defined, 155
 InputEvent, 681, 691, 693, 697
 InputMap, 67, 623-624, 627
 InputVerificationDemo, 588, 589*e*
 InputVerificationDialogDemo, 592*e*
 InputVerifier, 587
 InsertBreakAction, 79
 InsertContentAction, 79
 insertElementAt, 272
 insertItemAt, 178, 185
 insertNodeInto, 447, 449
 insertSeparator, 287, 346
 insertString, 71, 73
 insertTab, 383, 385
 InsertTabAction, 79
 insertUpdate, 74
 insets, 484
 IntegerEditor, 401-402

INDEX

- Intermediate containers, 264
 - Internal borders, 98
 - Internal frames, 189, 236, 245-252
 - API for, 249-252
 - and regular frames, 247
 - rules for, 247-249
 - Internal padding, 487
 - `internalFrameActivated`, 123
 - `internalFrameAdapter`, 123
 - `internalFrameClosed`, 123
 - `internalFrameClosing`, 123
 - `internalFrameDeactivated`, 123
 - `internalFrameDeiconified`, 123
 - `InternalFrameDemo`, 245-246*e*
 - `InternalFrameEvent`, 123
 - `InternalFrameEventDemo`, 670*e*
 - `internalFrameIconified`, 123
 - `InternalFrameListener`, 123, 670-673
 - API for, 672-673
 - `internalFrameOpened`, 123
 - `InternationalFormatter`, 226
 - Internationalization, 4
 - `interrupt`, 637
 - `intervalAdded`, 124, 683-684
 - `intervalRemoved`, 124, 683-684
 - `invalidateLayout`, 99
 - Invisible components, 94, 468
 - `invokeAndWait`, 150, 632, 634
 - `invokeLater`, 15, 150-151, 632, 634
 - `ipadx`, 483
 - `ipady`, 483
 - `isAcceptAllFileFilter`, 218
 - `isActionKey`, 681
 - `isAddedPath`, 716
 - `isAdjusting`, 687
 - `isAltDown`, 693
 - `isBorderPainted`, 161, 309
 - `isCanceled`, 307, 310
 - `isClosable`, 251
 - `isClosed`, 251
 - `isCoalesce`, 641
 - `isContinuousLayout`, 379
 - `isControlDown`, 693
 - `isDataFlavorSupported`, 571, 580
 - `isDefaultLookAndFeelDecorated`, 199, 242
 - `isDigit`, 228
 - `isDirectory`, 209
 - `isDirectorySelectionEnabled`, 218
 - `isEditable`, 56, 186, 421, 425
 - `isEditValid`, 233
 - `isEnabled`, 78, 517
 - `isEventDispatchThread`, 635
 - `isEditValid`, 233
 - `isFileHidingEnabled`, 219
 - `isFileSelectionEnabled`, 218
 - `isFloatable`, 433
 - `isFocusable`, 599, 676
 - `isFocusOwner`, 599
 - `isFocusPainted`, 161
 - `isFocusTraversalPolicySet`, 600
 - `isFrameStateSupported`, 724, 731
 - `isIcon`, 251
 - `isIconifiable`, 251
 - `isIndeterminate`, 304
 - `isLetter`, 228
 - `isMaximizable`, 251
 - `isMaximum`, 251
 - `isMultiSelectionEnabled`, 218
 - `isOpaque`, 55
 - `isPasswordCorrect`, 298
 - `isPopupTrigger`, 692
 - `isRepeats`, 641
 - `isResizable`, 251
 - `isRollover`, 433
 - `isRolloverEnabled`, 160
 - `isRunning`, 642
 - `isSelected`, 162, 184, 251
 - `isSelectedIndex`, 274
 - `isSelectionEmpty`, 274
 - `isShiftDown`, 693
 - `isShowing`, 56
 - `isStringPainted`, 309
 - `isTemporary`, 669
 - `isTraversable`, 216
 - `isValidRoot`, 97
 - `isVisible`, 56
 - `ItemEvent`, 179
 - `ItemListener`, 674-675
 - API for, 674-675
 - `ItemSelectable`, 674-675
 - `itemStateChanged`, 123, 185
- J**
- `JApplet`, 46-48, 149, 154
 - JAR files, images from, 609-610, 612, 614
 - Java 2 platform, 5
 - Java 2D API, 2, 134

INDEX

- Java Foundation Classes (JFC). *See* JFC
- Java look and feel, 16-17, 168, 176, 189, 206-208, 211, 214, 238, 240, 282-284, 326, 329, 370-371, 382, 429-431, 437, 442-443, 537, 618, 628-630, 686, 726
- Java Web Start, 7, 8, 9
- Java Web Start Troubleshooting, 733
- java.awt, 13
- java.awt.swing, 13
- javax.accessibility, 5
- javax.swing, 5
- javax.swing.border, 5
- javax.swing.colorchooser, 5
- javax.swing.event, 5
- javax.swing.filechooser, 5
- javax.swing.plaf, 5
- javax.swing.plaf.basic, 5
- javax.swing.plaf.meta, 5
- javax.swing.plaf.multi, 5
- javax.swing.table, 5
- javax.swing.text, 5
- javax.swing.text.html, 5
- javax.swing.tree, 5
- javax.swing.undo, 5
- JButton, 140, 156, 159
 - See also* Buttons
- JCheckBox, 156, 163
 - See also* Check boxes
- JCheckBoxMenuItem, 156, 163, 281
 - See also* Check boxes *and* Menus
- JColorChooser, 167-170, 175, 187
 - See also* Color Choosers
- JComboBox, 176, 179, 423
 - See also* Combo boxes
- JComponent class, 53-60
 - API of, 55-60
 - features of, 53-55
- JDesktopPane, 245, 258
 - See also* Desktop panes
- JDialog, 46-48, 188, 429
 - See also* Dialogs
- JEditorPane, 200, 202
 - See also* Editor panes
- JFC, 3
 - defined, 4-5
 - home page of, 4
 - Swing API in, 4
- JFileChooser, 187, 209
 - See also* File choosers
- JFormattedTextField, 221, 227, 423
- JFrame, 46-48, 133, 236, 237
 - See also* Frames
- JInternalFrame, 47, 189, 245, 316
 - See also* Internal frames
- JLabel, 14, 74, 253
 - See also* Labels
- JLayeredPane, 245, 258, 320
 - See also* Layered panes
- JList, 267, 268
 - See also* Lists
- JMenu, 46, 278-280, 285, 287, 513, 738
 - See also* Menus
- JMenuBar, 49, 154, 280, 285, 287
 - See also* Menu bars
- JMenuItem, 46, 156, 281, 288-289, 517-518, 738
 - See also* Menu items
- JNLP API, 206
- JNLP file, 612
- JOptionPane, 32, 187-189, 192
 - See also* Dialogs
- JPanel, 18, 19, 90, 93, 133, 292, 294
 - See also* Panels
- JPasswordField, 297, 423
 - See also* Password fields
- JPEG image format, 24
- JPopupMenu, 284-285, 288, 344, 346-347, 513
 - See also* Popup menus
- JProgressBar, 300
 - See also* Progress bars
- JRadioButton, 156
 - See also* Radio buttons
- JRadioButtonMenuItem, 156, 281, 311
 - See also* Radio buttons *and* Menu items
- JRootPane, 316
 - See also* Root panes
- JScrollbar, 328
 - See also* Scroll bars
- JScrollPane, 93, 325, 329
 - See also* Scroll panes
- JSeparator, 343-344
 - See also* Separators
- JSlider, 348
 - See also* Sliders

INDEX

- JSpinner, 357-368, 423
 - See also Spinners
 - JSplitPane, 369, 378
 - See also Split panes
 - JTabbedPane, 382
 - See also Tabbed panes
 - JTable, 388
 - See also Tables
 - JTableHeader, 399, 410-411, 413, 414
 - JTextArea, 65, 418
 - See also Text areas
 - JTextComponent, 61
 - See also Text components
 - JTextField, 221, 423-434
 - See also Text fields
 - JTextPane, 71, 72, 200, 202
 - See also Text panes
 - JToggleButton, 140, 156
 - See also Toggle buttons
 - JToolBar, 427, 429
 - See also Tool bars
 - JToolTip, 46, 435, 738
 - See also Tool tips
 - JTree, 437, 439, 443
 - See also Trees
 - JViewport, 328
 - JWindow, 238
 - See also Windows
 - JWSFileChooserDemo, 206e
- K**
- Key bindings, 55, 623-627
 - API for, 626
 - Key-pressed events, 676
 - Key-released events, 676
 - Key-typed events, 676
 - Keyboard
 - focus, 583, 665, 676
 - focus manager, 596
 - input, 119
 - shortcuts, 576
 - KeyboardFocusManager, 585
 - KeyEvent, 283
 - KeyEventDemo, 677-678e
 - KeyListener, 119, 623, 676-681
 - API for, 680-681
 - Keymap, 68
 - keyPressed, 676
 - keyReleased, 676
 - KeyStroke, 68, 283, 626
 - keyTyped, 676
- L**
- LabelDemo, 253-254e
 - LabelDnD, 552e
 - LabelDnD2, 559, 560e
 - Labels, 17, 253-257
 - API for, 254-256
 - HTML in, 22, 43-45
 - setting up, 17
 - Layered panes, 258-266, 316-317, 320
 - components of, 260
 - laying out components in, 263
 - setting component depth, 260-263
 - LayeredPaneDemo, 259-260, 321, 737e
 - LayeredPaneDemo2, 263-264e
 - Layout management, 18, 87-106
 - custom, 98-99
 - how it works, 97
 - size hints, 94
 - spacing, 94
 - LayoutContainer, 98
 - LayoutFocusTraversalPolicy, 586, 593, 598
 - LayoutManager, 18, 87-106, 457-508
 - associating with container, 93
 - choosing, 96-97
 - custom, 98-100
 - defined, 18
 - doing without, 100-101
 - problems with, 738-739
 - setting, 93
 - and spacing, 94
 - using, 92-96
 - LayoutManager2, 98-100
 - Lazy image loading, 29, 616
 - Leaf nodes, 437
 - Lightweight components, 292
 - Lightweight popup window, 285
 - LineBorder, 541
 - ListCellRenderer, 181, 184, 273
 - ListDataEvent, 682
 - ListDataEventDemo, 682-683e
 - ListDataListener, 682-684
 - API for, 683-684
 - ListDemo, 267, 270, 272, 345e

INDEX

- ListDialog, 159, 267*e*
 - ListDialogRunner, 267*e*
 - Listeners, 107-128
 - API for, 122-125
 - problems with, 739-740
 - support for, 118-122
 - ListModel, 268, 271, 682
 - Lists, 267-276
 - API for, 273-274
 - custom cell renderer in, 272-273
 - initializing, 268
 - items in, 270-271
 - ListSelectionDemo, 685*e*
 - ListSelectionEvent, 270, 687
 - ListSelectionEventDemo, 686*e*
 - ListSelectionListener, 685-688
 - API for, 687-688
 - ListSelectionModel, 269, 685-686
 - loadImage method, 607
 - Loading of images
 - background, 131, 617
 - lazy, 29, 616
 - Look and feel, 4, 7, 16-17, 129, 628-631, 743
 - changing, 631
 - illustrated, 16
 - pluggable, 4, 54
 - setting, 7, 16-17, 628-631
 - support for, 4
 - tree nodes, 442
 - Low-level events, 113-114
 - LunarPhases, 25*e*
- M**
- Mac OS look and feel, 16
 - makeCompactGrid, 96, 503
 - makeNavigationButton, 430
 - makeVisible, 454
 - MaskFormatter, 227
 - MatteBorder, 537
 - MediaTracker, 603
 - Memory footprint, 116
 - Menu bars, 46, 237, 277, 316-317
 - API for, 287
 - Menu items, 277, 280
 - MenuDemo, 281-282*e*
 - MenuDragMouseListener, 124
 - MenuGlueDemo, 286, 290, 475*e*
 - MenuKeyListener, 124
 - MenuLayoutDemo, 278*e*
 - MenuListener, 124
 - MenuLookDemo, 277-278, 281*e*
 - Menus, 277-291
 - API for, 287-290
 - associating text actions with, 65-67
 - component hierarchy, 278
 - creating, 278-281
 - customizing, 285-286
 - event handling from, 281-282
 - keyboard operations of, 282-284
 - layout, 285
 - popup, 284
 - Microsoft Windows XP look and feel, 628
 - Milestone methods, 150
 - Mnemonics, 15, 46, 157, 255, 282, 386, 514, 520, 576, 627
 - specifying on tabs, 383
 - Modal dialogs, 170, 188, 736
 - MODAL_LAYER, 321
 - Models, 70
 - modelToView, 79
 - Monkey, 521, 522
 - Mouse wheel. *See also* MouseWheelListener
 - events, 699
 - movement, 119
 - scrolling, 329, 701
 - MouseAdapter, 115
 - mouseClicked, 114
 - mouseDragged, 137
 - mouseEntered, 114
 - MouseEvent, 113, 689, 693, 695
 - MouseEventDemo, 689-690*e*
 - mouseExited, 114
 - MouseInputAdapter, 695, 697, 689
 - MouseInputListener, 124, 689
 - MouseListener, 114-115, 117, 119, 689-694
 - API for, 691-694
 - MouseMotionAdapter, 695-698
 - MouseMotionEventDemo, 685-696*e*
 - MouseMotionListener, 119, 696
 - API for, 697-698
 - mouseMoved, 124, 695, 698
 - mousePressed, 114
 - mouseReleased, 114, 137
 - MouseWheelEventDemo, 699, 700, 701*e*
 - MouseWheelListener, 119, 699-703
 - API for, 702
 - See also* Mouse wheel

INDEX

- moveToBack, 251, 262, 265
 - moveToFront, 262
 - MultiListener, 110-112, 646e
 - Multiple columns, 268
 - Multiple images, 29
 - Multiple interval selection mode, 685
 - Multiple listeners, 109
 - Multiple overlapping internal frames, 245
 - MULTIPLE_INTERVAL_SELECTION, 269
 - Mutable lists, 682
 - MutableComboBoxModel, 178
 - MutableTreeNode, 451
 - MyDocumentListener, 73e
 - MyInternalFrame, 246, 252e
 - MyVerifier, 589e
- N**
- Native window system, 238
 - NavigationFilter, 75
 - Nested split panes, 377
 - Nodes, tree, 440-441, 448, 450, 712, 718, 720
 - Nonbackground painting, 135
 - Nonmodal dialog, 170
 - Nonopaque, 134
 - Null formatter, 231
 - NumberFormatter, 226
- O**
- Offscreen buffer, 131
 - Opacity, 134, 141, 736, 742
 - Opaque panels, 292
 - Opening a window, defined, 723
 - Outline dragging, 248
- P**
- pack, 97, 237, 371
 - Padding, 19
 - paintBorder, 131-132
 - paintChildren, 131-132
 - paintComponent, 132, 138, 140, 142, 184
 - paintIcon, 143, 621
 - Painting, 129-146
 - concepts, 134-139
 - custom, 129, 140-144
 - example of, 132-134
 - problems with, 740-743
 - Swing methods for, 131-132
 - transparent components, 134
 - PALETTE_LAYER, 320
 - Panels, 292-296
 - adding components to, 293
 - API for, 294-296
 - example of, 292-293
 - setting layout manager of, 293-294
 - parentComponent, 193
 - Password fields, 297-299
 - API for, 299
 - PasswordDemo, 297e
 - paste, 79
 - PasteAction, 79, 574
 - Percent format, 231
 - Performance enhancements, 131, 616, 742
 - Person, 451e
 - Photo, 608e
 - Picture, 597e
 - Plain text areas. *See* Text areas
 - PlainDocument, 72, 74, 202
 - Pluggable look and feel, 4
 - PNG image format, 24
 - Popup menus, 277, 284-285
 - defined, 277
 - heavyweight, 285
 - lightweight, 285
 - POPUP_LAYER, 321
 - PopupMenuDemo, 284e
 - PopupMenuListener, 119
 - Position, 71, 81, 275, 454
 - preferredLayoutSize, 98
 - Preview panel, 168-171
 - custom, 169
 - replacing or removing, 171
 - Progress bars, 300-310
 - API for, 308-310
 - choosing, 307-308
 - determinate, 301-303
 - indeterminate, 300, 303-305
 - standard, 300
 - using, 305-307
 - Progress monitors, 187, 300, 307-308
 - API for, 308
 - ProgressBarDemo, 301-302, 305, 640e
 - ProgressBarDemo2, 304e
 - ProgressMonitorDemo, 305e
 - ProgressMonitorInputUpstream, 301
 - ProgressMonitorInputStream, 301, 307, 309

INDEX

Properties, custom, 54
 Property-change listeners, 119, 704-709
 API for, 706-707
 propertyChange, 217, 705
 PropertyChangeListener. *See* Property-change listeners
 putClientProperty, 54, 248, 442
 putProperty, 81

R

Radio buttons, 30, 311-315
 API for, 313-315
 RadioButtonDemo, 177, 311-312*e*
 Realized, defined, 633
 Red-green-blue (RGB) color model, 171
 redoAction, 69, 70
 registerEditorKitForContentType, 203
 registerKeyboardAction, 624
 remove, 71, 73
 removeActionListener, 162, 299, 426, 641
 removeAll, 58, 98, 287-288, 295, 379, 385
 removeAllItems, 185
 removeCaretListener, 82
 removeChoosableFileFilter, 219
 removeChooserPanel, 171, 174
 removeComponentListener, 56
 removeDocumentListener, 81
 removeInternalFrameListener, 250
 removeItem, 185
 removeItemAt, 185
 removeItemListener, 162
 removeKeyListener, 56
 removeLayoutComponent, 98
 removeListenerTypeListener, 47
 removeMouseListener, 56
 removeMouseMotionListener, 56
 removeTabAt, 385
 removeUndoableEditListener, 663
 Renderers, custom, 43, 181, 272, 398, 405, 434, 443
 repaint, 97, 130, 134, 137-138
 replace, 73
 Resize weight, 372, 374
 revalidate, 97, 130
 RGB, 171
 Rigid area, 468-469
 Rollover mode, 432
 Root node, 437
 Root panes, 149, 316-324
 API for, 322-323
 glass pane, 317-320
 layered pane, 320-322
 parts of, 316
 RootLayeredPaneDemo, 321*e*
 RTFDocument, 202
 RTFEditorKit, 77
 Rule, 331-332, 529-530*e*

S

Screen readers, 519
 Scroll amount, 701
 Scroll bars, 325-328
 custom decorations, 330
 policies of, 329
 using on a scroll pane, 736
 Scroll knobs, 325
 Scroll panes, 325-342
 API for, 338-341
 custom components for, 330-333
 how they work, 326
 interaction with clients, 333-336
 setting the policy for, 329
 sizing, 336-338
 Scrollable, 333
 ScrollablePicture, 334, 529*e*
 ScrollDemo, 326-327, 331, 334, 521-522, 529*e*
 ScrollDemo2, 337-338*e*
 Scrolling-savvy client, 333
 ScrollPaneConstants, 333
 ScrollPaneLayout, 93
 scrollPathToVisible, 341
 scrollRectToVisible, 340-341
 scrollRowToVisible, 341
 Security, 297, 298
 select, 78
 selectAll, 78
 selectedFileChanged property, 704
 SelectionDemo, 137, 696*e*
 Selection model, 163, 685
 Semantic events, 113
 Separators, 277, 343-344, 432
 API for, 346
 in tool bars, 431

INDEX

- Serializable, 561
- setAccelerator, 280, 283, 289, 517, 576
- setAcceptAllFileFilterUsed, 213, 218
- setAccessibleDescription, 280
- setAccessibleName, 520, 532
- setAccessory, 216, 219
- setAction, 160, 185, 290, 513, 516
- setActionCommand, 161, 290
- setAlignmentX, 54, 59, 94, 432, 472
- setAlignmentY, 54, 59, 94, 432, 472
- setAllowsInvalid, 234
- setAutoResizeMode, 393
- setAutoscrolls, 336, 340
- setBackground, 55, 254, 420, 741
- setBackgroundAt, 386
- setBorder, 18, 54, 55, 254, 264, 535
- setBorderPainted, 161, 309
- setBottomComponent, 370-371, 379
- setBounds, 60, 98, 237, 243, 247-248, 250, 263
- setCalendarField, 367
- setCaret, 76, 82
- setCaretColor, 82
- setCaretPosition, 82
- setCellEditor, 402, 415, 452
- setCellRenderer, 273, 405, 407, 415, 443, 452
- setChoosableFileFilters, 219
- setChooserPanels, 171-172, 194
- setClosable, 251
- setClosed, 251
- setClosedIcon, 443
- setCoalesce, 641
- setColor, 22, 174
- setColumnHeaderView, 339
- setColumns, 223, 421, 425, 735
- setColumnSelectionAllowed, 416
- setCommitsOnValidEdit, 234
- setComponentAt, 386
- setComponentOrientation, 95
- setComposite, 143
- setConstraints, 482, 486
- setContentPane, 49, 154, 198, 243, 250, 323
- setContinuousLayout, 376, 379
- setControlButtonsAreShown, 219
- setCorner, 332, 339
- setCurrentDirectory, 208, 219
- setCursor, 300
- setDefaultButton, 24, 159
- setDefaultCloseOperation, 14, 15, 195, 240
- setDefaultLookAndFeelDecorated, 14, 237, 239
- setDividerLocation method, 737
- setEchoChar, 297
- setEditable, 63
- setFilter, 72
- setFont, 22, 43, 165
- setForeground, 43, 165
- setIndeterminate, 304
- setLabelFor, 17, 254
- setLayer, 261, 262
- setLayoutOrientation, 268
- setLineWrap, 420
- setLocation, 238
- setLocationRelativeTo, 238
- setMaximumSize, 94
- setMinimumSize, 94
- setMnemonic, 17, 280, 283, 576
- setNavigationFilter, 75
- setOpaque, 131, 292
- setPage, 202
- setPosition, 262, 263
- setPreferredScrollable-
ViewportSize, 390
- setPreferredSize, 94, 184
- setSelected, 31
- setSelectionMode, 268
- setSize, 237
- setText, 130, 134
- setToolTipText, 434
- setValue, 225
- setViewportView, 93
- setVisible, 238, 248
- setWrapStyleWord, 420
- SharedModelDemo, 52
- show, 238
- showConfirmDialog, 190, 194-195
- showDialog, 170, 173, 211
- showInputDialog, 194
- showInternalConfirmDialog, 197
- showInternalInputDialog, 197
- showInternalMessageDialog, 190, 197
- showInternalOptionDialog, 197
- showMessageDialog, 190-191, 194-195

INDEX

- showOpenDialog, 208
 - showOptionDialog, 190, 192, 194-195
 - showSaveDialog, 209
 - SimpleDateFormat, 226
 - SimpleTableDemo, 388-392, 394, 397e
 - SimpleTableSelectionDemo, 394e
 - Single-selection mode, 685, 700
 - SINGLE_INTERVAL_SELECTION, 269
 - SINGLE_SELECTION, 269
 - SINGLE_TREE_SELECTION, 453, 715
 - Size, 94
 - SizeDisplayer, 374, 375
 - SizeRequirements, 99
 - SliderDemo, 348e
 - SliderDemo2, 350e
 - SliderDemo3, 351, 352e
 - Sliders, 348-356
 - API for, 354-356
 - creating, 348-349
 - customizing, 350
 - using, 351-354
 - SoftBevelBorder, 541
 - Special-purpose containers, 39
 - Spinners, 221, 357-368
 - API for, 365-367
 - customizing, 361-362
 - detecting value changes in, 363-365
 - editors for, 358-360
 - formatting of, 360-361
 - models for, 358-360
 - using, 357
 - SpinnerDateModel, 362
 - SpinnerDemo, 357-358, 362e
 - SpinnerDemo2, 362e
 - SpinnerDemo3, 363e
 - SpinnerDemo4, 364e
 - SpinnerListModel, 358, 361-362
 - SpinnerNumberModel, 359, 362
 - Spinners, 357
 - Split panes, 369-381
 - API for, 278-280
 - components in, 370
 - divider for, 371-377
 - nesting, 377-378
 - setting up, 370
 - using, 370
 - SplitPaneDemo, 369-371e
 - SplitPaneDemo2, 377e
 - SplitPaneDividerDemo, 374, 375, 376e
 - SpringBox, 92, 492, 503e
 - SpringCompactGrid, 492, 493, 501e
 - SpringDemo1, 494e
 - SpringDemo2, 495e
 - SpringDemo3, 496-497e
 - SpringDemo4, 498e
 - SpringForm, 92, 492, 503e
 - SpringGrid, 500e
 - SpringLayout, 26, 91, 492-508
 - alternative expressions for, 498-499
 - API for, 504-506
 - component size and, 497
 - example of, 494-496
 - how it works, 493-494
 - utility methods for, 499-503
 - SpringUtilities, 96e
 - Startup time, 116
 - stateChanged, 117
 - Status updates, displaying, 617
 - Step size, in spinners, 359
 - stringFlavor, 560, 568
 - StringTransferHandler, 555-556
 - Styled text components, 63, 200
 - StyledDocument, 71, 74, 202
 - StyledEditorKit, 67, 76, 203
 - StyledTextAction, 80
 - Styles, defined, 204
 - Swatches, color, 171
 - Swing API, 5
 - Swing components,
 - using HTML in, 43-46
 - visual index to, 37-43
 - Swing packages, 5
 - Swing programs
 - compiling, 6-7
 - running, 7-9
 - swing.defaultlaf property, 630-631
 - swing.properties file, 630-631
 - SwingApplication, 15-21, 132-133e
 - SwingUtilities, 150, 632
 - SwingWorker, 151-152, 617, 632, 635-639e
- T**
- Tabbed panes, 382-387
 - API for, 384-386
 - controller for, 568
 - TabbedPaneController, 568
 - TabbedPaneDemo, 383-384e

INDEX

- Tables, 388-417
 - adding, 390-391
 - API for, 413-416
 - columns of, 391-393
 - combo boxes and, 400
 - creating, 388-390
 - data changes in, 387-398
 - data manipulating, 412
 - data sorting, 412-413
 - detecting user selections in, 393-394
 - editors, 401-405
 - models in, 384-397
 - renderers in, 401-402
 - tool tips in table cells, 407-410
 - tool tips in column headers, 410-412
 - validating user-entered text in, 401
- TableCellEditor, 402-403
- TableCellRenderer, 405-406
- tableChanged, 125, 708
- TableDemo, 395*e*
- TableDialogEditDemo, 403, 406-408*e*
- TableFTFEditDemo, 401*e*
- TableModel, 394, 708
- TableModelEvent, 397
- TableModelListener, 397, 708
 - API for, 708
- TableRenderDemo, 400, 407*e*
- TableSorterDemo, 410*e*
- TableToolTipsDemo, 409, 411*e*
- TableTransferHandler, 556
- Text areas, 63, 418-422
 - API for, 420-422
 - customizing, 419
- Text components, 60-83
 - API for, 77-83
 - caret changes and, 74-75
 - documents, 70-72
 - listening for changes on, 73
 - document filter, 72
 - editor kits, 76-77
 - features, 64-65
 - redo, 68-70
 - selection changes and, 74-76
 - text actions
 - buttons and, 65-67
 - keystrokes and, 67-68
 - menus and, 65-67
 - types of, 63
 - undo, 68-70
- Text fields, 423-426
 - API for, 425
 - using, 423-424
- Text formats, 202
 - custom, 200, 203
- Text layouts, 138
- Text panes, 200
- text property of a formatted text field, 225, 352, 353
- TextComponentDemo, 64-67, 72, 74, 649, 721*e*
- TextDemo, 418, 423-424*e*
- TextInputDemo, 228*e*
- TextSamplerDemo, 61, 62, 63, 200, 201, 203, 419*e*
- Textures, 139
- Third dimension, 258
- Thread-safe methods, 130
- Threads, 632-638
 - in applets, 150
 - event-dispatching, 632-634
 - improving performance with, 635-636
 - invokeAndWait method and, 634-635
 - invokeLater method and, 634
 - safety, 13, 130
 - SwingWorker class and, 636-638
 - using, 112
- Tick marks, 334, 335, 349
- Timers, 151, 302, 635, 639-642
 - API for, 641-642
- TitledBorder, 27
- Toggle buttons, constructing, 331-332
- Tool bars, 427-433
 - API for, 432-433
 - creating buttons on, 429-431
 - customizing, 431-432
 - immovable, 431
- Tool tips, 53, 434-436
 - accessibility and, 520
 - API for, 435-436
 - for table cells, 407
 - for table column headers, 410
- ToolBarDemo, 325, 427-428*e*
- ToolBarDemo2, 431*e*
- Top-level containers, 13, 46, 149
- TopLevelDemo, 47*e*
- Touchscreens, 519
- TrackFocusDemo, 592-597*e*
- Transfer handler, 579

INDEX

Transferable, 550, 571
 TransferHandler, 550-551, 553, 555, 559-562, 568, 578
 Transparency, 134
 Traversable directory, 216
 TreeDemo, 438-440, 715*e*
 treeExpanded, 711
 TreeExpandEventDemo, 710-711, 719*e*
 TreeExpandEventDemo2, 718-719*e*
 TreeExpansionEvent, 716
 TreeExpansionListener, 710-712
 API for, 712
 TreeIconDemo, 444*e*
 TreeIconDemo2, 444-446*e*
 TreeModel, 447-449
 TreeModelListener, 448, 708-709
 API for, 708-709
 Trees, 437-456, 710
 API for, 451-454
 changing, 447-449, 723
 creating, 438-440
 customizing, 442-447
 data model for, 449-451
 expanding, 437
 dynamically changing, 447-449
 node selection, 440-442
 TreeSelectionListener, 441, 715-717
 API for, 716-717
 TreeSelectionModel, 441, 715
 treeWillCollapse, 719
 treeWillExpand, 718
 TreeWillExpandListener, 718-720
 API for, 720
 TumbleItem, 149-151, 616, 638*e*

U

UI delegate, 132
 UI manager, 743
 Undo, support for, 68
 Undoable edit listeners, 73, 721-722
 UndoableEdit, 68
 UndoableEditEvent, 69, 125, 721-722
 undoableEditHappened, 722
 UndoableEditListener, 721-722
 API for, 721-722
 undoAction, 69, 70
 UndoManager, 68
 Uneditable combo box, 176-177
 Uneditable editor pane, 201


Uneditable information displays
 illustrated, 41
 Unit increment when scrolling, 329
 UNIX, compiling under, 7
 Unselectable images, 253
 Unselectable text, 253
 Unstyled text, 200
 updateChooser, 172
 updateComponentTreeUI, 631
 User object, defined, 440
 User-choosable filters, 212
 User input from a dialog, 195
 Utilities, 150
 Utils, 213-215*e*

V

Validating input, 587
 value property of a formatted text field, 225, 352-354
 valueChanged, 270
 verify, 592
 Vertical space, 100
 VERTICAL_SCROLLBAR_ALWAYS, 330-331
 problems with, 736
 VERTICAL_SCROLLBAR_AS_NEEDED, 330-331
 problems with, 736
 Vetoable change listeners, 120
 viewToModel, 79
 Visual Guide to Layout Managers, 88
 Visual Index to Swing Components, 37
 Voice interfaces, 519
 VoteDialog, 30*e*

W

Wait cursor, 300, 301
 weightx, 484-485
 weighty, 484-485
 Width, component size, 135
 Window, 238
 Window listeners, 723-732
 API for, 729-732
 WindowAdapter class, 723
 WindowEvent, 723
 WindowEventDemo, 724, 725*e*
 WindowFocusListener, 723, 724
 windowGainedFocus, 730
 WindowListener, 723, 724



INDEX

windowLostFocus, 730
Windows
 activation events on, 726
 closing, 240, 724
 deactivation events on, 725
 decorations, 237-239
 gained focus events on, 726
 lost-focus events on, 725
 positioning, 239
Windows look and feel, 630
Windows, Microsoft
 compiling Swing programs under, 7

Windows XP look and feel, 630
WindowStateListener, 723, 724
Wrap lines, 420

Y

Yes/No dialogs, 194

Z

Z order, 258, 320

