



Index

& (ampersand), shortcut key designator, 58
 - (hyphen), menu item separator, 58
 ? (question mark), help button, 50, 107–109
 .config files, 19–20, 411–413
 .manifest files, 62
 .resx files, 363–366

A

Action controls, 238–240
 Activate method, 40
 Activated event, 40
 Active Documents, 598
 Active forms, 40
 ActiveForm method, 40–41
 ActiveMdiChild property, 78–79
 Adapters, 29
 ADO.NET. *See* data sets.
 al.exe tool, 381
 Alignment, text strings, 180–182, 184
 Alignment property, 184
 AllowSelection property, 230–231
 AllowSomePages property, 230–231
 Alpha values, 124
 Alpha-RBG, 124
 Ambient properties, 259–261
 Ampersand (&), shortcut key designator, 58
 Anchoring controls, 13–14, 68–69, 597
 Animation, 157–160
 Antialiasing
 print preview, 218
 shapes, 144–145
 text strings, 184–186

 UseAntiAlias property, 218
 appbase (application base), 560–562
 appdomain (application domain), 561
 Application base (appbase), 560–562
 Application domain (appdomain), 561
 Application download, 557–559
 Application locality, 410–413
 Application settings. *See also* multithreading
 user interfaces; resources; user inter-
 face.
 application locality, 410–413
 assembly locality, 410–413
 choosing a mechanism, 432–433
 compile-time, 406–409
 configuration (.config) files, 19–20, 411–413
 domain locality, 410–413
 dynamic properties, 20–21, 414–416. *See*
 also data binding.
 environment, 406–409
 isolated storage, 21, 426–430
 localities, 410–413
 machine locality, 410–413
 partial trust, 430
 permissions, 411
 Registry, 416–421
 roaming user locality, 410–413, 419
 scope, 426–430
 special folders, 21, 422–424
 Store Admin tool, 429–430
 stores, 426–430
 streams, 424–430
 types of, 410–413

664 ■ INDEX

- Application settings (*continued*)
 - user locality, 410–413
 - versioned data paths, 430–432
 - Application wizards, MFC, 595–596
 - Applications
 - calling, 388–389
 - command line arguments, 397–400
 - context, 390–392
 - definition, 387–388
 - events, 392–393
 - lifetime, 388–389
 - marshaling by reference, 398
 - multi-SDL, 400–406
 - named kernel objects, 396
 - .NET Remoting, 397–400
 - single-instance, 395–397
 - UI thread exceptions, 393–395
 - UI threads, 389
 - Arranging controls, 13–16
 - Arrow keys, 570–571
 - Arrows, drawing, 137–138
 - Assemblies. *See also* Web deployment, partially trusted assemblies.
 - definition, 5
 - discovering embedded resources, 360–361
 - embedding files. *See* manifests; resources.
 - Assembly linker tool, 381
 - Assembly locality, 410–413
 - Assembly receiver, 560
 - Asynchronous callback, 528–529
 - Asynchronous event notification, 612–615
 - Asynchronous operations, 522–525
 - Asynchronous Web services, 541–545
 - Attributes, design-time integration, 306–307
 - Authenticode, 587–589
 - Automation, MFC, 598
 - AutoScale property, 66–67
 - AutoScaleBaseSize property, 66–67
 - Auto-scaling forms, 66–67
 - AutoScrollMargin property, 275
 - AutoScrollMinSize property, 275
 - AutoScrollPosition property, 275
 - AutoZoom property, 218
- B**
- BackColor property, 259–261
 - Background images
 - previewing, 23
 - setting, 23
 - Batch initialization, design-time integration, 316–319
 - BeginPrint event, 220–221
 - Bezier curves, 144
 - Binary-type resources, 366–367
 - Binding managers, 477–482
 - Bitmap class, 150–151
 - Bitmaps, 150–151
 - Blend property, 131
 - Blending colors. *See* gradients.
 - Blocking operations, 526
 - Boolean values, controls, 240–241
 - Borders, forms, 49
 - Bottom property, 43
 - Boxing, 537
 - BringToFront method, 61
 - Brush class, 127–128
 - Brushes. *See also* color; drawing; pens.
 - creating pens from, 141–142
 - hatch patterns, 129–130
 - linear gradients, 129–132
 - path gradients, 132–135
 - samples, 127–128
 - solid, 128–129
 - texture, 129
 - tiling shapes, 129
 - Button control, 238–240, 644–645
- C**
- Caching, 559–560
 - Calendar control, 650
 - Calling applications, 388–389
 - Cancel button, 93–97
 - CancelEventArgs property, 41
 - Canceling
 - long running operations, 531–534
 - print jobs, 215
 - Captions, forms, 49
 - Cardinal splines, 143–144
 - CausesValidation property, 99
 - Cell ascent, 175
 - Cell descent, 175
 - CenterPoint property, 134
 - Check boxes, 645
 - CheckBox control, 645
 - Checked list boxes, 647
 - Checked property, 58
 - CheckedListBox control, 241–246, 647
 - Child columns, 450

- Classes, grouping. *See* namespaces.
- Click event, 238–240, 267
- Client area, size, 45–46
- ClientRectangle property, 46
- Client-side command line arguments, 574–575
- ClientSize property, 45–46
- Clip property, 205–206
- Clipping
 - forms, 38
 - images, 151–154
 - regions, 122, 205–206
 - text strings, 179–180
- Closed event, 41
- Closing event, 41
- Closing forms, 41–42
- Code serialization. *See* serialization.
- Color
 - alpha values, 124
 - Alpha-RBG, 124
 - blending, 131–132
 - drawing shapes. *See* pens.
 - filling shapes. *See* brushes.
 - focus points, 131
 - format translation, 126
 - gradients, 129–135
 - known, 124–126
 - linear gradients, 129–132
 - mapping, 155–156
 - named, 124–126
 - opacity, 123–124
 - path gradients, 132–135
 - printing, 227
 - recoloring images, 155–156
 - system, 125–126, 129
 - transitions, 131–132
 - transparency, 124
- Color structure, 123
- ColorDialog component, 89
- ColorTranslator method, 126
- COM (Component Object Model)
 - control hosting, MFC, 598
 - controls, 63–65
 - drag and drop controls, 283
- ComboBox control, 241–246, 647–648
- Command builder, 444
- Command line
 - arguments, 397–400, 573–576
 - setting the PATH environment variable, 4
- Command objects, 454–455
- Command routing, MFC, 602
- Command text, 438
- Command unification, MFC, 602
- Committing data set changes, 443–445
- Common dialogs. *See* dialogs.
- Communication
 - with shared data, 534–535
 - via message passing, 537–541
 - via method parameters, 535–537
 - via Web services, 571–572
- Compile-time application settings, 406–409
- Component Object Model (COM). *See* COM (Component Object Model).
- Components
 - changing behavior at design time, 304–306. *See also* design-time integration.
 - definition, 633
 - finalizer methods, 299–300
 - garbage collection, 297–300
 - resource management, 297–300
 - sample, 293–297
 - uses for, 289
 - vs.* controls, 633
- Components, custom, 292–293
- Components, standard. *See also* ColorDialog component; ContextMenu component; FontDialog component; OpenFileDialog component; PageSetupDialog component; PrintDialog component; PrintPreviewDialog component; SaveFileDialog component.
 - context menus, 238–240, 641
 - ContextMenu, 238–240, 641
 - error notification, 25–26, 101–102, 290, 642
 - ErrorProvider, 25–26, 101–102, 290, 642
 - FolderBrowserDialog, 89
 - HelpProvider, 114–116, 642
 - image lists, 247–249, 290, 640–641
 - ImageList, 247–249, 290, 640–641
 - main menus, 56, 641
 - MainMenu, 56, 641
 - menus, 290
 - notification tray, 290, 638–639
 - NotifyIcon component, 290, 638–639
 - standard dialogs, 290, 634–638
 - table of, 631–633
 - Timer, 291–292, 639–640
 - ToolTip, 105, 109–111, 642
 - user information, 290
- CompoundArray property, 139

- Configuration (.config) files, 19–20, 411–413, 563
- Connection objects, 453–454
- Connection strings, 438
- Connections, 29
- ControlBox property, 49
- Constraints, data set data, 447–448, 459–460
- Constructors, forms, 38
- Container controls, 74–75
- Containers, design-time integration, 300–302
- Containers for controls, 246–247
- Context, applications, 390–392
- Context menus, 58–59, 352–355, 641
- ContextMenu component, 238–240, 641
- ContextMenu property, 58
- Control libraries, creating, 16–17
- Control points, 144
- ControlBox property, 89–91
- ControlPaint class, 252–253
- Controls. *See also forms; entries for specific controls.*
 - adding to the Toolbox, 17–18
 - ambient properties, 259–261
 - anchoring, 13–14
 - arranging, 13–16
 - binding to data. *See data binding.*
 - categories, 237–238
 - changing behavior. *See design-time integration.*
 - custom, 18
 - custom layout, 76–77
 - data type values, 240–241
 - definition, 237, 633
 - docking, 15
 - drawing, 18
 - extending, 275–276
 - focus, and data validation, 102–104
 - getting a list of, 104
 - inheritance, 259–261
 - resizing, 73
 - reusing, 16–18. *See also controls, owner-draw; controls, user.*
 - scrolling, 272–275
 - splitting, 15
 - text labels, 643
 - user, 16, 277–279. *See also controls, owner-draw.*
 - vs.* components, 633
- Controls, child
 - adding to forms, 59–60
 - anchoring, 68–69
 - COM (Component Object Model), 63–65
 - container controls, 74–75
 - custom layout, 76–77
 - docking, 69–73
 - form auto-scaling, 66–67
 - grouping, 74–75
 - removing, 60–61
 - separator bars. *See splitting.*
 - splitting, 73–74
 - tabbing between, 61
 - themes, 61–63
 - Z-order, 60–61, 71–73
- Controls, custom
 - adding to the Toolbox, 256–257
 - deriving from existing controls, 277–278
 - deriving from the Control class, 254–255
 - Designer and, 259
 - events, 263–265
 - functionality, 262–263
 - input, keyboard, 267–271
 - input, mouse, 265–267
 - kinds of, 254–255
 - message queue, 271–272
 - rendering, 257–259
 - testing, 256–257
 - Windows message handling, 271–272
- Controls, drag and drop
 - COM (Component Object Model), 283
 - data validation, 286–287
 - drop source, 283–285
 - drop target, 279–282
 - keypress, detecting, 285–286
 - multiple effects, 285–287
- Controls, owner-draw. *See also controls, user.*
 - definition, 249
 - drawing disabled text, 253–254
 - examples, 249–251
 - reusing existing controls, 252–253
 - sizing controls, 251–252
 - themes, 254
- Controls, standard
 - action, 238–240
 - Boolean values, 240–241
 - Button, 644–645
 - categories, 237–238
 - CheckBox, 645
 - CheckedListBox, 647

- ComboBox, 647–648
 - containers for, 246–247
 - data type values, 240–241
 - DataGrid, 649
 - date values, 240–241
 - DateTimePicker, 650–651
 - definition, 237
 - DomainUpDown, 652
 - graphical values, 240–241
 - GroupBox, 657
 - grouping, 246–247
 - HScrollBar, 651–652
 - Label, 643
 - LinkLabel, 643–644
 - ListBox, 646
 - lists, images, 247–249
 - lists, text, 241–246
 - ListView, 648
 - MonthCalendar, 650
 - numeric values, 240–241
 - NumericUpDown, 652–653
 - Panel, 657
 - PictureBox, 646
 - PrintPreviewControl, 654
 - ProgressBar, 653–654
 - RadioButton, 645
 - RichTextBox, 654
 - Splitter, 655
 - StatusBar, 656
 - string values, 240–241
 - TabControl, 657–658
 - TextBox, 644
 - ToolBar, 655–656
 - TrackBar, 653
 - TreeView, 648–649
 - value, 240–241
 - VScrollBar, 651–652
 - Controls collection, 247
 - Coordinate conversions, 193
 - CreateGraphics method, 118–119
 - CreateMeasurementGraphics method, 232–233
 - Cross-bitness, MFC, 600
 - Cross-language, MFC, 600
 - Cross-platform, MFC, 600
 - Culture information, 373–375
 - Culture-neutral, 377
 - Culture-specific, 377
 - Current property, 483
 - CurrentCulture property, 375
 - CurrentUICulture property, 375
 - Cursor class, 164–166
 - Cursor property, 259–261
 - Cursors, drawing, 164–166
 - Curves, drawing, 143–144
 - Custom controls. *See* controls, custom.
 - Custom designers, 346–366
 - Customizing the user interface. *See* application settings; drawing; user controls.
- D**
- Dashes, drawing, 138–139
 - DashStyle property, 138–139
 - Data adapter objects, 455–456
 - Data adapters, 436
 - Data binding. *See also* data grids; databases; dynamic properties.
 - binding managers, 477–482
 - control changes, 486–489
 - control formatting, 487–489
 - current data row, 483
 - data members, 468
 - data set changes, 484–486
 - data set replacement, 485–486
 - data sources, 468–471
 - MFC (Microsoft Foundation Classes), 600
 - overview, 29–30
 - property managers, 477–482
 - suspending, 486
 - type conversion, 506–511
 - type descriptors, 505–506
 - Data binding, complex
 - data views, 492–494
 - definition, 469
 - filtering, 493–494
 - master-detail relations, 494–497
 - required properties, 489–492
 - sorting, 492–493
 - Data binding, data sources. *See also* data sets.
 - custom hierarchies, 513–516
 - custom item, 504–505
 - item, 471
 - list, 471, 512–516
 - Data binding, simple
 - to data sets, 476–477
 - definition, 470
 - example, 470
 - to items, 471–474

- Data binding, simple (*continued*)
 - list data sources, 512–516
 - to lists, 475
- Data columns, 436
- Data commands, 436
- Data connections, 436
- Data format notification, 101–102
- Data grids. *See also* data binding.
 - control, 649
 - data exchange, 501–502
 - formatting, 499–501
 - overview, 497–499
 - table styles, 499–501
- Data members, 468
- Data rows, 436
- Data sets. *See also* databases.
 - child columns, 450
 - command builder, 444
 - command objects, 454–455
 - command text, 438
 - committing changes, 443–445
 - connection objects, 453–454
 - connection strings, 438
 - constraining input data, 447–448, 459–460
 - creating data, 439
 - data adapter objects, 455–456
 - data validation, 447–448
 - definition, 436
 - deleted data, retrieving, 442
 - deleted rows, checking for, 441–442
 - deleting data, 440–442
 - Designer support, 453–456
 - expressions, 450–453, 461–462
 - multitable, 445–447
 - navigation, 450
 - parent columns, 450
 - populating, 436
 - relations, 448–450, 460–461
 - retrieving data, 436–439
 - tracking changes, 442–443
 - update error detection, 445
 - updating data, 440
- Data sets, typed
 - adding to forms, 463–466
 - constraints, 459–460
 - creating, 456–459
 - definition, 456
 - expressions, 461–462
 - relations, 460–461
- Data sources
 - custom hierarchies, 513–516
 - custom item, 504–505
 - for data binding, 468–471
 - item, 471
 - list, 471, 512–516
- Data tables, 436
- Data validation
 - constraints on data set data, 447–448, 459–460
 - and control focus, 102–104
 - data format notification, 101–102
 - data sets, 447–448
 - dialogs, 25, 98–104
 - drag and drop controls, 286–287
 - error messages, 107
 - ErrorProvider component, 25–26
 - extender properties, 105
 - free-form data entry, 98
 - information providers, 106
 - providing valid defaults, 103
 - regular expressions, 99–101
 - thorough validation, 102–104
 - Validating event, 25–26
- Data versioning. *See* versioning.
- Data views, 492–494
- Databases, 29. *See also* data binding; data sets; data sources.
- DataGrid control, 241–246, 497–499, 649
- DataRow methods, 450
- DataSource property, 489–492
- Date/time controls, 240–241, 650
- DateTimePicker control, 240–241, 650–651
- DDX/DDV, MFC, 599
- Deactivate event, 40–41
- Debugging
 - design-time integration, 302–304
 - Web deployment, 576–578
- Declarative approach, design-time integration, 306–307
- Delegates
 - definition, 7
 - description, 607–611
 - events, 612–615
- Delete method, 441–442
- DeleteCommand property, 444
- Deleted data, retrieving, 442
- Deleted rows, checking for, 441–442
- Deleting data, 440–442
- Deploying applications. *See* Web deployment.

- Deserialization, 625–626
- Design units, 168, 176
- Designer
 - adding controls to the Toolbox, 17–18
 - anchoring controls, 13–14
 - arranging controls, 13–16
 - control libraries, creating, 16–17
 - custom controls, 18, 259
 - data set support, 453–456
 - docking controls, 15
 - drawing controls, 18
 - event handling, 11–13
 - initializing forms, 10–11
 - Property Browser, 11–13
 - resources, 369–373
 - reusing controls, 16–18
 - splitting controls, 15
 - starting a project, 8
 - user controls, 16
 - viewing code, 8–9
- DesignMode property, 304–306
- Design-time integration. *See also* components.
 - attributes, 306–307
 - batch initialization, 316–319
 - code serialization, 311–316
 - containers, 300–302
 - custom designers, 346–366
 - debugging, 302–304
 - declarative approach, 306–307
 - expandable object converter, 332–334
 - extender property providers, 319–324
 - host form integration, 314–316
 - hosts, 300–302
 - programmatic approach, 306–307
 - Property Browser integration, 307–311
 - sites, 300–302
 - type code serialization, 335–337
 - type converters, 324–332, 335–337
- Design-time-only properties, 350–352
- DesktopBounds property, 46
- DesktopLocation property, 44
- Device units, 191
- Dialog applications, MFC, 596
- DialogResult property, 94
- Dialogs
 - built-in components, 89
 - Cancel buttons, 93–97
 - data exchange, 92–98
 - data validation, 25, 98–104
 - default button, 95
 - Enter key, 95
 - ESC key, 95
 - modal *vs.* modeless, 91
 - modeless, 87
 - modeless form data, 97–98
 - OK buttons, 93–97
 - overview, 24–26
 - size grip, 90
 - standard, 88–89, 290
 - styles, 89–91
- Dialogs, help features
 - ? (question mark), help button, 107–109
 - F1 key, 107–109
 - help button, 50
 - HTML help, 109–116
 - indexes, 116
 - MFC, 599
 - pop-up help, 109–116
 - searching, 116
 - tables of contents, 116
 - Tooltips, 105–107
 - topic navigation, 114–116
- Digit substitution, 183–184
- DisplayMember property, 489–492
- Dock Padding property, 275
- Docking controls, 15, 69–73, 597
- Document management, MFC, 601–602
- Document-View, MFC, 601
- DoDragDrop method, 283–285
- Domain locality, 410–413
- DomainUpDown control, 241–246, 652
- Double buffering, 209–211
- DoubleBuffer style, 209–210
- DoubleClick event, 267
- dpi (dots per inch), 168
- Drag and drop controls. *See* controls, drag and drop.
 - DragDrop event, 279–282
 - DragEnter event, 279–282
 - DragLeave event, 279–282
 - DragOver event, 279–282
 - DrawIcon method, 163–164
 - DrawIconUnstretched method, 163–164
- Drawing. *See also* brushes; color; pens.
 - clipping regions, 122
 - controls, 18
 - coordinate conversions, 193. *See also* transforms.
 - device units, 191

- Drawing (*continued*)
 - double buffering, 209–211
 - flicker, 209–210
 - inset alignment, 140
 - joins at angles, 140–141
 - obtaining a graphics object, 118–119
 - optimizing, 207–211
 - overlapping, 149–150
 - overview, 26–29
 - page units, 190–193
 - pixels, and fonts, 167–168, 176
 - pixels, converting to page units, 193
 - redrawing objects, 119–120
 - releasing resources, 119
 - visibility, checking, 208–209
 - world coordinate conversions. *See* transforms.
 - Drawing, images
 - animation, 157–160
 - bitmaps, 150–151
 - clipping, 151–154
 - cursors, 164–166
 - flipping, 154–155
 - on the fly, 160–162
 - icons, 163–164
 - mapping colors, 155–156
 - metafiles, 150–151
 - panning, 151–154
 - raster graphics, 150–151
 - recoloring, 155–156
 - rotating, 154–155
 - scaling, 151–154
 - skewing, 151–154
 - transparency, 156–157
 - vector graphics, 150–151
 - Drawing, lines
 - arrows, 137–138
 - dashes, 138–139
 - inset alignment, 140
 - joins at angles, 140–141
 - line caps, 137–138
 - parallel lines, 139
 - Drawing, shapes
 - antialiasing, 144–145
 - Bezier curves, 144
 - cardinal splines, 143–144
 - control points, 144
 - curves, 143–144
 - figures, 146
 - fill modes, 149–150
 - graphics settings, saving and restoring, 145–146
 - overlapping, 149–150
 - paths, 146–150
 - smoothing modes, 144–145
 - subpaths, 146
 - sweeps, 143–144
 - tension, 143–144
 - Drawing, text strings. *See also* fonts.
 - alignment, 180–182, 184
 - along paths, 186–187
 - antialiasing, 184–186
 - clipping to fit, 179–180
 - digit substitution, 183–184
 - disabled text, 253–254
 - formatting, 178–180
 - glyphs, 179
 - hotkey prefixes, 182–183
 - tab stops, 180–182
 - trimming, 180
 - wrapping, 178–179, 190
 - DrawItem event, 251
 - DrawItem method, 251
 - DrawLine method, 137–138
 - DrawString method, 178–180
 - Drop source, 283–285
 - Drop target, 279–282
 - Dynamic properties, 20–21, 414–416. *See also* data binding.
- ## E
- Editing properties, 337–346
 - Em height, 176
 - Embedding resources, 22–24
 - Em-units, 168
 - EnableVisualStyles method, 62
 - EndPrint event, 220–221
 - Enter key, 95
 - Enumerations, grouping. *See* namespaces.
 - Environment application settings, 406–409
 - Error detection, data set updates, 445
 - Error messages, data validation, 107
 - Error notification, standard component for, 25–26, 101–102, 290, 642
 - ErrorProvider component, 25–26, 101–102, 290, 642
 - ESC key, 95
 - Event handling
 - default events, 13

Designer, 11–13
 in Property Browser, 11–13

Events
 applications, 392–393
 asynchronous notification, 612–615
 custom controls, 263–265
 definition, 6–7
 delegation, 612–615
 polling, 614

Expandable object converter, 332–334

Expanding properties, 332–334

Expression property, 450–453

Expressions
 data sets, 450–453, 461–462
 data validation, 99–101

Extender properties, 105

Extender property providers, 319–324

Extending controls, 275–276

F

F1 key, 107–109

Figures, drawing. *See* drawing, images;
 drawing, shapes.

Files
 adding to projects. *See* manifests;
 resources.
 embedding in assemblies. *See* manifests;
 resources.
 reading and writing, 572–573

Fill modes, 149–150

Filtering, data binding, 493–494

Finalizer methods, 299–300

FlatStyle property, 62–63

Flatten method, 203–204

Flattening paths, 203–204

Flicker, 209–210

Flipping images, 154–155

Focus points, color, 131

FolderBrowserDialog component, 89

Font class, 168–169

Font families, 167, 171–172

Font property, 259–261

Font size, changing
 in forms, 66–67
 scaling, 196

Font styles, 167

FontDialog component, 89

FontFamily class, 171–172

Fonts. *See also* drawing, text.

cell ascent, 175

cell descent, 175

characteristics, 172–175

creating, 169–170, 171–172

definition, 167

design units, 168, 176

dpi (dots per inch), 168

em height, 176

em-units, 168

getting properties of, 172–175

height, 175–177

leading, 175

line spacing, 176

measuring, 167–168, 173

monospace, 173

pixels, 167–168, 176

points, 168

typefaces, 167

ForeColor property, 259–261

Form icon, 50

Format event, 487–489

FormatFlags property, 179

Formatters
 serialization, 622–624

Formatting text strings, 178–180

FormBorderStyle property, 49, 89–91

Forms. *See also* controls.
 activation/deactivation, tracking, 40–41
 active, 40
 clipping, 38
 closing, 41–42
 constructors, 38
 definition, 1
 font size, changing, 66–67
 within forms, 75
 hiding. *See* visibility.
 inactive, 40
 initializing, 10–11, 38–39
 lifetime, 38–42
 main, 1–2
 modal, 4, 35–36
 modeless, 3, 35–36
 owned, 36–38
 owner, 36–38
 pausing, 41
 rectangular, 46
 relative coordinates, converting, 46–47
 restarting, 41
 reusing, 82–85
 scaling. *See* resizing, forms.

Forms (*continued*)

- serializing visible properties, 42
 - showing, 35–38
 - showing in the taskbar, 50
 - starting as hidden, 39–40
 - stopping, 41
 - subforms, 75
 - visual inheritance, 82–85
- Forms, adornments
- ? (question mark) button, 50
 - borders, 49
 - caption, 49
 - form icon, 50
 - help button, 50
 - maximize/minimize buttons, 49
 - non-client area, 49–50
 - size grip, 50
 - system menu control box, 49
- Forms, location
- basic location properties, 43
 - initial location, 42
 - moving regions, 54
 - moving whole forms, 43
 - Point structure, 44
 - PointF (floating point) structure, 44
 - relative to the desktop, 43–44
 - screen coordinates, 43–44
 - stacking windows, 48–49
 - topmost windows, 48–49
 - Z-order, 48–49
- Forms, menus. *See also* menus.
- enabling/disabling items, 58
 - keyboard shortcuts, 58
 - labeling items, 58
 - separating items, 58
 - switching, 55–56
- Forms, visibility
- regions, 52–54
 - starting as hidden, 39–40, 41
 - transparency, 50–55
- FromPage property, 232–233

G

- GAC (Global Assembly Cache), 560–562
- Garbage collection, 297–300
- Genghis library, MFC, 604–605
- GetAllControls method, 104
- GetChanges method, 443
- GetChildRows method, 450

- GetFrameCount method, 157–160
- GetFullPath method, 111
- GetHeight method, 175–177
- GetManifestResourceNames method, 360
- GetManifestResourceStream method, 361
- GetParentRows method, 450
- GetProperties method, 505–506
- GetRealPageBounds method, 223–224
- GetTabStops method, 181–182
- GIF animation, 157–160
- Global Assembly Cache (GAC), 560–562
- Global namespaces, 3
- Glyphs, drawing, 179
- Gradients, 129–135
- Graphical value controls, 240–241
- Graphics
 - drawing. *See* drawing.
 - objects, obtaining, 118–119
 - objects, redrawing, 119–120
 - printing, 233–234
 - settings, saving and restoring, 145–146
- Graphics class. *See* dialogs.
- GraphicsFromImage method, 161
- GraphicsPath class, 146–150
- Group boxes, 75, 246–247, 657
- GroupBox control, 75, 246–247, 657
- Grouping
 - child controls, 74–75
 - classes. *See* namespaces.
 - controls, 74–75, 246–247
 - enumerations. *See* namespaces.
 - resources, 366
 - structures. *See* namespaces.
 - windows. *See* MDI (Multiple Document Interface).

H

- HasErrors property, 445
- Hatch patterns, 129–130
- HatchBrush class, 129–130
- Height
 - fonts, 175–177
 - forms, 43
- Height property, 43
- Help. *See* dialogs, help features.
- HelpButton property, 50, 89–91, 107
- HelpProvider component, 114–116, 642
- HelpRequested event, 107–108

Hide method, 41
 Host form integration, design-time integration, 314–316
 HostingForm property, 314–315
 Hosts, design-time integration, 300–302
 Hotkey prefixes, drawing, 182–183
 HScroll event, 275
 HScrollBar control, 240–241, 651–652
 HTML help, 109–116
 Hyphen (-), menu item separator, 58

I

i18n, 373. *See also* internationalization.
 Icon class, 163–164
 Icon property, 50
 Icons, drawing, 163–164
 IDE integration, MFC, 596
 Identity matrix, 195
 IDeserializationCallback, 625–626
 IDisposable interface, 119
 ildasm.dex tool, 359
 Image lists, 247–249, 290, 640–641
 ImageAnimator class, 159–160
 ImageList component, 247–249, 290, 640–641
 Images, drawing. *See* drawing, images.
 Inactive forms, 40
 Indexes, 116
 Infinite regions, 205
 Information providers, 106
 Inheritance, controls, 259–261
 InitializeComponent function, 38–39
 Initializing
 batch initialization, design-time integration, 316–319
 forms, 10–11, 38–39
 properties, 312
 Input, keyboard, 267–271
 Input, mouse, 265–267
 InsertCommand property, 444
 Instance descriptors, 335–337
 Internationalization, 373. *See also* localization.
 Invalidate method, 120–121
 ISerializable interface, 626–628
 IsMdiChild property, 78–79
 IsMdiContainer property, 77–79
 Isolated storage, 21, 426–430

K

Keyboard
 input from, 267–271
 input language, 384–385
 Keyboard shortcuts
 drawing hotkey prefixes, 182–183
 menu items, 58
 KeyDown event, 267
 Keypress, detecting, 285–286
 KeyPress event, 267
 KeyPressEventArgs object, 268–271
 KeyUp event, 267
 Known colors, 124–126
 KnownColor enumeration, 124–126

L

l10n, 373. *See also* localization.
 Label control, 240–241, 643
 Labels on controls, 643
 Leading, 175
 Left property, 43
 Lifetime
 applications, 388–389
 forms, 38–42
 Line spacing, 176
 LineAlignment property, 184
 Linear gradients, 129–132
 LinearGradientBrush, 131–132
 LineJoin property, 140–141
 Lines, drawing. *See* drawing, lines.
 LinkLabel control, 240–241, 643–644
 List boxes, 646, 647, 652–653
 List views, 241–246, 648
 ListBox control, 241–246, 646
 Lists
 adding tags to, 245–246
 creating, 241–244
 images, controls for, 247–249
 selecting from, 244–245
 text, controls for, 241–246
 List/text combination boxes, 647–648
 ListView control, 241–249, 648
 Load event, 39
 Loading manifest resources, 360–361
 Localities, application settings, 410–413
 Localization
 assembly linker tool, 381
 culture information, 373–375
 culture-neutral, 377

Localization (*continued*)
culture-specific, 377
definition, 373
at the forms level, 377–380
keyboard input language, 384–385
main assemblies, 376
no-compile deployment, 380
for nondevelopers, 380–382
probing, 375–377
resolving duplicate names, 382–384
satellite assemblies, 376
Windows Resource Localization Editor,
380–382
Location property, 43
LocationChanged event, 43
Look and feel. *See* application settings; user
interface.

M

Machine locality, 410–413
Main assemblies, 376
Main function, 2
Main menus, 54–58, 59, 641
MainMenu component, 56, 641
MakeEmpty method, 207
Manifest resources
definition, 358
loading, 360–361
namespaces, 361–362
naming, 359–360
Manifests, 358
Mapping colors, 155–156
MarginBounds property, 222, 226–228
Margins, printing, 222–226
Marshaling by reference, 398
Master-detail relations, 494–497
Matrix, 194
Matrix class, 194–195
MaximizeBox property, 49, 89–91
Maximize/minimize buttons, 49
MaximumPage property, 231
MaximumSize property, 47
MDI (Multiple Document Interface), 77–82
MDI applications, MFC, 596
MdiChildActivate event, 78–79
MdiList property, 78–79
MdiParent property, 77–79
MeasureString method, 173
Measuring fonts, 167–168, 173

Menu property, 55–56
MenuBar control, 238–240
MenuItem class, 56–57
Menus. *See also* forms, menus.
context, 58–59, 352–355, 641
main, 54–58, 59, 641
MDI (Multiple Document Interface), 79–82
standard components, 290
MergeOrder property, 81
MergeType property, 81
Message passing model, 540–541
Message queue, 271–272
Metafile class, 151
Metafiles, 150–151
MFC (Microsoft Foundation Classes)
Active Documents, 598
anchoring, 597
application wizards, 595–596
automation, 598
COM control hosting, 598
command routing, 602
command unification, 602
cross-bitness, 600
cross-language, 600
cross-platform, 600
data binding, 600
DDX/DDV, 599
dialog applications, 596
docking, 597
document management, 601–602
Document-View, 601
Genghis library, 604–605
help, 599
history of, 591–594
IDE integration, 596
managed environment, 603
MDI applications, 596
migrating from, 603–604
multi-SDI applications, 596
OLE (Object Linking and Embedding), 598
print preview, 598
print setup, 598
printing, 598
SDI applications, 596
shell management, 602
source code, 603
splitting, 597
third-party support, 601
toolbars, 597–598
user interface layout, 596–597

user interface updating, 602
vs. WinForms, 32, 594–603
 Web deployment, 600–601
 Win32 wrappers, 599
 Microsoft Foundation Classes (MFC). *See*
 MFC (Microsoft Foundation Classes).
 MinimizeBox property, 49, 89–91
 MinimumPage property, 231
 MinimumSize property, 47
 MinMargins property, 228
 Modal forms, 35–36
 Modal property, 91
 Modal *vs.* modeless dialogs, 91
 Modeless
 dialogs, 87
 form data, 97–98
 forms, 35–36
 vs. modal dialogs, 91
 Monospace fonts, 173
 MonthCalendar control, 240–241, 650
 Mouse
 button status, 267
 events, 265–267
 MouseButtons property, 267
 MouseDown event, 265–267
 MouseEnter event, 267
 MouseEventArgs argument, 266–267
 MouseHover event, 267
 MouseLeave event, 267
 MouseMove event, 265–267
 MousePosition property, 267
 MouseUp event, 265–267
 Move event, 43
 Multiple Document Interface (MDI), 77–82
 Multi-SDI applications, 400–406, 596
 Multitable data sets, 445–447
 Multithreading, 31
 Multithreading user interfaces
 asynchronous callback, 528–529
 asynchronous operations, 522–525
 asynchronous Web services, 541–545
 blocking operations, 526
 boxing, 537
 canceling, 531–534
 communication via message passing, 537–
 541
 communication via method parameters,
 535–537
 communication with shared data, 534–535
 message passing model, 540–541

nonblocking operations, 526
 progress indicators, 520–522
 race conditions, 534
 reference types, 535–536
 safety, 525–526
 simplifying, 530–531
 single-threaded applications, 522
 synchronous callback, 525–528
 threads, 522
 value types, 535–536

N

Named colors, 124–126
 Named kernel objects, 396
 Namespaces
 default, getting, 23
 global, 3
 manifest resources, 361–362
 purpose, 2
 short notation, 3
 using statement, 3
 Naming manifest resources, 359–360
 Navigation, data sets, 450
 Nesting resources, 366
 .NET Remoting, 397–400
 No-compile deployment, 380
 Nonblocking operations, 526
 Non-client area, 49–50
 Notification tray, 290, 638–639
 NotifyIcon component, 290, 638–639
 No-touch deployment (NTD). *See* Web
 deployment, no-touch.
 NTD (no-touch deployment). *See* Web
 deployment; Web deployment, no-
 touch.
 Numeric value controls, 240–241
 NumericUpDown control, 240–241, 652–653

O

Object Linking and Embedding (OLE),
 MFC, 598
 OK buttons, 93–97
 OLE (Object Linking and Embedding),
 MFC, 598
 OnPaint method, 273–274
 Opacity, 123–124
 Opacity property, 51–53
 OpenFileDialog component, 89
 Owned forms, 36–38

OwnedForms collection, 36–37
 Owner forms, 36–38
 Owner property, 36–37
 Owner-draw controls. *See* controls, owner-draw.

P

Page settings, 226–228
 Page units, 190–193
 PageBounds property, 222
 PageScale property, 191–192
 PageSettings property, 226–228
 PageSetupDialog component, 89, 227–228
 PageUnit property, 191–192
 Paint event, 119–122
 Panel control, 75, 246–247, 657
 Panning images, 151–154
 Parallel lines, drawing, 139
 Parent columns, 450
 Parent property, 37–38
 Parse event, 488–489
 Partial trust, 430
 Partially trusted assemblies. *See* Web deployment, partially trusted assemblies.
 Partially trusted callers, 566–568
 PATH environment variable, on the command line, 4
 Path gradients, 132–135
 PathGradientBrush class, 132–135
 Pathnames, converting relative to full, 111
 Paths (graphic)
 drawing, 146–150
 drawing text strings, 186–187
 transforms, 202–204
 Pausing forms, 41
 Pen class, 135–136
 Pens. *See also* brushes; color; drawing.
 alignment, 140
 arrows, 137–138
 centered alignment, 140
 compound, 139
 creating from brushes, 141–142
 dashes, 138–139
 inset alignment, 140
 joins at angles, 140–141
 line caps, 137–138
 parallel lines, 139
 properties, 136–137
 Permissions, 411. *See also* security.
 Permissions, Web deployment
 Authenticode, 587–589
 awarding, 555–556
 checking for, 554–555
 deploying, 584–587
 increasing, 578–584
 intranet *vs.* Internet, 553
 viewing, 552–553
 Picture boxes, 240–241, 646
 PictureBox control, 240–241, 646
 Pixels, 167–168, 176
 Pixels, converting to page units, 193
 Point structure, 44
 PointF (floating point) structure, 44
 Points (unit of measure), 168
 Polling events, 614
 Populating data sets, 436
 Pop-up help, 109–116
 Position property, 479–482
 Preferences, setting. *See* application settings.
 Previewing, background images, 23
 Previewing, printed output
 corrupted display, 223
 MFC (Microsoft Foundation Classes), 598
 overview, 216–219
 PreviewPrintController class, 216–217
 print preview control, 654
 PrintPreview control, 240–241
 PrintPreviewControl, 654
 PrintPreviewControl class, 217–218
 PrintPreviewControl control, 654
 PrintPreviewDialog component, 89
 PreviewPrintController class, 216–217
 Print button, 28
 Print controllers, 215–219
 Print documents, 213–215
 Print events, 219–221
 Print method, 214–215
 Print preview. *See* previewing printed output.
 Print setup, MFC, 598
 PrintController class, 215
 PrintController property, 215–216
 PrintControllerWithStatusDialog class, 215–216
 PrintDialog component, 89, 229–234
 PrintDocument component, 28, 213–215
 Printers
 choosing, 228, 229–234

resolution, 233
 settings, 229–234
 PrinterSettings class, 232–233
 Printing
 canceling, 215
 color, 227
 graphics, 233–234
 margins, 222–226
 MFC (Microsoft Foundation Classes), 598
 overview, 26–29
 page settings, 226–228
 selected page ranges, 230–233
 user preferences, 228
 PrintPage event, 214–215, 220–221
 PrintPreview control, 240–241
 PrintPreviewControl class, 217–218
 PrintPreviewControl control, 654
 PrintPreviewDialog component, 89
 PrintRange property, 232–233
 Probing resources, 375–377
 Programmatic approach, design-time integration, 306–307
 Progress bars, 240–241, 520–522, 653–654
 ProgressBar control, 240–241, 653–654
 Projects, starting, 8
 Properties. *See also entries for specific properties.*
 ambient, 259–261
 code serialization, 311–316
 of custom types, 332
 default values, 311, 312
 design-time-only, 350–352
 displaying. *See* Property Browser.
 dynamic, 20–21
 editing, 337–346
 expanding, 332–334
 exposing at design time. *See* custom designers; design-time integration.
 extender, 105
 extender property providers, 319–324
 fonts, 172–175
 forms, 42–43, 45–46
 initializing, 312
 pens, 136–137
 required for data binding, 489–492
 resetting defaults, 261, 310
 type converters, 324–332, 335–337
 Property Browser, 11–13, 307–311
 Property managers, 477–482

Q

QueryPageSettings event, 226–228
 Question mark (?), help button, 50, 107–109

R

Race conditions, 534
 Radio buttons, 645
 RadioButton control, 645
 RadioCheck property, 58
 Raster graphics, 150–151
 Recoloring images, 155–156
 Rectangle property, 46
 RectangleF (floating point) property, 46
 RectangleTheBounds property, 46
 Rectangular forms, 46
 Reference types, 535–536
 Refresh method, 121
 Regex class, 99–101
 Region class, 204–205
 Region property, 53–54
 Regions
 clipping, 122, 205–206
 combination operations, 206–207
 constructing, 205
 definition, 204
 emptying, 207
 filling, 205
 infinite, 205
 moving, 54
 resizing, 54
 visibility, 52–54
 Registry, 416–421
 Regular expressions. *See* expressions.
 Relations, data set tables, 448–450, 460–461
 Remove method, 60–61, 440–442
 RemoveRange method, 60–61
 Rendering custom controls, 257–259
 ResetClip method, 206
 Resetting property defaults, 310
 Resize event, 43
 ResizeRedraw style, 211
 Resizing. *See also* scaling.
 controls, 73
 regions, 54
 text boxes, 68–69
 Resizing, forms
 auto-scaling, 66–67
 basic size properties, 43
 client area, 45–46, 76–77

- Resizing (*continued*)
 - proportionally, 76
 - regions, 54
 - restricting, 47–48
 - Size property, 45–46
 - SizeF (floating point) property, 45–46
 - by user, 68–69
 - whole forms, 43
 - Resizing forms
 - client area, 76–77
 - proportionally, 76
 - regions, 54
 - by user, 68–69
 - whole forms, 43
 - Resolution, printers, 233
 - Resource localization. *See* localization.
 - Resource management, 297–300
 - Resource manager
 - accessing resources, 368–369
 - ResourceManager class, 367–368
 - Resource resolution, 382–384
 - ResourceManager class, 367–368
 - Resources. *See also* application settings.
 - accessing, 368–369
 - associating with components, 369–373
 - binary type, 366–367
 - definition, 22
 - Designer, 369–373
 - embedding, 22–24
 - grouping, 366
 - issues, 372–373
 - nesting, 366
 - text-based type, 363–366
 - typing, 362–363
 - Restarting forms, 41
 - Restore method, 146
 - ResumeBinding method, 486
 - ResumeLayout method, 60, 76–77
 - Retrieving data, 436–439
 - Reusing
 - controls, 16–18, 252–253
 - forms, 82–85
 - Matrix objects, 201
 - Rich text boxes, 240–241, 654
 - RichTextBox control, 240–241, 654
 - Right property, 43
 - Roaming user locality, 410–413, 419
 - RootComponent property, 315
 - RotateAt method, 197–198
 - RotateFlipType enumeration, 154–155
 - Rotating images, 154–155, 197–198
 - RowFilter property, 493–494
- ## S
- Satellite assemblies, 376
 - Save method, 146
 - SaveFileDialog component, 89
 - Scaling. *See also* resizing.
 - AutoScale property, 66–67
 - AutoScaleBaseSize property, 66–67
 - auto-scaling forms, 66–67
 - controls, 251–252
 - fonts, 196
 - graphics objects, 195–196
 - images, 151–154
 - transforms, 195–196
 - Scope, application settings, 426–430
 - Scroll bars
 - AutoScrollMargin property, 275
 - AutoScrollMinSize property, 275
 - AutoScrollPosition property, 275
 - controls for, 240–241, 651–652
 - HScroll event, 275
 - HScrollBar control, 240–241, 651–652
 - SetScrollMinSize helper, 275
 - VScroll event, 275
 - VScrollBar control, 240–241, 651–652
 - Scrolling controls, 272–275
 - SDI applications, MFC, 596
 - Searching help topics, 116
 - Security. *See also* permissions.
 - Authenticode, 587–589
 - deployment, 32
 - Web deployment, code access, 552–556
 - SelectActiveFrame method, 159
 - SelectedItem property, 490–492
 - SelectedItems property, 490–492
 - SelectedValue property, 489–492
 - SendToBack method, 61
 - Serialization
 - data versioning, 628–629
 - deserialization, 625–626
 - design-time integration, 311–316
 - formatters, 622–624
 - IDeserializationCallback, 625–626
 - ISerializable interface, 626–628
 - skipping nonserialized fields, 625
 - streams, 619–622
 - visible form properties, 42

- Server-side command line arguments, 575–576
 - SetBlendTriangular method, 131
 - SetClientSizeCore method, 76–77
 - SetClip method, 206
 - SetDigitSubstitution method, 183–184
 - SetScrollMinSize helper, 275
 - SetSigmaBellShape method, 131
 - SetTabStops method, 181–182
 - Settings, application. *See* application settings.
 - Shapes, drawing. *See* drawing, shapes.
 - Shearing, 200
 - Shell management, MFC, 602
 - Shift+Tab key, 570–571
 - Shortcut property, 58
 - Show method, 41
 - ShowDialog method, 24
 - ShowHelp property, 228
 - Showing forms. *See* forms, visibility.
 - Showing forms in the taskbar, 50
 - ShowInTaskbar property, 39–40, 50, 89–91
 - ShowPopup method, 109–110
 - Single-instance applications, 395–397
 - Single-threaded applications, 522
 - Sites, design-time integration, 300–302
 - Size grip, 50, 90
 - Size property, 43, 45–46, 175–177
 - SizeChanged event, 43
 - SizeF (floating point) property, 45–46
 - SizeGripStyle property, 50, 90–91
 - Sizing. *See* resizing; scaling.
 - Skewing images, 151–154
 - Smoothing modes, 144–145
 - SmoothingMode property, 144–145
 - SolidBrush class, 128–129
 - Sort property, 492–493
 - Sorting, data binding, 492–493
 - Source code, MFC, 603
 - Source code files. *See* assemblies.
 - Special folders, 21, 422–424
 - Splitter control, 655
 - Splitters, 15, 73–74, 597, 655
 - Stacking windows, 48–49
 - Standard controls. *See* controls, standard.
 - Standard dialogs, 634–638
 - StandardPrintController class, 215–216
 - Starting a project, 8
 - StartPage property, 218
 - StartPosition property, 42
 - Status bars, 240–241, 656
 - StatusBar control, 240–241, 656
 - Stopping forms, 41
 - Store Admin tool, 429–430
 - storeadm.exe tool, 429–430
 - Stores, 426–430
 - Streams, 424–430, 619–622
 - String values controls, 240–241
 - StringFormat class, 178–179
 - StringFormat constructor, 179
 - Structures, grouping. *See* namespaces.
 - Styles, dialogs, 89–91
 - Subforms, 75
 - Subpaths, 146
 - SurroundColors property, 135
 - SuspendBinding method, 486
 - SuspendLayout method, 60, 76–77
 - Sweeps, 143–144
 - Synchronous callback, 525–528
 - System menu control box, 49
 - SystemBrushes class, 129
- T**
- Tab controls, 657–658
 - Tab key, 570–571
 - Tab stops, 180–182
 - Tabbing between controls, 61
 - TabControl, 75
 - TabControl control, 246–247, 657–658
 - TabIndex property, 61
 - Tables of contents, 116
 - TabPage control, 247–249
 - Tension, 143–144
 - Testing custom controls, 256–257
 - Text, drawing. *See* drawing, text.
 - Text boxes
 - control for, 644, 654
 - resizing, 68–69
 - Text property, 58
 - Text wrapping, 190
 - Text-based-type resources, 363–366
 - TextBox control, 644
 - Text/list combination boxes, 647–648
 - TextureBrush class, 129
 - Textures, drawing, 129
 - Themes
 - controls, 61–63
 - owner-draw controls, 254
 - Third-party support, MFC, 601

Thorough validation, 102–104
 Threads, 522
 Tiling shapes, 129
 Time/date controls, 240–241, 650
 Timer component, 291–292, 639–640
 Toolbar control, 238–240, 655–656
 ToolbarButton control, 247–249
 Toolbars
 assigning images to buttons, 239–240
 control for, 655–656
 MFC (Microsoft Foundation Classes), 597–598
 Toolbox, adding custom controls, 256–257
 ToolTip component, 105, 109–111, 642
 Tooltips, 105–107
 Top property, 43
 ToPage property, 232–233
 Topmost windows, 48–49
 ToString method, 241–242
 Track bars, 240–241, 653
 TrackBar control, 240–241, 653
 Tracking changes, 442–443
 Transform method, 202–203
 TransformPoints method, 193
 Transforms
 combining, 200–201
 definition, 193–194
 flattening paths, 203–204
 helpers, 201–202
 paths, 202–204
 rotation, 197–198
 scaling, 195–196
 shearing, 200
 translation, 198–200
 warping paths, 203–204
 widening paths, 203–204
 Transitions between colors. *See* gradients.
 Translation, graphics objects, 198–200
 Transparency, 50–55, 124, 156–157
 TransparencyKey property, 52–53
 Transparent color, 156–157
 Tree views, 241–246, 648–649
 TreeView control, 241–249, 648–649
 Trimming property, 180
 Trimming text strings, 180
 Type code serialization, 335–337
 Type conversion, 506–511
 Type converters
 design-time integration, 324–332, 335–337
 properties, 324–332, 335–337

Type descriptors, 505–506
 TypeConverter class, 325
 Typed data sets. *See* data sets, typed.
 TypeDescriptor class, 326, 505–506
 Typefaces, 167
 Typing resources, 362–363

U

UI thread exceptions, 393–395
 UI threads, 389
 UI type editors, 337–346
 Update method, 121
 UpdateCommand property, 444
 Updating data sets, 440, 445
 UseAntiAlias property, 218
 User controls, 16, 277–279
 User information, standard components, 290
 User interface
 customizing. *See* application settings.
 layout, MFC, 596–597
 multithreading. *See* multithreading user interfaces.
 updating, MFC, 602
 User locality, 410–413
 Using statement, 3, 9

V

Validating event, 25–26
 Validation. *See* data validation.
 Value controls, 240–241
 Value types, 535–536
 ValueMember property, 489–492
 Vector graphics, 150–151
 Versioned data paths, 430–432
 Versioning, 559–560, 628–629
 Viewing code, 8–9
 Visibility, checking, 208–209
 Visible property, 39–40, 41
 VisibleChanged event, 41
 VisibleClipBounds property, 223
 Visual inheritance, 82–85
 VScroll event, 275
 VScrollBar control, 240–241, 651–652

W

Warp method, 203–204
 Warping paths, 203–204
 Web deployment

- code access security, 552–556
 - control creation, 548–549
 - control events, exposing, 550–552
 - control interaction, 549–550
 - hosting controls, Internet Explorer, 547–552
 - MFC (Microsoft Foundation Classes), 600–601
 - no-touch, 32
 - overview, 31–33
 - security, 32
 - Web deployment, no-touch
 - application base (appbase), 560–562
 - application domain (appdomain), 561
 - application download, 557–559
 - arrow keys, 570–571
 - assembly receiver, 560
 - caching, 559–560
 - client-side command line arguments, 574–575
 - command line arguments, 573–576
 - communication via Web services, 571–572
 - .config file, 563
 - custom user input, 570–571
 - debugging, 576–578
 - definition, 565
 - files, reading and writing, 572–573
 - form-jacking, 570–571
 - GAC (Global Assembly Cache), 560–562
 - partially trusted callers, 566–568
 - procedure, 556–557
 - related files, 560–565
 - resources, 563–565
 - server-side command line arguments, 575–576
 - settings, 568–569
 - Shift+Tab key, 570–571
 - Tab key, 570–571
 - versioning, 559–560
 - working offline, 565
 - Web deployment, partially trusted assemblies
 - arrow keys, 570–571
 - client-side command line arguments, 574–575
 - command line arguments, 573–576
 - communication via Web services, 571–572
 - custom user input, 570–571
 - debugging, 576–578
 - definition, 565
 - files, reading and writing, 572–573
 - form-jacking, 570–571
 - partially trusted callers, 566–568
 - server-side command line arguments, 575–576
 - settings, 568–569
 - Shift+Tab key, 570–571
 - Tab key, 570–571
 - Web deployment, permissions
 - Authenticode, 587–589
 - awarding, 555–556
 - checking for, 554–555
 - deploying, 584–587
 - increasing, 578–584
 - intranet *vs.* Internet, 553
 - viewing, 552–553
 - Widen method, 203–204
 - Widening paths, 203–204
 - Width property, 43
 - Win32 wrappers, MFC, 599
 - Windows, grouping. *See* MDI (Multiple Document Interface).
 - Windows message handling, 271–272
 - Windows Resource Localization Editor, 380–382
 - WindowState property, 47–48
 - WinForms Designer. *See* Designer.
 - winres.exe tool, 380–382
 - WrapMode property, 134
 - Wrapping text, 178–179, 190
- Z**
- Zoom property, 218
 - Z-order
 - controls, 60–61, 71–73
 - forms, 48–49

