Absolute scale, 299 Acceptance test, 98, 222 ACME (Assembling Configuration Management Environments) Project, 57 Action-oriented team role, 139 Active Development Line, 344, 347 Activity areas, 3, 4-7. See also Change control; Identification; Status reporting; Storage baseline, 27 metadata shared by, 5 quality assurance process, 6-7 AdCoMs Project, 57 Administrative documents, 82 Agile software development, 207-11, 343-48 change authorization in, 347 change control in, 345-46 identification in, 346 integration and build management in, 347-48 safety issues in, 344-45 status reporting in, 348 storage in, 346 Aktuar Systemer AS, 275 Ambition, level of expenses and, 68 scoping configuration management task and, 59-63, 67 Analyst (systems engineer), 159-60 Appleton, Brad, 57 Approval of configuration item, 103-6 person responsible for, 97 Approval phase, change request in, 121

Architectural design, 98 Assembling Configuration Management Environments (ACME) Project, 57 Assessment, 61 Assets, 82-83 person responsible for, 151-52 Attributed Files System (AtFS), 17 Audit, 7 Authority, conflicts of, 246 Authorization, 11, 89 of change, in agile, 347 for coding, 190 for documents, 182 for metadata, 96-97 for milestone deliveries, 177 Baan CRM, 214 Backpasses, 221, 222 Backtracking in frequent-build development, 213-14 Backup of systems in production, 197 Balance point, 302-3 Baseline(s), 27 in CMMI. 38 establishment of, 269-70 in maturity models, 29 "Belongs to" designation, 91 Berczuk, Stephen, 57 Best practices, collecting internally, 268 Board for Software Standardisation and Control (BSSC), 48 Boehm, Barry, 218 BOOTSTRAP 3.2, xliv, 40. See also SPICE BS 6488, 46, 47

Build(s)

in agile software development, 347-48
multisite, 243-44

Build-and-smoke test (frequent-build technique), 211-16
Build handling tools, 307
Business Benefits of Software Best Practice, Case Studies, The, 272
Bypassing processes, 184-85

Capability level 1, 267-76 baseline establishment, 269-70 documentation, 271 implementation of configuration management, 272-76 integrity establishment, 271 starting from scratch, 267-69

- tracking and controlling changes, 270
- Capability level 2, 37-38. See also Planning
- Capability level 3. See Process(es)
- Capability level 4, 295, 297. *See also* Improvement of configuration management, continuous
- Capability level 5, 295, 297. *See also* Improvement of configuration management, continuous
- Capability Maturity Model (CMM) version 1.1, xliv, 29-32
- activities performed, 31-32 definition of configuration management, 31 maturity levels, 30-31
- Capability Maturity Model for Software (SW-CMM) version 2.0, draft C, 33
- Capability Maturity Model Integration (CMMI) SE/SW/IPPD version 1.02, 32-39, 56 capability levels, 36-39, 265-66 definition of configuration management, 35 discipline/environment description in, 33 generic practices, 37-38 goals for configuration management, 35

maturity levels, 36 practice-to-goal relationships, 35-36 process areas, 34-35

Careers in configuration management, 137-38 CCB. *See* Configuration control board (CCB) Central ownership, 254, 258 Cerebral team role, 139 Certification, 61 Change authorization in agile, 347 Change control, 5, 8, 19-23 activities, 20-21 in agile project, 345-46 in coding, 190 for company infrastructure, 252-53 in composite systems, 227 configuration control board and, 143 in configuration management, 203 connection with other activities, 23 consequence analysis, 22 of cross-organizational objects, 254 for documents, 183 establishment of, 270 example of, 23, 24 of external reuse components, 256 in frequent-build development, 214 inputs, 20 of integration, 192-93 for internal components, 260-61 in iterative development, 220 measurement data from, 132 metadata usage, 21 in milestone delivery, 178-79 outputs, 20 in parallel development, 248-49 planning for, 284 as process, 292 process descriptions, 23 product size and, 234 in project management, 201 for quality system, 263 roles, 22-23 in sequential development, 224 in subcontractor management, 205 in testing, 194 for variants, 231 in Web development, 238 Change control board (CCB), 346 Change control tools, 307 Change Management Process, 274 Change phase, event registration in, 115

Change requests, 8, 21, 116-23, 256 content of. 119-20 degree of formalism and, 122-23 event registration and, 116-19 phases of, 120-21 Changes, emergency, 183-85 Charts, 286 control, 303-4 "Cheating," 184-85 Class hierarchy for configuration items, 77-78 Classification phase, event registration in, 115 Closed phase, event registration in, 115 CMB6-1C-94, 46 CMII, 32-39, 56 CMII Conference, 56 CMM. See Capability Maturity Model (CMM) version 1.1 Codeline Policy, 344, 345 Codelines, 344-45 Coding, 187, 189-90 Communication in agile development, 211 Company infrastructure, 251-53 Comparison tools, 249 Compilation, conditional, 230 Completer/finisher, 140 Components for reuse (company product assets), 82-83 external, 254-57 internal, 257-61 Composite deliveries, 237 Composite systems, 225-27 Composition report for configuration item, 127, 129Conditions for approval, 105 Conferences, configuration management, 56 Configuration control board (CCB), 22, 111, 141-44, 260-61 multiple, 143, 144 responsibilities of, 141-42 skills and knowledge required for, 142-43 Configuration item(s) approval of, 15 assembled in deliveries, 83 class hierarchy for, 77-78 composition report for, 127, 129

configuration management complexity for, 173.174 defined. 77 document as, 179 formalism for, 60-61 granularity of, 210 history report for, 127, 128 life cycle of, 5-6 metadata for, 89-102 for authorization, 96-97 data elements, 89-91 for distribution, 101-2 metadatabase medium, 90-91 for relations to other configuration items, 97-101 for unique identification, 91-95 name of, 91-92 ownership of, 97 for project management, 200 proxy, for documents, 183 registering, 103-23 approval, 103-6 change requests, 116-23 event registration, 111-16 release request, 106-10 status of, 93 status report for, 127 storage of, 177-78 tracing of, 98-99 usage of, 15-16 variants of, 229 version information on, 93 Configuration management in broader perspective, xlv-xlvi between companies, xlv in company perspective, xli-xliv cyclicality of, 5-6 defined, 3 Conflicts of authority, 246 Consequence analysis, 22 "Consists of" information, 100-101 Content management, Web, 236 Continuous integration (frequent-build) technique, 211-16 Continuous representations, 33, 36, 38

359

Control charts, 303-4 Controlled library, 13, 17, 64, 283-84 release requests and, 106, 108 Conventions, 292 defined. 290 Co-ordinator, 139 Cost/benefit analysis, 59-63 Creation phase, change request in, 120, 121 Cross-organizational activities, 149 Cross-organizational functions, 251-63 company infrastructure, 251-53 cross-organizational objects, 82-83, 253-54 external reuse component development, 254-57 internal asset development (product-line) approach, 257-61 quality system, 261-63 Cross-organizational perspective, xliv Cruise Control, 307 Culture, company, xli Customer demand for configuration management, xlv extra sales to, 70 role of. 169-70 Customer contact manager, 167 Customer relations, 275 Daily build (frequent-build) technique, 211-16 Database and Selectors Cel configuration (DaSC) Project, 57 Data elements, 89-91 Datamat Ingegneria dei Sistemi, 272-73 Data types, 298 Date, version, 93 Decision making in agile development, 210 Decision phase, event registration in, 113, 114 Defined process. See Process(es) Delivery(ies) composite, 237 under configuration management, 83-85 defined. 27 document as, 179-80 integration, 191 internal, 285 metadata for, 177-78

milestone, 175-79 for modules. 289 for planned events, 85-88 project management and, 200 by subcontractor, 206 of subsystems, 285 during testing, 193 variants of, 229, 230 Web, 237 of working software, 210-11 Delta storage, 14 Delta technique, 306 "Derived from" information, 100 Design, 72 of composite system, 226 detailed, 98 development, 187-88 variants and, 229 Designer, 160-61 Development coding, 189-90 documentation activities, 187-88 external reuse component, 254-57 integration, 191-93 internal reuse component, 257-61 maintenance, 197-98 multisite (geographically distributed), 239-45 operational use, 194-97 parallel, 246-49 testing, 193-94 Web, 235 Development (dynamic) library, 13-14, 17-18 Development models, 85, 207-24 agile software development, 207-11, 343-48 frequent-build technique, 211-16 generic, xliii integrated product development, 216-17 iterative, 85, 208, 218-20, 235 sequential (waterfall) development, 85-86, 221-24 Development tools, 249-50 Diagrams, 286 Direct measurement, 298 Distribution, 90

metadata for, 101-2 Document(s), 179-83 administrative, 82 authorization for, 182 change control for, 183 conditions of approving draft, 105 as configuration item or delivery, 179-80 development, types of, 188 identification of, 180-82 naming convention for, 74 in project management, 201 states for, 94 status reporting on, 183 storage of, 183 tracing for, 182 user requirement, 125 Documentation, 187-88 in agile development, 211 during implementation, 275, 276 minimum, 271 outdated, 71 Document control, 50 DoD Mil-Std-483A-1985, 46 DoD Mil-Std-973, 46, 48 Drivers, 193 Dynamic (development) library, 13-14, 17-18 EIA 649, 46 EIA CMB4 standards, 46 EIA CMB6 standards, 46 EIA CMB7 standards, 46 Electronic Industries Alliance Interim Standard (EIA/IS) 731, Systems Engineering Capability Model (SECM), 33 Electronic objects in configuration management perspective, 79 Emergency changes, 183-85 Employees of tool supplier, 314-15 Empowered teams, 208-9 Engineering in CMMI, 34 Environment in agile development, 209-10 Environments and tools, person responsible for, 155-56 Error reduction in software products, 276 Errors, 69-70

ESA PSS-05-09, 47, 48-49 ESPRIT Project No. 22167, 57 Estimation from configuration management data, 132 European Meteorological Satellite Organisation (EUMETSAT), 17 European Software Institute, 272 Evaluation group, for tool selection, 311-12 Evaluation phase, event registration in, 113, 114 Evaluator, 140 Event A/S, 275 Event frequencies from configuration management data, 132-33 Event registration, 20-21, 111-16 change requests and, 116-19 for company infrastructure, 252 context of, 112-13 degree of formalism and, 115-16, 117-18 event life cycle and, 111 of internal component problem, 260-61 maintenance and, 197 of operation use, 195-96 phases of. 113-15 types of, 111 Event (wish for modification), 20 Exception handling, 184 Expenses, estimating, 68 External reuse component development, 254-57 External roles, 169-71 customer, 169-70 subcontractor, 171 FAA-STD-021, 47 "False friends," 26 File storage, 183 Financial status of tool supplier, 315 Financing for tools, 310 Finisher/completer, 140 Flash plug-in, 255 Food and Drug Administration (FDA), 49 Formalism, 59-62 for configuration item, 60-61

degree of, 61-66

approvals and, 105-6, 107

change requests and, 122-23 event registration and, 115-16, 117-18 release requests and, 109-10 starting configuration management and, 61 tools and, 62 Frequent-build technique, 211-16 Fulfillment matrix, 246 Full, company-wide process support tools, 307, 308 Fuller, Ted, 236-37 GAMP, 49-50 Geographically distributed (multisite) development, 239-45 example of, 239-40, 242-45 identification in, 241 organizational considerations, 240 status reporting in, 242 storage in, 241-42 Gilb, Tom, 297 Glossary, 349-50 Goal-Question-Metrics (GQM) technique, 273 Goals, 35, 269-71 baseline establishment. 269-70 change control establishment, 270 defining and tracking, 150 documentation, 271 integrity, 271 tools and, 308 Gold plating, 100 Granularity of configuration items, 210 of configuration management, 72 Hardware-related delivery, 84 Hardware under configuration management, 80 Harvest, 308 "Has been distributed to" information, 101-2 Help desk, 156-57 History report for configuration item, 127, 128 Identification, 7-11 in agile project, 346 authorization, 11

of builds, 213

of company infrastructure, 252 in composite systems, 227 for configuration item approval, 104 connection with other activities, 11 of cross-organizational objects, 253-54 of documents, 180-82 of document types, 188 for event registration, 112 examples of, 9-11 of external reuse components, 255 inputs, 8 of integration subsystems, 191-92 of internal components, 259 in iterative development, 220 metadata for, 7, 8, 91-95 of milestone delivery, 175-77 in multiplatform products, 228 in multisite development, 241 outputs, 8 parallel development and, 248 pitfalls of, 74 planning for, 283 as process, 291, 292 process descriptions, 9 product size and, 234 of project management document types, 201 quality system objects, 262 roles, 11 in sequential development, 224 of source code, 189 in subcontractor management, 205 of subitems, 181-82 of test items, 193 of variants, 230-31 in Web applications, 237 IEEE-Std-610.12-1990, 48 Implementation of configuration management, 272-76 Datamat Ingegneria dei Sistemi, 272-73 Event A/S, 275 Istiservice, S.p.a., 274-75 S.I.A. S.p.A., 273-74 Sysdeco A/S, 276 Implementation phase, change requests in, 120 Implementer, 140

Improvement of configuration management, continuous. 295-304 metrics, 297-304 analyzing, 301-4 in general, 298-99 selecting and defining, 300-301 terms used in, 298 Indirect measurement, 298 Individual support tools, 306-7, 308 Infrastructure under configuration management, 83 cross-organizational functions and, 251-53 Institute for Information Technology, 57 Institute of Configuration Management, 56 Integrated product and process development (IPPD) environment, 33 Integrated product development, 216-17 Integrated Product Development Capability Maturity Model (IPD-CMM) version 0.98, 33 Integration, 187, 191-93 in agile project, 347-48 of new tools. 313 Integration Builds, 344, 347 Integrators, 162-63 Integrity, establishing, 271 Interface control, 282 Internal asset development (product-line) approach, 257-61 Internal deliveries, 285 International standards, 45-53 BS 6488, 46, 47 DoD Mil-Std-483A-1985, 46 DoD Mil-Std-973, 46, 48 ESA PSS-05-09, 47, 48-49 GAMP, 49-50 IEEE-Std-610.12-1990, 48 ISO 9000-3. 51-52 ISO 9001:1994, 50-51 ISO 9001:2000, 52-53 overview of, 45-47 International Workshop on Software Configuration Management, 56

Interval scale, 299

IPD-CMM (Integrated Product Development Capability Maturity Model) version 0.98, 33
IPPD (integrated product and process development) environment, 33
ISO 9000-3, 51-52
ISO 9001:1994, 50-51
ISO 9001:2000, 52-53
ISO 15504. *See* SPICE
Istiservice, S.p.a., 274-75
Iterative development, 85, 208, 218-20, 235

### JTC1 12207-95, 47

#### KBST V, 47

Large systems, 233 Librarian, 26, 144-46 activities of, 145 skills required of, 145 tools and, 146 Library, 13-14, 17-18. See also Storage controlled, 13, 17, 64, 283-84 release requests and, 106, 108 dynamic (development), 13-14, 17-18 proxy item in, 178 static, 14 Licensing, 276 Life cycle under configuration management, 81 responsibility and, 111 Logs of tools use, 64 "Made with" information, 100 Mainline, 344 Maintenance, 197-98 emergency changes in, 183 Managed process, 38-39 Management relations to environment, 280-82 subcontractor, 282

#### 274 Månsson, Bjarne, 214, 242-43

support of configuration management, 273,

MARF (Meteorological Archiving and Retrieval Facility), 17 Martin, James, 218 Maturity models, xliv, 29-44 baseline in, 29 Capability Maturity Model (CMM) version 1.1, 29-32 activities performed, 31-32 definition of configuration management, 31 maturity levels, 30-31 **Capability Maturity Model Integration** (CMMI) SE/SW/IPPD version 1.02, 32-39.56 capability levels, 36-39, 265-66 definition of configuration management, 35 discipline/environment description in, 33 generic practices, 37-38 goals for configuration management, 35 maturity levels, 36 practice-to-goal relationships, 35-36 process areas, 34-35 degree of formalism and, 61 improving configuration management and, 265-66ISO 15504 (SPICE) and BOOTSTRAP 3.2, 40-44 best practices, 42, 44 definition of configuration management, 40goals, 40 maturity levels, 42-43 maturity of configuration management, 43-44 process model, 20, 41 processes and, 290 "May be distributed to" information, 101 Mean, 302-3 Measurement(s), 297-98. See also Metrics configuration management as supplier of, 132-33 methods of, 300 plans for, 300 Median, 302-3

Merge tools, 249 Metadata, 5, 89-102 for authorization, 96-97 in change control, 21 data elements, 89-91 for delivery, 177-78 for distribution, 101-2 on external reuse components, 255 for identification, 7, 8, 91-95 measurement data from, 132 metadatabase medium, 90-91 registration of, 90-91 for relations to other configuration items, 97-101 for unique identification, 91-95 Meteorological Archiving and Retrieval Facility (MARF), 17 Methods, description of, 287 Metrics, 297-304 analyzing, 301-4 in general, 298-99 selecting and defining, 300-301 terms used in, 298 Microsoft, 213-14 Microsoft Visual SourceSafe (VSS), 13, 243-44, 283.307 MIDAS project, 273 Milestone deliveries, 85-88, 175-79 authorization for, 177 change control in, 178-79 developments in, 175, 176 generic content lists for, 177 identification of, 175-77 status reporting on, 179, 202 storage and. 177-78 Milestones, 285-86 agile, 346 MOD DEF-STAN 05-57/2, 47 Mode, 302-3 Modules deliveries for, 289 reusable, 258 testing of, 72 tracing, 190 Monitor/evaluator, 140

Multiplatform products, 227-28 Multiple stakeholders, 245-46 Multisite (geographically distributed) development, 239-45 example of, 239-40, 242-45 identification in, 241 organizational considerations, 240 status reporting in, 242 storage in, 241-42 Multivariants, 228-31

Name of configuration item, 91-92 National Inter-bank Network of Italy, 273 NATO NAT-PRC-2, 47 NATO STANAG 4159, 47 Networks under configuration management, 80 NIST S.P.500-161, 47 Nominal scale, 299 "Notes from the Front Lines: How to Test Anything and Everything on a Web Site" (Fuller), 236-37

Object(s) cross-organizational, 82-83, 253-54 electronic, 79 physical, 78 in product perspective, 79-81 in project perspective, 81-83 scoping and, 73-74 Operation, person responsible for, 152-53 Operational use, 194-97 backup in, 197 configuration management considerations, 195 event registration of, 195-96 organizational considerations in, 196 release for, 195 status reporting on, 196 Optimized process, 295 Ordinal scale, 299 Organizational considerations for company infrastructure, 251 in multisite development, 240 in operational use, 196 for tool support, 308-11

Organizational roles, 149-58 asset management, 151-52 environment and tools management, 155-56 management, 149-50 operations management, 152-53 process management, 153-55 support/help desk management, 156-57 Organization of configuration management, 281Overall responsibility, 97 Ovum, 56, 305 Ownership central, 254, 258 of configuration item, 97 multisite development and, 241 of tools, 310 Parallel development, 246-49 Parameter control, 229 People-oriented team role, 139 People perspective on configuration management, xli Personal build (frequent-build) technique, 211-16 Personnel, 267-68 Pharmaceutical companies, guidelines from, 49 Phase indication, 112-13 Phase information, 111, 285-86 Physical objects in configuration management perspective, 78 PIE (Process Improvement Experiment), 274 Planned events, deliveries for, 85-88 Planning, 71, 277-87 activities chapter, 282-84 in frequent-build development, 212 general advice, 277-79 introduction section, 279-80 management and relations to the environment chapter, 280-82 measurement, 300 in parallel development, 247 schedule chapter, 285-86 table of contents, 279 templates in, 279 for tools, 310

tools, techniques, and methods chapter, 286-87 Plant role, 139 Principles of Software Engineering Management (Gilb), 297 Private System Builds, 344, 347-48 Private Workspace, 344, 346, 347 Procedures, 292, 293 defined, 290 Process(es), 289-94 in agile development, 209 change control as, 292 changing, 317 defined, 290 deployment of, 296-97 identification as, 291, 292 improvement of, 133, 295-97 maturity models and, 290 optimized, 295 process model for, 291, 293-94 software code example of, 319-31 tracing example of, 333-42 quantitative, 295 recipe analogy of, 290-91 special requirements for, 293 status reporting as, 292-93 storage as, 292 Process descriptions in change control, 23 in identification, 9 in status reporting, 25 in storage, 16-17 Process Improvement Experiment (PIE), 274 Process management, 261-63 in CMMI. 34 person responsible for, 153-55 Process perspective, xliv "Produced with" statement, 100 Producers, 96 Production time, 191 Product-line (internal asset development) approach, 257-61 Product perspective, xli-xlii objects in, 79-81 Products, 225-38

composite systems, 225-27 life cvcle of. xlii multiplatform, 227-28 multivariants, 228-31 safety-critical, 232-33 size of, 233-34 Web applications, 235-38 Profitability calculation, 67-71 expenses, 68 savings, 68-71 Programmer, 161-62 Project management in CMMI, 34 Project manager, 164-65 Project perspective, xlii-xliii objects in, 81-83 Project-related roles, 159-68 analyst (systems engineer), 159-60 customer contact manager, 167 designer, 160-61 integrators, 162-63 programmer, 161-62 project manager, 164-65 quality assurance manager, 165-66 subcontractor contact manager, 167-68 testers, 163-64 Project-relate support tools, 308 Project support functions, 199-206 configuration management, 202-3 project management, 199-202 quality assurance, 203-4 subcontractor management, 204-6 Public relationships, 84-85 Purpose, defining, 279 PVCS, 307 Qualifications for configuration management, 138 Quality approval, 103-4 Quality assurance activities, 203-4 effectiveness of, 133 Quality assurance manager, 165-66 Quality system, 261-63

under configuration management, 83 standards for, 50-51

Quantitative process, 295

RAD Model, 218 Ratio scale, 299 Raw data, 298 Refactoring changes, 347 Reference lists section of plan, 280 Registration. See also Event registration of configuration item, 103-23 approval, 103-6 change requests, 116-23 event registration, 111-16 release request, 106-10 of external reuse components, 256 of metadata, 90-91 tracing, 99 Regression Tests, 345, 347 Release Line, 344, 345 Release note, 125-26 Release request, 106-10 Releases, agile software, 346 Reports. See Status reporting Repository, 344, 346 Representation continuous, 33, 36, 38 staged. 36 Reputation of tool supplier, 315-16 Requirements multiple stakeholders and, 245-46 outdated, 69 for tools, 311, 312-14 for variants, 229 Requirements management in agile development, 210 in iterative development, 219-20 Requirement specification as delivery, 84 Resource investigator, 140 Responsibility(ies) of configuration control board, 141-42 description of, in plan, 280, 281 life cycle and, 111 overall, 97 for quality system, 262 Reuse components for, 82-83 external, 254-57 internal, 257-61

development for, 257 Roles, 22-23, 135. See also Organizational roles; Project-related roles in configuration management, 141-48 configuration control board, 141-44 librarian, 144-46 person responsible for, 146-48 external, 169-71 customer, 169-70 subcontractor, 171 RTCA DO/178B-92, 47 Running number, 92 S.I.A. S.p.A., 273-74 Safety-critical products, 232-33 Sales, extra, 70 Savings, estimating, 68-71 Scalability of tools, 313 Scale definitions, 299 Schedule, planning of, 285-86 Scope of plan, 280 Scoping, 59-74 cost/benefit analysis, 59-63 examples of, 64-67 excluded objects, 73-74 pitfalls in, 71-73 profitability calculation, 67-71 expenses, 68 savings, 68-71 Self-organizing teams, 208-9 Sequential development, 85-86, 221-24 Services under configuration management, 80-81 Shaper, 140 Signatures, 105 SISSI project, 272 Small systems, 233 Smoke Tests, 344-45, 347 Software under configuration management, 79-80 criticality of, 232 process model for (example), 319-31 Software Configuration Management Patterns (Berczuk & Appleton), 57

# 367

Software Configuration Management (SCM), 343-48. See also Agile software development Software development guidelines, 48-49, 51-52 Software development standards, xlv Software engineering discipline in CMMI, 33 Software Engineering Information Repository (SEIR), 56-57 Software Engineering Institute (SEI), 29, 56-57, 216, 257 Software products, error reduction in, 276 Software requirements, 98 Source code, 77 conditions of approving, 105 under informal configuration management, 63 producer of, 96 states for, 94-95 storage of, 190 unique identification of, 189 Special conditions, 239-50 multiple stakeholders, 245-46 multisite (geographically distributed) development. 239-45 parallel development, 246-49 tool support, 249-50 Specialist, 140 Specifications, development, 187-88 SPICE, 40-44 best practices, 42, 44 definition of configuration management, 40 goals, 40 maturity levels, 42-43 maturity of configuration management, 43-44 process model, 20, 41 Spiral Model, 218 Staged representation, 36 Stakeholders, multiple, 245-46 Standards, 282. See also International standards degree of formalism and, 61 software development, xlv Starting configuration management, degree of formalism and, 61

States for documents. 94 for source code, 94-95 Static library, 14 Statistics, 302 Status code, 112-13 Status of configuration item, 93 Status reporting, 23-26, 125-33 in agile development, 211, 348 for company infrastructure, 253 in composite systems, 227 composition list, 127, 129 in configuration management, 132-33, 203 connection with other activities, 26 for cross-organizational objects, 254 on documents, 183 for external reuse components, 256-57 history report, 127, 128 inputs, 25 for internal component, 261 in iterative development, 220 on milestone delivery, 179, 202 in multisite development, 242 on operational use, 196 outputs, 25 in parallel development, 249 planning for, 284 as process, 292-93 process descriptions, 25 product size and, 234 in project management, 201-2 for quality system, 263 release note, 125-26 roles, 26 in sequential development, 224 status list. 127 by subcontractor, 206 trace reports, 130-31 on variants, 231 for Web systems, 238 Stock control, 109 Storage, 12-18. See also Library in agile project, 346 for company infrastructure, 252 of composite systems, 227

of configuration item, 177-78, 202 connection with other activities, 17 of cross-organizational objects, 254 delta, 14 of documents, 183 example of, 17-18 of external reuse components, 255-56 frequent-build and, 212, 213 of integration information, 192 of internal components, 259-60 in iterative development, 220 location of, 94 main processes, 15-16 medium of, 94 milestone delivery and, 177-78 in multisite development, 241-42 in parallel development, 248 pitfalls of, 74 planning for, 283-84 as process, 292 process descriptions, 16-17 product size and, 234 of quality system, 262 roles. 16-17 of source code, 190 subcontractor management and, 205 of test environments, 194 of variants, 231 of Web applications, 238 Stubs. 193 Subcontractor configuration management by, xlv management of, 204-6, 282 role of, 171 Subcontractor contact manager, 167-68 Subdelivery, 171 Subitems, unique identification of, 181-82 Subsystem(s) deliveries of, 285 integration, 191 Supplier, tool, 314-16 Support, xlii-xliii, 156-57 in agile development, 209-10 in CMMI, 34-35 under configuration management, 81, 82

for tools, 316 Survey of Existing and In-Work Software Engineering Standards and Specifications, 45 SW-CMM (Capability Maturity Model for Software) version 2.0, draft C, 33 Synchronization in multisite development, 241-42.243 Sysdeco A/S, 276 Systems engineer (analyst), 159-60 Systems engineering discipline in CMMI, 33 System test specifications, 98 Task description, 285 Teams empowered, 208-9 putting together, 140 self-organizing, 208-9 Teamworker, 140 Techniques, description of, 287 Template(s), 258, 259, 292, 293 defined, 290 for planning, 279 Testers, 163-64 Testing, 187, 193-94 module, 72 Third Party Codeline, 344 Tool(s), 305-17 build handling, 307 buying vs. do-it-yourself, 309 change control, 307 classes of, 306-8 comprehensive information about, 74 under configuration management, 81 customizing, 274, 316-17 development, 249-50 formalism and, 62 full, company-wide process support (totalprocess-oriented), 307, 308 guidelines for using, 308 incremental deployment of, 274 individual support, 306-7, 308 librarian and, 146 logs of use in controlled library, 64 organizational considerations, 308-11

in parallel development, 249 person responsible for, 155-56 planning for, 286 product size and, 234 project-related support, 308 requirements for, 311, 312-14 requirements for supplier, 314-16 selecting, 274, 311-12 training for, 274 version control, 306-7 Tools perspective on configuration management, xliv Tool support, 249-50 Total-process-oriented tools, 307, 308 Trace reports, 130-31 Tracing, 63 coding, 190 of configuration item, 98-99 for documents, 182 importance of, 99-100 of integration, 192 process model for (example), 333-42 in project management, 201 requirements, 210 test-related, 193-94 of variants, 231 Tracing registration, 99 Tracking changes, 270 Tracy (tracing tool), 333-42 Training, 274, 275 **TSC AS, 275** 

Unique identification. See Identification

Unit Tests, 345, 347 Usability of tools, 314 Usage matrix, 257 User requirement document, 125

Validation, 203 Variants, 228-31 Variation, statistical, 303 Verification, 204 Version control, 27, 38 Version control tools, 306-7 Version date, 93 Version information on configuration item, 93 Versions, new, 197-98 Visual SourceSafe (VSS), 13, 243-44, 283, 307 V-model, 98, 222 Vocabulary section of plan, 280

Waterfall (sequential) development model, 85-86, 221-24
Web applications, 235-38 external components in, 255 tools for, 314
Wish for modification (event), 20
W-model, 222, 223
Working practices, realistic view of, 273
WorkManager, 308
Workspace management, 307

# XP, 347

Yellow Pages for configuration management, 55