

Index

Symbols and Numbers

#DIV?0!, Excel error codes, 191
 #N/A, Excel error codes, 191
 #NAME, Excel error codes, 191
 #NULL!, Excel error codes, 191
 #NUM!, Excel error codes, 191
 #REF!, Excel error codes, 191
 #VALUE!, Excel error codes, 191
 [] (optional parameter), 51
 | (pipe symbol), 51
 < > (required parameter), 51
 1394 port, 219–220, 503
 “4-5 Rule”, 214

A

ABRs (area border routers), 436
 Access control lists (ACLs), 453, 497–498
 Access errors, 183–188
 Compact and Repair tool, 184–185
 database tables, 187–188
 macros or modules, 187
 manual repairs, 185–187
 overview of, 183–184
 reports, 186–187
 ACK (acknowledgement), 68
 ACLs (access control lists), 453, 497–498
 acldiag tool, 453–455, 497–498
 ACPI (advanced configuration and power interface), 625
 Active Directory, 453–480

alcdiag command, 453–455
 backup and recovery, 494
 dcdiag tool, 460–463
 Directory Services Restore Mode, 152
 Domain and Trusts snap-in, 457–458
 domain controllers, 480–484
 GPOs, 487–491
 gpresult command, 463–464
 gpupdate command, 464–465
 nltest command, 465–466
 ntdsutil tool. *see* ntdsutil tool
 RAS servers, 428
 replication, 484–487
 Replmon, 476
 Resultant Set of Policy, 476–480
 Schema snap-in, 458–460, 492–493
 Sites and Services snap-in, 458
 trusts, 493
 Users and Computers snap-in, 456–457
 Windows Server 2003 enhancements,
 452–453
 Active Directory, architecture, 443–453
 domain controllers, 447–448
 domains, 444–446
 forests, 444–446
 functional levels, 449–452
 GPOs, 449
 organizational units, 446
 sites, 446–447
 Active Directory Domains and Trusts,
 457–458, 493

674 Index

- Active Directory Schema, 458–460, 492–493
- Active Directory Sites and Services, 458
- Active Directory Users and Computers
 - overview of, 456–457
 - RIS server management, 389
 - troubleshooting DFS roots, 387
 - troubleshooting Terminal Services, 383–386
- Active Network Monitor
 - collecting diagnostic information, 654
 - installing, 653–654
 - overview of, 652–653
- Active Ports, SmartLine, 654–655
- Active Registrations folder, WINS snap-in, 303
- Active Server Watcher, SmartLine, 656–657
- Add Driver (prndrvr.vbs-a) command, 366–367, 590–591
- Add or Remove Program Licenses Wizard, 645–647
- Address Resolution Protocol (ARP), 59–60, 498–499
- addsw command, bootcfg, 218–219, 501–502
- Administrators
 - application compatibility and, 169
 - device model numbers, 163
 - Network Monitor and, 75–78
 - printer configuration, 379
 - RIS server authorization, 352
 - takeown (taking file ownership), 98–99, 602
 - terminal server session problems, 386
 - uptime command, 90
- Advanced configuration and power interface (ACPI), 625
- Advanced RISC Computing (ARC), 213–216
- Advanced tab, DNS server properties, 260–262
- Advanced TCP/IP Settings, WINS, 313–315
- AFR (Application Failure Rating), TechTracker ITX, 663
- Alerts, 104–107, 526–529
- Analysis, defragmentation vs., 638
- Analysis Report, Diskeeper, 639, 641
- Antivirus software, 35–36
- APIPA (Automatic Private IP Addressing)
 - NAT servers, 432
 - overview, 26–27
 - Windows 2000 DHCP, 324
- Application Failure Rating (AFR), TechTracker ITX, 663
- Application Recovery tool, 173–174
- Applications. *see also* Network services
 - analyzing current environment, 36–37
 - compatibility, 169–171
 - disabling during startup, 132–133
 - logs, 111
 - overview, 5–6
 - printing, 380–381
 - process-oriented corrective action for, 43
 - shutdown, 158
 - terminal server sessions, 386
 - uninstalling with msicuu, 133–134
 - uninstalling with System Restore, 145–149
- ARC (Advanced RISC Computing), 213–216
- Architecture
 - Active Directory. *see* Active Directory, architecture
 - DHCP. *see* DHCP (Dynamic Host Configuration Protocol), architecture
 - disk subsystems. *see* Disk Subsystems, architecture
 - DNS. *see* DNS (Domain Name Service), architecture
 - RRAS. *see* RRAS (Routing and Remote Access Service), architecture
 - WINS, 297–302
- Area border routers (ABRs), 436
- ARP (Address Resolution Protocol), 59–60, 498–499
- arp command, 59–60, 498–499
- ASBR (autonomous system boundary router), 436
- ASR (Automated System Recovery), 127–129
- Asynchronous backups, 343

- ATM (asynchronous transfer mode), 399–402, 499–501
 - atmadm command, 399–402, 499–501
 - Audit logging, 330–337
 - authoritative restore command, 468–469, 494
 - Authorization failure, 332–333, 337
 - AutoCorrect Backup utility, 204–208
 - Automated System Recovery (ASR), 127–129
 - Automatic Private IP Addressing. *see* APIPA (Automatic Private IP Addressing)
 - Automatic Recovery, 174–175
 - Autonomous system boundary router (ASBR), 436
- B**
- B-node (Broadcast node), 23
 - Backups
 - Active Directory, 494
 - Automated System Recovery, 128
 - DHCP, 324
 - recovering Access database from, 183
 - recovering DHCP database from, 343–346
 - recovering WINS database from, 319–322
 - shadow copies vs., 143
 - WINS, 309
 - BACP (Bandwidth Allocation Control Protocol), 395
 - BAP (Bandwidth Allocation Protocol), 395
 - Bare metal restores, 128
 - Basic disks, 212, 239–240, 538
 - Basic Input Output System. *see* BIOS (Basic Input Output System)
 - behavior command, fsutil, 216, 226–229, 529–530
 - Best compression, TightVNC Viewer, 123
 - Binary conversion, 13–14
 - BIND servers, 262, 292–293
 - BINL (boot information negotiation layer), 390
 - BIOS (Basic Input Output System)
 - analyzing settings, 32
 - firmware problems, 37–38
 - shutdown failures, 158
 - viewing version with MSinfo32, 112
 - viewing version with systeminfo, 107
 - Block inheritance, 489–490
 - blue-screen of death. *see* Stop errors (blue screens)
 - Boot devices
 - inaccessible, 625–626
 - Stop 0x0000007B error, 249–250
 - Unmountable Boot Volume (Stop 0x000000ED), 631
 - boot information negotiation layer (BINL), 390
 - Boot logging
 - enabling, 151
 - Recovery Console and, 155–156
 - shutdown failure and, 158–159
 - Boot sector, 213, 241–242
 - Boot-Time Defragmentation, Diskeeper, 640–641
 - bootcfg commands, 217–225
 - addsw, 218–219, 501–502
 - copy, 219, 502
 - dbg1394, 219–220, 503
 - debug, 220–221, 503–504
 - default, 221, 504
 - delete, 222, 504–505
 - editing boot.ini after failure with, 216
 - ems, 222–223, 505
 - overview of, 217–218
 - query, 223, 506
 - raw, 223–224, 506
 - reference guide, 501
 - rmsw, 224–225, 506–507
 - timeout, 225, 507
 - boot.ini file, 213–217
 - BOOTP forwarding
 - DHCP discover packets and, 26
 - DHCP relay agents vs., 342
 - DHCP server not responding, 337
 - BOOTP.Microsoft user class, 328
 - Broadcast node (B-node), 23
 - Broadcasts
 - DHCP, 26, 342
 - DNS, 19, 22
 - Browse function, WINS, 313

676 Index

BSOD (blue-screen of death). *see* Stop errors (blue screens)

C

Caching

 caching-only servers, 254
 clearcache command, 268–269

cacls command, 95–97, 507–509

Canonical Name (CNAME) records, 254

Capture Buffer, Network Monitor, 77–78

Capture Filter, Network Monitor, 78

Capture, Network Monitor, 77

Capture Trigger, Network Monitor, 78

Case sensitivity, command switches, 62

Cell error codes, Excel, 191

Challenge Handshake Authentication

 Protocol (CHAP), 394

change command, pagefileconfig, 80–81, 581–582

Change Journal, 236–239, 536–537

Chaos class, DNS records, 277

CHAP (Challenge Handshake

 Authentication Protocol), 394

check command, netsh wins server, 307–308, 567–568

check database command, 307–308, 567

check version command, 308, 567

chkdsk command

 chkntfs disabling, 52, 510

 Data Bus Error (Stop 0x0000002E), 622

 overview of, 51–53

 reference guide, 509

 Stop 0x00000023/Stop 0x00000024

 errors, 246, 621

chkntfs command

 overview of, 52–53

 reference guide, 510

Circular troubleshooting, 41

Classes, AD schema, 492

Classes, DHCP

 features of, 324

 user, 328

 vendor, 327

Classful addressing, 15

clean command, dfsutil, 356–357, 515

clearcache command, 268–269

Client and Gateway Services for NetWare, 353–356

Client-servers, 127–149

 application compatibility, 169–171

 Automated System Recovery, 127–129

 devices, 159–164

 displays, 166–167

 driverquery command, 129–131

 faxes, 164–166

 Internet Connection Sharing, 167–169

 msconfig command, 131–133

 msicuu command, 133–134

 Online Crash Analysis, 134–135

 OS installation, 156–157

 Recovery Console, 152–156

 Remote Assistance, 139–140

 Remote Desktop, 135–139

 Shadow Copy, 141–145

 System Restore, 145–149

 system shutdown, 157–159

 system startup, 149–152

 WINS, 299

Client Services for NetWare. *see* CSNW (Client Services for NetWare)

Clients

 DNS, 252, 262, 287–288

 NAT, 431

 RIS, 352–353

 WINS, 313–315

Clients, DHCP

 alternate configuration feature, 324

 leases, 337

 overview of, 334–336

 RAS server and, 340–341

Clients, RAS

 connections, 426

 RAS server, 428

 RAS server network, 429

 route command, 422–424

 RRAS snap-in, 424

CM (Connection Manager) tracing

 enabling/disabling, 406

 generating RAS Diagnostic Report, 408–409

 showing status of, 406

CNAME (Canonical Name) records, 254

- Codes, error. *see* Device Manager, error codes
 - COM add-ins, 203
 - Command Prompt, Safe Mode with, 151
 - compact command, init, 309, 319, 321, 569
 - Compaction
 - Compact and Repair tool, 184–185
 - recovering WINS databases, 309, 319–322
 - Compression
 - Ghost vs. RIS, 352
 - TightVNC Viewer, 123
 - Computer Management snap-in
 - Disk Management access, 56–57
 - File Replication Service status, 484
 - overview of, 110
 - Computers, comparing settings on, 38
 - Configurations tab, TechTracker ITX, 663
 - Configure Database Wizard, Sitekeeper, 644
 - Conflict detection, 328–329, 343
 - Connection Manager. *see* CM (Connection Manager) tracing
 - Connection monitoring
 - netstat, 68
 - ping, 71–72, 586–587
 - TCP/IP ports with portqry, 420–422, 588–589
 - Connections
 - DHCP clients, 335
 - network printers, 379–380
 - Outlook configuration, 194
 - WINS clients, 313
 - Consistency checks, 307–308
 - Convert to Values command, 190
 - copy command, bootcfg, 219, 502
 - copy command, Recovery Console, 155
 - Corrupt files, 181
 - Counters, System Monitor, 92–93
 - CPUs, stop error message, 627
 - Crash Log tag, TechTracker ITX, 663
 - create command, pagefileconfig, 81–82, 582
 - CSNW (Client Services for NetWare)
 - NWLink (IPX/SPX) protocol, 11–13
 - overview of, 353–354
 - troubleshooting integration, 391–392
 - ctrl key, 452
 - Custom.dic files, 207
- D**
- DACL (discretionary access control), 95–97, 507–509
 - Data Registry key, 201
 - dbg1394 command, bootcfg, 219–220, 503
 - dcdiag tool
 - overview of, 460–463
 - reference guide, 510–513
 - troubleshooting domain controllers, 480
 - DCPromo, 481
 - debug command, bootcfg, 220–221, 481–482, 503–504
 - Debugging
 - dbg1394 command, 219–220, 503
 - debug command, 220–221, 481–482, 503–504
 - debug logging, 263, 264–265
 - nslookup set d2 subcommand, 278
 - nslookup set debug subcommand, 278
 - default command, bootcfg, 221, 504
 - Default gateways, 17
 - Defragmentation
 - defrag command, 54–56, 228–229, 513
 - Disk Defragmenter, 57–58
 - Diskeeper, 638–641
 - Delegation, DNS zones
 - overview of, 260
 - troubleshooting with dnslint, 270–272
 - verifying with nslookup, 284–285
 - Delegation, subdomains, 289–290
 - delete command
 - bootcfg, 222, 504–505
 - pagefileconfig, 82–83, 583
 - Recovery Console, 155
 - Delete Driver (prndrvr.vbs-d), 367–368, 591–592
 - Delete Volume command, Disk Management, 244
 - Demand-dial routing, 433–435
 - Desktops, remote access, 350–351
 - Detect and Repair, 209
 - fonts, 208
 - overview of, 175–176

678 Index

- Word applications, 206
- Device drivers. *see also* Device Manager
 - Attempted Write to Read Only Memory (Stop 0xBE), 628
 - demand-dial routing, 433–434
 - disabling with Recovery Console, 152–156
 - displays, 167
 - Driver IRQL... (Stop 0x000000D1), 629
 - Driver Power State Failure (Stop 0x0000009F), 627
 - Driver Unloaded... (Stop 0x000000CE), 629
 - error messages. *see* Device errors
 - faxes, 165
 - Hardware Interrupt Storm (Stop 0x000000F2), 631–632
 - Inaccessible Boot Device (Stop 0x0000007B), 625–626
 - IRQL Not Less or Equal (Stop 0x0000000A), 619
 - KMode Exception Not Handled (Stop 0x0000001E), 620
 - No More System PTES (Stop 0x0000003F), 622–623
 - printers. *see* Printer drivers
 - recovery checkpoints, 146
 - recovery from startup failure, 150
 - shutdown failure problems, 158
 - Status Image Checksum Mismatch (Stop 0x00000221), 633–635
 - Status System Process Terminated (Stop 0x0000021A), 632–633
 - troubleshooting with driverquery, 101–102, 523–524
 - viewing with MSinfo32, 112
- Device errors, 607–619
 - about, 607–608
 - Code 1 (wrong configuration), 608
 - Code 3 (corrupted driver), 608–609
 - Code 10 (device unable to start), 609
 - Code 12 (conflicting devices), 609–610
 - Code 14 (reboot instruction), 611
 - Code 16 (incomplete configuration), 611
 - Code 18 (reinstall different driver), 611
 - Code 19 (wrong configuration), 611–612
 - Code 22 (disabled device), 612
 - Code 24 (device not working properly), 612
 - Code 28 (drivers not installed), 612–613
 - Code 29 (device disabled by firmware), 613
 - Code 31 (driver cannot be loaded), 613
 - Code 32 (current driver disabled), 613–614
 - Code 33 (unable to determine resources), 614
 - Code 34 (unable to determine settings), 614
 - Code 35 (insufficient information on firmware), 614
 - Code 36 (PCI interrupt error), 614–615
 - Code 37 (initialization problem), 615
 - Code 38 (unable to load driver), 615
 - Code 39 (unable to load driver), 615–616
 - Code 40 (service key problem), 616
 - Code 41 (cannot find hardware device), 616
 - Code 42 (unable to load driver), 616–617
 - Code 43 (service stopped due to reported problems), 617
 - Code 44 (application/service has shut down device), 617
 - Code 45 (device not connected), 617–618
 - Code 47 (unable to use device), 618
 - Code 48 (device blocked from starting), 618
 - Code 49 (system hive too large), 618
- Device Manager, 159–164
 - accessing, 159
 - device status, 161–162
 - disabling devices, 164
 - error codes. *see* Device errors
 - fax problems and, 165
 - overview of, 159–161
 - rolling back drivers, 150, 162
 - uninstalling devices, 163–164
 - updating drivers, 162–163

- DFS (Distributed File System)
 - deleting reparse point references, 235
 - overview of, 351–352
 - troubleshooting, 386–389
- DFS links, 352
- DFS roots
 - inaccessible, 387
 - overview of, 351–352
 - troubleshooting, *see* dfsutil utility
- DFS snap-in, 355, 386
- dfsutil utility, 355–361, 514–519
 - clean command, 356, 515
 - export command, 357, 515
 - import command, 357–358, 515–516
 - importroot command, 358–359, 516
 - pktflush command, 359, 517
 - purgemupcache command, 360, 517
 - purgewin2kstaticsitetable command, 360, 517
 - showwin2kstaticsitetable command, 360, 518
 - spcflush command, 361, 518
 - switches, 356, 514
 - troubleshooting with, 386
 - unmapftroot command, 361, 518
 - updatewin2kstaticsitetable command, 361, 518–519
- DHCP Allocator
 - NAT clients, 431
 - NAT servers, 432
 - netsh routing commands, 411–412, 556–557
- DHCP broadcasts, 26, 342
- DHCP Client Service, 336
- DHCP Discover, 24–25, 342–343
- DHCP (Dynamic Host Configuration Protocol), architecture, 323–329
 - classes, 327–328
 - conflict detection, 328–329
 - enhancements to, 324
 - overview of, 323–324
 - scopes, 325–327
 - terminology, 24–27
- DHCP (Dynamic Host Configuration Protocol), troubleshooting
 - clients, 334–336
 - DNS integration, 291–292
 - DNS server, 289
 - RIS clients, 390
 - tools, 330–334
 - WINS integration, 317–319
- DHCP leases
 - overview, 24–25
 - RAS integration, 339–340
 - renewing, 337
 - scope migration, 338–339
 - verifying, 338–339
- DHCP Offer, 25
- DHCP options, 26
- DHCP relay agents
 - DHCP-RAS integration, 341
 - netsh routing ip relay, 412–413, 557–558
 - overview, 26
 - RAS server network, 429
 - RRAS servers, 412–413, 432–433
 - troubleshooting, 342–343
- DHCP reservations, 25
- DHCP scopes
 - common problems, 337
 - defined, 25
 - migration, 338–339
 - multicast, 326–327
 - reconciling after restoring database, 345–346
 - standard, 325
 - superscopes, 325–326
 - verifying current leases in, 338–339
 - VPN resource access problems, 440
- DHCP servers, 336–346
 - accessing RAS resources, 340–341
 - audit logging, 330–333, 336–337
 - DHCP relay agents, 342–343
 - dhcplloc command, 334, 519
 - dynamic updates, 252
 - overview of, 336–337
 - Properties dialog box, 328–329
 - RAS integration, 339–340
 - recovering corrupted database, 343
 - recovering from backup, 343–346
 - scope migration, 338–339
- DHCP snap-in
 - audit logging, 330–333
 - database recovery, 344–345

680 Index

- initiating DHCP backup from, 343–344
 - overview of, 330
 - reconciling scopes after restoring data-
base, 345–346
 - troubleshooting DHCP servers, 337
- dhcplc command, 334, 519
- Diagnostic tools. *see* monitoring/diagnostic
tools
- Dial-in properties, 396
- Dial-Out Hours, 434
- Dictionaries, 207
- Digital signatures, 627
- Digital Video Disks (DVDs)
 - Troubleshooting Wizard, 115
- dir command, Recovery Console, 155
- Directories
 - Directory Consolidation, 640
 - Directory Services Restore Mode, 152
 - systeminfo providing location of, 107
- Dirty bits
 - chkdsk, 53
 - fsutil dirty command, 229
 - querying with fsutil dirty, 530
- dirty command, fsutil, 229, 530
- disable command, 154–155, 164
- discretionary access control (DACL),
95–97, 507–509
- Disk Cleanup Utility, 620
- Disk Defragmenter, 57–58
- Disk Management, 242–246
 - dynamic disks with RAID errors, 244
 - failed mirrored volumes, 245
 - failed RAID 5 volumes, 246
 - failed spanned or striped volumes,
244–245
 - overview of, 56–57
 - status indications, 243
- Disk management tools, 51–58
 - chkdsk command, 51–52
 - chkntfs command, 52–53
 - defrag command, 54–56
 - Disk Defragmenter, 57–58
 - Disk Management, 56–57, 242–246
- Disk quotas, 233–234
- Disk subsystems, 211–250
 - boot sector/MBR problems, 241–242
 - bootcfg/ addsw command, 218–219
 - bootcfg/ copy command, 219
 - bootcfg/ dbg1394 command, 219–220
 - bootcfg/ debug command, 220–221
 - bootcfg/ default command, 221
 - bootcfg/ delete command, 222
 - bootcfg/ ems command, 222–223
 - bootcfg/ query command, 223
 - bootcfg/ raw command, 223–224
 - bootcfg/ rmsgw command, 224–225
 - bootcfg/ timeout command, 225
 - bootcfg tool, 217–218
 - common stop messages, 246–250
 - dmddiag command, 225–226
 - fsutil behavior command, 226–229
 - fsutil command, 226
 - fsutil dirty command, 229
 - fsutil file command, 229–230
 - fsutil fsinfo command, 230–231
 - fsutil hardlink command, 231–232
 - fsutil objectid command, 232–233
 - fsutil quota command, 233–234
 - fsutil reparsepoint command, 234–235
 - fsutil sparse command, 235–236
 - fsutil USN command, 236–239
 - fsutil volume command, 239
 - ftonline command, 239–240
 - recover command, 240–241
 - using Disk Management, 242–246
- Disk subsystems, architecture, 211–217
 - basic and dynamic disks, 212
 - boot sector, 213
 - boot.ini file, 213–216
 - GPT disks, 217
 - Master Boot Record, 212–213
 - Master File Table, 216
- Disk Volume Scheduler, Diskeeper, 639
- diskfree option, fsutil volume command,
239
- dismount option, fsutil volume command,
239
- Display Filter, Network Monitor, 78
- Display tab, Remote Desktop Connection,
138
- Displays
 - Display Troubleshooting Wizard, 115
 - Program Compatibility Wizard test, 170
 - troubleshooting, 166–167

- Distributed File System. *see* DFS (Distributed File System)
- #DIV?0!, Excel error codes, 191
- dmdiag command, 225–226, 519–520
- DNS (Domain Name Service)
 - AD uninstallation, 483
 - clearcache command, 268–269
 - clients, 287–288
 - debug logging, 264–265
 - DHCP integration, 324
 - DNS snap-in, 263–264
 - dnscmd command, 267–268, 520–522
 - dnslint command, 270–272, 522–523
 - domain controllers, 481–482
 - event logging, 265–266
 - exit command, 274
 - hierarchy, 255–256
 - ls command, 274–276
 - lserver command, 276–277
 - monitoring, 267
 - nslookup command, 272–274, 283–287, 574–581
 - Outlook configuration, 194
 - proxy configuration, 413
 - query types, 22
 - RAS server, 427
 - RAS server network, 429
 - replication, 485–486
 - server subcommand, 277
 - servers, 289–294
 - set subcommand, 277–282
 - statistics operation, 269–270
 - view command, 282
 - VPN resource access, 440
 - WINS clients, 313–315
- DNS (Domain Name Service), architecture, 251–263
 - advanced features, 260–262
 - BIND secondaries, 262
 - caching-only server, 254
 - client considerations, 262
 - DNS hierarchy, 255–256
 - DNS zones, 258–260
 - dynamic updates, 252
 - forwarders, 253
 - name resolution process, 256–258
 - netmask ordering, 262
 - recursion and iteration, 252–253
 - resource records, 254–255
 - round robin, 261–262
 - terminology, 19–22
 - Windows Server 2003 enhancements, 263
 - zone delegation, 260
- DNS proxy
 - netsh routing ip dnsproxy, 414, 559
 - troubleshooting NAT server, 432
- DNS Security Extensions (DNSSEC), 263
- DNS snap-in
 - debug logging, 264–265
 - event logging, 265–266
 - monitoring, 267–268
 - overview of, 263–264
 - updating DNS zone data, 289
- DNS suffix, 281, 294
- DNS zones
 - common error events, 294
 - configurations, 258–259
 - delegation, 260, 270–272, 284–285
 - displaying with ls command, 274–275
 - overview of, 258–260
 - resource records, 254–255
 - transfers, 259–260, 292–293
 - troubleshooting DNS clients, 288
 - types of, 258
 - updating data, 289
- dnscmd command
 - clearcache command, 268–269
 - overview of, 267–268
 - reference guide, 520–522
 - statistics operation, 269–270
- dnslint command, 270–272, 522–523
- Document Recovery, 174, 176
- Documentation, 31–34, 38–39
- Domain controllers
 - Active Directory Sites and Services
 - snap-in and, 458–459
 - metadata cleanup, 472–474
 - nltest, 465–466, 573–574
 - overview of, 447–448
 - renaming, 452
 - troubleshooting, 480–484
- Domain DFS root, 351

682 Index

- Domain Name Service. *see* DNS (Domain Name Service)
 - Domain naming master FSMO, 448
 - Domains
 - Active Directory Domains and Trusts
 - snap-in, 457–458
 - functional levels, 450–451
 - metadata cleanup, 472–474
 - overview of, 444–446
 - renaming, 452
 - Drag-and-drop, AD, 452
 - Driver Rollback, Device Manager, 162
 - Driverquery command
 - options, 129
 - overview of, 101–102
 - reference guide, 523–524
 - sample output, 130–131
 - Drivers. *see* Device drivers
 - Drives
 - Drives and Network Adapters
 - Troubleshooting Wizard, 115
 - retrieving info with fsutil fsinfo, 230–231, 532
 - Duct tape mentality, 42–43
 - dump command, Netsh RAS Diagnostics, 403, 550
 - dump command, netsh wins command, 306, 317, 566–567
 - DVDs (Digital Video Disks) Troubleshooting Wizard, 115
 - Dynamic disks, 212, 244
 - Dynamic Host Configuration Protocol. *see* DHCP (Dynamic Host Configuration Protocol)
 - Dynamic updates
 - DHCP audit events, 332
 - DHCP options for, 291–292
 - DNS clients, 288
 - overview of, 252
 - replication, 485–486
- E**
- E-mail
 - Outlook configuration, 192–195
 - Remote Assistance, 139
 - screenshots of error messages, 33
 - testing mail servers with dnslint, 255
 - E-mail Accounts dialog box, Outlook, 194
 - /e switch, 96
 - EAP (Extensible Authentication Protocol), 394
 - Echo Request messages
 - pathping command, 69
 - ping command, 71–72
 - tracert command, 73
 - EFI (Extensible Firmware Interface), 38
 - EFS (Encrypting File System), 97–98, 524–525
 - efsinfo command, 97–98, 524–525
 - Emergency Management Services (EMS), 222–223, 505
 - Emergency Repair Disks (ERDs), 128–129
 - Emergency Undelete, Executive Software, 642
 - ems command, bootcfg, 222–223, 505
 - EMS (Emergency Management Services), 222–223, 505
 - Enable Boot Logging option, 158–159
 - enable command, Recovery Console, 153
 - Encrypting File System (EFS), 97–98, 524–525
 - Encryption
 - RAS methods, 394–395
 - repairing OS installation and, 156–157
 - VPNs for, 396–397
 - Enterprise Admins group, 337, 352
 - Environment
 - analyzing, 34–38
 - displaying with dump command, 403
 - Environment tab, AD Users and Computers, 384–385
 - ERDs (Emergency Repair Disks), 128–129
 - Error messages. *see also* Device errors; Stop errors (blue screens)
 - Access databases, 183, 184
 - AD replication, 485–486
 - audit logging, 331–333
 - boot sector, 241
 - disk-related stop messages, 246–250
 - DNS, 293–294
 - DNS clients, 288
 - domain controllers, 481–482
 - MBR, 241

- nslookup, 273–274
 - PowerPoint, 195
 - printing, 378
 - RAS client connections, 425
 - reading, 31
 - screenshot of, 33
 - WINS clients, 313–314
 - Word, 206
 - Error Reporting, 134–135
 - Evaluate Formula, Excel, 192
 - Event logging
 - eventquery, 102–104, 525–526
 - overview of, 265–266
 - troubleshooting with, 32–33
 - WINS, 304–305
 - Event Viewer
 - overview of, 110–111
 - recovering DHCP database, 343
 - troubleshooting with, 32
 - eventquery command, 102–104, 525–526
 - Events
 - DNS error, 293–294
 - eventquery, 102
 - eventtriggers command, 104–107, 526–529
 - Excel, 188–192
 - cell error codes, 191
 - corrupted spreadsheets, 188–190
 - invalid formulas, 191–192
 - Open and Repair, 176–178
 - Executive Software, Diskeeper, 637–642
 - Analysis Report, 639
 - analysis vs. defragmentation, 638
 - defragmentation modes, 639–640
 - fitting pieces together, 638
 - Frag Guard, 641
 - getting the most from, 641
 - Graphic Analysis Display, 639
 - measuring fragmentation, 638
 - Executive Software, Sitekeeper, 643–648
 - hardware inventory, 647–648
 - license compliance, 645–647
 - PushInstaller, 644–645
 - Executive Software, Undelete, 642
 - exit command, nslookup, 274, 575
 - Experience tab, Remote Desktop Connection, 139
 - export command, dfsutil, 357, 515
 - Extensible Authentication Protocol (EAP), 394
 - Extensible Firmware Interface (EFI), 38
 - External network numbers, NWLink, 13
 - External trusts, 445
- ## F
- Fast compression, TightVNC Viewer, 123
 - Fast User Switching, 169
 - FAT file systems
 - checking with fsutil behavior, 226–227, 529–530
 - FAT File System (Stop 0x00000023), 621
 - Stop 0x00000023 error, 246–247
 - Fault tolerance
 - ftonline command, 239–240, 538
 - WINS enhancements, 298
 - Fax Console, 165–166
 - Faxes, 164–166, 427
 - FAZAM 2000, 648–652
 - GP Administrator, 649–650
 - GP Auditing and Diagnostics, 650
 - GP Policy and Planning, 650
 - GP Repository, 649
 - installing, 650–651
 - overview of, 648–649
 - tool access, 651–652
 - File and Print Sharing Troubleshooting Wizard, 115
 - file command, fsutil, 229–230, 531
 - File Replication Service. *see* FRS (File Replication Service)
 - File System Utility. *see* fsutil command
 - Files
 - fsutil file command, 229–230, 531
 - fsutil sparse, 235–236, 535–536
 - ownership of, 98–99, 602
 - recovering with recover command, 598
 - recovering with Undelete, 642
 - Status System Process Terminated (Stop 0x0000021A), 632–633
 - system protected, 600
 - viewing, 282, 581
 - files command, ntdsutil tool, 469–472
 - Filtered status, portqry output, 421

684 Index

Filters

- eventquery, 103, 526
- RIP, 435
- taskkill, 87, 603, 605
- tasklist, 89
- WINS enhancements to, 298

FIN messages, 68

Finger service scans, 670

Firmware

- analyzing currently installed, 37–38
- Attempted Write to Read Only Memory (Stop 0xBE), 628
- Code 29 error, 613
- Code 35 error, 614
- Code 43 error, 617
- Hardware Interrupt Storm (Stop 0x000000F2), 631–632
- KMode Exception Not Handled (Stop 0x0000001E), 620
- shutdown failures and, 158

fixboot command, 241–242

fixmbr command, 241–242

Flexible Single-Master Operations. *see*

- FSMOs (Flexible Single-Master Operations)

Floppy disks, 242

Follow up, 44

Fonts, 208

Forests

- functional levels, 451–452
- operations master roles, 448
- overview of, 444–446
- Windows Server 2003 enhancements, 453

Formulas

- isolating and resolving errors, 191–192
- recovering Excel spreadsheet data, 190

Forward lookup zones

- configuring, 258–259
- defined, 258
- verifying with nslookup, 283

Forwarders, DNS

- name resolution process, 256, 258
- overview of, 253
- Windows Server 2003 enhancements, 263

FQDNs (fully-qualified domain names)

DNS clients, 287

DNS mapping IP addresses to, 19–22

NAT servers, 432

NetBIOS names vs., 18

print servers, 381

printer connection problems, 380

RAS servers, 427

Frag Guard, Diskeeper, 641

Fragmentation, 638–639, 641

Frame types, NWLink (IPX/SPX), 12

Freeware, 117–124

FRS (File Replication Service)

- overview of, 351
- status of, 484
- troubleshooting with health_chk, 362–364, 541–542

fsinfo command, fsutil, 230–231, 532

FSMOs (Flexible Single-Master

Operations)

- defined, 447
- transferring and seizing roles, 474–475
- troubleshooting domain controllers, 481, 483

fsutil commands, 528–529

behavior, 216, 226–229, 529–530

dirty, 229, 530

file, 229–230, 531

fsinfo, 230–231, 532

hardlink, 231–232, 533

objectid, 232–233, 533–534

quota, 233–234, 534

reparsepoint, 234–235, 535

sparse, 235–236, 535–536

USN, 236–239, 536–537

volume, 239, 538

ftonline command, 239–240, 538

FullArmor. *see* FAZAM 2000

fully-qualified domain names. *see* FQDNs

(fully-qualified domain names)

Functional levels, AD, 449–452

G

Gateway Services for NetWare. *see* GSNW (Gateway Services for NetWare)

getmac command, 60, 538–539

Ghost

- compression features of, 352
 - reimaging with, 42
 - Global catalogs, AD
 - defined, 444
 - forest functional levels, 451–452
 - Windows Server 2003 enhancements, 453
 - Globally Unique Identifier Partition Table (GPT) disks, 217
 - GPOs (Group Policy Objects)
 - block inheritance vs. No Override, 489–490
 - common problems and solutions, 490
 - FAZAM 2000 management of, 648–651
 - gpupdate, 464–465, 540–541
 - loopback processing, 488–489
 - overview of, 449
 - RSoP, 463–464, 476–480, 539–540
 - troubleshooting, 482–483, 487–491
 - gpreresult command, 463–464, 539–540
 - GPT (Globally Unique Identifier Partition Table) disks, 217
 - gpupdate command, 464–465, 540–541
 - Grammar files, Detect and Repair, 209
 - Graphic Analysis Display, Diskeeper, 638, 639
 - Groups
 - domain functional level comparisons, 450–451
 - failure to change membership, 483
 - Support Tools installation MSI file, 48
 - GSNW (Gateway Services for NetWare)
 - NWLink (IPX/SPX) protocol, 11–13
 - overview of, 353–354
 - troubleshooting integration, 391–392
- H**
- H-node (Hybrid node), 23
 - Hackers, 113
 - HAL (hardware abstraction layer) error message, 625
 - Hard disks. *see also* chkdsk command
 - configuration info, 225–226, 519–520
 - Data Bus Error (Stop 0x0000002E), 621–622
 - defragmenting, 54–56, 513
 - shutdown failures, 158–159
 - Hard links, 231–232, 533
 - Hard page faults
 - monitoring with pfmon, 83–85, 585–586
 - monitoring with System Monitor, 85
 - hardlink command, fsutil, 231–232, 533
 - Hardware
 - Attempted Write to Read Only Memory (Stop 0xBE), 628
 - Bad Pool Caller (Stop 0xC2), 629
 - Data Bus Error (Stop 0x0000002E), 621–622
 - Device Manager and, 159–164
 - disk-related stop messages, 246–250
 - display problems, 167
 - Executive Software’s Diskeeper, 647–648
 - fax problems, 165
 - firmware problems, 37–38
 - Hardware Interrupt Storm (Stop 0x000000F2), 631–632
 - inventorying with Sitekeeper, 647–648
 - Kernel Data Inpage Error (Stop 0x0000007A), 625
 - MSInfo32 and, 112
 - shutdown failures, 158
 - hardware abstraction layer (HAL) error message, 625
 - Hardware Compatibility List (HCL), 165
 - Hardware Troubleshooting Wizard, 115
 - Hardware Update Wizard, 163
 - HCL (Hardware Compatibility List), 165
 - health_chk commands, 362–364, 541–542
 - Heartbeat, 90
 - Help and Support Center, 49–50, 75
 - History, documenting, 31–34
 - Home Networking Troubleshooting Wizard, 115
 - Host (A) records
 - defined, 254
 - DNS clients, 287–288
 - forward lookup zones containing, 258
 - RAS server networks, 428
 - RAS servers, 427
 - round robin and, 261–262
 - Host ID, 14–16

686 Index

- hostname command, 60, 543
- Hosts file
 - defined, 19
 - LMHosts file vs., 22
 - overview of, 21
- Hotfixes, 35, 107
- Hotmail, 35
- Hub-and-spoke replication topology, 301
- Hung sessions, 65–67
- Hybrid node (H-node), 23

- I**
- I/O transfer error, 622–623
- IAS (Internet Authentication Services), 402–403, 543
- iasparse command, 402–403, 543
- ICS (Internet Connection Sharing), 116, 167–169
- ICS Troubleshooting Wizard, 167–169
- /id switch, 221, 222
- IGMP (Internet Group Management Protocol), 413–416, 559–561
- IMAP (Internet Mail Access Protocol), version 4, 255
- import command, dfsutil, 357–358, 515–516
- Import Objects dialog box, 186
- importroot command, dfsutil, 358–359, 516
- Inaccessible Boot Device error, 249–250
- Incremental Zone Transfer (IXFR), 260
- InetOrgPerson object, 450–451
- iNetTools, 670–672
- Infrastructure master FSMO, 448, 483
- init backup command, 309, 568–569
- init commands, netsh wins server, 309–311, 568–570
 - compact, 309, 319, 321, 569
 - pull, 310, 569
 - push, 310, 569–570
 - replicate, 310, 570
 - restore, 310, 570
- Input Devices Troubleshooting Wizard, 116
- Inside Active Directory* (Kouti and Seitsonen), 444
- Installed Software tab, TechTracker ITX, 663
- Inter-Site Transports folder, 458–459
- Interfaces. *see also* show interface command
 - DHCP relay agents, 433
 - NAT server, 432
 - RAS server, 427
 - routing, 420
 - RRAS snap-in, 424
- Internal network numbers, 12–13
- Internet Authentication Services (IAS), 402–403, 543
- Internet Connection Sharing (ICS), 116, 167–169
- Internet Explorer, 112, 116
- Internet Group Management Protocol (IGMP), 413–416, 559–561
- Internet Mail Access Protocol (IMAP), version 4, 255
- Internet Packet Exchange/Sequenced Packed Exchange (IPX/SPX) protocol, 11–13
- interrupt request level (IRQL), 619, 629
- Interrupt storm errors, 631–632
- IP addresses
 - APIPA and, 26–27
 - arp command, 59
 - conflict detection, 328–329
 - DHCP clients, 335
 - DHCP leases, 24–25
 - DHCP-RAS integration, 339–341
 - DHCP relay agents, 26, 342–343
 - DHCP reservations, 25
 - DHCP scopes, 25, 338–339
 - DHCP server problems, 337
 - DNS clients, 287–288
 - DNS error events, 293–294
 - DNS name resolution, 19–22
 - exclusions, 25
 - Outlook configuration, 194
 - RAS server, 427
 - round robin, 261
 - structure of, 13–16
 - TCP/IP routing, 17–18
 - WINS clients, 313
 - WINS resolving NetBIOS names to, 23–24
 - WINS servers, 316

- IP routing
 - demand-dial routing, 434
 - NAT server, 432
 - overview of, 430
 - RAS server network, 428–429
 - RRAS snap-in, 424
 - VPN connections, 438, 440
 - IP Security logs, 408–409
 - IP Subnet Calculator, 118–119
 - ipconfig command
 - analyzing network configuration, 36
 - APIPA and, 27
 - DHCP clients, 335
 - DHCP-RAS integration, 340–341
 - DHCP relay agents, 342
 - domain controllers, 482
 - resolver cache, viewing, 20
 - IPMonitor, Tsarfin, 665–667
 - IPX frame types, 391–392
 - ipxroute command, 364–365, 544
 - IRQL (interrupt request level), 619, 629
 - Iterative queries, 22, 252–253, 256–257
 - IXFR (Incremental Zone Transfer), 260
- K**
- Keep It Simple Stupid (KISS) rule, 41
 - Kernel data, 248, 249, 624
 - KISS (Keep It Simple Stupid) rule, 41
- L**
- L-S-D-OU rule, 488
 - L2TP (Layer 2 Tunneling Protocol), 397, 438–439, 441
 - LAN routing, 430, 432, 434
 - Last Known Good Configuration (LKGC), 150, 167
 - LCP (Link Control Protocol) extensions, 395
 - .ldb files, 184–185
 - Leases. *see* DHCP leases
 - Licensing, 645–647, 650–651
 - line printer daemon (LPD) service, 365, 545
 - line printer remote (LPR) service, 365
 - Link Control Protocol (LCP) extensions, 395
 - Linked value replication, Active Directory, 451–452
 - List Drivers (prndrvr.vbs-l), 368–369, 592–593
 - Listen mode, TightVNC Viewer, 123
 - Listening status, portqry output, 421
 - listsvc command, 153
 - LKGC (Last Known Good Configuration), 150, 167
 - LMHosts file, 19, 22
 - Load balancing, 261
 - Local Resources tab, Remote Desktop Connection, 138
 - Log files
 - AD, 469–472
 - Event Viewer, 111
 - RAS Diagnostic Report on, 408–409
 - RAS tracing, 404–405
 - recovering Excel spreadsheet data, 190
 - Setup, 182–183
 - Sitekeeper, 643–644
 - Log on
 - domain controllers and, 482–483
 - recovery from startup failure, 150
 - updating timestamps, 450–451
 - Logging
 - audit, 330–333
 - boot, 151, 158–159
 - status of Connection Manager, 406
 - Loopback processing, 488–489
 - LPD (line printer daemon) service, 365, 545
 - lpq command, 365, 545
 - LPR (line printer remote) service, 365
 - ls command, nslookup, 274–276, 575–576
 - lserver command, nslookup, 276–277, 576
- M**
- M-node (Mixed node), 23
 - MAC (Media Access Control) address
 - arp, 59–60
 - DHCP leases, 24–25
 - DHCP reservations, 25
 - getmac, 60–61, 538–539

688 Index

- Macros, 187
- Mail Exchange (MX) records, 255
- Mail servers, 194–195, 272
- Manage Documents permission, 350
- Manage Printers permissions, 350
- Manual Defragmentation, Diskeeper, 639
- Mapping, dependency diagrams, 38–39
- MBR (Master Boot Record), 212–213, 241–242
- Media Access Control. *see* MAC (Media Access Control) address
- Memory, errors
 - Bad Pool Caller (Stop 0xC2), 628–629
 - Data Bus Error (Stop 0x0000002E), 621–622
 - Driver Used Excessive PTES (Stop 0x000000D8), 630
 - Kernel Data Inpage Error (Stop 0x0000007A), 625
 - KMode Exception Not Handled (Stop 0x0000001E), 620
 - No More System PTES (Stop 0x0000003F), 622–623
 - Stop 0x00000050, 247–248
 - Stop 0x00000077, 248–249
- Memory, monitoring
 - memsnap, 79, 545
 - System Monitor, 92–93
 - systeminfo, 107
- memsnap command, 79, 545
- metadata cleanup commands, ntdsutil, 472–474
- MFT Defragmentation, Diskeeper's Boot-Time Defragmentation, 640, 641
- MFT (Master File Table), 216, 227–229
- MFT Zone, 216, 227–229
- Microsoft
 - CHAP (MS-CHAP), 394
 - CHAP v2 (MS-CHAP v2), 394
 - Client Services for NetWare, 11
 - Gateway Services for NetWare, 11
 - Hardware Compatibility List, 629
 - Management Consoles. *see* MMCs (Microsoft Management Consoles)
 - MSN Messenger, 139
 - newsgroups, 40
 - Remote Installation Service, 42
 - Software Installation (MSI) files, 174
 - Systems Management Server (SMS), 76
 - Windows 2000. *see* Windows 2000
 - Windows Advanced Option menu, 149
 - Windows Backup program, 128
 - Windows Installer, 182–183
 - Windows Licensing Agreement, 157
 - Windows NT, 449
 - Windows Server 2003. *see* Windows Server 2003
 - Windows servers, 10
 - Word. *see* Word
- Migrate-on, 316
- Migration, 338–339
- Mirrored volumes (RAID 1), 212, 245
- MIT Athena Hesiod class, DNS records, 277
- Mixed mode domains, AD, 449–450
- Mixed node (M-node), 23
- MMCs (Microsoft Management Consoles)
 - Active Directory Domains and Trusts, 457–458
 - Active Directory Sites and Services, 458–459
 - Active Directory Users and Computers, 456–457
 - configuring, 49
 - DHCP snap-in, 330
 - DNS snap-in, 263–264
 - RRAS snap-in, 342, 424–425
 - Terminal Services Manager snap-in, 376
 - WINS snap-in, 303
- Modem Troubleshooting Wizard, 116
- Modems
 - demand-dial routing, 433–434
 - enabling/disabling tracing, 410
 - event logging, 409
 - fax problems and, 165
 - RAS client connections, 426
 - RAS Diagnostic Reports, 408–409
 - RAS servers, 427
- Modules, 187
- Monitoring/diagnostic tools
 - disk management. *see* disk management tools
 - freeware, 117–124

- network monitoring. *see* Network monitoring/troubleshooting tools
 - operating system, 47–51
 - performance monitoring. *see* Performance monitoring
 - security management. *see* Security
 - system management. *see* System management tools
 - troubleshooting wizards, 115–117
 - more command, Recovery Console, 155
 - Motherboards, 621–622, 627
 - Mouse problems, 206
 - MS-CHAP (Microsoft CHAP), 394
 - msconfig command, 131–133
 - msicuu command, 133–134, 158
 - MSinfo32, 38, 111–113
 - MSN Messenger, 139
 - MSO####.acl files, 207–208
 - multi, disk management, 214
 - Multicast addresses, 326–327
 - Multicast scopes, 326–327
 - Multilink, 395
 - Multimedia and Games Troubleshooting Wizard, 116
 - Multinet, 325
 - MUP (multiple UNC provider) cache, 360
 - MX (Mail Exchange) record type, 255
- N**
- #N/A, Excel error codes, 191
 - #NAME, Excel error codes, 191
 - Name resolution
 - broadcasts, 19, 22
 - DNS, 19–22, 256–258
 - DNS clients, 262, 287–288
 - failures, 290
 - hosts file, 19, 21
 - LMHosts file, 19, 22
 - NetBIOS, 18, 23–24
 - nslookup, 272–273
 - Outlook configuration, 194
 - overview of, 18–19
 - ping verification of, 71–72, 586–587
 - WINS, 23–24
 - Name Server (NS) record type, 255
 - NAT (network address translation)
 - configuration, 416, 561
 - DHCP Allocator settings, 411–412, 556–557
 - DNS proxy configuration, 414, 559
 - overview of, 399
 - routing on RRAS servers, 430–432
 - Native mode domains, Active Directory, 449–450
 - nbstat command, 61–62, 546
 - Neighbors tab, RIP, 435
 - Nesting groups, 450–451
 - net continue command, 64, 548
 - net pause command, 64, 548
 - Net Services commands, 64–67
 - net session, 66–67
 - net start | stop | pause | continue, 64
 - net statistics, 65–66
 - net view, 67
 - net session command, 66–67, 549
 - net start command, 64, 548
 - net statistics command, 65–66, 548–549
 - net stop command, 64, 548
 - net view command, 67, 549–550
 - NetBIOS cache, 22
 - NetBIOS Enhanced User Interface (NetBEUI), 10
 - NetBIOS name resolution
 - FQDNs vs., 18
 - nbstat, 62
 - WINS, 23–24
 - WINS servers, 315–316
 - NetBT (NetBIOS over TCP/IP), 61–62, 546
 - Netclient program, 119–121
 - netdiag command
 - domain controllers, 481–482
 - overview of, 62–64
 - reference guide, 547–548
 - NetInfo, Tsarfin, 665–667
 - Netmask ordering, 252, 262
 - Netperf, 119–121
 - Netserver program, 119–121
 - netsh diag gui command, 75
 - netsh (Netshell) commands, 298
 - Netsh RAS Diagnostics, 402–411
 - dump command, 403, 550
 - overview of, 549–550

690 Index

- set cmtracing command, 406, 551
- set modemtracing command, 410, 555
- set rastracing command, 410, 555
- set securityeventlog command, 410, 556
- set tracefacilities command, 411, 556
- show all command, 404–405, 550–551
- show cmtracing command, 406, 551
- show configuration command, 406–407, 552
- show installation command, 407–408, 553
- show logs command, 408–409, 554
- show modemtracing command, 409, 555
- show rastracing command, 410, 555
- show securityeventlog command, 410, 555
- show tracefacilities command, 411, 556
- netsh routing commands, 411–420, 556–565
 - netsh routing ip autodhcp, 411–412, 556–557
 - netsh routing ip dnsproxy, 414, 559
 - netsh routing ip igmp, 414–416, 559–561
 - netsh routing ip nat, 416, 561
 - netsh routing ip ospf, 416–418, 562–563
 - netsh routing ip relay, 412–413, 557–558
 - netsh routing ip rip, 418–420, 564–565
 - netsh routing ip routerdiscovery, 420, 565
 - overview of, 411, 556
- netsh wins command, 305–306, 566–567
- netsh wins server commands, 306–313
 - check, 307–308, 567–568
 - dump, 306, 566–567
 - init, 309–311, 568–570
 - overview of, 566
 - show, 311–313, 570–572
- netstat command, 67–69, 572–573
- NetWare Client Services. *see* CSNW (Client Services for NetWare)
- NetWare Gateway Services. *see* GSNW (Gateway Services for NetWare)
- Network
 - configuration, 36
 - Office setup, 180–181
 - Network address translation. *see* NAT (network address translation)
 - Network Associates Sniffer Pro, 75
 - Network Diagnostics, 75
 - Network ID, 14–16
 - Network interface cards (NICs)
 - internal network numbers and, 12
 - troubleshooting RIS, 389
 - Network Load Balanced (NLB) clusters, 261
 - Network Monitor
 - Active Network Monitor vs., 652–654
 - overview of, 75–78
 - Network Monitor Driver, 76–77
 - Network monitoring/troubleshooting tools, 58–75
 - arp command, 59–60
 - getmac command, 60
 - hostname command, 60
 - nbstat command, 61–62
 - Net Services commands, 64–67
 - netdiag command, 62–64
 - netstat command, 67–69
 - Network Diagnostics, 75
 - Network Monitor, 75–78
 - pathping command, 69–70
 - ping command, 71–72
 - telnet command, 72–73
 - tracert command, 73–74
 - Network protocols, 9–19
 - accessing network configuration settings, 9–10
 - DHCP overview, 24–27
 - DNS, 19–22
 - NetBEUI, 10
 - NWLink (IPX/SPX), 11–13
 - TCP/IP basics, 13–19
 - WINS, 23–24
 - Network Scheduler, Diskeeper, 639–640
 - Network services, 347–392
 - advanced settings, 349–350
 - Client and Gateway Services for NetWare, 353–356
 - DFS, 351–352, 386–389
 - DFS snap-in, 355
 - dfsutil utility, 355–361
 - health_chk commands, 362–364

- ipxroute command, 364–365
- NetWare integration, 391–392
- overview of, 5–6, 347
- print services, 348–349
- printer permissions, 350
- pnmrvr.vbs commands, 365–370
- query commands, 371–374
- Remote Installation Services, 352–353, 389–390
- reset session command, 375
- Terminal Services, 350–351, 383–386
- Terminal Services Manager snap-in, 376
- Network throughput, 119–121
- Networking, 9–28. *see also* network protocols
 - DHCP, 24–27
 - DNS name resolution, 19–24
 - network resources, 27–28
 - Safe Mode, 151
- NewsGroups, Microsoft, 40
- NICs (network interface cards), 12, 389
- NLB (Network Load Balanced) clusters, 261
- nltest command
 - domain controllers, 482
 - overview of, 465–466
 - reference guide, 573–574
 - uninstalling Active Directory, 483
- No Override, 490
- Nonauthoritative restore, Active Directory, 494
- Normal.dot Global Template, 202–203
- Not Listening status, portqry output, 421
- NS (Name Server) record type, 255
- nslookup
 - error messages, 273–274
 - exit command, 274, 575
 - forward lookup zones, 283
 - ls command, 274–276, 575–576
 - lserver command, 276–277, 576
 - name resolution, 272–273
 - overview of, 272–274, 574–575
 - recursive queries, 280
 - resource records, 280
 - reverse lookup zones, 283
 - server command, 277, 576–577
 - troubleshooting with, 283–287
 - view command, 282, 581
 - zone delegation, 284–285
- nslookup set commands
 - set all command, 277, 577
 - set class command, 277–278, 577
 - set cmrtracing command, 406, 551
 - set d2 command, 278, 578
 - set debug command, 278, 578
 - set defname command, 279, 578
 - set domain command, 279, 578
 - set ignore command, 279, 578–579
 - set port command, 279, 579
 - set querytype, 280, 579
 - set recurse, 280, 579
 - set retry, 280–281, 579
 - set root, 281, 580
 - set search, 281, 580
 - set srchlist, 281, 580
 - set timeout, 282, 580
 - set vc, 282, 580–581
- Nbtlog.txt file, 151
- ntdsutil tool, 467–476
 - authoritative restore, 468–469
 - files command, 469–472
 - group membership changes, 483
 - metadata cleanup, 472–474
 - overview of, 467
 - roles menu, 474–475
 - semantic database analysis, 476
 - uninstalling Active Directory, 483
- NTFS Change Journal, 236–239
- NTFS file systems
 - fsutil behavior, 227, 529–530
 - NTFS File System (Stop 0x00000024), 621
 - process-oriented corrective action, 43
 - Stop 0x00000024 error, 246–247
- #NULL!, Excel error codes, 191
- #NUM!, Excel error codes, 191
- NWLink (IPX/SPX) protocol, 11–13
 - external network number, 13
 - frame type, 12
 - internal network number, 12–13
 - overview of, 11
 - troubleshooting NetWare integration, 391–392

692 Index

O

Object Identifiers (OIDs), 232–233, 533–534

objectid command, fsutil, 232–233, 533–534

Octets, 13

Office XP, 173–210

- Access databases and, 183–188
- Application Recovery, 173–174
- Automatic Recovery, 174–175
- Detect and Repair, 175–176
- Document Recovery, 176
- Excel, 188–192
- installing/uninstalling with PushInstaller, 644
- license compliance, 645–646
- Open and Repair, 176–178
- Outlook, 192–195
- PowerPoint, 195–199
- Setup, 178–183
- Word. *see* Word

OIDs (Object Identifiers), 232–233, 533–534

Online Crash Analysis, 134–135

Online Help, 49–50, 556

Open and Repair

- Excel spreadsheets, 189–190
- overview of, 176–178
- Word applications, 206

Open Shortest Path First. *see* OSPF (Open Shortest Path First)

Operating systems. *see also* Client-servers

- analyzing current environment, 35
- boot.ini file, 221, 504
- default, 222, 504–505
- documenting, 31–34
- fax compatibility, 164–165
- installation repair, 156–157
- monitoring and diagnostic tools, 47–51
- Program Compatibility Wizard test, 170
- Remote Installation Services, 352–353
- versions, viewing with MSinfo32, 112
- versions, viewing with systeminfo, 107

Operations master, Active Directory

- defined, 447
- forests, 448
- types of, 448

Operations, net statistics command, 65–66

Operators

- eventquery, 103, 526
- taskkill, 87, 603
- tasklist, 89, 605

Optimism, 29–30

optional parameter ([]), 51

Options Registry key, 203–204

OSPF Complete Implementation (Moy), 435

OSPF (Open Shortest Path First)

- diagnosing routing, 435–437
- key features of, 398
- troubleshooting routers, 416–418, 562–563

OUs (organizational units), 446

Outlook, 192–195

Outlook Express (Messaging)

- Troubleshooting Wizard, 116

Ownership, 98–99, 602

P

P-node (Peer node), 23

-p switch, 120

Packet filtering

- demand-dial routing, 434
- DHCP relay agents, 433
- NAT servers, 432
- RAS server network, 428
- router-to-router VPN connections, 441
- VPN resource access, 440
- VPN server connection, 438

Packets

- monitoring networks with pathping, 69–71, 584–585
- monitoring with Network Monitor, 75–78
- truncation errors, 279

Page faults

- monitoring with pfmon, 83–85
- monitoring with System Monitor, 85

Page Fault in Nonpaged Area (Stop 0x00000050), 623–624

- Stop 0x00000050 error, 247–248

Page Table Entries (PTEs), 622–623, 630

pagefileconfig commands

- change, 80–81, 581–582
- create, 81–82, 582
- delete, 82–83, 583
- query, 83, 583–584
- Pagefiles
 - configuring and managing, 80
 - Status Image Checksum Mismatch (Stop 0x00000221), 633–635
- Paging File Defragmentation, Diskeeper's
 - Boot-Time Defragmentation, 640, 641
- PAP (Password Authentication Protocol), 394
- Partition Knowledge Table (PKT), DFS, 359
- Password Authentication Protocol (PAP), 394
- Passwords
 - configuring at domain level, 488
 - InetOrgPerson objects and, 450–451
 - RIP, 435
 - router-to-router VPN connections, 441
 - VPN server connections, 438
- pathping command
 - Active Directory replication, 484
 - overview of, 69–70
 - reference guide, 584–585
 - tracert command vs., 73–74, 606
 - WINS replication, 317
- PCI interrupts, 614–615
- PDC emulator FSMO
 - overview of, 448
 - replication, 485–486
 - trusts, 493
- PDC (primary domain controller), 447
- Peer node (P-node), 23
- Perfmon (System Monitor), 92–93
- Performance monitoring, 79–94
 - DHCP, 324
 - memsnap command, 79
 - pagefileconfig command, 80–83
 - pfmon command, 83–85
 - pmon command, 86
 - System Monitor, 92–93
 - Task Manager, 94
 - taskkill command, 86–88
 - tasklist command, 88–89
 - uptime command, 90–91
- Performance, WINS-DHCP integration, 318
- Permissions. *see also* Print permissions
 - DACL and, 96
 - DFS, 388–389
 - Office Setup, 181
 - process-oriented corrective action, 43
 - Replication Synchronization, 485
- Pessimism, 29–30
- pfmon command, 83–85, 585–586
- PIDs, 88–89
- ping command
 - Active Directory replication, 484
 - DNS clients, 287
 - network printer connections, 380
 - Outlook configuration, 194
 - overview of, 71–72
 - print servers, 381
 - reference guide, 586–587
 - WINS replication, 317
- Ping Scan, iNetTools, 671–672
- pipe symbol (|), 51
- PKT (Partition Knowledge Table), 359
- pktflush command, dfsutil, 359, 517
- pmon command
 - KMode Exception Not Handled (Stop 0x0000001E), 620
 - overview of, 86
 - reference guide, 588
- Point-to-Point Protocol (PPP), 394
- Point-to-Point Tunneling Protocol. *see* PPTP (Point-to-Point Tunneling Protocol)
- Pointer (PTR) records, 254, 258
- Policies, Remote Access, 395
- POP (Post Office Protocol), version 3, 255
- portqry command, 420–422, 588–589
- Ports
 - Active Ports, 654–655
 - debugging with bootcfg /dbg1394, 219–220, 503
 - DNS errors, 294
 - iNetTools, 670
 - Netserver, 120
 - netstat monitoring, 67–70, 572–573
 - portqry, 420–422, 588–589
 - printer, 348

694 Index

- Remote Assistance connections, 139
- set port command, 279
- Telnet sessions, 73
- Terminal Services server connections, 383
- VPN, 439
 - zone transfers, 292–293
- Post Office Protocol (POP), version 3, 255
- PowerPoint, 195–199
- PPP (Point-to-Point Protocol), 394
- PPTP (Point-to-Point Tunneling Protocol)
 - router-to-router VPN connections, 441
 - VPN and, 397
 - VPN server connections, 438–439
- Presentations, PowerPoint, 195–199
- primary domain controller (PDC), 447
- Primary restore, Active Directory, 494
- Primary zones, DNS, 258
- Print devices
 - common problems, 378
 - defined, 348
 - printing jobs, 383
 - servers, 382
- Print permissions
 - common problems, 378
 - defined, 350
 - print servers, 381
 - shared printers, 379
- Print pooling, 348
- Print queues
 - defined, 348
 - pnqctl.vbs, 370–371
 - spool folder location, 381–382
 - status checks, 365, 545
- Print servers
 - defined, 348
 - network printer connections, 379–380
 - networking problems with, 381
 - problems sending job to print device, 382
- Printer drivers
 - common problems, 378
 - errors when printing in Word, 206
 - installing additional, 379
 - managing with pnrdrv.vbs, 365–369, 589–593
 - print devices and, 348
 - shared printers, 379
- Printers, 376–383
 - advanced settings, 349–350
 - all-in-one, 164–166
 - common problems, 377–378
 - defined, 348–349
 - driver management, 365–369
 - errors when printing in Word, 206
 - listing, 369–370, 593
 - pausing and resuming, 370–371
 - permissions, 350
 - Printing Troubleshooting Wizard, 116
 - pnqctl.vbs, 370–371, 594
 - problems with network, 378–383
 - terminology, 348–349
 - test pages, 370–371, 377
- pnrdrv.vbs commands, 365–369, 589–593
 - overview of, 365–366, 589–590
 - pnrdrv.vbs-a (Add Driver), 366–367, 590–591
 - pnrdrv.vbs-d (Delete Driver), 367–368, 591–592
 - pnrdrv.vbs-l (List Drivers), 368–369, 592–593
 - pnrdrv.vbs-x(Remove All Unused Drivers), 369, 593
- prnmngr.vbs command, 369–370, 593
- pnqctl.vbs command, 370–371, 594
- Process activity, 86–88
- process command, query commands, 371–372, 595
- Process exception code, 626
- Process-oriented corrective action, 43–44
- Processes, troubleshooting, 30–31
- Processor type, 107
- Product IDs, 107
- Program Compatibility wizard, 170–171
- Program name installation, 146
- Programs tab, Remote Desktop Connection, 139
- Protected files, 108–109
- Proxy, WINS, 302
- PTEs (Page Table Entries), 622–623, 630
- PTR (Pointer) record type, 254, 258
- pull command, init, 310, 569
- Pull replication
 - manually initiating, 310

- overview of, 299
- show pullpartnerconfig command, 312, 572
- showing list/properties of partners, 311–312
- troubleshooting, 317
- purgemupcache command, dfsutil, 360, 517
- purgewin2kstaticsitetable command, dfsutil, 360, 517
- push command, init, 310, 569–570
- Push replication
 - manually initiating, 310
 - overview of, 299
 - show pushpartnerconfig command, 312, 572
 - showing list/properties of partners, 311–312
 - troubleshooting, 317
- PushInstaller, Executive Software, 644–645

Q

- Queries, DNS, 22, 289–290
- query commands, 371–374, 594–597
 - bootcfg commands, 223, 506
 - pagefileconfig commands, 83, 583–584
 - process, 371–372, 595
 - session, 372–373, 596
 - termserver, 373–374, 596–597
 - user, 374, 597
- quota command, fsutil, 233–234, 534

R

- RAID, 212, 244–246
- RAM
 - Data Bus Error (Stop 0x0000002E), 621–622
 - MSinfo32, 112
 - Page Fault in Nonpaged Area (Stop 0x00000050), 623–624
 - pfmon, 83–85
 - Status Image Checksum Mismatch (Stop 0x00000221), 633–635
 - Stop 0x00000050 error, 247–248
 - System Monitor, 92–93

- Unexpected Kernel Mode Trap (Stop 0x0000007F), 626–627
- RAS (Remote Access Server)
 - accessing resources on/beyond, 340–341
 - integration with DHCP, 339–340
 - troubleshooting, 427–429
 - VPN server connection problems, 439
- raw command, bootcfg, 223–224, 506
- rdisk utility, 129, 214
- Readme files, 40
- Reconcile All Scopes dialog box, 345
- records, WINS, 298
- recover command, 178, 240–241, 598
- Recover Formulas command, 190
- Recovery
 - Active Directory, 494
 - client-initiated, 145
 - recover command, 178, 240–241, 598
 - server-initiated, 143–144
 - Undelete command, 642
- Recovery Bin, Executive Software, 642, 643
- Recovery Console, 152–156
 - accessing, 155–156
 - boot sector/MBR errors, 241–242
 - disable command, 154–155
 - disabling services/drivers, 152–156
 - display problems, 167
 - enable command, 153
 - listsvc command, 153
 - Mismatched HAL (Stop 0x00000079), 625
 - other commands, 155
 - overview of, 152
 - shutdown failure and, 159
- Recursive queries
 - defined, 22
 - name resolution process, 256–257
 - nslookup for, 280
 - overview of, 252–253
- #REF!, Excel error codes, 191
- Refresh Interval, DNS zones, 289
- Registry
 - Code 19 device error, 611–612
 - options tool, 204–205
 - RAS Diagnostic Report, 407–408
 - rebooting system after using fsutil, 226

696 Index

- system hive errors, 618–619
- Reimaging, 42
- Relationships, WINS, 299–301
- Relay Agents. *see* DHCP relay agents
- Remote Access Policies
 - overview of, 395
 - RRAS snap-in, 425
 - VPN server connection problems, 439
- Remote Access Profiles, 396
- Remote Access Server. *see* RAS (Remote Access Server)
- Remote access VPNs, 437, 438–440
- Remote Assistance
 - defined, 135
 - overview of, 139–140
 - remotely configuring pagefiles, 80
- Remote Desktop
 - connecting to remote system, 137–139
 - connections, 136–137
 - defined, 135
 - Terminal Services and, 350–351, 376
 - TightVNC compared with, 124
- Remote Desktop Connection dialog box, 138
- Remote Install tab, Remote Installation Services, 389
- Remote Installation Services. *see* RIS (Remote Installation Services)
- Remote Installation Services Setup Wizard, 352, 389
- Remote Storage Service (RSS), 235
- Remote Task Manager. *see* RTM (Remote Task Manager)
- Remove All Unused Drivers (prndrvr.vbs-x), 369, 593
- reparsepoint command, fsutil, 234–235, 535
- replicate command, init, 310, 570
- Replication, Active Directory
 - forest functional levels, 451–452
 - Replmon, 476
 - sites boundaries, 447
 - troubleshooting, 484–487
 - Windows Server 2003 enhancements, 453
- Replication Partners dialog box, WINS, 316
- Replication Partners folder, WINS snap-in, 303
- Replication Synchronization permission, 485
- Replication, WINS
 - configuring, 299–301
 - enhancements, 298
 - netsh wins server commands, 570–572
 - push/pull, 310–312, 317
- Replmon, 476, 484–487
- Reports, Access, 186–187
- required parameter (< >), 51
- Reservations, DHCP, 25
- Reset session command, 375
- Resolver cache, 20–21
- resource kit tools. *see* RK (resource kit) tools
- Resource records
 - nslookup, 280
 - queries, 274–276
 - types, 254–255
 - verifying presence of SRV, 283–284
- Resources
 - IP subnetting tutorial, 16
 - Microsoft newsgroups, 40
 - networking fundamentals, 27–28
- Restarts, 90–91
- restore command, init, 310, 570
- Restores
 - conflict detection following, 328–329
 - System Restore, 146–149
 - Windows 2003 DHCP enhancements, 324
- Resultant Set of Policy. *see* RSoP (Resultant Set of Policy)
- Reverse lookup zones
 - configuring, 258–259
 - defined, 258
 - nslookup, 283
 - WINS, 287
- RID master FSMO, 448, 483–484
- RIP routing protocols
 - key features, 398
 - routing on RRAS servers, 435
 - troubleshooting, 418–419, 564–565
 - version 2, 398
- RIS (Remote Installation Services)

- overview of, 352–353
 - reimaging with, 42
 - troubleshooting, 389–390
 - RK (resource kit) tools
 - installing, 48–49
 - Support Tools compared to, 48
 - tools included in, 47
 - tracking with uptime, 90–91
 - rmsw, bootcfg commands, 224–225, 506–507
 - roles menu, ntdsutil tool, 474–475, 483
 - Root names, 281
 - Root zone, DNS, 256–258, 290, 294
 - Round robin, 261–262, 263
 - route command, 422–424, 599–600
 - Router-to-router VPNs, 437, 440–441
 - Routing
 - Internet Connection Sharing, 167
 - NetBEUI limitations, 10
 - netsh routing. *see* netsh routing commands
 - pathing command, 69–70, 584–585
 - protocols, 398–399
 - route command, 599–600
 - RRAS. *see* RRAS (Routing and Remote Access Service)
 - TCP/IP, 17–18
 - tracert command, 73–74, 606
 - Routing and Remote Access Service. *see* RRAS (Routing and Remote Access Service)
 - Routing tables
 - ipxroute, 364–365, 544
 - TCP/IP routing, 17
 - troubleshooting, 430
 - RRAS (Routing and Remote Access Service), 429–437
 - atmadm command, 399–402
 - demand-dial routing, 433–435
 - DHCP relay agents, 432–433
 - DHCP user class for, 328
 - general problems, 429–430
 - iasparse command, 402–403
 - NAT, 430–432
 - Netsh RAS Diagnostics, 402–411
 - netsh routing commands, 411–420
 - OSPF, 435–437
 - portqry command, 420–422
 - RAS, 425–429
 - RIP, 435
 - route command, 422–424
 - RRAS snap-in, 424–425
 - VPN access, 437–441
 - WINS enhancements, 298
 - RRAS (Routing and Remote Access Service), architecture, 393–399
 - LCP extensions, 395
 - multilink, 395
 - NAT, 399
 - Remote Access Policies, 395
 - Remote Access Profiles, 396
 - Remote Access Server, 394–395
 - routing protocols, 398–399
 - User Dial-in properties, 396
 - VPNs, 396–397
 - RRAS snap-in
 - DHCP relay agents, 342, 433
 - overview of, 424–425
 - RAS servers, 427
 - RSOP (Resultant Set of Policy)
 - FAZAM 2000 vs., 648
 - GPO troubleshooting with, 490
 - gpresult, 463–464, 539–540
 - loopback processing with, 489
 - overview of, 476–480
 - RSOP Wizard, 477–479
 - RSS (Remote Storage Service), 235
 - RTM (Remote Task Manager)
 - installing, 658–659
 - overview of, 658
 - querying state of remote systems, 660
 - remotely installing, 659–660
- ## S
- Safe Mode
 - with Command Prompt, 151
 - display problems and, 167
 - with networking, 151
 - opening Support.dot template in, 200
 - overview of, 150–151
 - testing Office Setup in, 181
 - sc command, 484
 - Schedule Scan Wizard, Sitekeeper, 644

698 Index

- Schema, Active Directory, 444, 459–460
- Schema cache, updating, 492
- Schema master FSMO, 448, 492
- schtasks command, 55
- Scopes. *see* DHCP scopes
- Screenshots, 33
- Scripts, 80
- scsi, disk management, 214
- SCSI stop errors, 625, 625–626
- Secondary zones, DNS, 258
- Security
 - cacls command, 95–97
 - domain controllers and, 447
 - efsinfo command, 97–98
 - Event Viewer, 111
 - logging, 410
 - management tools, 95–101
 - principals, 483–484
 - RAS Diagnostic Report, 408–409
 - RAS server logging, 410
 - Security Configuration and Analysis tool, 99–101
 - Security Templates, 101
 - Status System Process Terminated (Stop 0x0000021A), 632–633
 - takeown command, 98–99
 - Telnet service and, 73
- Security Configuration and Analysis tool, 99–101
- Semantic database analysis tool, ntdsutil, 476
- Serial Line Interface Protocol (SLIP), 394
- Server-initiated recovery, Shadow Copy, 143–144
- Server Status, WINS snap-in, 303
- Servers. *see also* Domain controllers
 - Active Server Watcher, 656–657
 - DHCP. *see* DHCP servers
 - DNS, 289–294
 - NAT, 431–432
 - net statistics, 65–66, 548–549
 - route command, 422–424
 - session management, 66–67, 549
 - WINS. *see* WINS servers
 - zone transfers, 260
- Service key error, 616
- Service packs
 - domain controllers, 481
 - OS state, 35
 - uptime, 90–91
- Service (SRV) record type, 255
- Services. *see also* Applications
 - disabling, 132, 152–156
 - enabling, 132
 - shutdown failures and, 158
 - viewing configuration with MSinfo32, 112
- SEs (system engineers), 111–112
- session command, query commands, 372–373, 596
- Sessions
 - net session command, 66–67, 549
 - net statistics command, 65–66, 548–549
- set all command, nslookup, 277, 577
- set class command, nslookup, 277–278, 577
- set cmrtracing command, nslookup, 406, 551
- set d2 command, nslookup, 278, 578
- set debug command, nslookup, 278, 578
- set defname command, nslookup, 279, 578
- set domain command, nslookup, 279, 578
- set ignore command, nslookup, 279, 578–579
- Set It and Forget It, Diskeeper, 639, 641
- set modemtracing command, 410, 555
- set port command, nslookup, 279, 579
- set querytype command, nslookup, 280, 579
- set rastracing command, 410, 555
- set recurse command, nslookup, 280, 579
- Set Registry Option dialog box, 204–205
- set retry command, nslookup, 280–281, 579
- set root command, nslookup, 281, 580
- set search command, nslookup, 281, 580
- set securityeventlog command, 410, 556
- set srchlist command, nslookup, 281, 580
- set subcommand, 277–282
- set timeout command, nslookup, 282, 580
- set tracefacilities command, 411, 556
- set type command, 280
- set vc command, nslookup, 282, 580–581
- Setup, 178–183

- setup command, 180–181
- Setup.exe log, 182–183
- sfc command, 108–109, 600
- Shadow Copy, 141–145
 - client-initiated recovery, 145
 - overview of, 141–143
 - server-initiated recovery, 143–144
- Share-level permissions, 43
- Shared resources
 - managing with DFS, 351–352
 - net view command for, 67, 549–550
 - Shadow Copy, 141–145
 - troubleshooting with DFS, 387–388
- Shift key, 452
- Shiva PAP (SPAP), 394
- Shortcut trusts, 445, 493
- Shortcuts, restoring, 175
- show all command, Netsh RAS
 - Diagnostics, 404–405, 550–551
- show area command, netsh routing ip ospf, 418, 563
- show cmstracing command, Netsh RAS
 - Diagnostics, 406, 551
- show command, netsh wins server, 311–313, 317, 570–572
- show configuration command, Netsh RAS
 - Diagnostics, 406–407, 552
- show flags command, netsh routing ip rip, 419, 564
- show global command
 - netsh routing ip autodhcp, 557
 - netsh routing ip dnsproxy, 414, 559
 - netsh routing ip igmp, 560
 - netsh routing ip nat, 416, 561
 - netsh routing ip ospf, 416–417, 562
 - netsh routing ip relay, 413, 558
 - netsh routing ip rip, 419, 564
- show grouptable command, 560
 - netsh routing ip igmp, 415
- show ifbinding command, 565
 - netsh routing ip rip, 420
- show ifstats command
 - netsh routing ip igmp, 415, 560
 - netsh routing ip relay, 413, 558
 - netsh routing ip rip, 419–420, 564–565
- show iftable command, netsh routing ip igmp, 415, 560
- show info command, netsh wins server, 311, 570–571
- show installation command, Netsh RAS
 - Diagnostics, 407–408, 553
- show interface command
 - netsh routing ip autodhcp, 412, 557
 - netsh routing ip dnsproxy, 414, 559
 - netsh routing ip igmp, 559
 - netsh routing ip nat, 416, 561
 - netsh routing ip ospf, 417–418, 562–563
 - netsh routing ip relay, 412, 557
 - netsh routing ip rip, 419, 564
 - netsh routing ip routerdiscovery, 420, 565
- show logs command, Netsh RAS
 - Diagnostics, 408–409, 554
- show modemtracing command, Netsh RAS
 - Diagnostics, 409, 555
- show partner command, netsh wins server, 311, 571
- show partnerproperties command, netsh wins server, 312, 571
- show protofilter command, netsh routing ip ospf, 418, 563
- show proxygrouptable command, netsh routing ip igmp, 415–416, 561
- show pullpartnerconfig command, netsh wins server, 312, 572
- show pushpartnerconfig command, netsh wins server, 312, 572
- show rasgrouptable command, netsh routing ip igmp, 415, 560
- show rastracing command, Netsh RAS
 - Diagnostics, 410, 555
- show routefilter command, netsh routing ip ospf, 418, 563
- show securityeventlog command, Netsh RAS
 - Diagnostics, 410, 555
- show server command, netsh wins server, 312, 572
- show tracefacilities command, Netsh RAS
 - Diagnostics, 411, 556
- show virtif command, netsh routing ip ospf, 417, 562
- showwin2kstaticsitetable command, dfsutil, 360, 518
- Shutdowns. *see* system shutdown

700 Index

- SID history, 450–451
- Simple Mail Transfer Protocol (SMTP), 255
- Simple recovery, DHCP, 344–345
- Site links, replication, 486
- Sitekeeper, Executive Software, 643–644
- Sites, Active Directory
 - Active Directory Sites and Services
 - snap-in, 458–459
 - overview of, 446–447
 - slow replication, 486–487
- Slide Design window, 198
- Slide Finder dialog box, 197–198
- Slides. *see* PowerPoint
- SLIP (Serial Line Interface Protocol), 394
- small office/home offices. *see* SOHO (small office/home office)
- Smart Scheduling, Diskeeper, 640, 641
- SmartLine, 652–660
 - Active Network Monitor, 652–654
 - Active Ports, 654–655
 - Active Server Watcher, 656–657
 - Remote Task Manager, 658–660
- SMS (Systems Management Server), 76
- SMTP (Simple Mail Transfer Protocol), 255
- Snap-ins. *see* MMCs (Microsoft Management Consoles)
- Snapshots, Shadow Copy, 141
- SOA (Start of Authority) records, 255, 259–260
- Soft page faults, 84
- Software
 - antivirus, 35–36
 - comparing settings on two computers, 38
 - firmware problems, 37–38
 - GPO problems and solutions, 490
 - hot lines/vendor's sites, 40, 41–42
 - installing/uninstalling with
 - PushInstaller, 644
 - MSInfo32, viewing with, 112
 - Stop 0x00000050 error, 247
 - Unexpected Kernel Mode Trap (Stop 0x0000007F), 627
- Software tab, TechTracker ITX, 663
- SOHO (small office/home office)
 - ICS, 167–169
 - NetBIOS used in, 10
 - TCP/IP routing and, 17–18
- Sound Troubleshooting Wizard, 116
- Spanned volumes, 212, 244–245
- SPAP (Shiva PAP), 394
- sparse command, fsutil, 235–236, 535–536
- Sparse files, 235–236, 535–536
- specflush command, dfsutil, 361, 518
- Specify Permissions Wizard, Sitekeeper, 644
- Spelling files, Detect and Repair, 209
- Spool folders, 378, 381–382
- Spreadsheets, Excel, 188–190
- SRV resource records, 255, 283–284
- ST (Support Tools)
 - acldiag tool, 497–498
 - dcdiag tool, 460–463
 - defined, 47
 - dfsutil utility, 355–361, 514–519
 - dhcplc command, 334, 519
 - dmdiag command, 519–520
 - dnscmd command, 267–268, 520–522
 - dnslint command, 270–272, 522–523
 - dfsinfo command, 86, 524–525
 - ftonline command, 239–240, 538
 - health_chk commands, 362–364, 541–542
 - iasparse command, 543
 - memsnap command, 79, 545
 - MSI file installation, 47–48
 - msicuu command, 133–134
 - netdiag command, 62–64
 - nltest command, 573–574
 - pfmon command, 83–85, 585–586
 - pmon command, 86, 588
 - portqry command, 588–589
 - Replmon, 476
 - resource kit tools compared to, 48
- Stability tab, TechTracker ITX, 663
- Standalone DFS root, 351
- Standard scopes, 325, 325–326
- Start of Authority (SOA) records, 255, 259–260
- StartType, enable command, 153
- Startup, system. *see* system startup
- Startup, Word, 200–204

- Static load balancing, 261
- Static mapping, 302, 313, 316
- Static routes, 434
- Statistics
 - net statistics command, 65–66
 - Network Monitor, 75–78
- Statistics operation, 269–270
- Stop errors (blue screens), 619–636
 - Attempted Write to Read Only Memory (Stop 0xBE), 628
 - Bad Pool Caller (Stop 0xC2), 628–629
 - Data Bus Error (Stop 0x0000002E), 621–622
 - disk-related, 246–250
 - Driver IRQL... (Stop 0x000000D1), 629
 - Driver Power State Failure (Stop 0x0000009F), 627
 - Driver Unloaded... (Stop 0x000000CE), 629
 - Driver Used Excessive PTES (Stop 0x000000D8), 630
 - FAT File System (Stop 0x00000023), 621
 - Hardware Interrupt Storm (Stop 0x000000F2), 631–632
 - Inaccessible Boot Device (Stop 0x0000007B), 249–250, 625–626
 - IRQL Not Less or Equal (Stop 0x0000000A), 619
 - Kernel Data Inpage Error (Stop 0x0000007A), 625
 - Kernel Stack Inpage Error (Stop 0x00000077), 248, 249, 624
 - KMode Exception Not Handled (Stop 0x0000001E), 620
 - Mismatched HAL (Stop 0x00000079), 625
 - No More System PTES (Stop 0x0000003F), 622–623
 - NTFS and FAT file systems, 246–247
 - NTFS File System (Stop 0x00000024), 621
 - Online Crash Analysis, 134–135
 - Page Fault in Nonpaged Area (Stop 0x00000050), 247–248, 623–624
 - Status Image Checksum Mismatch (Stop 0x00000221), 633–635
 - Status System Process Terminated (Stop 0x0000021A), 632–633
 - Thread Stuck in Device Driver (Stop 0x000000EA), 631
 - tracking with uptime, 90–91
 - Unexpected Kernel Mode Trap (Stop 0x0000007F), 626–627
 - Unmountable Boot Volume (Stop 0x000000ED), 631
- Storage virtualization, 351
- Striped volumes, 212, 244–245
- Stub zones
 - dnslint command, 270–272
 - overview of, 260
 - Windows Server 2003, 263
- Subnet masks
 - DHCP scopes and, 25
 - IP address structure and, 15–16
 - IP Subnet Calculator and, 118–119
 - TCP/IP routing and, 17–18
- Superscopes, 325–326, 338–339
- Support
 - Microsoft, 40
 - tools. *see* ST (Support Tools)
 - using hot lines/ vendor sites, 41–42
- Support.dot template, 199–206
 - AutoCorrect Backup, 204–206
 - installing, 200
 - Registry options, 204
 - Troubleshoot Utility, 200–204
 - using, 200
- SUPTOOLS.msi file, 48
- Switches
 - ARC operating system, 215–216
 - bootcfg command, 217–218
 - dfsutil, 356, 514
- Symantec Ghost. *see* Ghost
- SYN messages, 68
- Synchronous backups, 343
- Syntax, 51
- System checkpoints, 146
- System engineers (SEs), 111–112
- System File Checker. *see* sfc command
- System Files Update log, Windows Installer, 182–183
- System hive error, 618–619
- System kernel, 620

702 Index

- System log, 111
 - System management tools, 101–115
 - Computer Management, 110
 - driverquery command, 101–102
 - Event Viewer, 110–111
 - eventquery command, 102–104
 - eventtriggers command, 104–107
 - MSinfo32, 111–113
 - sfc command, 108–109
 - systeminfo command, 107–108
 - Windows Update, 113–115
 - System Monitor (Perfmon), 92–93
 - System Restore, 145–149
 - System services. *see* Services
 - System Setup Troubleshooting Wizard, 116
 - System shutdown
 - chkdsk, 52–53
 - Startup/Shutdown Troubleshooting Wizard, 116
 - troubleshooting, 157–159
 - uptime, 90–91
 - System startup
 - floppy disks and, 242
 - msconfig, 132
 - Recovery Console and, 152–156
 - repairing OS installation, 156–157
 - Startup/Shutdown Troubleshooting Wizard, 116–117
 - Stop 0x0000007B error, 249–250
 - troubleshooting, 149–152
 - System State, AD, 494
 - System Tools folder, 57–58
 - systeminfo command, 107–108, 601
 - System.ini file, 132
 - Systems Management Server (SMS), 76
- T**
- Tables, Access, 187–189
 - takeown command, 98–99, 602
 - Task Manager
 - KMode Exception Not Handled (Stop 0x0000001E), 620
 - Remote, 658–660
 - troubleshooting with, 94
 - Task Scheduler, 55–56
 - taskkill command, 86–88, 602–603
 - tasklist command, 88–89, 604–605
 - TCP/IP Illustrated, Volume I* (Stevens), 19
 - TCP/IP (Transmission Control Protocol/Internet Protocol), 13–19
 - address structure, 13
 - binary conversion, 13–14
 - connection handshake, 68
 - DHCP clients, 335
 - DNS name resolution, 19–22
 - IP address structure, 14–16
 - name resolution methods, 18–19
 - NAT clients, 431
 - net statistics command, 65–66, 548–549
 - NetBIOS names vs. FQDNs, 18
 - network printer connections, 380
 - Outlook configuration, 194
 - ports with portqry, 420–422, 588–589
 - routed environments and, 17–18
 - WINS clients, 313–315
 - TCP ports, 67–70
 - TechTracker ITX, 660–664
 - telnet
 - managing with, 72–73, 605
 - pmon and, 86, 588
 - Temp folder, 196–197
 - Templates. *see also* Support.dot template
 - corrupted presentations and, 197–198
 - Security Templates, 101
 - Terminal Services
 - overview of, 350–351
 - ports, enabling, 140
 - Remote Desktop and, 136
 - reset session command, 371–374, 598
 - troubleshooting, 371–374, 383–386
 - Terminal Services Manager snap-in, 376
 - termserver command, query commands, 373–374, 596–597
 - Test Account Settings dialog box, Outlook, 192–193
 - Tests
 - Active Directory infrastructure, 460–463, 510–513
 - corrective action, 44
 - demand-dial routing, 433
 - faxes, 165–166
 - netdiag command, 62–64, 547–548
 - Outlook configuration, 192–195

- Program Compatibility wizard, 170–171
 - Text, typing in Word, 207–208
 - TFTP (Trivial File Transfer Protocol), 390
 - Third-party tools, 637–672
 - Executive Software. *see* Executive Software
 - FullArmor - FAZAM 2000, 648–651
 - SmartLine. *see* SmartLine
 - TechTracker, 660–664
 - Tsarfin. *see* Tsarfin
 - Wildpackets - iNetTools, 670–672
 - TightVNC
 - installing, 122
 - overview of, 121–122
 - server configuration, 123
 - Viewer, 123–124
 - Time restrictions, 379
 - Time To Live (TTL), 20–21, 327
 - timeout command, bootcfg, 225, 507
 - Timeout values
 - set retry command, 280–281
 - set timeout command, 282
 - timeout command, 225, 507
 - Trace Dependents, Excel, 191
 - Trace Error, Excel, 192
 - Trace Precedents, Excel, 191
 - tracert command, 73–74, 606
 - Tracing
 - Connection Manager, 406, 408–409
 - modems, 409–410
 - RAS components, 410
 - RAS Diagnostic Reports and, 408–409
 - RAS server logging, 410, 411
 - Transfers, DNS zones, 259–260
 - Transitive trusts, 445, 453
 - Triggers, 104–107
 - Trivial File Transfer Protocol (TFTP), 390
 - Troubleshoot Utility, 200–204
 - Troubleshooting techniques, 29–46
 - analyzing current environment, 34–38
 - correcting problems, 42–44
 - documenting problems, 31–34
 - documenting solutions, 38–39
 - eliminating what is right, 40–42
 - following up, 44
 - identifying problem, 31
 - optimism vs. pessimism, 29–30
 - process overview, 30–31
 - testing corrective action, 44
 - wizards, 115–117
 - Trusts
 - Active Directory Domains and Trusts, 457–458
 - defined, 444
 - examples of, 445–446
 - forest functional levels, 451–452
 - nltest, 465–466, 573–574
 - troubleshooting, 493
 - types of, 445
 - Tsarfin, 664–670
 - IPMonitor, 665–667
 - NetInfo, 667–670
 - TTL (Time to Live), 20–21, 327
 - type command, Recovery Console, 155
- ## U
- UDP ports, 67–70
 - The Ultimate Windows Server 2003 System Administrator's Guide* (Williams and Walla), 348
 - Undelete, Executive Software, 642
 - Undelete From Disk feature, Executive Software, 642, 643
 - Unicast addresses, 326
 - Uninstall command, 164
 - Universal groups, 450–451
 - UNIX DNS server, 262
 - unmapftroot command, dfsutil, 361, 518
 - Updates. *see also* Dynamic updates
 - analyzing state of OS, 35
 - application compatibility, 169
 - device drivers, 162
 - domain controllers, 447
 - gpupdate, 464–465
 - logon timestamps, 450–451
 - Windows Update, 113–115
 - updatewin2kstaticsitetable command, dfsutil, 361, 518–519
 - uptime command, 90–91
 - USB Troubleshooting Wizard, 116
 - User classes, DHCP, 328
 - user command, query commands, 374, 597
 - Users

704 Index

accounts, 156
 Office Setup, 181
 RAS dial-in properties, 396
 USN command, fsutil, 236–239, 536–537

V

#VALUE!, Excel error codes, 191
 Vendor classes, DHCP, 327
 Vendors. *see* Third-party tools
 VGA Mode, 151
 Video Troubleshooter, 167
 Video
 Data Bus Error (Stop 0x0000002E),
 621–622
 display problems, 151, 166–167
 DVDs Troubleshooting Wizard, 115
 Thread Stuck in Device Driver (Stop
 0x000000EA), 631
 VGA Mode, 151
 Views
 Active Directory Users and Computers
 settings, 457
 hidden devices in Device Manager, 160
 net view command, 67, 549–550
 view command, 282, 581
 Virtual circuits, 282
 Virtual links, OSPF, 437
 Virtual Network Computing (VNC) Viewer,
 80. *see also* TightVNC
 Virtual Private Networks. *see* VPNs
 (Virtual Private Networks)
 Viruses
 analyzing current environment, 35–36
 Kernel Data Inpage Error (Stop
 0x0000007A), 625
 Kernel Stack Inpage Error (Stop
 0x00000077), 248, 624
 troubleshooting Office Setup, 181
 Windows Update protection, 113
 VNC (Virtual Network Computing) Viewer,
 80. *see also* TightVNC
 volume command, fsutil, 239, 538
 Volumes. *see also* Dirty bits
 administering Change Journal, 236–239,
 536–537
 mirrored volume (RAID 1), 212, 245

striped volume (RAID 0), 212
 striped volume with parity (RAID 5),
 212, 246
 using fsutil volume, 239, 538
 VPNs (Virtual Private Networks), 437–441
 overview of, 396–397
 resource access problems, 440
 router-to-router connection problems,
 440–441
 server connection problems, 438–439

W

WAN routing, 430, 434
 Wildpackets - iNetTools, 16, 670–672
 Windows 2000
 Active Directory functional levels,
 449–452
 DHCP enhancements, 324
 domain controllers, 481, 493
 WINS enhancements, 298
 Windows Advanced Option menu, 149
 Windows Backup program, 128
 Windows Installer, 182–183
 Windows Licensing Agreement, 157
 Windows Naming Service. *see* WINS
 (Windows Naming Service)
 Windows NT, 449
 Windows Server 2003
 Active Directory enhancements,
 452–453
 Active Directory functional levels,
 449–452
 DHCP enhancements, 324
 DNS enhancements, 263
 msconfig command, 131–133
 Shadow Copy tool, 141–145
 VPN connections in, 438
 WINS enhancements, 298–299
 Windows Update
 analyzing state of OS, 35
 overview of, 113–115
 recovery checkpoints, 146
 Windows XP
 Remote Desktop connections, 139
 System Restore tool, 141–145
 WinMSD. *see* MSinfo32

- WINS servers
 - configuring replication, 299–301
 - Server Status, WINS snap-in, 303
 - showing, 312
 - troubleshooting, 315–317
 - WINS snap-in, 303, 319–322
 - WINS (Windows Naming Service), 297–322
 - architecture, 297–302
 - check command, 307–308
 - client problems, 313–315
 - defined, 19
 - DHCP integration with, 317–319
 - dump command, 306
 - enhancements to, 298–299
 - event logging, 304–305
 - init command, 309–311
 - lookup verification, 285–287
 - name resolution, 22
 - netsh wins command, 305–306
 - overview of, 23–24
 - Proxy agent, 302
 - record types, 255
 - recovering corrupted WINS database, 319–322
 - relationships, 299–301
 - replication, 299–301, 317
 - server problems, 315–317
 - show commands, 311–313
 - static mapping, 302
 - WINSR records, 255, 258, 287
 - Wizards, troubleshooting
 - client-server problems using, 127
 - overview of, 115–117
 - Sitekeeper, 644
 - Word, 199–209
 - Document Recovery, 176–177
 - file repair with Open and Repair, 176–178
 - overview of, 199
 - Support.dot template and, 199–206
 - troubleshooting, 206–209
 - Word Startup Folder Add-ins, 203
 - Workstations
 - net statistics, 65–66, 548–549
 - netdiag, 62–64, 547–548
 - TechTracker ITX Agent, 663
 - Workstations tab, TechTracker ITX, 663
- Z**
- Zones. *see* DNS zones