

Index

- ' (prime), 16, 82, 312
- ' (prime), double, 322
- '...', 214
- '^', 212
- '^...^', 214, 215, 218–220
- '~', 212, 218
- '~...~', 216, 220
- '.', 212
- '... .', 215, 218
- " (double quote), 216, 307
- "..." (string), 47, 307, 308
- ^ (exponentiation), 344
- ^+ (BNF operator), 181
- ^* (BNF operator), 181
- | (BNF operator), 181
- ↦ (function/record constructor), 29, 49, 302, 303
- ⊢ (separator), 20
- ⊔ (end of module), 21
- ⊨, 88, 315
- / (division), 73, 344
- \ (set difference), 12, 299, 300
- * (end-of-line comment), 32, 288
- _ (underscore), 46, 285, 318
- (minus), 289, 344
- . , 289
- ¯ (overbar), 63, 114, 334, 336, 337
- ¬, *see* negation
- (set of functions), 48, 302, 304
- (step), 16, 312
- ⊢ (temporal operator), 116, 156, 315, 316, 337
- ~ (stuttering equivalent), 315, 316
- ~', 218
- ~> (leads to), 91, 314
- ÷ (integer division), 344
- + (plus), 344
- + (BNF operator), 181
- + (suffix operator), 89, 315
- × (Cartesian product), 53, 284, 306, 307
- =, *see* equality
- ≠ (inequality), 300
- ⇒, *see* implies
- ≡, *see* equivalence
- △ (defined to equal), 16, 31
- ≡, 325
- ∞, *see* *Infinity*
- . (syntax element), 284
- . (record field), 28, 180, 305
- .. (integer interval), 20, 344
- .' , 218
- , *see* composition of actions
- * (multiplication), 344
- * (BNF operator), 181
- (sequence concatenation), 36, 53
- ⊕ (bag union), 342
- ⊖ (bag difference), 342
- (always), 16, 89–90, 288, 314, 315
- (CASE separator), 285
- ◇ (eventually), 91, 288, 314
- < (less than), 344
- ← (substitution), 36
- ≤ (less than or equal), 344
- ⊂ (subset), 12, 299, 300
- ⊆ (bag subset), 342
- (*...*) (comment), 32, 288
- f[e] (function application), 301, 303
- [A]_v (action operator), 17, 285, 312
- [h₁ ↦ e₁, ..., h_n ↦ e_n] (record constructor), 29, 305
- [S → T] (set of functions), 48, 302, 304

- $[x \in S \mapsto e]$ (function constructor), 49, 302, 303
- $[h_1 : S_1, \dots, h_n : S_n]$ (set of records), 28, 305, 306
- $\llbracket e \rrbracket$ (meaning), 292, 310
- $\langle A \rangle_v$ (action operator), 91, 285, 312
- $\langle e_1, \dots, e_n \rangle$ (tuple), 27, 53, 306
- $\{ \}$ (empty set), 12, 300
- $\{e_1, \dots, e_n\}$ (set), 12, 299, 300
- $\{x \in S : p\}$ (set constructor), 66, 289, 299, 301
- $\{e : x \in S\}$ (set constructor), 66, 289, 299, 301
- $>$ (greater than), 344
- \geq (greater than or equal), 344
- \wedge , *see* conjunction
- \cap (set intersection), 12, 299, 300
- \vee , *see* disjunction
- \cup (set union), 12, 299, 300
- $:$ (in record set constructor), 28
- \rightarrow (function constructor), 249
- $::=$ (BNF operator), 179
- $!$ (in EXCEPT), 29, 49, 302, 304–306
- $!$ (in operator name), 36, 39, 330, 334
- $?$, 325
- $\$,$ 335
- $\%$ (modulus), 21, 344
- $\&$ (BNF operator), 180
- \ddagger , 314, 316
- $@$ (in EXCEPT), 29, 302, 304
- $@@$ (function constructor), 249
- \forall , *see* universal quantification
- \forall (temporal universal quantification), 110, 315
- \exists , *see* existential quantification
- \exists_∞ , 94
- $\exists_{\text{behavior}}$, 316
- \exists_{state} , 313
- \exists , *see* hiding variables
- α conversion, 319
- β reduction, 319
- ε , Hilbert's, 73, 296
- \in (syntax element), 284
 - in function expression, 49
- \in (set membership), 11, 299
- \notin (not element of), 47, 299, 300
- λ expression, 49, 319
 - \mathcal{C} -basic, 325
 - λ expression, legal, 327
 - λ expression, meaning of, 325–327
 - λ parameter, 319
 - 0 (zero), 345
 - 0-tuple, 37, 306
 - 1 (one), 345
 - 1-tuple, 306
- Abadi, Martín, xvii
- ABCcorrectness* module, 228, 229
- abstraction, 81
 - abstraction, choosing an, 24
 - abstraction, level of, 76
- action, 16, 312
 - as temporal formula, 89
 - composition, *see* composition of actions
 - constraint, 241
 - execution, 16
 - formula, simple, 236
 - operator, 269, 312–314
- action parameter, 46
- action, next-state, *see* next-state action
- ACTION-CONSTRAINT** statement, 241
- ActionConstraint* (in TLC), 241
- actions, commutativity of, 78
- actions, joint, 147, 152
- address, memory, 47
- alignment, 208, 286
- `alignOut` TLAT_EX option, 217
- alternating bit protocol, 222
- AlternatingBit* module, 222, 223
- always (\square), 16, 89–90, 288, 314, 315
- ambiguity in TLA⁺ grammar, 289
- Analyzer, Syntactic, 207
- and (\wedge), *see* conjunction
- and/or, 9
- angle brackets, 27, 96
- Append*, 36
- application, operator, 320
- argument
 - of a declared constant, 46
 - of a function, 50
 - of an operator, 31
- argument, TLAT_EX option, 211

- aril TLC option, 243, 251
- arithmetic operator, 19
- arity of an operator, 318
- arity-correct, 321
- array, 48, 50
- array of clocks, 139
- array, multidimensional, 50
- ASCII representation
 - of characters, 307
 - of reserved words, 19
 - of specification, 19
 - of symbol, 19, 273
- ASCII version of TLA⁺, 275, 305, 307
- ASCII-readable, 220
- Ass*, 327
- Assert*, 249
- assertional reasoning, 2
- assignment in TLC, 234
- associativity, 10, 283
- ASSUME, 42, 327, 332
 - checked by TLC, 241, 261
- assume-guarantee specification, 156
- assumption, 42, 327, 332
- AsynchInterface* module, 24, 27
- asynchronous interface, 23
- asynchronous system, 3
- atomicity, grain of, 76–78
- aux file, 217
- axioms, Peano's, 344

- Backus-Naur Form, 179
- bag, 340
- BagCardinality*, 342
- BagIn*, 342
- BagOfAll*, 342
- Bags* module, 340, 343
 - overridden by TLC, 237
- BagToSet*, 340
- BagUnion*, 342
- barrier synchronization, 149
- basic
 - expression, 309
 - state function, 311
 - transition function, 313
- behavior, 15, 18, 314, 315
 - satisfying temporal formula, 18
- behavior, finite, 17, 112, 130
- behavior, Zeno, 120, 128
- behavioral property, 1
- behaviors, equivalence of, 77
- benefits of specification, 75
- binary hour clock, 158
- binary representation, 308
- BinaryHourClock* module, 159, 160
- blame, 145
- BNF, 179, 276
- BNFGrammars* module, 179, 183, 184
- BOOLEAN, 46, 293
- Boolean operator, 9, 293, 296
 - precedence, 10
- Boolean operator, simple, 236
- Boolean value, 9
- bound occurrence, 14
- bound variable, 14, 109
- bound, real-time, 122
- bound, strong real-time, 124
- bounded FIFO, 42–43
- bounded quantification, 13, 293
- BoundedFIFO* module, 43
- box (\square), *see* always
- buffer component, 135, 140
- buffer, FIFO, 35, 140–142
- built-in operator, 20

- C++, 7
- $\mathcal{C}[[e]]$, 325
- \mathcal{C} -basic λ expression, 325
- cache, write-through, 54–62, 107–109
- caching memory, 45
- caching memory, real-time, 124–128
- calculator, using TLC as, 261
- capture, variable, 335
- Cardinality*, 66, 70, 340
- cardinality, 70
- carriage return, 307
- Cartesian product, 53, 306
- CASE, 298
 - evaluated by TLC, 262
 - parsing, 284
- causality, 128
- CC, 328
- channel, 28, 97, 99
- Channel* module, 30
- channel, refining, 159

- ChannelRefinement* module, 161, 162
- character, 307
- checkpoint (TLC), 252, 255, 260
- Chinese, 2
- Choice*, 295
- CHOOSE, 47, 73, 294
 - applied to temporal formula, 110
 - evaluated by TLC, 232, 234, 262
 - parsing, 284
- circular definition, 70
- class, equivalence, of a state, 246
- class, Java, 237
- `cleanup` TLC option, 252
- cleverness, 80
- clock, hour, *see* hour clock
- clocks, array of, 139
- closed-system specification, 44, 167
- closure, machine, *see* machine closure
- coarser-grained specification, 76
- collection of all sets, 66
- collision, 244, 255
- comment, 32–34, 82
 - in TLC configuration file, 226
 - shading, 212
 - syntax, 288
 - typeset by \LaTeX , 214
- comment, end-of-line, 32
- comment, nested, 32
- comment, space in, 213
- common subexpression, 60
- communication, 152
- commutativity of actions, 78
- comparable values, 231, 264
- complete-system specification, 44, 156
- complexity, relative, 254
- component, 135
- CompositeFIFO* module, 142, 143
- composition of actions (\cdot), 77, 312, 313
 - and instantiation, 337
 - evaluated by TLC, 240
- composition of specifications, 135, 168
 - and liveness, 152
 - and machine closure, 152
 - with disjoint state, 142
 - with shared state, 142–149
- Composition Rule, 138
- Compositional Hiding Rule, 155
- conditional constructs, 298
- `config` TLC option, 253
- ConfigFileGrammar* module, 262, 263
- configuration file (TLC), 225, 253, 261
 - grammar, 262
- conjunct, property, 240
- conjunct, specification, 240
- conjunction (\wedge), 9, 293
 - applied to temporal formulas, 88
 - as quantification, 13, 105
 - evaluated by TLC, 231
 - of infinitely many formulas, 13
- Conjunction Rule, SF, 106
- Conjunction Rule, WF, 105
- conjuncts, list of, 25, 286, 293
- connected, strongly, 174
- connectivity, 173
- conservative interpretation of Boolean
 - operators, 296
- CONSTANT, 25, 46, 327, 329
- constant
 - declaration, 25
 - level, 324
 - module, 330
 - operator, 268, 291–309
 - parameter, 25, 45
- CONSTANT statement, 226
- constant, internal, 190
- constant-level expression, 322
- CONSTANTS, 25
- CONSTANTS statement, 226
- constraint, 226
- Constraint* (in TLC), 241
- constraint, action, 241
- constraint, global, 140
- constraint, real-time, 119
 - on disjunction, 128
- construct, 292
- constructor, set, 66, 299
- context, 324–325
- context, current, 328
- continually
 - enabled, 106
 - versus continuously, 106
- continuously
 - enabled, 106, 122
 - versus continually, 106

- contract, specification as, 156
- contradiction, proof by, 102
- conversion, α , 319
- CopiesIn*, 342
- correct, syntactically, 325
- correctness of module, 332
- Couturier, Dominique, xvii
- coverage** TLC option, 227, 252, 258
- current context, 328

- d Syntactic Analyzer option, 207
- data refinement, 164
- data structures, 78–79, 170
- Dcl*, 327
- deadlock, 222, 251
- deadLock** TLC option, 242, 251
- debugging, 253
 - variable, 244
- decimal representation, 308
- declaration, 324, 329
- declaration, constant, 25
- declaration, scope of, 31
- declaration, variable, 19
- definition, 31–32, 324
 - of function, 54, 329
 - of operator, 329
 - overriding, 234, 235
- definition, global, 327
- definition, inductive, 69
- definition, local, 170, 327
- definition, module, 324
- delimiter, 285, 286
- depth** TLC option, 243, 251
- derivative, 176
- diameter of state graph, 254
- difference, set (\setminus), 12
- differential equation, 133, 174
- DifferentialEquations* module, 177, 178
- difftrace** TLC option, 252, 259
- directed graph, 173
- discrete step, 15
- disjoint-state
 - composition, 142–149
 - specification, 151
- disjunction (\vee), 9, 293
 - as quantification, 13, 105
 - evaluated by TLC, 231
- disjunction (\vee), real-time constraint on, 128
- disjuncts, list of, 26, 286, 293
- distribute over, 93, 114, 336
- distributed system, 3
- divide and conquer, 209
- division
 - of integers, 344
 - of real numbers, 73
- DOMAIN, 48, 302
- domain of a function, 48, 302
- double quote ("), 216, 307
- DR1*, 101
- DR2*, 102
- dual tautology, 93
- dvi file, 211, 217
- dvips, 213

- edge, 172
- element, 11
- empty set, 12
- EmptyBag*, 342
- ENABLED, 97, 312, 313
 - and instantiation, 337
 - evaluated by TLC, 240
 - predicate, computing, 115
 - substitution in, 335
- enabled, 26
 - continually, 106
 - continuously, 106, 122
 - repeatedly, 124
- ENABLED-free state function, 311
- end-of-line character, 288, 290
- end-of-line comment, 32
- English, 2, 98
- environment, 43, 147, 156
- equality ($=$), 284, 300
 - of sets, 12
 - versus equivalence, 10, 296
- equation, differential, 133, 174
- equivalence
 - class of a state, 246
 - of specifications, 21
- equivalence (\equiv), 9, 293
 - versus equality, 10, 296
- equivalence of behaviors, 77
- error report (TLC), 255

- error trace (TLC), 247, 252, 259
- error, locating, with TLC, 249
- error, semantic, 208
- error, syntactic, 208
- evaluating expressions, 231
- eventually (\diamond), 91, 288, 314
- eventually always ($\diamond\Box$), 92, 106
- EXCEPT, 29, 49, 302, 304–306
- execution of an action, 16
- execution, terminating, 17
- existential quantification (\exists), 12, 293
 - as disjunction, 13, 105
 - evaluated by TLC, 232
- existential quantification, temporal, *see*
 - hiding variables
- explanation of memory scenario, 186
- expression, 317, 321
- expression evaluation by TLC, 231
- expression, λ , *see* λ expression
- expression, basic, 309
- expression, level of, 322
- expression, silly, 67, 222
 - evaluated by TLC, 256
- EXTENDS, 19, 237, 328
- EXTENDS, structuring specification with, 34

- factorial, 54, 67
- failed to recover state, 247
- fairness and refinement, 114
- fairness conditions, combining, 101, 105
- fairness, expressing liveness with, 112
- fairness, strong, 106–107
- fairness, weak, 96–100
 - real-time analog, 122
- FALSE, 9, 293
- FastSort*, 250
- field of record, 28
- FIFO buffer, 35, 140–142
- FIFO transmission line, 222
- FIFO, bounded, 42–43
- file name, root of, 217
- file, aux, 217
- file, dvi, 211, 217
- file, log, 217
- file, PDF, 211, 212

- file, TLC configuration, *see* configuration file
- files, TLATEX output, 217
- finer-grained specification, 76
- fingerprint, 244, 247, 255
- fingers, counting on, 11
- finite behavior, 112, 130
- FiniteSets* module, 66, 340, 341
 - overridden by TLC, 237
- first-order logic, 3, 318
- flexible variable, 110
- font of comment, 32
- font size, 216
- form feed, 290, 307
- formal mathematics, 2
- formal semantics, 292
- formula, 309, 310
 - splitting, 60
 - used in a sentence, 14
- formula, simple action, 236
- formula, temporal, *see* temporal formula
- formula, valid, 18, 309
- Frank, Douglas, xvii
- free occurrence, 14
- free variable, 14
- function, 48–51, 72–73, 301
 - expressed with $:>$ and $@@$, 249
 - of multiple arguments, 50, 302
 - transition, 312
 - versus operator, 69–72
- function definition, 329
- function, hashing, 244
- function, nondeterministic, 73
- function, recursively defined, *see* recursive function definition
- function, state, 25, 310–312
- functional property, 1

- \mathcal{G} , 241, 254
- GDef*, 327
- Generalization Rule, 95
- gibberish, nonsyntactic, 69
- Gilkerson, Ellen, v
- global
 - constraint, 140
 - definition, 327

- function definition, 329
- operator definition, 329
- Gonthier, Georges, 307
- grain of atomicity, 76–78
- Grammar*, 180
- grammar, 179
 - of TLA⁺, 276–289
 - of TLC configuration file, 262
- granularity of step, 24, 76–78
- graph, 172
- graph, directed, 173
- graph, state (\mathcal{G}), *see* state graph
- graph, undirected, 173
- Graphs* module, 172, 175
- grayLevel** TLA_{TEX} option, 213
- Grégoire, Jean-Charles, xvii, 207
- Grover, Vinod, xvii
- Guindon, 1

- handshake protocol, 23
- hashing function, 244
- Hayden, Mark, 221
- Head*, 35, 53
- help** TLA_{TEX} option, 212
- henceforth, *see* always
- hexadecimal representation, 308
- hiding variables, 39, 41, 110, 111, 221, 228, 314, 316
 - and composition, 154
- high-level specification, 132, 169
- higher-order logic, 318
- Hilbert's ε , 73, 296
- hoffset** TLA_{TEX} option, 217
- hour clock, 15, 96, 98
- hour clock, binary, 158
- hour clock, real-time, 117–121
- HourClock* module, 19, 20
 - with comments, 33
- hybrid specification, 132–133

- identifier, 31, 277, 321
 - of λ parameter, 319
- identifier, run, 252, 255
- IF/THEN/ELSE, 16
 - evaluated by TLC, 231
 - parsing, 284, 298
- iff, 9

- implementation, 62, 111
 - under interface refinement, 165
- implementation, proving, 62–64
- implementing real-time constraints, 126
- implication, 9
 - as implementation, 62, 111
- implicit substitution (in INSTANCE), 40
- ImpliedAction* (in TLC), 241
- ImpliedInit* (in TLC), 241
- ImpliedTemporal* (in TLC), 241
- implies (\Rightarrow), 9, 293
 - definition explained, 10
 - evaluated by TLC, 231
- Implies Generalization Rule, 95
- IN, *see* LET/IN
- indentation in con/disjunction lists, 26, 286
- inductive definition, 69
- inductive invariant, 61
- infinitely often ($\square\Diamond$), 91, 106
- Infinity*, 122, 344
- infix operator, 270, 278, 345
- info** TLA_{TEX} option, 212
- Init* (in TLC), 240
- INIT statement, 225, 262
- initial predicate, 16
 - evaluated by TLC, 254
- initial state, 16
 - computed by TLC, 237, 240, 241
- InnerFIFO* module, 37, 38
- InnerSequential* module, 200, 201
- InnerSerial* module, 195, 196
- INSTANCE, 36–40, 330–331, 334–338
- INSTANCE, LOCAL, 171
- INSTANCE, structuring specification with, 34
- instantaneous change, 117
- instantiation, 37–40, 330–331, 334–338
- instantiation, parametrized, 39
- Int* (set of integers), 344
- integer division, 344
- integer is real number, 344
- Integers* module, 344, 348
 - overridden by TLC, 237
- Integrate*, 132, 174
- integration, 133
- interface refinement, 158–167

- and implementation, 165
- and liveness, 165
- for open-system specifications, 165
- interface, asynchronous, 23
- interface, memory, 183
- interface, program, 3, 78
- interleaving specification, 137, 151
- internal constant, 190
- internal variable, 41, 111
- InternalMemory* module, 52
- intersection (\cap), 12
- interval, open, 174
- invariance, proving, 62
- invariant, 61–62
 - checking by TLC, 225, 242
 - of a specification, 25
 - of an action, 61
 - under stuttering, 90
- Invariant* (in TLC), 240
- INVARIANT statement, 225
- invariant, inductive, 61
- invariant, type, 25, 80
- INVARIANTS statement, 226
- irreflexive, 191
- irreflexive partial order, 71
- IsABag*, 340
- IsABehavior*, 316
- IsAFcn*, 303
- IsAState*, 313
- IsDeriv*, 176
- IsFcnOn*, 140
- IsFiniteSet*, 43, 66, 340

- Java class, 237
- JavaTime*, 249
- Jefferson, David, xvii, 207
- joint actions, 147, 152
- JointActionMemory* module, 150

- Kalvala, Sara, xvii
- key TLC option, 243
- keyboard, 81
- Knuth, Donald Ervin, 19, 211
- Krishnan, Paddy, xvii

- lambda, *see* λ
- Lamport, Leslie, 211, 221
- language, 179
- language, programming, 3, 67
- L^AT_EX, 211
- L^AT_EX commands in TLAT_EX, 219
- latexCommand TLAT_EX option, 212
- LDef*, 327
- leads to (\rightsquigarrow), 91, 314
- LeastGrammar*, 181
- left associative, 283
- legal λ expression, 327
- Leisenring, A. C., 296
- Len*, 36
- LET/IN, 60, 299
 - meaning of, 326
 - parsing, 284
- level, 321–324
- level of abstraction, 76
- level, constant, 324
- level-correct, 323
- lexeme, 179
- lexeme, TLA+, 275, 289
- liberal interpretation of Boolean operators, 296
- limit, definition of, 177
- line feed, 307
- line numbers, 212
- linearizable memory, 51, 100, 185
- list of conjuncts, 25, 286, 293
- list of disjuncts, 26, 286, 293
- liveness
 - and composition, 152
 - considered unimportant, 116
 - expressed with fairness, 112
 - in interface refinement, 165
- liveness property, 3, 87
 - checked by TLC, 228, 242, 247
- LOCAL, 171, 327, 329, 331, 340
- local
 - definition, 170, 327
 - function definition, 330
 - INSTANCE, 331
 - operator definition, 329
- log file, 217
- logic, first-order, 3, 318
- logic, higher-order, 318
- logic, predicate, 12–14, 293
- logic, propositional, 9–11, 293
- logic, temporal, *see* temporal logic

- logical property, 1
- logical thinking, danger to, 7
- lossy transmission line, 222
- lower-level specification, 169

- machine closure, 111–114, 130, 200, 230
 - and composition, 152
- mapping, refinement, 63, 228
- mathematics, 2, 9, 21, 22, 65, 174
- MaxTime*, 119, 123
- MCAAlternatingBit* module, 226, 227
- MDef*, 327
- meaning, 292
 - of λ expression, 325–327
 - of temporal formula, 88
- Melville, Herman, vii
- memory address, 47
- memory interface, 183
- Memory* module, 51, 53
- memory system, 45
- memory value, 47
- memory, caching, 45
- memory, linearizable, 51, 100, 185
- memory, real-time caching, 124–128
- memory, sequentially consistent, 195
- memory, serial, 188
- MemoryInterface* module, 48
- MinTime*, 119, 123
- model, 225
- model checking, 221, 226, 241
- model value, 230, 259
- model, specification as, 76
- moderate interpretation of Boolean operators, 296
- MODULE, 19
- module, 19
 - correctness, 332
 - definition, 324
 - end, 21
 - finding, 333
 - name, 325
 - overriding, 237
 - unit, 285, 286
- module, constant, 330
- module, meaning of, 317, 327–332
- module, standard, 272, 339
- modulus, 21, 344

- Modus Ponens* Rule, 95
- monolithic specification, 136, 167
- multi-line comment, 214
- multiset, 340
- mutual recursion, 68, 233

- names
 - of modules and operators, 325
 - of sets, 36
- Nat* (set of natural numbers), 12, 21, 308, 344
- natural number, 11
- Naturals* module, 19, 344, 348
 - overridden by TLC, 237
- Nbhd*, 174
- negation (\neg), 9, 293
 - of temporal formula, 88
- nested comments, 32
- nested quantifiers, 13
- Next* (in TLC), 240
- NEXT statement, 225, 264
- next-state action, 16
 - evaluated by TLC, 237
- next-state action, finding error in, 259
- next-state action, invariant of, 61
- next-state action, subaction of, 111
- nice temporal formula, 236
- Nil*, 181
- node, 172
- `noEpilog` TLAT_EX option, 214
- non-machine-closed specification, 200
 - checking, 230
- non-Zeno specification, 130
- nonconstant operator, 309–316
- nondeterministic function, 73
- nondeterministic operator, 73
- noninterleaving specification, 137
- nonsense, 71
- nonsyntactic gibberish, 69
- nonterminal symbol, 179
- `noProlog` TLAT_EX option, 214
- `nops` TLAT_EX option, 213
- not, *see* negation
- now*, 117
- `nowarning` TLC option, 253
- NowNext*, 120
- number, 345

- number T_LA_TE_X option, 212
- number, natural, 11
- numbers, line, 212
- NZ*, 130

- occurrence, bound, 14
- occurrence, free, 14
- Ogata, Kazuhiro, xvii
- one (1), 345
- one-line comment, 214
- one-tuple, 306
- OneOf*, 182
- open interval, 174
- open set, 177
- open-system specification, 44, 156–158, 167
 - interface refinement, 165
- OpenInterval*, 174
- operator, 31, 317
 - application, 320
 - definition, 329
 - name, 325
 - of arithmetic, 19
 - precedence, 271, 283
 - semantics, 291–316
 - symbol, user-definable, 270
 - versus function, 69–72
- operator, action, 269, 312–314
- operator, arity of, 318
- operator, Boolean, 9, 293, 296
 - precedence, 10
- operator, built-in, 20
- operator, constant, 268, 291–309
 - with arguments, 46
- operator, defined in standard module, 272
- operator, infix, 270, 278, 345
- operator, nonconstant, 309–316
- operator, nondeterministic, 73
- operator, order of, 318
- operator, postfix, 270, 278
- operator, prefix, 270, 278
- operator, recursive definition of, 70
- operator, simple Boolean, 236
- operator, temporal, 269, 314–316
- option (Syntactic Analyzer), 207
 - d, 207
 - s, 207
- option (T_LA_TE_X), 211
 - alignOut, 217
 - grayLevel, 213
 - help, 212
 - hoffset, 217
 - info, 212
 - latexCommand, 212
 - noEpilog, 214
 - noProlog, 214
 - nops, 213
 - number, 212
 - out, 217
 - ps, 213
 - psCommand, 213
 - ptSize, 216
 - shade, 212
 - style, 218
 - textheight, 216
 - textwidth, 216
 - tlaOut, 218
 - voffset, 217
- option (TLC), 251
 - aril, 243, 251
 - cleanup, 252
 - config, 253
 - coverage, 227, 252, 258
 - deadlock, 242, 251
 - depth, 243, 251
 - difftrace, 252, 259
 - key, 243
 - nowarning, 253
 - recover, 252, 255, 260
 - seed, 251
 - simulate, 251
 - terse, 252
 - workers, 253
- option argument (T_LA_TE_X), 211
- or (\vee), *see* disjunction
- order of an operator, 318
- order, irreflexive partial, 71
- order, total, 191
- OTHER, 298
- out T_LA_TE_X option, 217
- output of TLC, 253
- overriding
 - a definition, 234, 235

- a module, 237
- package, *latex*, 218
- Pahalawatta, Kapila, xvii
- Palais, Richard, xvii
- paradox, Russell's, 66
- parameter*, λ , 319
- parameter, action, 46
- parameter, constant, 25, 45
- parametrized instantiation, 39
- parent (in a tree), 174
- parentheses, 10, 284, 287
- parentheses, eliminating, 26
- parsing, 179
- partial order, irreflexive, 71
- path, 173
- PDF file, 211, 212
- Peano* module, 308, 344, 345
- Peano's axioms, 344
- performance, 2
- permutation, 245
- Permutations*, 245, 250
- philosophy, Greek, 128
- Pnueli, Amir, 2
- point (unit of measure), 216
- PosReal*, 174
- possibility, 113
- postfix operator, 270, 278
- PostScript, 211, 212
- power set, 65
- precedence, 10
 - of Boolean operator, 10
 - of operators, 271, 283
 - of temporal operators, 92
 - range, 283
- predicate logic, 12–14, 293
- predicate, initial, 16
 - evaluated by TLC, 254
- predicate, state, *see* state predicate
- prefix operator, 270, 278
- prime ($'$), 16, 82, 312, 313
- prime ($'$), double, 322
- primitive operator of semantics, 292
- Print*, 249, 259
- processor, 47
- product, Cartesian, 53, 306
- production (of grammar), 179
- program interface, 3, 78
- programming language, 3, 67
- proof
 - by contradiction, 102
 - of implementation, 62–64
 - of invariance, 62
 - rule, temporal, 95
 - rule, TLA, 18
- property checking by TLC, 229, 240
- property conjunct, 240
- PROPERTY statement, 225, 237
- property, behavioral, 1
- property, functional, 1
- property, liveness, 3, 87
 - checked by TLC, 228, 242, 247
- property, logical, 1
- property, safety, 3, 87, 153
- propositional logic, 9–11, 293
- protocol, alternating bit, 222
- protocol, handshake, 23
- ProtoReals* module, 308, 344, 346
- ps TLAT_EX option, 213
- psCommand TLAT_EX option, 213
- pseudo-random number generator, 243, 251
- ptSize TLAT_EX option, 216
- quantification, 82
 - of temporal formula, 88, 109–110
 - over tuple, 293
- quantification, bounded, 13, 293
- quantification, existential (\exists), 12
- quantification, unbounded, 13, 232, 293
- quantification, universal (\forall), 12
- quantifier, 12, 293
 - nesting, 13
 - parsing, 284
- Quantifier Rule, WF, 105
- queue of unexplored states (\mathcal{U}), 241, 254
- quote, double ($"$), 216, 307
- quotes, single ($' \dots '$), 214
- range of a function, 48
- range, precedence, 283
- Rd*, 186
- reachable state, 226

- Real* (set of real numbers), 67, 308, 344
- real time, 117–134
- real-time
 - bound, 122
 - caching memory, 124–128
 - constraint, 119
 - implementing, 126
 - on disjunction, 128
 - constraints, combining, 128
 - hour clock, 117–121
- Reals* module, 344, 348
- RealTime* module, 123, 125
- RealTimeHourClock* module, 119, 121
- reasoning, assertional, 2
- receiver, 23, 35, 144, 222
 - component, 135, 140
- record, 28, 305
 - as function, 49, 50
 - field, 28
- recover** TLC option, 252, 255, 260
- recursion, mutual, 68, 233
- recursive function definition, 54, 67–69, 302
 - evaluated by TLC, 233
- redeclaration, 32
- reduction, β , 319
- refinement mapping, 63, 228
 - and fairness, 114
- refinement of channel, 159
- refinement, data, 164
- refinement, interface, *see* interface refinement
- RegisterInterface* module, 185, 186
- relation as set of pairs, 191
- relation, next-state, *see* next-state action
- relative complexity, 254
- rely-guarantee specification, 156
- renaming, instantiation without, 40
- renaming, parameter, 319
- repeatedly enabled, 124
- replacement in TLC, 234, 261
- request, 47
- resource, shared, 127
- response, 47
- rigid variable, 110
- root of file name, 217
- root of tree, 174
- round-robin scheduling, 127
- RTBound*, 122
- RTMemory* module, 125, 126
- RTnow*, 120, 123
- RTWriteThroughCache* module, 129
- Rudalics, Martin, xvii
- run identifier, 252, 255
- running the Syntactic Analyzer, 207
- running TLAT_EX, 211
- running TLC, 251
- Russell’s paradox, 66

- s** Syntactic Analyzer option, 207
- safety property, 3, 87, 153
- Samborski, Dmitri, 211
- scenario, 186
- scheduling shared resource, 127
- scheduling, round-robin, 127
- Schreiner, Wolfgang, xvii
- scope, 31
- second (unit of time), 117
- seed, 243, 251, 254
- seed** TLC option, 251
- SelectSeq*, 339
- semantic
 - correctness, 333
 - error, 208
 - part of syntax, 275, 291
- semantics of TLA⁺, 317
 - deviation by TLC, 262
- semantics, formal, 292
- semantics, primitive operator of, 292
- sender, 23, 35, 144, 222
 - component, 135, 140
- sentence, 179
- Seq*, 35
- sequence, 35, 53, 306
- Sequences* module, 35, 53, 339, 341
 - overridden by TLC, 237
- sequentially consistent memory, 195
- serial memory, 188
- SerialMemory* module, 195
- set, 11, 65–66
 - constructor, 66, 299
 - difference (\setminus), 12
 - equality, 12, 300

- of all sets, 66
 - theory, 3, 11, 43, 300
- set, empty, 12
- set, open, 177
- set, power, 65
- set, symmetry, 246
- set, too big to be, 66
- sets, collection of all, 66
- sets, naming, 36
- SetToBag*, 342
- SF, 106, 285, 314
 - and instantiation, 337
- SF Conjunction Rule, 106
- shade** `TLATEX` option, 212
- shading comments, 212
- shared resource, scheduling, 127
- shared-state
 - composition, 142–149
 - specification, 151
- Shared-State Composition Rule, 146
- silly expression, 67, 222
 - evaluated by TLC, 256
- simple
 - action formula, 236
 - Boolean operator, 236
 - temporal formula, 236
- simulate** TLC option, 251
- simulation, 226, 243, 251
- simulation, step, 63
 - checked by TLC, 242
- single quotes (‘...’), 214
- Sort*, 235, 250
- SortSeq*, 250
- sound, 296
- space character, 290, 307
- space in comment, 213
- specification, 1
 - as abstraction, 24
 - as model, 76
 - by scientists, 15
 - conjunct, 240
 - invariant, 25
 - parameter, 25, 45
 - splitting, 34
 - standard form, 221
 - structure, 32–34
- SPECIFICATION** statement, 225, 237, 264
 - specification, assume-guarantee, 156
 - specification, benefits of, 75
 - specification, closed-system, 44, 167
 - specification, coarser-grained, 76
 - specification, complete-system, 44, 156
 - specification, disjoint-state, 151
 - specification, *ex post facto*, 228
 - specification, finer-grained, 76
 - specification, high-level, 132, 169
 - specification, hybrid, 132–133
 - specification, interleaving, 137, 151
 - specification, lower-level, 169
 - specification, monolithic, 136, 167
 - specification, non-machine-closed, 200
 - checking, 230
 - specification, non-Zeno, 130
 - specification, noninterleaving, 137
 - specification, open-system, 44, 156–158, 167
 - specification, rely-guarantee, 156
 - specification, shared-state, 151
 - specification, Zeno, 128–132
 - specifications, composition of, 135, 168
 - splitting a specification, 34
 - SRTBound*, 124
 - standard form of specification, 221
 - standard module, 339
 - standard module, operators defined in, 272
 - state, 15, 18, 30, 310, 311
 - computed by TLC, 237
 - in \mathcal{G} , 241
 - printed by TLC, 256
 - specifying universe, 18
 - state formula, temporal, 236
 - state function, 25, 310–312
 - basic, 311
 - state graph (\mathcal{G}), 241
 - diameter, 254
 - state predicate, 25, 310, 311
 - as temporal formula, 88
 - state, initial, 16
 - computed by TLC, 237, 240, 241
 - state, reachable, 226
 - state, successor, 237
 - state-level expression, 322
 - step, 16, 151, 312

- theorem, temporal, 92
- thinking, 83
- Thm*, 327
- threads used by TLC, 242, 253
- time, real, 117–134
- time, unit of, 117
- Timer*, 119, 123
- timer, 118
- TLA, 2
- TLA proof rule, 18
- TLA Web page, 1, 19, 63, 207, 211, 221
- TLA⁺, 3
- `tlaOut` TLAT_EX option, 218
- TLAPlusGrammar* module, 276
- TLAT_EX, 211, 286, 288
 - output files, 217
 - Web page, 211
- TLAT_EX, running, 211
- latex* L^AT_EX package, 218
- TLC, 221–264
 - TLC* module, 248
 - overridden by TLC, 237
 - TLC value, 230
 - TLC, running, 251
 - Tok*, 182
 - tok*, 180
 - token, 180
 - tool, TLA⁺, 1, 3, 207
 - total order, 191
 - trace, TLC error, 247, 252, 259
 - transition function, 312
 - transition function, basic, 313
 - transition-level expression, 322
 - transitive, 191
 - transmission line, FIFO, 222
 - tree, 174
 - TRUE, 9, 293
 - truth table, 10, 11
 - tuple, 27, 53, 306
 - tuple, quantification over, 293
 - tuple, sequence as, 35
 - Tuttle, Mark, xvii, 221
 - two-phase handshake, 23
 - type in programming language, 67
 - type invariant, 25, 80
 - type of a variable, 25, 30
 - typesetting specifications, 19, 211
- \mathcal{U} , 241, 254
- uid, 1
- unbounded quantification, 13, 232, 293
- UNCHANGED, 26, 312
 - evaluated by TLC, 238
- undirected graph, 173
- UNION, 65, 299, 300
- union (\cup), 12
- unit of time, 117
- unit, module, 285, 286
- universal quantification (\forall), 12, 293
 - as conjunction, 13, 105
 - evaluated by TLC, 232
- universal quantification, temporal, 110, 315
- universe specified by state, 18, 43, 135
- unless, 102
- untyped, 30, 67, 296
- URL, 1
- user-definable symbol, 270

- valid formula, 18, 309
- valid temporal formula, 315
- value, 310
 - value as set, 43
 - value, Boolean, 9
 - value, memory, 47
 - value, model, 230, 259
 - value, TLC, 230
 - values, comparable, 231, 264
- VARIABLE, 19, 327, 329
- variable
 - capture, 335
 - declaration, 19
 - hiding, *see* hiding variables
- variable, bound, 14, 109
- variable, debugging, 244
- variable, flexible, 110
- variable, free, 14
- variable, internal, 41, 111
- variable, rigid, 110
- variable, type of, 25, 30
- variable, visible, 41
- VARIABLES, 25
- version of TLC, 221
- view, 243
- VIEW statement, 243, 264

- visible variable, 41
- `voffset` TLAT_EX option, 217
- weak fairness, 96–100
 - real-time analog, 122
- weak fairness, equivalence to strong fairness, 106
- Web page, TLA, 1, 19, 63, 207, 211, 221
- Web page, TLAT_EX, 211
- WF, 97, 285, 314
 - and instantiation, 337
- WF Conjunction Rule, 105
- WF Quantifier Rule, 105
- WF, equivalence to SF, 106
- WITH, 36
 - omitted, 40
- witness, 62
- `workers` TLC option, 253
- Wr*, 186
- write-through cache, 54–62, 107–109
- WriteThroughCache* module, 57
- writing, 1
- writing, how to start, 24, 79
- writing, when to start, 83
- Yu, Yuan, xvii
- Zeno behavior, 120, 128
- Zeno of Elea, 128
- Zeno specification, 128–132
- Zermelo-Fränkel set theory, 43, 300
- Zero*, 308
- zero (0), 345
- zero-tuple, 37, 306
- ZF, 43, 300