



# Index

& (ampersand), shortcut key designator, 58  
 - (hyphen), menu item separator, 58  
 ? (question mark), help button, 50, 107–109  
 .config files, 19–20, 411–413  
 .manifest files, 62  
 .resx files, 363–366

## A

Action controls, 238–240  
 Activate method, 40  
 Activated event, 40  
 Active Documents, 598  
 Active forms, 40  
 ActiveForm method, 40–41  
 ActiveMdiChild property, 78–79  
 Adapters, 29  
 ADO.NET. *See* data sets.  
 al.exe tool, 381  
 Alignment, text strings, 180–182, 184  
 Alignment property, 184  
 AllowSelection property, 230–231  
 AllowSomePages property, 230–231  
 Alpha values, 124  
 Alpha-RBG, 124  
 Ambient properties, 259–261  
 Ampersand (&), shortcut key designator, 58  
 Anchoring controls, 13–14, 68–69, 597  
 Animation, 157–160  
 Antialiasing  
   print preview, 218  
   shapes, 144–145  
   text strings, 184–186

  UseAntiAlias property, 218  
 appbase (application base), 560–562  
 appdomain (application domain), 561  
 Application base (appbase), 560–562  
 Application domain (appdomain), 561  
 Application download, 557–559  
 Application locality, 410–413  
 Application settings. *See also* multithreading  
   user interfaces; resources; user inter-  
   face.  
   application locality, 410–413  
   assembly locality, 410–413  
   choosing a mechanism, 432–433  
   compile-time, 406–409  
   configuration (.config) files, 19–20, 411–413  
   domain locality, 410–413  
   dynamic properties, 20–21, 414–416. *See*  
     also data binding.  
   environment, 406–409  
   isolated storage, 21, 426–430  
   localities, 410–413  
   machine locality, 410–413  
   partial trust, 430  
   permissions, 411  
   Registry, 416–421  
   roaming user locality, 410–413, 419  
   scope, 426–430  
   special folders, 21, 422–424  
   Store Admin tool, 429–430  
   stores, 426–430  
   streams, 424–430  
   types of, 410–413

## 664 ■ INDEX

- Application settings (*continued*)
    - user locality, 410–413
    - versioned data paths, 430–432
  - Application wizards, MFC, 595–596
  - Applications
    - calling, 388–389
    - command line arguments, 397–400
    - context, 390–392
    - definition, 387–388
    - events, 392–393
    - lifetime, 388–389
    - marshaling by reference, 398
    - multi-SDL, 400–406
    - named kernel objects, 396
    - .NET Remoting, 397–400
    - single-instance, 395–397
    - UI thread exceptions, 393–395
    - UI threads, 389
  - Arranging controls, 13–16
  - Arrow keys, 570–571
  - Arrows, drawing, 137–138
  - Assemblies. *See also* Web deployment, partially trusted assemblies.
    - definition, 5
    - discovering embedded resources, 360–361
    - embedding files. *See* manifests; resources.
  - Assembly linker tool, 381
  - Assembly locality, 410–413
  - Assembly receiver, 560
  - Asynchronous callback, 528–529
  - Asynchronous event notification, 612–615
  - Asynchronous operations, 522–525
  - Asynchronous Web services, 541–545
  - Attributes, design-time integration, 306–307
  - Authenticode, 587–589
  - Automation, MFC, 598
  - AutoScale property, 66–67
  - AutoScaleBaseSize property, 66–67
  - Auto-scaling forms, 66–67
  - AutoScrollMargin property, 275
  - AutoScrollMinSize property, 275
  - AutoScrollPosition property, 275
  - AutoZoom property, 218
- B**
- BackColor property, 259–261
  - Background images
    - previewing, 23
    - setting, 23
  - Batch initialization, design-time integration, 316–319
  - BeginPrint event, 220–221
  - Bezier curves, 144
  - Binary-type resources, 366–367
  - Binding managers, 477–482
  - Bitmap class, 150–151
  - Bitmaps, 150–151
  - Blend property, 131
  - Blending colors. *See* gradients.
  - Blocking operations, 526
  - Boolean values, controls, 240–241
  - Borders, forms, 49
  - Bottom property, 43
  - Boxing, 537
  - BringToFront method, 61
  - Brush class, 127–128
  - Brushes. *See also* color; drawing; pens.
    - creating pens from, 141–142
    - hatch patterns, 129–130
    - linear gradients, 129–132
    - path gradients, 132–135
    - samples, 127–128
    - solid, 128–129
    - texture, 129
    - tiling shapes, 129
  - Button control, 238–240, 644–645
- C**
- Caching, 559–560
  - Calendar control, 650
  - Calling applications, 388–389
  - Cancel button, 93–97
  - CancelEventArgs property, 41
  - Canceling
    - long running operations, 531–534
    - print jobs, 215
  - Captions, forms, 49
  - Cardinal splines, 143–144
  - CausesValidation property, 99
  - Cell ascent, 175
  - Cell descent, 175
  - CenterPoint property, 134
  - Check boxes, 645
  - CheckBox control, 645
  - Checked list boxes, 647
  - Checked property, 58
  - CheckedListBox control, 241–246, 647
  - Child columns, 450

- Classes, grouping. *See* namespaces.
- Click event, 238–240, 267
- Client area, size, 45–46
- ClientRectangle property, 46
- Client-side command line arguments, 574–575
- ClientSize property, 45–46
- Clip property, 205–206
- Clipping
  - forms, 38
  - images, 151–154
  - regions, 122, 205–206
  - text strings, 179–180
- Closed event, 41
- Closing event, 41
- Closing forms, 41–42
- Code serialization. *See* serialization.
- Color
  - alpha values, 124
  - Alpha-RBG, 124
  - blending, 131–132
  - drawing shapes. *See* pens.
  - filling shapes. *See* brushes.
  - focus points, 131
  - format translation, 126
  - gradients, 129–135
  - known, 124–126
  - linear gradients, 129–132
  - mapping, 155–156
  - named, 124–126
  - opacity, 123–124
  - path gradients, 132–135
  - printing, 227
  - recoloring images, 155–156
  - system, 125–126, 129
  - transitions, 131–132
  - transparency, 124
- Color structure, 123
- ColorDialog component, 89
- ColorTranslator method, 126
- COM (Component Object Model)
  - control hosting, MFC, 598
  - controls, 63–65
  - drag and drop controls, 283
- ComboBox control, 241–246, 647–648
- Command builder, 444
- Command line
  - arguments, 397–400, 573–576
  - setting the PATH environment variable, 4
- Command objects, 454–455
- Command routing, MFC, 602
- Command text, 438
- Command unification, MFC, 602
- Committing data set changes, 443–445
- Common dialogs. *See* dialogs.
- Communication
  - with shared data, 534–535
  - via message passing, 537–541
  - via method parameters, 535–537
  - via Web services, 571–572
- Compile-time application settings, 406–409
- Component Object Model (COM). *See* COM (Component Object Model).
- Components
  - changing behavior at design time, 304–306. *See also* design-time integration.
  - definition, 633
  - finalizer methods, 299–300
  - garbage collection, 297–300
  - resource management, 297–300
  - sample, 293–297
  - uses for, 289
  - vs.* controls, 633
- Components, custom, 292–293
- Components, standard. *See also* ColorDialog component; ContextMenu component; FontDialog component; OpenFileDialog component; PageSetupDialog component; PrintDialog component; PrintPreviewDialog component; SaveFileDialog component.
  - context menus, 238–240, 641
  - ContextMenu, 238–240, 641
  - error notification, 25–26, 101–102, 290, 642
  - ErrorProvider, 25–26, 101–102, 290, 642
  - FolderBrowserDialog, 89
  - HelpProvider, 114–116, 642
  - image lists, 247–249, 290, 640–641
  - ImageList, 247–249, 290, 640–641
  - main menus, 56, 641
  - MainMenu, 56, 641
  - menus, 290
  - notification tray, 290, 638–639
  - NotifyIcon component, 290, 638–639
  - standard dialogs, 290, 634–638
  - table of, 631–633
  - Timer, 291–292, 639–640
  - ToolTip, 105, 109–111, 642
  - user information, 290
- CompoundArray property, 139

- Configuration (.config) files, 19–20, 411–413, 563
- Connection objects, 453–454
- Connection strings, 438
- Connections, 29
- ControlBox property, 49
- Constraints, data set data, 447–448, 459–460
- Constructors, forms, 38
- Container controls, 74–75
- Containers, design-time integration, 300–302
- Containers for controls, 246–247
- Context, applications, 390–392
- Context menus, 58–59, 352–355, 641
- ContextMenu component, 238–240, 641
- ContextMenu property, 58
- Control libraries, creating, 16–17
- Control points, 144
- ControlBox property, 89–91
- ControlPaint class, 252–253
- Controls. *See also forms; entries for specific controls.*
  - adding to the Toolbox, 17–18
  - ambient properties, 259–261
  - anchoring, 13–14
  - arranging, 13–16
  - binding to data. *See data binding.*
  - categories, 237–238
  - changing behavior. *See design-time integration.*
  - custom, 18
  - custom layout, 76–77
  - data type values, 240–241
  - definition, 237, 633
  - docking, 15
  - drawing, 18
  - extending, 275–276
  - focus, and data validation, 102–104
  - getting a list of, 104
  - inheritance, 259–261
  - resizing, 73
  - reusing, 16–18. *See also controls, owner-draw; controls, user.*
  - scrolling, 272–275
  - splitting, 15
  - text labels, 643
  - user, 16, 277–279. *See also controls, owner-draw.*
  - vs.* components, 633
- Controls, child
  - adding to forms, 59–60
  - anchoring, 68–69
  - COM (Component Object Model), 63–65
  - container controls, 74–75
  - custom layout, 76–77
  - docking, 69–73
  - form auto-scaling, 66–67
  - grouping, 74–75
  - removing, 60–61
  - separator bars. *See splitting.*
  - splitting, 73–74
  - tabbing between, 61
  - themes, 61–63
  - Z-order, 60–61, 71–73
- Controls, custom
  - adding to the Toolbox, 256–257
  - deriving from existing controls, 277–278
  - deriving from the Control class, 254–255
  - Designer and, 259
  - events, 263–265
  - functionality, 262–263
  - input, keyboard, 267–271
  - input, mouse, 265–267
  - kinds of, 254–255
  - message queue, 271–272
  - rendering, 257–259
  - testing, 256–257
  - Windows message handling, 271–272
- Controls, drag and drop
  - COM (Component Object Model), 283
  - data validation, 286–287
  - drop source, 283–285
  - drop target, 279–282
  - keypress, detecting, 285–286
  - multiple effects, 285–287
- Controls, owner-draw. *See also controls, user.*
  - definition, 249
  - drawing disabled text, 253–254
  - examples, 249–251
  - reusing existing controls, 252–253
  - sizing controls, 251–252
  - themes, 254
- Controls, standard
  - action, 238–240
  - Boolean values, 240–241
  - Button, 644–645
  - categories, 237–238
  - CheckBox, 645
  - CheckedListBox, 647

- ComboBox, 647–648
    - containers for, 246–247
    - data type values, 240–241
  - DataGrid, 649
  - date values, 240–241
  - DateTimePicker, 650–651
  - definition, 237
  - DomainUpDown, 652
  - graphical values, 240–241
  - GroupBox, 657
  - grouping, 246–247
  - HScrollBar, 651–652
  - Label, 643
  - LinkLabel, 643–644
  - ListBox, 646
  - lists, images, 247–249
  - lists, text, 241–246
  - ListView, 648
  - MonthCalendar, 650
  - numeric values, 240–241
  - NumericUpDown, 652–653
  - Panel, 657
  - PictureBox, 646
  - PrintPreviewControl, 654
  - ProgressBar, 653–654
  - RadioButton, 645
  - RichTextBox, 654
  - Splitter, 655
  - StatusBar, 656
  - string values, 240–241
  - TabControl, 657–658
  - TextBox, 644
  - ToolBar, 655–656
  - TrackBar, 653
  - TreeView, 648–649
  - value, 240–241
  - VScrollBar, 651–652
  - Controls collection, 247
  - Coordinate conversions, 193
  - CreateGraphics method, 118–119
  - CreateMeasurementGraphics method, 232–233
  - Cross-bitness, MFC, 600
  - Cross-language, MFC, 600
  - Cross-platform, MFC, 600
  - Culture information, 373–375
  - Culture-neutral, 377
  - Culture-specific, 377
  - Current property, 483
  - CurrentCulture property, 375
  - CurrentUICulture property, 375
  - Cursor class, 164–166
  - Cursor property, 259–261
  - Cursors, drawing, 164–166
  - Curves, drawing, 143–144
  - Custom controls. *See* controls, custom.
  - Custom designers, 346–366
  - Customizing the user interface. *See* application settings; drawing; user controls.
- D**
- Dashes, drawing, 138–139
  - DashStyle property, 138–139
  - Data adapter objects, 455–456
  - Data adapters, 436
  - Data binding. *See also* data grids; databases; dynamic properties.
    - binding managers, 477–482
    - control changes, 486–489
    - control formatting, 487–489
    - current data row, 483
    - data members, 468
    - data set changes, 484–486
    - data set replacement, 485–486
    - data sources, 468–471
    - MFC (Microsoft Foundation Classes), 600
    - overview, 29–30
    - property managers, 477–482
    - suspending, 486
    - type conversion, 506–511
    - type descriptors, 505–506
  - Data binding, complex
    - data views, 492–494
    - definition, 469
    - filtering, 493–494
    - master-detail relations, 494–497
    - required properties, 489–492
    - sorting, 492–493
  - Data binding, data sources. *See also* data sets.
    - custom hierarchies, 513–516
    - custom item, 504–505
    - item, 471
    - list, 471, 512–516
  - Data binding, simple
    - to data sets, 476–477
    - definition, 470
    - example, 470
    - to items, 471–474

- Data binding, simple (*continued*)
  - list data sources, 512–516
  - to lists, 475
- Data columns, 436
- Data commands, 436
- Data connections, 436
- Data format notification, 101–102
- Data grids. *See also* data binding.
  - control, 649
  - data exchange, 501–502
  - formatting, 499–501
  - overview, 497–499
  - table styles, 499–501
- Data members, 468
- Data rows, 436
- Data sets. *See also* databases.
  - child columns, 450
  - command builder, 444
  - command objects, 454–455
  - command text, 438
  - committing changes, 443–445
  - connection objects, 453–454
  - connection strings, 438
  - constraining input data, 447–448, 459–460
  - creating data, 439
  - data adapter objects, 455–456
  - data validation, 447–448
  - definition, 436
  - deleted data, retrieving, 442
  - deleted rows, checking for, 441–442
  - deleting data, 440–442
  - Designer support, 453–456
  - expressions, 450–453, 461–462
  - multitable, 445–447
  - navigation, 450
  - parent columns, 450
  - populating, 436
  - relations, 448–450, 460–461
  - retrieving data, 436–439
  - tracking changes, 442–443
  - update error detection, 445
  - updating data, 440
- Data sets, typed
  - adding to forms, 463–466
  - constraints, 459–460
  - creating, 456–459
  - definition, 456
  - expressions, 461–462
  - relations, 460–461
- Data sources
  - custom hierarchies, 513–516
  - custom item, 504–505
  - for data binding, 468–471
  - item, 471
  - list, 471, 512–516
- Data tables, 436
- Data validation
  - constraints on data set data, 447–448, 459–460
  - and control focus, 102–104
  - data format notification, 101–102
  - data sets, 447–448
  - dialogs, 25, 98–104
  - drag and drop controls, 286–287
  - error messages, 107
  - ErrorProvider component, 25–26
  - extender properties, 105
  - free-form data entry, 98
  - information providers, 106
  - providing valid defaults, 103
  - regular expressions, 99–101
  - thorough validation, 102–104
  - Validating event, 25–26
- Data versioning. *See* versioning.
- Data views, 492–494
- Databases, 29. *See also* data binding; data sets; data sources.
- DataGrid control, 241–246, 497–499, 649
- DataRow methods, 450
- DataSource property, 489–492
- Date/time controls, 240–241, 650
- DateTimePicker control, 240–241, 650–651
- DDX/DDV, MFC, 599
- Deactivate event, 40–41
- Debugging
  - design-time integration, 302–304
  - Web deployment, 576–578
- Declarative approach, design-time integration, 306–307
- Delegates
  - definition, 7
  - description, 607–611
  - events, 612–615
- Delete method, 441–442
- DeleteCommand property, 444
- Deleted data, retrieving, 442
- Deleted rows, checking for, 441–442
- Deleting data, 440–442
- Deploying applications. *See* Web deployment.

- Deserialization, 625–626
- Design units, 168, 176
- Designer
  - adding controls to the Toolbox, 17–18
  - anchoring controls, 13–14
  - arranging controls, 13–16
  - control libraries, creating, 16–17
  - custom controls, 18, 259
  - data set support, 453–456
  - docking controls, 15
  - drawing controls, 18
  - event handling, 11–13
  - initializing forms, 10–11
  - Property Browser, 11–13
  - resources, 369–373
  - reusing controls, 16–18
  - splitting controls, 15
  - starting a project, 8
  - user controls, 16
  - viewing code, 8–9
- DesignMode property, 304–306
- Design-time integration. *See also* components.
  - attributes, 306–307
  - batch initialization, 316–319
  - code serialization, 311–316
  - containers, 300–302
  - custom designers, 346–366
  - debugging, 302–304
  - declarative approach, 306–307
  - expandable object converter, 332–334
  - extender property providers, 319–324
  - host form integration, 314–316
  - hosts, 300–302
  - programmatic approach, 306–307
  - Property Browser integration, 307–311
  - sites, 300–302
  - type code serialization, 335–337
  - type converters, 324–332, 335–337
- Design-time-only properties, 350–352
- DesktopBounds property, 46
- DesktopLocation property, 44
- Device units, 191
- Dialog applications, MFC, 596
- DialogResult property, 94
- Dialogs
  - built-in components, 89
  - Cancel buttons, 93–97
  - data exchange, 92–98
  - data validation, 25, 98–104
  - default button, 95
  - Enter key, 95
  - ESC key, 95
  - modal *vs.* modeless, 91
  - modeless, 87
  - modeless form data, 97–98
  - OK buttons, 93–97
  - overview, 24–26
  - size grip, 90
  - standard, 88–89, 290
  - styles, 89–91
- Dialogs, help features
  - ? (question mark), help button, 107–109
  - F1 key, 107–109
  - help button, 50
  - HTML help, 109–116
  - indexes, 116
  - MFC, 599
  - pop-up help, 109–116
  - searching, 116
  - tables of contents, 116
  - Tooltips, 105–107
  - topic navigation, 114–116
- Digit substitution, 183–184
- DisplayMember property, 489–492
- Dock Padding property, 275
- Docking controls, 15, 69–73, 597
- Document management, MFC, 601–602
- Document-View, MFC, 601
- DoDragDrop method, 283–285
- Domain locality, 410–413
- DomainUpDown control, 241–246, 652
- Double buffering, 209–211
- DoubleBuffer style, 209–210
- DoubleClick event, 267
- dpi (dots per inch), 168
- Drag and drop controls. *See* controls, drag and drop.
  - DragDrop event, 279–282
  - DragEnter event, 279–282
  - DragLeave event, 279–282
  - DragOver event, 279–282
  - DrawIcon method, 163–164
  - DrawIconUnstretched method, 163–164
- Drawing. *See also* brushes; color; pens.
  - clipping regions, 122
  - controls, 18
  - coordinate conversions, 193. *See also* transforms.
  - device units, 191

- Drawing (*continued*)
    - double buffering, 209–211
    - flicker, 209–210
    - inset alignment, 140
    - joins at angles, 140–141
    - obtaining a graphics object, 118–119
    - optimizing, 207–211
    - overlapping, 149–150
    - overview, 26–29
    - page units, 190–193
    - pixels, and fonts, 167–168, 176
    - pixels, converting to page units, 193
    - redrawing objects, 119–120
    - releasing resources, 119
    - visibility, checking, 208–209
    - world coordinate conversions. *See* transforms.
  - Drawing, images
    - animation, 157–160
    - bitmaps, 150–151
    - clipping, 151–154
    - cursors, 164–166
    - flipping, 154–155
    - on the fly, 160–162
    - icons, 163–164
    - mapping colors, 155–156
    - metafiles, 150–151
    - panning, 151–154
    - raster graphics, 150–151
    - recoloring, 155–156
    - rotating, 154–155
    - scaling, 151–154
    - skewing, 151–154
    - transparency, 156–157
    - vector graphics, 150–151
  - Drawing, lines
    - arrows, 137–138
    - dashes, 138–139
    - inset alignment, 140
    - joins at angles, 140–141
    - line caps, 137–138
    - parallel lines, 139
  - Drawing, shapes
    - antialiasing, 144–145
    - Bezier curves, 144
    - cardinal splines, 143–144
    - control points, 144
    - curves, 143–144
    - figures, 146
    - fill modes, 149–150
    - graphics settings, saving and restoring, 145–146
    - overlapping, 149–150
    - paths, 146–150
    - smoothing modes, 144–145
    - subpaths, 146
    - sweeps, 143–144
    - tension, 143–144
  - Drawing, text strings. *See also* fonts.
    - alignment, 180–182, 184
    - along paths, 186–187
    - antialiasing, 184–186
    - clipping to fit, 179–180
    - digit substitution, 183–184
    - disabled text, 253–254
    - formatting, 178–180
    - glyphs, 179
    - hotkey prefixes, 182–183
    - tab stops, 180–182
    - trimming, 180
    - wrapping, 178–179, 190
  - DrawItem event, 251
  - DrawItem method, 251
  - DrawLine method, 137–138
  - DrawString method, 178–180
  - Drop source, 283–285
  - Drop target, 279–282
  - Dynamic properties, 20–21, 414–416. *See also* data binding.
- ## E
- Editing properties, 337–346
  - Em height, 176
  - Embedding resources, 22–24
  - Em-units, 168
  - EnableVisualStyles method, 62
  - EndPrint event, 220–221
  - Enter key, 95
  - Enumerations, grouping. *See* namespaces.
  - Environment application settings, 406–409
  - Error detection, data set updates, 445
  - Error messages, data validation, 107
  - Error notification, standard component for, 25–26, 101–102, 290, 642
  - ErrorProvider component, 25–26, 101–102, 290, 642
  - ESC key, 95
  - Event handling
    - default events, 13



Designer, 11–13  
 in Property Browser, 11–13

Events  
 applications, 392–393  
 asynchronous notification, 612–615  
 custom controls, 263–265  
 definition, 6–7  
 delegation, 612–615  
 polling, 614

Expandable object converter, 332–334

Expanding properties, 332–334

Expression property, 450–453

Expressions  
 data sets, 450–453, 461–462  
 data validation, 99–101

Extender properties, 105

Extender property providers, 319–324

Extending controls, 275–276

## F

F1 key, 107–109

Figures, drawing. *See* drawing, images;  
 drawing, shapes.

Files  
 adding to projects. *See* manifests;  
 resources.  
 embedding in assemblies. *See* manifests;  
 resources.  
 reading and writing, 572–573

Fill modes, 149–150

Filtering, data binding, 493–494

Finalizer methods, 299–300

FlatStyle property, 62–63

Flatten method, 203–204

Flattening paths, 203–204

Flicker, 209–210

Flipping images, 154–155

Focus points, color, 131

FolderBrowserDialog component, 89

Font class, 168–169

Font families, 167, 171–172

Font property, 259–261

Font size, changing  
 in forms, 66–67  
 scaling, 196

Font styles, 167

FontDialog component, 89

FontFamily class, 171–172

Fonts. *See also* drawing, text.

cell ascent, 175

cell descent, 175

characteristics, 172–175

creating, 169–170, 171–172

definition, 167

design units, 168, 176

dpi (dots per inch), 168

em height, 176

em-units, 168

getting properties of, 172–175

height, 175–177

leading, 175

line spacing, 176

measuring, 167–168, 173

monospace, 173

pixels, 167–168, 176

points, 168

typefaces, 167

ForeColor property, 259–261

Form icon, 50

Format event, 487–489

FormatFlags property, 179

Formatters  
 serialization, 622–624

Formatting text strings, 178–180

FormBorderStyle property, 49, 89–91

Forms. *See also* controls.  
 activation/deactivation, tracking, 40–41  
 active, 40  
 clipping, 38  
 closing, 41–42  
 constructors, 38  
 definition, 1  
 font size, changing, 66–67  
 within forms, 75  
 hiding. *See* visibility.  
 inactive, 40  
 initializing, 10–11, 38–39  
 lifetime, 38–42  
 main, 1–2  
 modal, 4, 35–36  
 modeless, 3, 35–36  
 owned, 36–38  
 owner, 36–38  
 pausing, 41  
 rectangular, 46  
 relative coordinates, converting, 46–47  
 restarting, 41  
 reusing, 82–85  
 scaling. *See* resizing, forms.

Forms (*continued*)  
 serializing visible properties, 42  
 showing, 35–38  
 showing in the taskbar, 50  
 starting as hidden, 39–40  
 stopping, 41  
 subforms, 75  
 visual inheritance, 82–85  
 Forms, adornments  
 ? (question mark) button, 50  
 borders, 49  
 caption, 49  
 form icon, 50  
 help button, 50  
 maximize/minimize buttons, 49  
 non-client area, 49–50  
 size grip, 50  
 system menu control box, 49  
 Forms, location  
 basic location properties, 43  
 initial location, 42  
 moving regions, 54  
 moving whole forms, 43  
 Point structure, 44  
 PointF (floating point) structure, 44  
 relative to the desktop, 43–44  
 screen coordinates, 43–44  
 stacking windows, 48–49  
 topmost windows, 48–49  
 Z-order, 48–49  
 Forms, menus. *See also* menus.  
 enabling/disabling items, 58  
 keyboard shortcuts, 58  
 labeling items, 58  
 separating items, 58  
 switching, 55–56  
 Forms, visibility  
 regions, 52–54  
 starting as hidden, 39–40, 41  
 transparency, 50–55  
 FromPage property, 232–233

## G

GAC (Global Assembly Cache), 560–562  
 Garbage collection, 297–300  
 Genghis library, MFC, 604–605  
 GetAllControls method, 104  
 GetChanges method, 443  
 GetChildRows method, 450

GetFrameCount method, 157–160  
 GetFullPath method, 111  
 GetHeight method, 175–177  
 GetManifestResourceNames method, 360  
 GetManifestResourceStream method, 361  
 GetParentRows method, 450  
 GetProperties method, 505–506  
 GetRealPageBounds method, 223–224  
 GetTabStops method, 181–182  
 GIF animation, 157–160  
 Global Assembly Cache (GAC), 560–562  
 Global namespaces, 3  
 Glyphs, drawing, 179  
 Gradients, 129–135  
 Graphical value controls, 240–241  
 Graphics  
 drawing. *See* drawing.  
 objects, obtaining, 118–119  
 objects, redrawing, 119–120  
 printing, 233–234  
 settings, saving and restoring,  
 145–146  
 Graphics class. *See* dialogs.  
 GraphicsFromImage method, 161  
 GraphicsPath class, 146–150  
 Group boxes, 75, 246–247, 657  
 GroupBox control, 75, 246–247, 657  
 Grouping  
 child controls, 74–75  
 classes. *See* namespaces.  
 controls, 74–75, 246–247  
 enumerations. *See* namespaces.  
 resources, 366  
 structures. *See* namespaces.  
 windows. *See* MDI (Multiple Document  
 Interface).

## H

HasErrors property, 445  
 Hatch patterns, 129–130  
 HatchBrush class, 129–130  
 Height  
 fonts, 175–177  
 forms, 43  
 Height property, 43  
 Help. *See* dialogs, help features.  
 HelpButton property, 50, 89–91, 107  
 HelpProvider component, 114–116, 642  
 HelpRequested event, 107–108

Hide method, 41  
 Host form integration, design-time integration, 314–316  
 HostingForm property, 314–315  
 Hosts, design-time integration, 300–302  
 Hotkey prefixes, drawing, 182–183  
 HScroll event, 275  
 HScrollBar control, 240–241, 651–652  
 HTML help, 109–116  
 Hyphen (-), menu item separator, 58

## I

i18n, 373. *See also* internationalization.  
 Icon class, 163–164  
 Icon property, 50  
 Icons, drawing, 163–164  
 IDE integration, MFC, 596  
 Identity matrix, 195  
 IDeserializationCallback, 625–626  
 IDisposable interface, 119  
 ildasm.dex tool, 359  
 Image lists, 247–249, 290, 640–641  
 ImageAnimator class, 159–160  
 ImageList component, 247–249, 290, 640–641  
 Images, drawing. *See* drawing, images.  
 Inactive forms, 40  
 Indexes, 116  
 Infinite regions, 205  
 Information providers, 106  
 Inheritance, controls, 259–261  
 InitializeComponent function, 38–39  
 Initializing  
   batch initialization, design-time integration, 316–319  
   forms, 10–11, 38–39  
   properties, 312  
 Input, keyboard, 267–271  
 Input, mouse, 265–267  
 InsertCommand property, 444  
 Instance descriptors, 335–337  
 Internationalization, 373. *See also* localization.  
 Invalidate method, 120–121  
 ISerializable interface, 626–628  
 IsMdiChild property, 78–79  
 IsMdiContainer property, 77–79  
 Isolated storage, 21, 426–430

## K

Keyboard  
   input from, 267–271  
   input language, 384–385  
 Keyboard shortcuts  
   drawing hotkey prefixes, 182–183  
   menu items, 58  
 KeyDown event, 267  
 Keypress, detecting, 285–286  
 KeyPress event, 267  
 KeyPressEventArgs object, 268–271  
 KeyUp event, 267  
 Known colors, 124–126  
 KnownColor enumeration, 124–126

## L

l10n, 373. *See also* localization.  
 Label control, 240–241, 643  
 Labels on controls, 643  
 Leading, 175  
 Left property, 43  
 Lifetime  
   applications, 388–389  
   forms, 38–42  
 Line spacing, 176  
 LineAlignment property, 184  
 Linear gradients, 129–132  
 LinearGradientBrush, 131–132  
 LineJoin property, 140–141  
 Lines, drawing. *See* drawing, lines.  
 LinkLabel control, 240–241, 643–644  
 List boxes, 646, 647, 652–653  
 List views, 241–246, 648  
 ListBox control, 241–246, 646  
 Lists  
   adding tags to, 245–246  
   creating, 241–244  
   images, controls for, 247–249  
   selecting from, 244–245  
   text, controls for, 241–246  
 List/text combination boxes, 647–648  
 ListView control, 241–249, 648  
 Load event, 39  
 Loading manifest resources, 360–361  
 Localities, application settings, 410–413  
 Localization  
   assembly linker tool, 381  
   culture information, 373–375  
   culture-neutral, 377

Localization (*continued*)  
  culture-specific, 377  
  definition, 373  
  at the forms level, 377–380  
  keyboard input language, 384–385  
  main assemblies, 376  
  no-compile deployment, 380  
  for nondevelopers, 380–382  
  probing, 375–377  
  resolving duplicate names, 382–384  
  satellite assemblies, 376  
  Windows Resource Localization Editor,  
    380–382  
Location property, 43  
LocationChanged event, 43  
Look and feel. *See* application settings; user  
  interface.

## M

Machine locality, 410–413  
Main assemblies, 376  
Main function, 2  
Main menus, 54–58, 59, 641  
MainMenu component, 56, 641  
MakeEmpty method, 207  
Manifest resources  
  definition, 358  
  loading, 360–361  
  namespaces, 361–362  
  naming, 359–360  
Manifests, 358  
Mapping colors, 155–156  
MarginBounds property, 222, 226–228  
Margins, printing, 222–226  
Marshaling by reference, 398  
Master-detail relations, 494–497  
Matrix, 194  
Matrix class, 194–195  
MaximizeBox property, 49, 89–91  
Maximize/minimize buttons, 49  
MaximumPage property, 231  
MaximumSize property, 47  
MDI (Multiple Document Interface), 77–82  
MDI applications, MFC, 596  
MdiChildActivate event, 78–79  
MdiList property, 78–79  
MdiParent property, 77–79  
MeasureString method, 173  
Measuring fonts, 167–168, 173

Menu property, 55–56  
MenuBar control, 238–240  
MenuItem class, 56–57  
Menus. *See also* forms, menus.  
  context, 58–59, 352–355, 641  
  main, 54–58, 59, 641  
  MDI (Multiple Document Interface), 79–82  
  standard components, 290  
MergeOrder property, 81  
MergeType property, 81  
Message passing model, 540–541  
Message queue, 271–272  
Metafile class, 151  
Metafiles, 150–151  
MFC (Microsoft Foundation Classes)  
  Active Documents, 598  
  anchoring, 597  
  application wizards, 595–596  
  automation, 598  
  COM control hosting, 598  
  command routing, 602  
  command unification, 602  
  cross-bitness, 600  
  cross-language, 600  
  cross-platform, 600  
  data binding, 600  
  DDX/DDV, 599  
  dialog applications, 596  
  docking, 597  
  document management, 601–602  
  Document-View, 601  
  Genghis library, 604–605  
  help, 599  
  history of, 591–594  
  IDE integration, 596  
  managed environment, 603  
  MDI applications, 596  
  migrating from, 603–604  
  multi-SDI applications, 596  
  OLE (Object Linking and Embedding), 598  
  print preview, 598  
  print setup, 598  
  printing, 598  
  SDI applications, 596  
  shell management, 602  
  source code, 603  
  splitting, 597  
  third-party support, 601  
  toolbars, 597–598  
  user interface layout, 596–597

user interface updating, 602  
*vs.* WinForms, 32, 594–603  
 Web deployment, 600–601  
 Win32 wrappers, 599  
 Microsoft Foundation Classes (MFC). *See*  
   MFC (Microsoft Foundation Classes).  
 MinimizeBox property, 49, 89–91  
 MinimumPage property, 231  
 MinimumSize property, 47  
 MinMargins property, 228  
 Modal forms, 35–36  
 Modal property, 91  
 Modal *vs.* modeless dialogs, 91  
 Modeless  
   dialogs, 87  
   form data, 97–98  
   forms, 35–36  
   *vs.* modal dialogs, 91  
 Monospace fonts, 173  
 MonthCalendar control, 240–241, 650  
 Mouse  
   button status, 267  
   events, 265–267  
 MouseButtons property, 267  
 MouseDown event, 265–267  
 MouseEnter event, 267  
 MouseEventArgs argument, 266–267  
 MouseHover event, 267  
 MouseLeave event, 267  
 MouseMove event, 265–267  
 MousePosition property, 267  
 MouseUp event, 265–267  
 Move event, 43  
 Multiple Document Interface (MDI), 77–82  
 Multi-SDI applications, 400–406, 596  
 Multitable data sets, 445–447  
 Multithreading, 31  
 Multithreading user interfaces  
   asynchronous callback, 528–529  
   asynchronous operations, 522–525  
   asynchronous Web services, 541–545  
   blocking operations, 526  
   boxing, 537  
   canceling, 531–534  
   communication via message passing, 537–  
     541  
   communication via method parameters,  
     535–537  
   communication with shared data, 534–535  
   message passing model, 540–541

nonblocking operations, 526  
 progress indicators, 520–522  
 race conditions, 534  
 reference types, 535–536  
 safety, 525–526  
 simplifying, 530–531  
 single-threaded applications, 522  
 synchronous callback, 525–528  
 threads, 522  
 value types, 535–536

## N

Named colors, 124–126  
 Named kernel objects, 396  
 Namespaces  
   default, getting, 23  
   global, 3  
   manifest resources, 361–362  
   purpose, 2  
   short notation, 3  
   using statement, 3  
 Naming manifest resources, 359–360  
 Navigation, data sets, 450  
 Nesting resources, 366  
 .NET Remoting, 397–400  
 No-compile deployment, 380  
 Nonblocking operations, 526  
 Non-client area, 49–50  
 Notification tray, 290, 638–639  
 NotifyIcon component, 290, 638–639  
 No-touch deployment (NTD). *See* Web  
   deployment, no-touch.  
 NTD (no-touch deployment). *See* Web  
   deployment; Web deployment, no-  
   touch.  
 Numeric value controls, 240–241  
 NumericUpDown control, 240–241, 652–653

## O

Object Linking and Embedding (OLE),  
   MFC, 598  
 OK buttons, 93–97  
 OLE (Object Linking and Embedding),  
   MFC, 598  
 OnPaint method, 273–274  
 Opacity, 123–124  
 Opacity property, 51–53  
 OpenFileDialog component, 89  
 Owned forms, 36–38

OwnedForms collection, 36–37  
 Owner forms, 36–38  
 Owner property, 36–37  
 Owner-draw controls. *See* controls, owner-draw.

## P

Page settings, 226–228  
 Page units, 190–193  
 PageBounds property, 222  
 PageScale property, 191–192  
 PageSettings property, 226–228  
 PageSetupDialog component, 89, 227–228  
 PageUnit property, 191–192  
 Paint event, 119–122  
 Panel control, 75, 246–247, 657  
 Panning images, 151–154  
 Parallel lines, drawing, 139  
 Parent columns, 450  
 Parent property, 37–38  
 Parse event, 488–489  
 Partial trust, 430  
 Partially trusted assemblies. *See* Web deployment, partially trusted assemblies.  
 Partially trusted callers, 566–568  
 PATH environment variable, on the command line, 4  
 Path gradients, 132–135  
 PathGradientBrush class, 132–135  
 Pathnames, converting relative to full, 111  
 Paths (graphic)  
   drawing, 146–150  
   drawing text strings, 186–187  
   transforms, 202–204  
 Pausing forms, 41  
 Pen class, 135–136  
 Pens. *See also* brushes; color; drawing.  
   alignment, 140  
   arrows, 137–138  
   centered alignment, 140  
   compound, 139  
   creating from brushes, 141–142  
   dashes, 138–139  
   inset alignment, 140  
   joins at angles, 140–141  
   line caps, 137–138  
   parallel lines, 139  
   properties, 136–137  
 Permissions, 411. *See also* security.  
 Permissions, Web deployment  
   Authenticode, 587–589  
   awarding, 555–556  
   checking for, 554–555  
   deploying, 584–587  
   increasing, 578–584  
   intranet *vs.* Internet, 553  
   viewing, 552–553  
 Picture boxes, 240–241, 646  
 PictureBox control, 240–241, 646  
 Pixels, 167–168, 176  
 Pixels, converting to page units, 193  
 Point structure, 44  
 PointF (floating point) structure, 44  
 Points (unit of measure), 168  
 Polling events, 614  
 Populating data sets, 436  
 Pop-up help, 109–116  
 Position property, 479–482  
 Preferences, setting. *See* application settings.  
 Previewing, background images, 23  
 Previewing, printed output  
   corrupted display, 223  
   MFC (Microsoft Foundation Classes), 598  
   overview, 216–219  
   PreviewPrintController class, 216–217  
   print preview control, 654  
   PrintPreview control, 240–241  
   PrintPreviewControl, 654  
   PrintPreviewControl class, 217–218  
   PrintPreviewControl control, 654  
   PrintPreviewDialog component, 89  
   PreviewPrintController class, 216–217  
 Print button, 28  
 Print controllers, 215–219  
 Print documents, 213–215  
 Print events, 219–221  
 Print method, 214–215  
 Print preview. *See* previewing printed output.  
 Print setup, MFC, 598  
 PrintController class, 215  
 PrintController property, 215–216  
 PrintControllerWithStatusDialog class, 215–216  
 PrintDialog component, 89, 229–234  
 PrintDocument component, 28, 213–215  
 Printers  
   choosing, 228, 229–234

resolution, 233  
 settings, 229–234  
 PrinterSettings class, 232–233  
 Printing  
   canceling, 215  
   color, 227  
   graphics, 233–234  
   margins, 222–226  
   MFC (Microsoft Foundation Classes), 598  
   overview, 26–29  
   page settings, 226–228  
   selected page ranges, 230–233  
   user preferences, 228  
 PrintPage event, 214–215, 220–221  
 PrintPreview control, 240–241  
 PrintPreviewControl class, 217–218  
 PrintPreviewControl control, 654  
 PrintPreviewDialog component, 89  
 PrintRange property, 232–233  
 Probing resources, 375–377  
 Programmatic approach, design-time integration, 306–307  
 Progress bars, 240–241, 520–522, 653–654  
 ProgressBar control, 240–241, 653–654  
 Projects, starting, 8  
 Properties. *See also entries for specific properties.*  
   ambient, 259–261  
   code serialization, 311–316  
   of custom types, 332  
   default values, 311, 312  
   design-time-only, 350–352  
   displaying. *See* Property Browser.  
   dynamic, 20–21  
   editing, 337–346  
   expanding, 332–334  
   exposing at design time. *See* custom designers; design-time integration.  
   extender, 105  
   extender property providers, 319–324  
   fonts, 172–175  
   forms, 42–43, 45–46  
   initializing, 312  
   pens, 136–137  
   required for data binding, 489–492  
   resetting defaults, 261, 310  
   type converters, 324–332, 335–337  
 Property Browser, 11–13, 307–311  
 Property managers, 477–482

## Q

QueryPageSettings event, 226–228  
 Question mark (?), help button, 50, 107–109

## R

Race conditions, 534  
 Radio buttons, 645  
 RadioButton control, 645  
 RadioCheck property, 58  
 Raster graphics, 150–151  
 Recoloring images, 155–156  
 Rectangle property, 46  
 RectangleF (floating point) property, 46  
 RectangleTheBounds property, 46  
 Rectangular forms, 46  
 Reference types, 535–536  
 Refresh method, 121  
 Regex class, 99–101  
 Region class, 204–205  
 Region property, 53–54  
 Regions  
   clipping, 122, 205–206  
   combination operations, 206–207  
   constructing, 205  
   definition, 204  
   emptying, 207  
   filling, 205  
   infinite, 205  
   moving, 54  
   resizing, 54  
   visibility, 52–54  
 Registry, 416–421  
 Regular expressions. *See* expressions.  
 Relations, data set tables, 448–450, 460–461  
 Remove method, 60–61, 440–442  
 RemoveRange method, 60–61  
 Rendering custom controls, 257–259  
 ResetClip method, 206  
 Resetting property defaults, 310  
 Resize event, 43  
 ResizeRedraw style, 211  
 Resizing. *See also* scaling.  
   controls, 73  
   regions, 54  
   text boxes, 68–69  
 Resizing, forms  
   auto-scaling, 66–67  
   basic size properties, 43  
   client area, 45–46, 76–77

Resizing (*continued*)  
 proportionally, 76  
 regions, 54  
 restricting, 47–48  
 Size property, 45–46  
 SizeF (floating point) property, 45–46  
 by user, 68–69  
 whole forms, 43  
 Resizing forms  
 client area, 76–77  
 proportionally, 76  
 regions, 54  
 by user, 68–69  
 whole forms, 43  
 Resolution, printers, 233  
 Resource localization. *See* localization.  
 Resource management, 297–300  
 Resource manager  
 accessing resources, 368–369  
 ResourceManager class, 367–368  
 Resource resolution, 382–384  
 ResourceManager class, 367–368  
 Resources. *See also* application settings.  
 accessing, 368–369  
 associating with components, 369–373  
 binary type, 366–367  
 definition, 22  
 Designer, 369–373  
 embedding, 22–24  
 grouping, 366  
 issues, 372–373  
 nesting, 366  
 text-based type, 363–366  
 typing, 362–363  
 Restarting forms, 41  
 Restore method, 146  
 ResumeBinding method, 486  
 ResumeLayout method, 60, 76–77  
 Retrieving data, 436–439  
 Reusing  
 controls, 16–18, 252–253  
 forms, 82–85  
 Matrix objects, 201  
 Rich text boxes, 240–241, 654  
 RichTextBox control, 240–241, 654  
 Right property, 43  
 Roaming user locality, 410–413, 419  
 RootComponent property, 315  
 RotateAt method, 197–198  
 RotateFlipType enumeration, 154–155

Rotating images, 154–155, 197–198  
 RowFilter property, 493–494

## S

Satellite assemblies, 376  
 Save method, 146  
 SaveFileDialog component, 89  
 Scaling. *See also* resizing.  
 AutoScale property, 66–67  
 AutoScaleBaseSize property, 66–67  
 auto-scaling forms, 66–67  
 controls, 251–252  
 fonts, 196  
 graphics objects, 195–196  
 images, 151–154  
 transforms, 195–196  
 Scope, application settings, 426–430  
 Scroll bars  
 AutoScrollMargin property, 275  
 AutoScrollMinSize property, 275  
 AutoScrollPosition property, 275  
 controls for, 240–241, 651–652  
 HScroll event, 275  
 HScrollBar control, 240–241, 651–652  
 SetScrollMinSize helper, 275  
 VScroll event, 275  
 VScrollBar control, 240–241, 651–652  
 Scrolling controls, 272–275  
 SDI applications, MFC, 596  
 Searching help topics, 116  
 Security. *See also* permissions.  
 Authenticode, 587–589  
 deployment, 32  
 Web deployment, code access, 552–556  
 SelectActiveFrame method, 159  
 SelectedItem property, 490–492  
 SelectedItems property, 490–492  
 SelectedValue property, 489–492  
 SendToBack method, 61  
 Serialization  
 data versioning, 628–629  
 deserialization, 625–626  
 design-time integration, 311–316  
 formatters, 622–624  
 IDeserializationCallback, 625–626  
 ISerializable interface, 626–628  
 skipping nonserialized fields, 625  
 streams, 619–622  
 visible form properties, 42



- Server-side command line arguments, 575–576
  - SetBlendTriangular method, 131
  - SetClientSizeCore method, 76–77
  - SetClip method, 206
  - SetDigitSubstitution method, 183–184
  - SetScrollMinSize helper, 275
  - SetSigmaBellShape method, 131
  - SetTabStops method, 181–182
  - Settings, application. *See* application settings.
  - Shapes, drawing. *See* drawing, shapes.
  - Shearing, 200
  - Shell management, MFC, 602
  - Shift+Tab key, 570–571
  - Shortcut property, 58
  - Show method, 41
  - ShowDialog method, 24
  - ShowHelp property, 228
  - Showing forms. *See* forms, visibility.
  - Showing forms in the taskbar, 50
  - ShowInTaskbar property, 39–40, 50, 89–91
  - ShowPopup method, 109–110
  - Single-instance applications, 395–397
  - Single-threaded applications, 522
  - Sites, design-time integration, 300–302
  - Size grip, 50, 90
  - Size property, 43, 45–46, 175–177
  - SizeChanged event, 43
  - SizeF (floating point) property, 45–46
  - SizeGripStyle property, 50, 90–91
  - Sizing. *See* resizing; scaling.
  - Skewing images, 151–154
  - Smoothing modes, 144–145
  - SmoothingMode property, 144–145
  - SolidBrush class, 128–129
  - Sort property, 492–493
  - Sorting, data binding, 492–493
  - Source code, MFC, 603
  - Source code files. *See* assemblies.
  - Special folders, 21, 422–424
  - Splitter control, 655
  - Splitters, 15, 73–74, 597, 655
  - Stacking windows, 48–49
  - Standard controls. *See* controls, standard.
  - Standard dialogs, 634–638
  - StandardPrintController class, 215–216
  - Starting a project, 8
  - StartPage property, 218
  - StartPosition property, 42
  - Status bars, 240–241, 656
  - StatusBar control, 240–241, 656
  - Stopping forms, 41
  - Store Admin tool, 429–430
  - storeadm.exe tool, 429–430
  - Stores, 426–430
  - Streams, 424–430, 619–622
  - String values controls, 240–241
  - StringFormat class, 178–179
  - StringFormat constructor, 179
  - Structures, grouping. *See* namespaces.
  - Styles, dialogs, 89–91
  - Subforms, 75
  - Subpaths, 146
  - SurroundColors property, 135
  - SuspendBinding method, 486
  - SuspendLayout method, 60, 76–77
  - Sweeps, 143–144
  - Synchronous callback, 525–528
  - System menu control box, 49
  - SystemBrushes class, 129
- T**
- Tab controls, 657–658
  - Tab key, 570–571
  - Tab stops, 180–182
  - Tabbing between controls, 61
  - TabControl, 75
  - TabControl control, 246–247, 657–658
  - TabIndex property, 61
  - Tables of contents, 116
  - TabPage control, 247–249
  - Tension, 143–144
  - Testing custom controls, 256–257
  - Text, drawing. *See* drawing, text.
  - Text boxes
    - control for, 644, 654
    - resizing, 68–69
  - Text property, 58
  - Text wrapping, 190
  - Text-based-type resources, 363–366
  - TextBox control, 644
  - Text/list combination boxes, 647–648
  - TextureBrush class, 129
  - Textures, drawing, 129
  - Themes
    - controls, 61–63
    - owner-draw controls, 254
  - Third-party support, MFC, 601

Thorough validation, 102–104  
 Threads, 522  
 Tiling shapes, 129  
 Time/date controls, 240–241, 650  
 Timer component, 291–292, 639–640  
 Toolbar control, 238–240, 655–656  
 ToolbarButton control, 247–249  
 Toolbars  
   assigning images to buttons, 239–240  
   control for, 655–656  
   MFC (Microsoft Foundation Classes), 597–598  
 Toolbox, adding custom controls, 256–257  
 ToolTip component, 105, 109–111, 642  
 Tooltips, 105–107  
 Top property, 43  
 ToPage property, 232–233  
 Topmost windows, 48–49  
 ToString method, 241–242  
 Track bars, 240–241, 653  
 TrackBar control, 240–241, 653  
 Tracking changes, 442–443  
 Transform method, 202–203  
 TransformPoints method, 193  
 Transforms  
   combining, 200–201  
   definition, 193–194  
   flattening paths, 203–204  
   helpers, 201–202  
   paths, 202–204  
   rotation, 197–198  
   scaling, 195–196  
   shearing, 200  
   translation, 198–200  
   warping paths, 203–204  
   widening paths, 203–204  
 Transitions between colors. *See* gradients.  
 Translation, graphics objects, 198–200  
 Transparency, 50–55, 124, 156–157  
 TransparencyKey property, 52–53  
 Transparent color, 156–157  
 Tree views, 241–246, 648–649  
 TreeView control, 241–249, 648–649  
 Trimming property, 180  
 Trimming text strings, 180  
 Type code serialization, 335–337  
 Type conversion, 506–511  
 Type converters  
   design-time integration, 324–332, 335–337  
   properties, 324–332, 335–337

Type descriptors, 505–506  
 TypeConverter class, 325  
 Typed data sets. *See* data sets, typed.  
 TypeDescriptor class, 326, 505–506  
 Typefaces, 167  
 Typing resources, 362–363

## U

UI thread exceptions, 393–395  
 UI threads, 389  
 UI type editors, 337–346  
 Update method, 121  
 UpdateCommand property, 444  
 Updating data sets, 440, 445  
 UseAntiAlias property, 218  
 User controls, 16, 277–279  
 User information, standard components, 290  
 User interface  
   customizing. *See* application settings.  
   layout, MFC, 596–597  
   multithreading. *See* multithreading user interfaces.  
   updating, MFC, 602  
 User locality, 410–413  
 Using statement, 3, 9

## V

Validating event, 25–26  
 Validation. *See* data validation.  
 Value controls, 240–241  
 Value types, 535–536  
 ValueMember property, 489–492  
 Vector graphics, 150–151  
 Versioned data paths, 430–432  
 Versioning, 559–560, 628–629  
 Viewing code, 8–9  
 Visibility, checking, 208–209  
 Visible property, 39–40, 41  
 VisibleChanged event, 41  
 VisibleClipBounds property, 223  
 Visual inheritance, 82–85  
 VScroll event, 275  
 VScrollBar control, 240–241, 651–652

## W

Warp method, 203–204  
 Warping paths, 203–204  
 Web deployment

- code access security, 552–556
  - control creation, 548–549
  - control events, exposing, 550–552
  - control interaction, 549–550
  - hosting controls, Internet Explorer, 547–552
  - MFC (Microsoft Foundation Classes), 600–601
  - no-touch, 32
  - overview, 31–33
  - security, 32
  - Web deployment, no-touch
    - application base (appbase), 560–562
    - application domain (appdomain), 561
    - application download, 557–559
    - arrow keys, 570–571
    - assembly receiver, 560
    - caching, 559–560
    - client-side command line arguments, 574–575
    - command line arguments, 573–576
    - communication via Web services, 571–572
    - .config file, 563
    - custom user input, 570–571
    - debugging, 576–578
    - definition, 565
    - files, reading and writing, 572–573
    - form-jacking, 570–571
    - GAC (Global Assembly Cache), 560–562
    - partially trusted callers, 566–568
    - procedure, 556–557
    - related files, 560–565
    - resources, 563–565
    - server-side command line arguments, 575–576
    - settings, 568–569
    - Shift+Tab key, 570–571
    - Tab key, 570–571
    - versioning, 559–560
    - working offline, 565
  - Web deployment, partially trusted assemblies
    - arrow keys, 570–571
    - client-side command line arguments, 574–575
    - command line arguments, 573–576
    - communication via Web services, 571–572
    - custom user input, 570–571
    - debugging, 576–578
    - definition, 565
    - files, reading and writing, 572–573
    - form-jacking, 570–571
    - partially trusted callers, 566–568
    - server-side command line arguments, 575–576
    - settings, 568–569
    - Shift+Tab key, 570–571
    - Tab key, 570–571
  - Web deployment, permissions
    - Authenticode, 587–589
    - awarding, 555–556
    - checking for, 554–555
    - deploying, 584–587
    - increasing, 578–584
    - intranet *vs.* Internet, 553
    - viewing, 552–553
  - Widen method, 203–204
  - Widening paths, 203–204
  - Width property, 43
  - Win32 wrappers, MFC, 599
  - Windows, grouping. *See* MDI (Multiple Document Interface).
  - Windows message handling, 271–272
  - Windows Resource Localization Editor, 380–382
  - WindowState property, 47–48
  - WinForms Designer. *See* Designer.
  - winres.exe tool, 380–382
  - WrapMode property, 134
  - Wrapping text, 178–179, 190
- Z**
- Zoom property, 218
  - Z-order
    - controls, 60–61, 71–73
    - forms, 48–49

