

Index

A

Abort handling in transactions, 263–264
abs function, 163
Access modifiers, 632–633
Accessors in XQuery, 332
Account Lockout Duration policy, 187
Account Lockout Threshold policy, 187
Accumulate method, 168–169, 171
ACID properties, 115
ACTIVATION argument, 525, 537, 545
Activation in SSB, 537–538
Active Directory Users and Computers tool, 187
Active resultsets, multiple, 413–418
Add Database Reference dialog, 656
Add method
 in ObjectSourceCollection, 462
 in XmlDataSourceResolve, 452
Add New Item dialog box, 657
Addition operations
 in OPPath, 491
 for SqlTypes, 70
AddPoint method, 390–391
AddPoint2 method, 391
AddReference dialog, 464
ADDRESS argument, 548
AddSubscriber method, 597
AddSubscriberDevice method, 598
AddSubSCRIPTION method, 599–600
AddTheseNumbers function, 59
AddToObsolete function, 127–128
ADFs (application definition files)
 chronicles in, 591–592
 in Notification Services, 574–577

ADO and ADO.NET, 21, 383–384,
 612–613
connections in, 96–97
schema tables in, 398
and SqlCommand, 409–413
transactions in, 104–105
UDTs in, 384–385, 392–398
XML data type in, 399–403
Advanced Data Tablegrams (ADTGs), 20
after keyword, 340
Aggregate functions
 for scalar types, 134
 support for, 13
 user-defined, 165–173
 in XQuery, 333
Alias types, 10, 132–133. *See User-defined types (UDTs)*
Aliases property, 489
AllowInsert method, 487
ALTER ASSEMBLY command
 permissions for, 198–199
 for properties and code, 48–50
 for user-defined functions, 161–162
ALTER ENDPOINT command
 for changing endpoints, 355–356
 for declaring endpoints, 349
 for enabling endpoints, 177, 351
 for transport security, 550
ALTER LOGIN command, 188
ALTER MESSAGE TYPE command, 522
ALTER XML SCHEMA COLLECTION command, 280
Analysis, PIVOT command for, 253–256
Analysis Services, 562, 646

666 INDEX

- And operations
 - in OPath, 491
 - for SqlTypes, 70
 - ANON authentication option, 354
 - ANONYMOUS argument, 554
 - Anonymous security in SSB, 552
 - ANSI SQL standard compliance for XML data type, 300–304
 - ANY argument in CREATE CONTRACT, 523
 - ANY messages in SSB, 512, 538
 - anyURI data type, 274
 - APIs
 - for clients, 20–23
 - for SAX, 401–402
 - for user-defined types, 383–384
 - App class, 634–635
 - appADF1.xml file, 579
 - appConfig1.xml file, 579
 - AppDomains
 - for assembly versions, 50
 - dependencies in, 42
 - locks in, 33
 - for runtime hosts, 35–37
 - Application definition files (ADFs)
 - chronicles in, 591–592
 - in Notification Services, 574–577
 - Application generation steps in Notification Services, 569
 - Application roles, 181
 - ApplicationDefinitionFilePath element, 572
 - ApplicationDefinitionFileSchema element, 574
 - ApplicationName element, 572
 - APPLY operators, 249–251
 - Argument node in Notification Services, 606
 - argumentkey argument, 579
 - Arithmetic class, 59–60, 64
 - Array data type, 10
 - as first keyword, 338
 - as last keyword, 338
 - ASP.NET worker process, 29
 - Assemblies, 626–627
 - dependencies in, 42, 44
 - in EXTERNAL NAMES, 78
 - maintaining, 48–51
 - metadata in, 46–48
 - names of, 40, 627–628
 - permissions for, 39–43, 49, 198–202
 - and schemas, 44–48
 - security for, 205–208
 - shared, 201–202
 - storing, 39–42
 - for UDTs, 136
 - versions of, 627–628
 - assembly_id column
 - in sys.assemblies, 46
 - in sys.assembly_references, 47–48
 - Assisted Editors, 653
 - Asymmetric mapping, 478–479
 - Asynchronous messaging, 25
 - Asynchronous support for clients, 422–427
 - Atomic values and atomicity
 - in ACID properties, 115
 - in XQuery, 308, 320
 - Attach to Process dialog, 662
 - Attribute axes in XPath, 315
 - Attribute-centric mapping, 14–15
 - Attributes
 - for protection, 38–39, 197
 - in SQL:1999, 9
 - in SQL Server, 12
 - SQL vs. XQuery, 320
 - in Visual Studio 2005, 657–659
 - in XML, 14
 - AUTH_REALM parameter, 354–355
 - Authentication, 179–183
 - in SSB, 550–552
 - for Web Services, 354
 - AUTHENTICATION parameter, 354
 - Author class, 464–465
 - Authoring queries, 649–654
 - Authorization
 - for endpoints, 350
 - in security, 179–183
 - AUTHORIZATION keyword, 350
 - AUTHORIZATION owner_name argument
 - in CREATE CONTRACT, 524
 - in CREATE MESSAGE TYPE, 519
 - Authorization property, 659
 - AVG function, 165
- B**
- BASE64 data type, 456
 - base64Binary data type, 273
 - BaseDirectoryPath element, 572
 - BaseQuery class, 488
 - BaseTypeOnly property, 489

BASIC authentication option, 354
 Batches in SQLXML, 360–361
 BData class, 87–90
 before keyword, 340
BEGIN CONVERSATION TIMER
 command, 534–535
BEGIN DIALOG CONVERSATION
 command
 arguments for, 531–532
 for conservation groups, 535
 for conversation_handle variable,
 534
 for creating conversations, 510,
 512–513
 for messages, 539–540
 for routes, 547
 for security, 553
BEGIN TRANSACTION command
 in SSB, 515–516, 544–545
 in T-SQL, 119
 BeginEdit method, 487
 BeginOpen method, 423
 BeginTransaction method
 with ObjectSpaces, 470
 in SqlConnection, 104, 115–117, 120
 Bernoulli sequences, 86–87
 Best practices, 615
 Between functions, 163–165
 BI (Business Intelligence) integration,
 558
 BIGINT data type, 62
 Binary data type
 correspondence to other types, 62
 mapping to XML, 295
 with XML data type, 268–269
 Binary operators
 CLR for, 68
 in OPPath, 491
 Binding
 data, 486–487, 617
 remote service, 554
 Binding rules, 11
 BindingContext, 486–487
 BindType property, 395
 BIT data type, 62
 Bitwise operations, 70
 BLOB type, 10
 Bodies, query, 310–318
 Boolean data type
 correspondence to other types, 62
 in SQL:1999, 10
 in XQuery, 333
 in XSD, 273
BROKER_INSTANCE argument, 548
 Brokers, SSB. *See* Server Service Broker
 (SSB)
 Builds in Visual Studio 2005, 659–660
 Bulk imports in SqlClient, 429–432
 BULK INSERT statement, 429
 Bulk loads in XML
 client-side, 454–456
 inside databases, 299–300
BULK provider, 299
 Business Intelligence (BI) integration, 558
 by reference parameter passing, 75
 by value parameter passing, 75
 ByRef keyword, 78
 Byte data type
 correspondence to other types, 62
 SqlFacetAttribute with, 85

C

Cache class, 418
 Call-Level Interface (CLI), 612–613
 can inherit attribute, 477
 Cancel method, 108
 CancelEdit method, 487
 Carets (^) in OPPath, 491
 CAS (code access security), 2, 454
 CASCADE option, 48
 Cascading changes
 for assemblies, 48
 in ObjectSpaces mapping, 476
 Case sensitivity
 of namespaces, 135
 in OPPath, 492
 CAST operator and casting
 SQL:1999 types, 9
 for UDTs, 11
 with XML data type, 268–270
 with XQuery, 332
 Catalogs, mapping to XML, 302–303
 CATCH blocks, 263–264
 CBernoulli class, 87
 CCustomer class, 472
 Certificate authentication, 551–554
 Chaining, ownership, 183–186
 ChangeDatabase method, 104
 ChangePassword method, 432–433
 Channels
 delivery, 605–606
 in Notification Services, 567

668 INDEX

Char data type
 correspondence to other types, 62
 SqlFacetAttribute with, 85

CHARACTER_SET parameter, 364

Charts of accounts, 243–249

CHECK constraints
 for alias types, 132
 with XML data type, 268

CHECK_EXPIRATION option, 188

CHECK_POLICY option, 188

CheckRep function, 156–157

ChildClass class, 473

ChildMember field, 473

Chronicle tables, 567

Chronicles
 for events, 591–592
 rules for, 565

Circumflexes (^) in OPath, 491

class keyword, 136

Class names
 in EXTERNAL NAMES, 78
 in UDTs, 135

Classes
 in CLR type system, 631–632
 for events, 581–584
 loading, 34
 for UDTs, 136

CLEAR_PORT parameter, 352

CLI (Call-Level Interface), 612–613

Clients
 ADO, 392–398
 database APIs for, 20–21
 enhancements to, 409
 asynchronous support, 422–427
 bulk import, 429–432
 multiple active resultsets, 413–418
 notification support, 418–422
 password change support, 432–433
 snapshot isolation, 427–429
 SqlClient data provider and
 ADO.NET, 409–413
 statistics, 433–434
 for stored procedures, 407
 XML, 437
 APIs for, 22–23
 Common Query Abstraction in, 438–441
 mapping in, 441–447
 relational data views in, 448–449

SqlXml bulk loads and
 SqlXmlRowsetAdapter in, 454–456
 SqlXml DBObject in, 456–457
 vs. XQuery, 453–454
 XQueryCommand with, 450–453

CLOB data type
 in SQL:1999, 10
 vs. XML type, 265–266

Close method, 104

CLR. *See* Common Language Runtime (CLR)

clr_name column, 46

Code
 compiling, 7
 execution contexts in, 194–197
 loading, 33–34
 in Notification Services, 567–569
 safe, 37–39
 safety levels in, 204–208
 in Visual Studio 2005
 executing and debugging, 661–662
 templates for, 657

Code access security (CAS), 2, 454

Coercions for SqlTypes, 64–67

COLLATE keyword, 267

COLLATION keyword, 301

Collect method, 642

collection function, 325, 336, 453

Columns in PIVOT command, 251

ColumnsUpdated method, 127

COM (component object model), 19

COM component, 54

COM wrappers, 560

Command line, 625

Commands
 results of, 112–115
 SqlServer, 106–110

CommandText property, 108

CommandTimeout property
 in ObjectQuery, 489
 in SqlCommand, 108

CommandType property, 108

comment function, 288

Commit method
 with ObjectSpaces, 470
 in Transaction, 117

COMMIT TRANSACTION command, 514–515

Commit transaction component in SSB flow, 545

Common Language Runtime (CLR),
 54–55, 621–624
 hosting feature in, 27–28
 in SQL Server, 55–60
 type correspondences to, 61–63
 type system in, 629–630
 classes and types in, 631–632
 instances in, 633–635
 members in, 637–641
 namespaces in, 636–637
 visibility in, 632–633
 for UDTs, 136
 Common object request broker
 architecture (CORBA), 19
 Common Query Abstraction, 438–441
 Common Table Expressions (CTEs),
 239–243
 Common Type System (CTS), 629
 CompareTo method, 69–71, 73
 Comparison operators
 in OXPath, 491–492
 for SqlTypes, 70
 in XQuery, 334
 Comparisons, 72–73
 UDTs, 138
 XML data type, 270
 Compile method, 440, 489
 Compiled plans, 223
 CompiledQuery class, 469
 Compilers and compilation, 623
 in Common Query Abstraction,
 439–440
 .NET code, 7
 Complex data types, 9
 ComplexNumber data type, 12–13
 Component object model (COM), 19
 Composite syntax in ObjectSpaces
 mapping, 478–479
 COMPRESSION parameter, 352
 computed columns, 82
 COMPUTERNAME variable, 574
 Concatenating XML data types, 301
 Concurrency, versioning for, 220
 Conditional operators, 491
 Configuration files in Notification
 Services, 570–574
 Conjunction column, 659
 CONNECT permission
 for endpoints, 357
 for remote service binding, 554
 Connection property, 108
 Connections, 96–97, 102–105
 ConnectionString property, 104, 465
 ConnectionTimeout property, 104
 Consistency
 in ACID properties, 115
 between providers, 98
 Console application, 462–469
 Constraints
 with alias types, 132
 with XML data type, 268
 Constructors
 in CLR type system, 638
 in SqlConnection, 103
 for XML data types, 301
 in XQuery, 332
 Constructs in XQuery, 334
 content column, 48
 Content formatters, 563
 CONTENT keyword for schemas, 277
 Context commands, 106
 Context functions, 332–333
 Context nodes in XPath, 314
 Contexts
 execution, 183–186, 194–197
 SqlContext for, 99–102
 transactions in, 116–119
 in XQuery, 332–333
 contract_name argument
 in CREATE CONTRACT, 523
 in CREATE SERVICE, 529
 Contracts in SSB, 509, 511, 523–524
 CONTROL permission, 357
 conversation_endpoints table,
 540, 547
 conversation_group_id column,
 528
 conversation_group view, 540
 Conversation Groups, 510
 group IDs for, 513
 locked, 516–517
 state maintenance in, 25, 517
 working with, 535–536
 conversation_handle column, 528
 conversation_handle variable
 group IDs for, 533
 as identifier, 531, 535
 obtaining, 534
 for SEND, 539
 CONVERSATION TIMER, 534
 Conversations in SSB, 510–513,
 531–536

670 INDEX

- Conversions and convert function, 145, 493
 in OPath, 494
 SQL names to XML, 303
 with XML data type, 268–270
- Cooperative thread scheduling, 31
- CORBA (common object request broker architecture), 19
- CorBindToRuntimeEx method, 29
- COrder class, 472–473
- COrderDetail class, 472
- Correlation in message-based applications, 504, 513
- COUNT function, 165
- Count of rows in command results, 112–113
- count_rows_as_me stored procedure, 195–196
- CPulley class, 56–58, 61
- CREATE APPLICATION ROLE statement, 190
- CREATE ASSEMBLY command
 for deploying assemblies, 665
 metadata in, 45
 permissions for, 198–199
 security for, 204–205
 for shared assemblies, 201
 for UDTs, 135–136
 working with, 39–42
- Create command for NSControl, 578
- CREATE CONTRACT command, 523–524
- create_date column, 47
- CREATE ENDPOINT command
 for declaring endpoints, 349–351
 FOR SOAP clause, 370–371, 374–375
 message formats for, 364–366
 parameters for, 351–353, 363
 permissions for, 177, 355–358
 for transport security, 550
- CREATE EVENT NOTIFICATION command, 231–232
- CREATE FUNCTION command, 58, 91
- CREATE LOGIN command, 179
- CREATE MESSAGE TYPE command, 519–520
- CREATE PROCEDURE command, 75, 79–80, 543–546
- CREATE QUEUE command, 524–527, 537
- CREATE REMOTE SERVICE BINDING command, 554
- CREATE ROUTE command, 547–548
- CREATE RULE command, 10
- CREATE SCHEMA command, 190
- CREATE SERVICE command, 529–530
- CREATE TABLE command, 191, 233–234, 266
- CREATE TYPE command, 132–133, 135, 161
- CREATE USER statement, 190
- CREATE XML SCHEMA COLLECTION command, 275, 280
- CreateCommand method, 104–107, 116
- CreateExecutionContext method, 103–104
- CreateParameter method, 108
- CreateRecord method, 104
- Credentials, 189
- Critical tasks in SSB, 519
- CROSS APPLY operator
 with nodes function, 328–330
 in T-SQL, 249–250
- CROSS JOIN operator, 249
- CTEs (Common Table Expressions), 239–243
- CTS (Common Type System), 629
- CultureInfo information, 628
- Cursorless mode, 414
- Customer class, 496–497, 500
- Customizations
 in Notification Services, 609
 in ObjectSpaces, 501–502
- D**
- Data binding, 486–487, 617
- Data Definition Language (DDL)
 for preloading, 33
 triggers, 226–230
- data function with XML data type, 287
- Data manipulation classes, 469
- Data manipulation language (DML), 337–342
- Data models
 mapping between, 441–447
 new features for, 612–613, 615–618
 with XQuery, 301, 308–309, 318
- Data providers
 in-process. *See* In-process data providers
 .NET, 7

- Data Transformation Services (DTS),
161–162, 429
- Data types
 - in CLR. *See* Common Language Runtime (CLR)
 - comparison, 72
 - derivation, in XSD, 15
 - extended, 12
 - nesting definitions for, 59
 - in ObjectSpaces mapping, 471–473
 - in OPath language, 493
 - in SQL:1999, 8–10
 - SqLTypes, 59–75
 - in SSB, 508
 - user-defined. *See* User-defined types (UDTs)
- DataAdapter class, 411
- Database property, 104
- DATABASEPROPERTYEX command, 217, 222
- Databases
 - bulk loads inside, 299–300
 - client APIs for, 20–21
 - new features, 618–619
 - ObjectSpaces for, 469–471
 - Web Services with, 347–349
- DATALINK type, 10
- DataReader class
 - vs. ObjectReader, 484
 - UDT data from, 385–389
- DataSet class, 22
 - in bulk loads, 455
 - for mapping, 460
- DataSource property
 - in SqlConnection, 104
 - in XML mapping, 442–443, 445
- DataTarget property, 442–443, 445
- date data type, 273
- Dates, between functions for, 163–165
- DateTime data type
 - correspondence to other types, 62
 - format for, 493
 - in XSD, 273
- DBBINDING structure, 397
- DBCC CHECKTABLE command, 50
- DBObject, 456–457
- DBPARAMINFO structure, 397
- DbProviderFactories class, 410
- DBTYPE_UDT data type, 384
- DDL (Data Definition Language)
 - for preloading, 33
 - triggers, 226–230
- Debugging in Visual Studio 2005, 661–662
- Debugging information, 50
- Decimal data type, 7
 - correspondence to other types, 62
 - mapping to XML, 295
 - SqlFacetAttribute with, 85
 - in XSD, 274
- DEFAULT_LOGIN parameter, 354–355
- Default values for parameters, 80
- Deferrable messages in SSB, 507
- Deferrable tasks in SSB, 519
- Deferred processing in message-based applications, 503–504
- DELETE command
 - in NSControl, 578
 - in ObjectSpaces, 484
 - in SSB, 516
 - in XQuery, 341
- DeleteCommand instance, 403
- Deleted ObjectState, 481
- Delivery in Notification Services, 566, 605–609
 - channels in, 567
 - protocol providers for, 563
 - protocols for, 567, 606–608
- DeliveryChannelName property, 598
- DeliveryChannels element, 572
- DENSE_RANK function, 260
- Dependencies in assemblies, 42, 44
- Deployment in Visual Studio 2005, 657–660
- Derivation by restriction, 275
- Design in Notification Services, 565–569
- Destructors, 642–643
- Developers in assembly names, 628
- Development languages, 623–624
- Developer namespace, 636
- DeviceAddress property, 598
- DeviceName property, 598
- Devices in Notification Services, 567
- DeviceTypeName property, 598
- dialog_handle_identifier argument, 532
- Dialogs
 - security for, 552–554
 - in SSB, 531–536
- DialogTimer message type, 522
- DIGEST authentication option, 354

672 INDEX

Digest delivery, 566, 600
 Dimensions data type. *See* LDim data type
 Disable command for NSControl, 578, 588
 DisplayArgumentKey command, 578
 Dispose method
 in IDisposable, 643–644
 in SqlCommand, 107–108
 Disposing objects, 643–644
 Distributed computing, 19
 Distributed processing, 504
 Distributed systems, 617
 Distributed transaction coordinators, 428
 Distributed transactions, 428–429
 Distributor node, 576
 Distributors in Notification Services, 567, 603–605
 Division operations
 in OPath, 491
 for SqlDbTypes, 70
 DLLs vs. EXE files, 625
 DML (data manipulation language), 337–342
 doc function, 325, 336, 449, 453
 DOCUMENT keyword, 277
 Document Object Model (DOM), 22
 Document order in data models, 309
 Document Type Definitions (DTDs), 16
 DOM (Document Object Model), 22
 Domain-neutral code, 36
 Done messages, 511
 DoSnapshot method, 427
 Dot operator (.) in OPath, 491
 double data type
 correspondence to other types, 62
 in XSD, 274
 DROP ASSEMBLY command, 48, 198
 DROP CONTRACT command, 524
 DROP ENDPOINT command, 349, 355–356
 DROP MESSAGE TYPE command, 522
 DROP TABLE command, 228–229
 DROP TYPE command, 161
 DTDs (Document Type Definitions), 16
 DTS (Data Transformation Services), 161–162, 429
 DUMPBIN.EXE file, 626
 Durability in ACID properties, 115
 duration data type, 273

E

EatException function, 123
 Edge function, 63–64
 Effective Boolean Value, 315
 EJB (Java Beans) entities, 460
 Element-centric mapping, 14–15
 EM (Enterprise Manager), 645
 EMPTY argument, 520
 Enable command for NSControl, 578, 588
 encoding attribute, 267
 ENCRYPTION argument, 532, 553
 Encryption with SOAP, 349
 END CONVERSATION command, 534
 End conversation component in SSB flow, 545
 EndDialog message type, 522, 538
 EndDialog queue type, 534
 EndEdit method, 487
 Endianness, 19
 EndOpen method, 423–424
 endpoint_webmethods view, 361
 Endpoints
 HTTP, 618
 changing, 355–356
 declarations in, 349–351
 messages for, 363
 metadata views for, 361
 .NET code for, 374–380
 permissions in, 357
 session support in, 370–372
 in security, 177
 in SQLXML, 372, 380
 state parameters for, 351
 endpoints view, 361
 EndTracking method, 483
 Enforce Password History policy, 187
 Enterprise Manager (EM), 645
 enterTrade service, 536
 Entity objects, 24
 Equality operations
 in OPath, 491
 for SqlDbTypes, 70
 Equals method
 in Object, 629
 for SqlDbTypes, 73
 Error function, 332
 Error handling
 in T-SQL, 263–264
 in Web Services, 368–370

Error message type, 522, 538
 ErrorBehavior property, 500
 Event IDs, 586
 EventClass node, 581, 585
 EventClassName argument, 587
 eventdata function, 228–230, 232
 EVENTDATA structure, 127
 EventRules node, 596
Events
 chronicles for, 591–592
 classes for, 581–584
 in CLR type system, 638
 notifications, 230–234, 566, 580–592
 providers for, 562, 580, 582–583,
 587–591
 stored procedures for, 584–586
Exception handling
 with in-process data providers,
 123–126
 in SQL Server, 6, 32–33
 in T-SQL, 263–264
 in Web Services, 368–370
ExceptionCatcher function, 124–125
ExceptionThrower function, 124–125
EXE files vs. DLLs, 625
 exe target switch, 625
Executable files vs. library modules, 625
Executable plans, 223
EXECUTE_AS argument, 526
EXECUTE AS SELF parameter, 195–196
Execute method, 122
EXECUTE permission
 for assemblies, 200–202
 for schema collections, 281
ExecuteNonQuery method
 in Command, 119
 in SqlCommand, 108, 125, 424
ExecuteReader function, 108, 112, 114,
 415, 424
ExecuteRow method, 107–108, 112
ExecuteScalar method, 108, 112
ExecuteSqlScalar method, 108
ExecuteXmlReader method, 108, 400, 424
Execution contexts, 183–186, 194–197
Execution in Visual Studio 2005, 666–667
exist method, 322–323, 335
exit function, 6
Exploring servers, 647–649
Expression bodies in XQuery, 311–318
Expressions in XQuery, 334
Extended data types, 12
Extended functions in XQuery, 334–336
Extended stored procedures, 5–6
 limitations of, 54
 unmanaged, 37–38
Extentions mapping feature, 447
EXTERNAL_ACCESS access category,
 34, 199–200, 205–206
EXTERNAL_ACCESS
 PERMISSION_SET, 42–43
EXTERNAL NAME
 parts of, 78
 for types, 135

F

Facets, 275, 296
Failure escalation policy, 32
Fetching optimizations, 495–499
Fibers in SQL Server, 31
Field properties in OLE DB, 397
FieldCount method in BData, 91
FieldCount property in ISqlReader, 86
FieldMap element, 446, 475
FieldReference elements, 608
Fields
 in CLR type system, 638–640
 for UDTs, 153–155
FieldTypeMods element, 581
File delivery provider, 563
file_id column, 48
File New dialog, 650
File protocols in Notification Services,
 606
File Watcher event provider (FS), 562,
 587–589
FileSystemWatcher class, 587
Fill method
 in bulk loads, 455
 SqlDataAdapter, 403
filters, 315–316
Finalization, 642–643
Finalize method, 629, 642
float data type
 correspondence to other types, 62
 order of, 149
 in XSD, 274
Flow in service programs, 543–547
FLWOR expressions, 315–318
 vs. SELECT, 319–321
 in XQuery, 312

674 INDEX

- fn_appdomains function, 36
- fn:boolean function, 315
- fn:collection function, 312
- fn:doc function, 312
- fn:root function, 314
- FOR keyword
 - in FLWOR expressions, 315–316, 319–320
 - in PIVOT, 254
- FOR PATH keyword, 282
- FOR PROPERTY keyword, 282
- FOR SOAP clause
 - for endpoints, 358–359, 370–371, 374–375
 - message formats in, 364
- FOR VALUE keyword, 282
- FOR XML clause, 18–19, 22, 284–289
 - for inline XSD format schema, 289–290
 - for UDTs, 161
- FOR XML AUTO clause, 284–286
- FOR XML EXPLICIT clause, 284–287
- FOR XML PATH clause, 286–287
- FOR XML RAW clause, 284–286
- FOR XML TYPE keyword, 302
- force flag in Update, 583
- Foreign hosts, 37–39
- Foreign keys
 - in ObjectSpaces mapping, 476
 - in XML mapping, 444
- FORMAT parameter, 365
- Format property, 137–141
- Formatters in Notification Services, 563, 567, 603–605
- Friend access modifiers, 632
- Friendly names, 628
- FROM clause
 - SQL vs. XQuery, 319
 - in SSB, 512
 - in T-SQL, 261
- FROM FILE argument, 552
- FROM SERVICE service_name argument, 532
- FS (File Watcher event provider), 562, 587–589
- Fulfill messages, 510–511
- Full security in SSB, 552
- Functions
 - adding to databases, 58
 - in OPath, 493–494
 - vs. procedures, 81
 - scalar-valued, 81–85
- table-valued, 86–92
- XQuery, 330–336

G

- GACs (global assembly caches), 386
- Garbage collection, 642–643
- GC class, 642
- gDay data type, XSD, 273
- General Programming Model (GPM), 98
- Generation in Notification Services, 567–569
- Generator node, 576
- Generators
 - in Common Query Abstraction, 439
 - in Notification Services, 567
- GenericConnection method, 412
- get_background_color function, 9
- GET CONVERSATION GROUP command, 514–517, 535
- GetAndOpenConnection method, 411
- GetAuthorById method, 111
- GetAuthorsAndTitles stored procedure, 378
- getAuthorsByState method, 121–122
- getAuthorWithErrors function, 125
- GetBytes method, 387
- GetCityStateQuery method, 490
- GetColumnsInfo method, 397
- GetColumnsRowset method, 397
- GetCommand method, 101, 106–107
- GetConnection method, 101–103, 107
- GetConnectionStringFromConfigFile method, 384
- GetCurrentValueRecord method, 484
- GetDataSources method, 412
- GetDecimal method
 - in IDataReader, 114
 - in IGetTypedData, 410
- GetHashCode method, 629
- GetHostManager function, 30
- GetInt32 method, 91
- GetName method, 91
- GetObject method, 399, 468–469, 480
- GetObjectReader method, 484, 488
- GetObjectSet method, 469, 480
- GetOriginalValueRecord method, 484
- GetPipe method, 101, 121
- GetPrices method, 419–420

GetResult method, 425
 GetSchemaTable method, 388–389,
 398
 GetSqlBytes method, 387
 GetSqlDecimal method, 410
 GetSqlInt32 method, 89
 GetSqlMetaData method
 in BData, 87, 91
 in SqlMetaData, 389
 GetSqlXml method, 399
 GetTransaction method, 101, 116
 GetTriggerContext method, 101
 GetType method, 629
 GetValue method, 114
 GetXmlReader method, 290
 __GetXpVersion stored procedure, 5–6
 GIF type, 8–9
 Global assembly caches (GACs), 386
 Globally Unique Identifiers (GUIDs)
 in COM, 627
 in ObjectSpaces mapping, 479–480
 producing, 83
 gMonth data type, XSD, 273
 gMonthDay data type, XSD, 273
 GPM (General Programming Model), 98
 GRANT command, 181–182, 201
 GRANT WITH GRANT OPTION
 command, 182
 Graphs of related objects, 495–501
 GROUP BY keyword
 in PIVOT, 255
 with XML data type, 270
 Group IDs in SSB, 513, 518
 Groups, conversation, 510, 513, 516–517
 Guid data type, correspondence to other
 types, 62
 GUIDs (Globally Unique Identifiers)
 in COM, 627
 in ObjectSpaces mapping, 479–480
 producing, 83
 gYear data type, 273
 gYearMonth data type, 273

H

HasRows method in BData, 90
 HasRows property in ISqlReader, 86
 -help argument, 578
 hexBinary data type, 273
 Host Protection Attributes (HPAs),
 38–39, 197
 HostProtectionAttribute class, 38–39

Hosts, runtime. *See* Runtime hosts
 HTTP

access through, 358–361
 endpoints in, 177, 618
 changing, 355–356
 declarations in, 349–351
 messages for, 363
 metadata views in, 361
 .NET code for, 374–380
 permissions in, 357
 session support in, 370–372
 in Notification Services, 563
 parameters for, 351–352, 366–368
 templates for, 348
 transport errors, 368
 http_endpoints view, 361
 HTTP.SYS for Web Services, 349
 HttpWebRequest class, 376
 HttpWebResponse class, 376

I

IBinarySerialize interface, 143, 148–153
 IBindingList interface, 487
 ICLRRuntimeHost interface, 30
 ICollection interface, 483
 IComparable interface, 69–71
 IContentFormatter interface, 563
 ICORuntimeHost interface, 29–30
 IDataReader interface, 97, 114, 485
 IDbCommand interface, 97
 IDbConnection interface, 97, 462
 IDBSchemaRowset interface, 398
 IDeliveryProtocol interface, 563, 609
 IDisposable interface, 643–644
 IDL (Interface Definition Language), 374
 IEditableObject interface, 487–488
 IEventProvider interface, 563
 IGetTypedData interface, 410
 IHttpProtocolProvider interface, 609
 IIF function, 494
 IL (intermediate language), 2–3
 ILDasm.EXE file, 626–627
 IListSource class, 487
 IMAGE data type
 BASE64 encoded binary for, 456
 correspondence to other types, 62
 in SQL:1999, 8
 in T-SQL, 235
 IMappingResolver interface, 502
 Immediate messages, 507
 Implicit coercions, 66–67

676 INDEX

- in argument in Create, 578
 - in-order delivery in SSB, 531
 - IN predicate in OPath, 494
 - In-process data providers, 95
 - command results, 112–115
 - commands, 106–110
 - connections, 102–105
 - contexts, 99–102
 - exception handling, 123–126
 - pipes, 121–122
 - SQL Server programming model, 95–99
 - `SqlDefinition` and
 - `SqlExecutionContext`, 110–112
 - `SqlTriggerContext`, 126–127
 - transactions, 115–121
 - Indexes on XML columns, 282–283
 - `IndexSqlSchema` node, 581
 - Information schemas, 44–48
 - Information Sets (Infosets), 17, 309–310
 - Inheritance in ObjectSpaces mapping, 477–478
 - Init method, 168, 170
 - INITIATOR argument in CREATE CONTRACT, 523
 - INITIATOR messages in SSB, 512, 538
 - Initiators in service programs, 537
 - Inline XSD format schemas, 289–290
 - INPUT parameter in procedures, 78
 - Input types in XML, 361–372
 - insert statement, 338–341
 - InsertCommand instance, 403
 - Inserted ObjectState, 481–482
 - InsertSomeJobs method, 120
 - Instance configuration files, 570–574
 - instance_identifier argument, 532–533
 - InstanceName element, 572
 - Instances
 - in CLR type system, 633–635
 - members of, 639
 - in SSB, 508–509
 - INT data type, 62
 - Int16 data type, 62
 - Int32 data type, 7, 62
 - Int64 data type, 62
 - INTEGRATED authentication option, 354
 - Integrity checking, 277
 - Interface Definition Language (IDL), 374
 - Intermediate format nodes, 440–441
 - Intermediate language (IL), 2–3
 - internal access modifiers, 632
 - Internet Explorer as runtime host, 29
 - Interoperability, 616–618
 - into keyword, 338, 340
 - INullable interface, 71, 140, 143–144
 - InVariantToDuplicates property, 172
 - InvariantToOrder property, 172
 - Invert method, 59–60
 - Invisible assemblies, 201–202
 - IObjectHolder interface, 476
 - IObjectList interface, 476
 - ip_exceptions view, 361
 - IRowsetFastLoad interface, 429
 - is_visible column, 47
 - ISAPI application, 348
 - IsByteOrdered property, 138
 - IScheduledEventProvider interface, 563
 - IsDeterministic function, 82–83
 - IsFixedLength property, 139
 - IsInvariantToNulls property, 172
 - IsMutator property, 158
 - IsNull predicate in OPath, 494
 - IsNull property, 71–72, 143
 - IsNullIfEmpty attribute, 173
 - Isolation in ACID properties, 115
 - Isolation levels in transactions, 120–121
 - IsolationLevel property, 489
 - IsPrecise function, 82–83
 - ISqlCommand interface, 106
 - ISqlConnection interface, 103
 - ISqlExecutionContext interface, 111
 - ISqlGetTypedData interface, 410
 - ISqlReader interface, 86–87, 92
 - ISqlRecord interface, 86–87, 92
 - Items in XQuery data model, 308
 - ITypeLoader interface, 502
- J**
- jar files, 52
 - Java Beans (EJB) entities, 460
 - JITCompiler, 623
 - JPEG type, 8–9
 - Just In Time (JIT) Compiler, 7, 623
- K**
- Key attribute, 473
 - Key/Keyref relationships, 444
 - Keys
 - in assembly names, 628
 - for certificates, 552
 - in ObjectSpaces mapping, 476
 - in XML mapping, 444

L

Large value data types, 235–236
 Lax validation, 301
 Lazy instantiation, 476
 LDim data type, 134
 implementation of, 140–142
 IBinarySerialize, 148–153
 INullable, 143–144
 Null, 144–145
 Parse, 146–148
 ToString, 145–146
 methods for, 157–160
 properties and fields for, 153–155
 validating, 155–157
 LDimSum function, 166–167
 Len function, 494
 let keyword, 315–316, 320
 library target switch, 625
 LIFETIME argument
 in BEGIN DIALOG
 CONVERSATION, 532
 in CREATE ROUTE, 548
 LIKE predicate in OPath, 494
 LimitField attribute, 477
 Limits class, 63–64
 Line Folding, 651
 Line revision marks, 651
 LinkDemand, 38–39
 ListVersions command, 578
 Literal content in XQuery, 327
 Loading
 classes, 34
 code, 33–34
 runtime hosts, 35–37
 Locales in assembly names, 628
 LOCATOR data type, 10
 Lock conversation group component in
 SSB flow, 545
 Lockout Counter After setting, 188
 Locks
 in AppDomains, 33
 in SSB, 516–517
 Logins
 policies for, 187
 in security, 179–181
 Longitude type, 141–142

M

machine.config file, 412
 makecert tool, 551

MakeLDIM method, 159–160
 Managed code
 functions of, 2
 safety in, 38
 security for, 34–35
 Manager property, 480
 Manifests, 40, 627
 Many-to-many relationships, 476–477
 Map element, 446, 475, 477
 Mapping
 in bulk loads, 455
 object-relational, 459–462
 with ObjectSpaces, 462, 471–480
 schemas, 18
 with SqlDataAdapter, 405
 in XML, 14–15
 catalogs and tables, 302–303
 client-side, 441–447
 SQL data types, 294–297,
 303–304
 XQuery, 23
 Mapping element, 445–446
 Mapping schema definition (MSD)
 files, 461
 Mapping schema object model
 (MSOM), 442
 Mapping segmentation, 502
 MappingParameters/Mapping
 Parameter mapping, 447
 MappingSchema, 486
 MarkForDeletion method, 483
 MARS (multiple active resultsets)
 for asynchronous support, 425–426
 working with, 413–418
 Marshaling format, XML as, 19–20
 MASTER database, 44
 Match class, 66
 MAX function, 165
 MAX_QUEUE_READERS argument,
 526, 537–538
 MAX specifier, 235
 MaxByteSize property, 139
 Maximum Password Age policy,
 187
 maxInclusive element, 275, 296
 MBF (Microsoft Business Framework),
 459, 463
 MDX (Multidimensional Expressions),
 562
 MemberwiseClone method, 629

678 INDEX

- Memory
 - in .NET, 641–644
 - in SQL Server, 31
 - for SSB, 517
 - for UDTs, 136
 - Merge method, 170–171
 - message_body column, 528
 - message_id column, 528
 - message_sequence_number column, 528
 - message_type_id column, 528
 - message_type_name argument
 - in CREATE CONTRACT, 523
 - in CREATE MESSAGE TYPE, 519
 - message_type_name column, 528
 - message_type_name variable, 539
 - Messages
 - for CREATE ENDPOINT, 364–366
 - in SOAP
 - for HTTP access, 359–360
 - for HTTP serving, 352
 - for SQLXML, 360–361
 - for Web Services, 353, 355
 - in SSB. *See* Server Service Broker (SSB)
 - Metadata
 - in assemblies, 46–48
 - in security, 178
 - Metadata tables, 44–48
 - Metadata views for endpoints, 361
 - Methods
 - in CLR type system, 638, 640–641
 - overloading, 59
 - for scalar-valued functions, 84
 - for UDTs, 157–160
 - Microsoft Alerts, 563, 566
 - Microsoft Business Framework (MBF), 459, 463
 - Microsoft Transaction Server (MTS), 428, 460
 - MIN function, 165
 - minExclusive element, 275
 - Minimum Password Age policy, 187
 - Minimum Password Length policy, 187
 - minInclusive facet, 296
 - MIRROR_ADDRESS argument, 548
 - Modified ObjectState, 481–482
 - modify method, 335
 - module target switch, 625
 - Module version IDs (MVIDs), 386
 - Modules, 624–626
 - Modulo operations
 - in OPath, 491
 - for SqlTypes, 70
 - MONEY data type, 62, 296
 - Monitoring versioning, 222
 - MSCOREE.DLL file, 29, 622–623
 - MSCORLIB.DLL file, 394, 622, 627
 - MSCORSYR.DLL file, 623
 - MSCORWKS.DLL file, 623
 - MSD (mapping schema definition) files, 461
 - MSDTC distributed transaction coordinator, 428
 - MSIL code, 441
 - MSOM (mapping schema object model), 442
 - MTS (Microsoft Transaction Server), 428, 460
 - Multicast delivery, 600
 - Multidimensional Expressions (MDX), 562
 - Multifield scalar values, 132
 - Multimessage correlation semantics, 25
 - Multiple active resultsets (MARS)
 - for asynchronous support, 425–426
 - working with, 413–418
 - Multiple document queries, 336–337
 - Multiplication operations
 - in OPath, 491
 - for SqlTypes, 70
 - Multirow results, 112–113
 - Multithreading, 505
 - MUST_CHANGE keyword, 188
 - MVIDs (module version IDs), 386
 - MyASPxPage class, 484–485
 - MyOnChanged method, 421–422
- N**
- name column
 - in sys.assemblies, 46
 - in sys.assembly_references, 48
 - Name property, 628
 - Names
 - assemblies, 40, 627–628
 - converting to XML, 303
 - NAMESPACE parameter, 364
 - Namespaces
 - case-sensitivity of, 135
 - in CREATE ENDPOINT, 364
 - creating, 636–637
 - in endpoint messages, 363

for schema documents, 273, 280
 in XML, 15–16
 in XQuery, 311
 Native setting, 137–140
 NCHAR data type, 62
 Negate operations, 70
 Nesting
 type definitions, 59
 XML queries, 292–293
 .NET environment, 621
 assemblies in, 626–627
 names and versions, 627–628
 storing, 39–42
 CLR type system, 629–641
 code in
 for HTTP endpoints, 374–380
 safety levels in, 204–208
 Common Language Runtime, 621–624
 memory management in, 641–644
 in Microsoft platform, 1–3
 modules in, 624–626
 new types with, 403–407
 runtime hosts, 28–29
 and SQL Server, 3–8
 UDTs
 in ADO.NET, 384–385
 in ODBC, OLE DB, and ADO
 clients, 392–398
 NetValidatePasswordPolicy function,
 187
 New features, 611–612
 data models, 612–613, 615–618
 databases, 618–619
 programming and SQL Server,
 612–613
 tier functionality, 613–618
 new keyword, 633–634
 new method in SqlContext, 107
 NewGuid method, 83
 NewId function, 83
 NextResult method
 in BData, 90
 in IDataReader, 114
 No-namespace schema, 276
 No security type in SSB, 552
 node function, 287
 Node identity, 309
 Node tables, 282
 Nodes
 XML, 282, 322, 328–330
 XPath, 287, 314
 XQuery data model, 308–309
 functions on, 333
 testing, 314
 Nodesets, 18
 -nologo argument, 579
 Non-modal dialog boxes, 648, 650
 Not Equal operations, 70
 NOT NULL value, 297
 NOTATION data type, 274
 Notification batch size, 600
 Notification property, 108, 419
 Notification Services, 26, 557–558, 648
 application definition files in, 574–577
 applications of, 559–561
 for clients, 418–422
 components of, 561–565
 customization in, 609
 delivery in, 566, 605–609
 design patterns in, 565–566
 designing, coding, and generating in,
 567–569
 distributors and formatters in, 603–605
 events in, 580–592
 instance configuration files in, 570–574
 notifications in, 600–603
 NSControl tool for, 577–580
 sample application, 569–570
 subscribers in, 596–598
 subscriptions in, 592–596, 598–600
 terms in, 566–567
 NotificationClass class, 600, 604
 NotificationClasses node, 576
 Notifications, event, 230–234
 NotificationServices.dll file, 561
 NotificationServices namespace, 594,
 596, 609
 Notify function, 558
 NSApplication class, 594, 599
 NSBeginEventBatch procedure, 584
 NSControl utility, 557, 561–562, 577–580
 NSDiagnosticEventClass procedure, 586
 NSDiagnosticEventProvider procedure,
 586
 NSEventBatchDetails procedure, 586
 NSEventFlushBatch procedure, 584
 NsEventSubmitBatch procedure, 584
 NSEventWrite procedure, 584–585
 NSInstance class, 594, 599
 NSService.exe process, 557, 561,
 563–565
 nssub class, 597

680 INDEX

NTEXT data type
 correspondence to other types, 62
 in T-SQL, 235
 NTILE function, 260
 NULL constraints, 268
 NULL data types and values
 mapping to XML, 297
 SQL vs. XQuery, 320
 in SqlType, 71–74
 for strings, 74
 testing for, 60–61
 in XML data type, 290–292
 in XQuery, 325
 Null property, 144–145
 Numeric class, 59–60
 NUMERIC data type, 62
 Numeric functions in XQuery, 332,
 334
 NVARCHAR data type
 correspondence to other types, 62
 in T-SQL, 235

0

Object class, 629–630
 Object Data Management Group
 (ODMG), 460
 Object Explorer pane, 647–649
 Object IDs (OIDs), 479–484
 Object-oriented databases (OODBMS),
 460
 Object-oriented programming concepts,
 617
 Object-relational mapping, 459–462
 Object schema definition (OSD) files,
 461, 463
 ObjectEngine class, 461, 501–502
 ObjectManager class, 469, 480, 483–484
 ObjectMapping class, 469–470
 ObjectQuery class, 468–470, 488–490
 ObjectReader class, 467–468, 470–471,
 484–486
 Objects, UDTs for, 162–165
 ObjectSet class, 470–471, 486–487
 ObjectSourceCollection class, 462,
 469–470
 ObjectSpace class, 462
 ObjectSpaces, 23–24, 459
 application, 462–469
 customizations in, 501–502
 data manipulation classes in, 469
 database access with, 469–471

object identity and state maintenance
 in, 480–484
 object-relational mapping in,
 459–462
 ObjectReader with, 484–486
 ObjectSet with, 486–487
 OPath language with, 490–494
 optimizations in, 495–501
 patterns and mapping with, 471–480
 query model in, 488–490
 ObjectState Enumeration, 480–481
 ObjectStore database, 460
 ObjectType property, 489
 ODBC clients, 392–398
 ODBC-defined data type, 384
 ODMG (Object Data Management
 Group), 460
 OIDs (Object IDs), 479–484
 OLE DB, 21
 and ADO, 393
 coding considerations in, 397–398
 .NET UDTs in, 392–398
 provider writers in, 96
 providers in, 19
 schema tables in, 398
 OleDb namespace, 96
 OLEView.EXE file, 626
 ON CONTRACT contract_name
 argument, 532
 One-to-many relationships, 474–475
 Ones complement operations, 70
 OnNullCall property, 158
 OODBMS (object-oriented databases),
 460
 op>Addition operator, 68–69
 op+LogicalNot operator, 68
 op+True operator, 73
 OPath query language, 490
 with Common Query Abstraction,
 439–440
 data types in, 493
 functions and predicates in, 493–494
 operators in, 490–493
 Open method, 104
 Open schemas, 251, 256–258
 OpenXML function, 297–299, 330
 Operator column in Criteria Grid,
 659–660
 Operators
 in OPath, 490–493
 in XQuery, 330–336

- Optimization, 451–453
 - in ObjectSpaces, 495–501
 - of SQL formulas, 438
 - in XQuery, 344–345
 - OPTION statement, 248
 - Optional security features, 177–178
 - Or operations
 - in OPath, 491
 - for SqlTypes, 70
 - ORDER BY clause
 - with FLWOR expressions, 315–317
 - for ranking, 258–262
 - SQL vs. XQuery, 319
 - with XML data type, 270
 - Order class, 497–499
 - Order messages, 511
 - Order of floating point numbers, 149
 - Ordering functions in T-SQL, 258–263
 - OSD (object schema definition) files, 443–444, 461, 463
 - Out-of-memory conditions, 32
 - OUTER APPLY clause
 - with nodes function, 328–330
 - in T-SQL, 249–250
 - OUTPUT clause, 237–239
 - OUTPUT parameter in procedures, 78–79
 - Output types in XML, 361–372
 - OVER clause, 258–260
 - OverflowMap mapping feature, 447
 - Overloading methods, 59
 - owner_name argument, 529
 - Ownership chaining, 183–186
- P**
- Page_Load method, 484–485
 - parameter_name argument, 579
 - ParameterDirection enumeration, 109
 - Parameters
 - in CLR type system, 640–641
 - in HTTP, 351–352, 366–368
 - passing, 75, 78–80
 - for procedures, 75
 - in SOAP calls, 366–368
 - in SqlCommand, 109
 - with triggers, 92
 - with XML data type, 271–272
 - Parameters class, 76–77, 449
 - Parameters format, 363
 - Parameters property
 - in ObjectQuery, 489
 - in SqlCommand, 108–109, 391
 - ParentClass class, 473
 - Parentheses operator () in OPath, 491–492
 - ParentMember field, 473
 - Parse method
 - for dates, 493
 - in LDim, 146–148
 - Parse time in XQuery, 343
 - PARTITION BY clause, 260–261
 - Passback function, 79
 - Passback2 function, 80
 - PassChars method, 76–78
 - PassCharsTSql method, 76–77
 - Passing parameters, 75, 78–80
 - Password change support, 432–433
 - Password Must Meet Complex Requirements policy, 187
 - Password policies, 186–188
 - Path expressions in XQuery, 312
 - PATH parameter for HTTP, 352
 - Pattern-based data types, 296–297
 - Patterns with ObjectSpaces, 471–480
 - .pdb extension, 50
 - Performance in CLR, 28
 - permission_set column, 46
 - permission_set_desc column, 46
 - Permission sets, 39–43
 - Permissions
 - for assemblies, 39–43, 49, 198–202
 - endpoint, 357
 - for new objects, 197–198
 - in ownership chains, 185
 - for schemas, 192, 281
 - for UDTs, 202–203
 - working with, 179–183
 - PersistAllChanges method, 483–484, 499
 - PersistChanges method, 465, 470–471, 483–484, 499–500
 - PERSISTED computed columns, 82
 - Persisted data in assemblies, 50
 - PersistenceOptions method, 499
 - Persistent Stored Modules (SQL-PSM), 3, 18
 - Person class, 633
 - PIInvoke (Platform Invoke) mechanism, 3, 31
 - Pipes, 121–122
 - PIVOT command, 251–253
 - for analysis, 253–256
 - for open schemas, 256–258
 - Planning steps in Notification Services, 568

682 INDEX

- Platform Invoke (PInvoke) mechanism, 3, 31
- Poet database, 460
- Point class, 386–387, 390–391
- Policies, password, 186–188
- PORTS parameter, 352
- Post-Schema-Validation InfoSet (PSVI), 17, 309
- Power users, Web Services for, 362
- Predicates
in OPath, 493–494
query, 315
- Preemptive thread scheduling, 31
- Prepare method, 108
- Primary indexes, 282
- Primary keys
in ObjectSpaces mapping, 476
in XML mapping, 444
- Primary OPath operators, 491
- principal_id column, 46
- Principals in security, 179–183
- Principle of least privilege, 175
- priority column, 528
- private access modifier, 632
- PRIVATE_KEY FILE argument, 551
- PROCEDURE_NAME argument, 525, 537
- Procedures, 75–80
execution contexts in, 194–197
vs. functions, 81
stored. *See* Stored procedures
- Process data component in SSB
flow, 545
- Processes for runtime hosts, 35–37
- processing-instruction function, 288
- Programmability node, 649, 653
- Programming
models for, 95–99
new features in, 612–613
- Prologs, query, 310
- Promotable transactions, 428–429
- PromptPassword method, 433
- Properties
in CLR type system, 638–640
for UDTs, 153–155
- protected access modifier, 632
- Protection attributes, 38–39
- ProtocolExecutionSettings node, 607
- ProtocolName element, 607
- ProviderBase namespace, 413
- ProviderFactory class, 410
- Providers
for events, 562, 580, 582–583, 587–591
in-process. *See* In-process data providers
.Net, 7
- Providers node, 583
- PSVI (Post-Schema-Validation InfoSet), 17, 309
- public access modifier, 632
- Public keys in assembly names, 628
- PubsProc class, 111
- PulleyDistance function, 56–58, 61
- Q**
- QA (Query Analyzer), 21, 645, 649
- QName data type, 274
- Quantum in Notification Services, 567
- Queries
in Common Query Abstraction, 439
nested, 292–293
ObjectSpaces models for, 488–490
optimizing, 451–453
parts of, 310
predicates for, 315
recursive, 243–249
XML, 17–19. *See also* XPath; XQuery engine
- Query abstraction, 23
- Query Analyzer (QA), 21, 645, 649
- Query Editor window, 649–654
- query method, 321, 325–329, 335
- Query plans, 223
- Query property, 489
- QueryJoin property, 489
- QueryOrderBy property, 489
- QuerySelectList property, 489
- Queue class, 507
- queue_name argument
in CREATE QUEUE, 525
in CREATE SERVICE, 529
- Queues in SSB, 506–509, 516, 524–528
- queuing_order column, 528
- R**
- RAISERROR command, 125, 264
- RANK function, 259–260
- Ranking functions in T-SQL, 258–263
- RDS (remote data services) architecture, 20
- READ COMMITTED transaction
isolation, 213–217

Read method
 in BData, 88–90
 in IBinarySerialize, 148, 151–153, 387
 in ISqlReader, 86
 in SqlDataReader, 114

ReadAndWait method, 420

Reading objects with ObjectReader,
 484–486

ReadXml method, 455

ReadXmlSchema method, 455

REAL data type, 62

RECEIVE command, 233, 512, 514–517,
 541–542

Receiving SSB messages, 539–542

Recompilation, statement-level, 222–226

Recordset limitations, 21

Recursive queries, 243–249

Ref attribute, 478

REF data type, 10

ref parameter in methods, 79

reference_assembly_id column, 47

ReferenceEquals method, 629

REFERENCES permission
 purpose of, 182
 for schema collections, 281
 for stored procedures, 200
 for UDTs, 202–203

References vs. value types, 635

RefPerson class, 633–634

REGASM utility, 393

RegEx class, 147

Register command, 578, 589

Register servers, 647–649

Registered Servers pane, 647

REGSVCS.exe utility, 470

RELATED_CONVERSATION argument,
 532–533

RELATED_CONVERSATION_GROUP
 argument, 532–533

Related object graphs in ObjectSpaces,
 495–501

Relational data views, 448–449

Relational model
 in ObjectSpaces mapping, 477–478
 in SQL:1999, 8–10

Relational schema definition (RSD) files,
 443–444, 461, 463

Relationship element, 476

RelationshipMap element, 446, 475

Relationships in ObjectSpaces mapping,
 471–473

Reliability in CLR, 28

Remainder operations
 in OPath, 491
 for SqlTypes, 70

Remote data services (RDS) architecture,
 20

Remote procedure calls (RPCs), 19–20

Remote public keys for certificates, 552

Remote Service Bindings, 510, 553–554

Remove method, 483

Removed ObjectState, 481

Repeat function, 81–82, 84

RepeatSql function, 81

replace value of statement, 341–342

Replacing UDTs, 161–162

Reset Lockout Counter After policy,
 187

Resolver with XQuery, 454

Resource management, 30–32

ResultAlias property, 489

Results of commands, 112–115

Resultsets
 for asynchronous support, 425–426
 working with, 413–418

Resync method, 471, 484

RETENTION argument, 525

Retrieve messages in SSB flow, 545

Retrieve state data in SSB flow, 545

Return codes
 for commands, 112–113
 for procedures, 75, 77

return keyword
 FLWOR expressions, 315, 317
 SELECT vs. FLWOR, 319

ReturnKeys property, 489

ReturnProviderSpecificTypes property,
 407

Roles, 181, 190

ROLLBACK command, 264

Rollback method
 with ObjectSpaces, 470
 Transaction, 117, 119

ROLLBACK TRANSACTION
 command, 514–515

Rolling back transactions, 117–119

Rollup accounts, 243–249

Root elements, 292

Root nodes in XPath, 314

Routes in SSB, 510, 547–549

ROW_NUMBER function, 258–259

RowFilter property, 494

684 INDEX

- Rows
 in command results, 112–113
 in OpenXML, 297–298
 in PIVOT command, 251
 versioning, 213–214
- Rowsets, 297–298
 limitations on, 21
 OLE DB, 398
- RPCs (remote procedure calls), 19–20
- RSD (relational schema definition) files, 443–444, 461, 463
- Rules
 notification, 601–603
 in SQL Server, 10–11
- Runtime hosts, 27
 assemblies in, 42–51
 dependencies, 44
 storing, 39–42
 loading, 35–37
 .NET, 28–29
 operation of, 27–28
 protection attributes in, 38–39
 safe code in, 37–39
 specification compliance in, 51–52
 SQL Server as, 29–35
- S**
- SAFE access category, 34, 199, 205–206
- Safe code in runtime hosts, 37–39
- SAFE PERMISSION_SET, 41–43
- Safety levels in .NET code, 204–208
- Same3 function, 66
- SameAs1 function, 64
- SameAs2 function, 64
- SAX APIs, 401–402
- Scalability
 asynchronous messaging for, 25
 in SSB, 517
- Scalable notification applications, 26
- Scalar types and values
 in command results, 112–113
 functions for, 81–85
 user-defined. *See User-defined types (UDTs)*
- ScheduledRules section, 596
- schema_id, 46
- Schema node, 581
- SCHEMA parameter, 365–366
- SchemaCollection class, 454
- SchemaFile argument, 587
- Schemas and schema collections
 in CREATE ENDPOINT, 365–366
 mapping, 18
 in Notification Services, 571
 OLE DB and ADO tables for, 398
 open, 251, 256–258
 security for, 281
 user separation from, 189–193
 XML data type with, 272–281
- XSD, 16–17
- Secure socket layer (SSL)
 with endpoints, 177
 with SOAP, 349
- Security, 2, 175
 for assemblies, 205–208
 authentication and authorization in, 179–183
 in CLR, 28
 concepts in, 178–179
 credentials in, 189
 execution contexts in, 183–186, 194–197
 metadata in, 178
 new features in, 175–176
 for new objects, 197–198
 optional features in, 177–178
 ownership chaining in, 183–186
 password policies in, 186–188
 permissions in, 198–202
 for schemas and strongly typed instances, 281
 separation of users and schemas in, 189–193
 in SQL Server, 34–35
 in SSB, 549–554
 synonyms, 193
 UDTs and visibility in, 202–203
 for XML Web Services, 353–357
- Segmentation, mapping, 502
- select_and_count procedure, 196–197
- SELECT command
 aggregates in, 165
 vs. FLWOR, 319–321
 parameters in, 366
 with PIVOT, 256
 in SSB, 516
 for XML data type, 284–288
- Select method, 494
- Semicolons (;) for SSB messages, 539
- SEND command, 539
- Send data component in SSB flow, 545

Send method, 122, 125
 SEND rights, 554
 Sending SSB messages, 539–542
 SendResultsEnd method, 122
 SendResultsRow method, 122
 SendResultsStart method, 122
 SENT BY argument, 523
 Separation of users and schemas, 189–193
 SEPs (server event providers), 589
 Sequence functions in XQuery, 333
 Sequences
 in SSB, 531
 in XQuery data model, 308
 Serializable attribute, 140
 SERIALIZABLE transaction isolation, 212–216, 220–221
 SerializableAttribute attribute, 137
 Server event providers (SEPs), 589
 Server Management Object (SMO)
 model, 648–649
 Server Management Studio, 293
 Server model for stored procedures, 407
 Server Programming Model (SPM), 96, 409–410
 Server Service Broker (SSB), 25–26, 231–232, 418, 503
 activation in, 537–538
 application guidelines, 518–519
 contracts in, 509, 511, 523–524
 conversations in, 510–513, 531–536
 dialogs in, 531–536
 example, 519
 flow in, 543–547
 messages in, 503–508
 correlation, 504
 order, 504, 511, 513
 security for, 552–554
 sending and receiving, 539–542
 types in, 519–523
 validating, 521–522
 overview, 505–518
 queues in, 506–509, 516, 524–528
 routes in, 510, 547–549
 security in, 549–554
 services in, 529–530, 536–547
 ServerVersion property, 104
 -service argument, 589
 Service Broker. *See* Server Service Broker (SSB)
 service_contract_id column, 528
 service_contract_name column, 528
 service_id column, 528
 SERVICE_NAME argument
 in CREATE ROUTE, 548
 in CREATE SERVICE, 529
 service_name column, 528
 Service programs in SSB, 509
 ServicedComponent class, 470
 ServiceQueue objects, 527
 Services
 Notification. *See* Notification Services in SSB, 510, 529–530
 Web. *See* Web Services
 Session support in endpoints, 370–372
 SET command vs. let, 320
 Set operations, 55
 SetFieldValue method, 599
 SetHostControl method, 30
 SetValue method, 157–158
 Shared assemblies, 201–202
 Shredding XML documents, 297
 Simple Mail Transfer Protocol (SMTP), 563, 605–606
 SINGLE_BLOB option, 300
 SINGLE_CLOB option, 300
 SITE parameter, 351–352
 Skip validation, 301
 SMALLDATETIME data type, 62
 SMALLINT data type, 62
 SMALLMONEY data type, 62, 296
 SMO (Server Management Object)
 model, 648–649
 SMS providers, 563
 SMTP (Simple Mail Transfer Protocol), 563, 605–606
 Snapshot isolation
 clients, 427–429
 in T-SQL, 212–219
 sni.dll library, 415
 soap_endpoints view, 361
 SOAP protocol, 19–20
 for endpoints, 370–371, 374–375, 380
 faults in, 368–369
 messages in
 for HTTP access, 359–360
 for HTTP serving, 352
 for SQLXML, 360–361
 for Web Services, 353, 355
 parameters in, 366–368
 sessions for, 371
 with Web services, 348–349

686 INDEX

- SoapHttpClientProtocol class, 375
- Solution Explorer pane, 654
- Sorting UDTs, 138
- SourceConstant field, 446
- SourceField field, 446
- sp_addapprole stored procedure, 190
- sp_addlogin stored procedure, 179, 188
- sp_addtype stored procedure, 10
- sp_adduser stored procedure, 53–54, 190
- sp_bindrule stored procedure, 10, 132–133
- sp_bindsession stored procedure, 100
- sp_configure stored procedure, 351, 548
- sp_grantlogin stored procedure, 179
- sp_OACreate stored procedure, 54
- sp_setapprole stored procedure, 182
- sp_xml_preparedocument stored procedure, 297–299
- Specification compliance in runtime hosts, 51–52
- Specification documents, 307–311
- SPM (Server Programming Model), 96, 409–410
- SQL:1999 standard, 8–10
- SQL batches, 360–361
- SQL-CLI (SQL Call-Level Interface), 612–613
- sql:column function, 335, 453
- SQL Environment Options option, 646
- SQL-PSM (Persistent Stored Modules), 3, 18
- sql:query function, 451–452
- SQL Server
 - CLR methods in, 55–60
 - code loading in, 33–34
 - event providers in, 562
 - exception handling in, 6, 32–33
 - extending, 53–55
 - .NET environment effect on, 3–8
 - programming model, 95–99
 - resource management in, 30–32
 - as runtime hosts, 29–35
 - security in, 34–35
 - UDTs in, 10–13
 - XQueryCommand class with, 450–453
- SQL Server Management Studio, 645–646
 - authoring queries in, 649–654
 - projects and solutions in, 654–655
 - register and exploring servers in, 647–649
- sql:variable function, 336
- SQL_VARIANT type, 297
- sqlaccess.dll file, 656
- SqlAssemblyAttribute attribute, 664
- SqlAttributes, 656, 658–659
- SqlBinary data type, 69
 - coercions with, 65, 67
 - correspondence to other types, 62
 - operations with, 70
 - SqlFacetAttribute with, 85
- SqlBoolean data type, 72
 - coercions with, 65, 67
 - correspondence to other types, 62
 - operations with, 70
 - SqlFacetAttribute with, 85
- SqlBulkCopy feature, 429–430
- SqlBulkCopyAssociation class, 430
- SqlByte data type
 - coercions with, 65, 67
 - correspondence to other types, 62
 - operations with, 70
 - SqlFacetAttribute with, 85
- SqlBytes data type, 85
- SqlCacheDependency class, 418
- SqlCacheDependencyAdmin class, 418
- SqlChars data type, 85
- SqlClient namespace, 21, 96, 98
 - and ADO.NET, 409–413
 - bulk import in, 429–432
- SqlCommand class, 106–110, 400
- SqlConnection class, 103–105
 - for client statistics, 433
 - for DBObject, 456
 - with ObjectSpaces, 465
- SqlContext Class, 99–102
- SqlDataAdapter class, 403–407
- SqlDataReader class, 416, 467–468, 485
- SqlDate data type
 - coercions with, 65, 67
 - operations with, 70
- SqlDateTime data type
 - coercions with, 65, 67
 - correspondence to other types, 62
 - operations with, 70
 - SqlFacetAttribute with, 85
- SQLDB data type, 61–63
- SqlDecimal data type, 69
 - coercions with, 65, 67
 - correspondence to other types, 62
 - operations with, 70
 - SqlFacetAttribute with, 85

SqlDefinition class, 110–112
SqlDependency class, 418, 421–422
SqlDouble data type, 66, 68
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlError class, 125
SqlExecutionContext class, 8, 110–112
SqlFacetAttribute, 84–85
SqlFunc attribute, 657
SqlFuncAttribute attribute, 659
SqlFunction attribute, 657
SqlFunctionAttribute attribute, 83–84,
 158–159
SqlGuid data type
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlInt16 data type
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlInt32 data type, 63, 69
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlInt64 data type
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlMessage element, 363, 370
SqlMetaData Class, 389–392
SqlMethod method, 158
SqlMethodAttribute attribute, 157–159
SqlMoney data type
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlNotificationRequest class, 418–419
SQLNS. *See* Notification Services
SQLOLEDB provider, 19, 397, 423
SqlParameter class, 109, 363
SqlParameterCollection collection, 109
 -sqlpassword argument, 579
SqlPipe class, 121–122, 125
SqlProcedureAttribute attribute, 659
SqlResultCode format, 363
SqlResultStream element, 362
SqlRowSet format, 363
SqlServer namespace, 8, 96, 98
SqlServerSystem element, 572
SqlSingle data type, 67–68
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlString data type
 coercions with, 65, 67
 correspondence to other types, 62
 operations with, 70
 SqlFacetAttribute with, 85
SqlTime data type
 coercions with, 65, 67
 operations with, 70
SqlTriggerAttribute attribute, 659
SqlTriggerContext class, 92, 126–127
SqlTypes namespace, 7, 59–60, 71–75
 CLR, SQL, and SQLDB type
 correspondences to, 61–63
 coercions for, 64–67
 operations with, 69–71
sqltypes schema, 304
SqlUserDefinedAggregateAttribute
 attribute, 171–172
SqlUserDefinedTypeAttribute attribute,
 137, 140, 156
 -sqlUsername argument, 579
SQLXML, 348–349
 in client-side XML
 bulk loads in, 454–456
 DBObject in, 456–457
 endpoints in, 372, 380
 functionality of, 353
 in ObjectSpaces mapping, 461
 SOAP messages in, 360–361
 in XML mapping, 441–442
SqlXml format, 363
SqlXml type, 85
SqlXmlCommand class, 441, 448–449
SqlXmlReader data type
 coercions with, 65, 67
 operations with, 70
SqlXmlRowsetAdapter class, 454–456
Square brackets operator ([]) in OPath,
 491–492
srv_getbindtoken function, 100

688 INDEX

SSB. *See* Server Service Broker (SSB)
 SSL (secure socket layer)
 with endpoints, 177
 with SOAP, 349
 SSL_PORT parameter, 352
 SSPI authentication, 551
 Stack overflow conditions, 33
 StartTracking method, 465, 480
 State maintenance
 in ObjectSpaces, 480–484
 in SSB, 517
 State parameters for endpoints, 351
 State property, 104
 Statement-level recompilation, 222–226
 Static members, 639
 Statistics, client, 433–434
 StatisticsEnabled property, 433
 STATUS argument, 525
 status column, 528
 Status command for NSControl, 578
 Status messages in SSB, 511
 Stock price application, 576–577
 Store Passwords Using Reversible
 Encryption policy, 187
 Stored procedures
 client and server model for, 407
 for events, 584–586
 extended, 5–6
 limitations of, 54
 unmanaged, 37–38
 in Notification Services, 562
 in SOAP, 348
 in T-SQL, 4–5
 transactions in, 119–120
 for WSDL, 378–380
 storing .Net assemblies, 39–42
 Stretch function, 250
 strict validation, 301
 String data type and strings
 coercions with, 65
 comparing, 492
 correspondence to other types, 62
 mapping to XML, 295
 null references for, 74
 SqlFacetAttribute with, 85
 XQuery functions for, 333
 in XSD, 274
 Strong typing
 security with, 281
 in XML, 343–344
 in XQuery, 454
 struct keyword, 136
 StructLayoutAttribute attribute, 137
 Subscriber object, 594
 SubscriberDevice object, 594
 SubscriberId property, 597–598
 Subscribers in Notification Services, 567,
 596–598
 Subscription class, 594, 599
 SubscriptionClasses node, 575–576
 Subscriptions in Notification Services,
 567, 592–596, 598–600
 SUBSTRING data type, 235
 Substring function, 494
 Subtraction operations, 70
 SUM function, 165–166
 SuppressFinalize method, 644
 Synchronizer problem in message-based
 applications, 505
 Synonyms, 193
 sys.assembly_files, 47–48
 sys.assembly_references, 47–48
 sys.fn_top_version_generators, 222
 sys.fn_transaction_snapshot, 222
 sys.fn_transactions, 222
 sys views, 361
 syslogins table, 179
 SYSNAME data type, 62
 System.Data.dll assembly, 96
 System.Data.OleDb namespace, 96
 System.Data.ProviderBase namespace,
 413
 System.Data.SqlClient namespace,
 96
 System.Data.SqlServer namespace,
 8, 96, 98
 System.Data.SqlTypes namespace, 7,
 59–60, 71–75
 CLR, SQL, and SQLDB type
 correspondences to, 61–63
 coercions for, 64–67
 operations with, 69–71
 System.Decimal type, 7
 System.GC class, 642
 System.Int32 type, 7, 62
 System metadata tables, 44–48
 System.Object class, 629–630
 System.Security.Permissions.HostProtect
 ionAttribute class, 38–39
 System.Transaction library, 429
 System.Web.Caching.Cache class,
 418

T

T-SQL. *See* Transact-SQL (T-SQL)
 Table-valued functions (TVFs), 86–92
 Tables
 mapping to XML, 302–303
 XML data type in, 266–271
 Tabular data stream (TDS) protocol, 347–349
 TAKE OWNERSHIP permission, 357
 TARGET argument in CREATE CONTRACT, 523
 TARGET messages in SSB, 512, 538
 TargetConstant field, 446
 TargetField field, 446
 targetNamespace attribute, 16
 Targets in service programs, 537
 TargetSelect statement, 446
 TDS (tabular data stream) protocol, 347–349
 TEMPDB database, 217–220, 222
 Template Explorer pane, 654
 Templates
 for HTTP requests, 348
 in Visual Studio 2005, 657
 Temporal data, PIVOT command for, 251
 Terminate method, 168–171
 TEXT data type
 correspondence to other types, 62
 in T-SQL, 235
 with XML data type, 270
 text function, 287
 Text property, 119
 Third-party products in Notification Services, 563
 Thread affinity, 37
 Thread management algorithm, 31
 Tier functionality, 613–618
 TILE function, 260
 time data type, 273
 TIMEOUT argument in RECEIVE, 541–542
 Timeout messages
 in SSB activation, 538
 in SSB dialogs, 534
 TimeSpan data type, 493
 TIMESTAMP data type, 62
 TINYINT data type, 62
 TLBEXP.exe utility, 393
 TO service, 512

TO SERVICE service_name argument, 532
 Tools integration, 645
 SQL Server Management Studio, 645–646
 authoring queries in, 649–654
 projects and solutions in, 654–655
 register and exploring servers in, 647–649
 Visual Studio 2005, 655–662
 TOP clause
 in RECEIVE, 541
 in T-SQL, 236–237
 ToString method
 in LDim, 145–146
 in Object, 140, 629
 for ODBC, 392–393
 with SqlDataAdapter, 405–406
 Trace Properties dialog, 224–225
 tradeAckQueue procedure, 536–537
 tradeEntryProc procedure, 536
 tradeEntryQueue procedure, 537, 543
 TradeEntryService procedure, 536
 TRAN_ABORT option, 264
 Transact-SQL (T-SQL), 3–4, 18, 211
 APPLY operators in, 249–251
 Common Table Expressions in, 239–243
 compatibility of, 6
 DDL triggers in, 226–230
 event notifications in, 230–234
 improvements to, 212–219
 large value data types in, 235–236
 OUTPUT clause in, 237–239
 PIVOT command in, 251–258
 ranking and windowing functions in, 258–263
 recursive queries in, 243–249
 snapshot isolation for, 212–219
 statement-level recompilation in, 222–226
 stored procedures in, 4–5
 TOP clause in, 236–237
 transactions in, 104–105, 263–264
 versioning in, 220–222
 Transaction library, 429
 Transaction property
 in SqlCommand, 108
 in XmlDocument, 449

690 INDEX

Transactions, 115–116
 abort handling in, 263–264
 ADO.NET vs. T-SQL, 104–105
 in contexts, 116–119
 isolation levels in, 120–121
 in ObjectSpaces, 500–501
 promotable, 428–429
 in SSB, 515
 in stored procedures, 119–120
 Transport security in SSB, 549–552
Triggers
 CLR methods for, 92
 DDL, 226–230
 Trim function, 494
 TRY/CATCH blocks, 263–264
 TVFs (table-valued functions), 86–92
 Type Library Exporter, 393
 TYPE specifier, 288–289
 Typed XML, 276–278
 Types. *See* Data types

U

UDTs. *See* User-defined types (UDTs)
 UMS (user-mode scheduler), 3, 31
 Unary operators, 68
 Unchanged ObjectState, 481
 UNCHECKED DATA option, 50
 UNION ALL keyword, 246
 UNIQUEIDENTIFIER data type
 for conversations, 533, 535
 correspondence to other types, 62
 in SSB, 513, 517
 Unknown ObjectState, 481
 Unmanaged extended stored
 procedures, 37–38
 Unregister command, 578
 UNSAFE access category, 34, 37–38, 199,
 205–206
 UNSAFE PERMISSION_SET, 42–43
 Update command
 for NSControl, 578, 583, 588, 596, 601
 in ObjectSpaces, 484
 update_salary stored procedure, 183–186
 Update state component in SSB flow, 545
 UpdateCommand instance, 403
 UpdateRowSource property, 108
 Updating
 ObjectSpaces optimizations, 499–500
 SqlDataAdapter for, 403–404
 UDTs, 395
 XML columns, 337–342

Upgrade command, 578
 UseCityStateQuery method, 490
 UseEventHandler method, 425
 UseForConcurrency attribute, 484
 User-defined aggregates
 in security, 202–203
 working with, 165–173
 User Defined Function template, 657
 User-defined types (UDTs), 131, 406
 adding and using, 134–135
 in ADO.NET, 384–385, 392–398
 alias types, 132–133
 APIs for, 383–384
 for between functions, 163–165
 creating, 135–136
 with DataReader, 385–389
 for dimensions. *See* LDim data type
 implementing, 136–142
 need for, 131–132
 for objects, 162–165
 in ODBC and OLE DB, 392–398
 overview, 133–134
 replacing, 161–162
 in security, 202–203
 in SQL Server, 10–13
 with SqlDataAdapter, 406
 with SqlFacetAttribute, 85
 unsupported functions in, 160–161
 XML serialization in, 161
 User libraries, validating, 34
 User-mode scheduler (UMS), 3, 31
 UserDefined setting, 137–140
 Users, schema separation from,
 189–193
 UseWaitHandles method, 426
 using directive, 637, 644

V

Valid XML names, 303
VALID_XML WITH SCHEMA
 COLLECTION argument, 520
 Validate services in SSB, 510
 Validation
 in CREATE MESSAGE TYPE, 519
 SSB messages, 521–522
 UDTs, 155–157
 user libraries, 34
 XML documents, 17
 XSD schemas, 16–17
VALIDATION argument, 519
 validation column, 528

ValidationMethodName property, 156–157
 value method, 322–325, 329, 335
 Value property, 63–64, 66
 Value types vs. references, 635
 VARBINARY data type
 correspondence to other types, 62
 in T-SQL, 235
 with XML data type, 270
 VARCHAR data type
 correspondence to other types, 62
 for OpenXML, 298
 in T-SQL, 235–236
 Variables
 with XML data type, 271–272
 XQuery, 312
 verbose flag in Update, 583
 Versant database, 460
 Versions and versioning
 assemblies, 627–628
 drawbacks of, 220–221
 monitoring, 222
 .NET, 2
 in T-SQL, 220–222
 VIEW DEFINITION permission, 178
 Views
 in client-side XML queries, 448–449
 in XML mapping, 446
 Virtual tables, 446
 Visibility
 in assemblies, 49
 in CLR type system, 632–633
 in security, 202–203
 Visible assemblies, 201–202
 Visual Studio 2005, 655–657
 build and deploy in, 659–660
 code execution and debugging in, 661–662
 deployment attributes in, 657–659
 void keyword
 for procedures, 77
 with triggers, 92

W

WaitAll method, 425
 WaitAny method, 426
 WAITFOR statement, 233, 541–542
 WatchDirectoryEventClassName argument, 587

Web Service Description Language (WSDL)
 for endpoints, 375–376
 for publishing Web Services, 355
 for schemas, 362
 stored procedures for, 348, 378–380
 Web Services, 19–20, 347
 with databases, 347–349
 error handling in, 368–370
 HTTP access for, 358–361
 HTTP endpoint metadata views in, 361
 parameters for, 351–352
 security in, 353–357
 SQLXML in, 360–361
 XML data type with, 372–374
 XML input and output types in, 361–372
 WELL_FORMED_XML argument, 520
 Well-formedness rules in XML, 17
 WHERE clause
 with FLWOR expressions, 315–316
 for rankings, 261
 SQL vs. XQuery, 319
 WhereExpression property, 489
 Whitespace entitization, 292–293
 Width function, 60
 Wildcard data types, mapping to XML, 297
 Windowing functions, 258–263
 Windows groups, 181
 winexe target switch, 625
 WITH clause, 239–240
 WITH ERROR option, 534
 WITH SCHEMABINDING option, 182, 200
 worker process in ASP.NET, 29
 Write method, 148–152
 WSDL (Web Service Description Language)
 for endpoints, 375–376
 for publishing Web Services, 355
 for schemas, 362
 stored procedures for, 348, 378–380
 WSDL parameter, 379
 wsdl_procedure procedure, 379–380

X

xdt:untypedAtomic data type, 277, 320
 xf:data function, 343




692 INDEX

- XML**
- client-side. *See* Clients
 - column updating in, 337–342
 - for data and document storage, 13–19
 - mapping, 14–15
 - catalogs and tables, 302–303
 - client-side, 441–447
 - XQuery, 23
 - as marshaling format, 19–20
 - query languages for. *See* XPath; XQuery engine
 - schemas for, 562, 571
 - serialization in UDTs, 161
 - strongly typed, 343–344
 - views in queries, 448–449
 - with Web Services. *See* Web Services
 - XQueryCommand with, 450–453
- XML Data Reduced format schema, 289**
- XML data type, 17, 22, 265–266**
- in ADO and ADO.NET, 399–403
 - ANSI SQL standard compliance, 300–304
 - for bulk loads inside databases, 299–300
 - functions in, 283–284
 - indexes for, 282–283
 - mapping, 294–297, 303–304
 - NULL database values in, 290–292
 - OpenXML enhancements for, 297–299
 - producing, 288–289
 - root elements in, 292
 - with schema collections, 272–281
 - security for, 281
 - in tables, 266–271
 - typed elements with, 276–278
 - variables and parameters with, 271–272
 - with Web Services. *See* Web Services
 - whitespace entitization and nested queries for, 292–293
 - XQuery with, 321–330
- xml.exist method, 322–323, 335**
- xml.modify function, 335**
- delete, 341
 - insert, 337–341
 - replace value of, 341–342
- xml.nodes function, 322, 328–330**
- xml.query function, 321, 325–329, 335, 343–344**
- XML Schema Definition (XSD) language, 13, 273–275**
- inline format schema, 289–290
 - schemas, 16–17
 - type derivation in, 15
- xml_schema_namespace function, 279**
- XML streams in command results, 112–113**
- xml.value method, 322–325, 335**
- XML/XSLT formatter, 563**
- XmLArgumentList class, 441, 450**
- XmLBulkLoad facility, 445, 454**
- XMLDATA option, 290**
- XmLDataSourceResolver class, 441, 452**
- XmLElement function, 301**
- XmLForest function, 301**
- XmLNavigator model, 22**
- xmLns attribute, 16**
- XMLPARSE method, 300**
- XmLReader class, 22**
- XmLResolver class, 411, 450, 452, 454**
- XmLRowsetAdapter, 455**
- XMLSchema namespace, 273**
- XMLSchema-instance namespace, 273**
- XMLSCHEMA option, 290**
- XmLSecureResolver class, 452**
- XMLSERIALIZE method, 300**
- XmLUrlResolver class, 452**
- XmLValidatingReader class, 401, 438**
- XmLWriter, 22**
- XOR operations, 70**
- XPath, 22, 306**
- data model for, 301
 - queries in, 17–19
 - with XML data type, 287
 - XQuery expressions in, 313–316
- XPathDocument class, 22–23**
- XQuery engine, 18–19, 22–23, 305–307**
- vs. client-side XML, 453–454
 - with Common Query Abstraction, 439–440
 - data models with, 301, 308–309, 318
 - expression bodies in, 311–318
 - functions and operators for, 330–336
 - multiple document queries with, 336–337
 - optimization decisions in, 344–345
 - specification documents for, 307–311


- vs. SQL, 318–321
- typed XML with, 277, 343–344
- with XML columns, 283, 337–342
with XML data type, 321–330
- XQueryCommand class, 441, 448,
450–453
- xs:double data type, 320
- xs prefix, 273
- xs:string data type, 320
- XSD (XML Schema Definition) language,
13, 273–275
inline format schema, 289–290schemas, 16–17
type derivation in, 15xsd:annotations option, 304
- xsd:base64Binary option, 304
- xsd:dateTime data type, 296
- xsd:hexBinary option, 304
- xsd:integer data type, 296
- xsd:string data type, 295–296
- xsi prefix, 273
- xsi:nil attribute, 304, 367
- xsi:schemaLocation attribute, 275, 290
- XSLT formatter, 603–604
- XSLT language, 18, 306
- XsltProcessor class, 448

Z

- Zero-or-one-to-one relationships,
476




Microsoft .NET Development Series




0321154894




0321113594




0201734117




0321160770




0321154916




0321228391




0321228960




0321154932




0201760401




0201760398




0201734958




0321116208




0321125193



0321169514



0201770180



0201745682

For more information go to www.awprofessional.com/msdotnetseries/

Wouldn't it be great
if the world's leading technical
publishers joined forces to deliver
their best tech books in a common
digital reference platform?

They have. Introducing
InformIT Online Books
powered by **Safari**.

• **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

• **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

• **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

• **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit www.informit.com/onlinebooks for details.



informIT

informit.com/onlinebooks



informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



Online Books


Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.

POWERED BY
Safari
TECH BOOKS ONLINE™



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.





Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:

- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests



Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com



Visit us on the Web: <http://www.awprofessional.com>