



Index

A

- Abstract base class
 - control adapters, 58
 - DataSourceView, 72
 - MembershipProvider, 158–161
 - and role provider, 181
 - and strong typing, 125–126
- Access control list (ACL), 187–188
- Accessors, 134
- Account lockout threshold, 165*n*
- Active Directory (AD) provider, 158
- Active Directory Application Mode (ADAM), 158
- ActiveDirectoryMembershipProvider, 165
- AddOnPreRenderCompleteAsync, 329–330
- AddWebPart, 224
- Administrative page, 138
- Administrator account risks, 157*n*
- ADO.NET, 70–71, 107, 320–322
- Advanced Encryption Standard (AES), 185
- Aggregation functions, 292
- AJAX, 307
- allowAnonymous, 134
- AllowClose property, 206
- AllowConnect property, 206
- AllowEdit property, 207
- AllowHide property, 207
- AllowMinimize property, 207
- AllowZoneChange property, 207
- Anonymous login, 177
- Anonymous requests wildcard, 153
- Anonymous users, 199–200
- anonymousIdentification, 133–137, 149
- App_Browsers, 21, 61, 64
- App_Code directory, 21–23, 198
 - subdirectories, 28
 - VB.NET and C# source code, 26
- App_Data, 21, 136, 138, 231, 234
- AppearanceEditorPart, 210–211
- App_GlobalResources, 21
- Application services, 139, 274
- ApplicationBrowserCapabilitiesFactory
 - class, 21
- applicationName, 172
- App_LocalResources, 21
- AppSettings, 79–80
- App_Themes, 22, 49
- App_WebReferences, 22
- Architecture
 - Codebehind, 9–14
 - compilation, 20–30
 - data binding, 8–9
 - dynamic content, 2–4
 - page lifecycle, 15–20
 - server-side controls, 5–8
- asp prefix, 5
- ASP.NET 2.0
 - Atlas framework, 203*n*
- ASP.NET Administration Console, 159, 181

- ASP.NET Provider Toolkit, 173*n*
 - aspnet_compiler.exe, 20, 24–25
 - ASPNETDB, 157, 234
 - aspnetdb, 139
 - ASPNET.MOF file, 248*n*, 274
 - aspnet_Profile, 136–137
 - aspnet_regiis, 189
 - aspnet_regsql, 251, 285
 - aspnet_regsql.exe utility, 139, 157
 - AspNetSynchronizationContext, 321
 - Assembly generation, 26–28
 - Asynchronous Programming Model (APM), 320
 - Asynchrony, 309–310
 - AddOnPreRenderCompleteAsync, 329–330
 - asynchronous tasks, 321–324
 - asynchronous Web access, 317–320
 - AsyncOperationManager, 320–321
 - "Async=""true""", 326–327
 - dependent asynchronous tasks, 324–326
 - JavaScript calls, 302
 - PageAsyncTask, 322–326
 - parallelism, 310–316
 - sequential data retrieval, 314
 - thread pool, 316, 320, 327–329
 - thread-relative resources, 330
 - Atlas, 203*n*, 307–308
 - Audit event, 255
 - Authentication
 - clients, 133, 137
 - forcing, 200
 - Forms, 153–156, 164, 166, 185, 194
 - integrated, 285, 292
 - login, 177
 - Web Parts, 199–200
 - Windows' integrated, 183
 - Authorization Manager (AzMan), 183–184
 - AuthorizationFilter property, 207
 - AuthorizationStoreRoleProvider, 183
 - AutoDetect (cookies), 186
 - AutoEventWireUp, 10–11, 16, 18, 117, 119
 - and codebehind, 9–10, 13, 125
 - Control, 19
 - ControlAdapter, 58
 - DataSourceView, 72
 - intermediate, 9
 - Master page, 43–44
 - MembershipProvider, 158–160
 - Page, 15, 19
 - PersonalizationProvider, 235
 - RoleProvider, 181–182
 - SoapHttpClientProtocol, 320
 - TemplateControl, 18
 - web events, 243–244
 - WebPart, 194, 226
 - BeginEventHandler, 323, 325–329
 - BeginExecuteReader, 322–323
 - BeginGetRequestStream method, 320
 - BehaviorEditorPart, 210–211, 219–220
 - Binary-only deployment, 24–26
 - Binary serialization, 141
 - BinaryFormatter, 141, 145
 - Bind(), 89
 - Blog reader using XmlDataSource, 98–99
 - BorderWidth property, 208
 - Bread crumbs, 54
 - BrowseDisplayMode, 202
 - Browser capabilities, specifying, 64
 - Browser definition (IE), 64
 - .browser files, 21, 48, 58, 61, 64
 - Browser recognition, 48, 64–66
 - Browser type hierarchy, 65
 - browserCaps, 64
 - BufferedWebEventProvider, 252
 - Buffering, 252–254
 - Build | Publish Web Site
 - Visual Studio, 24–25
 - Built-in buffer modes, 253–254
 - Built-in event mappings, 255
 - Built-in providers
 - e-mail providers, 248–251
 - SQL provider, 251–252
 - BulletedList, 6–9, 61
 - BulletedListControlAdapter, 59–63
 - Button controls, 116
- B**
- BackColor property, 208
 - Base class
 - abstract, 125–126, 182
 - CacheDependency, 293
- C**
- C# source code
 - and VB.NET source code, 26, 28

- Cache dependencies, 284
 - custom, 293–295
 - SQL Server 7 and 2000, 285–287
 - SQL Server 2005, 287–293
- Cache key, 281–282
- CacheDependency, 293
- CacheDuration, 280
- CacheExpirationPolicy, 280
- CacheKeyDependency, 280
- cacheRolesInCookie, 182
- Caching
 - cache profiles, 300–301
 - data source caching, 280–284
 - dependencies, 284–296
 - and GridView, 280
 - multiple cache dependencies, 286
 - ObjectDataSource, 282–283
 - post-cache substitution, 298–300
 - programmatic fragment caching, 296–298
 - and ViewState, 284
- CanEnterSharedScope, 219–220
- Cassini, 175
- Catalog parts and zones, 204–206
- CatalogDisplayMode, 202
- CatalogIconImageUrl property, 207
- CatalogZone, 223–224
- Change detection, 285, 288
- Change notification table, 285
- ChangePassword, 168
- CheckBoxField, 87
- Child controls, accessing, 179
- ChromeState property, 207
- ChromeType property, 207
- Clear (password storage), 167
- Client callbacks
 - Atlas, 302–306
 - framework, 302–306
 - TreeView node population, 306–307
- Client-side validation, 122
- Close (Web Part verb), 211
- Codebehind
 - basics, 9–11
 - Codebehind 2.0, 11–14
 - partial class, 29
 - and server-side controls, 12–13
 - UserControl, 228–230
- CodeFile attribute, 11–12, 14
- codeSubDirectories, 28
- Cole, Gwyn, 248*n*
- Column types, GridView, 87
- CommandNotification string, 290
- Common base class
 - and Master pages, 43–44
- Compatibility of versions, 1–2, 14
- Compilation
 - App_Code directory, 21
 - aspnet_compiler.exe, 20
 - assembly generation, 26–27
 - compilation directories, 20–24
 - customizing assembly generation, 28
 - folders, 21–22
 - and performance, 22
 - separate assemblies, 26–27
 - site compilation, 24–26
 - Web Application Projects, 28–30
- Configuration
 - connection strings, 82
 - file encryption, 188–190
- ConnectDisplayMode, 202
- Connection strings, 82
- ConnectionConsumer, 215–216
- Connections, 214–218
- ConnectionZone, 216–217
- Container.DataItem, 91
- Contains(), 202
- Content pages, 34–37
 - and master page merged hierarchy, 40
 - See also* Master page(s)
- ContentPlaceHolder, 35, 44, 47
- ContinueWithProfileAutoSave, 145
- Control adapters, 58
 - architecture, 59
 - browser recognition, 64
 - BulletedList, 59–61
 - CSS friendly adapters, 58, 66
 - methods, 58–59
- Control state, 79
- ControlCachePolicy class, 297
- ControlState, 78–79
- Conversion wizard, 14
- Cookie(s)
 - and browser recognition files, 64
 - editors, 183
 - persistent, 133–134, 163
 - and Profile, 148
 - “Remember me next time,” 163–164
 - and Role manager, 180–182
 - and security, 164
 - tamper detection, 180, 186

- Cookieless forms authentication, 185–187
 - cookieRequiresSSL, 182–183
 - COUNT_BIG function, 292
 - CreateChildControls, 17–18, 78
 - CreateOperation method, 320
 - CreateUser method, 160–161, 169–170
 - CreateUserWizard, 169–170, 179
 - Cross-page posting
 - drawbacks, 124–127
 - IsCrossPagePostBack, 121
 - multiple source pages, 124–127
 - PostBackUrl, 120–121
 - and server-side controls, 114
 - validation, 122–124
 - Cross-site scripting, 152
 - Cryptographic random number generator, 185
 - CSS friendly adapters, 58, 66
 - CurrentNotification, 249
 - Custom providers, 261–264
 - Custom web events, 258–260
 - Customization, and Profile, 147–149
- D**
- Data binding, 8–9
 - See also* Declarative data binding
 - Data-bound controls, 87–91
 - Data Protection API (DPAPI), 189
 - Data source caching
 - ObjectDataSource, 282–283
 - and ViewState, 284
 - Data source controls, 70–71
 - ADO.NET calls, 70
 - AppSettings, 80
 - ControlState, 78–79
 - DataSourceSelectArguments class, 74
 - DataSourceView (abstract) class, 72–74
 - embedded SQL, 79–82
 - GridView, 76–78
 - IDataSource interface, 70–74
 - ObjectDataSource, 72
 - SiteMapDataSource, 72
 - SqlDataSource, 72, 75, 81
 - ViewState, 78–79
 - XmlDataSource, 72
 - Data source parameters, 83–87
 - Data storage, 138–139
 - Database files, 21
 - Database management, 138
 - Database permissions, SQL, 175–177
 - DataBind() method, 68, 78
 - DataGrid, 87
 - DataKeyNames property, 108
 - DataList, 98
 - DataReader, 69, 72
 - DataRowView classes, 74
 - DataSet, 72, 78
 - DataSource property, 8–9, 68
 - DataSourceID, 93
 - DataSourceSelectArguments class, 74
 - DataSourceView, 72–74
 - DbDataRecord classes, 74
 - Debugging, 30, 181
 - and output caching, 300–301
 - See also* Tracing
 - Declarative data binding, 23, 68–70
 - binding to objects, 102–112
 - connection strings, 82
 - data-bound controls, 87–91
 - data source controls, 70–82
 - data source parameters, 83–87
 - evaluation syntax, 91
 - hierarchical binding, 96–102
 - nested declarative data binding, 92–94
 - programmatic parameter population, 94–96
 - typed DataSets, 112
 - Declarative data sources without embedded SQL, 79–82
 - DeclarativeCatalogPart, 204
 - Default
 - content, placeholders, 37
 - database, 139
 - master page, 46
 - membership provider, 158, 172
 - role provider, 182
 - serialization, 139–141
 - skin, 52
 - Web event providers, 246–247
 - DefaultMode property, 88
 - Delegates, 18–20
 - DeleteInactiveProfiles, 138
 - Dependent asynchronous tasks, 324–326
 - Deployment choices, 24–27
 - Description property, 207
 - Design View link button, 203
 - DesignDisplayMode, 202
 - DetailsView, 87–89

Developing WMI Solutions: A Guide to Windows Management Instrumentation, 248*n*

Diagnostics, 241
 buffering, 252–254
 custom providers, 261–264
 custom web events, 258–260
 Event Tracing for Windows (ETW), 269–277
 health monitoring, 241–242
 health monitoring configuration, 258
 registering for events, 254–256
 throttling, 256–258
 tracing, 264–269
 web event hierarchy, 242–245
 web event providers, 245–252
 Directory structure, 45
 Display mode, 201–204
 Document object model (DOM), 303
 Drag and drop, 201–203
 DropDownList, 93
 Dynamic connection, 216–217
 Dynamic content, 2–4

E

E-mail notification, 251
 E-mail providers, 248–251
 Edit (Web Part verb), 211
 EditDisplayMode, 202
 Editor parts and zones, 210–211
 EditorZone, 196, 210–211, 232–233
 Embedded SQL, 79–82, 102
 EnableCaching, 280
 EnablePaging property, 110
 enablePasswordReset, 169
 enablePasswordRetrieval, 168
 EnableViewState flag, 284
 Encrypted connection strings, 190
 Encrypted (password storage), 167–169
 Encrypted string, 120
 Encryption configuration file, 188–190
 Encryption key, 167–168, 184–185
 EndEventCode, 255
 EndEventHandler, 323–329
 Enterprise Library, 242
 enterSharedScope, 218–220
 Entity class, 108
 Error events, 255

Eval method, 91
 Evaluation syntax, 91
 Event handler(s)
 begin and end, 329
 Init, 304
 Inserting, 95
 Visual Studio 2005, 18
 Event log, 247
 Event logging systems, 242
 Event Tracing for Windows (ETW), 241, 269–277
 EventHandler, 18
 Events, common, 15–16
 Events, new, 17–18
 Excluding files and directories, 30
 Exporting Web Parts, 220–225
 ExportMode property, 207, 221

F

FailedPasswordAttemptCount, 164–165
 Failure audits, 255
 FallTheme.skin, 52
 File-name canonicalization bug, 152
 FileAuthorizationModule, 187
 FileBasedPersonalizationProvider, 235–236
 FindControl, 117–118
 Firefox, 48, 65–66, 203*n*
 Firefox cookie editor, 183*n*
 Flush(), 261–263
 Flushing, 287–288
 Forcing authentication, 200
 FormatCustomEventDetails, 260
 Formatter.aspx, 250–251
 Formatting Web Parts and zones, 225–226
 Forms authentication, 153–158, 164, 166, 194
 cookieless, 185–187
 See also Membership (Forms authentication)
 FormView, 87
 examples, 89–91, 95

G

Gecko browser, 65
 GenericWebPart class, 226–228
 GET request, 15, 114

GetAllUsers method, 173
 GetCallbackResult, 304–305
 GetChildren, 97
 GetHierarchicalView, 96–97
 GetHierarchyData, 97
 GetMoviesCount method, 110
 GetParent, 97
 GetPassword, 168
 GetProfile, 137
 GetUserNameByEmail, 162
 GetView method, 72
 Global assembly cache (GAC), 22, 230–231
 Global.asax file, 26, 53
 GridView, 69, 71, 75–78, 87, 250
 and caching, 283, 290
 column types, 87
 and a DataList, 85–86
 and ObjectDataSource, 108–111, 282
 paging, 109
 query results, 297
 and SqlDataReader, 322
 update mode, 93
 GUID, 137

H

Hackers
 cookie editors, 183
 and user lockout, 165
 Hashed (password storage), 167–169
 Health monitoring
 configuration, 258
 profile, 257–258
 and web events, 241–242
 Heartbeat, 243, 255
 Height property, 207
 HelpUrl property, 207
 Hidden fields, 120
 Hidden property, 207
 Hierarchical data binding, 96
 nested hierarchical data binding,
 101–102
 and TreeView Control, 99–101
 HierarchicalDataSourceView class, 96–97
 HookUpAutomaticHandlers method, 18
*How to Protect Forms Authentication in
 ASP.NET 2.0*, 166
 Howard, Michael, 153
 HtmlGenericControl, 6, 7, 11, 13

HttpBrowserCapabilities, 21
 HttpBrowserCapabilities class, 64
 HttpContext.Current, 330
 HttpContext.Trace, 264
 HttpStatusCode, 141

I

I/O threads, 328
 IAsyncResult interface, 317
 IBM Tivoli, 247–248
 IButtonControl interface, 116
 ICallbackEventHandler interface, 304–305
 IDataSource interface, 70–74
 Identification (browser recognition), 64
 IEnumerable, 74, 104
 IHierarchicalDataSource, 96–102
 IHierarchicalEnumerable, 97
 IHierarchyData interface, 97
 IHttpHandler interface, 3
 IIdentity, 177
 IIS, 29
 ImageField, 87
 IMessage interface, 214–215
 Imperative data binding, 69–70
 Implicit delegate wireup, 20
 Implicit event subscription, 18–20
 ImportCatalogPart, 204, 223–224
 Importing Web parts, 220–225
*Improving .NET Application Performance
 and Scalability*, 245
 In-line evaluation syntax, 2
 Infrastructure errors, 255
 Infrastructure events, 274
 Inherits keyword, 14
 Init event, 15, 17
 InitComplete, 17–18
 Input validation modules, 153
 Integrated authentication, 285, 292
 IntelliSense, 42
 Intermediate base class, 9
 Internet Explorer, 48
 browser definition file, 64
 browsers, 64–65
 drag and drop, 203*n*
 master page specification, 48
 Interspersed script, 3, 5
 InvokeAsync, 320
 IPersonInfo interface, 125

IPrincipal, 177, 181
 IsCrossPagePostBack, 121
 ISerializable, 141
 IsPostBack, 15, 17
 IWebActionable, 230
 IWebPart, 229–230

J

JavaScript, 120, 302–303
 Johansson, Jesper, 165*n*
 Join queries, 92

K

Keith Brown input validation modules,
 153*n*
 Keys, synchronizing, 190

L

LayoutEditorPart, 210–211
 LeBlanc, David, 153
 Lifetime events, 255
 LinkButton(s), 90, 116, 131–133, 219
 portal page, 201–202, 205, 211, 216–217
 ListBox control, 68
 LiteralControl, 6–8
 Load event, 15
 LoadComplete event, 17–18, 121
 LoadMembershipProvider, 174
 LoadPersonalizationBlobs, 236–238
 Local Page Catalog, 205
 Local Security Authorization Subsystem
 (LSASS.EXE), 189
 LocalSqlServer, 139
 Lockout (user account), 162, 164–166
 Log manager, 270–271
 Log Parser, 272
 Logging Application Block, 242
 Login control, 162–164, 177–179
 See also Passwords; Security
 Login cookie, 163
 LoginControlCustomization, 163
 LoginStatus, 178
 LoginView, 177–179
 log4net, 242

M

Machine keys, 184–185
 MailEventNotificationInfo, 249
 Managed Object Format (MOF), 248
 Master page(s), 33–37
 base class, 43–44
 compilation, 26
 and content pages, 35–37
 default use, 46
 implementing, 37–41
 MasterPageFile, 36, 44, 48
 MasterType directive, 42–44
 navigation controls, 57–58
 nesting, 46–48
 and placeholders, 37
 and relative paths, 45–48
 ShowNavigationLinks, 41–42
 and Title attribute, 37
 using common base class, 43–44
 MasterPageFile property, 36, 44, 48
 MasterType directive, 42–44
 maxBufferSize, 252
 maxBufferThreads, 253
 maxFlushSize, 252
 maxLimit, 257
 Member helper class, 173–174
 Member variables, 13
 Membership (forms authentication), 153–158
 MembershipPasswordFormat, 167
 MembershipProvider
 architecture, 159
 base class, 158–160
 configuring, 170–173
 login control, 162–164
 Member helper class, 173–174
 password complexity, 166–167
 user account lockout, 164–166
 MembershipProvider.CreateUser, 169–170
 Menu control (navigation control), 54–55, 57
 Method names list, 19
 Microsoft Operations Manager, 247–248
 Microsoft patterns and practices Web site,
 152–153
 MigrateAnonymous, 137
 Minimize (Web Part verb), 211
 minInstances, 257
 minInterval, 257
 minRequiredNonAlphanumericCharacters,
 166

340 ■ Index

minRequiredPasswordLength, 166
 Movie entity class, 106
 moviereviews database, 68
 Mozilla, 64–65
 master page specification, 48
 Mozilla Firefox, 203*n*
 MSBuild, 30
 Multiple cache dependencies, 286
 MultiView control, 131–133

N

Navigation controls, 54
 architecture, 55
 master page sample, 57
 Master page(s), 57–58
 Menu, 54–57
 SiteMapPath, 54–58
 TreeView, 54–57
 Nested declarative data binding, 92–95
 Nested hierarchical data binding, 101–102
 Nested roles, 175, 183
 Nesting master pages, 46–48
 Netscape browsers, 65
 Node visibility, 188

O

ObjectDataSource, 72
 caching, 282–283
 core properties, 103
 and custom paging, 111
 model, 104
 and static methods, 103
 OnTransactionAbort method, 19
 OnTransactionCommit method, 19
 Open (Web Part verb), 211
 Opera browsers, 65
 Optimization, 143–147
 Outlook Express, 249–250
 Output caching, 279–280, 290, 297–298, 301
 OutputCache, 286, 297–298

P

@Page, 11–12, 14
 Async attribute, 326–330

 and CodeFile keyword, 14
 timeout, 324
 Title attribute, 37
 Page base class, 9
 Page class events, 17
 Page events, 274
 Page fragment caching, 297
 Page lifecycle
 common events, 15–16
 implicit event subscription, 18–20
 new events, 17–18
 Page_ methods, 19
 Page templates. *See* Master page(s)
 PageAsyncTask, 322–326
 Page.Cache, 280
 PageCatalogPart, 204
 Page.Trace, 264
 Paging, Gridview, 109–111
 Panel controls, 127–129
 Parallelism, 310–316
 Parameter types, 95
 Parameters, 83–87
 Partial class, 12–14
 Partial class codebehind model, 29
 Password(s)
 complexity, 166–167
 encryption key, 184–185
 evaluating need for, 151–153
 FailedPasswordAttemptCount,
 164–165
 format, 167–169
 questions and answers, 169–170
 storage, 167–169
 See also Security
 PasswordFormat, 168
 PasswordRecovery control, 167–169
 passwordStrengthRegularExpression, 166
 Patterns and practices, 245
 Enterprise Library, 242
 forms authentication, 166
 security, 191
 threat model, 152–153, 245
 perf argument, 271
 Performance, 279–280
 and asynchrony, 310
 Atlas, 307–308
 cache dependencies, 284–296
 cache profiles, 300–301
 client callback framework, 302–306
 and compilation, 22

- data source caching, 280–284
 - enhancements, 302
 - modeling, 245
 - on-demand TreeView node
 - population, 306–307
 - post-cache substitution, 298–300
 - programmatic fragment caching, 296–298
 - Personalizable, 208–209
 - Personalization
 - data and providers, 231–233
 - data store, 233–235
 - scope, 218–220
 - PersonalizationProvider, 232
 - PersonInfoPage, 125–126
 - Pipeline module events, 274
 - Placeholder controls, 127–128
 - Placeholders, and master pages, 37
 - Polling, 285–286, 294–295
 - PopulateOnDemand, 306–307
 - Portal components, 194–196
 - Portal page, 195–202
 - Post-cache substitution, 279, 298–300
 - POST request, 114–117
 - PostBackUrl, 116, 120–121
 - PowerBrowser, 65
 - Precompiled assemblies, 21
 - PrecompiledApp.config file, 24–25
 - Precompiling, and aspnet_compiler.exe, 24–25
 - PreInit event, 17–18
 - PreLoad event, 17–18
 - PreRender, 17–18, 58, 320–322, 327
 - PreRenderComplete, 17–18, 321, 327, 329
 - PreviousPage property, 117, 119
 - PreviousPageType, 119, 125–126
 - Primary key property, 108
 - ProcessEvent, 261
 - Profile, 133
 - anonymousIdentification, 133–137
 - authenticated clients, 137
 - customization, 147–149
 - data management, 138
 - data storage, 138–139
 - database, 136
 - optimization, 143–147
 - properties, 134–137
 - serialization, 139–141
 - ShoppingCart class definition, 142–143
 - ProfileBase, 134
 - ProfileCommon class, 135
 - ProfileManager class, 138
 - ProfileMigrateEventArgs, 137
 - ProfileModule, 144
 - Programmatic fragment caching, 296–298
 - Programmatic parameter population, 94–96
 - Properties, Web Parts, 206–210
 - PropertyGridEditorPart, 208, 210–211
 - PropertyValuesBinary, 141
 - Protect Your Windows Network*, 165*n*
 - Provider architecture, 158–160
 - Provider database, changing, 234–235
 - Provider list, clearing, 171–172
 - Provider source code, 173
 - ProviderName, 172
 - ProviderSpecific, 140–141
 - ProxyWebPartManager, 216–217
- ## Q
- Query methods, 72
 - Query notifications, 292–293
 - Query results, GridView, 297
 - QueryStringParameter, 84
 - Questions and answers, password, 169–170
 - Queues, 252–253
- ## R
- RAD design, 76
 - RaiseCallbackEvent method, 304
 - refID attribute, 61
 - @Register, 198
 - RegisterTraceGUIDs, 276
 - regularFlushInterval, 253
 - Relative paths, and master pages, 45–48
 - “Remember me next time,” 163–164
 - Render method, 6
 - RenderBeginTag method, 59
 - RenderContents method, 59
 - RenderEndTag method, 59
 - Request processing errors, 255
 - Request processing events, 255
 - Reset password, 168
 - Resource files, 21
 - Response.Cache, 296
 - Response.Write.Substitution, 298–300

Riley, Steve, 165*n*
 Role based authentication, 180*n*
 Role-based security, 178
 Role manager
 and cookies, 180–182
 security, 180–183
 SqlRoleProvider, 180
 Role provider, 181–183
 RoleGroup, 178–179
 RoleManager configuration, 182
 RolePrincipal, 181
 Row controls, 87–89, 93, 110–111
 Rules, and event providers, 256
 runat="server" attribute, 5, 37

S

Safari browsers, 65–66
 Same page state management, 127–128
 SaveEnabled attribute, 144–145
 SavePersonalizationBlob, 236–238
 SaveStateComplete, 17–18
 Secondary threads, 330
 Security, 151–153
 Authorization Manager, 183–184
 breaches and vulnerabilities, 152
 configuration file encryption, 188–190
 cookieless forms authentication, 185–187
 cross-site scripting, 152
 cryptographic random number generator, 185
 FailedPasswordAttemptCount, 164–165
 Login controls, 177–179
 machine keys, 184–185
 Membership (forms authentication), 153–158
 MembershipProvider, 160–167, 170–174
 password format, 167–169
 password resetting, 169–170
 provider architecture, 158–160
 questions, 169–170
 role manager, 180–183
 security trimming, 187–188
 SQL database permissions, 175–177
 threat model, 152–153, 245
 training modules, 153*n*
 trimming, 187–188
 Sensitive data, 221
 Separate assemblies, 26–27
 Sequential data retrieval, 314
 Serializable, 141–143, 147
 Serialization, Profile, 139–141
 serializeAs attribute, 141
 Server-side controls, 5–8, 46
 and cross-page posting, 114
 and .skin files, 49
 and view state, 70
 Server-side script blocks, 2–3
 Server-side validation, 122
 ServerValidate, 122–123
 SetIntrinsics method, 18
 Shadow copying, 20, 22
 Shared scope, 218–220
 ShoppingCart class definition, 142–143
 ShoppingCart serialization, 145
 ShowDSResults, 74
 ShowNavigationLink, 41–42
 SimpleMailWebEventProvider, 248
 SimplePage.aspx, 2–3
 SimplePageWithCodeBehind.aspx
 using 2.0 model, 11–12
 SimplePageWithCodeBehind.aspx.cs
 using 2.0 model, 12
 SimplePageWithCodeBehindV1.aspx, 10
 SimplePageWithCodeBehindV1.aspx.cs,
 10–12
 SimplePageWithControls.aspx, 5–6
 SimplePageWithDataBinding.aspx, 8–9
 Site compilation, 24–26
 SiteMapDataSource control, 57, 72
 siteMapNode, 55
 SiteMapPath control, 54–57
 SiteMapProvider, 55, 57
 SiteMapProvider security trimming,
 187–188
 Skins, 48
 .skin files, 22, 49–51, 225
 SkinID attribute, 52–53
 SMTP messages, Web events, 248
 SoapHttpClientProtocol, 320
 Solution Explorer window, Web
 Application Project, 29
 SortExpression parameter, 111–112
 SortParameterName property, 112
 Source code files
 ASP.NET providers, 173
 compilation, 21, 25, 26
 Source page path, encrypted string, 120
 SourcePageWithValidation, 123–124

- SQL
 - cache dependencies, 285–293
 - and data source controls, 79–82
 - database permissions, 175–177
 - provider, 251–252, 254
 - SQL Server 7 and 2000, 285–287
 - SQL Server 2005, 287–293
 - SQL Server 2005 Express, 136, 138–139
 - SQL Service Broker, 287–288, 292
 - SqlDataReader, 322
 - SqlDataSource, 70, 72, 75, 81
 - SqlDependency.Start, 288–289, 292
 - SqlMembershipProvider, 158–162
 - applicationName, 172
 - and password storage, 167–169
 - user account lockout, 164–165
 - SqlPersonalizationProvider, 233
 - SqlPersonalizationProvider class, 232
 - SqlRoleProvider, 180
 - SqlWebEventProvider, 251–252
 - Src attribute, 10, 26
 - SSL, 182–183
 - St. Amand, Chris, 270, 276
 - StartTrace, 277
 - State Management, 113
 - cross-page posting, 114–124
 - cross-page posting, multiple sources, 124–127
 - MultiView and View controls, 131–133
 - Profile, 133–149
 - same page state management, 127–128
 - Wizard control, 127–133
 - Static connection, 216–218
 - Static methods, and ObjectDataSource control, 103
 - StopTrace, 277
 - Stored procedures, 80–82
 - String serialization, 135–137, 141
 - Strong typing
 - and abstract base class, 125–127
 - DataSet classes, 21, 112
 - MasterType, 42–44
 - and PreviousPage, 119–120
 - StyleSheetTheme, 52
 - Subdirectories, 28, 49
 - Success audits, 255
 - SupportedDisplayModes, 202
 - SynchronizationContext, 321
 - Synchronizing keys, 190
 - Synchronous methods, 317
 - Synchronous provider, 263
 - Syntax errors, 30
 - System.Data.Sql.Client, 235
 - System.Diagnostics tracing, 248, 266–269
 - System.Net.Mail, 248–249
 - System.Web.UI.Adapters.ControlAdapter, 58–61
 - System.Web.UI.Page, 3
 - System.Web.WebPageTraceListener, 267
- T**
- TableAdapter, 112
 - Target page validation, 123–124
 - Template fields, 88
 - TemplateControl, 18
 - TemplateControl base class, 18
 - TemplatedMailWebEventProvider, 249–250
 - Templates. *See* Master pages
 - Themes and skins, 48–49
 - global runtime changes, 52–54
 - skin files, 49–51
 - SkinID attribute, 52–53
 - StyleSheetTheme, 52
 - Thread pool, 316, 320, 327–329
 - Thread-relative resources, 330
 - Threat model, patterns and practices, 152–153, 245
 - Throttling and profiles, 256–258
 - Title attribute, @Page, 37
 - Title property (Web Part title text), 207–208
 - TitleImageUrl, 207–208
 - ToggleScope(), 219–220
 - TraceContext, 264, 267
 - TraceFinished, 264
 - TraceRecords, 265
 - TraceWebEventProvider, 248, 268
 - Tracing, 264
 - Event Tracing for Windows (ETW), 269–277
 - System.Diagnostics trace listeners, 268–269
 - System.Diagnostics tracing, 266–268
 - TraceFinished, 264
 - Training, security, 152–153
 - TransformFile property, 98
 - TreeNodeBinding, 99–101

344 **Index**

TreeNodePopulate, 306–307
 TreeView control, 54–57, 99–101, 306–307
 Tunstall, Craig, 248*n*
 Two-way binding, 89, 91
 Type-safe accessors, 134–136
 TypeConversions, 141, 145–147
 typed DataSet, 112
 TypeName attribute, 43, 125–127

U

UnlockUser, 160–161, 165
 Updatable deployment model, 24–27
 Update mode, 93
 urgentFlushInterval, 253
 urgentFlushThreshold, 253
 URL mangling, 186
 UrlAuthorizationModule, 187
 UseCookies, 186
 UseDeviceProfile, 186
 User Account Lockout, 164–166
 See also Passwords; Security
 User Agent string, 48, 58, 64, 65
 User controls, 26, 226–231
 User-defined types, 142–143
 User interface elements, 33
 control adapters, 58–66
 master pages, 33–48
 navigation controls, 54–58
 themes and skins, 48–54
 Wizard control, 114
 User property, 181
 UserControl, 228–230
 UserData field, 273
 UserName property, 148
 UseUri, 186

V

ValidateUser, 160–165
 ValidatingPassword, 166
 Validation, cross-page posting, 122–124
 .vb files, 21
 VB.NET, 18*n*
 VB.NET source code
 and C# source code, 26, 28
 Verbs, Web Parts, 211–212
 View control, 131–133

ViewState, 78–79, 284
 Virtual directory, 29
 Virtual method override, 20
 VirtualPath attribute, 125
 Visual Studio
 Build | Publish Web Site, 24–25
 Visual Studio 2005, 14
 Add Web Service Reference tool, 317
 designer, 37, 39
 event handlers, 18
 IntelliSense, 42
 membership controls, 154
 Visual Studio .NET 2003, 10, 14, 28–29

W

Web Application Projects, 28–30, 210–211
 Web Deployment Projects, 20
 Web events, 241–243
 and health monitoring, 241–242
 hierarchy, 242–245
 Web farm security, 190
 Web Parts, 193–194
 authentication, 199–200
 catalog parts and zones, 204–206
 connections, 214–218
 display mode, 201–204
 editor parts and zones, 210–211
 exporting and importing, 220–225
 formatting, 225–226
 manager, 195–196
 personalization data, 231–235
 personalization provider, 235–239
 personalization scope, 218–220
 portal components, 194–195
 portal page, building, 195–201
 properties, 206–210
 properties, initializing, 208
 user controls, 226–231
 verbs, 211–212
 zones, 194–198, 225–226
 Web request tracing, 270
 Web Site Administration Tool, 155
 WebApplicationLifetimeEvent, 243
 WebAuditEvent, 243–244
 WebAuthenticationFailureAuditEvent,
 243–244
 WebAuthenticationSuccessAuditEvent,
 243–244

- WebBaseErrorEvent, 243–244, 259
 - WebBaseEvent, 242–243, 259
 - WebBrowsable, 208–209
 - web.config file, 46
 - AppSettings, 80
 - WebControlAdapter, 59
 - WebControls, 59
 - WebDescription, 208
 - WebDisplayName, 208
 - WebErrorEvent, 243–244
 - WebEventProvider, 246
 - WebFailureAuditEvent, 243–244
 - WebForm_DoPostBackWithOptions, 120
 - WebForms, 14
 - WebHeartbeatEvent, 243
 - WebManagementEvent, 242–243
 - .webpart, 220–225
 - WebPartManager control, 195–198
 - WebPartsTemplate, 204
 - WebPartVerbCollection, 211–212
 - WebPartZone control, 196–198
 - WebRequestErrorEvent, 243–244
 - WebRequestEvent, 243
 - web.sitemap, 54–57
 - WebSuccessAuditEvent, 243–244
 - WebViewStateFailureAuditEvent, 243–244
 - Windows' integrated authentication, 183
 - Windows Management Instrumentation (WMI), 247–248
 - Windows Server 2003, 270
 - Windows SharePoint Services (WSS), 193–194
 - Windows XP, 271
 - WindowsPrincipal, 183–184
 - Wizard control, 128–133
 - WizardSteps, 127–128
 - WmiWebEventProvider, 248
 - Worker threads, 328–329
 - Write.Substitution, 298–300
 - writeToDiagnosticsTrace, 266
 - Writing Secure Code*, 153
 - WSDDataDependency, 294–296
 - .wsdl, 21–22
 - WSDL.exe, 317
- X**
- XML file, 99–100
 - XmlDataSource, 21, 98
 - blog reader, 98–99
 - nested data binding, 101–102
 - XmlSerializer, 140
 - xmlSiteMapProvider, 54–57
 - XPath, 98
 - XPathSelect, 98
 - XPathSelect data binding, 101–102
 - .xsd, 21–22, 112
- Z**
- ZoneIndex, 210
 - Zones, 194–195, 204, 210, 225
 - ZoneTemplate, 197–199