

INDEX

Symbols

& (ampersand), 294
 ° (asterisk), 180, 201
 ! (exclamation point), 180
 - (hyphen), 180
 # (pound sign), 180
 ? (question mark), 180
 " " (quotation marks), 12, 196
 [] (square brackets), 180

A

Access tables, creating, 129
 with direct-entry method, 129-130
 table design procedures, 130-131
 with Table Wizard, 129
 action queries, 272-273
 append queries, 280
 completing, 281
 delete queries, 276-278
 make table queries, 273-276
 update queries, 278-279
 adding
 calculated fields to queries, 214
 arithmetic expressions, 215-216
 expressions with functions, 216-217
 criteria, crosstab queries, 270-272
 descriptions to fields, 134
 fields to design grid, 210-212
 pictures, 352
 background pictures, 362-363
 rows (Excel) using copy-and-paste, 427-430
 subforms, 341
 tab controls to tab pages, 390
 titles to Report Headers, 296-297
 total columns, crosstab queries, 270
 totals in Report Footers, 298-300

adjusting field sizes, 144
 Advanced Filter versus Query Design, 209
 Advanced Filter/Sort, 191-193
 advantages of lookup fields, 122-124
 aggregate fields, setting criteria (totals
 queries), 265
 Align command, 376-377
 alternate keys, 44
 ampersand (&), 294
 AND, 197-199
 AND criteria, 188-189, 191
 append queries, 280
 arithmetic expressions, adding calculated fields
 to queries, 215-216
 arithmetic operators, 201
 artificial keys, 46
 versus natural keys, 47-48
 artificial primary keys, 46-47
 Asia database, 287-288
 assigning
 ambiguous fields, 36-38
 data types, 132
 field properties, 134
 Caption, 137-138
 Decimal Places, 138
 Field Size, 135-136
 Format, 136-137
 indexes, 141-142
 Required, 140
 Validation Rule, 139-140
 Validation Text, 139-140
 Zero Length, 140
 asterisk (*), 201
 asterisk method, adding fields to design grid,
 210-212

482 INDEX

AutoCalc command, 445

AutoFilter, 447

AutoForm, 156

AutoNumber, 7, 9, 11

- appending records, 280
- artificial keys, 48

AutoReport, 289

B

background pictures, 362-363

Between, And, operators, 202

bottom-up approach, designing databases, 20-21

bound controls, 352-354

- versus unbound controls, 356

Buckley, William F., Jr., 84

C

calculated expressions, writing, 218

calculated fields, 39-40

- adding to queries, 214

- arithmetic expressions, 215-216

- expressions with functions, 216-217

calculated values, 40

Can Grow, 369-370

Can Shrink, 369-370

candidate keys, 44

Caption, assigning field properties, 137-138

Cascade Delete Related Records, 101-102

- case examples, 114-115

- overriding referential integrity, 102-103, 105-107

Cascade Update Related Fields, 101

- overriding referential integrity, 108-110

cascading deletes in multiple tables, 104-107

cascading deletes in two tables, 102-103

case examples

- Cascade Delete Related Records, 114-115

- command buttons, creating, 403-404

- cover pages, 317-318

- creating tables, 147-150

- crosstab queries, 281-283

filters, 203-205

Find, 203-205

Find and Replace, 203-205

Form Wizard, 467-471

forms, 347-349

input masks, 174-175

macro groups, creating, 402-403

pivot charts, 468, 470-471

queries and mail-merge Word documents,

435-440

separating groups, 318-319

changing. *See* modifying, 143

charts, pivot charts

- case examples, 468, 470-471

- creating, 459-462

- elements of, 459

- multiple plot charts, 463-464

- properties, 464-465

- editing, 465-466

Classic TV database

- many-to-many relationships, 67-70, 72-75

- one-to-many relationships, 57-60, 62

Codd, Edgar Frank, 15

column headings, crosstab queries, 268

columns, 2

- creating preliminary lists of columns, designing databases, 22-23

- defining designing databases, 21-22

- subforms, adjusting columns, 346

combo boxes, forms, 330-333

command buttons, case examples, 403-404

commands

- Align, 376-377

- AutoCalc, 445

- AutoFilter, 447

- Export, 410

- Field List, 447

- Find. *See* Find, 177

- Hide Details, 447

- pivot tables, 447

- Show As (Percentage), 447

- Show Details, 447

- Undo, data entry methods, 167-168

- Undo Current Field/Record, 168

- Undo Saved Record, 168

- Undo Typing, 167

- comparing
bound and unbound controls, 356
inner and outer joins, 234-235
reports, from-scratch versus from-wizard
reports, 315-316
- comparison operators, 201
with text, 201-202
- completing action queries, 281
- concatenation, 294
bringing fields together, 295
deconstructing expressions, 294
- conditional formatting, 366-368
- conditions, setting for macros, 382-384
- constants, 195
- controls
aligning, 376-377
bound controls, 352-354
comparing bound and unbound controls, 356
deselecting, 373
forms
how controls inherit field characteristics, 156-157
property settings with conflict, 159-161
property settings with no conflict, 158-159
grouping, 374
image controls versus unbound object frames, 357-359
moving, 374-375
resizing, 374
selecting, 373
spacing, 375-376
unbound controls, 352, 355-356
- ControlTip Text property, 165
- copy and paste
adding Excel rows, 427-430
importing data, 431
moving data to Excel, 416-417
- Count function, 261
- cover pages, case examples, 317-318
- criteria
adding crosstab queries, 270-272
multitable queries, 226-227
setting for totals queries, 262-267
- crosstab queries, 267-268
adding
criteria, 270-272
row headings, 270
total columns, 270
case examples, 281-283
creating, 269
- Currency, 4
- cursors, positioning for Find, 179
- cut and paste, 405
moving data to word processors or text editors, 407-410
- D**
- data
exporting, 410-411
as RTF files, 411
as TXT files, 411-414
importing, 430
copy and paste, 431
with Import Wizard, 431-432
importing into Access, 420
text files, 420-424
importing into Outlook, 419
matching, 228
moving to Excel, 416
copy and paste, 416-417
Export command, 417
Office Links command, 417
moving to word processors or text editors, 406
cut and paste, 407-410
testing, 113
- data entry
formats, 172
input masks, 169-171
versus format, 171-172
in tables, forms, and query datasheets, 153-155
visual guides, 169-171
- data entry methods, 163
Data Entry mode, 163-164
entering the same value, 166
special instructions, 165-166
Tab Stop property, 164
tabbing through fields, 166-167

484 INDEX

- two-digit years for entering dates, 168-169
Undo command, 167-168
Visible property, 164-165
Data Entry mode, 163-164
data integrity, 31
data source, forms/subforms, 326-327
data tables, 80
data types, 3, 6
 assigning, 132
 AutoNumber, 7, 9, 11
 appending records, 280
 Currency, 4
 Date/Time, 4, 415
 form controls, 157
 hyperlinks, 6
 Memo, 5
 modifying, 143-144
 Number, 4
 Text, 3
 Yes/No, 5
Database window, tables, 152
databases
 Asia database, 287-288
 designing
 bottom-up approach, 20-21
 creating preliminary lists of columns, 22-23
 defining columns, 21-22
 including users in process, 17
 tables, 24-25
 top-down approach, 20-21
learning about database design, 15-16
legacy databases, 17
mission objectives, 20
mission statements
 examples of, 18-19
 writing, 19
Nifty Lions database, 322
Political Magazines database, 301-302
relational databases, 3
datasheet fonts, 366
Datasheet view, 155
Date/Time, 4, 415
dates, 415
 two-digit years for entering dates, 168-169
Decimal Places, assigning field properties, 138
deconstructing expressions, concatenation, 294
default selections, Find, 183
delete queries, creating, 276-278
deleting tables, results of deleting, 153
descriptions, adding to fields, 134
deselecting controls, 373
design grid, adding fields to, 210
 asterisk method, 210-212
 drag-'em-all method, 212
Design view, 167
 reports, 289-290
designating primary keys, 134
designing databases
 bottom-up approach, 20-21
 creating preliminary lists of columns, 22-23
 defining columns, 21-22
 including users in the process, 17
 learning about database design, 15-16
 tables, 24-25
 top-down approach, 20-21
Detail sections
 forms/subforms, 324-325
 reports, 290-292
details, pivot tables, 447
developing tables with fields, 36
direct-entry method, creating Access tables, 129-130
directional searches, Find, 179
disadvantages of lookup fields, 124, 126
displaying switchboards at startup, 396-397
domain integrity, 31
drag-'em-all method, adding fields to design
 grid, 212
drag-and-drop, 405

E

- e-mailing objects, 418
editing
 pivot charts, properties, 465-466
 queries, 155

embedding versus linking, 360-362
employee involvement, designing databases, 17
empty space, reducing, 370
Enter Parameter Value dialog box, 248-249
entering the same value, data entry methods, 166
entity integrity, 31
Esc, 168
events, macros, 380-382
Excel, copy and paste rows to Access table, 427
Excel, export Access data to, 416
excluding records before and after calculations, 266-267
exclusive identification, primary keys, 78
Export command, 410
 moving data to Excel, 417
Export wizard, exporting to Excel, 417
exporting, 405-406
 data, 410-411
 as RTF files, 411
 as TXT files, 411-414
 records to Word, Office Links command, 410
expressions, 195
 calculated expressions, writing, 218
 deconstructing, 294
 with functions, adding calculated fields to queries, 216-217
Is Null, 200
operators, 195, 199
 &, 294
 AND, 197-199
 arithmetic operators, 201
 Between, And, 202
 comparison operators, 201-202
IS, 200
LIKE, 196-197
NOT, 199-200
OR, 197-199

F

Fast Search, 183
Fax Number controls, 328
field characteristics, how form controls inherit field characteristics, 156-157
Field List, 447

field names
 modifying, 143
 refining, 79-80
 spelling, 132
field properties
 assigning, 134
 Caption, 137-138
 Decimal Places, 138
 Field Size, 135-136
 Format, 136-137
 indexes, 141-142
 Required, 140
 Validation Rule, 139-140
 Validation Text, 139-140
 Zero Length, 140
 changing in a table after creating forms, 161
 in forms, 157-158
 in tables, 157-158
Field Size, assigning field properties, 135
 numbers, 136
 Text, 136
field sizes, adjusting, 144
fields, 2
 ambiguous fields, assigning, 36-38
 and relationships, 76-77
 bringing together with concatenation, 295
calculated fields, 39-40, 214
 adding to queries, 214-217
creating, 131
 adding descriptions, 134
 assigning data types, 132
 designating primary keys, 134
hiding empty fields, 164
inserting, 144-145
keys as representative fields, 43
lookup fields. *See* lookup fields, 121
multipart fields, 40-42
multivalue fields, 48-50
 resolving, 50-51
names, 41
naming, 131-132
number fields, 121-122
organizing into tables, 31-32
 assigning ambiguous fields, 36-38
 developing tables, 36
 mission objectives, 32-35
 subjects, 35

486 INDEX

- refining, 39
 - calculated fields, 39-40
 - multipart fields, 40-42
- special instructions for, 165-166
 - tabbing through, 166-167
- Filter by Form, 187-189
- Filter by Selection, 184-186
- Filter Excluding Selection, 187
- Filter for Input, 190
- Filter On property, 194
- filters, 177, 183-184
 - Advanced Filter/Sort, 191-193
 - case examples, 203-205
 - creating queries from, 212-213
 - Filter by Form, 187-189
 - Filter by Selection, 184-186
 - Filter Excluding Selection, 187
 - Filter for Input, 190
 - in reports, 193-194
 - versus queries, 208
- Find, 177-178
 - case examples, 203-205
 - cursors, positioning, 179
 - default selections, 183
 - directional searches, 179
 - example of using, 180-182
 - Search Fields as Formatted option, 179
 - wildcards, 179-180
- Find and Replace, 178
 - case examples, 203-205
 - example of, 182-183
- Find Duplicates Query Wizard, 245
- Find Unmatched Query Wizard, 235-236
- finding
 - records, Top Values property, 219-222
 - sums for all records, totals queries, 258-260
 - sums for groups, totals queries, 260
 - sums with two groups, totals queries, 261-262
- first normal form, 85-87
- flat files, 24-25
- fonts, datasheet fonts, 366
- footers
 - Form Footers, 325
 - Group Footers, 305, 307-309
 - Page Footers, 292-293, 325-326
 - Report Footers, 295
 - totals, adding, 298-300
- Form Footers, forms/subforms, 325
- Form Headers, forms/subforms, 325
- Form Selector, 163
- Form view, 155, 349
- Form Wizard, 341-344
 - case examples, 467-471
- Format, assigning field properties, 136-137
- format versus input masks, 171-172
- Format property, 172
- formats, 172
- formatting, 365
 - Can Grow, 369-370
 - Can Shrink, 369-370
 - conditional formatting, 366-368
 - datasheet fonts, 366
 - grids, 377
 - lines, 371-372
 - rectangles, 372
 - reducing empty space, 370
 - special effects, 368-369
- Formatting toolbar, 365
- forms, 151, 153, 322-324
 - AutoForm, 156
 - case examples, 347-349
 - combo boxes, 330-333
 - controls
 - property settings with conflict, 159-161
 - property settings with no conflict, 158-159
 - data entry, 153-155
 - Data Entry mode, 163-164
 - data source, 326-327
 - Detail sections, 324-325
 - field properties, 157-158
 - Form Footers, 325
 - Form Headers, 325
 - Form Wizard, 341-344
 - how controls inherit field characteristics, 156-157
 - labels, 329
 - list boxes, 333-335

multipage forms, 386-387
 page breaks, 387
 tab controls, 388
 option groups, 335-338
 Page Footers, 325-326
 Page Headers, 325-326
 printing blank forms, 173
 refining, 344-346
 subforms, 322-324, 339-341
 adding, 341
 adjusting columns, 346
 data source, 326-327
 Detail sections, 324-325
 Form Footers, 325
 Form Headers, 325
 Page Footers, 325-326
 Page Headers, 325-326
 text boxes and accompanying labels, 327-329
 frame, option groups, 338
 FROM, SQL, 238
 functions, 195
 Count, 261
 Left, 218
 Mid, 218
 Round, 216
 Sum, 258-259

G

General Search, 183
 grids, formatting, 377
 Group Footers, 305, 307-309
 Group Headers, 305-306
 grouping
 controls, 374
 records, pivot tables, 456-457
 reports, 300-305
 groups
 case examples, separating groups, 318-319
 creating, 310
 nesting groups, 310-312
 finding sums for, totals queries, 260-262
 macro groups, 385

nesting groups, 310-312
 option groups, forms, 335-338
 separating, 318-319
 guidelines for naming fields, 79

H

handles, 373
 headers
 Form Headers, 325
 Group Headers, 305-306
 Page Headers, 292-293, 325-326
 Report Headers, 295
 adding titles to, 296-297
 Hide Details, 447
 hiding empty fields, 164
 hyperlinks, 6

I

IBM Research report RJ599, 15
 identification, exclusive identification (primary keys), 78
 identifiers, 195
 identifying
 one-to-one relationships, 83
 relationships, 91-92
 image controls versus unbound object frames, 357-359
 Import Wizard, 431-432
 importing, 405-406
 data, 430
 copy and paste, 431
 Import Wizard, 431-432
 data into Access, 420
 text files, 420-424
 data into Outlook, 419
 tables, 423
 versus linking, 432-434
 indexes, assigning field properties, 141-142
 inheritance, property inheritance, 161-162

488 INDEX

inner joins, 232
comparing to outer joins, 234-235

Input Mask property, 170

input masks

- case examples, 174-175
- data entry, 169-171
- versus format, 171-172

inserting fields, 144-145

integrity

- domain integrity, 31
- entity integrity, 31
- referential integrity, 31, 96-98
 - rules of, 98-100
- referential integrity, 31, 96-98, 101
 - overriding, 101-102, 105-110
 - rules of, 98-100
- user-defined integrity, 31

IS, 200

Is Null, 200, 235

J

join tables, 80

joins, 228

- comparing inner and outer joins, 234-235
- creating manually, 230-232
- inner joins, 232
- outer joins, 232
 - multitable queries, 232-233
- versus relationships, 229-230

K

keys, 43

- alternate keys, 44

- artificial keys, 46

- versus natural keys, 47-48

- artificial primary keys, 46-47

- candidate keys, 44

- natural keys versus artificial keys, 47-48

- primary keys, 7-9, 44, 53-54

- exclusive identification, 78

- gaps in, 10-11

- three-field primary keys, 70-71

qualities of, 43-44
as representative fields, 43
searching for, 44-46

L

Label Wizard, 397-399

labels

- forms, 329
- Label Wizard, 397-399
- textboxes, 327-329

layout, Report Wizard, 313-314

learning about database design, 15-16

Left function, 218

legacy databases, 17

Leszynski naming conventions, 131

LIKE, 196-197

Line tool, 371

lines, 371-372

linking

- versus embedding, 360-362
- versus importing, 432-434

linking tables, creating, 65-67

list boxes, forms, 333-335

literal values, 195

literals, 195

lookup fields, 118, 128

- advantages of, 122-124
- creating, 127

- disadvantages of, 124, 126

- repeating values, 118-120

- text in number fields, 121-122

- what they can teach you, 127

M

macro groups, 385

- case examples, 402-403

macros, 351, 377, 379

- creating, 377-379

- events, 380-382

- setting conditions, 382-384

- Single Step tool, 385-386
troubleshooting, 385-386
- make table queries, 273-276
- many-to-many relationships, 62, 77
 Classic TV database, 67-70, 72-75
 order-entry system, 62-64
- matching data, 228
- Memo, 5
- Microsoft Excel
 adding rows, copy and paste, 427-430
 creating new tables, 425-426
 moving data to, 416
 copy and paste, 416-417
 Export command, 417
 Office Links command, 417
- Microsoft Outlook
 e-mailing objects, 418
 importing data, 419
- Microsoft Word
 mail-merge Word documents, case examples, 435-440
 Office Links command, 410
 Paste Special command, 408-410
- Mid function, 218
- mission objectives, 20
 creating tables, 32-35
- mission statements, 18
 examples of, 18-19
 writing, 19
- modifying
 data types, 143-144
 field names, 143
 source files, 422-423
- moving. *See also* export; importing
 controls, 374-375
 data to Excel, 416
 copy and paste, 416-417
 Export command, 417
 Office Links command, 417
- data to word processors or text editors, 406
 cut and paste, 407-410
 Office Links command (Word), 410
- multipage forms, 386-387
 page breaks, 387
 tab controls, 388
- multipart fields, 40-42
- multiple plot charts, pivot charts, 463-464
- multiple values, parameter queries, 253-255
- multitable queries, 222, 228, 236
 with criteria, 226-227
 outer joins, 232-233
 with three tables, 225
 with two tables, 222-224
- multivalue fields, 48-50
 resolving, 50-51
- N**
- names, field names, 41
 refining, 79-80
- naming
 fields, 131-132
 tables, 38
- naming conventions, Leszynski naming conventions, 131
- natural keys versus artificial keys, 47-48
- nesting groups, creating, 310-312
- NetworkID, 58
- Nifty Lions database, 322
- NO Details, pivot tables, 453-454
- nonparameter queries, creating, 249-250
- normal forms, 85
 first normal form, 85-87
 second normal form, 87-88
 third normal form, 88-89
- normalization, 84-85
- NOT, 199-200
- null values, 11-12
- Number, 4
- number fields, text in number fields, 121-122
- numbers, assigning field properties, 136
- O**
- objects
 e-mailing, 418
 linking versus embedding, 360-362
 OLE objects, 5

490 INDEX

Office Links command, 410
 moving data to Excel, 417

OLE objects, 5

one-to-many relationships, 54
 Classic TV database, 57-60, 62
 order entry models, 54-57
 updating records in queries, 243-245

one-to-one relationships
 identifying, 83
 subset tables, 81

operators, 195
 &, 294
 AND, 197-199
 arithmetic operators, 201
 Between, And, 202
 comparison operators, 201
 with text, 201-202
 IS, 200
 LIKE, 196-197
 NOT, 199-200
 OR, 197-199

option buttons, option groups, 338

option group label, 338

option groups, forms, 335-338

OR, 197-199

OR criteria, 189

ORDER BY, SQL, 238-239

order-entry models, one-to-many relationships, 54-57

order-entry systems, many-to-many relationships, 62-64

OrderDetails subform control, 325

organizing fields into tables, 31-32
 assigning ambiguous fields, 36-38
 developing tables, 36
 mission objectives, 32-35
 subjects, 35

outer joins, 232
 comparing to inner joins, 234-235
 multitable queries, 232-233

Output All Fields property, 212

overriding referential integrity, 101-102
 Cascade Delete Related Records, 102-103, 105-107
 Cascade Update Related Fields, 108-110

P

page breaks, multipage forms, 387

Page Footers
 forms/subforms, 325-326
 reports, 292-293

Page Headers
 forms/subforms, 325-326
 reports, 292-293

parameter queries, 247-248
 creating, 250-251
 reports, 252

Query Parameters dialog box, 255-257
 with two values, 253-255
 with wildcards, 252-253

parentheses (), 72

Picture Alignment, 364

Picture Pages, 364

Picture Size Mode, 364

Picture Tiling, 364

pictures, 352
 adding, 352
 background pictures, 362-363
 bound controls, 352-354
 embedding versus linking, 360-362
 image controls versus unbound object frames, 357-359
 properties, 363-365
 unbound controls, 355-356

pivot charts, 442, 457-458
 case examples, 467-471
 creating, 459-462
 elements of, 459
 multiple plot charts, 463-464
 properties, 464-465
 editing, 465-466

pivot tables, 441-447
 commands, 447
 details, 447
 examples, 451-452
 grouping records, 456-457
 No Details, 453-454
 properties, 454
 Top Values, 454-456

queries, 448
 creating, 448-450
 totals, 445, 447
PivotTable view, 442
Political Magazines database, 301-302
positioning cursors for Find, 179
primary keys, 7-9, 44, 53-54, 128
 artificial primary keys, 46-47
 designating, 134
 exclusive identification, 78
 gaps in, 10-11
 three-field primary keys, 70-71
principles of relational databases, 27
 breaking data into smallest components, 29-30
 fields and data, 29
 indifference to where values are stored, 27-28
 redundant data, 30
 values and rows, 29
printing
 blank forms, 173
 Relationships window, 112
 reports, 297-298
ProgramID, 51
properties
 Can Grow, 369-370
 Can Shrink, 369-370
 ControlTip Text, 165
 field properties. *See* field properties
 Filter On, 194
 Format, 172
 Input Mask, 170
 Output All Fields, 212
 Picture Alignment, 364
 Picture Pages, 364
 Picture Size Mode, 364
 Picture Tiling, 364
 pictures properties, 363-365
 pivot charts, 464-465
 editing, 465-466
 pivot tables, 454
 Top Values, 454-456
 Tab Stop, 164
 table properties, 145
 Top Values, 219
 finding top number of records, 219-220
 finding top percentage of records, 221-222

Unique Values, 213-214
Validation Text, 252
Visible property, 164-165
property inheritance, 161-162

Q

qualities of keys, 43-44
queries, 178, 207-208
 action queries, 272-273
 append queries, 280
 completing, 281
 delete queries, 276-278
 make table queries, 273-276
 update queries, 278-279
 adding calculated fields, 214
 arithmetic expressions, 215-216
 expressions with functions, 216-217
 building, 210
 adding fields to design grid, 210-212
 from filters, 212-213
 Unique Values property, 213-214
 creating reports, 288-289
crosstab queries, 267-268
 adding criteria, 270-272
 adding row headings, 270
 adding total columns, 270
 case examples, 281-283
 creating, 269
data entry, 153-155
editing, 155
versus filters, 208
Find Duplicates Query Wizard, 245
Find Unmatched Query Wizard, 235-236
multitable queries, 222, 228, 236
 with criteria, 226-227
 outer joins, 232-233
 with three tables, 225
 with two tables, 222-224
nonparameter queries, creating, 249-250
parameter queries, 247-248
 creating, 250-251
 creating reports, 252
 Query Parameters dialog box, 255-257
 with two values, 253-255
 with wildcards, 252-253

492 INDEX

- pivot tables, 448
 - creating queries, 448-450
- Query Design versus Advanced Filter, 209
- sorting, 214
- SQL, 237
- versus tables, 208
- totals queries, 258
 - excluding records before and after performing calculations, 266-267
 - finding sums for all records, 258-260
 - finding sums for groups, 260
 - finding sums with two groups, 261-262
 - setting criteria, 262-267
 - WHERE, 262-263
- UNION queries, 240-242
- updating records, 242
 - in one table, 243
 - in two tables with one-to-many relationships, 243-245
- Query Design versus Advanced Filter, 209
- Query Parameters dialog box, 255-257

- R**
- records, 2
 - excluding before and after calculations, 266-267
 - finding with Top Values property, 219-222
 - finding sums for totals queries, 258-260
 - grouping in pivot tables, 456-457
 - sorting, 312
 - updating in queries, 242
 - in one table, 243
 - in two tables with one-to-many relationships, 243-245
- rectangles, 372
- reducing empty space, 370
- redundant data, relational databases, 30
- referential integrity, 31, 96-98
 - overriding, 101-102
 - Cascade Delete Related Records, 102-103, 105-107
 - Cascade Update Related Fields, 108-110
 - rules of, 98-100
- refining
 - field names, 79-80
 - fields, 39
 - calculated fields, 39-40
 - multipart fields, 40-42
 - forms, 344-346
- refreshing relationships, 186
- relational databases, 3
 - breaking data into smallest components, 29-30
 - principles of, 27
 - fields and data, 29
 - indifference to where values are stored, 27-28
 - values and rows, 29
 - redundant data, 30
- relationships, 228
 - creating in Relationships window, 94-96
 - and fields, 76-77
 - identifying, 91-92
 - versus joins, 229-230
 - many-to-many relationships, 62, 77
 - Classic TV database, 67-70, 72-75
 - order-entry system, 62-64
 - one-to-many relationships, 54
 - Classic TV database, 57-60, 62
 - order-entry models, 54-57
 - updating records in queries, 243-245
 - one-to-one relationships
 - identifying, 83
 - subset tables, 81
 - refreshing, 186
 - viewing in Relationships window, 93-94
- Relationships window, 111
 - creating relationships, 94-96
 - printing, 112
 - Show buttons, 111-112
 - viewing relationships, 93-94
- repeating values, lookup fields, 118-120
- Report Footers, 295
 - totals, adding, 298-300
- Report Headers, 295
 - adding titles to, 296-297
- Report Wizard, 285-286
 - creating reports, 309
 - assembling data, 310
 - collecting data, 309-310

- creating groups, 310-312
layout, 313-314
sorting records, 312
styles, 314
summary options, 313
parameter queries, 252
- reports
advantages of, 285
AutoReport, 289
case examples, cover pages, 317-318
comparing from-scratch versus from-wizard reports, 315-316
concatenation, 294
bringing fields together, 295
deconstructing expressions, 294
creating, 285-286
using parameter queries, 252
queries, 288-289
creating with Report Wizard, 309
assembling data, 310
collecting data, 309-310
creating groups, 310-312
layout, 313-314
sorting records, 312
styles, 314
summary options, 313
- Design view, 289-290
Detail sections, 290-292
elements of, 292
filters in, 193-194
Group Footers, 307-309
Group Headers, 305-306
grouping, 300-305
groups, separating, 318-319
Page Footers, 292-293
Page Headers, 292-293
printing, 297-298
Report Footers, 295
adding totals, 298-300
Report Headers, 295
adding titles to, 296-297
snaked column reports, 399-401
sorting, 300-305
- Required, assigning field properties, 140
resizing controls, 374
- resolving multivalue fields, 50-51
RJ599, 15
Round function, 216
row headings, crosstab queries, 268, 270
rows, adding in Excel (copy-and-paste), 427-430
RTF files, 410
exporting data, 411
rules of referential integrity, 98-100
Rumsfeld, Donald, 11
- S**
- Search Fields as Formatted option, 179
searches, 183
searching for keys, 44-46
second normal form, 87-88
SELECT, SQL, 238
selecting controls, 373
separating groups, 318-319
Show All Relationships, Relationships window, 112
Show As (Percentage), 447
Show Details, 447
Show Direct Relationships, Relationships window, 111
Show Table, Relationships window, 111
Simple Query Wizard, 210
Single Step tool, 385-386
Smart Tags, 416
snaked column reports, 399-401
sorting
queries, 214
records, 312
reports, 300-305
- Sorting and Grouping dialog box, 303-305
source files, modifying, 422-423
space, reducing empty space, 370
spacing controls, 375-376
special effects, 368-369
spelling field names, 132

494 INDEX

SQL (Structured Query Language), 237-238
 statements, 238-239
 combo boxes, 333
 ORDER BY, 239
 WHERE, 239-240
 UNION queries, 240-242
 Start of Field Search, 183
 startup, displaying switchboards, 396-397
 strings, zero-length strings, 11-12, 200
 Structured Query Language. *See* SQL
 styles, Report Wizard, 314
 Subform Wizard, 340
 subforms, 322-324, 339-341. *See also* forms
 adding, 341
 adjusting columns, 346
 data source, 326-327
 Detail sections, 324-325
 Form Footers, 325
 Form Headers, 325
 Page Footers, 325-326
 Page Headers, 325-326
 subjects, creating tables, 35
 subset tables, 80
 creating, 81-82
 one-to-one relationships, 81
 Sum function, 258-259
 summary options, Report Wizard, 313
 Switchboard Manager, 392
 creating switchboards, 392-396
 displaying switchboards at startup, 396-397
 switchboards, 391-392
 creating, 392-396
 displaying at startup, 396-397

T

tab controls, 390
 adding to tab pages, 390
 creating, 388-389
 multipage forms, 388
 tab pages, adding tab controls, 390

Tab Stop property, 164
 tabbing through fields, 166-167
 table design procedures, creating Access tables, 130-131
 table properties, 145
 Table Wizard, creating Access tables, 129
 tables, 1-2, 117, 151-153
 Access tables, 129-130
 with direct-entry method, 129-130
 table design procedures, 130-131
 with Table Wizard, 129
 creating
 case examples, 147-150
 with Excel, 425-426
 data entry, 153-155
 data tables, 80
 deleting, results of deleting, 153
 designing databases, 24-25
 developing with fields, 36
 field properties, 157-158
 importing, 423
 join tables, 80
 linking tables, creating, 65-67
 lookup fields. *See* lookup fields, 118
 naming, 38
 organizing fields into, 31-32
 assigning ambiguous fields, 36-38
 developing tables, 36
 mission objectives, 32-35
 subjects, 35
 pivot tables, 441-447
 commands, 447
 details, 447
 examples, 451-452
 grouping records, 456-457
 No Details, 453-454
 properties, 454
 queries, 448
 totals, 445, 447
 versus queries, 208
 subset tables, 80
 creating, 81-82
 one-to-one relationships, 81
 validation tables, 81, 83-84

testing data, 113
Text, 3
 assigning field properties, 136
text in number fields, 121-122
text boxes
 labels, 327-329
 moving, 374
text editors, moving data to, 406
 cut and paste, 407-410
text files, importing data into Access, 420-424
third normal form, 88-89
three-field primary keys, 70-71
titles, adding to Report Headers, 296-297
toolbars, Formatting toolbar, 365
tools
 Line tool, 371
 Single Step tool, 385-386
Top Values property, 219, 454-456
 finding top number of records, 219-220
 finding top percentage of records, 221-222
top-down approach, designing databases, 20-21
total columns, crosstab queries, 270
totals
 adding in Report Footers, 298-300
 pivot tables, 445, 447
totals queries, 258
 excluding records before and after performing calculations, 266-267
 finding sums
 for all records, 258-260
 for groups, 260
 with two groups, 261-262
 setting criteria, 262-267
 WHERE, 262-263
troubleshooting macros, 385-386
two-digit years for entering dates, data entry methods, 168-169
TXT files, 410
 exporting data, 411-414

U

U.S. Constitution, 117
unbound controls, 352, 355-356
 versus bound controls, 356
unbound object frames versus image controls, 357-359
Undo command, data entry methods, 167-168
Undo Current Field/Record, 168
Undo Saved Record, 168
Undo Typing, 167
UNION queries, SQL, 240-242
Unique Values property, 213-214
uniqueness, 78
update queries, creating, 278-279
updating records in queries, 242
 in one table, 243
 in two tables with one-to-many relationships, 243-245
user-defined integrity, 31
users, involvement in designing databases, 17

V

Validation Rule, assigning field properties, 139-140
validation tables, 81, 83-84
Validation Text, assigning field properties, 139-140
Validation Text property, 252
value labels, option groups, 338
values, 3
 calculated values, 40
 crosstab queries, 268
 repeating values, lookup fields, 118-120
VBA (Visual Basic for Applications), 351
viewing relationships in Relationships window, 93-94
Visible property, 164-165
Visual Basic for Applications (VBA), 351
visual elements (formatting), 365
 Can Grow, 369-370
 Can Shrink, 369-370

496 INDEX

conditional formatting, 366-368
datasheet fonts, 366
grids, 377
lines, 371-372
rectangles, 372
reducing empty space, 370
visual guides for data entry, 169-171

writing
calculated expressions, 218
mission statements, 19

X-Z

Yes/No, 5

W

WHERE
SQL, 238-240
totals queries, 262-263

wildcards
Find, 179-180
parameter queries, 252-253

windows
Database window, tables, 152
Relationships window, 111
creating relationships, 94-96
printing, 112
Show buttons, 111-112
viewing relationships, 93-94





wizards
Export, exporting to Excel, 417
Find Duplicates Query Wizard, 245
Find Unmatched Query Wizard, 235-236





Form Wizard, 341-344
case examples, 467-471
Import Wizard, 431-432
Label Wizard, 397-399
Report Wizard, 285-286
parameter queries, 252
Report Wizard, 285-286
creating reports, 309-314
parameter queries, 252
Simple Query Wizard, 210
Subform Wizard, 340
Table Wizard, creating Access tables, 129


Word. *See Microsoft Word*

word processors, moving data to, 406
cut and paste, 407-410

Zero Length, assigning field properties, 140
zero-length strings, 11-12, 200







Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:

- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests







Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com



Visit us on the Web: <http://www.awprofessional.com>





Wouldn't it be great

if the world's leading technical publishers joined forces to deliver their best tech books in a common digital reference platform?

They have. Introducing
InformIT Online Books
powered by **Safari**.



■ Specific answers to specific questions.

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ Immediate results.

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ Cut, paste and annotate.

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ Customized for your enterprise.

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/online-books> for details.

informIT
Online Books

informit.com/onlinebooks



informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



Online Books

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.

