

# Index

## A

- abstract aspect, 248-263, 273
  - aspect attribute, 252
  - aspect methods, 253
- abstract pointcuts, 254
- accessor operations, 72
- accommodating evolution, 45
- addCrystals(), 241
- adding requirements, 129
- advice
  - defined, 254
- adviceexecution(), 340
- allow** theme, 326
  - initial themes, 318
  - grouping themes, 321
  - with the **enforce** theme, 326
- AND operator, 215
- AND NOT operator, 215
- application launch** theme, 331
  - shared requirements, 328
  - with the **download** theme, 331
  - composed using bind[], 333
- application registration** theme, 323, 341
- Application.start() method, 339
- aspect, 246
  - abstract, 262, 273
    - concrete, 258, 267, 278
    - identification, 19, 65, 87, 132, 134-144
- AspectJ, 77, 246
  - abstract aspect, 262
    - advice, 254
    - aspect attribute, 252
    - aspect methods, 253
    - interfaces, 251
    - pointcuts, 254
  - advice, 246
  - concrete aspect, 258, 267
    - binding to the aspect's interfaces, 259
    - binding to concrete pointcuts, 260
    - concrete implementations, 260
    - declare precedence, 261
    - extending abstract aspect, 259
  - intertype declarations, 246, 251-254, 268-272
  - P2PCommunication** theme, 261
  - pointcuts, 246, 260
  - thisJoinPoint, 255
  - track-energy** theme, 250
- aspect-oriented programming (AOP), 3, 245

aspect-oriented programming (AOP) languages, 245

aspects

- in analysis, 6, 64, 135
- aspect themes, 16
- case for, 3
- defined, 4, 56, 99
- in the Crystal Game
  - challenge** theme, 124, 125, 141, 144, 149
  - drop** theme, 143, 146, 147, 149, 150, 174
  - track-energy** theme, 125, 136, 137, 141, 144, 149, 185-197, 235-237, 250, 262
- in design, 6, 75, 161, 177
- designing, overview of, 161
- development lifecycle, 6
- identifying, 65, 87, 132, 134-144
- viewing, 70

AspectWerkz, 246, 272

- abstract aspect, 273
  - advice, 276
  - intertype declarations, 273
  - pointcuts, 276
- concrete aspect, 278
  - concrete pointcuts, 278
  - concrete intertype declarations, 278
- defined, 272
- deployment descriptor, 280
- track-energy** theme, 273

association

- and dominance, 66, 133
- making, 141

association relationships, 106

asymmetric separation, 7, 22

Audible class, 307

**audible** theme, 304

- design of concept sharing themes, 304-305

**audio-pause** theme

- grouping themes, 301
- in identifying aspects, 306
- refining themes, 299
- in split themes, 299

**audio-resume** theme

- grouping themes, 301
- in identifying aspects, 306

**audio-save** theme, 299, 306

- grouping themes, 301
- in identifying aspects, 306
- refining themes, 299
- in split themes, 299

**audit-based** theme, 321

- in a composition, 333
- grouping themes, 321
- initial themes, 318
- with the **launch** theme, 328
- as a **licensing** theme, 332
- removing minor themes, 320
- splitting requirements, 323

**B**

base themes, 16

- analysis, 61, 111, 119, 132
- analysis, theme responsibilities, 132
- design, 72, 158, 165
- designing, overview of, 158
- viewing, 68, 107

base triggers aspect, 133, 138

*base triggers aspect* rule, 66, 136

**begin** theme

- in an individual theme view, 153
- initial themes, 115
- unifying themes, 124, 125

behavioral group, 181

**bill** theme, 327, 330

- identifying aspects, 322
- in initial themes, 318
- with the **launch** theme, 328

- removing minor themes, 320
- removing themes, 327
- sharing requirements, 327
- splitting requirements, 323
- in Usage Registration, 330

`bind[ ]` tag, 80, 213, 236, 240

## C

C++, 35

**challenge** theme, 124, 125, 141, 144, 149

- in the *base triggers aspect* rule, 138
- in chains of crosscutting, 143-144
- with the **duel** theme, 140
- initial themes, 113, 115
- in large relationship views, 119
- in making associations, 141
- postponing decisions, 144-145
- with the **track-energy** theme, 137, 141
- unifying themes, 124
- viewing aspect themes, 153

`changeEnergy()`, 253

**check-def-use** theme, 85, 89

- in a composed theme, 92
- in a composition, 91
- designing and composing themes, 90
- in finding the themes, 85
- in identifying aspects, 87
- postponing decisions, 89
- in requirements, 84-85
- in reworking themes and requirements, 87

`checkMethod()`, 339

`checkModel()`, 339

**check-style**, 85, 89

- in a composed theme, 92
- in a composition, 91
- designing and composing themes, 90
- in finding the themes, 85
- in identifying aspects, 87
- in requirements, 85

`checkSyntax()` method, 56

**check-syntax** theme

- in concept sharing, 55
- in a composed theme, 92
- in composition, 91
- in crosscutting, 56
- in crosscutting composition, 80
- in design, 73-74
- in evolution, 85
- in finding the themes, 59
- in identifying aspects, 65-66
- identifying themes and entities, 61
- postponing decisions, 89
- in refining themes, 63, 64
- in shared-concept composition, 79
- in themes at analysis, design and composition, 54
- viewing base themes, 68-70

choosing initial themes, 111

`ClassName.*`, 215

class-responsibility-collaboration (CRC) cards, 96

composed themes, 81

- shared concepts, 81

composite pattern, 39, 243

composition relationship, 22, 78

- AND operator, 215
- AND NOT operator, 215

`bind[ ]` tag, 80, 213, 236, 240

crosscutting composition, 83, 235

`dontMatch` tag, 222, 225

`match[name]` tag, 78, 90, 204, 220

merge integration, 206

override integration, 208, 223, 228

`prec` tag, 233

`resolve` tag, 234

shared concepts composed, 79, 201, 215

`ThemeName[...]` tag, 79

composition specification. *See* composition relationship

## 356 INDEX

- concept sharing, 15
    - in the Crystal Game, 165
    - in the Phone Features case study, 303
    - in the Usage Licensing case study, 330
    - themes, 54, 78
  - Concern Manipulation Environment (CME), 246, 281
    - aspect themes, 286
      - composition specification, 290
      - standard Java for, 286
    - base themes, 282
      - composition specification, 285
      - standard Java for, 283
    - open framework, 281
  - concrete aspect, 258, 267, 278
    - base themes, 268
  - concrete pointcuts, 260, 278, 338
  - control flow, 179
  - create** theme, 124, 125
    - initial themes, 113, 115
    - unifying themes, 124, 125
  - crosscutting, 16
    - chains of, 143
  - crosscutting behavior
    - binding, 80, 213, 236, 240
    - control flow, 179
    - invoking rules, 183
    - and templates, 178
  - crosscutting-enough test, 136
  - crosscutting-relationship view
    - abstract concept of, 105-107
    - in the Crystal Game, 142
    - in the EES, 67
    - for grouped themes, 123
    - in the Phone Features case study, 303
    - in the Theme/Doc analysis process, 109
    - tool support for, 102
    - in the Usage Licensing case study, 329
  - crosscutting themes, 56, 61, 242
    - identifying, 64
  - crosscutting theme view, 105
  - Crystal Game, 111, 197, 243, 297, 343
    - character types, 344
    - game architecture, 167
    - game setup, 344
    - interaction between players, 347
    - interaction with nonplayer characters, 347
    - playing the game, 345
    - requirement
      - nontrivial verbs in, 113
    - requirements, 343, 344, 348
    - starting the game, 344
    - themes, 245
  - crystals attribute, Player classes, 234
  - crystalsTouched( ), 240, 241
- D**
- decide on the themes activity*, 109
  - decorator pattern, 48, 49
  - define** theme
    - with the **check-syntax** theme, 73
    - in composition, 79, 81, 91
    - design, 71, 72
    - individual theme design, 73
    - individual theme view, 69
    - initial themes, 61
    - refining the set of themes, 64
    - re-named to the **grammar** theme, 89
    - reworking themes and requirements, 87-88
  - defUseCheck( ) operation, 46
  - designing base themes, 72, 158, 165
  - designing themes with Theme/UML
    - aspect themes, 75, 161, 177
    - base themes, 72, 158, 165
  - design patterns, 2, 45-50
  - determine** theme
    - initial themes, 61

- refining themes, 64-65
- determine theme responsibilities* activity, 109
- Dijkstra, Edsger, 3
- display** theme
  - in the Crystal Game analysis
    - with the **enter-location** theme, 138
    - grouping themes, 127
    - initial themes, 113, 114, 115
    - knowing when you're done, 146-150
    - postponing decisions, 145
    - splitting requirements, 130-131
    - unifying themes, 124
  - in the EES
    - in concept sharing, 55-56
    - identifying aspects, 66
    - initial themes, 61
    - with the **log** theme, 75
    - refining the themes, 63-64
- distribute-crystals** theme
  - in analysis
    - postponing decisions, 146
    - splitting themes, 122
    - table of requirements, 124
    - unifying themes, 123-125
  - in design
    - in base themes, 165-166
    - individual theme design, 173-174
- Distributed Feature Composition (DFC) architecture, 30
- distribute** theme
  - initial themes, 115
  - splitting themes, 121-122
- `do_energyAction(..)` template, 189
- `do_logged_op()`, 77
- dominance means association* rule, 66, 133, 135, 136
- `do_moveLocation(..)` template, 179
- `dontMatch` tag, 222, 225
- download** theme, 331, 341
- composing themes, 332-334
- designing themes, 330, 331-332
- grouping themes, 321
- identifying aspects, 322
- initial themes, 318
- postponing requirements, 323
- refining themes, 317
- as a use case, 314
- duel** theme
  - in analysis
    - with the **enter-location** theme, 138-140
    - identifying objects, 151
    - initial themes, 113, 114, 115
    - in large relationship views, 119
    - in the *is the aspect crosscutting enough* test, 139-141
    - postponing requirements, 145
    - requirements table, 140
    - splitting themes, 119-122
    - viewing base themes, 152
  - in composition
    - in binding to crosscutting themes, 235
    - in combining integration policies, 231-232
    - in explicit matching, 217-218
    - in implicit matching, 221
    - in a merged container class, 224
    - in merging operations, 225-226
    - in override integration, 228-230
    - in resolving conflicts, 233
    - in theme precedence, 233
  - in design
    - as a base theme, 165-166
    - design of, 176-177
    - with the **enter-location** theme, 168-171
    - overview of designing base themes, 161

**duel** theme (*cont.*)

- in implementation
  - base themes, 268-271
  - in composition specification, 285-286
  - in standard Java for base themes, 283-285

**duel-V2** theme, 228**drop** theme

- associations, 141
- initial themes, 114, 115
- knowing when you're done, 147-150
- postponements, 145-146
- unifying themes, 123

**E**

Edinburgh Language Technology Group (LTG), 113

encapsulation, 2, 13, 53

**end-game** theme, 127

- in analysis
  - with the **drop** theme, 143
  - with the **duel** theme, 140
- grouping themes, 125-127
- postponing requirements, 145
- in design
  - in base themes, 165-166

`energyAction(...)`, 235

`energyAction` pointcut, 254

`energyAction(...)` template, 182, 188

`EnergyEntityI` interface, 253, 273

**enforce** theme

- in analysis
  - dividing behavioural responsibilities, 322
  - grouping themes, 321
  - initial requirements, 318
  - with the **launch** theme, 328
- postponing requirements, 323
- shared requirements of, 325-326

- as a use case, 315

- in composition, 337, 338

- in design, 330

- as a **licensing** theme, 334-336

- in implementation, 339-341

**enter-input** theme

- in analysis

- grouping themes, 127

- splitting themes, 120, 122

- unifying themes, 125-126

- in design

- in base themes, 165-166

**enter-location** theme, 120, 136, 137, 141,

- 168, 174, 215, 236, 271

- in analysis

- in the *base triggers aspect* rule, 138-140

- in chains of crosscutting, 143

- in the *dominance means association* rule, 136-137

- identifying objects, 151, 152

- making the association, 141, 143

- postponing requirements, 145

- requirements table, 138

- splitting themes, 120, 122

- in composition

- in binding to crosscutting themes, 236

- in combining integration policies, 231-232

- in composing game themes, 216

- in explicit matching, 217-218

- in implicit matching, 221

- in matching design elements, 217

- in a merged container class, 224

- in merging operations, 225

- in theme precedence, 233

- in design

- in base themes, 165-166

- design of, 168-171

- with the **distribute-crystals** theme, 174
  - with the **start** theme, 172
  - in referencing template structure and behavior, 185
  - in implementation
    - in base themes, 268-271
    - in composition specification, 286
    - in standard Java for base themes, 283-285
  - enter** theme, 120
    - in dealing with large relationship views, 119
    - initial themes, 113, 114, 115
    - splitting themes, 120, 122
  - entities
    - potential, identifying, 61
  - evaluate** theme, 61, 63, 64, 69
    - in analysis
      - identifying aspects, 66
      - individual theme view, 70
      - initial themes, 61
      - refining the themes, 62, 64
    - in design, 71, 72
      - design of, 74-75
      - in relating themes that crosscut, 80-81
      - in relating themes that share domain concepts, 78-79
      - in specifying relationships between themes, 78
  - evolution, 84
    - object-oriented approach, 50
    - with Theme, 84
  - `Expression.asString()` method, 80, 84
  - `Expression.check()` method, 80, 84
  - `Expression` class, 56, 78, 90
  - expression entity, 61
  - `Expression.evaluate()` method, 80, 84
  - expression evaluation system (EES), 35, 59
    - applying object-oriented principles to designing, 35
    - applying Theme approach to, 54-92
    - evolving with OO design, 45
    - evolving with Theme, 84
  - expressions example. *See* expression evaluation system
  - extend** theme
    - grouping themes, 321
    - initial themes, 318
  - extreme programming (XP), 96
- ## F
- facilities, 30
  - facility, 29
  - feature-driven development (FDD), 94
  - feature-oriented domain analysis (FODA), 30
  - features, 29
  - Fowler, Martin, 23
  - functions, 29
- ## G
- gain** theme, 125
    - with the *base triggers aspect* rule, 138
    - in chains of crosscutting, 143
    - with the *dominance means association* rule, 136-138
    - grouping themes, 125-127
    - initial themes, 113, 115
    - splitting themes, 120
    - unifying themes, 127
    - viewing aspect themes, 153
  - `GameAdmin` class, 171, 293
  - `GameAdmin.join(..)`, 238

## 360 INDEX

Game class, 225  
 GameComms class, 262  
 GameI interface, 273  
**game-setup** theme, 132  
   in analysis  
     attaching requirements to themes,  
     132  
   in design  
     in base themes, 165-166  
**game** theme, 217, 236, 237, 239, 240, 301,  
 303  
   in composition  
     binding to crosscutting themes,  
     236-240  
     matching design elements, 217  
   in implementation  
     in composition specification, 291  
     in standard java for base themes, 283  
**generic license model** theme, 334, 335,  
 339  
 getEnergy ( ) method, 253, 255  
 getOperand ( ), 72  
 goal-oriented requirements engineering,  
 31  
**grammar** theme, 90  
 gray nodes in individual aspect theme  
   views, 190  
 grouping sets of themes, 119, 321  
 grouping themes, 125

**H**

hegemony of the dominant decomposi-  
 tion, 3  
 HighPriority class, 306

**I**

identifying aspects, 65, 87, 132, 134-144  
 implementation, 25, 245  
 individual view  
   abstract description of, 107

  for aspect themes, 70, 153  
   for base themes, 68-69,152  
   for displaying grouped themes, 123  
   for incorporating new requirements,  
   130  
   for planning design, 151, 159-166  
   in the Theme/Doc analysis process,  
   109  
   tool support for, 102  
 initial themes, 318  
**initiate** theme

  initial themes, 115

  with the **start** theme, 135

  unifying themes, 125

Interfaces, 34  
 intertype declarations, 246, 251-253, 268-  
 272, 273, 278

**J**

Java, 35  
 joinGame pointcut, 254, 262  
 joinGame ( . . ) template, 182, 238  
 joinGame ( ) template operation, 195  
 joinpoints, 340

**L**

**launch** theme, 328, 337, 342  
   in composition, 337, 338  
   design of, 335  
   with the **download** theme, 331  
   initial themes, 318  
   with the **licensing** themes, 332-334  
   requirements shared with other  
   themes, 328  
   in splitting requirements, 323  
 licensing models, 317  
 Loan class, 10, 11  
 Location class, 293  
 LogFile.write ( ) method, 77, 84  
 LoggedClass, 84



LoggedClass.loggedOp( . . ), 76  
 LoggedClass.loggedOp( . . ).  
     loggedOp( . . ), 80  
 Logger.afterInvoke( ), 42, 44, 47  
 Logger.beforeInvoke( ), 42, 47  
 Logger class, 42  
 logging, 4, 5  
     in the Crystal Game discussion, 136-137  
     in the EES, 39, 42-44, 46-50, 56, 66, 68, 70, 75-77, 80, 81, 87  
     in usage licensing, 318-320, 334, 336, 337  
**log** theme  
     in the Crystal Game analysis 56, 61, 63, 66, 68, 80, 136-137, 318  
     in the Crystal Game design, 75, 77  
     in the EES  
         crosscutting theme, 56  
         in designing themes, 71, 72, 75-77  
         in evolved requirements, 84  
         initial themes, 61  
         identifying aspects, 66, 87  
         in relating themes that crosscut, 80  
         refining themes, 63-64  
         in viewing aspect themes, 70  
         in viewing base themes, 68  
     in the Usage License case study initial themes, 318  
 loseEnergy( ), 252, 253  
**lose-energy** theme, 125  
     grouping themes, 127  
     in an individual theme view, 187  
     splitting themes, 122  
**lose-game** theme, 125  
     grouping themes, 125-127  
     splitting themes, 122  
 lStateChange( ) template operation  
     sequence diagram, 193

## M

matched structural elements, 206  
 match[ name ] tag, 78, 90, 204, 220  
**media player** theme, 301, 303  
     in designing concept sharing themes, 303  
     grouping themes, 301  
     identifying crosscutting themes, 301-302  
     with the **preempt** theme, 307  
**meet-character** themes, 124, 135, 143, 144  
**meet-sage** theme, 124, 125  
     in analysis  
         in attaching requirements to themes, 125  
         in chains of crosscutting, 144  
         splitting requirements, 135  
         splitting themes, 122  
     in design base themes, 165-166  
**meet** theme, 122  
     in dealing with large relationship views, 119  
     initial themes, 113-115  
     splitting themes, 120-122  
**meet-warrior** theme, 125  
     in analysis  
         in attaching requirements to themes, 125  
         in chains of crosscutting, 144  
         splitting requirements, 135  
         splitting themes, 122  
     in design base themes, 165-166  
**meet-wizard** theme, 124, 125, 131  
     in analysis  
         in attaching requirements to themes, 125  
         in chains of crosscutting, 144  
         splitting requirements, 131, 135  
         splitting themes, 122

**meet-wizard** theme (*cont.*)  
 in design base themes, 165-166

**menu-start** theme, 299

**menu** theme, 147, 301, 303, 304  
 in composition, 305  
 designing concept sharing themes,  
 303-304  
 grouping themes, 301  
 identifying aspects, 301  
 refining themes, 299-300  
 splitting themes, 299

merge concerns, 206  
 with CME, 286  
 with intertype declarations, 268  
 merge theme designs, 206, 223, 231

metatag, 215

**method calls** theme, 136

minus entity, 62

MinusOperator, 37

minusoperator entity, 62

mix-and-match, 85, 89, 90

Model.check( . . ) method, 340, 341

modularization, 2, 9, 21, 22, 25, 28, 32, 40,  
 43, 44, 199, 262

moveLocation( . . ), 235

moveLocation pointcut, 254

moveLocation( . . ) template, 179-181

**N**

**named-user license** theme  
 initial themes, 318  
 postponing requirements, 325

newCrystals( ), 241

newGame( ) request, 171

newLocation( ) event, 169

noncrosscutting themes, 56

non-gray behavioral nodes in individual  
 views, 162

non-gray structural nodes in individual  
 views, 162

notifyAfter( ), 47

notifyBefore( ), 47

NumberExpression, 37

numberexpression entity, 61

**O**

object-oriented design, 38

object-oriented software paradigm, 27

object-oriented units, 32

objects, 2, 33  
 comparing requirements to, 34  
 describing, 32

observer pattern, 47, 49, 239

**observer** theme, 239, 240

OORam model, 93

operating on requirements, 128

operating on themes, 119

override concerns, 208  
 with CME, 286  
 override designs, 208, 228, 231

overview of composing themes, 199

overview of designing with Theme/UML,  
 157

overview of the Theme/Doc process, 108

**P**

**P2PCommunication** theme, 190, 237,  
 239, 261, 267, 293  
 abstract aspect, 261  
 CME composition specification, 294  
 composition specification, 237  
 concrete aspect, 267  
 design, 190  
 structure, 196

**pause** theme, 299

**pay-per-use** theme, 319, 328  
 in composition, 333  
 initial themes, 318  
 with the **launch** theme, 328  
 with the licensing themes, 332

- in removing minor themes, 320
    - splitting themes, 323
  - phone** theme
    - in composition, 308, 310
    - as a product of a merge, 305
  - plan for design* activity, 109
  - planning for design, 151
    - identifying objects, 151
    - viewing aspect themes, 153
    - viewing base themes, 152
  - Player class, 217, 225, 232, 283, 293
  - Player.crystalsTouched(), 241
  - Player.set, 215
  - plus entity, 62
  - PlusOperator, 37
  - plusoperator entity, 61
  - pointcut, 247, 254, 260, 276, 278
    - abstract pointcut, 254, 276
    - concrete pointcut, 260, 278
  - populate** theme, 123, 125
    - initial themes, 115
    - unifying themes, 123
  - postponing requirements, 89, 106, 128, 131, 132, 133, 144, , 301
    - when examining shared requirements, 86
    - in knowing when you're done, 146-147
    - as a requirement operation, 62
    - in the Usage Licensing case study, 323, 325
  - prec tag, 233
  - Preempted class, 306
  - preempt** theme
    - in designing crosscutting themes, 306, 308, 310
    - grouping themes, 301
    - in identifying aspects, 301-302
    - individual theme view, 307, 309
    - refining themes, 299-300
  - print() method, 225
  - prompt** theme
    - grouping themes, 127
    - initial themes, 113, 114, 115
  - pStateChange() template operation
    - sequence diagram, 193
- R**
- RandomNumberGenerator class, 174
  - refactoring, 95
  - referencing template structure and behavior, 183
  - relationship view, 103
    - in agile processes, 94—96
    - in the Crystal Game, 111-132
    - in the EES, 63
    - large relationship views, 119
    - in the Phone Features case study, 299-300
    - in the Theme/Doc analysis process, 109
    - tool support for, 102
    - in the Usage Licensing case study, 319-327
  - requirements
    - attaching to themes, 125, 131, 132
    - comparing objects to, 34
    - describing, 28
    - new requirements
      - incorporating, 130
    - operating on, 128
    - postponing, 128, 144
    - shared, splitting, 134
    - splitting, 130, 134
  - requirements gathering processes, 31
  - requirements specification, 32
  - requirements units, 29
  - resolve tag, 234
  - reuse, 2, 28
  - re-user-oriented models, 30
  - runnable interface, Java, 252

## 364 INDEX

## S

**save** theme, 299  
 Savings class, 10, 11  
 scattering and tangling effect, 44  
     with design patterns, 49  
**scatter** theme, 123, 125  
**scroll** theme, 299  
**send** theme, 320  
 separated themes, 242  
 sequence diagrams, 214  
**server contact** theme, 323, 330  
 services, 29, 30  
 setChangeAmount(), 253  
 setOperand(), 72  
 setup-NPC.Location class, 223  
**setup NPC** theme, 148, 175, 218, 221  
**setup player** theme, 148  
 shared requirements, 19, 115, 154, 328  
     associating, 106  
     postponements of associations, 106  
 short messaging service (SMS), 297  
**show** theme, 124  
**signal** theme, 299  
 Singleton design pattern, 42  
**sms**, 301  
**SMS** theme, 297, 303  
 software development and the object-oriented paradigm, 1  
 software licensing. *See* usage requirements case study  
 split themes, 119  
 splitting requirements, 130  
*splitting up doesn't work* rule, 66  
 standard UML, 7, 178, 181  
**start-game** theme, 132  
**start** theme, 124, 141, 146, 171, 215, 226, 232, 299  
 stealCrystals(), 241  
 styleCheck() operation, 46  
 stylized Theme/Doc view, 18

symmetric separation, 9, 22  
 synchronization code, 4

## T

takeCrystals(), 240, 241  
 tangling, 44  
     with design patterns, 49  
**tap** theme, 125  
 templates  
     listing for a theme, 181-183  
     as parameters, 76, 180  
 test-driven development (TDD), 95  
 theme approach  
     applying, 17  
     goal for, 132  
 theme design, 157  
 Theme/Doc, 17, 57, 72, 199, 236, 310  
     analyzing requirements with, 17  
     view-generation tool, 110  
 Theme/Doc requirements, 111  
 Theme/Doc requirements analysis  
     process, 108  
     choose-carefully-up-front approach, 112  
     combining approaches, 114  
     identify crosscutting themes, 64  
     initial set of themes, 59, 111-115  
     refining the themes, 62  
     prepare for design, 67  
     start-with-everything approach, 113  
 Theme/Doc views and tool support. *See* views in Theme/Doc  
*theme identification* activity, 19  
 ThemeName, 203, 216, 305  
 theme-orthogonality, 99  
 theme process overview, 57  
 theme-relationship view, 63, 115  
     large relationship views, 119  
 theme responsibilities, 132

- themes
  - at analysis, design, and composition, 54
  - attaching requirements to, 125, 131, 132
  - composed, 81
  - composing, 77
  - composition, 89
  - concept sharing, 54, 78
  - crosscutting, 56, 61
  - defined, 13, 53
  - deleting unwanted themes, 127
  - design, 89
  - designing, 71
  - extreme programming (XP), 96
  - feature-driven development (FDD), 94
  - finding, 59, 85
    - choosing initial themes, 85
    - examining shared requirements, 86
  - fitting into existing development
    - process, 23, 93
    - agile processes, 94
    - iterative approach, 93
    - waterfall approach, 93
  - grouping, 119, 123
  - operating on, 119
  - potential, identifying, 61
  - refining the set of, 62
  - relationships between, 15, 54
  - relating themes that share domain
    - concepts, 78
  - size, 92
  - specify relationship between, 78
  - structure and relationships of, 53
  - splitting 119
  - test-driven development (TDD), 95
  - unifying, 123
- Theme/UML, 17, 25, 57, 90, 157, 199, 243, 330, 331
  - composing themes. *See* composition relationship
  - designing aspect themes, 75, 161, 177
  - designing base themes, 72, 158, 165
    - and maximum/minimum size for themes, 262
  - overview, 21, 71
  - specifying relationships. *See* composition relationship
- traceability, 44
- track-energy** individual-theme view, 153
- track-energy** theme, 125, 136, 137, 141, 144, 185-197, 235-237, 250, 262
  - in analysis
    - with the *base triggers aspect* rule, 138
    - in chains of crosscutting, 143-144
    - with the *crosscutting enough* test, 141
    - with the *dominance means association* rule, 136-137
    - with the **enter-location** theme, 138
  - grouping themes, 125-127
  - in identifying objects, 151-152
  - individual view for, 153
  - in making associations, 141, 143
  - theme requirements table, 137
  - in viewing aspect themes, 153
- in composition
  - in binding to crosscutting themes, 235-236
  - composition specification, 235
- in design
  - in crosscutting behavior templates, 179
  - design of, 185-190
  - in listing templates for a theme, 182
- in implementation
  - abstract aspect, 250, 273
  - CME composition specification, 287
  - concrete aspect, 258, 277
  - methods for tracking energy, 253
  - pointcuts, 254

**366** INDEX

transaction management, 4  
triggers  
    control flow restrictions on, 179

**U**

UnaryMinusOp, 37  
unaryminusop entity, 62  
UnaryOperator, 39  
UnaryPlusOp, 37  
unaryplusop entity, 62  
unified software development process, 29  
unifying themes, 123  
units  
    motivation for choosing, 34  
**unlimited-usage** theme, 318, 326  
unmatched elements, 206  
**usage registration** theme  
    in composition, 334  
    designing themes, 330-331  
    initial themes, 318  
    postponing requirements, 325  
usage requirements case study, 330, 332  
    dividing behavioral responsibilities,  
        323, 325, 327, 328  
**licensing** themes, 332  
    looking at code, 338  
    refining the set of themes, 317, 321  
**registration/download** themes, 330,  
    331  
    system requirements, 315  
use cases, 29

user-oriented models, 30  
**user registration** theme, 325

**V**

VariableExpression, 37  
variableexpression entity, 61  
views in Theme/Doc  
    crosscutting view, 67, 102, 105-107,  
        109, 123, 142, 329  
    individual view, 67- 70, 102, 109, 123,  
        130, 151, 153, 159-166  
    relationship view, 63, 94-96, 102, 103,  
        109, 119, 111-132, 299-300, 303  
visitor pattern, 46, 49  
**voice call** theme  
    designing concept sharing themes,  
        303  
    designing crosscutting themes, 306,  
        308-310  
    grouping themes, 301  
    identifying aspects, 301-302  
    initial themes, 299, 300

**W**

**win-game** theme  
    grouping themes, 125, 127  
    splitting themes, 122  
**win** theme  
    initial themes, 113, 114, 115  
    splitting themes, 122