


# INDEX

## A

- abstract 71, 123, 156, 177, 212, 294
  - definition of 451
- abstraction 53, 97, 99, 175–177, 188, 319
  - definition of 451
  - level of 457
- access 137, 169
- action 21, 215, 225, 268–270, 297, 321, 342
  - asynchronous 452
  - definition of 300, 341, 451
- action state 270
  - symbol for 270
- active class 19, 33, 93, 181, 260, 321–322, 327, 380, 437
  - definition of 321, 451
  - drawing 330
  - symbol for 20, 321
  - well-structured 330
- active object 128, 273, 301, 315, 324
  - definition of 321, 451
  - drawing 330
  - well-structured 330
- ActiveX 406
- activity 22, 267–268, 305, 340
  - definition of 269, 300, 341, 448, 451
- activity diagram 26, 33–34, 92, 95, 130, 177, 239, 249, 267–268, 279, 297, 339, 343, 380, 410, 442
  - definition of 95, 269, 451
  - drawing 284
  - symbol for 269
  - well-structured 284
- activity node 270–271
- activity state 270
- actor 21, 225, 227, 236, 239, 241, 288, 321, 423
  - definition of 229, 451
- symbol for 229
- actual parameter
  - definition of 451
- Ada 121, 320
- adornment 28, 75, 79, 98
  - definition of 451
- aggregate
  - definition of 451
- aggregation 24, 50, 67, 73, 109, 143, 214
  - and attributes 50
  - composite 68
  - composition 143
  - definition of 67, 451
  - symbol for 67
- algorithm 209, 282–283, 297
- alt 255
- analysis 54, 226, 448
- analysis and design set 450
- analysis model 449
- analyst 33
- annotational thing 23, 439
- anonymous 176, 179
- API 204–205, 398
- applet 38, 43, 54
- application 21, 39
- arc 441
- architect 90
- architectural modeling 349
- architectural pattern 384, 392–393, 427
- architecture 10, 14, 16, 32, 117, 319, 369, 383, 385, 397, 412, 444
  - continuous integration of 34
  - definition of 32, 451
  - documentation of 16
  - modeling 91, 426
  - pattern 384
  - resilience 370
  - style 383



- views of 32, 90, 138, 146, 149, 171–172, 260, 279, 342, 361, 370, 422, 424, 426, 448–449
  - architecture-centric 34, 444
    - definition of 452
  - argument 219
    - definition of 452
  - artifact 13–14, 16, 20, 43, 351, 395, 397, 425, 449
    - definition of 352, 448, 452
    - name 353
    - symbol for 20, 352
    - technical 450
  - artifact diagram 27, 92–94, 407
    - definition of 396
    - drawing 408
    - well-structured 408
  - artifacts 33
  - association 24, 61, 89, 105, 118–119, 133, 136, 160, 175, 177, 179, 181, 213–214, 229, 241, 322, 365, 397, 411, 440
    - aggregation 67
    - binary 452
    - composition 143
    - definition of 65, 141, 452
    - direction 66
    - instance of 175
    - multiplicity 67, 124
    - name 66
    - n-ary 65, 457
    - navigation 66, 141
    - qualification 143
    - role 66
    - symbol for 24, 65
    - visibility 142
  - association class 68, 144
    - definition of 452
  - association end
    - definition of 452
  - asynchronous 216, 289–290, 300–301, 323
  - asynchronous action
    - definition of 452
  - attribute 18, 50, 117, 122, 136, 143, 146, 179, 220, 253, 423
    - and aggregation 50
    - and composition 144
    - and tagged values 81
    - definition of 50, 452
    - features of 50
    - multiplicity 124–125
    - name 50
    - organizing 52
    - scope 125
  - static 122
  - symbol for 50
  - visibility 125
- B**
- backplane 290
  - balance of desig 370
  - balking 324
  - base 64
  - behavior 18, 33, 90, 94, 124, 152, 209, 225–226, 236, 239–240, 289, 297, 299, 301, 333, 373, 410, 423, 426
    - definition of 452
  - behavioral diagram 94
  - behavioral feature 119
    - definition of 452
  - behavioral modeling 207
    - advanced 285
  - behavioral thing 21, 433, 438
  - best practices 443
  - binary association
    - definition of 452
  - bind 61, 136
  - binding
    - definition of 452
  - blackboard 385
  - blueprint 13–14, 76
  - Boolean
    - definition of 452
  - Boolean expression
    - definition of 452
  - branch 219, 255, 259, 272
    - symbol for 272
  - broadcasting 292
  - business analysis model 449
  - business modeling 448
  - business objective 443
  - business use case model 449
- C**
- C 37, 59
  - C++ 16, 31, 59, 121–122, 216, 320, 398
  - call 215–216, 269, 287, 289–290, 292, 323, 328
    - synchronous 461
  - cardinality
    - definition of 452
  - change 291
  - change event 305
  - child 24, 40, 62, 64, 80, 124, 139, 440
    - definition of 452
  - chunk 163–164, 371, 373

- class 18, 33, 38, 89, 93, 103, 105, 118, 146, 152, 166, 176, 210–212, 227, 239, 260–261, 263, 279, 282, 297–298, 316, 322, 327, 342, 353, 361, 364, 371, 375, 392, 421, 437
  - abstract 71, 123, 156, 177, 294, 451
  - active 20, 181, 321, 437, 451
  - advanced features of 117
  - association 452
  - attribute 50
  - base 64
  - basic features of 47
  - concrete 123, 128, 453
  - definition of 49, 453
  - drawing 59
  - eliding 52
  - hierarchy 123
  - leaf 64, 123
  - name 49
  - operation 51
  - passive 327
  - root 64
  - semantics of 53, 130
  - singleton 124
  - symbol for 18, 49
  - template 128, 295
  - utility 124
  - well-structured 47, 59
- class diagram 25, 33, 39, 41, 92–93, 103, 136, 160, 177, 185–186, 210, 298, 371, 391, 410–411, 441
  - definition of 93, 105, 453
  - drawing 114
  - symbol for 105
  - well-structured 113
- class library 388
- class scope 122, 181
- class/instance dichotomy 334
- class/object dichotomy 30, 136, 175
- classification
  - dynamic 455
  - multiple 457
  - static 460
- classifier 18, 117, 119, 121, 177–178, 235, 372, 375, 423
  - definition of 118, 453
  - drawing 132
  - well-structured 131
- classifier scope 122
- client 415
  - definition of 453
- client/server system 362, 412, 414–415
- code 409
- collaboration 19, 33, 42, 89, 93, 99–100, 103, 106–107, 133, 147, 157–158, 166, 209, 211, 231, 260, 279, 282, 316, 329, 361, 386, 391–392, 423, 437
  - definition of 371, 453
  - drawing 382
  - name 372
  - organizing 375
  - structure 372
  - symbol for 19, 371
  - well-structured 382
- collaboration diagram 92, 220, 231, 239, 260, 264, 410
  - symbol for 251
- color 81
- COM+ 354, 398, 400
- comment 23, 84
  - definition of 453
- communication 264
- communication diagram 94, 249, 258
  - definition of 95, 251, 453
- compilation 358
- complete 140
- completion transition 304
- component 19, 89, 93–94, 99, 117–119, 133, 146, 157, 166, 176–177, 193–194, 210, 212, 260, 282, 298, 332, 334, 336, 361, 364, 371, 375, 392, 396, 401, 421, 437
  - and interfaces 195
  - and nodes 363
  - definition of 453
  - distribution of 367
  - introspection 158
  - migration of 334
  - notation 195
- component diagram 26, 43, 92–93, 103, 105, 188, 395, 401, 410, 441
  - definition of 453
  - symbol for 396
- composite
  - definition of 453
- composite aggregation 68, 73, 166
- composite state 309, 342
  - definition of 453
- composite structure 93, 194, 199
- composite structure diagram 33, 92–93
- composition 133, 143, 423
  - and attributes 144
  - definition of 453
- computation 269–271
- concrete 123, 128
- concrete class
  - definition of 453

- concrete instance 175, 182
- concurrency 126, 128, 157, 216, 273, 275, 303, 315, 320, 322
  - definition of 453
- concurrent 127, 325, 327
- concurrent substate 309
- condition 259
  - guard 304
- conditional control operator 255
- configurable 444
- configuration management 33, 358, 400, 448
- connection 365, 440
- connector 21, 195, 201
- constant 333
- constraint 23, 31, 58, 75, 82, 219, 262, 270, 322, 326, 331, 333, 441
  - definition of 78, 454
  - drawing 88
  - symbol for 78
  - timing 333, 335, 461
  - well-structured 88
- construction 35–36, 445–446
  - definition of 454
- container
  - definition of 454
- containment hierarchy
  - definition of 454
- context 216, 242–243, 280
  - definition of 454
- contract 30, 153, 155
- control operator 254
- CORBA 153, 329, 354, 398
- coroutine 274
- CRC cards 53–54, 73
- create 215
- creation 219, 269, 289, 300
- CRUD 403
- cycle 443
- D**
- data model 449
- data structure 188
- database 108, 400, 402–404
  - logical 106, 108, 137, 402
  - object-oriented 16, 398
  - physical 137
  - relational 16
  - replication 404
- datatype 117–119
  - definition of 454
- debugger 182
- deferred event 302, 307
- delegation
  - definition of 454
- delegation connector 201
- deliverable 449
- delivery 34
- dependency 24, 61, 78, 89, 105, 128, 133, 155, 160, 168, 182, 234–235, 241, 263, 289, 322, 364, 397, 411, 425, 440
  - definition of 63, 135, 454
  - name 64
  - symbol for 24, 63
- deployment 448
- deployment component 354
- deployment diagram 26, 34, 92–93, 103, 105, 182, 187–188, 334, 395, 409–411, 415, 418, 442
  - definition of 94, 411, 454
  - drawing 419
  - symbol for 411
  - well-structured 419
- deployment model 449
- deployment set 450
- deployment view 34, 90, 97, 334, 412, 426–427, 449
  - definition of 454
- derive 136
- derived element
  - definition of 454
- design 16, 448
- design model 449
- design pattern 384, 389, 427
- design set 450
- design view 33, 90, 97, 106, 185, 187, 427, 449
  - definition of 454
- destroy 215
- destruction 219, 269, 289, 300
- development cycle 448
- device 366, 410, 413
- diagram 17, 25, 89, 91, 166, 252, 441
  - color in 81
  - creating 101
  - definition of 454
  - drawing 102
  - structural 93–94
  - symbol for 91
  - well-structured 102
- direct instance 123, 177
- direction 66, 127
- discipline 448
- discriminant 68
- disjoint 140
- distributed system 362, 416
- distribution 34, 108, 195, 329, 331, 336, 367, 412

- distribution of responsibilities 56, 327
  - distribution unit 364
  - DLL 354
  - do-activity 307
  - document 21, 355, 357, 395, 444
  - domain
    - definition of 454
  - dynamic 94, 177, 209–210, 213, 239, 245, 249–250, 260, 267–268, 279, 297, 339, 369, 433
  - dynamic classification
    - definition of 455
  - dynamic library 354
  - dynamic typing 216
  - dynamic view
    - definition of 455
- E**
- Eclipse 158
  - effect 297, 299, 303, 305
    - entry 306
    - exit 306
  - Eiffel 121
  - elaboration 35, 445–446
    - definition of 455
  - element
    - definition of 455
  - elision
    - definition of 455
  - else 272
  - embedded system 362, 412–413
  - end name 66
  - end user 33
  - entry action 301, 306
  - enumeration 59
    - definition of 455
  - environment 448
  - essence 176
  - Ethernet 365
  - event 22, 94, 155, 287–288, 297, 299, 333, 342–343, 345, 388
    - deferred 302, 307
    - definition of 288, 300, 341, 455
    - drawing 296
    - kind of 289
    - modeling 296
    - receiving 291
    - sending 291
    - time 461
  - event trigger 303–304
  - EXE 354
  - executable 355–356, 395, 397, 400
  - execution 27, 321
    - definition of 455
  - execution component 355
  - executionTime 333
  - exit action 301
  - exit effect 306
  - expansion region 276
  - export 168
    - definition of 455
  - expression 269, 273
    - Boolean 452
    - definition of 455
    - time 461
    - type 462
  - extend 137, 234–235
  - extensibility 135, 441
  - extensibility mechanism 44, 75
    - definition of 455
  - external event 288
  - extra compartment 79, 235, 353
- F**
- feature
    - behavioral 452
    - definition of 455
    - structural 460
  - file 21, 54, 355, 357, 395, 398
  - final state 302
  - fire
    - definition of 455
  - flow 98, 270
  - flow of control 210, 217, 221, 230, 259–261, 263, 267, 273, 275, 297, 319, 321, 326, 340
    - by organization 222
    - by time 222
  - flat 218
  - independent 320
  - multiple 219, 322
  - nested 217
  - procedural 217
  - synchronization of 325
- flowchart 267–268, 279, 283, 380
- focus of control 253
  - definition of 455
- fork 273
- formal parameter
  - definition of 455
- forward engineering 16, 39, 91, 111, 118, 134, 246–247, 264, 283, 346, 405–406, 418
  - definition of 455
- frame 215
- framework 23, 40, 152, 158, 381, 383–384, 388, 392
  - definition of 385, 455

- friend 136
- frozen 125
- functional requirement 226
- G**
- Gantt chart 268, 340
- generalization 24, 39, 61, 71, 80, 85, 89, 105, 123, 133, 160, 229, 233, 241, 293, 322, 397, 440
  - definition of 64, 138, 455
  - name 65
  - symbol for 24, 64
- generalization relationships 119
- global 214
- grouping thing 22, 439
- guard 219
- guard condition 254–255, 303–304
  - definition of 455
- guarded 127, 325, 327
- guillemet 80
- H**
- hardware 47, 54, 57, 361–362, 409, 413
- hardware/software boundary 410
- hardware/software trade-off 413
- Harel, David 342
- harmony 370
- has-a relationship 67
- Hello, World! 37
- hierarchy 123
  - containment 454
- history state 311
- home entertainment system 193
- hyperlink 425
- I**
- i i
- icon 81
- IDL 153, 398
- iii iii
- implementation 30, 425, 448
  - definition of 456
- implementation inheritance
  - definition of 456
- implementation model 449
- implementation set 450
- implementation view 33, 90, 97, 395, 397, 426–427, 449
  - definition of 456
- import 137, 168–169
  - definition of 456
- in 127
- inception 35, 445–446
  - definition of 456
- include 137, 233, 235
- incomplete 140
  - definition of 456
- inconsistent
  - definition of 456
- incremental
  - definition of 456
- incremental growth 443
- incremental process 34
- indirect instance 177
- inheritance 70, 126
  - definition of 456
  - implementation 456
  - interface 457
  - lattice 140
  - mixin 139
  - multiple 64, 72, 139, 457
  - single 64, 139, 460
- initial state 302
- inout 127
- installation 34
- instance 42, 119, 122–124, 160, 175, 186–187, 210, 212, 231, 292, 297–298, 322, 342, 373, 411, 423
  - See also* object
    - anonymous 176
    - concrete 175, 182
    - definition of 176, 456
    - direct 123, 177
    - drawing 183
    - indirect 177
    - prototypical 175, 177
    - symbol for 176
    - well-structured 183
- instanceOf 136, 182
- instant gratification 37
- instantiate 136, 182
- integrity 27
  - definition of 456
- interaction 21, 138, 209–210, 220–221, 226, 289, 297, 316, 323, 333, 343, 353, 361, 391, 438
  - context of 211
  - definition of 211, 456
- interaction diagram 26, 33–34, 95, 160, 177, 186, 220, 231, 249–250, 260, 263, 268, 321, 327, 371, 373, 377, 405
  - definition of 95, 251, 456
  - drawing 266
  - well-structured 265
- interaction overview diagram 27
- interaction view 90, 97, 427, 449

- interface 18, 30, 33, 40, 66, 89, 93, 103, 105, 117–119, 133, 141, 146, 151–152, 154, 161, 166, 169, 177, 193–194, 210, 216, 227, 260, 282, 289, 293, 298, 344, 361, 371, 375, 392, 421, 423, 437
    - and components 195
    - definition of 153, 457
    - drawing 161
    - name 154
    - notation 195
    - provided 195
    - symbol for 18, 153
    - well-structured 161
  - interface inheritance
    - definition of 457
  - internal event 288
  - internal structure 93, 194, 199
  - internal structure diagram 33
  - internal transition 301, 306
  - Internet 417
  - interprocess communication 328
  - introspection 158
  - invariant 131, 157
  - is-a-kind-of relationship 64
  - iteration 36, 255, 259, 272, 321, 447
    - definition of 445, 457
  - iterative 443
    - definition of 457
  - iterative process 34
- J**
- J2EE 11
  - Java 16, 31, 38–42, 54, 111–112, 121, 158, 320, 346, 352, 354, 398, 400
  - join 273
- L**
- LAN 417
  - lattice 123, 126
  - leaf 40, 64, 123–124
  - legacy 240
  - level of abstraction
    - definition of 457
  - library 21, 355–356, 395
  - life cycle 34–35, 445
  - lifeline 220, 252
    - definition of 458
  - lifetime 297, 300, 315, 317, 339, 343
  - link 67–68, 146, 177, 181, 187, 201, 215, 259, 263, 440
    - definition of 213, 457
  - link end
    - definition of 457
    - load balancing 245
    - local 214
    - local area network 417
    - location 328, 333–334, 404
      - definition of 457
    - locus of execution 321
    - logical 353, 426
    - logical view 351
    - loop 255
    - loop control operator 255

**M**

    - mailbox 323
    - Maine 383
    - manifestation 176
    - Mealy machine 344, 347
    - mechanism 107, 189, 326, 370, 381, 383–384, 386
      - definition of 385, 457
      - extensibility 455
    - message 21, 94, 98, 124, 209–210, 213, 215–217, 220, 249–250, 252, 289, 320, 323, 333
      - asynchronous 216
      - definition of 211, 457
      - guarded 219
      - symbol for 21
      - synchronous 216
    - messages
      - kinds of 215
    - metaclass 129
      - definition of 457
    - metamodel 80
    - method 126, 154, 289
      - definition of 457
    - migration 334
    - mixin 139
    - model 14, 23, 138, 409, 424, 444, 449
      - definition of 6, 91, 423, 457
      - execution of 16
      - simulation of 16
      - well-formed 28, 216
      - well-structured 428
    - modeling 14–15, 47, 89, 110, 421, 433, 436
      - advanced structural 115
      - algorithmic 11
      - architectural 349
      - architecture 426
      - beautiful 369
      - behavioral 90, 207, 285
      - data structure 188
      - dog house 4, 164, 210, 320, 351, 421

- goals of 6
- hardware 57
- high rise 164, 210, 320, 340, 351, 422
- high-rise 4
- house 4, 47, 62, 90, 93, 103, 117, 134, 151, 164, 175, 225, 268, 298, 320, 383, 395, 422
- importance of 4
- logical 362
- nonssoftware 361
- nonssoftware system 17
- object-oriented 10–11
- physical 361
- principles of 8
- real world 319
- software 5
- structural 90
- time and space 331
- ugly 370
- modeling, structural 45
- modification 219
- Moore machine 344, 347
- multicasting 292
- multiple classification
  - definition of 457
- multiple inheritance 64, 72, 133
  - definition of 457
- multiplicity 67, 117, 124–125, 214, 415
  - definition of 457

**N**

- name 27, 177, 214, 228, 301
  - definition of 457
  - path 178
  - simple 178
- name space 166
- namespace 137
  - definition of 458
- n-ary association 65
  - definition of 457
- navigation 66, 68, 133, 141, 214
- .NET 11, 158, 352
- network 182, 245, 331, 417
- node 21, 34, 57, 89, 93–94, 99, 117–119, 166, 175–177, 210, 212, 260, 282, 298, 329, 332, 354, 361–362, 371, 392, 395, 400, 411, 413, 421, 437
  - and components 363
  - definition of 362, 458
  - drawing 368
  - instance of 175
  - name 362
  - symbol for 21, 362
  - well-structured 368

- nonorthogonal substate 309
  - definition of 458
- nonssoftware thing 47, 57
- note 23, 38, 63, 75, 78, 245, 262, 270, 329, 380, 439
  - definition of 77, 458
  - drawing 88
  - symbol for 23, 77
  - well-structured 88
- Notre Dame 369

**O**

- object 21, 48, 93–95, 175, 177, 187, 209, 212, 252, 269–270, 316, 320, 417, 437, 440
  - active 324, 451
  - anonymous 179
  - concrete 212
  - creation 210
  - definition of 176, 458
  - destruction 210
  - drawing 183
  - lifetime 297, 339
  - name of 178
  - orphan 178
  - passive 324
  - persistent 458
  - prototypical 212
  - reactive 339, 343–344
  - see also instance
  - state of 179
  - symbol for 176
  - transient 461
  - well-structured 183
- Object Constraint Language 82, 87, 130–131, 157
  - definition of 458
- object diagram 25, 33, 92–93, 177, 185–186, 210, 213, 215, 298, 404, 417, 441
  - definition of 94, 187, 458
  - drawing 191
  - symbol for 187
  - well-structured 191
- object flow 276
- object lifeline
  - definition of 458
- object-oriented 444
- object-oriented database 16, 398
- OCL. *See* Object Constraint Language
- ODBC 403
- operation 21, 38, 51, 117, 122, 124, 126, 154, 175, 179, 210–212, 215, 217, 219, 260–261, 263, 269, 279, 282, 293, 297, 371, 379, 423



- abstract 71, 124
- definition of 51, 458
- features of 51
- leaf 124
- name 51
- organizing 52
- polymorphic 124
- static 122
- symbol for 51
- opt 254
- optional control operator 254
- ORB 329
- ordered 145
- organization 222, 260
- orphan 178
- orthogonal substate 309, 312
  - definition of 458
- out 127
- overlapping 140
- owner scope 122
- ownership 167
- P**
- package 22, 38, 41, 49, 63, 92, 100, 105, 119, 121, 137, 142, 154, 164, 197, 228, 232, 275, 357, 362, 365, 372, 375, 388, 392, 399, 411, 415, 417, 424, 439
  - definition of 165, 458
  - drawing 174
  - elements of 166
  - name 165
  - root 167
  - symbol for 23, 165
  - well-structured 174
- package diagram 27
- page 21, 54
- par 255
- parallel control operator 255
- parameter 38, 126, 212, 214
  - actual 451
  - definition of 458
  - formal 455
- parameterized element
  - definition of 458
- parent 24, 39–40, 62, 64, 80, 139, 440
  - definition of 458
- part 67, 143, 195, 199, 423
- passive class 327
- passive object 324
- path 154, 178, 213, 258, 263, 327
- pattern 112, 158, 370, 381, 383
  - architectural 427
  - definition of 370, 385, 458
  - design 384, 427
  - drawing 394
  - well-structured 394
- performance 33
- permit 136
- persistence 106, 398
- persistent object
  - definition of 458
- Pert chart 268, 340
- phase 35, 446
  - definition of 445, 458
- physical 353, 426
- physical view 351
- polymorphic 124
- polymorphism 64, 117, 126, 179, 304
- port 194
  - notation 198
- postcondition 131, 157, 280, 344
  - definition of 459
- powertype 129, 136
- precondition 131, 157, 280, 344
  - definition of 459
- primitive type 58
  - definition of 459
- private 121, 142
- procedural sequence 218
- process 21, 128, 181, 217, 219, 273, 291, 319, 321–322, 336, 435, 443
  - architecture-centric 444
  - configurable 444
  - definition of 459
  - iterative 443
  - object-oriented 444
  - use case–driven 444
- process view 33, 185, 187, 327, 426
  - definition of 457
- processor 366, 410
- product
  - definition of 459
- project management 448
- project plan 16
- projection 449
  - definition of 459
- property 50, 85
  - definition of 459
- protected 121, 142
- prototype 16
- prototypical 175, 177
- proxy 376, 398
- pseudostate 302
  - definition of 459
- public 121, 142

**Q**

qualification 143  
qualified 228  
qualified name 49  
qualifier  
  definition of 459  
quality control 444  
query 127

**R**

Rational Unified Process 80, 91, 149, 427, 443  
reactive 97  
reactive object 339, 343–344  
reader 326  
readonly 146  
reality 449  
realization 24, 30, 99, 133, 155, 193, 195, 232, 375, 378–379, 397  
  definition of 146, 459  
  symbol for 24  
receive  
  definition of 459  
receiver  
  definition of 459  
receiveTime 333  
recursion 321  
refine 137  
refinement 61, 133, 375  
  definition of 459  
reflective relationship 65  
regression test 227  
reify 327, 417  
relational database 16  
relationship 17–18, 23, 61, 133, 327, 372, 396, 440–441  
  and stereotypes 80  
  definition of 63, 135, 459  
  drawing 74, 149  
  parent/child 62  
  reflective 65  
  structural 62  
  symbol for 63, 135  
  using 62  
  web of 133, 148  
  webs of 61  
  well-structured 74, 149  
release 16, 33–34, 397, 401  
  definition of 459  
rendezvous 292, 323  
replaceability 196  
replication 404  
required interface 195

requirement 16, 35, 84, 226, 239, 242, 244–245, 425  
  definition of 459  
  functional 33  
requirements 448  
requirements set 450  
resilience 370  
responsibility 52, 118, 130, 262  
  definition of 52, 459  
  distribution of 56  
  symbol for 53  
return 126, 215, 219, 253  
reverse engineering 16, 39–40, 91, 112, 118, 134, 190, 246–247, 265, 284, 347, 405–406, 418  
  definition of 459  
risk 443  
risk management 444  
risk-driven 35  
  definition of 459  
role 209, 220, 253, 371  
  definition of 153, 459  
roles 220  
root 64  
round-trip engineering 16  
RS-232 365

**S**

San Francisco 383  
scaffolding 93  
scalability 33  
scenario 107, 134, 212, 231, 268, 279, 377, 444  
  definition of 459  
schema 106, 108, 398, 402  
scope 27, 125  
  definition of 460  
sd 255  
seam 155, 158  
self 214  
semantics 18, 82, 87, 130, 441  
send 138, 215, 269, 289, 305  
  definition of 460  
sender  
  definition of 460  
sendTime 333  
separation of concerns 59, 152  
sequence 217, 226, 259, 321  
  flat 218  
  nested 219  
  procedural 218  
sequence diagram 42, 92, 94, 220, 231, 239, 249, 252, 260, 267, 339, 391, 410, 442

- definition of 95, 251, 460
  - notation 255
  - symbol for 251
- sequential 127, 325, 327
- sequential substate 309
- server 415
- signal 21, 117–119, 126, 155, 210, 262, 269, 287, 289, 292, 297, 301, 323, 328
  - and classes 289
  - definition of 288, 460
  - family of 294, 304
  - hierarchy of 293
  - parameters of 289
- signature 39, 70, 117, 124, 126
  - definition of 460
- simple name 49
- single inheritance 64, 70
  - definition of 460
- singleton 124
- Smalltalk 57, 216, 320
- snapshot 185–186
- society 215, 222, 231, 282, 297, 369
- software 47, 409, 413
- software development life cycle 445
- software development method 13, 34–35
- software engineering
  - goal of 443
- software generation 448
- software-intensive system 17
- source code 16, 358–359, 399
- source state 303
- space 21, 271, 331, 344
  - drawing 338
  - well-structured 338
- specialization 71, 440
- specification 28
  - definition of 460
- SQL 403
- stakeholder 34
- stand-alone system 362
- state 22, 94, 175, 179, 185, 215, 220, 253, 276, 297, 299, 301, 340
  - composite 309, 342, 453
  - definition of 300, 341, 460
  - final 302
  - history 311
  - initial 302
  - parts of 301
  - pseudo 459
  - simple 342
  - source 303
  - substate 308
  - symbol for 22, 300
  - target 303
- state change 289
- state diagram 26, 33–34, 92, 94, 239, 249, 267, 297, 339, 410, 442
  - definition of 95, 341, 460
  - drawing 347
  - symbol for 341
  - well-structured 347
- state machine 22, 138, 157, 180, 287, 289–290, 293, 297, 299, 301, 323, 328, 339, 361, 423, 438
  - definition of 300, 341, 460
  - drawing 318
  - well-structured 318
- state transition 287, 290
- static 90, 93, 122, 127, 178, 181, 210, 213, 287, 298, 369, 410, 412, 433
- static classification
  - definition of 460
- static scope 122
- static typing 216
- static view
  - definition of 460
- stereotype 31, 52, 57–58, 64, 75, 80, 83, 98, 109, 128–129, 135, 169, 182, 219, 229, 235, 289, 321–322, 329, 362, 392, 423, 441
  - and generalization 80
  - definition of 77, 460
  - drawing 88
  - symbol for 77
  - well-structured 88
- stimulus 287
  - definition of 460
- storyboard 188, 250, 268
- string
  - definition of 460
- structural diagram 93
- structural feature 119
  - definition of 460
- structural modeling 45
  - advanced 115
- structural thing 18, 93, 433, 437
- structure 90, 215, 250, 268, 298, 372, 410, 426
- structured control operator 254
- style 383
- subclass 64
  - definition of 460
- subject 241
- subregion 255
- substate 302, 308
  - concurrent 458
  - definition of 460
  - nonorthogonal 309, 458

- orthogonal 312
  - substitutability 196, 440
  - subsystem 23, 94, 105, 117–119, 153, 197, 211, 227, 236, 239, 243, 260–261, 263, 279, 411, 422–424
    - definition of 423, 460
    - drawing 429
    - subsystem of 91
    - symbol for 423
  - successive refinement 443
  - superclass 64
    - definition of 461
  - supplier
    - definition of 461
  - swimlane 274
    - definition of 461
  - synchronization 325
  - synchronous 216, 290, 292, 323
  - synchronous action
    - definition of 461
  - syntax 441
  - system 138, 197, 211, 217, 225, 227, 236, 239, 243, 260–261, 263, 279, 297, 316, 361, 370, 421–423
    - adaptable 398, 404
    - client/server 412, 414–415
    - context of 280
    - definition of 91, 423, 461
    - distributed 195, 331–332, 334, 362, 400, 412, 416
    - drawing 429
    - edge 410
    - embedded 412–413
    - event-driven 180
    - frictionless 331
    - hardware 409
    - hardware/software boundary 410
    - of systems 423, 428
    - patterns in 385
    - reactive 97
    - real time 331–332
    - seam 155, 158
    - sequential 321
    - software 409
    - software-intensive 210, 240, 352, 409
    - symbol for 423
    - topology 355, 410
    - vocabulary of 47, 54, 106, 119
    - well-structured 383, 429
  - and attributes 81
  - definition of 78, 461
  - drawing 88
  - responsibility 52
  - symbol for 78
  - well-structured 88
  - Taj Mahal 369
  - target state 303
  - task
    - definition of 461
  - template 128, 136, 386
    - definition of 461
  - template class 295
  - test 227, 448
  - test set 450
  - tester 33
  - tests 16
  - thick client 414
  - thin client 414
  - thing 17, 176, 210, 395, 437, 441
    - annotational 439
    - behavioral 433, 438
    - grouping 439
    - structural 433, 437
  - thread 21, 128, 181, 217, 219, 273, 291, 319, 321–322, 336
    - definition of 461
  - throughput 33
  - time 21, 186, 215, 222, 261, 271, 287, 289–290, 297, 331, 333, 344
    - definition of 461
    - drawing 338
    - well-structured 338
  - time event
    - definition of 461
  - time expression 331
    - definition of 332, 461
  - time ordering 250, 252, 260
  - time out 324
  - timing constraint 335
    - definition of 333, 461
    - symbol for 333
  - timing diagram 27
  - timing mark 219, 262–263, 331
    - definition of 332, 461
    - symbol for 332
  - topology 182, 410, 415, 417
  - trace 61, 99, 138, 321, 360, 399, 425
    - definition of 461
  - transient link 201
  - transient object
    - definition of 461
  - transition 22, 35–36, 98, 287, 289, 297, 299, 303, 342, 445, 447
- T**
- table 21, 357, 395, 402
  - tag 254
  - tagged value 31, 75, 81, 85, 322, 331, 441

- definition of 300, 341, 461
    - internal 301, 306
    - parts of 303
    - symbol for 300
  - transmissionTime 333
  - trigger 287, 290, 303–304
    - polymorphic 304
  - 24x7 404
  - type 58, 141
    - definition of 153, 462
    - dynamic 160, 216
    - primitive 58, 459
    - static 160, 216
  - type expression
    - definition of 462
- U**
- UML**
- and hardware 57
  - balance in 120
  - building blocks of 17
  - conceptual model of 17, 434
  - definition of 462
  - diagrams in 25
  - extending 75
  - extensibility mechanisms of 31
  - goals of xvii
  - history of xvi
  - mechanisms in 28, 75
  - metamodel 80
  - notation 437
  - overview of 14
  - purpose of 11
  - relationships in 23
  - rules of 27
  - specification 436
  - things in 18
  - transitioning to 433
- Unix 399
- URL 78
- usage
  - definition of 462
- use 137
- use case 19, 33, 73, 99, 117, 119, 133–134, 137, 147, 166, 175–177, 210, 212, 225–226, 231, 239, 241, 260, 263, 279, 282, 297–298, 301, 316, 371, 375, 378, 392, 417, 423, 437, 444
- definition of 228, 462
  - drawing 238
  - instance of 175
  - name 228
  - symbol for 19, 228
  - well-structured 237
- use case diagram 26, 33, 92, 94, 239–240, 249, 267, 339, 442
- definition of 95, 241, 462
  - drawing 248
  - well-structured 248
- use case driven 34
- use case model 449
- use case view 33, 90, 97, 426–427, 449
- definition of 462
- use case–driven 444
- definition of 462
- use cases 118
- utility 21, 124, 129
- V**
- value
  - definition of 462
- variant 227
- version 425
- version control 358
- vertex 441
- VHDL 57, 362, 410
- view 32, 47, 90, 96, 100, 422–424, 426, 449
- definition of 91, 462
  - deployment 427, 449, 454
  - design 427, 449, 454
  - dynamic 455
  - implementation 427, 449, 456
  - process 449, 457
  - static 460
  - use case 427, 449, 462
- visibility 27, 117, 120, 125, 142, 167, 170
- definition of 462
- Visual Basic 16
- vocabulary 47, 54, 106, 119, 133, 148, 276, 280, 385, 402
- W**
- WAN 417
- Web 10, 13, 38, 43, 54
- whole 67, 143, 423
- whole/part relationship 67
- wide-area network 417
- wiring parts together 200
- work 227
- work product component 354
- workflow 268, 279–280, 343
- writer 326
- X**
- XML 345

