

Index

*.hbm.xml files, 30, 86
 @ tags (XDoclet), 77–86


A

Access attributes, 145–155, 157–165, 171
 ACID (atomic, consistent, independent, and durable), 271
 AddClass() method, 30
 Adding
 authors, 50
 mapping files, 198
 posts, 47
 Administration
 CMP, 330
 declarative sessions (Hibernate 3.0), 336
 EJB, 330
 relationships, 99
 schemas, 311
 generating scripts, 314–320
 updating, 311–314
 transactions, 200
 versions, 29
 Aggregate functions, 253
 Alias attributes, 190
 All strategy, 277
 Analysis, 279
 caching, 290–310
 collections, 286–287
 connection pooling, 288–289
 inserts, 287
 IronTrack SQL, 279–284
 lazy objects, 285
 Ant
 Middelgen, 112–113
 SchemaExport tool, 315
 schema updates, 314

source code
 generated persistent classes, 37–40
 generating, 33, 36
 Any associations, 144
 Any relationships, 244
 Apache DBCP configuration options, 291
 Apache OJB, 13
 API (Application Programming Interface)
 Criteria API, 100
 HQL, 265, 269
 Applications, 331. *See also* tools
 architecture, 27
 configuration, 40–43
 databases, 43
 interfaces, 46–55, 58–69, 71–74
 inversion of control, 323–328
 Java Object Model, 76–77
 applying XDoclet, 86
 classes, 77–86
 mapping files (XDoclet), 89–90
 schema (XDoclet), 93–95
 testing, 95–107
 JavaBeans, 11
 JDBC, 4–7
 mapping systems, 8–9
 objects
 identity, 212–219
 life-cycles, 220–231
 overview of Hibernate, 2, 4
 performance, 279
 caching, 290, 293–310
 collections, 286–287
 connection pooling, 288–289
 inserts, 287
 IronTrack SQL, 279–284
 lazy objects, 285




340


- Applications (*cont.*)
 - reports, 140. *See also* Reports
 - schemas
 - generating scripts, 314–320
 - updating, 311–314
 - sessions
 - Configuration object, 198–202
 - creating objects, 208
 - deleting objects, 211
 - refreshing objects, 210
 - searching objects, 208–210
 - starting existing, 109
 - updating objects, 212
 - source code
 - classes, 37–40
 - generating, 33, 36
 - Web applications, 44
- Applying
 - IronTrack SQL, 282
 - XDoclet, 86
 - mapping files, 89–90
 - schema, 93–95
 - testing, 95–107
- Architecture, applications, 27
- Arrays, 146
- Artifacts
 - configuration, 112–119
 - execution, 119–120
- Atomic, consistent, independent, and durable (ACID), 271
- Attributes
 - access, 145–155
 - alias, 190
 - auto-import, 162
 - bag, 147
 - batch-size, 147–150
 - cascade, 145–148
 - cascade="delete", 31
- check, 147–148
 - class, 149, 155–158
 - class hierarchy, 150
 - collection-id, 153
 - column, 153–163
 - component, 154
 - composite-element, 156
 - composite-id, 156
 - composite-index, 158
 - constrained, 183
 - default-access, 162
 - default-cascade, 162
 - discriminator, 158
 - discriminator-value, 150, 193
 - dynamic-component, 159
 - dynamic-insert, 150, 169
 - dynamic-update, 151, 169, 194
 - element, 160
 - element-class, 147
 - extends, 194
 - force, 159
 - foreign-key, 168, 175–176
 - formula, 186
 - generator, 161
 - hibernate-mapping, 161
 - id-type, 145, 167, 174
 - idbag, 164
 - import, 166
 - index, 154, 167
 - index-many-to-any, 167
 - index-many-to-many, 168
 - inherit, 180
 - insert, 155, 160
 - inverse, 147–148, 178
 - joined-subclass, 168
 - key, 170
 - key-many-to-one, 170
 - key-property, 171
 - lazy, 151, 165–173, 178, 194
 - lazy="true", 31
 - length, 153–163, 167, 171, 186
 - list, 172
 - many-to-any, 173
 - many-to-many, 174
 - many-to-one, 175
 - map, 176
 - mapping files, 144–151. *See also* Mapping files
 - meta, 179–180
 - meta-type, 145, 168
 - meta-value, 181
 - mutable, 151
 - name, 145–146. *See also* Name attribute
 - nested-composite-element, 181
 - not-null, 154–161, 176, 186
 - one-to-many, 182
 - one-to-one, 183
 - optimistic-lock, 151




order-by, 147–148, 165, 178, 192
 outer-join, 147–148, 165, 173–183
 package, 162
 param, 184
 parent, 184
 persister, 151, 169, 194
 polymorphism, 151
 primitive-array, 184
 property, 185
 proxy, 152, 169, 194
 rename, 166
 return, 190
 schema, 146–152, 162–169, 178
 select-before-update, 152
 set, 190
 sort, 179, 192
 sql-query, 192
 sql-type, 154
 subclass, 193
 synchronize, 194
 table, 146–152, 165, 173
 timestamp, 195
 type, 153, 159–167, 172
 unique, 154, 161, 176, 187
 unique-key, 154
 unsaved-value, 157, 164, 195–196
 update, 155, 160, 176, 187
 usage, 149
 value, 181
 version, 196
 where, 147–148, 153, 165, 185
 Author class, 29–32
 Authors
 adding, 50
 deleting, 72–74
 editing, 55
 listing, 53
 posts, 58, 72–74
 Auto-import attributes, 162
B
 Backus Naur Form (BNF), 337
 Bag attributes, 147
 Batch-size attributes, 147–148, 150, 165, 173
 Bean-managed persistence (BMP), 330
 BeginTransaction() methods, 205
 Bi-directional relationships, 245–246


Binding
 Middlegen, 112. *See also* Middlegen
 parameters, 263
 relational mapping systems, 8–9
 BMP (bean-managed persistence), 330
 BNF (Backus Naur Form), 337
 Boolean operations, HQL, 261–262
 Bound inner joins, HQL, 256
 Build files, XDoclet, 86
 Build.xml file, 33–40
 Building Java source files, 117–119
 Built-in Hibernate generators, 216
C
 C3p0 configuration options, 290
 Caching
 statements, 288
 troubleshooting, 290, 293–310
 Calls, wrapping, 205
 Cascade attributes, 145–148, 165, 173–177, 183
 Cascade="delete" attribute, 31
 Castor, 13
 Chaining methods, 265
 Check attributes, 147–154, 165–173, 178, 185
 Class attributes, 149–158, 161–171, 174, 181–183
 Class hierarchy attributes, 150
 Classes
 any association, 144
 Author, 29–32
 Examresult, 122
 GenerateData, 126
 GenerateReports, 126
 HibernateSessionWrapper, 324
 IoC, 323–328
 Java, 77–86, 239–241
 JavaBeans, 11
 persistent, 37–40
 Post, 29–32
 SchemaUpdate, 98
 ThreadLocal, 328–330
 Clauses
 from, 254–258
 HQL, 251
 where, 260–262
 CMP (container-managed persistence), 11, 330





- Code
 - applications
 - configuration, 40–43
 - JSP interfaces, 46–55, 58–69, 71–74
 - Web applications, 44
 - generated persistent classes, 37–40
 - generating, 33–36
 - hash, 214
 - HQL
 - notation references, 251
 - references, 250
 - integration, 11
 - EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
 - inversion of control, 323–328
 - JDBC, 4, 6–7
 - overview of Hibernate, 2, 4
 - ThreadLocal class, 328–330
 - XDoclet configuration, 98
- Collection-id attributes, 153
- Collections
 - Java, 236–239
- properties, 253
 - troubleshooting, 286–287
- Column attributes, 153–163, 167–176, 186–196
- Columns
 - many-to-one, 30
 - mapping, 30
- Command line
 - SchemaExport tool, 314
- schema updates, 313
- Commands
 - GROUP BY, 264
 - ORDER BY, 264
 - schema, 110
- Committing transactions, 133
- Component attributes, 154
- Components
 - JavaBeans, 11
 - relationships, 242–244
- Composite identity, 218–219
- Composite-element attributes, 156
- Composite-id attributes, 156
- Composite-index attributes, 158
- Configuration, 20–21
 - Apache DBCP options, 291
 - applications, 40–43
 - c3p0, 290
 - caches, 294, 297–310
 - code, 98
 - Hibern8 IDE, 248
 - initialization, 200
 - IronTrack SQL, 279–282
 - JDBC properties, 199
 - JNDI properties, 199
 - Middlegen, 112–119
 - MySQL, 25
 - objects, 208
 - deleting, 211
 - identity, 212–219
 - life-cycles, 220–231
 - refreshing, 210
 - searching, 208–210
 - updating, 212
 - posts, 58
 - properties, 201–202
 - Proxool options, 292
 - sessions, 198–202
- Configuration objects, 198–202
- Conflicts, optimistic locking, 275–276
- Connections
 - Middlegen, 112
 - pooling, 288–289
 - properties, 26
- Constrained attributes, 183
- Container-managed persistence (CMP), 11, 330
- Control, inversion of, 323–328
- Convention directories, 15
- Creation, update, retrieval, and delete. *See* CRUD
- Criteria
 - API, 100
- HQL, 265, 269
- objects, 210
- CRUD (creation, update, retrieval, and delete)
 - operations, 333
- Customization. *See also* Configuration
 - Apache DBCP configuration, 291
 - c3p0 configuration, 290
 - caches, 297–310
 - integration, 11
 - EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
 - Proxool configuration, 292





- schemas
 - Ant, 314
 - command line, 313




D

Data type support, 187–196

Databases

- applications
 - configuration, 40–43
 - generated schemas, 43
 - arrays, 146
 - HQL, 247
 - integration, 11
 - EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
 - JDBC, 4, 6–7
 - mapping systems, 8–9
 - Middlegen
 - populating, 126, 129–132
 - report generation, 133–140
 - SQL generation, 140–142
 - objects
 - identity, 212–219
 - life-cycles, 220–231
 - performance, 279
 - caching, 290, 293–310
 - collections, 286–287
 - connection pooling, 288–289
 - inserts, 287
 - IronTrack SQL, 279–284
 - lazy objects, 285
 - profile fetching, 333
 - relationships, 234
 - any, 244
 - bi-directional, 245–246
 - components, 242–244
 - Java classes, 239–241
 - Java collection, 236–239
 - many-to-many, 235
 - many-to-one, 234
 - one-to-many, 234
 - one-to-one, 236
 - schema
 - generation script, 110, 314–320
 - mapping files, 28–32
- Middlegen, 112. *See also* Middlegen
- staring existing, 109
- updating, 311–314

- sessions, 197–202, 208–212
 - SQL, 1
 - support, 21
 - transactions, 271. *See also* Transactions
- Declarations
- local DTD, 144
- mapping files, 144
- Declarative session management, Hibernate 3.0, 336
- Default-access attributes, 162
- Default-cascade attributes, 162
- DeleteObjects() methods, 107
- Deleting
- objects, 104, 211
 - posts, 69–72
- SQL, 106–107
- Design. *See also* Configuration
- Apache DBCP configuration, 291
 - c3p0 configuration, 290
 - caches, 297–310
- Hibernate 3.0, 336
- integration, 11
- EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
- Proxool configuration, 292
- schemas
- Ant, 314
 - command line, 313
- Development, schema, 109
- Dialects, SQL, 200
- Directories
- conventions, 15
 - IronTrack SQL, 280
 - Middlegen, 113
 - Web applications, 44
 - WEB-INF/lib, 44
- Dirty strategy, 277
- DiscardSession() methods, 330
- Discriminator attributes, 158, 193
- Discriminator-value attributes, 150
- Distribution, 14–15, 18
- DOCTYPE declarations, 144
- Drivers, p6spy, 281
- Drop scripts, 314–320
- DTDs (Document Type Definitions), 144
- Dynamic-component attributes, 159
- Dynamic-insert attributes, 150, 169
- Dynamic-update attributes, 151, 169, 194



344

E

- Eclipse, 33. *See also* Ant
- Editing
 - authors, 55
 - posts, 61, 64
- EJB (Enterprise JavaBeans) 2.X, 11, 330
- EJB (Enterprise JavaBeans) 3.0, 12, 336
- EJB 3.0, 336
- Element attributes, 160
- Element-class attributes, 147
- Elements, many-to-one, 30
- Entities, CMP, 11
- Environments, inversion of control, 323–328
- Equality, primary-key values, 213
- Event-driven design, Hibernate 3.0, 336
- Examresult class, 122
- Execution
 - Middlegen, 119–120
 - native SQL queries, 269
- Existing schemas
 - starting, 109
 - updating, 311–314
- Exporting, SchemaExport tool, 314–320
- Expression factory, 265
- Expressions, HAVING, 264
- Extends attributes, 194
- Extensible Markup Language. *See* XML
- Extensions
 - distribution, 18
 - Hibern8 IDE, 247–250
 - Hibernate Extensions library, 14

F

- Fetch joins, 260
- Fetching, profile databases, 333
- Files
 - *.hbm.xml, 30, 86
 - Author.hbm.xml, 31
 - build.xml, 33–40
 - hbm2java_config.xml, 36
 - Java source, 117–119
 - JSP interfaces, 46–55, 58–64, 69–74
 - mapping, 28–32. *See also* Mapping files
 - generating (XDoclet), 89–90
 - XDoclet, 86
 - Middlegen, 113
 - properties, 199
 - reports, 140


- Web applications, 44
- XML, 8–9
- Filtering statements, 282. *See also* Sorting
- First-level caches, 290. *See also* Caching
- Flushing transactions, 272
- Force attribute, 159
- Foreign keys, any associations, 144
- Foreign-key attributes, 168, 175–176, 183
- Formatting. *See also* Configuration
 - applications, 44
 - HQL, 251
 - posts, 58
- Forms
 - BNF, 337
 - posts, 58
- Formula attributes, 186
- From clauses, 254–258
- Full joins, 258
- Functions, aggregate, 253
- Future direction of Hibernate, 335–338

G

- GenerateData class, 126
- GenerateReports class, 126
- Generating
 - identity, 215–219
 - mapping files
 - starting existing schema, 109
 - XDoclet, 89–90
 - persistent classes, 37–40
 - reports, 133–140
 - schemas, 43
 - script, 110
 - XDoclet, 93–95
 - scripts, 314–320
 - source code, 33–40
 - SQL, 140–142
- Generator attributes, 161
- Grammar, HQL, 251
- Grouping statements, 271. *See also* Transactions

H

- Hash code, 214
- Hashing primary-keys, 214
- Hbm2java code generators, 30
- Hbm2java_config.xml files, 36
- Hibern8 IDE, 247–250, 284



Hibernate 3.0, 335–338
 Hibernate Extensions library, 14
 Hibernate Query Language, 247. *See* HQL
 Hibernate-mapping attributes, 161
 HibernateSessionWrapper class, 324
 Hits, testing, 305–310
 HQL (Hibernate Query Language), 97, 247
 Criteria API, 265, 269
 from clause, 254–258
 GROUP BY command, 264
 HAVING expression, 264
 Hibern8 IDE, 247–250
 Hibernate 3.0, 336
 IronTrack SQL, 284
 native SQL queries, 269
 ORDER BY command, 264
 queries, 104
 references, 250–251
 SELECT statement, 252–253
 where clause, 260–262


I


Id-type attributes, 145, 167, 174
 Idbag attributes, 164
 IDE (integrated development environment),
 33, 247–250
 Identity
 objects, 212–219
 persistent objects, 212–214
 composite, 218–219
 generating, 215–218
 sessions, 215
 unsaved values, 219
 Implementation
 custom caches, 299–302
 JDO, 12
 Import attributes, 166
 Index attributes, 154, 167
 Index-many-to-any attributes, 167
 Index-many-to-many attributes, 168
 Inherit attributes, 180
 Inheritance, objects, 1
 Initialization, 200. *See also* Configuration
 Inner joins, HQL, 256
 Insert attributes, 155, 160
 Inserts, troubleshooting, 287
 Installation
 configuration, 20–21

 distribution, 14–15
 extensions, 18
 IronTrack SQL, 280
 LGPL license, 15, 18
 Middlegen, 112–119
 MySQL, 22–26
 Integrated development environment (IDE),
 33, 247–250
 Integration, 11
 EJB 2.X, 11
 EJB 3.0, 12
 JDO, 12
 packages, 330–331
 Interfaces
 API. *See* API
 applications
 interfaces, 46–55, 58–64, 69–74
 Web applications, 44
 Criteria API, 265, 269
 JDO, 12
 JSP, 46–55, 58–64, 69, 71–74
 Middlegen, 112, 119–120
 Inverses
 attributes, 147–148, 178
 joins, 259
 IoC (inversion of control), 323–328
 IronTrack SQL, 279–284
 Iterate() methods, 210

J

Java
 classes, 239–241
 collection, 236–239
 Middlegen, 126
 source files, 117–119
 Java Database Connectivity. *See* JDBC
 Java Data Objects (JDO), 12
 Java Naming and Directory Interface. *See*
 JNDI
 Java Object Model, 76–77
 classes, 77–86
 XDoclet
 applying, 86
 mapping files, 89–90
 schema, 93–95
 testing, 95–107
 Java Server Pages. *See* JSPs
 Java Transaction Agent. *See* JTA





346

INDEX

JavaBeans, 11
 EJB 2.X, 11
 EJB 3.0, 12
 JCreo, 13
 JDBC (Java Database Connectivity)
 comparisons to, 47
 Middlegen, 112
 parameter binding, 263
 properties, 199
 transactions, 272
 JDK 1.5 support, Hibernate 3.0, 336
 JDO (Java Data Objects), 12
 JNDI (Java Naming and Directory Interface),
 199
 Joined subclasses, 168, 241
 Joins
 inverses, 259
 types, 255
 JSPs (Java Server Pages), 46–55, 58–64, 69,
 71–74
 JTA (Java Transaction API), 200, 272

K

Key attribute, 170
 Key-many-to-one attributes, 170
 Key-property attributes, 171


L


Languages
 SQL, 1. *See also* SQL
 HQL, 247. *See also* HQL
 Lazy attributes, 148–165, 169–178, 194
 Lazy objects, troubleshooting, 285
 Lazy settings, overriding, 269
 Lazy="true" attributes, 31
 Left outer joins, HQL, 258
 Length attributes, 153–163, 167, 171, 186
 LGPL license, 15, 18
 Libraries, 17–18
 Hibernate Extensions library, 14
 WEB-INF/lib directory, 44
 Life-cycles, persistent objects, 220–231
 List attributes, 172
 Lists
 authors, 53
 JSP posts, 47
 LoadAllObjects() methods, 309
 Locking
 transactions

 optimistic locks, 274–276
 pessimistic locks, 274
 version control, 275
 Logical operations, HQL, 260

M

Management
 CMP, 330
 declarative sessions (Hibernate 3.0), 336
 EJB, 330
 relationships, 99
 schemas, 311
 generating scripts, 314–320
 updating, 311–314
 transactions, 200
 versions, 29
 Many-to-any attributes, 173
 Many-to-many attributes, 174
 Many-to-many relationships, 235
 Many-to-one attributes, 175
 Many-to-one columns, 30
 Many-to-one elements, 30
 Many-to-one relationships, 234
 Map attributes, 176
 Mapping
 components, 243
 joined subclasses, 242
 relational, 1
 subclasses, 240
 systems, 8–9
 Mapping files, 28–32, 86–90
 adding, 198
 Middlegen
 configuration, 112–119
 execution, 119–120
 generating, 121–125
 objects, 302–304
 references, 144–154
 structure of, 143–144
 MassDelete() methods, 107
 Meta attributes, 179–180
 Meta-type attributes, 145, 168
 Meta-value attributes, 181
 Methods
 addClass(), 30
 beginTransaction(), 205
 chaining, 265
 deleteObjects(), 107
 discardSession(), 330





INDEX

347

- iterate(), 210
- life-cycles, 220–231
- loadAllObjects(), 309
- massDelet(), 107
- myTransaction.commit(), 133
- session.delete(), 211
- session.flush(), 206
- Middlegen
 - configuration, 112–119
 - databases
 - populating, 126, 129–132
 - report generation, 133–140
 - SQL generation, 140–142
 - execution, 119–120
 - Java, 126
 - mapping files, 121–125
 - schema, 109
- Models
 - Java Object Model, 76
 - JavaBeans, 11
 - relational, 1
- Monitoring performance, 279
 - caching, 290, 293–310
 - collections, 286–287
 - connection pooling, 288–289
 - inserts, 287
 - IronTrack SQL, 279–284
 - lazy objects, 285
- Multiple objects, deleting, 106–107
- Multiple scripts, 316–320
- Multiple SessionFactory objects, 294
- Mutable attributes, 151
- MySQL. *See also* SQL
 - installation, 22–26
 - schema, 109
- MyTransaction.commit() method, 133
- N**
 - Name attributes, 145–155, 157–165, 169–172, 177–184
 - Named parameter bindings, 263
 - Native SQL queries, 269
 - Nested-composite-element attributes, 181
 - NetBeans, 33
 - None strategy, 277
 - Not-null attributes, 154–161, 176, 186
- O**
 - Objects
 - arrays, 146
 - caches, 302–304
 - Configuration, 198–202
 - creating, 208
 - deleting, 104, 211
 - files, 28–32
 - HQL, 247
 - identity, 212–214
 - composite, 218–219
 - generating, 215–218
 - sessions, 215
 - unsaved values, 219
 - Java Object Model, 76
 - JDO, 12
 - lazy, 285
 - life-cycles, 220–231
 - overview of Hibernate, 2–4
 - persistent, 197–202, 208–212
 - POJO, 37
 - refreshing, 210
 - relational mapping, 1, 8–9
 - schema, 109
 - searching, 208–210
 - Session, 328–330
 - SessionFactory, 294
 - SQL, 106–107
 - updating, 103, 212
 - One-to-many attributes, 182
 - One-to-many relationships, 234
 - One-to-many tags, 32
 - One-to-one attributes, 183
 - One-to-one relationships, 236
 - Operations, sample sets of, 95–107
 - Optimistic locks
 - attributes, 151
 - transactions, 274–276
 - Optimization, collections, 239
 - Options
 - Apache DBCP configuration, 291
 - c3p0 configuration, 290
 - caches, 297–310
 - collection, 239
 - integration, 11
 - EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
 - Proxool configuration, 292
 - schemas
 - Ant, 314
 - command line, 313

348

Order-by attributes, 147–148, 165, 178, 192
 Outer joins, HQL, 257
 Outer-join attributes, 147–148, 165–176, 178, 183
 Output, Middleleg, 119–120
 Overriding lazy settings, 269
 Overview of Hibernate, 2–4
 Ownership Object Model, 76

P

P6spy, 279. *See also* IronTrack

Packages

attributes, 162
 integration, 330–331
 Param attributes, 184
 Parameters, binding, 263
 Parent attributes, 184
 Parsers, 336
 Performance, collections, 239
 Persistence
 CMP, 11, 330
 EJB BMP solutions, 330
 generating classes, 37–40
 Persistent objects, 197–202, 208–212
 Persister attributes, 151, 169, 194
 Pessimistic locks, transactions, 274
 Plain old Java objects (POJO), 37
 Platform integration, 11
 EJB 2.X, 11
 EJB 3.0, 12
 JDO, 12
 POJO (plain old Java objects), 37
 Polymorphism attributes, 151
 Pooling connections, troubleshooting, 288–289
 Populating databases, 126, 129–132
 Post class, 29–32

Posts

authors
 adding, 50
 deleting, 72–74
 editing, 55
 listing, 53
 creating, 58
 deleting, 69–72
 editing, 61, 64
 lists, 47
 viewing, 61

Primary keys

generating, 215–219
 values, 213–214

Primitive-array attributes, 184

Profile database fetching, 333

Programming

hash code, 214
 HQL
 notation references, 251
 references, 250
 integration, 11
 EJB 2.X, 11
 EJB 3.0, 12
 JDO, 12
 inversion of control, 323–328
 JDBC, 4–7
 overview of Hibernate, 2, 4
 source code
 generated persistent classes,
 37–40
 generating, 33, 36
 ThreadLocal class, 328–330

Properties

ACID, 271
 collections, 253
 configuration, 201–202
 connection, 26
 files, 199
 JDBC configuration, 199
 JNDI configuration, 199
 p6spy, 281
 SELECT statement, 253

Property attributes, 185

Providers

caches, 297
 customization, 297–310
 Proxool configuration options, 292
 Proxy attributes, 152, 169, 194

Q

Queries

collections, 286–287
 HQL, 104. *See also* HQL
 IronTrack SQL, 284
 lazy objects, 285
 native SQL, 269
 SQL, 1

R

Records

optimistic locks, 274–276
 pessimistic locks, 274

INDEX

- Reduction
 - of code, 323–328
 - of session creation impact, 328–330
- References
 - HQL, 250
 - mapping files, 144–151, 154–163
- notations, 251
- Refreshing objects, 210
- Relational databases
 - integration, 11
 - EJB 2.X, 11
 - EJB 3.0, 12
 - JDO, 12
 - JDBC, 4–7
 - mapping systems, 8–9
 - schema, 112
 - support, 21
- Relational mapping
 - objects, 1
 - systems, 8–9
- Relationships
 - any, 244
 - bi-directional, 245–246
 - components, 242–244
 - databases, 234
 - many-to-many, 235
 - many-to-one, 234
 - one-to-many, 234
 - one-to-one, 236
 - Hibernate 3.0, 335
 - Java classes, 239–241
 - Java collection, 236–239
 - management, 99
 - Middlegen, 116, 121–125
- Relative collection performance, 239
- Rename attributes, 166
- Reports, generating, 133–140
- Representation independence, Hibernate 3.0, 335
- Return attributes, 190
- Revisions
 - authors, 55
 - posts, 61, 64
- Right outer joins, HQL, 257
- S**
- Samples, set of operations, 95–107
- Schema
 - attributes, 146–152, 162–169, 178
 - commands, 110
 - databases
 - generating, 43
 - mapping files, 28–32
 - generation script, 110
 - management, 311
 - generating scripts, 314–320
 - updating, 311–314
- Middlegen
 - configuration, 112–119
 - execution, 119–120
 - generated Java, 126
 - generated mapping files, 121–125
 - populating databases, 126, 129–132
 - report generation, 133–140
 - SQL generation, 140–142
- starting, 109
 - XDoclet, 93–95
- SchemaExport tool, 314–320
- SchemaUpdate class, 98
- Scripts, 110
- Searching objects, 208–210
- Second-level caches, 290. *See also* caching
- SELECT statements, HQL, 252–253
- Select-before-update attributes, 152
- Session objects, 328–330
- Session.delete() methods, 211
- Session.flush() methods, 206
- SessionFactory, 200, 294
- Sessions
 - databases, 43
 - Hibernate 3.0, 336
 - objects, 215
 - persistent objects, 197
 - Configuration object, 198–202
 - creating, 208
 - deleting, 211
 - refreshing, 210
 - searching, 208–210
 - updating, 212
 - transactions, 272
- Set attributes, 190
- Set tags, 32
- Sort attributes, 179, 192
- Sorting statements, 282
- Source code
 - applications
 - configuration, 40–43


350

Source code (*cont.*)
 JSP interfaces, 46–55, 58–69, 71–74
 Web applications, 44
 generated persistent classes, 37–40
 generating, 33, 36
 XDoclet, 98
 Source files, building Java, 117–119
 SQL (Structured Query Language), 1
 dialects, 200
 Middlegen, 140–142
 MySQL, 22
 native queries, 269
 objects
 deleting, 106–107
 searching, 210
 performance, 279
 caching, 290, 293–310
 collections, 286–287
 connection pooling, 288–289
 inserts, 287
 IronTrack SQL, 279–284
 lazy objects, 285
 Sql-query attributes, 192
 Sql-type attributes, 154
 Standard caches, 295–296
 Starting
 Hibern8 IDE, 248
 Irontrack SQL, 280
 Middelgen, 113
 native SQL queries, 269
 schema, 109
 Starving pools, 288
 Statements
 caches, 288
 SELECT, 252–253
 sorting, 282
 transactions, 271. *See also* Transactions
 Stored procedures, 336
 Strategies for getting started, 332
 Structure
 of mapping files, 143–144
 references, 144–151, 154–163, 165–173
 Structured Query Language. *See* SQL
 Subclass attributes, 193
 Subclasses
 Java relationships, 239–241
 mapping files, 90
 Support
 data types, 187–196

 databases, 21
 libraries, 18
 Synchronize attributes, 194
 SYSTEM declarations, 144

T

Table attributes, 146–152, 165, 173, 185
 Tables
 any relationships, 244
 bi-directional relationships, 245–246
 components, 242–244
 schema, 110
 SQL, 1
 subclasses, 239–241
 Tags
 array, 146
 mapping files
 references, 144–151, 154–163, 165–173
 one-to-many, 32
 set, 32
 XDoclet, 77–86
 mapping files, 89–90
 schema, 93–95
 Technologies integrated with Hibernate,
 330–331
 Testing
 caches, 302–310
 queries, 284
 XDoclet, 95–107
 ThreadLocal class, 328–330
 Three-tier applications, 27. *See also* applica-
 tions
 Timestamp attributes, 195
 TJDO (TriActive JDO), 12
 Tokens, HQL notation references, 251
 Tools, 13
 Ant
 generated persistent classes, 37–40
 generating source code, 33, 36
 schema updates, 314
 SchemaExport tool, 315
 IronTrack SQL, 279–284
 Middlegen
 configuration, 112–119
 execution, 119–120
 Java, 126
 mapping files, 121–125
 populating databases, 126, 129–132
 report generation, 133–140



- SQL generation, 140–142
 - starting existing schema, 109
- SchemaExport, 314–320
- Transactions, 271
 - committing, 133
 - flushing, 272
 - JDBC, 272
 - JTA, 200
 - JTS, 272
 - optimistic locks, 274–276
 - pessimistic locks, 274
 - sessions, 272
- TriActive JDO (TJDO), 12
- Troubleshooting
 - caching, 290, 293–310
 - connection pooling, 288–289
 - inserts, 287
 - lazy objects, 285
 - optimistic locking, 275–276
 - queries, 284
- Type attributes, 153–160, 164, 167, 172
- Types
 - data type support, 187–196
 - joins, 255

U

- Unique attributes, 154, 161, 176, 187
- Unique-key attributes, 154
- Unsaved values, identity, 219
- Unsaved-value attributes, 157, 164, 195–196
- Update attributes, 155, 160, 176, 187
- Updating
 - authors, 55
 - databases, 43
 - objects, 103, 212
 - schemas, 311–320
- Upgrading, future direction of Hibernate, 335–338
- Usage attributes, 149
- User interfaces. *See* Interfaces
- Utilities, 13
 - Ant
 - generated persistent classes, 37–40
 - generating source code, 33, 36
 - schema updates, 314
 - SchemaExport tool, 315

- IronTrack SQL, 279–284
- Middlegen
 - configuration, 112–119
 - execution, 119–120
 - Java, 126
 - mapping files, 121–125
 - populating databases, 126, 129–132
 - report generation, 133–140
 - SQL generation, 140–142
 - starting existing schema, 109
 - SchemaExport, 314–320
- Uuid.hex generator, 30

V


- Values
 - attributes, 181
- primary-key
 - equality, 213
 - hashing, 214
 - unsaved, 219
- Versions, 29
 - attributes, 196
 - control locking, 275
- Viewing
 - DQL statements, 282
 - posts, 61
- Virtualization, Hibernate 3.0, 335





W




- Web applications, 44. *See also* Applications
- WEB-INF/lib directory, 44
- Where attributes, 147–148, 153, 165, 185
- Where clause, 260–262
- Wrapping calls, 205





X





- XDoclet, 75
 - applying, 86
 - mapping files, 89–90
 - schema, 93–95
 - tags, 77–86
 - testing, 95–107
- XML (Extensible Markup Language)
 - build.xml file, 33–40
 - hbm2java_config.xml file, 36
 - mapping systems, 8–9






































informIT

www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



Online Books


Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. Sign up now and get your first 14 days **free**.


POWERED BY
Safari



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.





Wouldn't it be great
if the world's leading technical
publishers joined forces to deliver
their best tech books in a common
digital reference platform?

They have. Introducing
InformIT Online Books
powered by Safari.

■ **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!


InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/onlinebooks> for details.





POWERED BY
Safari

informIT
Online Books

informit.com/onlinebooks





Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:


- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests



Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com



Visit us on the Web: <http://www.awprofessional.com>

