

Index

\$

\$NON-NLS-1\$, plug-in messages, FAQ 257

.

.class files, output folder, FAQ 47
.classpath
 launch problems, FAQ 73
PDE build path, FAQ 77
 sharing with a team, FAQ 65, 67
.cvsignore, function, FAQ 66
.history, local history storage, FAQ 297
.log file
 warnings and errors, FAQ 121
 where to find it, FAQ 27
.options, using, FAQ 122
.project
 add a builder, FAQ 327
 build specification, FAQ 326
 builder failure, FAQ 329
 sharing with a team, FAQ 65, 67

A

Action sets
 creating, FAQ 219
 group names, FAQ 225
 menus, FAQ 222
 part associations, FAQ 219
Actions
 activation, no target, FAQ 224
 add to menu, FAQ 223
 command association, FAQ 227
 delegate creation failure, FAQ 81
 delegates, FAQ 218
 global actions, FAQ 213, 231
 global toolbar, FAQ 221
 group names, FAQ 225
 key binding, FAQ 229
 overview, FAQ 218
 part context menu, FAQ 235

retargetable actions, FAQ 231
revert, FAQ 212
save, FAQ 212
tooltips, FAQ 230
versus commands, FAQ 226

Activities

 creating, FAQ 238
 enablement, FAQ 239
 purpose, FAQ 237
 versus perspectives, FAQ 240

Adapters

 using `IAdaptable`, FAQ 126
 using workbench adapters, FAQ 177

Add, JFace model manipulation, FAQ 147

Advanced Systems Concepts, FAQ 8

Annotations, marking files, FAQ 288

Ant

 build file overview, FAQ 82
 `build.xml`, FAQ 322
 javac task, FAQ 316
 overview, FAQ 315

API

 design guideline, FAQ 39
 evolution of design, FAQ 189

Application

 creation, FAQ 242
 Eclipse application, FAQ 241
 versus product, FAQ 251
 without views/editors, FAQ 247

Articles, online, FAQ 16

Asking yes or no, dialog, FAQ 162

AST

 abstract syntax tree, FAQ 355
 Java abstract syntax tree, FAQ 356

asyncExec

 thread access exceptions, FAQ 140
 versus jobs, FAQ 187

Autorefresh, resources, FAQ 287

AWT, SWT, FAQ 144

B

basedOn, extension point attribute, FAQ 85

- beginTask, progress monitors, FAQ 119
- Binary compatibility
 - of Eclipse 3.0, FAQ 38
 - of SWT, FAQ 135
- Borland Software, FAQ 8
- Browser, display Web pages, FAQ 143
- Bugs
 - how to search, FAQ 19
 - reporting, FAQ 18
- Bugzilla
 - feature request, FAQ 20
 - reporting bugs, FAQ 18
- Build path
 - add library, FAQ 64
 - internal and external JARs, FAQ 357
 - PDE, FAQ 77
- build.properties, FAQ 83
- build.xml
 - custom, FAQ 83
 - execution, FAQ 84
 - external builder, FAQ 322
 - overview, FAQ 82
- Builder
 - add to a project, FAQ 327
 - builder ID, FAQ 329
 - execution failure, FAQ 329
 - external builder, FAQ 322
 - implementation, FAQ 325
 - overview, FAQ 292
 - turn off autobuild, FAQ 45
- Bundles, OSGi, and plug-ins, FAQ 115
- Busy cursor, progress service, FAQ 172
- C**
 - CanyonBlue, FAQ 8
 - Capabilities
 - enablement, FAQ 239
 - purpose, FAQ 237
 - Catalyst Systems, FAQ 8
 - Cheat Sheet, creating a plug-in, FAQ 69
 - CheckboxTableViewer, varieties of JFace viewers, FAQ 148
 - CheckboxTreeViewer, varieties of JFace viewers, FAQ 148
 - Class files, output folder, FAQ 47
- Class loader
 - OSGi, FAQ 104, 105
 - plug-in, FAQ 114
- Classpath
 - add library, FAQ 64
 - container, plug-in build path, FAQ 77
 - debug perspective, FAQ 59
 - for a Java project, FAQ 351
 - plug-in classpath, FAQ 104, 105
- Code assist, *See* Content Assist, FAQ 54
- Codefarm, FAQ 8
- Commands
 - action association, FAQ 227
 - overview, FAQ 218
 - versus actions, FAQ 226
- Compare
 - create a compare editor, FAQ 283
 - using and extending, FAQ 281
- Compatibility, with older plug-ins, FAQ 38
- Compiler
 - implementing, FAQ 323
 - incremental, FAQ 330
 - replacing, FAQ 52
- Concurrency, using jobs, FAQ 127
- Configuration
 - browsing, FAQ 34
 - defined, FAQ 111
 - key bindings, FAQ 228
 - minimal Eclipse, FAQ 243
- Configurator, role during startup, FAQ 111
- Console, writing to console view, FAQ 307
- ContainerSelectionDialog, FAQ 308
- Content Assist
 - adding, FAQ 267, 336
 - editing Java code, FAQ 54
- Content compare, FAQ 281
- Content provider, in viewers, FAQ 147
- ContentFormatter, formatting, FAQ 269
- Context class loader, platform, FAQ 107
- Cool bar
 - and toolbar, FAQ 234
 - workbench overview, FAQ 167
- CPL (Common Public License), FAQ 23

Current display, in SWT, FAQ 141
CVS
 .cvsignore file, FAQ 66
 finding the Eclipse source, FAQ 79
 other repository clients, FAQ 310
 synchronizing projects, FAQ 311
 workspace support, FAQ 299

D

Data area
 choosing a location, FAQ 248
 running without, FAQ 249

Debug
 classpath, FAQ 59
 conditional breakpoints, FAQ 61
 hot code replace, FAQ 60
 Java code, FAQ 58
 launch configuration, FAQ 313

DecoratingLabelProvider, images, FAQ 153

Decorator, *See* Label decorator, FAQ 174

Default display, in SWT, FAQ 141

Delegates, actions, FAQ 218

Dialog
 asking yes or no, FAQ 162
 compare, FAQ 282
 reporting a problem, FAQ 163
 save settings, FAQ 166
 search, FAQ 278
 selecting a file, FAQ 142
 selecting a resource, FAQ 308
 setting title, FAQ 165
 with details area, FAQ 164

Display, finding an SWT display, FAQ 141

Distribution, product, FAQ 252

Document, partition, FAQ 266

Document provider, sharing, FAQ 270

Documentation
 extension points, FAQ 22, 100
 HTML and `toc.xml`, FAQ 277

Dog food, eating, FAQ 264

DOM
 AST, FAQ 355
 JDOM, FAQ 354

Double-click in editor, FAQ 272

Download, Eclipse, FAQ 24
Dynamic
 making plug-ins dynamic, FAQ 118
 plug-ins, FAQ 116

Dynamic menu, contributions, FAQ 236

Dynamic-aware plug-in, FAQ 116

Dynamic-enabled plug-in, FAQ 116

E

Eclipse
 artwork download, FAQ 255
 debug runtime workbench, FAQ 58
 distribution, FAQ 252
 does not run, FAQ 29
 ecosystem, FAQ 1
 finding the Eclipse source, FAQ 79
 foundation, FAQ 4
 installation, FAQ 253
 Linux, FAQ 28
 projects, FAQ 6
 proposing a new project, FAQ 7
 published books, FAQ 17
 running, FAQ 25
 splash screen, FAQ 260
 technologies, FAQ 6
 upgrading, FAQ 30
 where does it end, FAQ 5

Eclipse 3.0, compatibility, FAQ 38

Editor
 add to a perspective, FAQ 191
 applications without, FAQ 247
 Back and **Forward** buttons, FAQ 214
 Content Assist, FAQ 267, 336
 copy and delete, FAQ 231
 create a compare editor, FAQ 283
 currently active, FAQ 270
 custom text editor, FAQ 264
 double-click, FAQ 272
 external, FAQ 321
 file type registration, FAQ 209
 form-based, FAQ 215
 formatting, FAQ 269
 graphical, FAQ 216
 highlight range, FAQ 271

- hover help, FAQ 337
 - `IDocumentPartition`, FAQ 266
 - implementing a DOM, FAQ 332
 - insert text, FAQ 270
 - key binding, FAQ 48
 - link with Navigator, FAQ 41
 - markers, FAQ 304
 - model scalability, FAQ 333
 - moving and organizing, FAQ 43
 - my own language, FAQ 335
 - nested, FAQ 217
 - open remote file, FAQ 302
 - open workspace resources, FAQ 300
 - opening, FAQ 207
 - opening external, FAQ 208
 - outline view, FAQ 341
 - overview, FAQ 263
 - Quick Fix, FAQ 56
 - reconciler, FAQ 273
 - saving and reverting, FAQ 212
 - selection, FAQ 271
 - splitting the editor area, FAQ 43
 - templates, FAQ 55
 - traversing with keyboard, FAQ 42
 - versus view, FAQ 206
 - your own language, FAQ 319
 - `ElementListSelectionDialog`, FAQ 308
 - emacs, key bindings, FAQ 210
 - Embarcadero Technologies, FAQ 8
 - Ensemble Systems, FAQ 8
 - EPL (Eclipse Public License), FAQ 23
 - Ericsson, FAQ 8
 - Error log, writing to, FAQ 121
 - `ErrorDialog`
 - use, FAQ 163
 - with details, FAQ 164
 - EScript, FAQ 319
 - ETRI (Electronics & Telecommunications Research Institute), FAQ 8
 - Executable extension
 - activating other plug-ins, FAQ 101
 - find your customers, FAQ 86
 - Explorer, showing hidden files, FAQ 326
 - Export wizard, adding, FAQ 181
 - Extension, activating other plug-ins, FAQ 101
 - Extension points
 - declaring, FAQ 85
 - documentation, FAQ 100
 - interface visibility, FAQ 87
 - schema, nested elements, FAQ 88
 - using, FAQ 98
 - Extensions
 - product, FAQ 32
 - using, FAQ 98
 - External JARs, build path, FAQ 357
 - External tool builders, defining, FAQ 318
 - External tools
 - defining, FAQ 317
 - running, FAQ 44
 - Externalize strings, messages, FAQ 257
 - Extreme Programming, FAQ 56
- F**
- F1 help, context sensitive, FAQ 275
 - Families, Job families, FAQ 129
 - Fast view, workbench overview, FAQ 167
 - Feature
 - creation, FAQ 89
 - plug-in version, FAQ 90
 - use by Update Manager, FAQ 91
 - `FileSelectionDialog`, usage, FAQ 308
 - Filtering, viewer contents, FAQ 151
 - Fixed perspective, defining, FAQ 194
 - Fixed view, defining, FAQ 194
 - Flashline, FAQ 8
 - `FontRegistry`, JFace, FAQ 154
 - Fonts, `FontRegistry`, FAQ 154
 - Formatting, in an editor, FAQ 269
 - Forms, form-based editors, FAQ 215
 - Fragment
 - plug-in patching, FAQ 110
 - using plug-in fragments, FAQ 109
 - Fujitsu Software, FAQ 8
 - Fully dynamic plug-in, FAQ 116
- G**
- GEF (graphical editor framework), FAQ 216
 - Genuitec, FAQ 8
 - Global actions, FAQ 213
 - Group, menu group, FAQ 222
 - Group names, actions, FAQ 225

GUI Builders, for SWT, FAQ 138
Guidelines, UI, FAQ 188

H

Handle objects, Java element as, FAQ 350
Heap, increasing Java heap size, FAQ 26
Help
 add to plug-in, FAQ 274
 context contribution, FAQ 276
 documentation in PDF, FAQ 21
 where to get it, FAQ 35
Help contexts, context sensitive, FAQ 275
Hewlett Packard, FAQ 8
Hierarchy view, class hierarchies, FAQ 63
Highlight range, editor, FAQ 271
History
 browser navigation, FAQ 143
 configuration, FAQ 5
 Eclipse roots, FAQ 3
 editor, FAQ 214
 local resource, FAQ 282, 297, 299
 search, FAQ 280
Hitachi, FAQ 8
Hot code replace (HCR), FAQ 60
HTML, documentation, FAQ 277
HTMLEditor, custom text editor, FAQ 264

I

IActionBarConfigurer, RCP menus, FAQ 245
IActionDelegate, selection changes, FAQ 224
IAdaptable, use, FAQ 126
IAdapterFactory, use, FAQ 126
IBM, FAQ 8
ICompilationUnit
 , FAQ 350, 353
Icons, location, FAQ 76
IContentOutlinePage, usage, FAQ 341
IDE, building your own, FAQ 319
IDialogSettings
 , FAQ 166, 204
IDocumentPartition, editor, FAQ 266
IEditionSelectionDialog, usage, FAQ 282

IEditorPart, editor overview, FAQ 263
IFileEditorInput, FAQ 302
IJobManager, tracking jobs, FAQ 131
IJobManager.find, job status, FAQ 130
Image, DecoratingLabelProvider, FAQ 153
Image registry, AbstractUIPlugin, FAQ 183
ImageRegistry, JFace, FAQ 154
Images
 Eclipse artwork, FAQ 255
 ImageRegistry, FAQ 154
 in runtime jar, FAQ 75
IMarker, resource annotations, FAQ 288
IMarkerResolution, Quick Fixes, FAQ 339
Import wizard, adding, FAQ 181
Incremental Builder, usage, FAQ 328
Incremental compiler, DOM, FAQ 330
INNOOPRACT Informationssysteme, FAQ 8
Install handler, PDE, FAQ 256
Install location, plug-in, FAQ 103
InstallShield, Eclipse installation, FAQ 253
Instance location
 choosing, FAQ 248
 running without, FAQ 249
Instantiations, FAQ 8
Intel, FAQ 8
Internationalization, messages, FAQ 257
Invalid thread access, SWT, FAQ 140
IPath, and location, FAQ 286
IPProgressMonitor
 progress monitors, FAQ 119
 wizard, FAQ 160
IPropertysheetPage, usage, FAQ 179
IResourceChangeListener
 workspace changes, FAQ 289, 324
IRunnableWithProgress
 operations, FAQ 218
 overview, FAQ 306
 progress service, FAQ 172
 wizard, FAQ 160
ISchedulingRule, jobs, FAQ 128
ISearchPage, implementation, FAQ 279
ISelectionListener, selection change, FAQ 203
IStartup, early plug-ins activation, FAQ 182

`IStorageEditorInput`, FAQ 302
`IWorkbenchActionConstants`, global, FAQ 231
`IWorkbenchAdapter`, using, FAQ 177
`IWorkspaceRunnable`
 batching changes, FAQ 290
 overview, FAQ 306

J

JAR, shared by multiple plug-ins, FAQ 106
Java, build path, FAQ 357
Java class files, output folder, FAQ 47
Java elements, characteristics, FAQ 350
Java model
 AST, FAQ 356
 definition, FAQ 349
 working copy, FAQ 353
Java project, classpath, FAQ 351
Java projects, sharing with a team, FAQ 67
`javac`
 Ant task, FAQ 316
 `serialVersionUID`, compiler, FAQ 68
JDOM, Java document object model, FAQ 354
JDT
 add library to project, FAQ 64
 AST, FAQ 352, 356
 build path, FAQ 77
 code manipulation, FAQ 352
 compiler, `serialVersionUID`, FAQ 68
 compiler, switch, FAQ 52
 Content Assist, FAQ 54
 extending, FAQ 348
 formatting, FAQ 51
 Hierarchy view, FAQ 63
 Java model, FAQ 349, 352
 Java project classpath, FAQ 351
 Java search, FAQ 62
 JDOM, FAQ 352, 354
 launching programs, FAQ 358
 opening a type, FAQ 50
 Quick Fix, FAQ 56
 refactoring, FAQ 53, 340
 refactoring participation, FAQ 360, 361

templates, FAQ 55
using `JavaCore`, FAQ 349
working copy, FAQ 352, 353

JFace
 dialog settings, FAQ 166
 font registry, FAQ 154
 image registry, FAQ 154
 introduction, FAQ 146
 preference page, FAQ 178
 preferences, FAQ 161
 viewers, FAQ 146, 148, 149
 wizards, FAQ 155

Job
 concurrency infrastructure, FAQ 127
 in UI thread, FAQ 187
 overview, FAQ 218
 repeating, FAQ 132
 scheduling, FAQ 128
 switch from `ProgressMonitorDialog`, FAQ 186

Jobb, families, FAQ 129
JRE, choose different, FAQ 25
JUnit
 overview, FAQ 359
 PDE JUnit test, FAQ 78

K

Key binding
 adding, FAQ 229
 configuration, FAQ 228
 emacs, FAQ 210
 in editors, FAQ 48
 RCP, FAQ 246
 traversing editors, FAQ 42

L

Label decorator
 declaring, FAQ 174
 installing, FAQ 175
 JFace, FAQ 153

Label provider, in viewers, FAQ 147

Language, adding your own, FAQ 319

Large programs, model scalability, FAQ 333

Launch configuration, overview, FAQ 313

Launch configurations, running, FAQ 44

- Launch delegate, defined, FAQ 314
- Lazy loading
 - of plug-ins, FAQ 101, 230, 241
 - scalability, FAQ 333
- Library, shared by multiple plug-ins, FAQ 106
- Licensing, Eclipse legal info, FAQ 23
- Linux, Eclipse, FAQ 28
- Listener
 - active part, FAQ 169
 - browser widget, FAQ 143
 - document, FAQ 264
 - dynamic menus, FAQ 233
 - font registry, FAQ 154
 - job changes, FAQ 131
 - logging, FAQ 121
 - plug-in registry, FAQ 118
 - resource changes, FAQ 289, 324
 - selection service, FAQ 168
 - view selection, FAQ 203
- ListViewer, varieties of JFace viewers, FAQ 148
- Local history, storage, FAQ 297
- Location, and path, FAQ 286
- Logging
 - .log file, FAQ 27
 - warnings and errors, FAQ 121
- Logic Library, FAQ 8
- Logos, Eclipse artwork, FAQ 255
- Lotus Workplace, FAQ 1

M

- M7, FAQ 8
- Mailing list, for Eclipse, FAQ 15
- Marker resolutions, Quick Fixes, FAQ 56
- Markers
 - annotating files, FAQ 288
 - creating, FAQ 288
- Marketing, Eclipse artwork, FAQ 255
- Master formatter, usage, FAQ 269
- Menu
 - action contributions, FAQ 236
 - add actions, FAQ 223
 - add to main menu, FAQ 222
 - adding a wizard, FAQ 181
 - creation, FAQ 81, 232

- dynamic contents, FAQ 233
- Menu bar, workbench overview, FAQ 167
- MERANT, FAQ 8
- Merge viewer, compare, FAQ 281
- Message, write in status line, FAQ 173
- MessageDialog, use, FAQ 162
- messages.properties, FAQ 257
- Metanology, FAQ 8
- Micro Focus, FAQ 8
- MKS, FAQ 8
- Monkey see monkey do, FAQ 85, 138
- MontaVista Software, FAQ 8
- MultiPageEditorPart, nested editors, FAQ 217
- MVC, models and viewers, FAQ 146
- My own language
 - abstract syntax tree, FAQ 355
 - compiler, FAQ 323
 - Content Assist, FAQ 336
 - DOM, FAQ 332
 - Natures, FAQ 344
 - outline view, FAQ 341
 - Perspectives, FAQ 345
 - Quick Fixes, FAQ 339
 - refactoring, FAQ 340
 - Wizards, FAQ 343
 - writing an editor, FAQ 335

N

- Nature
 - when to declare, FAQ 291, 344
- Navigator
 - hiding .* files, FAQ 40
 - link with editor, FAQ 41
 - reusing Navigator actions, FAQ 309
 - showing hidden files, FAQ 326
- New wizard, adding, FAQ 181
- NewFolderDialog, usage, FAQ 308
- Newsgroups
 - Eclipse, FAQ 13
 - getting access, FAQ 14
- NLS, plug-in messages, FAQ 257

O

- Open editor, workspace resource, FAQ 300
- Open Source, Eclipse projects, FAQ 9
- Operations, overview, FAQ 218
- Oracle, FAQ 8
- OSGi
 - bundles and plug-ins, FAQ 115
 - class loaders, FAQ 104, 105
- OSI (Open Source Initiative), FAQ 23
- OTI, FAQ 3
- Outline view, implementation, FAQ 341
- OutOfMemoryError, avoidance, FAQ 26

P

- Package Explorer
 - hiding .* files, FAQ 40
 - hiding referenced libraries, FAQ 46
 - link with editor, FAQ 41
- Page, workbench overview, FAQ 167
- Parasoft, FAQ 8
- Part, workbench overview, FAQ 167
- Part service, finding selected part, FAQ 169
- Patches, product upgrades, FAQ 261
- PDE
 - build path, FAQ 77
 - build.xml file, FAQ 82
 - creating a plug-in, FAQ 69
 - debug runtime workbench, FAQ 58
 - extension points, FAQ 85
 - feature creation, FAQ 89
 - install handler, FAQ 256
 - JUnit test, FAQ 78
 - plug-in build failure, FAQ 71
 - plug-in load failure, FAQ 74
 - plug-in problems, FAQ 73
 - running a plug-in, FAQ 72
 - runtime workbench, FAQ 72, 307
 - schema, FAQ 85
- Perspective
 - add editor/view, FAQ 191
 - controlling views, FAQ 194
 - creating, FAQ 190
 - declaring, FAQ 345
 - fixed, FAQ 194

- opening, FAQ 192
- versus activities, FAQ 240
- versus workbench page, FAQ 193
- Platform
 - context class loader, FAQ 107
 - Eclipse, FAQ 1
 - instance location, FAQ 248
 - overview, FAQ 2
 - querying, FAQ 112
 - tracing, FAQ 122
- Plug-in
 - build failure, FAQ 71
 - bundles and OSGi, FAQ 115
 - class loader, FAQ 104
 - classpath, FAQ 104, 105
 - connecting, FAQ 97
 - creating, FAQ 69
 - definition, FAQ 94
 - dynamic, FAQ 116, 117, 118
 - early activation, FAQ 182
 - Eclipse Platform, FAQ 1
 - feature version, FAQ 90
 - fragment, FAQ 110
 - from class to plug-in, FAQ 114
 - help content, FAQ 274
 - icon location, FAQ 76
 - image registry, FAQ 183
 - install handler, FAQ 256
 - install location, FAQ 103
 - installing new ones, FAQ 31
 - launch problems, FAQ 73
 - lazy loading, FAQ 96
 - load failure, FAQ 74
 - Manifest Editor, FAQ 70
 - manifest file, FAQ 94, 96
 - messages.properties, FAQ 257
 - PDE JUnit test, FAQ 78
 - plugin.xml, FAQ 94, 96
 - removing, FAQ 33
 - running, FAQ 72
 - runtime workbench, FAQ 307
 - state storage, FAQ 102
 - testing, FAQ 78
- Plugin, *See* plug-in, FAQ 95
- plugin.xml, overview, FAQ 96
- Porting guide, for Eclipse 3.0, FAQ 38
- Preference

- launch preference page, FAQ 161
loading and saving, FAQ 123
page creation, FAQ 178
scope context, FAQ 124
scopes, FAQ 125
using, FAQ 124
- Product
 changing workbench icon, FAQ 258
 distribution, FAQ 252
 Eclipse artwork, FAQ 255
 Eclipse product, FAQ 250
 partial upgrades, FAQ 261
 platform launcher, FAQ 259
 product extension, FAQ 254
 versus application, FAQ 251
- Product extensions, using, FAQ 32
- Products, based on Eclipse, FAQ 8
- Profiling, Java code, FAQ 57
- Progress
 from dialog to job, FAQ 186
 indicator, FAQ 167
 monitors, FAQ 119
 service, FAQ 172
 status line, FAQ 171
 SubProgressMonitor, FAQ 120
 tracking jobs, FAQ 131
 view, FAQ 185
- Progressive disclosure, activities, FAQ 237
- ProgressMonitorDialog, jobs, FAQ 186
- Project
 active, FAQ 305
 add a builder, FAQ 327
 incremental builder, FAQ 328
 layouts, FAQ 36
- Properties
 JFace viewer optimization, FAQ 152
 on resources, FAQ 293
- Property changes, resource, FAQ 294
- Property pages, usage, FAQ 179
- Q**
- QA Systems, FAQ 8
QNX Software Systems, FAQ 8
Quick Fix
 implementation, FAQ 339
 overview, FAQ 56
- R**
- RCP
 building RCP applications, FAQ 241
 Eclipse application, FAQ 241
 IActionBarConfigurer, FAQ 245
 key bindings, FAQ 246
 menu customization, FAQ 245
 simple application, FAQ 244
 versus platform, FAQ 2
- Reconciler
 syntax coloring, FAQ 268
 text editor, FAQ 273
- Red Hat, FAQ 8
- Refactoring
 implementation, FAQ 340
 Java support, FAQ 53
 participation, FAQ 360, 361
- Refresh
 JFace model manipulation, FAQ 147
 resources, FAQ 287
- Remove, JFace model manipulation, FAQ 147
- Repeating job, concurrency, FAQ 132
- Repository
 provider, FAQ 312
 sharing Java projects, FAQ 67
 workspace support, FAQ 299
- Research
 academic, FAQ 10
 Eclipse Innovation Grant, FAQ 12
- Resource
 adapters, FAQ 126
 creation, FAQ 284
 properties, FAQ 293
 property changes, FAQ 294
 refreshLocal, FAQ 287
 selection dialog, FAQ 308
 versus files, FAQ 285
- ResourceBundle, messages, FAQ 257
- ResourceListSelectionDialog, usage, FAQ 308
- ResourceSelectionDialog, usage, FAQ 308
- Rich Client Platform, *See* RCP, FAQ 1
- Running, launch configurations, FAQ 44
- Runtime workbench
 developing plug-ins, FAQ 307

- running plug-ins, FAQ 72
- S**
- SAP, FAQ 8
SAS, FAQ 8
Save
 workspace, FAQ 295, 296
`SaveAsDialog`, usage, FAQ 308
Scapa Technologies, FAQ 8
Schema, extension points, FAQ 85
Scope, preference, FAQ 125
SDK, Eclipse, FAQ 6
Search
 dialog pages, FAQ 278
 displaying results, FAQ 280
 find methods, FAQ 62
 finding Eclipse classes, FAQ 80
 implementation, FAQ 279
Selection
 action activation, FAQ 224
 double-click in editor, FAQ 272
 finding selected object, FAQ 168
 highlight range, FAQ 271
 `ISelectionService`, FAQ 203
 responding to change, FAQ 203
Serena Software, FAQ 8
`serialVersionUID`, compiler, `javac`, FAQ 68
Shortcut bar, workbench overview, FAQ 167
Shutdown, workbench, FAQ 176
SilverMark, FAQ 8
Site, workbench overview, FAQ 167
`site.xml`
 license, FAQ 93
 update site, FAQ 92
Slave formatter, usage, FAQ 269
SlickEdit, FAQ 8
Smalltalk
 Eclipse roots, FAQ 3
 SWT, FAQ 134
Snapshot, workspace saving, FAQ 295
Sorting, viewer contents, FAQ 150
Splash screen, FAQ 260
Splitting, editor area, FAQ 43
Stand-alone view, defining, FAQ 194
Start-up, plug-in lifecycle, FAQ 101
- Status line
 show progress, FAQ 171
workbench overview, FAQ 167
 write message, FAQ 173
- Structure compare, FAQ 281
`SubProgressMonitor`, progress, FAQ 120
`subTask`, progress monitors, FAQ 119
- SuSE, FAQ 8
- Swing
 SWT, FAQ 144
 versus SWT, FAQ 136
- SWT
 `asyncExec`, FAQ 140
 AWT/Swing, FAQ 144
 binary compatibility, FAQ 135
 display, FAQ 141
 display Web pages, FAQ 143
 dispose resources, FAQ 139
 `FileDialog`, FAQ 142
 GUI builders, FAQ 138
 history and motivation, FAQ 134
 invalid thread access, FAQ 140
 more information, FAQ 145
 philosophy, FAQ 133
 platform, FAQ 135
 platforms, FAQ 133
 stand-alone outside Eclipse, FAQ 137
 versus Swing, FAQ 136
- Sybase, FAQ 8
- Syntax coloring, text editors, FAQ 268
- `System.out`, finding, FAQ 113
- T**
- `TableTreeViewer`, varieties of JFace viewers, FAQ 148
`TableViewer`, varieties of JFace viewers, FAQ 148
Teaching, Eclipse in the classroom, FAQ 11
- Team
 other repository clients, FAQ 310
 subscriber, FAQ 312
 synchronizing projects, FAQ 311
 workspace support, FAQ 299
- Teamstudio, FAQ 8

- Telelogic, FAQ 8
Tensilica, FAQ 8
Testing, JUnit, FAQ 359
TextViewer, varieties of JFace viewers, FAQ 148
Threads, SWT thread access exceptions, FAQ 140
timerExec, versus jobs, FAQ 187
TimeSys, FAQ 8
Title bar, workbench overview, FAQ 167
toc.xml, documentation, FAQ 277
Toolbar
 add actions, FAQ 221
 and cool bar, FAQ 234
 creation failure, FAQ 81
 creation in Java, FAQ 232
Tracing, debugging your plug-ins, FAQ 122
TreeItem, why use a viewer, FAQ 149
TreeViewer
 lazy population, FAQ 149
 varieties of JFace viewers, FAQ 148
Trigger point, enabling activities, FAQ 239
TwoPaneElementSelector, FAQ 308
- U**
- UI, guidelines, FAQ 188
Update, JFace model manipulation, FAQ 147
Update Manager, overview, FAQ 91
Update site
 license, FAQ 93
 site.xml, FAQ 92
Upgrading Eclipse, Update Manager, FAQ 30
- V**
- VCM, other repository clients, FAQ 310
vi, key bindings, FAQ 210
View
 add to a perspective, FAQ 191
 adding to menu, FAQ 201
 applications without, FAQ 247
 controlling in UI, FAQ 199
 moving and organizing, FAQ 43
 multiple instances, FAQ 205
- overview, FAQ 195
save state, FAQ 204
set size/position, FAQ 198
ShowInContext, FAQ 201
stand-alone, FAQ 194
versus editor, FAQ 206
- Viewer
 benefits, FAQ 149
 content and label providers, FAQ 147
 defined, FAQ 146
 filtering, FAQ 151
 label decorators, FAQ 153
 properties, FAQ 152
 sorting, FAQ 150
 TreeItem, FAQ 149
 varieties, FAQ 148
ViewerFilter, filtering contents, FAQ 151
ViewerSorter, JFace viewers, FAQ 150
- W**
- Wasabi Systems, FAQ 8
Window, workbench overview, FAQ 167
Wizard
 creating, FAQ 159
 declarative, FAQ 181
 definition, FAQ 155
 page order, FAQ 156
 reuse pages, FAQ 157, 158
 save settings, FAQ 166
 show progress, FAQ 160
 when to define, FAQ 343
- Workbench
 add actions to menu, FAQ 223
 add actions to toolbar, FAQ 221
 early plug-in activation, FAQ 182
 overview, FAQ 167
 show perspective, FAQ 192
 shutdown, FAQ 176
- Workbench icon, changing, FAQ 258
Workbench page, versus perspective, FAQ 193
- Working copy
 Java model, FAQ 353
 manipulating code, FAQ 352
- Workspace
 batching changes, FAQ 290

change notification, FAQ 289
choosing a location, FAQ 248
local history storage, FAQ 297
path versus location, FAQ 286
repair broken, FAQ 298
resource change listener, FAQ 324
save notification, FAQ 296
saving, FAQ 295
`WorkspaceJob`, batching changes, FAQ 290
`WorkspaceModifyOperation`, overview, FAQ 306

X

Xerces, conflicts, FAQ 108