

Index

A

- ABI (application binary interface), 200
- Absolute references, 433
- Accented characters, 270
- Accessorizer application, 47
- Accessors
 - for attributes, 52
 - for `DataPoint`, 226–227
- ACTION variable, 423
- Actions
 - in controllers, 81–82
 - defined, 433
- Active debugging, 23–32
- Active targets
 - defined, 433
 - indicator for, 115
- Activity Viewer command, 286
- ADC (Apple Developer Connection)
 - downloading from, 420
 - membership in, 419–420
 - Reference Library in, 413–416
- Add buttons
 - cross-development for, 208–209
 - for `DataPoints`, 81–82
- Add Localization button, 266–267
- add method, 210
- Add Target command, 50
- Add to Bookmarks command, 288
- Add to Project command, 49
- Add to Repository command, 196
- Addresses
 - for libraries, 40
 - symbols for, 35
- Agent applications, 433
- agerr function, 391
- Aliasing, released-pointer, 357–359
- All Configurations command, 177–178
- All-in-one layout, 303–305
- All Settings command, 177
- allDataPointsInContext method, 225–226, 234, 276
- AllowFullAccess key, 140
- AllowInternetPlugins key, 140
- AllowJava key, 140
- AllowNetworkAccess key, 140
- AllowSystem key, 140
- Ampersands (&) in searches, 416
- And operators in searches, 416
- Angle brackets () for ASCII property lists, 106
- Annotate command, 195
- Antecedents in makefiles, 325
- APIs in cross-development, 418
- AppDelegate class, 370
- APPL type, 85
- Apple Developer Connection (ADC)
 - downloading from, 420
 - membership in, 419–420
 - Reference Library in, 413–416
- AppleGlut glossaries, 274

- AppleScript and AppleScript Studio, 369
 - application, 369–377
 - dictionary, 400
 - file paths in, 400
 - interface for, 401–404
 - unit testing, 377–383
 - AppleScript Inspector, 370–371
 - Application binary interface (ABI), 200
 - Application bundles, 132–134
 - Application Properties Info window, 84
 - Applications
 - Cocoa. *See* Cocoa applications
 - container hierarchy for, 401
 - keys for, 136–138
 - prebound, 40
 - properties for, 84–86
 - Applications folder, 420
 - Aqua human-interface guidelines, 64
 - Archived files
 - extracting, 386–387
 - tarballs, 385
 - ARCHS variable, 426
 - Arranged objects
 - defined, 433
 - NSArrayController, 81
 - Array command, 112
 - Array data types, 90, 106
 - array elements, 101
 - ASCII property lists, 106–107
 - asPropertyList method, 92–93, 95, 227, 229
 - Assembly code, 34–35
 - Associating data files, 84
 - Associative arrays, 90, 106
 - Atomic checkouts, 184
 - __attribute__ extension, 322–323
 - Attributes, accessors for, 52
 - Attributes Inspector, 239
 - Auditing portability, 213–217
 - Auto variables, 14
 - awakeFromNib method, 210
- B**
- Backslashes (\) in macros, 108
 - BBEdit editor, 102, 189, 194
 - Big-endian notation, 214–217
 - Binaries, universal, 212–213
 - building, 217–218
 - defined, 438
 - mixing SDKs, 218–219
 - portability auditing in, 213–217
 - in Xcode, 337–338
 - Binary format for Core Data, 233
 - Binary property lists, 107
 - BinaryFormat category, 216–217
 - bindable property, 79
 - Binding
 - prebinding, 39–40
 - values, 80–81
 - Bindings Inspector, 78–80
 - Bookmarks
 - in condensed layout, 306
 - in Project Window, 310
 - setting, 288
 - Boolean data type and operators, 89–90
 - for ASCII property lists, 106
 - in CodeWarrior project conversions, 319
 - in searches, 416
 - boxIntersect function, 391
 - Braces ()
 - for ASCII property lists, 106
 - in formatters, 351
 - Brackets () for ASCII property lists, 106
 - Brackets ([]) for message invocation, 59
 - Breakpoints
 - adding, 26
 - for AppleScript, 377
 - commands for, 352–354
 - conditions for, 354–355
 - defined, 433
 - in editor panes, 288
 - indicator for, 24–25
 - symbolic, 309, 345
 - in template functions, 347
 - Breakpoints command, 26
 - Breakpoints window, 352–354
 - Build command, 171, 175

- Build and Debug command, 25
 - Build and Run command, 127
 - build.html file, 388
 - Build Java Resources build phase, 296
 - Build panel, 344
 - Build Resource Manager Resources build phase, 296
 - Build Results window, 16–17
 - in condensed layout, 306
 - in default layout, 302–303
 - for external projects, 390
 - in Xcode, 331–332
 - Build variables, 327–328, 423
 - source trees, 430–431
 - splitting, 429–430
 - useful, 423–429
 - Building page, 304
 - Builds, 331–332
 - in all-in-one layout, 304
 - bundle resource copying in, 333
 - vs. CodeWarrior, 312–313
 - configurations for, 276–278, 342–344, 433
 - controllers, 87
 - in data modeling, 235–236, 338–339
 - distributed, 365–366
 - errors in, 15–18, 313
 - external, 389–393
 - linkage in, 336–337
 - rules for, 328–330
 - source compilation in, 333–337
 - structural file copying in, 332–333
 - targets in, 294–295
 - universal binaries in, 217–218, 337–338
 - BuildSystemCacheSizeInMegabytes key, 409
 - BuildSystemMinimumRemovalAgeInHours key, 409
 - BUILT_PRODUCTS_DIR variable, 425
 - BUNDLE style, 429
 - Bundles, 58, 132
 - application, 132–134
 - defined, 434
 - Info.plist file for, 134–140
 - keys for, 135–136
 - in Xcode, 333
 - Buttons
 - cross-development for, 208–211
 - for DataPoints, 81–82
 - Interface Builder for, 63–64
 - Byte order compatibility, 214–217
- C**
- Cache memory, 413
 - CalculateRegression method, 120
 - call method, 373
 - Callahan, Kevin, 47
 - canCompute method, 46, 54–55, 228, 230
 - canCompute property
 - checks on, 82
 - in Regression model, 55
 - Case sensitivity
 - of file names, 407
 - in searches, 291
 - Categories for property lists, 90–93
 - CFAppleHelpAnchor key, 136
 - CFBoolean type, 90
 - CFBundle type
 - for bundle access, 58
 - for localization, 266
 - for working directories, 393
 - CFBundleDevelopmentRegion key, 136
 - CFBundleDisplayName key, 136
 - CFBundleDocumentTypes, 250
 - CFBundleExecutable key, 136
 - CFBundleGetInfoHTML key, 173
 - CFBundleGetInfoString key, 135, 173
 - CFBundleHelpBookFolder key, 136
 - CFBundleHelpBookName key, 136
 - CFBundleIconFile key, 134–135
 - CFBundleIdentifier key, 134–135, 250
 - CFBundleInfoDictionaryVersion key, 134–135
 - CFBundleLocalizations key, 138
 - CFBundleName key, 137, 263
 - CFBundlePackageType key, 134–135
 - CFBundleShortVersionString key, 134–135

- CFBundleSignature key, 134–135
- CFBundleVersion key, 134–135
- CFData type, 90
- CFDate type, 90
- CFDictionary type, 90
- CFExecutableName key, 410
- CFM (Code-Fragment Manager) linkage, 314
- CFMutableData type, 90
- CFMutableDictionary type, 90
- CFMutableString type, 90
- CFNumber type, 90
- CFPlugInDynamicRegistration key, 138
- CFPlugInDynamicRegistrationFunction key, 138
- CFPlugInFactories key, 139
- CFPlugInTypes key, 139
- CFPlugInUnloadFunction key, 139
- CFShow method, 348
- CFString type, 90
- CFTypeRef type, 89–90
- CFZombieLevel flag values, 360–361
- Changing code, version control for. *See* Version control
- CHUD package, 418
- Class Browser window, 299
- Class field for applications, 86
- Class modeler tool, 299–301
- Classes, objects and methods in, 59
- Classes group, 54
- Clean All command, 200–201
- Clear Logs command, 346
- CloseBoxInsetX key, 140
- CloseBoxInsetY key, 140
- Cocoa applications
 - controllers in. *See* Controllers
 - implementation
 - DataPoint class, 50–54
 - Regression class, 54–58
 - plan of action for, 43–48
 - starting, 48–50
 - views in, 61–62
 - Interface Builder, 62–63
 - layout, 63–67
 - split, 71
 - window sizing, 67–71
 - zombies in, 359–360
- Code completion, 286–287
- Code-Fragment Manager (CFM) linkage, 314
- Code Sense feature
 - for class modeler, 301
 - description, 286–287
 - with indexing, 368
 - for jumps, 285–286
 - for Project Symbols smart group, 298
- CodeWarrior projects
 - converting, 314–315
 - exporting in, 320–323
 - importing in, 315
 - targets and configurations in, 315–318
 - traps in, 319–320
 - targets in, 5
 - vs. Xcode. *See* Xcode and Xcode projects
- collectStatistics method, 167–169
- Colons (:) in file paths, 400
- Color
 - in custom views, 149–150
 - syntax, 308
- Command Line tool, 5, 14–15
- Commands, key mapping, 311–312
- Comments in Targets group, 295
- Commit command, 197
- Commit Changes command, 189
- Compare command, 194
- Comparing files, 189, 194
- Compatibility
 - byte, 214–217
 - Nib, 203–205
- Compatibility Checking window, 203
- Compilation, 333, 338–339
 - dynamic loading in, 38–39
 - linking in, 36–38
 - Linrg tool for, 33–36
 - prebinding in, 39–40
 - predictive, 364

- source code, 333–337
- ZeroLink in, 40–42
- Compile AppleScripts build phase, 295
- Compile Sources build phase, 35–36, 295, 326, 334–339
- CompileC command, 334–337
- Compilers, 33
 - in CodeWarrior project conversions, 320
 - for cross-development, 200
 - defined, 434
- Compound type, 89–90
- compress method, 399
- Compressed archives, 385
- Compute buttons, cross-development for, 210
- compute method, 208, 264–265
- computeFromLibrary method, 122
- computeWithLinq method, 46, 54–55, 57
- Concurrent Versions Librarian (CVL), 196–197
- Condensed layout, 305–306
- Conditions for breakpoints, 354–355
- CONFIGURATION variable, 423
- Configurations
 - for builds, 276–278, 342–344, 433
 - in CodeWarrior project conversions, 315–318
- ./configure command, 387–388
- Configure Options command, 415
- configurePersistentStoreCoordinatorForURL method, 254, 257–258
- Connections Inspector, 205
- Console command, 26
- Console Log command, 348
- Consolidating targets, 316–318
- Constructors in C++, 309
- contentObject property, 78
- Contents directory, 132–133
- CONTENTS_FOLDER_PATH variable, 425
- Contents of variables, 24, 29–30, 346–347, 377
- Continue building after errors option, 313
- Continue command, 26
- Controllers
 - actions and outlets, 81–82
 - application properties, 84–86
 - building, 87
 - for custom views, 141–143
 - Interface Builder for, 73–75
 - in MVC, 46–48
 - MyDocument, 82–84
 - NSArrayController, 78–80
 - NSObjectController, 75–78
 - property lists, 98–100
 - value binding, 80–81
- Controllers panel, 74–75
- Converting CodeWarrior projects, 314–315
 - exporting in, 320–323
 - importing in, 315
 - targets and configurations in, 315–318
 - traps in, 319–320
- convertSize method, 162
- Copy Bundle Resources build phase, 295, 411
- Copy Files build phase, 295
- Copy Headers build phase, 295
- Copy Implementations to Clipboard command, 228
- Copy items into destination group’s folder (if needed) option, 294
- copying files, 295, 332–333
- Copyright notices, 53
- Core Data, 221
 - build and run in, 235–236, 240–241
 - data modeling in, 221–224
 - DataPoints in, 225–227
 - entities in, 237–238
 - human interface in, 238–240
 - Interface Builder in, 234–235
 - for metadata, 254–258
 - MyDocument in, 232–233
 - regression in, 228–232
- Core Foundation, zombies in, 360–361
- Correlation coefficients
 - defined, 434
 - in linear regression, 11–13

- correlation key, 92
 - correlation method, 170
 - correlationCell method, 205
 - countDataPoints method, 233
 - countOfDataPoints method, 228
 - CpResource command, 333
 - crazy.dot file, 396–400
 - Create Files for LinearGraph command, 144
 - Create Folder References for any added
 - folders option, 293–294, 411
 - CreateUniversalBinary command, 337–338
 - Creator field
 - for applications, 85
 - for frameworks, 173
 - Credits.rtf file, 266–267
 - Cross-development, 199
 - for buttons, 208–211
 - defined, 434
 - feature availability in, 212
 - Nib compatibility in, 203–205
 - NSTableDataSource in, 205–208
 - SDKs for, 199–202
 - testing, 211
 - universal binaries for. *See* Universal binaries
 - Cross-development kits, 418
 - CSResourcesFileMapped key, 136
 - Curly braces ()
 - for ASCII property lists, 106
 - in formatters, 351
 - Custom build rules, 328–330
 - Custom Class panel, 73
 - Custom executables, debugging, 393–396
 - Custom formatters, 349–352
 - Custom views
 - coding, 149–156
 - controllers for, 141–143
 - creating, 143–146
 - debugging, 159–163
 - delegate design patterns for, 146–149
 - showing, 156–157
 - testing, 157–159
 - Customized Settings collection, 278
 - CustomView class, 143–144
 - CVL (Concurrent Versions Librarian), 196–197
 - CVL Tag dialog box, 197
 - CVS software, 183–185
 - repositories for, 186–189
 - tagging in, 195–197
 - CVSLinear directory, 193
 - CVSLinear module, 191–193
 - CVSROOT directory, 187–189, 193
 - cvswrappers file, 187–189
- D**
- Dashboard widgets, 139
 - Data data type, 89–90, 106
 - Data files, associating, 84
 - Data modeling, 221–224
 - adding entities, 237–238
 - building in, 235–236, 338–339
 - for DataPoint, 225–227
 - human interface, 238–240
 - Interface Builder for, 234–235
 - for MyDocument, 232–233
 - for Regression, 228–232
 - running in, 240–241
 - tables in, 241–242
 - Data types, 89–90
 - dataExtent method, 152, 154–155
 - DataPoint class
 - creating, 50–54
 - modeling for, 225–227
 - NSArrayController, 78–81
 - property lists for, 90–93
 - DataPoint.h file, 51–52, 54
 - DataPoint.m file, 51, 54
 - DataPoint-PropertyList.h file, 92–93, 95
 - DataPoint-PropertyList.m file, 95
 - dataPointAtIndex method, 147, 158, 233, 350–351
 - dataPoints array, 79
 - dataPoints method, 228
 - dataPoints property, 78
 - dataRepresentationOfType method, 207, 232

- Date data type, 89–90
- Dead-code, stripping, 278–279
- dealloc method, 142, 147, 231
- Debug Executable command, 23
- Debugger Console, 345, 348
- Debugger method, 296
- Debugging, 377
 - in all-in-one layout, 305
 - in AppleScript, 377–383
 - breakpoints in. *See* Breakpoints
 - custom executables, 393–396
 - custom formatters for, 349–352
 - custom views, 159–163
 - dead-code stripping in, 278–279
 - in debugger window, 16, 18, 20–21, 26
 - lazy symbol loading, 355–356
 - Linrg tool, 18–21, 23–32
 - printing values in, 348–349
 - techniques, 345–347
 - template classes for, 308–309
 - zombies, 356–361
- Debugging flag, 19
- DebugStr method, 296
- Declarations, location of, 14
- default.pbxuser file, 408
- Defaults
 - layout, 302–303
 - for windows, 409
 - in Xcode, 343
- definesLineOfSlope method, 147, 158
- Delegates
 - for AppleScript, 370, 373
 - design pattern for, 146–149
- Dependencies
 - defined, 434
 - for Linrg tool, 123–125
 - listing, 50
 - in makefiles, 325
 - rules for, 385
 - in Xcode, 326
- DEPLOYMENT_POSTPROCESSING
 - variable, 428
- DERIVED_FILE_DIR variable, 329, 425
- Destructors in C++, 309
- Detail lists, 6–7
- Detail searches, 95
- Developer Technical Support, 419
- Development build style, 41
- Diagrams, class model, 300
- dict elements, 101
- Dictionaries
 - AppleScript, 400
 - for property lists, 104
 - regression, 101
- Dictionary command, 112
- Dictionary data type, 89–90
- diff listings, 189, 195
- Direct Dependencies listing, 50
- Directories
 - for frameworks, 175–179
 - for project files, 6, 9–10
 - trimming, 405
 - working, 392–393
- Disclosure triangles, 7
 - in class model diagrams, 300
 - in localization, 266
 - in Project Find window, 290
 - in Project group, 292
 - in Targets group, 295
- Disk images, converting, 420
- Distributed builds, 365–366
- do shell script command, 372
- Dock setup, 420–421
- Document key, 136
- Document object, 75–76
- Documentation, 413–414
 - Documentation window, 414–416
 - searching, 42, 415–416
 - updates, 416
- Double-quote characters (") for ASCII
 - property lists, 106
- drawRect method, 145, 152, 160
- DYLD_IMAGE_SUFFIX variable, 346
- DYLIB variable, 423
- Dynamic libraries, 39
 - and Frameworks. *See* Frameworks

Dynamic libraries (*continued*)
 loading, 39
 Dynamic loading
 defined, 434
 standard routines, 38–39
 DYNAMIC style, 429

E

Edges
 defined, 434
 graph, 386
 Edit Active Target command, 316
 Edit menu, 263
 Edit Project Settings command, 318, 343
 Editable property, 80
 Editing page, 304
 Editing text, 413
 Editor panes, 285
 Code Sense, 286–287
 editor modes in, 289–290
 jumps in, 285–286
 navigation bar in, 287–289
 Editor windows, 16
 Enable Data Formatters command, 351
 Enable for all projects option, 367
 encodeWithCoder method, 53, 228
 Encryption, 4
 English.lproj directory, 266
 Entities
 adding, 237–238
 defined, 434
 env command, 423
 Errors and warnings
 in builds, 15–18, 313
 in CodeWarrior project conversions,
 315
 in condensed layout, 306
 for external build projects, 390
 in Project Window, 310
 in Xcode, 335
 ESSELLERATE_DIR variable, 430–431
 eSellerate libraries, 430–431
 Events for AppleScript, 370

Examining variables, 24, 29–30, 346–347,
 377
 Exclamation points (!) in searches, 416
 Executable field, 84, 172
 EXECUTABLE variable, 423
 EXECUTABLE_FOLDER_PATH variable,
 425
 EXECUTABLE_NAME variable, 429
 EXECUTABLE_PATH variable, 429
 EXECUTABLE_PREFIX variable, 429
 EXECUTABLE_SUFFIX variable, 429
 EXECUTABLES_FOLDER_PATH
 variable, 425
 Executables group, 296–297
 Executables in project hierarchy, 401
 Exporting symbols, 320–323
 Expressions window, 346
 Extensions field for applications, 86
 Extents, 35
 External build systems, 385, 389–393, 434
 External-symbols files, 321–322
 Extracting archived files, 386–387

F

Fat binaries, 337
 Fat bundles, 133
 Favorites bar, 291–292
 FBundleDocumentTypes key, 136
 FBundleURLTypes key, 136
 fetchUniqueColumn method, 255–256
 File-difference tools, 189
 File menu, 263
 File names, case sensitivity of, 407
 File paths in AppleScript, 400
 FileMerge utility, 190, 194
 Files
 archived, 385–387
 associating, 84
 comparing, 189, 194
 header. *See* Header files
 including, 400
 project, 6, 9–10
 in project hierarchy, 401

- resource, 129
 - File's Owner icon, 62–63
 - FileVault feature, 4
 - fillOutputCells method, 207
 - Filters, 299
 - Find Results group, 306
 - First Responders
 - defined, 434
 - in Interface Builder, 62–63
 - in responder chains, 96–97
 - Fix command, 26
 - Fix & Continue command
 - limitations of, 29
 - working with, 343–344
 - fix_prebinding tool, 40
 - Floating-point registers, 35
 - Folders, references for, 411
 - Font key, 140
 - Force Directed Layout command, 300
 - Formatters, custom, 349–352
 - Forms, sizing, 69–70
 - fr.lproj file, 267
 - Frameworks, 165
 - defined, 435
 - directories for, 175–179
 - prebinding, 181–182
 - private, 179–181
 - structure of, 171–173
 - targets, 166–167
 - working with, 173–175
 - FRAMEWORKS_FOLDER_PATH
 - variable, 425
 - FreeType library, 389
 - Full-text searches in documentation, 415–416
- G**
- Garden project, 356–361
 - GCC_PREPROCESSOR_DEFINITIONS
 - variable, 426
 - GCC_PREPROCESSOR_DEFINITIONS_NOT_USED_PRECOMPS
 - variable, 341
 - gcc tool
 - for cross-development, 200
 - for frameworks, 175–179
 - installing, 417
 - libstdc++ for, 408
 - performance of, 307
 - GCC_VERSION variable, 426
 - GD_drawing macro, 394–395
 - GD_IGP_INLINE symbol, 399
 - gdb tool, 18–19, 348–349, 393–394
 - gdImageBoundsSafeMacro macro, 399
 - gdImageGetPixel method, 397–399
 - genstrings utility, 272
 - Get Info window, 49, 123, 194, 245
 - GetMetadataForFile.c file, 251–253
 - Getter methods, 52
 - GIFNextPixel method, 397–398
 - Global variables, examining, 346
 - Glossaries, AppleGlut, 274
 - Go to header/source file command, 312
 - Goals in makefiles, 325
 - Graph buttons, cross-development for, 210
 - graph_init method, 395
 - Graph window
 - coding, 149–156
 - debugging, 159–163
 - showing, 156–157
 - testing, 157–159
 - GraphColors.plist file, 150–153
 - Graphs and Graphviz, 142, 386
 - debugging, 393–396
 - defined, 435
 - external build projects for, 389–393
 - including files for, 400
 - performance of, 396–400
 - preparing for, 386–389
 - GraphWindow.nib file, 269–270
 - Group-relative path types, 401
 - Grouped/Ungrouped control, 289–290, 313–314
 - Groups & Files list, 292
 - in condensed layout, 305–306
 - Executables group in, 296–297

Groups & Files list (*continued*)

- Project group in, 292–294
 - Smart groups in, 297–298
 - Symbols smart group in, 298–299
 - Targets group in, 294–296
- Groups in project hierarchy, 401

H

- Has-a relationships, 224
- hasWhitespace method, 375
- Header files
 - ambiguity of, 408
 - in frameworks, 166
 - precompiled, 333
 - defined, 436
 - for performance, 363–364
 - sharing, 409
- Header menu in editor panes, 289
- HEADER_SEARCH_PATHS variable, 427
- Height key, 140
- Hello, World project
 - creating, 4–9
 - directories for, 9–10
- Help key, 136
- Hide Others command, 62
- Hide Status Bar command, 413
- Hide XCode command, 311–312
- Hierarchies
 - container, 401
 - settings, 340–342
- History in editor panes, 288
- HTML.xctxtmacro macro, 108
- Human interface in data modeling, 238–240

I

- IBOutlet class, 75–76, 142, 145
- Icon File field, 85–86
- Identifiers
 - for applications, 85
 - in dictionaries, 108
 - for frameworks, 172
- Implementation of Cocoa applications
 - DataPoint class, 50–54
 - Regression class, 54–58
- Importing
 - CodeWarrior projects, 315
 - defined, 435
 - metadata, 258–261
 - into repositories, 191
- Include in Index checkbox, 404
- Including files, 400
- Index templates, 367, 435
- Indexes
 - for class modeler, 301
 - for Code Sense, 286
 - for Project Symbols smart group, 298
 - for projects, 367–368, 404
- Info key, 135–137
- Info.plist file, 134–140, 250, 332–333
- Info windows, 310
- INFOPLIST_FILE variable, 428
- INFOPLIST_PREPROCESS variable, 428
- InfoPlist.strings file, 270–271
- Informal protocols, 60, 146, 435
- Ingredients dictionary, 104
- init command, 187
- init_ugraph method, 395
- initDPI method, 394–395
- Initializers in DataPoint, 226
- initWithCoder method, 53, 145, 228
- initWithEntity method, 231
- initWithFrame method, 145
- initWithX method, 226
- Input files, 331
- Input pipes, 57
- Inspector panel, 68
- INSTALL_DIR variable, 428
- INSTALL file, 387–388
- INSTALL_GROUP variable, 428
- INSTALL_MODE_FLAG variable, 429
- INSTALL_OWNER variable, 428
- INSTALL_PATH variable, 428
- INSTALL_ROOT variable, 428
- Installing Xcode, 417–421
- Instruction Scheduling setting, 409
- Instruction streams, caches for, 413

- Integer command, 111
 - Intel processor compatibility, 214–217
 - intercept key, 92
 - intercept method, 170
 - interceptCell method, 205
 - Intercepts of regression lines, 13
 - Interface Builder (IB), 61–63, 241
 - with AppleScript Studio, 369
 - compatibility browser in, 203–205
 - for controllers, 73–75
 - for data modeling, 234–235
 - folder for, 420
 - for layout, 63–67
 - for views, 143–144, 412
 - Intermediate files
 - directories for, 329
 - and encryption, 4
 - Intrinsic libraries, 408
- J**
- J2SE documents, 418
 - Java programming
 - Java Development Kit for, 418
 - keys for, 139
 - Jumps
 - in editor panes, 285–286
 - navigation bar for, 288
 - JUnit, 383
- K**
- Keep in Dock command, 421
 - Key Bindings panel, 107, 311
 - key elements, 101
 - Key mapping, 311–312
 - Key-value coding (KVC) protocol
 - for properties, 47
 - setters and getters in, 52
 - key-value observing (KVO) protocol
 - in value binding, 80
 - in variable watching, 347
 - Keys
 - for applications, 136–138
 - for bundles, 135–136
 - for dashboard widgets, 139
 - for Java, 139
 - for plug-Ins, 138
 - for preference panes, 139
 - kMDItemContentType tag, 245
 - kMDItemContentTypeTree tag, 245
 - kMDItemFSCreationDate tag, 245
 - KVC protocol
 - for properties, 47
 - setters and getters in, 52
 - KVO (key-value observing) protocol
 - in value binding, 80
 - in variable watching, 347
- L**
- Labels for buttons, 64
 - Landmarks, 288
 - Large projects. *See* Graphs and Graphviz
 - Launch Behavior key, 137–138
 - Layout
 - in Cocoa applications, 63–67
 - project
 - all-in-one, 303–305
 - condensed, 305–306
 - default, 302–303
 - Layout key, 140
 - Lazy symbol loading, 355–356
 - Ld linker, 279, 336–337
 - Leaks, memory, 274–276
 - Libraries
 - ADC Reference Library, 413–416
 - in cross-development, 418
 - designing, 116–121
 - dynamic, 39. *See also* Frameworks
 - examining, 125–127
 - for Graphviz, 386
 - intrinsic, 408
 - limitations of, 165
 - in linking, 37
 - loading, 39
 - prebinding, 40
 - running, 127–128
 - symbolic links to, 407

- LIBRARY_SEARCH_PATHS variable, 427
- LIBRARY_STYLE variable, 429
- libRAverage.c file, 121, 125
- libRegression.a file, 115
- libRegression.c file, 118, 125
- libRegression.h file, 116, 125
- libRPrivate.h file, 118, 125
- libstdc++ file, 408
- Licensing, 419
- Linear regression, 11–13, 435. *See also*
 - Linrg tool and Linear project
- LinearData.xc model, 237
- LinearGraph class, 141–143
 - coding, 149–156
 - delegate design patterns for, 146–149
 - view for, 143–144
 - working with, 145–146
- LinearGraph.h file, 166
- LinearGraph.m file, 166
- Link Binary With Libraries build phase, 37, 124, 295, 408
- Linking group command, 181
- Links and linking
 - defined, 435
 - libraries, 407
 - Linrg tool, 36–38
 - in Nib, 74
 - weak-linking, 212
 - in Xcode, 336–337
 - ZeroLink for, 366–367
- Linrg tool and Linear project, 14–15
 - auditing, 214–217
 - build errors with, 15–18
 - cleaning up, 194–195
 - Cocoa applications for. *See* Cocoa applications
 - compiling, 33–36
 - data modeling for, 228–232
 - dead-code stripping, 278–279
 - debugging, 18–21, 23–32
 - libraries for
 - designing, 116–121
 - examining, 125–127
 - running, 127–128
 - linking, 36–38
 - localization in, 266–274
 - memory usage in, 274–276
 - modifying, 121–122
 - plan of action for, 43–48
 - property lists for. *See* Property lists
 - release build configurations for, 276–278
 - singularity in, 264–265
 - targets for, 115–116, 123–125
 - trimming menus for, 263–264
 - version control for, 191–193
 - views for. *See* Custom views
 - xcodebuild for, 279–280
- List data type, 106
- Lists, property. *See* Property lists
- Little-endian notation, 214–217
- loadDataRepresentation method, 207, 232
- Loading
 - standard routines, 38–39
 - symbols, 355–356
- Localizable.strings file, 272–274
- Localization, 266
 - Credits.rtf for, 266–267
 - GraphWindow.nib for, 269–270
 - InfoPlist.strings for, 270–271
 - Localizable.strings for, 272–274
 - MainMenu.nib for, 267
 - MyDocument.nib for, 267–269
 - testing, 271–272
- Localization key, 136, 138
- localizedStringForKey method, 272
- Locally Modified files, 197
- Lock button, 289
- Logs in debugging, 346
- long int type in CodeWarrior conversions, 319
- Low, Glen, 386
- .lproj suffix, 133
- LSBackgroundOnly key, 137
- LSEnvironment key, 137
- LSGetAppDiedEvents key, 137
- LSHasLocalizedDisplayName key, 137

- LSMinimumSystemVersion key, 137
- LSMultipleInstancesProhibited key, 137
- LSPrefersCarbon key, 137
- LSPrefersClassic key, 137
- LSRequiresCarbon key, 138
- LSUIElement key, 138
- LSUIPresentationMode key, 138
- LSVisibleInClassic key, 138

- M**
- MacBinary format, 420
- Mach-O linker
 - in CodeWarrior conversions, 314–315
 - universal binaries for, 212
- Machine code, 35
- MACOSX_DEPLOYMENT_TARGET
 - variable, 428–430
- Macros
 - in CodeWarrior conversions, 320
 - preprocessor, 317
 - for property lists, 107–113
- main.c file, 6–7
- main.m file, 369
- main menu bars, 85
- MainHTML key, 140
- MainMenu.nib file
 - in AppleScript applications, 369–370, 372
 - contents of, 61, 85, 93–94
 - for localization, 267
 - trimming, 263–264
- Make File Localization button, 269
- Make Layout Default command, 409
- Make subviews of command, 71
- make tool, 385
- makeCompoundEdge function, 391
- Makefiles
 - defined, 435
 - dependencies in, 385
 - for external build projects, 390–391
 - goals in, 325
- MallocDebug application, 274–275
- Managed-object model (.mom) files, 222
- managedObjectContext property, 234

- Mapping keys, 311–312
- Material dictionary, 104
- mdimport tool, 258–259
- mdls tool, 243
- meanX method, 169
- meanY method, 169
- Memory
 - for addresses, 35
 - cache, 413
 - managing, 357–358
 - usage checking, 274–276
- Menus, trimming, 263–264
- Message invocation, 59, 435
- Metadata
 - Core Data for, 254–258
 - defined, 435
 - displaying, 243–246
- Metadata plug-ins, 249
 - MetaLinear project files for, 249–253
 - packaging, 254
 - testing, 258–261
- MetaLinear project files, 249–253
- Methods
 - class, 59
 - setter, 52
- Metrowerks Standard Libraries (MSL), 315
- Mixing SDKs, 218–219
- Model-View-Controller (MVC) design
 - pattern, 43–44
 - controllers in, 46–48
 - models in, 44–46
 - views in, 48
- Models
 - data. *See* Data modeling
 - in MVC, 44–46
 - NSObjectController, 77–78
 - property lists, 90–100
- modeN files, 408
- Modern bundles
 - contents of, 132
 - defined, 435
- Modules, 436
- .mom (managed-object model) files, 222

- MSL (Metrowerks Standard Libraries), 315
- Multibyte Unicode encodings, 214
- Multiple targets, 409
- MVC (Model-View-Controller) design
 - pattern, 43–44
 - controllers in, 46–48
 - models in, 44–46
 - views in, 48
- MyCompanyName file, 53
- MyCompanyName.applescript file, 369–371
- MyDocument file, data modeling for, 232–233
- MyDocument.m file, 82–84
- MyDocument.nib file
 - contents of, 61–62
 - for localization, 267–269
- MyDocument window, 65–66

- N**
- Names
 - for applications, 86
 - for buttons, 64
- NaN (not a number) value
 - defined, 436
 - operations with, 23
- NATIVE_ARCH variable, 426
- Navigation bars, 287–289
- ncurses library, 347
- neato executable
 - on crazy.dot, 397–400
 - working with, 394–396
- Negate operators in searches, 416
- Network numbers, portability of, 214
- New Application menu, 263
- New Custom Executable command, 296, 392
- New Data Model File Assistant, 222
- New File Assistant, 51
 - for class modeler, 301
 - for property lists, 91
 - for targets, 117
- New Project Assistant, 4–5
- New Project command, 48
- New Shell Script Build Phase command, 330
- New Standard Tool Assistant, 6
- New Symbolic Breakpoint command, 345
- New Target Assistant, 115–116
- New User Assistant window, 3–4
- Newlines in macros, 108
- Nib files, 61
 - compatibility in, 203–205
 - defined, 436
 - Interface Builder with, 73–74
- nm tool, 125–126
- No-optimization flag, 19
- Nodes
 - defined, 436
 - graph, 386
- Not a number (NaN) value
 - defined, 436
 - operations with, 23
- NSAlert class, 265
- NSAppleScriptEnabled key, 138
- NSArray class, 90
- NSArrayController class, 74, 76, 205, 238, 241–242
 - Add button for, 81–82
 - DataPoints, 78–80
- NSAssert macro, 152
- NSBoolean class, 90
- NSBundle class
 - for bundle access, 58
 - in localization, 266
 - for working directories, 393
- NSByteOrder.h file, 216
- NSColor class, 149
- NSControl class, 81
- NSController class, 74, 76, 203
- NSData class, 90
- NSDate class, 90
- NSDictionary class, 90
 - for AppleScript, 375
 - for point lists, 92
- NSDocument class, 46, 204
 - in cross-development, 201
 - for packages, 131
- NSEntityDescription class, 221

- NSForm class, 66, 80
 - NSGraphicsContext class, 160
 - NSHumanReadableCopyright key, 137, 173
 - NSJavaNeeded key, 139
 - NSJavaPath key, 139
 - NSJavaRoot key, 139
 - NSKeyedArchiver class, 83, 236
 - NSKeyedUnarchiver class, 83
 - NSLocalizedString class, 272–273
 - NSMainNibFile key, 138
 - NSManagedObject class, 221, 225
 - NSManagedObjectContext class, 221, 229, 252
 - NSManagedObjectModel class, 221–222
 - NSMatrix class, 66
 - NSMutableArray class, 46, 90, 92
 - NSMutableData class, 90
 - NSMutableDictionary class, 75, 90
 - NSMutableString class, 90
 - NSNumber class, 90, 92, 234
 - NSNumberFormatter class, 234–235
 - NSObject class, 45–46, 147, 201
 - NSObjectController class, 74, 234
 - Document object, 75–76
 - Model object, 77–78
 - NSOpenPanel class, 407
 - NSPersistentDocument class, 232, 254
 - NSPersistentStoreCoordinator class, 252
 - NSPrefPanelIconFile key, 139
 - NSPrefPanelIconLabel key, 139
 - NSPrincipalClass key, 136
 - NSPropertyListSerialization class, 375
 - NSRTFDPboardType class, 130
 - NSSavePanel class, 201
 - NSScrollView Inspector, 205
 - NSSearchField class, 269
 - NSServices key, 138
 - NSSize structure class, 59
 - NSString class, 90
 - for AppleScript, 375
 - with NSNumberFormatter, 234
 - NSSwappedDouble class, 216
 - NSSwappedFloat class, 216
 - NSTableColumn class, 234–235, 239
 - NSTableDataSource class, 205–208, 286
 - NSTableView class, 65, 81, 205, 239, 241–242
 - NSTableView.h file, 205
 - NSView class, 65, 142–143
 - NSWindow class, 65
 - NSWindowController class, 201–202
 - NSZombieEnabled switch, 359
 - Number data type, 89–90
 - numberOfRowsInTableView method, 206
-
- ObjCUnit framework, 383
 - OBJECT_FILE_DIR_normal variable, 426
 - Object files
 - defined, 436
 - examining, 126–127
 - machine code in, 37
 - Objective-C
 - working with, 59–60
 - ZeroLink for, 41
 - Objects
 - arranged, 81
 - class, 59
 - objectValueForTableColumn method, 206
 - OBJROOT variable, 424
 - OCUnit framework, 378–379
 - ocvs command, 186, 191
 - Omelet property list, 103–106
 - openStepFormat method, 376
 - Optimization. *See* Performance
 - Or operators in searches, 416
 - Ordered list data type, 89–90
 - OS Types field, 86
 - OTHER_CFLAGS variable, 426
 - OTHER_CFLAGS_normal variable, 427
 - Other Linker Flags command, 181
 - otool command, 126–127
 - Outlets in controllers, 81–82
 - Output files, 331
 - Output pipes, 57

P

- Package field, 86
- PACKAGE_TYPE variable, 423–424
- Packaged archives, 385
- Packages, 129–130
 - defined, 436
 - for Metadata plug-in, 254
 - RTFD, 130–132
- Pane splitter, 289
- Parentheses () for ASCII property lists, 106
- parseOldPlist method, 373, 376
- Path types, 401
- pathForResource method, 58
- Pause command, 26
- PBXCP operations, 332, 338–339
- .pbxproj files, 408
- .pbxuser files, 408
- PER_ARCH_CFLAGS_ppc variable, 427
- Per file compiler flags, 319
- Perforce program, 184
- Performance, 412–413
 - distributed builds for, 365–366
 - of Graphviz, 396–400
 - prebinding for, 39–40
 - precompiled headers for, 363–364
 - predictive compilation for, 364
 - project indexing for, 367–368
 - in Xcode projects vs. CodeWarrior, 307–308
 - ZeroLink for, 40–42, 366–367
- Pipes, 57
- Pixels, 162
- PkgInfo file, 332–333
- Place Accessor Decls on Clipboard command, 47
- Place Accessor Defs on Clipboard command, 47
- Plan of action for Cocoa applications, 43–48
- .plist files and forms, 90, 375
 - for AppleScript, 374–375
 - editing, 101–102
 - parameters for, 410
- Plug-ins
 - keys for, 138–139
 - metadata
 - MetaLinear project files for, 249–253
 - packaging, 254
 - testing, 258–261
- Plugin key, 140
- Pointers
 - aliasing, 357–359
 - to variables, 21
- points key, 92
- pointsAllTheSame method, 264
- PointStat class, 166–171
- Portability, auditing, 213–217
- Position of windows, 409
- #pragmas, 319
 - #pragma export, 320–322
 - #pragma mark, 53, 205
- Prebinding, 39–40
 - defined, 436
 - frameworks, 181–182
- Precompilation, header, 333
 - defined, 436
 - for performance, 363–364
 - sharing, 409
- Precompile Prefix Header switch, 363–364
- Predictive compilation, 364
- Preference panes, keys for, 139
- Preferences window, 4
- Prefix files
 - defined, 436
 - for precompiled headers, 363–364
- Preprocessor Macros Not Used In
 - Precompiled Headers, 409–410
- Preprocessors in CodeWarrior conversions
 - macros for, 317
 - symbols in, 320
 - traps in, 319
- Print Description to Console command, 348
- Printing values, 348–349
- Private frameworks, 179–181
- Private headers, 171
- ProcessPCH command, 333

- Products, 436
 - Program tasks, 43
 - PROJECT_DIR variable, 423
 - Project directory property, 400
 - PROJECT_FILE_PATH variable, 423
 - Project Find window, 290–291
 - Project group, 292–294
 - Project headers, 171
 - Project menu, 310
 - PROJECT_NAME variable, 423
 - Project objects, 400
 - Project Symbols group, 298–299
 - in condensed layout, 306
 - details view in, 95
 - Project window
 - source code in, 16
 - in Xcode projects vs. CodeWarrior, 309–311
 - Projector system, 193
 - Projects
 - in application hierarchy, 401
 - CodeWarrior. *See* CodeWarrior projects
 - creating, 4–9
 - defined, 436
 - files for
 - defined, 437
 - directories for, 6, 9–10
 - indexes for, 367–368, 404
 - large. *See* Graphs and Graphviz
 - layouts for
 - all-in-one, 303–305
 - condensed, 305–306
 - default, 302–303
 - starting, 48–50
 - Properties
 - application, 84–86
 - key-value coding for, 47
 - Property List Editor, 102–106
 - Property lists, 89
 - ASCII, 106–107
 - binary, 107
 - controllers, 98–100
 - data types, 89–90
 - defined, 437
 - models, 90–100
 - as text, 100–106
 - text macros for, 107–113
 - views, 93–98
 - Protocols, 146
 - defined, 437
 - informal, 60, 146, 435
 - Public headers, 171–172
- Q**
- Question marks (?) for UTF characters, 273
 - Quick Model command, 392
 - Quit Xcode command, 8
 - Quote characters (") for ASCII property lists, 106
- R**
- Rapid application-development (RAD) tools, 309
 - rbreak command, 308–309, 347
 - readFromFile method, 131
 - README file, 387–388
 - Real command, 111
 - Rebuild Code Sense Index option, 368
 - Red file names, 196
 - Reference-counted object types, 89–90
 - Reference Library, ADC, 413–416
 - refreshData method, 147–148, 167–168
 - Registers, 35
 - Regression, 435. *See also* Linrg tool and Linear project
 - Regression class
 - interface for, 45–46
 - modeling for, 54–58
 - property lists for, 90–93
 - Regression dictionary, 101
 - Regression.h file, 54, 228
 - Regression lines, 11–13, 437
 - Regression.m file, 54, 230
 - Regression-PropertyList.h file, 95
 - Regression-PropertyList.m file, 91–92, 95
 - regressionValid method, 170

- Regular expressions, 291, 392
 - Reindexing projects, 404
 - Relationships for entities, 237–238
 - Release builds, configurations for, 276–278
 - Released-pointer aliasing, 357–359
 - Remove buttons, cross-development for, 208–209
 - remove method, 210
 - Repositories
 - defined, 437
 - for version control, 185–191
 - Resizing
 - forms, 69–70
 - graphs, 144
 - windows, 67–71
 - Resource files, 129, 437
 - Resource forks, 129
 - Resource Manager, 129
 - Resources, 437
 - Responder chains
 - defined, 437
 - operation of, 96
 - Restart command, 26
 - Reveal in Group Tree command, 392
 - Revision control, 183–185
 - cleaning up files in, 194–195
 - for Linear, 191–193
 - repository for, 185–191
 - tagging in, 195–197
 - RGAddPoint method, 119
 - RGCorrelation method, 121
 - RGCount method, 120
 - RGCreate method, 118
 - RGDeletePoint method, 119
 - RGIntercept method, 121
 - RGMeanX method, 121
 - RGMeanY method, 121
 - RGRelease method, 119
 - RGSlope method, 120
 - Rich text file directory (RTFD), 130–132
 - Role field, 86
 - Roots of bundles, 140
 - RTFD package, 130–132
 - Rules, build, 328–330
 - Rules pane, 200–201
 - Run Executable command, 393
 - Run Log window
 - debugging in, 18–19, 393
 - for default layout, 303
 - Run Script build phase
 - build variables in, 423
 - description, 330–331
- S**
- saveAsPList method, 94–98, 201–202
 - Scalar data types, 89–90
 - scanf function, 21, 36–37
 - schema.strings file, 251
 - schema.xml file, 250–251
 - SCM (software configuration management)
 - system
 - defined, 437
 - purpose of, 183–184
 - SCM group in condensed layout, 306
 - SCM Results window, 303
 - Script Editor, 369, 400
 - Scripts. *See* AppleScript and AppleScript Studio
 - SDKROOT variable, 218–219, 424, 429
 - SDKs (software development kits)
 - cross-development, 199–202
 - mixing, 218–219
 - Searches
 - detail, 95
 - in documentation, 42, 415–416
 - for strings and symbols, 290
 - Security key, 140
 - Select Object command, 203–204
 - Semicolons (;) for ASCII property lists, 106
 - SenTestCase class, 379
 - Set Active Build Configuration command, 316
 - Set Active Target menu, 123
 - setAllowedFileTypes method, 202
 - setBounds method, 152, 160
 - setDataPoints method, 228

- setDelegate method, 147–149, 158, 170
- setenv commands, 331
- setKeys method, 55, 202
- setMessageText method, 265
- setMetaData method, 255
- setMetaDataForStoreAtURL method, 255–257
- setSlope method, 229
- setter methods, 52
- Settings hierarchy, 340–342
- setValue method, 232
- setX method, 226–227
- setY method, 226–227
- Shared Libraries window, 355–356
- sharedRegressionInContext method, 229–230, 232
- Sharing precompiled headers, 409
- Shark statistical profiler, 396–399
- shell command, 372
- Shell Script build phase, 295, 385
- Show Build Settings Notes command, 320, 411, 423
- Show Expert Preferences Notes command, 411
- Show Favorites Bar command, 291
- Show Info command, 64
- Show Inspector command, 68, 194
- Show Package Contents command, 130, 180
- Show Relationships command, 237
- showGraphWindow method, 142
- Simple Regular Expression Smart Group command, 297, 392
- Singularity, avoiding, 264–265
- Size
 - forms, 69–70
 - graphics, 162
 - graphs, 144
 - windows, 67–71, 409
- Size Inspector
 - for graphs, 144
 - for windows, 68–69
- Size panel, 68
- Skip Install option, 180
- Sliders, 412
- slope key, 92
- slope method, 170, 228–229
- Slope of regression lines, 13
- slopeCell method, 205
- Smart groups in Groups & Files list, 297–298
- Software configuration management (SCM)
 - system
 - defined, 437
 - purpose of, 183–184
- Software development kits (SDKs)
 - cross-development, 199–202
 - mixing, 218–219
- Source code, 33
 - compiling, 333–337
 - defined, 437
- Source Control window, 16
- Source trees, build variables, 430–431
- Speed. *See* Performance
- Split View command, 71
- Splitting build variables, 429–430
- Spotlight metadata system, 243
 - Core Data for, 254–258
 - data for, 243–246
 - plug-in for, 249–254
 - testing importer for, 258–261
 - UTIs for, 246–249
- SQL format, 233
- Square brackets ([]) for message invocation, 59
- SRCROOT directory, 329
- SRCROOT variable, 424
- Stacks
 - in debugging, 345
 - for variables, 29
- Standard I/O Log window, 19, 28
- Standard routines, dynamic loading of, 38–39
- Standard Tool, 5–6
- Starting projects, 48–50
- Static libraries
 - in CodeWarrior project conversions, 319
 - limitations of, 165

- Static models, 300, 437
 - STATIC style, 429
 - Statistical profilers, 396–399
 - Statistics.framework, 177–181
 - Statistics-Info.plist file, 172
 - stdDeviationX method, 169–170
 - stdDeviationY method, 169–170
 - Step Into command, 26, 41–42
 - Step Out command, 26
 - Step Over command, 26–27
 - Store Type field, 86
 - storeChanged method, 231, 352–354
 - Strings, 89–90
 - for ASCII property lists, 106
 - searching for, 290
 - .strings file, 270, 272–274
 - Structure key, 136, 138, 140
 - Structured directory trees, 132
 - __stub_getrealaddr method, 397, 399
 - Subversion program, 183–184
 - sudo command, 185–186
 - Symbol tables
 - defined, 438
 - examining, 125–126
 - Symbolic breakpoints, 309, 345
 - Symbolic counterparts, 289
 - Symbolic links to library, 407
 - Symbols
 - compiler, 35
 - defined, 438
 - in dynamic loading, 39
 - exporting, 320–323
 - indexing, 367–368
 - lazy loading of, 355–356
 - searching for, 290
 - Symbols smart group, 298–299
 - SYMROOT variable, 425
 - Syntax coloring, 308
 - System frameworks, 176
- T**
- Tables
 - in data modeling, 241–242
 - symbol, 125–126, 438
 - tableView method, 206–207
 - Tabs in macros, 108–109
 - Tags
 - defined, 438
 - in version control, 195–197
 - tar tool, 385, 387
 - Tarballs, 385
 - TARGET_BUILD_DIR variable, 425
 - Target Info window, 50, 363
 - TARGET_NAME variable, 425
 - Targets, 4–5
 - adding, 115–116
 - CodeWarrior, 5
 - in compilation, 35–36
 - in condensed layout, 306
 - consolidating, 316–318
 - defined, 438
 - dependent, 123–125
 - frameworks, 166–167
 - multiple, 409
 - in project conversions, 315–318
 - in Project group, 292–293
 - in project hierarchy, 401
 - in Project window, 311
 - in Xcode, 326–327
 - Targets group, 294–296
 - Templates
 - breakpoints in, 347
 - debugging, 308–309
 - index, 367, 435
 - Terminal application, 9
 - folder for, 420
 - for repositories, 185
 - Terminate command, 25
 - Test cases, 379–382
 - Test Interface command, 67
 - testHasWhitespace method, 379–380
 - Testing
 - custom views, 157–159
 - localization, 271–272
 - metadata plug-ins, 258–261
 - unit. *See* Unit testing

- testQuotation method, 380–381
 - Text
 - editing, 413
 - property lists as, 100–106
 - Text editors, 287
 - Text macros, 107–113
 - Tiger operating system, 221
 - Tips, 409–413
 - Toggle Debugger Layout command, 345
 - Tool sets, downloading, 420
 - Toolbars, 26
 - Tools.mpkg icon, 420
 - Tracking models
 - defined, 438
 - working with, 300–301
 - TraverseDirectory handler, 401, 405
 - Tree analysis, 397–398
 - triggerChangeNotificationsForDependent-
Key method, 55
 - Trimming
 - directories, 405
 - menus, 263–264
 - Type field
 - for applications, 85
 - for frameworks, 172
 - Types, 89–90
- U**
- Umbrella frameworks
 - contents of, 176
 - defined, 438
 - Unicode encodings, 214, 273
 - Uniform type identifiers (UTIs), 86, 245–249
 - Unit testing, 377–378
 - defined, 438
 - OCUnit for, 378–379
 - options for, 383
 - test cases for, 379–382
 - UIKit framework, 383
 - Universal binaries, 212–213
 - building, 217–218
 - defined, 438
 - mixing SDKs, 218–219
 - portability auditing in, 213–217
 - in Xcode, 337–338
 - Universally unique identification (UUID)
 - strings, 249
 - UNLOCALIZED_RESOURCES_
FOLDER_PATH variable, 425
 - Unprototyped functions, 41
 - Unused code, stripping, 279
 - Unzipping files, 387
 - Update command, 195
 - Updates
 - defined, 438
 - documentation, 416
 - revision, 195
 - URLs, keys for, 136
 - USE_HEADERMAP variable, 427
 - Use Predictive Compilation command, 364
 - USE_SEPARATE_HEADERMAPS
variable, 408, 428
 - UsePerConfigurationBuildLocations setting, 411
 - UTExportedTypeDeclarations array, 247–248
 - UTF-16 Unicode, 273
 - UTI and MIME Types field, 86
 - Utilities folder, 420
 - UTIs (uniform type identifiers), 86, 245–249
 - UTTypeDescription key, 248
 - UTTypeTagSpecification dictionary, 248
 - UUID (universally unique identification)
 - strings, 249
- V**
- VALID_ARCHS variable, 426
 - Value panel, 25
 - Values
 - binding, 80–81
 - printing, 348–349
 - \$VAR message, 351
 - Variable pane, 28

Variables

- build, 327–328, 423
 - source trees, 430–431
 - splitting, 429–430
 - useful, 423–429
 - custom formatters for, 349–352
 - declaration location for, 14
 - examining, 24, 29–30, 346–347, 377
 - machine code for, 35
 - pointers to, 21
 - stack space for, 29
- Variables pane, 348
- Version control, 183–185
- cleaning up files in, 194–195
 - for Linear, 191–193
 - repository for, 185–191
 - tagging in, 195–197
- Version field
- for applications, 85
 - for frameworks, 173
- Versioned bundles
- defined, 438
 - for frameworks, 132
- Versions, localized. *See* Localization
- Vertical bars (|) in searches, 416
- Views
- in Cocoa applications, 61–62
 - Interface Builder, 62–63
 - layout, 63–67
 - split, 71
 - window sizing, 67–71
 - custom. *See* Custom views
 - in Interface Builder, 412
 - in MVC, 48
 - property lists, 93–98
- Virtual machine (VM), 139

W

- WARNING_CFLAGS variable, 427
- Warnings. *See* Errors and warnings
- Watch variables, 346–347
- Watchpoints
 - defined, 438

setting, 346–347

wchar_t type, 319

Weak links

- behavior of, 212
- defined, 438–439

Width key, 140

Window icon, 62

windowControllerWillLoadNib method, 232

Windows

- in application hierarchy, 401
- size of, 67–71, 409
- in Xcode projects *vs.* CodeWarrior, 313–314

WithLinrg method, 121–122

Working directories, 392–393

writeOldPlist method, 377

writeToFile method, 131

writeToURL method, 258

X

x method, 226–227

.xcconfig file, 318

.xcdatamodel files, 338

Xcode and Xcode projects, 285

builds in, 331–339

configurations for, 342–344

rules for, 328–330

variables for, 327–328

xcodebuild tool for, 279–280, 339–340

Class Browser window, 299

class modeler for, 299–301

vs. CodeWarrior

build behavior in, 312–313

converting CodeWarrior projects, 314–318

debugging templates in, 308–309

key mapping in, 311–312

Project Window in, 309–311

RAD in, 309

speed in, 307–308

syntax coloring in, 308

window behavior in, 313–314

editor panes in, 285–290

- favorites bar in, 291–292
- Groups & Files list in, 292–299
- installing, 417–421
- Project Find window, 290–291
- project layout in
 - all-in-one, 303–305
 - condensed, 305–306
 - default, 302–303
- Run Script build phase, 330–331
- settings hierarchy in, 340–342
- Xcode Tools folder, 417
- xcodebuild tool, 279–280, 339–340
- .xcodeproj file, 186, 340
- XcodeTools.mpkg package, 417
- XML files
 - for Core Data, 233
 - for property lists, 101–103
 - for UTIs, 248

Y

- y method, 226–227

Z

- ZERO_LINK variable, 341, 429
- ZeroLink, 347
 - for AppleScript, 382
 - for debugging information, 278
 - defined, 439
 - for performance, 40–42, 366–367
 - portability with, 277
- Zombies, 356–357
 - in Cocoa, 359–360
 - in Core Foundation, 360–361
 - released-pointer aliasing, 357–359