

Index

A

Action (in Eclipse)

- ActionBarAdvisor 51, 227, 261, 280
- Action extension points 231
- actions in Hyperbola multiple
 - product configurations 388
- adding actions to Hyperbola
 - application 98, 261
 - adding contributions to status line* 280
 - menus and toolbar additions* 82
 - progress reporting* 281
 - status line additions* 92
 - system tray integration* 94
 - adding Update actions 205
 - command id 179
 - consolidating declarative action 276
 - declarative action 99, 261
 - allowing contributions* 265, 267
 - declarative action 263
 - example in auto-login preference page 169
 - responsibilities 261
 - retargetable Workbench action 274
 - standard Workbench action 272
 - toolbar action tricks 277
- About information 122, 125**
 - About text string 124

Adding a chat editor to Hyperbola

- application 101
 - checkpoint run 111
 - defining chat editor extension 103, 107
 - chat action* 109
 - editor input* 107

Adding help 185, 196

- adding to the target platform 185
- and exporting plug-ins 196
- configuring help plug-ins 188
- content 189
 - structure* 193
- getting help plug-ins 187
- help action 188
- Infopop mechanism (F1 help) 194

Adding key bindings 175, 184

- defining commands 175, 178
- for Workbench actions 180
- key configurations 182
- keys preference page 183
- testing (checkpoint) 180

Adding to the target platform 185

- adding plug-ins 186
- getting plug-ins 186

Adviser/advisor 216

Ant constructs 413

Applications 20

- example 48

Archives 427

B

- Base 412
- Behavior
 - as basic responsibility of action 262
- Binary Build section 127
- Binding
 - as basic responsibility of action 262
 - key bindings in Hyperbola multiple products configuration 389
- Branding features 203, 344
- Branding Hyperbola 31, 113, 125
 - About information 122, 125
 - define product configuration 113, 117
 - launcher customization 119
 - Splash screen 120, 122
 - Window Images 118
- Branding login dialog 157
- Breakpoints in debugging 54
- Browser plug-in 492
- Building Hyperbola 399; *See also* PDE
- Build
 - role of features 344
- Bundling 136
 - auto-activation 466
 - bundling 136, 327
 - by injection* 329
 - by reference* 332
 - by wrapping* 330
 - troubleshooting* 334; *See Classloading/problems*
 - bundling Smack 136
 - testing* 139, 140
 - early activation 464
 - early activation extensions 464
 - osgi.bundles* 465
 - start levels* 465
 - lifecycle
 - BundleActivator (downside of usage)* 461
 - BundleActivator (PluginClass)* 460
 - BundleActivator (value of)* 462
 - lifecycle 459
 - listeners 365
 - requiring vs. importing packages 470
 - `\system\ bundle` 469

C

- Cache management issues 130
- Chat editor 103; *See* Adding a chat editor to Hyperbola application
- Chat model 68
- ChatAction 109
- Chords 178; *See* Key sequences
- Class.forName() issues 335
- Classloading 342, 468
 - buddy classloading 336
 - built-in policy* 336
 - considerations* 338
 - vs. Dynamic-ImportPackage (OSGi)* 338
 - current classloader 335
 - declaring imports/exports 469
 - imports vs. requirements* 470
 - lookup algorithm 468
 - optionality 471
 - problems 334
 - Class.forName() issues* 335
 - context classloaders issues* 339
 - JRE classes (managing)* 341
 - serializaiton of objects issues* 342
 - re-exporting 471
 - x-internal/x-friends 471
- Code libraries (integration of); *See* Bundle Plug-ins
 - Smack* 327
- Commands
 - defining 175, 178
- Componentized systems 4
- config.ini 407
- Configuration location 18
- Configuration synchronizing 116
- Configurator (Update) 343
- Consoles 490
- Contacts
 - Add Contact action 86
 - add to toolbar* 89
 - list 63
 - adding images* 77
 - view 252
 - content providers overview* 72
 - filling in* 70
 - label* 76
 - vs. chat area* 101
 - view 63, 70

Content providers overview 72
Context menus 270
Contribution extension points 232
Custom window shapes
 defining window contents 305
 shape creation 302
 window creation 304
Custom window shapes 301
Customization 291
CVS (setting up) 423

D

Debugging
 Hello Hyperbola example 53
 breakpoints 54
 stepping functions 55
Declarative action
 consolidation facilities 276
 in Eclipse 99
 in Hyperbola 263
 allowing contributions 265, 267
 declaring actions 267
Delivery mechanisms (Hyperbola and other
 Eclipse-based products) 427, 443
 archives 427
 install initialization 436
 Java Web Start (JNLP) 429
 multi-user install scenarios 437
 multiple configurations 440
 shared configurations 439
 shared installs 438
 native installers 428
 pre-initialized configurations 436
 Update sites 435
Dependencies/Dependency Analysis
 and dependency management in
 componentized systems 385
 in Hyperbola multiple products
 configuration
 optional dependencies 390
 at plug-in level
 dynamic classpaths 139
 specifying features 348
Dependencies/Dependency Analysis
 tools 46
Development environment installation 32
Dynamic awareness
 addition/removal 357

 bundle listeners 365
 dynamic extension scenarios
 (challenges)
 extension caching scenario 359
 no caching scenario 358
 object caching scenarios 361
 dynamic extension scenarios (chal-
 lenges) 357
 object handling 364
Dynamic classpaths 139
Dynamic tolerance 355
Dynamic-enablement 357, 366
 clean-up 367
Dynamic-ImportPackage
 vs. buddy classloading 338

E

Eclipse 4, 12, 291
 cache management issues 130
 Platform
 plug-ins 481
 product introduction 481
 project evolution 6
 Resources plug-in 483
 usage 479
 versions 17
Eclipse RCP (rich client platform) 5
 component libraries 6
 components 5
 development tooling support 6
 disconnected operation 6
 intelligent install and update 6
 middleware and infrastructure 5
 native user experience 5
 portability 5
 tooling and applications
 development 135
 uses 7
 Maestro Project (NASA) 9
 Workplace Client Technology
 (IBM) 7
Eclipse RCP concepts 13, 25, 477
 classloading strategies 468
 data areas 472
 installed system overview 17
 configuration location 18
 install location 17
 plug-in store 18

- plug-ins collection (community) 13
- preferences 163
- product 13, 20
- products 373
- RCP applications 13, 15, 20, 289
- Runtime 13, 16, 19, 448
- SDK (Software Development Kit) 14, 185-186
- Update component 197

Eclipse RCP SDK 33, 479

Editors 236

- and UI Workbench 107
- and views 102, 247
 - communication* 251
- customization 307; *See* Presentations
- in Hyperbola multiple products
 - configuration 389
- input 107
- lifecycle 106
- multiple-page editors 311
- sharing 250
- with drag and drop 255

Exporting

- Hyperbola 127, 133
- other platforms 131
- plug-ins with help 196
- re-exporting 471

Extension registry 21

Extensions

- dynamic extension scenarios 357
 - extension caching scenarios* 359
 - no caching scenario* 358
 - object caching scenarios* 361
- early activation 464
 - osgi.bundles* 465
 - start levels* 465
- extension point reference 230

F

Features 199, 200, 344, 345, 354, 377

- and plug-ins 346
- branding 203
- choosing ids 200
- content 348
- directory structure 345
- feature build properties 403
 - identifying/placing root files* 403
- top-level 378

Forms plug-in 491

Fragments 452

Framework plug-ins 373, 387

H

Headless RCP applications 139-140

Hello Hyperbola 31, 41, 59

- code review 48, 52

- ActionBarAdvisor* 51

- application* 48

- perspective* 50

- WorkbenchAdvisor* 49

- WorkbenchWindowAdvisor* 50

Dependencies 46

Extensions 47

plug-in editor 44

project structure 44

running and debugging

- breakpoints* 54

- debugging* 53

- launch configurations* 56

- stepping functions* 55

running and debugging 52

simple shell application 41

- comparison with multi-*

- configuration structure* 374

- plug-in project creation* 41, 43

skeleton 62

Help 185; *See* Adding help

Hyperbola 29

- adding perspectives 236; *See* Perspectives, adding (Hyperbola examples)

- as instant messaging client 135; *See* Messaging support

- builder 409; *See* Managed build process example

- creating/using login dialog 153; *See* Login dialog creation/use

- delivering to end users 427; *See* Delivery mechanisms (Hyperbola and other Elipse-based products)

evolution of 31

- branded and packaged* 31

- Hello Hyperbola* 31

- Help and Update support* 31

- Messaging* 31

- UI sketch* 31

help 185; *See* Adding help
 key bindings 175; *See* Adding key bindings
 making dynamic 355; *See* Plug-ins, dynamic
 multiple product configurations 371;
See Multiple product configurations (Hyperbola)
 packaging the branded product configuration 127; *See* Packaging Hyperbola
 product branding 113; *See* Branding Hyperbola
 prototype (iterative development approach) 61; *See* Running Hyperbola prototype
 replacing prototype model with Smack 141; *See* Refactoring the prototype model
 simple shell application creation 41; *See* Hello Hyperbola
 timetable of events/interactions 475
 version control 197; *See* Update component

I

IAction; *See also* Action

id 179

IBM Workplace Client Technology
 and Eclipse RCP 7

Icons

in Hyperbola multiple products configuration 391

IDE (integrated development environment)
 4

Identity theft 450

IDocument

IDocument 488

Images 78

adding 77

ImageDescriptors 78

in Hyperbola multiple products configuration 391

showing images and text (toolbar items) 277

Imports

of packages vs. requiring bundles 470

Infopop mechanism 194

Input and enablement

as basic responsibility of action 262

Install handlers (Update) 344

Install location 17

InstallShield 428

Instant messaging 29

IPageLayoutReference 240

Iterative software development approach
 61

IWorkbenchAdapters

adding 74

IWorkbenchConfigurer 221

IWorkbenchWindowConfigurer 227

J

Java Web Start (JNLP) 429

and Hyperbola 430

and Update 435

building manifests 434

exporting 433

function 429

JAR signing 432

JFace 23

in Hyperbola multiple product configuration scenario 379

JNLP 429; *See* Java Web Start (JNLP)

K

Key bindings 175; *See* Adding key bindings

Key sequences 178

Kiosk

example in Hyperbola multiple product configuration scenario 384

L

Label provider 76

Launch configurations

Hello Hyperbola example 56

Launcher customization 119

Launcher 405

License Agreement 348

Listeners 364

bundle listeners 365

Login dialog creation/use 153, 172

adding auto-login preferences 167

accessing preferences 170

- adding action* 169
- default preference values* 171
- preference page creation* 168
- preference setting by user in context* 172
- adding dialog
 - branding the dialog* 157
- adding dialog 153
- saving (remembering) login settings 160
 - using preferences* 163
- testing with other servers 173

M**Managed build process example** 409

- build.properties 409
 - base identification/locating* 412
 - build naming/locating* 411
 - customTargets.xml* 413
 - CVS access control* 412
 - Java class libraries/compiler control* 413
 - product/packaging control* 410
- building products 417
- cross-platform building 419
- customizations 421
 - fetching from CVS* 421
 - fetching the maps* 423
 - managing the base* 421
 - output names (controlling)* 425
 - quantifying version numbers* 424
 - version numbers/ auto-substitution* 424
- running the builder 415
 - debugging* 417

Map files 412**Menus and toolbar creation/addition**

- Add Contact action 86
 - add to toolbar* 89
- customizable toolbars 91
- menu managers 85
- top-level menu create 82

Menus and toolbar creation/addition 82, 322; *See also* Presentations/menus**Messaging** 31**Messaging support** 135

- reactoring Hyperbola to use Smack 141

- testing facility 150
- third-party library integration 136
 - bundling Smack* 136
 - testing bundled Smack* 139, 140
- UI updating 147

Messaging support 151**MUC installation** 351

- and Hyperbola plug-ins 355

Multiple product configurations (Hyperbola) 371

- advantages of 374
- code structures 385
 - actions* 388
 - Hyperbola layering* 385
 - icons and images* 391
 - key bindings* 389
 - optional dependencies* 390
 - preferences wizards* 390
 - property pages* 390
 - views and editors* 389
 - wizards* 390
 - Workbench contributions* 386
- comparison with simple shell application 374
- configurations needed for scenario 378
 - Extension (IDE)* 381
 - JFace* 379
 - Kiosk* 384
 - PDA* 381
 - Workbench* 382
- platform designing
 - extension factories* 395
 - extension points* 393
 - named and anonymous extensions* 396
- platform designing 392
- rules 397
- sample code 371
- scenario 372
 - background* 372
 - basic configurations* 376
 - feature and plug-in projects* 376

N**NASA**

- Maestro Project and Eclipse RCP 9

Native installers 428
NSIS 428

O

Object handling 364
Offerings
 standalone vs. extension 20
Open Services Gateway initiative 18; *See*
 OSGi framework
OSGi framework 447, 477
 and bundle auto-starting 467
 and Eclipse
 Runtime 448
 classloading strategies 468
 console 455
 data areas 472
 Dynamic-ImportPackage
 vs. buddy classloading 338
 services 457
OSGi framework 18
Outline and property view 491

P

Packaging Hyperbola 31, 127
 exporting (other platforms) 131
 exporting Hyperbola 127, 133
Part list menu 322
PDA
 in Hyperbola multiple product
 configuration scenario 381
PDE Build 399, 426
 Ant constructs/properties 413
 setting up CVS 423
 setting up Hyperbola builder 409; *See*
 Managed build process example
Perspectives 63, 65, 236
 adding (Hyperbola examples)
 Debug perspective and Console
 view 238
 IPageLayout Reference/methods
 240
 perspective bar 243
 perspective menu 244
 programmatically perspective
 control 245
 adding (Hyperbola examples) 237
 extension points 233
 perspective factory example (multiple
 views) 247
Placement
 as basic responsibility of actions 262
Platform designing
 extension factories 395
 extension points 393
 named and anonymous extensions
 396
Platform designing 392
Plug-ins 13, 16, 46, 483 ; *See also*
 Dependencies/Dependency Analysis
 tools; *See also* Resources plug-in
 adding 186
 and bundle 18, 448
 and features 346
 uses of (by Update) 344
 as JARs 327
 browser 492
 build properties 401
 control properties 401
 using custom build scripts 403
 Console 490
 dynamic 355, 369
 challenges 357
 Eclipse RCP SDK 33, 479
 editor (Hello Hyperbola example) 44
 Forms 491
 framework 373, 387
 getting 186
 ids and project names 43
 plug-in store 18
 project creation example 41
 RCP-friendly 396
 shape of 450
 fragments 452
 singletons 458
 sources 479
 update 197
 variable 490
 version numbering 456
 view
 Add to Java Search context
 menu 39
Preferences 163
 adding auto-login preferences 167
 accessing preferences 170
 adding action 169
 default preference values 171

- preference page creation* 168
 - preference setting by user in context* 172
- for keys 183
- for login settings 163
- in Hyperbola multiple products configuration 390
- node 163
 - root node* 163
 - scope* 164
 - structure* 164
- Workbench 222
 - reusable preference pages and views* 274
- Presentations** 307, 313, 322; *See also* **StackPresentation coding examples**
 - implementation/customization steps 310
 - StackPresentation* 313
 - widget hierarchy* 312
 - menus 322
 - samples 308
 - plug-in* 310
 - R21 presentation* 309
- Products** 20, 377; *See also* **Projects/project naming**
 - configuration types 373
 - define product configuration 113, 117
 - product vs. feature branding 205
 - product 377
- Progress reporting** 281
 - busy cursor 281
 - customizing progress 286
 - forking 282
 - non-modal progress 283
 - progress view 285
 - ProgressProvider 287
- Project names**
 - and plug-in ids 43
- Projects/project naming** 377
- Property pages**
 - in Hyperbola multiple products configuration 390
- Prototypes** 61

R

- RCPs (rich client platforms)** 3, 14; *See* **Eclipse RCP concepts**
- Refactoring the prototype model** 141; *See also* **Smack**
 - adding chats 145
 - design objectives 143
 - prototype classes deletion 144
- Rendering**
 - as basic responsibility of action 262
- Resources plug-in** 483
 - and Workbench 485
 - resources key features 483
 - workspace access 484
- Rich client (RC)** 3
- Root files** 403
 - config.ini 407
 - the launcher 405
- RPM** 428
- Running Hyperbola prototype** 61, 80, 112
 - chat model 68
 - contact view addition
 - to a perspective* 65
 - contacts view (addition) 63
 - Hello Hyperbola skeleton 62
 - saving window location/size* 63
- Runtime** 16, 19
 - application 20
 - extension registry 21

S

- Samples Manager** 36
- Scalability extension points** 232
- Scopes** 164; *See* **Preferences**
- SDK** 185; *See* **Eclipse RCP concepts**
- Serialization (of objects)** 342
- Services** 457
- Singletons (plug-ins)** 458
- Smack** 136, 141, 327, 352; *See also* **Bundle/bundling Smack**
 - infrastructure integration in Hyperbola (approaches) 143
- Splash screen** 120, 122
 - locale specific 121
- StackPresentation coding examples**
 - add/select/remove parts 319
 - PresentationFactory 315

- requirements definition 314
- size and position 319
- stack creation 316
- StackPresentation coding examples 313**
- Startup**
 - extension points 234
- Status line 93**
 - additions 92
 - contributions 280*
- Stepping functions in debugging 55**
- SWT (Standard Widget Toolkit) 22, 292**
 - FormLayout 295
- Synchronizing**
 - configuration 116
- System menu 322**
- System tray integration**
 - displays 95
 - tray item creation 96
- System tray integration 94**

T

- Target setup 33**
- Text editing 485, 489**
 - editing vs. editor 486
 - IDocument 488
 - text and StyledText 487
 - text plug-ins 485
 - TextViewers and TextEditors 488
- Thin clients 4**
- Third-party library integration 136**
 - bundling Smack 136
 - testing bundled Smack 139, 140
- Toolbar 82; *See also* Menus and toolbar creation/addition**
 - action tricks 277
 - adding controls 279*
 - showing images and text 277*
 - hide/show (Workbench windows customization) 297
- TreeViewers 71**
 - content providers overview 72
- Tutorial and development set-up 29, 40**
 - checkpoint 35
 - development environment
 - installation 32
 - examples (importance of) 39
 - Hyperbola 29

- sample code 36
 - comparing 38*
 - Samples Manager 36*
- target setup 33

U

- UI decoupling 390**
- UI sketch 31**
- UI Workbench 23, 175, 234-235; *See also* Adding key bindings**
 - Action extension points 231
 - adding IWorkbench adapters 74
 - and editors 107
 - and Resources plug-in 485
 - as an integration point 264
 - browsing 229
 - consolidating declarative action facilities 276
 - constomization capabilities 291
 - Contacts view creation 70
 - contribution extension points 232
 - customization capabilities; *See also* Custom window shapes
 - Workbench window customization 291*
 - default implementation features 259
 - extensibility (contribution-based) 23
 - extension point reference 230
 - functions (overview) 228
 - lifecycle 217
 - multiple windows 254
 - window navigation menu 255*
 - perspective extension points 233
 - perspectives, views, and editors 24
 - retargetable actions 274
 - scalability extension points 232
 - standard (reusable) actions 272
 - startup extension points 234
 - Workbench configuration in
 - Hyperbola multiple product configuration scenario 382
 - Workbench contributions in
 - Hyperbola multiple product configuration scenario 386
- UIs (user interfaces) 3; *See also* JFace and application development 291, 306**

- elements
 - contacts list* 63
- SWT
 - UI Workbench* 22
- UI updating example 147
 - content provider* 148
 - label provider* 149
- Update component** 197, 212, 343
 - adding Update actions 205
 - extending Hyperbola* 208
 - managing extensions* 210
 - updating Hyperbola* 206
 - and Java Web Start 435
 - automatic updates 211
 - configurator 343
 - configuring Update plug-ins 198
 - dynamic content handling” \r “dch 351
 - features 344, 354
 - and plug-ins* 346
 - branding* 203, 344
 - building* 344
 - choosing ids* 200
 - content* 348
 - defining* 199, 200
 - directory structure* 345
 - install handler* 344
 - install/update* 344
 - features 345
 - get plug-ins/add to target 197
 - Update site 348
 - creation* 349
- Update site**
 - and delivering product function 435

V

- Variable plug-in** 490
- View pane menu** 322
- Views** 236
 - and editors 102, 247
 - communication* 251
 - contributed views (showing) 250
 - customization 307; *See* Presentations
 - in Hyperbola multiple products configuration 389

- multiple instances/same view 247
- progress view 285, 288
- registry 251
- sharing 250
- sticky 249
- Workbench
 - reusable preference pages and views* 274

W

- Widget hierarchy** 312
- Window Images** 118
- Wizards**
 - in Hyperbola multiple products configuration 390
- Workbench advisors** 215
 - ActionBarAdvisor 227
 - and product concept 217
 - configurers 216
 - types 216
 - Workbench preferences 222
 - WorkbenchAdvisor 49, 219
 - closing the Workbench* 221
 - configuration* 225
 - exceptions and idleness* 223
 - IWorkbenchConfigurer* 221
 - lifecycle events* 220
 - methods* 219
 - WorkbenchWindowAdvisor 50, 226
 - configuration* 227
- Workbench window customization** 292, 300
 - adding toggle actions 297
 - FormLayout 295
 - hide and show example 295
 - hide/show toolbar 297
 - quick search panel 299
- Workbench** 23; *See* UI Workbench

X

- x-internal/x-friends** 471
- Xalan** 341



Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:

- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshow, and online chats with special guests







Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com

Visit us on the Web: <http://www.awprofessional.com>





Wouldn't it be great
if the world's leading technical
publishers joined forces to deliver
their best tech books in a common
digital reference platform?

They have. Introducing
InformIT Online Books
powered by Safari.

■ **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/online-books> for details.







POWERED BY
Safari
TECH BOOKS ONLINE

informIT
Online Books

informit.com/onlinebooks







informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



Online Books

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.

POWERED BY
Safari
TECH BOOKS ONLINE™



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.

