

Index

Numerics

& (ampersand), in command syntax, 140
 * (asterisk), metacharacter, 417–418
 > (greater than sign), redirection, 423
 < (less than sign), redirection, 423
 # (pound sign), root prompt, 414
 ? (question mark), metacharacter, 417–418
 | (vertical bar), pipe symbol, 110
 \$ (dollar sign) prompt, 57
 3D video support, 368–369

A

Access permissions. *See* Permissions.
 Address book, 189–191
 Administrative user, 28
 Air brush tool, 314–315
 Air brushing images, 314–315
 Alarms, KOrganizer, 205
 Album covers (music), displaying, 349–350
 Albums, photo, 280–281
 alias command, 421
 amaroK jukebox, 350. *See also* Juk jukebox.
 Ampersand (&), in command syntax, 140
 Application Starter, 19, 48
 Applications. *See also specific applications.*
 finding, 115–116
 limitations, 7
 Appointments, 217–219. *See also* Evolution
 for calendars; KArm; KOrganizer.
 Architect of Linux, 3
 Armagetron, 374
 Artwork. *See* Digital art; GIMP
 Asterisk (*), metacharacter, 417–418
 Asteroids game, 357

Astronomy game, 363–364
 Atlantik, 361
 Attachments, e-mail, 191
 Audio. *See* Music.
 Audio formats, 333, 336
 aumix program, 323
 =AVERAGE function, 248–249
 Averages, calculating, 247–250
 AVI format, 350

B

Backgammon, 361
 Background images, 84–86
 Background tab, Impress, 268
 Backgrounds, slides, 268
 Backing up data, 34–35, 340–344
 Bauer, Travis, 275
 Beep Media Player (BMP), 325
 Bézier tool, 311
 Bit bucket, 427–428
 "Blue Screen of Death", 5
 Blurring images, 316
 BMP (Beep Media Player), 325
 Board games, 362
 Bookmarks, 70
 Boot diskette, creating, 28
 Boot loaders, 34
 Booting from
 CD, 17–18, 28
 diskette, 22, 28
 Brightness
 photographs, 318
 scanned images, 290
 Browsers. *See* Web browsers.

- Brush icon, 314–315
- Brush selector, 307–308
- Buddies. *See* Contacts.
- Bulwer-Lytton, Edward George, 228
- Burning digital art, 315–316
- Burning to CD
 - description, 332–333
 - images, 280
 - K3b, 337–345
 - KaudioCreator, 333–337
- C**
- Cable Modem HOWTO, 144
- Cable modems, 143–145
- ca1 command, 415
- Calc. *See also* Gnumeric; KSpread.
 - =AVERAGE function, 248–249
 - built-in functions, 248–249
 - calculating averages, 247–250
 - charts
 - AutoFormat chart dialog, 253
 - creating, 254–255
 - empty cells, 253
 - formatting, 255–256
 - linking to data, 255
 - locking, 255
 - placing, 253–254
 - printing, 256
 - summing a range of cells, 251–252
 - type, selecting, 254
 - creating new spreadsheets, 246–247
 - entering data, 246–247
 - Formula window, 249–250
 - green checkmark, 248
 - printing worksheets, 256
 - red X, 248
 - saving your work, 250–251
 - starting, 246
 - =SUM function, 251–252
- Calendars. *See also* Evolution for calendars; KArm; KOrganizer.
 - displaying, 415
 - from pictures, 280
- Caliper icon, 311
- Card games, 359–360
- Case sensitivity
 - commands, 55
 - Internet connection setup, 144
 - passwords, 43
 - usernames, 43
- cat command, 415, 421–422
- CD audio player plugin, XMMS, 328
- cd command, 428, 429
- CD-ROM contents, 11–12. *See also* WFTL Knoppix.
- CD-RWs, erasing, 340
- CDs, music. *See* Music CDs.
- Charts
 - AutoFormat chart dialog, 253
 - creating, 254–255
 - empty cells, 253
 - formatting, 255–256
 - linking to data, 255
 - locking, 255
 - placing, 253–254
 - printing, 256
 - summing a range of cells, 251–252
 - type, selecting, 254
- Chats. *See also* E-mail; Instant messaging.
 - for games, 361
 - starting, 151–152
 - XChat, 153
- Cheat codes, 18, 27, 28
- Chess-like games, 362
- chgrp command, 431
- chmod command, 432–433
- chown command, 431–432
- Circle selection, 309–310
- Circle-selection tool, 309–310
- Clipboard icon, 49
- Clock icon, 49
- Clone tool, 315
- Cloning images, 315
- Cloth effect, 318–319
- Clothify, 318–319
- Color
 - fills, 313–314
 - menus, 307
 - picking, 309–310, 311
 - schemes, Web presentations, 272
 - slides, 267–269
- Color picker tool, 309–310, 311
- Command line, 54–56
- Commands. *See also specific commands.*

- * (asterisk), metacharacter, 417–418
- # (pound sign), root prompt, 414
- ? (question mark), metacharacter, 417–418
- case sensitivity, 55, 109
- echoing, 415
- file permissions, 418–420, 430–431
- for files and directories, 415–416, 428–429
- finding things, 435–439
- forcing, 422–423
- hidden files, 419
- links to, 95–96
- location, 95–96
- metacharacters, 417–418
- output, redirecting. *See* Piping.
- ownership, 431–435
- pattern matching, 417–418
- pipes and piping, 425–428
- processes, 440–444
- root prompt, 414
- STDERR (standard error), 423–425
- STDIN (standard in), 423–425
- STDOUT (standard out), 423–425
- strange filenames, 419–420
- wild cards, 417–418
- Comments, and pictures, 280, 281
- Common Unix Printing System (CUPS), 124
- Concatenating files, 415, 421–422
- Conexant chipset, 133
- Connecting to the Internet. *See* Internet, connection.
- Contacts
 - instant messaging, 151–153
 - Kmail, 189–190
- Content Scrambling System (CSS), 352
- Contrast, adjusting, 318
- Controllerless modems, 131–134
- Convolver tool, 315–316
- Cookies, 162–163, 170–171
- Copying
 - directories, 75–76, 416
 - files, 75–76, 416
 - music from CDs. *See* Ripping.
 - music to CDs. *See* Burning.
 - pictures, 279
 - rights under GNU General Public License, 379–383
- Cost of Linux, distribution fees, 4
- cp command, 76, 416, 422
- Creating, directories, 74–75
- Crop tool, 312
- Cropping images, 312
- CSS (Content Scrambling System), 352
- CUPS (Common Unix Printing System), 124
- Curve selection, 311
- D**
- Dashed line in menus, 301
- Date and time, 415, 444
- Date command, 415
- Deleting
 - directories, 420–421, 422–423, 428
 - files and directories, 80, 420–421, 422–423
 - print jobs, 129
- Desktop. *See* KDE desktop.
- Devices. *See* Hardware; *specific devices*.
- /dev/null, 427–428
- df command, 415
- Dial-up connections, 139–143
- digiKam. *See also* Konqueror, for digital cameras.
 - adjusting light levels, 287
 - automatic camera detection, 283–284
 - camera not detected, 284
 - comments, adding to albums, 281
 - configuring cameras, 283–285
 - creating an album, 281
 - date, adding to albums, 281
 - default picture directory, 281
 - e-mailing pictures, 287–288
 - finding pictures, 285–287
 - getting pictures from cameras, 284–285
 - image editor, 287
 - interface description, 281–282
 - organizing pictures, 285–287
 - red-eye correction, 287
 - selecting pictures, 285
 - tags, 285–287
 - titling an album, 281
 - uses for, 280
 - viewer window, 287
- digikam command, 280

Digital art. *See also* GIMP

- air brushing, 314–315
- blurring, 316
- brightness, 318
- burning, 315–316
- circle selection, 309–310
- cloning, 315
- cloth effect, 318–319
- color, picking, 309–310, 311
- color fill, 313–314
- color menus, 307
- contrast, 318
- cropping, 312
- curve selection, 311
- curves, 311
- dodging, 315–316
- drawing tools, 314–315
- ellipse selection, 309–310
- embossing, 318
- eraser, 314–315
- filters, 318–319
- flipping, 313–314
- gradients, 307–308, 313–314
- ink drawings, 314–315
- light flare effect, 318
- light levels, 317
- line drawings, 314–315
- logos, 301–304
- measuring image elements, 311
- moving selected areas, 311
- opening a file, 304–305
- paint brushes, 307–308, 314–315
- path selection, 311
- patterns, 307–308
- pen, 314–315
- pencil, 314–315
- perspective, 313
- photograph touch up, 317–319
- printing, 306–307
- rectangle selection, 309–310
- rotating, 312–313
- saving your work, 304–305
- scaling, 312–313
- selecting image elements, 309–310
- sharpening, 316
- shearing, 312–313
- smudging, 315–316

- special effects, 318–319

- text, 313–314

- zooming, 311, 316

Digital cameras. *See also* digiKam; Scanning.

- configuring, 283–285

- getting pictures from

- digiKam, 284–285

- gPhoto, 278–279

- Konqueror, 279

- unsupported cameras, 278–279

- gPhoto, 278–279

- image preview, 279

- Konqueror, 279–280

- support for, determining, 278

- thumbnails, 279

Digital photography. *See also* Digital

- cameras; Scanning.

- adjusting light levels, 287

- albums, 280–281

- burning images to CD, 280

- calendars from pictures, 280

- comments, adding to pictures, 280

- configuring cameras, 283–285

- copying pictures, Konqueror, 279

- creating an album, 281

- default picture directory, 281

- e-mailing pictures, 280, 287–288

- finding pictures, 285–287

- image editor, 287

- light levels, adjusting, 280

- moving pictures, Konqueror, 279

- organizing pictures, 285–287

- photo management, 280–282

- red-eye correction, 280, 287

- selecting pictures, 285

- tags, 285–287

- titling an album, 281

Directories

- changing to new, 428

- copying, 75–76, 416

- creating, 74–75, 428

- definition, 66

- deleting, 80, 420–421, 422–423, 428

- expanding/collapsing, 68

- finding, 435–438

- group ownership, 431–432

- hidden, 419

- home, 66–67
- \$HOME, 67
- links, 76–77
- listing, 415–417
- listing contents of, 69
- moving, 75–76, 416, 428
- naming conventions, 416
- navigating, 69–71
- ownership, 431–432
- permissions
 - changing, 78–79
 - default settings, 433–435
 - displaying, 79, 430–431
 - execute, 79, 432, 434
 - listing with Konqueror, 78–79
 - listing with ls command, 418–419
 - ownership, 431–433
 - read, 79, 432, 434
 - read-only, 79, 432
 - write, 79, 432, 434
- recovering from trash, 80
- renaming, 75
- root, 66
- shredding, 80
- slash, 66
- strange names, 419–420
- user ownership, 431–432
- working, printing, 428
- Disk space, displaying, 415
- Distribution rights, GNU General Public License, 379–383
- DNS (domain name server), 138
- Dodge and burn tool, 315–316
- Dodging images, 315–316
- Dollar sign (\$) prompt, 57
- Domain name server (DNS), 138
- DOS prompt equivalent, 55–56
- Dotted-circle icon, 309–310
- Dotted-rectangle icon, 309–310
- drakconf command, 101–102
- Drawing tools, 314–315
- Drive letters. *See* Named partitions.
- Drivers, source for, 123
- Droplet icon, 315–316
- DSL service, 139, 143–145
- Dual booting
 - boot loaders, 34
 - definition, 34
 - installation, 389–391
- DVD players. *See* Video players.
- Dynamic IP addresses, 138
- E**
- echo command, 415, 424
- Echoing commands, 415
- Editing
 - images, 287
 - slides, 264–266
- Editors
 - Emacs, 454–455
 - Kate, 448–450
 - NEdit, 454–455
 - Pico, 454–455
 - vi/vim
 - commands, 451–452
 - entering data, 450
 - mode, determining, 450
 - navigation, 450
 - power startup options, 454
 - :q command, 451
 - recovering a session, 452–454
 - starting, 450
 - U command, 450
 - undoing, 450
 - :w command, 451
 - :wq command, 451
 - ZZ command, 451
- Educational games, 362–368
- Electronic organizer. *See* Evolution for calendars; KOrganizer.
- Ellipse selection, 309–310
- Ellipse-selection tool, 309–310
- Emacs, 454–455
- E-mail. *See also* Chats; Instant messaging.
 - attachments, 191
 - pictures, 280, 287–288
- E-mail clients
 - Evolution
 - configuring, 194–195
 - default server type, 195
 - look and feel, 192
 - passwords, 195, 198
 - receiving messages, 195–198
 - sending messages, 195–198

- E-mail clients, Evolution (*cont.*)
 - source for, 193
 - time zone, specifying, 195
 - Kmail
 - account setup, 185–186
 - address book, 189–191
 - attachments, 191
 - configuring, 181–183
 - contact information, from messages, 189–190
 - encryption, 186
 - leaving messages on the server, 186
 - network configuration, 183–187
 - passwords, 186
 - pictures, 183, 191
 - receiving messages, 188
 - sending messages later, 192
 - sending messages now, 187–188
 - Sendmail, 184
 - signature block, 182–183
 - SMTP, 184
 - starting, 180
 - Kontakt, 176–179
 - Mozilla mail, 199
 - mutt, 199
 - pine, 199
 - recommendations, 198
 - text-only, 199
 - Thunderbird, 199
 - Emboss, 318
 - Embossing images, 318
 - Encoder, selecting, 335
 - Encrypted DVDs, 352
 - Encryption
 - CSS (Content Scrambling System), 352
 - instant messaging, 149
 - Kmail, 186
 - legal issues, 352
 - WFTL Knoppix, 24
 - env command, 67
 - Epiphany browser, 173
 - Eraser, 314–315
 - Eraser tool, 314–315
 - Ethernet cards, 144
 - Evolution for calendars. *See also* KArm; KOrganizer.
 - all-day events, 218
 - appointments, 217–219
 - calendar view, 216
 - delegating tasks, 222–223
 - meetings
 - scheduling, 220–221
 - sending/receiving invitations, 221
 - vs. appointments, 217
 - recurring events, 219–220
 - tasks, 222–223
 - To-Do items, 222–223
 - Evolution for e-mail
 - configuring, 194–195
 - default server type, 195
 - look and feel, 192
 - passwords, 195, 198
 - receiving messages, 195–198
 - sending messages, 195–198
 - source for, 193
 - time zone, specifying, 195
 - Ewing, Larry
 - image Web site, 265
 - Tux, the penguin, 274–275
 - Excel equivalent. *See* Calc.
 - Executable files, 432–433
 - Exporting, presentations to
 - HTML, 269, 273
 - Macromedia Flash, 273
 - PDF, 273
 - Web presentations, 269, 273
 - Eyecandy-O-Meter, 46–47
 - Eyedropper icon, 311
- F**
- Fedora installation, 397–402
 - File managers. *See* Konqueror.
 - File size, scanned images, 290
 - File system. *See* Directories; Files.
 - moving around in. *See* Navigation.
 - File tips, 71
 - File transfer, instant messaging, 150
 - Files
 - commands for, 415–416
 - concatenating, 415, 421–422
 - copying, 75–76, 416
 - definition, 66
 - deleting, 80, 420–421, 422–423
 - finding, 435–438

- group ownership, 431–432
 - hidden, 419
 - links, 76–77
 - listing, 415–417
 - making executable, 432–433
 - moving, 75–76, 416
 - naming conventions, 416
 - ownership, 431–432
 - permissions
 - changing, 78–79
 - default settings, 433–435
 - displaying, 79, 430–431
 - execute, 79, 432, 434
 - listing with Konqueror, 78–79
 - listing with `ls` command, 418–419
 - ownership, 431–433
 - read, 79, 432, 434
 - read-only, 79, 432
 - write, 79, 432, 434
 - recovering from trash, 80
 - renaming, 75
 - selecting, 73–74
 - shredding, 80
 - sorting contents, 416
 - STDERR (standard error), 423–425
 - STDIN (standard in), 423–425
 - STDOUT (standard out), 423–425
 - strange filenames, 419–420
 - text, paging, 416
 - unique lines, returning, 416
 - user ownership, 431–432
 - word count, 416
- Fill tool, 313–314
- Filters for images, 318–319
- `find` command, 435–438
- Finding. *See* Searching.
- Finger icon, 315–316
- FIPS session, sample, 390–391
- Firefox
 - cookies, 170–171
 - history list, 172
 - home page, 167–168
 - pop-ups, 168–170
 - sidebar, 172
 - tabbed browsing, 168
 - vs. Mozilla, 166–167
- FlareFX, 318
- Flight simulator game, 370–371
- FlightGear, 370–371
- Flip tool, 313–314
- Flipping images, 313–314
- Focus, 46
- Folders. *See* Directories.
- Fonts, desktop, 96
- Forcing commands, 422–423
- Formatting bar, Writer, 233
- Formatting partitions, 23
- Formula window, Calc, 249–250
- FoulEggs game, 356
- Frames, Kooka, 288–289
- "Free" Linux, 3–4
- FreeCell, 360
- FreedroidRPG, 372
- Frozen-Bubble, 357–359
- G**
- Gagne's Web site, 9
- Games
 - 3D video support, 368–369
 - Armagetron, 374
 - astronomy, 363–364
 - Atlantik, 361
 - boards, 362
 - cards, 359–360
 - chat lines, 361
 - chess-like, 362
 - educational, 362–368
 - flight simulator, 370–371
 - FlightGear, 370–371
 - FreeCell, 360
 - FreedroidRPG, 372
 - Frozen-Bubble, 357–359
 - geometry test, 368
 - Grandfather's Clock, 360
 - hangman, 368
 - instant messaging, 361
 - KAlzium, 368
 - KAsteroids, 357
 - KBackgammon, 361
 - KBattleship, 360, 362
 - kdeedu package, 368
 - KFoulEggs, 356
 - KGeo, 368
 - KHangMan, 368

Games (*cont.*)

- Klondike, 359–360
- KMessedWords, 368
- KPatience, 360, 361
- KPercentage, 368
- K Poker, 359
- KSirtet, 356
- KSmileTris, 356
- KStars, 363–364
- KTouch, 365
- KTron, 373–374
- learn to type, 365–366
- Mahjongg, 362
- math test, 368
- Monopoly-like, 361
- Napoleon's Tomb, 360
- periodic table, 368
- planetarium program, 363–364
- poker, 359
- Potato Guy, 366–367
- Risk-like, 361
- scrambled words, 368
- solitaire, 359–360
- Super-Mario-Bros-like, 374–375
- SuperTux, 374
- teen favorites, 372–375
- TEG (Tenes Empanadas Graciela), 361
- Tetris-like, 356
- Tron-like, 373–374
- Tux Typing, 366
- TuxRacer, 371–372
- TuxRacer Belly Rub, 372
- video arcade, 356–359
- xboard, 362
- Gamma correction, scanned images, 290
- gears command, 368–369
- gears program, 368–369
- General Public License (GPL). *See* GPL (General Public License).
- Geo game, 368
- Geometry test game, 368
- GIMP. *See also* Digital art.
 - air brush tool, 314–315
 - Bézier tool, 311
 - blurring, 316
 - brightness, 318
 - brush icon, 314–315
 - brush selector, 307–308
 - caliper icon, 311
 - circle-selection tool, 309–310
 - clone tool, 315
 - cloth effect, 318–319
 - Clothify, 318–319
 - color menus, 307
 - color picker tool, 309–311, 311
 - contrast, 318
 - convolver tool, 315–316
 - crop tool, 312
 - dashed line in menus, 301
 - dodge and burn tool, 315–316
 - dotted-circle icon, 309–310
 - dotted-rectangle icon, 309–310
 - drawing tools, 314–315
 - droplet icon, 315–316
 - ellipse-selection tool, 309–310
 - Emboss, 318
 - embossing, 318
 - eraser tool, 314–315
 - eyedropper icon, 311
 - fill tool, 313–314
 - filters, 318–319
 - finger icon, 315–316
 - FlareFX, 318
 - flip tool, 313–314
 - gradient fill tool, 313–314
 - gradient selector, 307–308
 - handles, 313
 - ink tool, 314–315
 - intelligent-scissors tool, 310–311
 - interface description, 298–301, 307–316
 - knife icon, 312
 - lasso icon, 309–310
 - light flare effect, 318
 - light levels, 317
 - logos, 301–304
 - magic wand icon, 309–310
 - magnifying glass icon, 311
 - measuring tool, 311
 - move tool, 311
 - opening a file, 304–305
 - paint bucket icon, 313–314
 - path tool, 311
 - pattern selector, 307–308
 - pen icon, 314–315

- pen point icon, 311
- pencil icon, 314–315
- perspective tool, 313
- photograph touch up, 317–319
- printing an artwork, 306–307
- rectangle selection tool, 309–310
- rotate tool, 312–313
- rubber stamp icon, 315
- saving your work, 304–305
- scale tool, 312–313
- scissors icon, 310–311
- Script-Fu, 319–320
- scripting language, 319–320
- selection tools, 309–310
- sharpening, 316
- shear tool, 312–313
- smudge tool, 315–316
- special effects, 318–319
- starting, 298
- stickpin icon, 315–316
- T icon, 313–314
- tear-off menus, 301
- text tool, 313–314
- uses for, 298
- zoom tool, 311
- zooming, 316
- GNU General Public License. *See* GPL (General Public License).
- Gnumeric, 257. *See also* Calc; KSpread.
- Google shortcuts, 161
- gPhoto, getting pictures from cameras, 278–279
- GPL (General Public License)
 - applied to new programs, 384–385
 - copy rights, 379–383
 - definition, 3
 - distribution rights, 379–383
 - modification rights, 379–383
 - preamble, 378–379
 - terms and conditions, 379–383
 - warranty, 383–384
- Gradient fill tool, 313–314
- Gradient selector, 307–308
- Gradients, 307–308, 313–314
- Grand Unified Boot Loader (GRUB), 34
- Grandfather's Clock, 360
- Graphics. *See* Digital art; Digital photography; Pictures.
- Greater than sign (>), redirection, 423
- Green checkmark, 248
- Green light, 16, 72
- grep command, 438–439
- Group ownership, files and directories, 431–432
- GRUB (Grand Unified Boot Loader), 34
- H**
- Handles, in artwork, 313
- Handout tab, Impress, 264
- Handouts, slides, 264
- Hangman game, 368
- Hardware. *See also specific devices.*
 - compatibility guide, 118
 - device support, 118, 123
 - drivers, source for, 123
 - external devices. *See* USB devices.
 - getting information about, 120–121
 - HOWTO documents, 118, 389
 - installation considerations, 388–389
 - internal devices. *See* PCI devices.
 - limitations, 6–7
 - Linux USB Device Overview*, 122–123
 - listing devices, 121, 122
 - PCI devices, 121–122, 133
 - plug and play, 119
 - USB devices, 122–123
- Heinlein, Robert, 3–4
- Help
 - Cable Modem HOWTO, 144
 - Gagne's site, 9
 - hardware HOWTO document, 118
 - hardware HOWTO documents, 389
 - Help Center, 61–62
 - HOWTO documents, 10
 - LDP (Linux Documentation Project), 10
 - LUGS (Linux User Groups), 11
 - mailing lists, 10
 - man pages, 10, 62–63
 - online, 62–63
 - Tip of the Day, 56–57
 - tooltips, 49
 - WFTL Knoppix, 27–29
 - Writer, 233–234
- Help Center, 61–62
- Hidden directories, 419
- Hidden files, 419

History list, 70–71, 172
 Home directory
 definition, 66–67
 persistent, 23
 shortcut to, 429–430
 \$HOME directory
 definition, 67
 shortcut to, 429–430
 Home page
 Firefox, 167–168
 Konqueror, 157–159
 HOWTO documents
 cable modems, 144
 definition, 10
 hardware, 118, 389
 Hubble images, downloading, 363

I

IBM, SCO lawsuit, 6
 Icons
 changing size, 51
 desktop
 adding, 94–96
 customizing, 94
 permissions, 95
 "Illegal operations", 5
 Image editor, 287
 Images. *See* Digital art; Digital photography.
 Impress. *See also* KPresenter.
 Background tab, 268
 exporting to
 HTML, 269, 273
 Macromedia Flash, 273
 PDF, 273
 Web presentations, 269, 273
 Handout tab, 264
 HTML export, 269–273
 Normal tab, 264
 Notes tab, 264
 Outline tab, 264
 Page tab, 268
 presentations, slide
 outline view, 264–265
 printing, 269
 saving, 266
 type, selecting, 261–262
 presentations, Web

 color schemes, 272
 creating, 270
 exporting to, 269, 273
 image quality, 271–272
 image resolution, 271–272
 monitor resolution, 271–272
 naming, 272
 playing sounds, 271–272
 publication type, selecting, 270
 title page information, 272
 slide shows, starting, 264
 Slide Sorter, 264
 slides
 backgrounds, 268
 colors, 267–269
 definition, 260
 editing, 264–266
 first, creating, 261
 graphics, inserting, 265–266
 handouts, 264
 inserting, 266–267
 layout, selecting, 263
 naming conventions, 263
 notes, 264
 renaming, 267
 sorting, 264
 transitions, 261–262
 starting, 260
 Tasks pane, 263
 templates, 260–261, 275
 Ink drawings, 314–315
 Ink tool, 314–315
 Installation
 building programs, 114–115
 comparisons
 Fedora, 397–402
 generic, 391–393
 Mandrake, 393–397
 SuSE, 402–406
 Xandros, 406–409
 DEB Package Manager, 99
 dependency checks, 98, 99, 107–108
 dual boot, 389–391
 extract-and-build steps, 112–116
 FIPS session, sample, 390–391
 ft1-travel package, 112–113
 hardware considerations, 388–389

- legal issues, 102
 - Makefile, 114–115
 - Mandrake's urpmi, 101–102
 - open source projects, 111–112
 - package managers, 28–29
 - of packages, 104–106
 - permission requirements, 98
 - preparing for, 388
 - README file, 115
 - RPM Package Manager, 99
 - RPMs, 109–111
 - security, 98
 - SuSE package, 99–100
 - uninstall option, 104, 115
 - unpacking the archive, 113–114
 - WFTL Knoppix on a hard disk, 28–29
 - Instances of printers, 130
 - Instant messaging. *See also* Chats; E-mail.
 - adding contacts (buddies), 151–153
 - automatic login, 148
 - creating accounts, 147
 - encryption, 149
 - file transfer, 150
 - Jabber protocol, 145–146
 - Kopete protocol, 146–153
 - passwords, 148
 - registering accounts, 150
 - server address, 149
 - starting a chat, 151–152
 - XChat, 153
 - Instant messaging for games, 361
 - Intelligent-scissors tool, 310–311
 - Internet
 - connection
 - basic requirements, 138–139
 - broadband connections. *See* Cable modem; DSL service.
 - cable modem, 139, 143–145
 - Cable Modem HOWTO, 144
 - case sensitivity, 144
 - configuring, 140–145
 - connection methods, 139
 - dial-up connection, 139–143
 - DNS (domain name server), 138
 - DSL service, 139, 143–145
 - dynamic IP addresses, 138
 - Ethernet card, 144
 - high-speed connections. *See* Cable modem; DSL service.
 - IP addresses, 138
 - modem, 139–143
 - PPP (Point-to-Point Protocol), 139
 - instant messaging
 - adding contacts (buddies), 151–153
 - automatic login, 148
 - creating accounts, 147
 - encryption, 149
 - file transfer, 150
 - Jabber protocol, 145–146
 - Kopete protocol, 146–153
 - passwords, 148
 - registering accounts, 150
 - server address, 149
 - starting a chat, 151–152
 - XChat, 153
 - IP addresses, 138
 - It was a dark and stormy night., 228
- J**
- Jabber protocol, 145–146
 - Jobs. *See* Processes.
 - Johanson, Jon Lech, 352
 - juk command, 346–350
 - Juk jukebox, 345–350. *See also* amaroK jukebox.
 - Jukeboxes, 345–350
 - Junk on screen, 424
- K**
- K icon, 48
 - K3b
 - backing up data, 340–344
 - burning to CDs, 337–345
 - calculating CD space, 341
 - creating audio CDs, 339, 344–345
 - erasing a CD-RW, 340
 - interface description, 337–339
 - label information, displaying, 342
 - preserving permissions, 343
 - projects, 339
 - ripping from CDs, 337–345
 - simulating a write to CD, 341
 - starting, 337
 - KAlzium, 368

- kalzium command, 368
- karaoke, 353
- KArm, 223. *See also* Calendars; Evolution for calendars; KOrganizer.
- karm command, 223
- KAsteroids, 357
- kasteroids command, 357
- Kate, 448–450
- kate command, 448–450
- KaudioCreator, 333–337
- kaudiocreator command, 333
- KBackgammon, 361
- KBattleship, 360, 362
- kbattleship command, 360
- KCalc, 275
- KDE desktop, 9. *See also* Konqueror; *specific elements.*
 - \$ (dollar sign) prompt, 57
 - activating the screen saver, 49–50
 - Application Starter, 48
 - changing icon size, 51
 - clearing windows, 68
 - clipboard icon, 49
 - clock icon, 49
 - command line, 54–56
 - customizing
 - background images, 84–86
 - fonts, 96
 - grouping similar tasks, 88–89
 - icons, 94
 - look and feel. *See* Styles; Themes.
 - screen savers, 86–88
 - styles, 90, 92–94
 - taskbar, 88
 - themes, 47, 90, 92–94
 - wallpaper, 94
 - widgets, 90
 - window decorations, 91–92
 - definition, 42
 - DOS prompt equivalent, 55–56
 - Eyecandy-O-Meter, 46–47
 - file manager, 50–52
 - focus, 46
 - help
 - Help Center, 61–62
 - man pages, 62–63
 - online, 62–63
 - Tip of the Day, 56–57
- icons
 - adding, 94–96
 - permissions, 95
- interface description, 48–50, 52–54
- K icon, 48
- Konsole, 55–56
- links
 - adding to desktop, 94–96
 - to commands, 95
 - to Web sites, 94
- locking the desktop, 49–50
- logging in, 43–47
- login manager, 43
- menu bar, 53–54
- and monitor resolution, 52
- mouse behavior, 44, 47–48
- navigation panel, 51
- password protection, 87–88
- passwords
 - case sensitivity, 43
 - changing, 57–58
 - creating, 60
 - logging in with, 43
- personalizer, 44
- Plastik theme, 47
- security, 58–60
- shading programs, 53
- shell prompt, 57
- speaker icon, 49
- System Behavior screen, 44–46
- system tray, 49
- title bar, 52–53
- tooltips, 49
- usernames, 43, 59
- users, adding, 59
- virtual desktops, 48–49
- Web browser, 50–52
- windows
 - closing, 53
 - making sticky, 53
 - maximizing, 53
 - minimizing, 53
 - resizing, 54
 - rolling up, 53
- KDE personalizer, 44
- kdeedu package, 368

- Keyboard layout, WFTL Knoppix, 27
- KFoulEggs, 356
- kfoulEggs command, 356
- KGeo, 368
- kgeo command, 368
- KHangMan, 368
- khangman command, 368
- khelPcenter command, 61
- Kicker, 19
- kill command, 443–444
- Klondike, 359–360
- kmahjongg command, 362
- Kmail
 - account setup, 185–186
 - address book, 189–191
 - attachments, 191
 - configuring, 181–183
 - contact information, from messages, 189–190
 - encryption, 186
 - leaving messages on the server, 186
 - network configuration, 183–187
 - passwords, 186
 - pictures
 - attaching, 191
 - including, 183
 - receiving messages, 188
 - sending messages later, 192
 - sending messages now, 187–188
 - Sendmail, 184
 - signature block, 182–183
 - SMTP, 184
 - starting, 180
- KMessedWords, 368
- kmessedwords command, 368
- KMid, 353
- kmid command, 353
- KMix, 322–323
- KMPlayer, 350–352
- kmpLayEr command, 351
- Knife icon, 312
- Knopper, Klaus, 11–12, 16
- Knoppix. *See* WFTL Knoppix.
- Knotes, 223
- knotes command, 223
- Konqueror, as file manager
 - active window, 72
 - bookmarks, 70
 - changing icon size, 51
 - clearing windows, 68
 - configuring, 71–73
 - definition, 50
 - directories
 - copying, 75–76
 - creating, 74–75
 - definition, 66
 - deleting, 80
 - expanding/collapsing, 68
 - home, 66–67
 - \$HOME, 67
 - links, 76–77
 - listing contents of, 69
 - moving, 75–76
 - navigating, 69–71
 - permissions, 78–79
 - recovering from trash, 80
 - renaming, 75
 - root, 66
 - shredding, 80
 - slash, 66
 - directories, creating, 74–75
 - file tips, 71
 - files
 - copying, 75–76
 - definition, 66
 - deleting, 80
 - links, 76–77
 - moving, 75–76
 - permissions, 78–79
 - recovering from trash, 80
 - renaming, 75
 - selecting, 73–74
 - shredding, 80
 - green light, 72
 - history list, 70–71
 - interface description, 51–52
 - navigation panel, 51, 70–71
 - navigation toolbar, 70
 - network link, 71
 - network services, 71
 - shell prompt, opening, 81
 - Show Desktop icon, 68–69
 - Show Terminal Emulator, 81
 - split view, 72

- Konqueror, as file manager (*cont.*)
 - starting, 66
 - trash bin, 80
 - viewing man pages, 62–63
 - Konqueror, as Web browser
 - clearing the Location field, 157
 - cookies, 162–163
 - features, 156
 - full-screen mode, 162
 - green light, 16
 - pop-ups, 164
 - preserving window size, 158
 - profiles, 158–159
 - searching, 161–162
 - setting a home page, 157–159
 - split views, 160–161
 - starting, 156
 - surfing the Net, 157
 - tabbed browsing, 165
 - Konqueror, for digital cameras, 279–280. *See also* digiKam.
 - Konqueror, getting pictures from cameras, 279
 - Konsole, 55–56
 - Kontakt, 176–179
 - kontakt command, 176
 - kooka command, 288
 - Kooka program
 - brightness, 290
 - file size, 290
 - frames, 288–289
 - gamma correction, 290
 - image formats, 291–292
 - image quality, 290
 - interface description, 288–292
 - preview window, 288–289
 - resolution, 290, 294
 - saving your work, 293–294
 - scan size, selecting, 291
 - scanning part of an image, 291
 - sharpness, 290
 - starting, 288–289
 - Kopete protocol, 146–153
 - KOrganizer. *See also* Calendars; Evolution
 - for calendars; KArm.
 - adding events, 204–206
 - alarms, 205
 - calendar views, 203
 - categorizing events, 205–206
 - default duration time, 204
 - group scheduling, 212–214
 - importing calendars, 214–215
 - meetings
 - confirmation, 213
 - receiving invitations, 214
 - sending invitations, 211–214
 - meetings, scheduling, 213–214
 - printing, 208–209
 - recurring events, 209–211
 - snooze button, 206
 - sounds, 205
 - starting, 202
 - To-Do items, 206–208
 - KPatience, 360, 361
 - kpatience command, 360
 - KPercentage, 368
 - kpercentage command, 368
 - KPoker, 359
 - kpoker command, 359
 - kpppp command, 139
 - KPresenter, 276. *See also* Impress.
 - kprinter command, 131
 - Kprinter tool, 131
 - KsCD, 324
 - KSirtet, 356
 - ksirtet command, 356
 - KSmileTris, 356
 - ksmiletris command, 356
 - KSpread, 257. *See also* Calc; Gnumeric.
 - KStars, 363–364
 - kstars command, 363
 - KTouch, 365
 - ktouch command, 365
 - KTron, 373–374
 - ktron command, 373–374
 - KWord, 243
- L**
- Lasso icon, 309–310
 - last command, 415
 - LDP (Linux Documentation Project), 10
 - Legal issues, 5–6
 - less command, 416
 - Less than sign (<), redirection, 423

- Licensing. *See* GPL (General Public License).
 - Light flare effect, 318
 - Light levels, adjusting, 280, 287, 317
 - Lightshows, 327–328, 332
 - LILO (Linux Loader), 34
 - Line drawings, 314–315
 - Links
 - to commands, 95
 - on the desktop, 94–96
 - to files and directories, 76–77
 - to Web sites, 94
 - Links browser, 173
 - Linmodems.Org Web site, 132
 - Linux
 - cons, 6–8
 - costs, distribution fees, 4
 - definition, 2
 - distributions, 32–34. *See also* WFTL Knoppix.
 - legal issues, 5–6
 - licensing, 3–4, 5–6
 - meaning of "free," 3–4
 - original architect, 3
 - platforms supported, 2–3
 - pros, 4–6
 - redistribution, 5–6
 - Torvalds' announcement, 2
 - Linux Documentation Project (LDP), 10
 - Linux Loader (LILO), 34
 - Linux USB Device Overview*, 122–123
 - Linux User Groups (LUGS), 11
 - Listing
 - devices, 121, 122
 - directories, 415–417
 - directory contents, 69
 - files, 415–417
 - PCI devices, 133
 - permissions, 79
 - Locking
 - charts, 255
 - the desktop, 49–50
 - Logged on users, displaying, 415
 - Logging in, 43–47
 - Login manager, 43
 - Logos, 301–304
 - LPD spooler, 124
 - ls command
 - hidden files, 419
 - listing directory contents, 69
 - listing permissions, 79, 418
 - options, 416–417
 - purpose of, 415
 - searching files and directories, 435–438
 - verifying modem location, 134
 - lspci command, 133
 - LUGS (Linux User Groups), 11
 - lynx browser, 173
- M**
- Magic wand icon, 309–310
 - Magnifying glass icon, 311
 - Mahjongg, 362
 - mahjongg command, 362
 - Mailing lists, 10
 - make command, 114–115
 - man pages, 10, 62–63
 - Mandrake installation, 393–397
 - Mandriva. *See* Mandrake.
 - Master mixer controls, 322–323
 - Math test game, 368
 - McBride, Darl, 6
 - Measuring image elements, 311
 - Measuring tool, 311
 - Meetings
 - Evolution, 217, 220–221
 - KOrganizer, 211–214
 - Memory, swap space, 18–19
 - Menu bar, KDE (K Desktop Environment), 53–54
 - MessedWords game, 368
 - Metacharacters, 417–418
 - Microsoft Word
 - document format, 231, 235
 - documents, converting to/from, 235, 236
 - MIDI files, playing, 353
 - mkdir command, 428
 - Modems
 - Conexant chipset, 133
 - configuring
 - accounts, 141
 - devices, 140–141
 - DNS (domain name server), 142–143
 - IP address, 141–142
 - controllerless, 131–134
 - Internet connection, 139–143
 - Linmodems.Org* Web site, 132

- Modems (*cont.*)
 - software, 131–134
 - sources for, 134
 - Winmodems, 131–134
- Modification rights, GNU General Public License, 379–383
- Monitor, junk on screen, 424
- Monitor resolution
 - and KDE (K Desktop Environment), 52
 - optimizing, 27
 - Web presentations, 271–272
- Monitoring jobs, 129
- Monopoly-like games, 361
- more command, 416
- Mouse behavior, 44, 47–48
- MOV format, 350
- Move tool, 311
- Moving
 - directories, 416, 428
 - files and directories, 75–76, 416
 - pictures, 279
 - selected image areas, 311
- Mozilla browser, 166–167, 173. *See also* Firefox.
- Mozilla mail, 199
- .mp3 format, 333
- MPEG format, 350
- Multimedia. *See* Music; Video.
- Music
 - audio formats, 333, 336
 - encoder, selecting, 335
 - master mixer controls, 322–323
 - .mp3 format, 333
 - no sound, 324
 - notation programs, 353
 - .ogg format, 333
 - volume controls, 322
 - .wav format, 333
- Music CDs
 - album covers, displaying, 349–350
 - backing up data, 340–344
 - burning to
 - description, 332–333
 - K3b, 337–345
 - KaudioCreator, 333–337
 - calculating CD space, 341
 - copying from. *See* Ripping.
 - copying to. *See* Burning.
 - creating audio CDs, 339, 344–345
 - erasing a CD-RW, 340
 - interface description, 337–339
 - label information, displaying, 342
 - preserving permissions, 343
 - projects, 339
 - ripping from
 - description, 332–333
 - K3b, 337–345
 - KaudioCreator, 333–337
 - simulating a write to CD, 341
 - track information, displaying, 336–337
- Music players
 - amaroK jukebox, 350
 - BMP (Beep Media Player), 325
 - CD player, 324
 - Juk jukebox, 345–350
 - jukeboxes, 345–350
 - karaoke, 353
 - KMid, 353
 - KMix, 322–323
 - KsCD, 324
 - for MIDI files, 353
 - Noatun
 - interface description, 330
 - lightshows, 332
 - loading songs to a playlist, 330
 - playing songs from a playlist, 330
 - skinning, 331–332
 - special effects, 332
 - starting, 329
 - visualization plugins, 332
- XMMS
 - adding songs to a collection, 326
 - CD audio player plugin, 328
 - interface description, 325–326
 - lightshows, 327–328
 - playing songs, 326
 - skinning, 328–329
 - source for, 325
 - special effects, 327–328
 - starting, 325
 - visualization plugins, 327–328
- mutt, 199
- mv command, 416, 422, 428

N

Named partitions, 21
 Naming
 printers, 128
 Web presentations, 272
 Naming conventions
 directories, 416
 files, 416
 slides, 263
 Napoleon's Tomb, 360
 Navigating
 directories, 69–71
 Writer documents, 241–242
 Navigation panel
 KDE (K Desktop Environment), 51
 Konqueror, 70–71
 Navigation toolbar, Konqueror, 70
 NEdit, 454–455
`nedit` command, 455
 Netraverse. *See* Win4Lin.
 Network link, Konqueror, 71
 Network services, Konqueror, 71
 Network setup, WFTL Knoppix, 25–26
 Networks, configuring for Kmail, 183–187
 Noatun
 music player
 interface description, 330
 lightshows, 332
 loading songs to a playlist, 330
 playing songs from a playlist, 330
 skinning, 331–332
 special effects, 332
 starting, 329
 visualization plugins, 332
 video player, 350
`noatun` command, 329
 Normal tab, Impress, 264
 Notes, slides, 264
 Notes tab, Impress, 264

O

OCR (optical character recognition), 288, 294–296
`ocrad` package, 294
`.odt` file extension, 231
`.ogg` format, 333
`oowriter` command, 227

OpenDocument Text format, 231, 235
 OpenOffice.org applications
 presentation graphics. *See* Impress.
 spreadsheets. *See* Calc.
 word processor. *See* Writer.
 Opera browser, 173
 Optical character recognition (OCR), 288, 294–296
 Organizers. *See* Evolution for calendars;
 KOrganizer.
 Organizing pictures, 285–287
 Outlook equivalent. *See* Evolution.
 Outline tab, Impress, 264
 Outline view, presentations, 264–265
 Output, redirecting. *See* Piping.
 Ownership, files and directories, 431–432

P

Package managers
 DEB, 99
 `kpackage`, 103–108
 RPM, 99
 Packages
 installing, 104–106
 name suffixes, 106
 searching for, 107–108
 uninstalling, 104
 Page tab, Impress, 268
 Paint brushes, 307–308, 314–315
 Paint bucket icon, 313–314
 Palm document format, 231
 Partitions, formatting, 23
 Passwords
 case sensitivity, 43
 changing, 57–58
 creating, 60
 desktop, 87–88
 Evolution, 195, 198
 instant messaging, 148
 Kmail, 186
 logging in with, 43
 root, WFTL Knoppix, 28
 Path selection, 311
 Path tool, 311
 Patience game, 360
 Patterns (graphic), selecting, 307–308
 Patterns (logical), matching, 417–418

- Paul Clifford, 228
- PCI devices, 121–122, 133
- Pen icon, 314–315
- Pen point icon, 311
- Pencil icon, 314–315
- Penguin. *See* Tux.
- Percentage tutorial, 368
- Performance, WFTL Knoppix, 16
- Periodic table game, 368
- Peripheral support, limitations, 6–7
- Permissions
 - desktop icons, 95
 - files and directories
 - changing, 78–79
 - default settings, 433–435
 - displaying, 79, 430–431
 - execute, 79, 432, 434
 - listing with Konqueror, 78–79
 - listing with `ls` command, 418–419
 - ownership, 431–433
 - read, 79, 432, 434
 - read-only, 79, 432
 - write, 79, 432, 434
 - music CDs, 343
 - preserving, 343
 - printers, 127–128
- Persistent home directory, 23
- Personal information organizers (PIMs). *See*
 - Evolution for calendars;
 - KOrganizer.
- Personalizer. *See* KDE personalizer.
- Perspective, 313
- Perspective tool, 313
- Philosophy of the author, 12
- Photo management, 280–282
- Photographs. *See also* Digital art; Digital photography; Pictures.
 - brightness, 318
 - cloth effect, 318–319
 - contrast, 318
 - embossing, 318
 - filters, 318–319
 - light flare effect, 318
 - light levels, 317
 - special effects, 318–319
 - touch up, 317–319
- `pico` command, 455
- Pico editor, 454–455
- Pictures. *See also* Digital art; Digital photography; Photographs.
 - in e-mail, 183, 191
 - inserting in slides, 265–266
 - quality
 - scanned images, 290
 - Web presentations, 271–272
 - resolution, Web presentations, 271–272
 - scanned, formats, 291–292
 - source for, 265
- PIMs (personal information organizers). *See*
 - Evolution for calendars;
 - KOrganizer.
- pine, 199
- Piping
 - | (vertical bar), pipe symbol, 110
 - to the bit bucket, 427–428
 - command to command, 426
 - description, 425–426
 - to `/dev/null`, 427–428
 - STDERR pipe, 426–427
 - STDOUT pipe, 427–428
 - tee pipe, 426
- Planetarium program, 363–364
- Plastik theme, 47
- Platforms supported, 2–3
- Plug and play, 119
- Point-to-Point Protocol (PPP), 139
- Poker, 359
- Poker, 359
- Pop-ups, 164, 168–170
- Post-it-type notes, 223
- Potato Guy, 366–367
- Pound sign (#), root prompt, 414
- Powering off Linux, 409–411
- PowerPoint equivalent. *See* Impress.
- PPP (Point-to-Point Protocol), 139
- Presentation graphics. *See also* Impress; KPresenter.
 - exporting to
 - HTML, 269, 273
 - Macromedia Flash, 273
 - PDF, 273
 - Web presentations, 269, 273
 - HTML export, 269–273
 - presentations, slide
 - outline view, 264–265
 - printing, 269

- saving, 266
 - type, selecting, 261–262
 - presentations, Web
 - color schemes, 272
 - creating, 270
 - exporting to, 269, 273
 - image quality, 271–272
 - image resolution, 271–272
 - monitor resolution, 271–272
 - naming, 272
 - playing sounds, 271–272
 - publication type, selecting, 270
 - title page information, 272
 - slide shows, starting, 264
 - slides
 - backgrounds, 268
 - colors, 267–269
 - definition, 260
 - editing, 264–266
 - first, creating, 261
 - graphics, inserting, 265–266
 - handouts, 264
 - inserting, 266–267
 - layout, selecting, 263
 - naming conventions, 263
 - notes, 264
 - renaming, 267
 - sorting, 264
 - transitions, 261–262
 - templates, 260–261, 275
 - Print Manager, 128–131
 - Printers
 - adding, 124–126
 - instances, 130
 - Kprinter tool, 131
 - naming, 128
 - permissions, 127–128
 - personalizing, 126–127
 - printing a test page, 126
 - quotas, 127
 - Printing
 - an artwork, 306–307
 - charts, 256
 - a collection of files, 131
 - CUPS (Common Unix Printing System), 124
 - deleting jobs, 129
 - KOrganizer calendars, 208–209
 - LPD spooler, 124
 - monitoring jobs, 129
 - presentations, 269
 - queues, 124
 - rearranging jobs, 129
 - redirecting jobs, 129
 - spoolers, 124
 - spreadsheets, 256
 - Writer documents, 232–233
 - Prix, Johannes and Reinhard, 372
 - Processes
 - definition, 440
 - displaying, 440–443
 - killing, 443–444
 - Profiles, Konqueror, 158–159
 - Programs. *See specific programs.*
 - Projects, 339
 - ps command, 440–443
 - pwd command, 428
- Q**
- :q command, 451
 - Question mark (?), metacharacter, 417–418
 - Quick tips, purpose of, 8
 - Quotas, printers, 127
- R**
- Rectangle selection, 309–310
 - Rectangle selection tool, 309–310
 - Recurring events, 209–211, 219–220
 - Red X, 248
 - Red-eye correction, 280, 287
 - Redirecting
 - command output. *See Piping.*
 - print jobs, 129
 - Redistributing Linux, 5–6
 - Registering, Writer, 227
 - Reminders. *See Alarms.*
 - Renaming
 - files and directories, 75
 - slides, 267
 - reset command, 424
 - Resolution
 - images, Web presentations, 271–272
 - monitor, Web presentations, 271–272
 - scanned images, 290, 294

- Ripping from CDs
 - description, 332–333
 - K3b, 337–345
 - KaudioCreator, 333–337
 - Risk-like games, 361
 - rm command
 - alias for, 421–422
 - confirmation message, 421–422
 - deleting files, 420–421
 - forcing, 422–423
 - purpose of, 416
 - rmdir command, 428
 - Root directory, 66
 - Root password, 28
 - Root user, 28
 - Rotate tool, 312–313
 - Rotating images, 312–313
 - rpm command, 109–111
 - RTF format, 231
 - Rubber stamp icon, 315
- S**
- Scale tool, 312–313
 - Scaling images, 312–313
 - Scanner compatibility, 288
 - Scanning. *See also* Digital cameras; Digital photography.
 - Kooka program
 - brightness, 290
 - file size, 290
 - frames, 288–289
 - gamma correction, 290
 - image formats, 291–292
 - image quality, 290
 - interface description, 288–292
 - preview window, 288–289
 - resolution, 290, 294
 - saving your work, 293–294
 - scan size, selecting, 291
 - scanning part of an image, 291
 - sharpness, 290
 - starting, 288–289
 - OCR (optical character recognition), 288, 294–296
 - scanner compatibility, 288
 - XSane program, 296
 - Scissors icon, 310–311
 - SCO, lawsuit against IBM, 6
 - Scrambled words game, 368
 - Screen savers, 49–50, 86–88
 - Script files, making executable, 432–433
 - Script-Fu, 319–320
 - Scripting language, 319–320
 - Searching
 - directories, 435–438
 - file contents, 438–439
 - files, 435–438
 - files and directories, 435–438
 - Google shortcuts, 161
 - with grep command, 438–439
 - with Konqueror, 161–162
 - with ls command, 435–438
 - for pictures, 285–287
 - Security
 - KDE (K Desktop Environment), 58–60
 - viruses, 4–5, 98
 - worms, 98
 - Selecting
 - files, 73–74
 - image elements, 309–310
 - pictures, 285
 - Selection tools, 309–310
 - Sendmail, 184
 - setgid bit, 434–435
 - setuid bit, 434–435
 - Shading programs, 53
 - Sharpening images, 316
 - Sharpness, scanned images, 290
 - Shear tool, 312–313
 - Shearing images, 312–313
 - Shell out boxes, purpose of, 8
 - Shells. *See also* Commands; *specific commands.*
 - default, 55
 - definition, 8
 - prompt, 57, 81
 - Shortcuts. *See* Links.
 - Show Desktop icon, 68–69
 - Show Terminal Emulator, 81
 - Shredding files and directories, 80
 - Skinning
 - Noatun, 331–332
 - XMMS, 328–329
 - Slash directory, 66

- Slide shows, starting, 264
 - Slide Sorter, 264
 - Slides
 - backgrounds, 268
 - colors, 267–269
 - definition, 260
 - editing, 264–266
 - first, creating, 261
 - graphics, inserting, 265–266
 - handouts, 264
 - inserting, 266–267
 - layout, selecting, 263
 - naming conventions, 263
 - notes, 264
 - renaming, 267
 - sorting, 264
 - transitions, 261–262
 - SMTP, 184
 - Smudge tool, 315–316
 - Smudging images, 315–316
 - Snooze button, KOrganizer, 206
 - Software applications. *See also specific applications.*
 - finding, 115–116
 - limitations, 7
 - Software modems, 131–134
 - Solitaire, 359–360
 - Songs. *See* Music.
 - sort command, 416
 - Sorting
 - file contents, 416
 - slides, 264
 - Sounds, Web presentations, 271–272. *See also* Music.
 - Speaker icon, 49
 - Special effects, 318–319, 327–328, 332
 - Spell-check, Writer, 230
 - Split views, Konqueror, 160–161
 - Spoolers, 124
 - Spreadsheets. *See also* Calc; Gnumeric; KSpread.
 - built-in functions, 248–249
 - calculating averages, 247–250
 - charts
 - creating, 254–255
 - empty cells, 253
 - formatting, 255–256
 - linking to data, 255
 - locking, 255
 - placing, 253–254
 - printing, 256
 - summing a range of cells, 251–252
 - type, selecting, 254
 - creating, 246–247
 - entering data, 246–247
 - Formula window, 249–250
 - green checkmark, 248
 - printing, 256
 - red X, 248
 - saving your work, 250–251
 - Standard bar, Writer, 233
 - Standard error (STDERR), 423–425
 - Standard in (STDIN), 423–425
 - Standard out (STDOUT), 423–425
 - Start button. *See* Application Starter.
 - Starting/stopping Linux, 409–411
 - Status bar, Writer, 233
 - STDERR (standard error), 423–425
 - STDERR pipe, 426–427
 - STDIN (standard in), 423–425
 - STDOUT (standard out), 423–425
 - STDOUT pipe, 427–428
 - Stickpin icon, 315–316
 - Sticky windows, 53
 - Stopping/starting Linux, 409–411
 - Styles, 90, 92–94, 239–240
 - Stylist, 239–240
 - =SUM function, 251–252
 - Super-Mario-Bros-like game, 374–375
 - SuperTux, 374
 - Surfing the Net. *See* Web browsers.
 - SuSE installation, 402–406
 - Swap space, 18–19
 - Switching between running programs, 21
 - swriter command, 227
 - System administrator, 28
 - System Behavior screen, 44–46
 - System tray, 49
- T**
- T icon, 313–314
 - Tabbed browsing, 165, 168
 - Tags, pictures, 285–287
 - .tar.gz file extension, 113

- Taskbar
 - customizing, 88
 - WFTL Knoppix, 20–21
 - Tasks, Evolution, 222–223
 - Tasks pane, 263
 - Tear-off menus, 301
 - tee pipe, 426
 - TEG (Tenes Empanadas Graciela), 361
 - Templates
 - Impress, 260–261, 275
 - Writer, 238–239, 243
 - Tenes Empanadas Graciela (TEG), 361
 - Test page, printing, 126
 - Tetris-like games, 356
 - Text, in digital art, 313–314
 - Text files, paging, 416
 - Text tool, 313–314
 - .tgz file extension, 113
 - Themes, 47, 90, 92–94
 - Thompson, Ken, 66
 - 3D video support, 368–369
 - Thumbnails, 279
 - Thunderbird, 199
 - Time and date, 415, 444
 - Time management. *See* Evolution for calendars; KOrganizer.
 - Time zones, specifying for e-mail, 195
 - Tip of the Day, 56–57
 - Title bar, 52–53
 - To-Do items, 206–208, 222–223
 - Tooltips, KDE (K Desktop Environment), 49
 - Torvalds, Linus, 2, 274–275
 - Transitions, slides, 261–262
 - Trash bin, 80
 - Tron-like games, 373–374
 - Troubleshooting, desktop buttons are off screen, 52
 - tty command, 415
 - Tux, the penguin
 - game character, 366, 372, 374–375
 - history of, 274–275
 - picture of, 274
 - Tux Typing, 366
 - TuxRacer, 371–372
 - TuxRacer Belly Rub, 372
 - Typing game, 365–366
-
- U**
 - U command, 450
 - ugo command, 418
 - umask command, 433
 - unalias command, 423
 - uniq command, 416
 - Unique lines, returning, 416
 - urpmi command, 101–102
 - USB devices
 - description, 122–123
 - Linux USB Device Overview*, 122–123
 - vs. USB 2.0, 122
 - User ownership, files and directories, 431–432
 - Username
 - case sensitivity, 43
 - description, 59
 - logging in, 43
 - Users
 - adding, 59
 - displaying logged on, 415
-
- V**
 - Vertical bar (|), pipe symbol, 110
 - Video arcade games, 356–359
 - Video players
 - AVI format, 350
 - encrypted DVDs, 352
 - full-screen mode, 352
 - KMPlayer, 350–352
 - MOV format, 350
 - MPEG format, 350
 - Noatun, 350
 - starting, 351
 - Virtual desktops, 21, 48–49
 - Virtual machines, 36–37
 - Visualization plugins, 327–328, 332
 - vi/vim editors
 - commands, 451–452
 - entering data, 450
 - mode, determining, 450
 - navigation, 450
 - power startup options, 454
 - :q command, 451
 - recovering a session, 452–454
 - starting, 450
 - U command, 450

- undoing, 450
 - : w command, 451
 - : wq command, 451
 - ZZ command, 451
- VMware, 36–37
- Volume controls for music, 322
- W**
- w command, 415
 - : w command, 451
- Wallpaper, 94
- Warranty, GNU General Public License, 383–384
- .wav format, 333
- wc command, 416
- Web browsers
 - Epiphany, 173
 - Firefox
 - cookies, 170–171
 - history list, 172
 - home page, 167–168
 - pop-ups, 168–170
 - sidebar, 172
 - tabbed browsing, 168
 - vs. Mozilla, 166–167
 - Konqueror
 - clearing the Location field, 157
 - cookies, 162–163
 - features, 156
 - full-screen mode, 162
 - green light, 16
 - pop-ups, 164
 - preserving window size, 158
 - profiles, 158–159
 - searching, 161–162
 - setting a home page, 157–159
 - split views, 160–161
 - starting, 156
 - surfing the Net, 157
 - tabbed browsing, 165
 - links, 173
 - lynx, 173
 - Mozilla, 173
 - Opera, 173
 - text-only, 173
- Web presentations
 - creating, 270
 - exporting to, 269, 273
 - publication type, selecting, 270
 - title page information, 272
- WFTL (Writer and Free Thinker at Large), 10
- WFTL Knoppix
 - Application Starter, 19
 - boot diskette, creating, 28
 - booting from CD, 17–18, 28
 - booting from diskette, 22, 28
 - CD-ROM contents, 11–12
 - cheat codes, 18, 27, 28
 - configuring, 21–23
 - data encryption, 24
 - formatting partitions, 23
 - help, 27–29
 - included software, 20
 - installing on a hard disk, 28–29
 - interface description, 19–21
 - keyboard layout, 27
 - Kicker, 19
 - memory, swap space, 18–19
 - named partitions, 21
 - network setup, 25–26
 - optimal resolution, 27
 - performance, 16
 - persistent home directory, 23
 - root password, 28
 - settings, displaying, 23
 - switching between running programs, 21
 - taskbar, 20–21
 - virtual desktops, 21
- who command, 415
- Widgets, 90
- Wild cards, 417–418
- Win4Lin, 37
- Window decorations, 91–92
- Windows
 - closing, 53
 - making sticky, 53
 - maximizing, 53
 - minimizing, 53
 - resizing, 54
 - rolling up, 53
- Windows, running on Linux, 35–37
- Wine, 35–36
- Winmodems, 131–134

Word. *See* Microsoft Word.

Word count, 416

Word processors, KWord, 243. *See also* Writer.

Working directories, printing, 428

Workstations, identifying, 415

:wg command, 451

Writer

directories, setting default, 236

document elements, displaying, 242–243

document formats, 231

file format, default, 237

Formatting bar, 233

help, 233–234

language, default, 231

Microsoft Word documents, converting, 235, 236

Microsoft Word format, 231, 235

navigating documents, 241–242

OpenDocument Text format, 231, 235

Palm document format, 231

personalizing, 231

printing a document, 232–233

registering, 227

RTF format, 231

saving a document, 231–232

spell-check, 230

Standard bar, 233

starting, 226

Status bar, 233

straight text format, 231

styles, 239–240

stylist, 239–240

templates, 238–239, 243

toolbars, 233

typing content, 228–229

Writer and Free Thinker at Large (WFTL),

10

X

X window system, 42–43

Xandros installation, 406–409

xboard, 362

xboard command, 362

XChat, 153

xclock command, 443–444

XFree86, 42

Ximian Evolution. *See* Evolution.

XMMS

adding songs to a collection, 326

CD audio player plugin, 328

interface description, 325–326

lightshows, 327–328

playing songs, 326

skinning, 328–329

source for, 325

special effects, 327–328

starting, 325

visualization plugins, 327–328

X.org, 42–43

xsane command, 296

XSane program, 296

Y

yast2 command, 99

Z

Zooming, on images, 311, 316

zz command, 451