

Index

Page entries in **boldface** refer to the page where the term is defined. Terms beginning with one or more underscores are indexed under their first letter.

- abs, 265, 293, 511, 512, 517, 518
- abstract class, **223**
- acos, 270, 294
- acosh, 272, 296
- algorithm, **81**
- alignment, **233**
- anchor, **362**
- arg, 293
- arithmetic type, **219**
- <array> header, 94
- array, 92–111
 - assign, 103
 - at, 100
 - back, 100
 - begin, 104
 - class array, 95
 - const_iterator, 106
 - const_pointer, 106
 - const_reference, 106
 - const_reverse_iterator, 106
 - data, 100
 - difference_type, 106
 - empty, 99
 - end, 104
 - front, 100
 - get, 94, 110
 - iterator, 106
 - max_size, 99
 - operator!=, 94, 109
 - operator<, 94, 109
 - operator<=, 94, 110
 - operator==, 94, 109
 - operator>, 94, 110
 - operator>=, 94, 110
 - operator[], 100
 - pointer, 106
 - rbegin, 104
 - reference, 106
 - rend, 104
 - reverse_iterator, 106
 - size, 99
 - size_type, 106
 - swap, 94, 103
 - tuple_element, 94, 111
 - tuple_size, 94, 111
 - value_type, 106
- asin, 294
- asin, 270
- asinh, 272, 296
- assign control, **24**
- assoc_laguerre, 281
- assoc_legendre, 282
- associative container, **88**
- atan, 270, 295
- atan2, 270
- atanh, 272, 296
- auto_ptr, 32

- back reference, **362**
- bad_function_call, 178
- bad_weak_ptr, 60
- basic_regex, 375, 384
- bernoulli_distribution, 327
- beta, 284
- BinaryTypeTrait, **213**
- bind, 141, 191–203
 - _1, 193
 - additional arguments, 195
 - bind arguments, 200
 - extending, 203
 - is_bind_expression, 194, 203
 - is_placeholder, 194, 203
 - ordinary arguments, 196
 - placeholders, 193, 198
 - reference_wrapper, 194, 202
- binomial_distribution, 328
- bitmask type, **376**
- _Bool, 532
- __bool_true_false_are_defined, 532
- Boolean types, 532
- Boost, x
- bound arguments, **194**
- bracket expression, **362**

- C-style array, 93
- cabs, 293
- cacos, 294
- cacosh, 296
- call wrapper, **143**, 159, 193, 194
 - in general, 141–155
- call wrapper type, **143**
- callable object, **142**, 173
- callable type, **142**, 172
- capture group, **363**
- carg, 293
- case-insensitive matching, **369**
- casin, 294
- casinh, 296
- catan, 295
- catanh, 296
- cbrt, 276
- <ccomplex> header, 241
- cconj, 298
- ccos, 295
- ccosh, 297
- <cctype> header, 531
- ceil, 266
- cexp, 297
- <cfenv> header, 241
- <cfloat> header, 241
- character class, **363**
- character classification, 531
- character range, **364**
- Checkpointing, **313**
- cimag, 294
- < cinttypes > header, 513, 517, 521
- clog, 297
- cmatch, 442
- <cmath> header, 241
- collating element, **365**
- collating symbol, **365**
- comp_ellint_1, 286
- comp_ellint_2, 286
- comp_ellint_3, 287
- comparison operators, 13
- <complex.h> header, 241, 292
- composite, **219**
- compound engine, **308**
- compound type, **220**
- compromise rule, **213**
- concatenated regular expression, **359**
- conf_hyperg, 287
- conformance, xii–xiv
- conforming implementation, **xiv**
- const_pointer_cast, 66
- container, **86**, 118
 - comparisons, 119

- nested types, 118
- operations, 118
- continuous distribution, **325**, 332
- control escape sequence, **365**
- controlled resource, **23**
- controlled sequence, **86**
- controls, **24**
- copysign, 278
- cos, 271, 295
- cosh, 272, 297
- cpow, 298
- cproj, 299
- creal, 294
- cref, 7, 169
- cregex_iterator, 467
- cregex_token_iterator, 479
- csin, 295
- csinh, 297
- csqrt, 298
- <cstdbool> header, 532
- <cstdint> header, 513
- csub_match, 430
- ctan, 295
- ctanh, 297
- current match, **471**
- <cwctype> header, 531
- cycle, **46**
- cyl_bessel_i, 288
- cyl_bessel_j, 288
- cyl_bessel_k, 289
- cyl_neumann, 290

- deleter object, **68**
- denormal, 257
- denormalized, **243**
- diagnosable rule, **xiii**
- diagnostic message, **xii**
- Dinkumware, Ltd., x
- discard_block, 319
- discrete distribution, **325**, 327

- div, 511, 512, 517, 519
- domain error, **258**
- dsw character escape, **365**
- dynamic_pointer_cast, 64

- element, **354**
- ellint_1, 285
- ellint_2, 285
- ellint_3, 285
- empty function object, **179**
- empty regular expression, **376**
- empty shared_ptr, **24**
- empty weak_ptr, **24**
- enable_shared_from_this, 57–60
- enumeration type, **376**
- equality comparison, 4, 13
- equivalence class, **365**
- erf, 284
- erfc, 284
- error_type, 393
- examples, about, 241
- exp, 273, 297
- exp2, 273
- expint, 291
- expired, **25**
- expm1, 273
- exponent, **243**
- exponential_distribution, 332

- fabs, 265, 293
- false_type, 215
- fdim, 266
- FE_ALL_EXCEPT, 253
- FE_DFL_ENV, 249
- FE_DIVBYZERO, 252
- FE_DOWNWARD, 251
- FE_INEXACT, 252
- FE_INVALID, 252
- FE_OVERFLOW, 252
- FE_TONEAREST, 251

- FE_TOWARDZERO, 251
- FE_UNDERFLOW, 252
- FE_UPWARD, 251
- feclearexcept, 253
- fegetenv, 250
- fegetexceptflag, 254
- fegetround, 251
- feholdexcept, 255
- <fenv.h> header, 241, 247
- fenv_t, 249
- feraiseexcept, 253
- fesetenv, 250
- fesetexceptflag, 254
- fesetround, 252
- fetestexcept, 253
- feupdateenv, 256
- fexcept_t, 254
- file format escape, **366**
- fixed width integer types, 512–519
 - exact width, 513
 - fastest, 515
 - macros, 516
 - minimum width, 514
 - pointers, 515
 - widest, 516
- <float.h> header, 241, 552
- floating-point control mode, **248**
- floating-point environment, **248**
- floating-point exception, **248**
- floating-point status flag, **248**
- floating-point type, **217**
- floating-point types, 242
 - model, 243
 - properties, 243
 - value ranges, 245
- floor, 266
- fma, 279
- fmax, 266
- fmin, 266
- fmod, 269
- formal language, use of, xi
- forwarding call wrapper, **144**
- forwarding problem, **200**
- FP_FAST_FMA, 279
- FP_ILOGBO, 274
- FP_ILOGBNAN, 274
- FP_INFINITE, 263
- FP_NAN, 263
- FP_NORMAL, 263
- FP_SUBNORMAL, 263
- FP_ZERO, 263
- fpclassify, 263
- frexp, 276
- function, 141, 177–189
 - construction, 179
 - conversion to Boolean type, 181
 - derived from `binary_function`, 185
 - derived from `unary_function`, 185
 - `function::operator()`, 186
 - `function::operator=`, 182
 - `function::result_type`, 185
 - `function::swap`, 183
 - `function::target`, 187
 - `function::target_type`, 187
 - `operator!=`, 185
 - `operator==`, 184
- function type, **178**
- <functional> header, 7, 141, 159, 168, 169, 178, 193, 203, 565
- fundamental type, **219**
- `gamma_distribution`, 333
- `geometric_distribution`, 329
- get, 4, 10, 16, 110
- greedy repetition, **358**
- has a deleter, **25**
- hash table, **114**

- hermite, 291
- hexadecimal escape sequence, **366**
- hexfloat, 527
- HUGE_VAL, 258
- hyperg, 287
- hypot, 276
- I/O
 - hexadecimal, 525–527
- identity escape, **366**
- ill-formed program, **xiii**
- ilogb, 274
- imag, 294
- imaxabs, 517, 518
- imaxdiv, 517, 519
- imaxdiv_t, 517, 518
- implementation-defined behavior,
 - xiv**
- individual character, **367**
- infinity, 257
- input sequence, **81**
- insert iterator, **83**
- int16_t, 513
- int32_t, 513
- int64_t, 513
- int8_t, 513
- int_fast16_t, 515
- int_fast32_t, 515
- int_fast64_t, 515
- int_fast8_t, 515
- INT_FASTN_MAX macros, 517
- INT_FASTN_MIN macros, 517
- int_least16_t, 514
- int_least32_t, 514
- int_least64_t, 514
- int_least8_t, 514
- INT_LEASTN_MAX macros, 517
- INT_LEASTN_MIN macros, 517
- integer types, 507–519
- integral type, **216**
- integral_constant, 215
- INTMAX_MAX, 517
- INTMAX_MIN, 517
- intmax_t, 516
- INTN_C macros, 517
- INTN_MAX macros, 517
- INTN_MIN macros, 517
- INTPTR_MAX, 517
- INTPTR_MIN, 517
- intptr_t, 515
- <inttypes.h> header, 513, 517
- INVOKE, **144**
- INVOKE_R, **145**
- <ios> header, 527
- is_bind_expression, 194, 203
- is_placeholder, 194, 203
- isblank, 531
- isfinite, 263
- isgreater, 264
- isgreaterequal, 264
- isinf, 263
- isless, 264
- islessequal, 265
- islessgreater, 265
- isnan, 264
- isnormal, 264
- isunordered, 265
- iswblank, 531
- iterator, **81**
- laguerre, 281
- ldexp, 277
- legendre, 281
- lexicographical comparison, **13**
- lgamma, 283
- linear_congruential, 313
- llabs, 511, 512
- lldiv, 511, 512
- lldiv_t, 511, 512
- llrint, 267

- llround, 268
- load factor, **134**
- locale-sensitive match, **369**
- locale-sensitive ranges, **365**
- log, 274, 297
- log10, 274
- log1p, 275
- log2, 275
- logb, 274
- lrint, 267
- lround, 268

- make_tuple, 3, 7
- match_flag_type, 406, 487
- match_results, 432
- match_results::format, 442, 488
- <math.h> header, 241, 260, 279, 553
- MATH_ERREXCEPT, 258
- math_errhandling, 258
- MATH_ERRNO, 258
- "mathutil.h" header, 242, 575
- mem_fn, 141, 159–165
 - binding to object, 160
 - pointer to member data, 164
 - result_type, 163
- member pointer, **220**
- <memory> header, 26, 569
- mersenne_twister, 314
- minstd_rand, 323
- minstd_rand0, 322
- modf, 277
- mt19937, 323
- multiple CPUs, 579
- multithreading, 71, 579–582
 - libraries and, 581
 - problems, 71, 579
- mutex, **579**

- NaN, 257, **257**
- nan, 278

- nearbyint, 267
- negative assert, **368**
- negative word boundary assert, **368**
- nextafter, 278
- nexttoward, 278
- non-normative, **xiv**
- noncapture group, **368**
- nongreedy repetition, **358**
- normal_distribution, 334
- normalized, **243**
- normative, **xiv**

- object type, **220**
- octal escape sequence, **368**
- One Definition Rule, **xiii**
- operand, **179**
- operand sequence, **376**
- order comparison, 4, 13
- ordinary character, **369**
- original owner, **25**
- original pointer, **25**
- output sequence, **82**
- overload, 259
- owns, **24**

- pair, 3, 15–17
 - get, 16
 - tuple_element, 16
 - tuple_size, 16
- Parallelizing a calculation, **312**
- points to, **24**
- poisson_distribution, 330
- polymorphic type, **222**
- positive assert, **370**
- pow, 275, 298
- predefined engines, 322
- printf, 525–527
- PRIxxx macros, 521
- PTRDIFF_MAX, 517
- PTRDIFF_MIN, 517

- race condition, **581**
- raise, **252**
- <random> header, 305
- random number distribution, 325
- random number distributions, 325–336
 - bernoulli_distribution, 327
 - binomial_distribution, 328
 - continuous, 332
 - discrete, 327
 - exponential_distribution, 332
 - gamma_distribution, 333
 - geometric_distribution, 329
 - normal_distribution, 334
 - poisson_distribution, 330
 - uniform_int, 331
 - uniform_real, 335
- random number engine, 308
- random number engines
 - discard_block, 319
 - linear_congruential, 313
 - mersenne_twister, 314
 - minstd_rand, 323
 - minstd_rand0, 322
 - mt19937, 323
 - random_device, 321
 - ranlux3, 323
 - ranlux3_01, 324
 - ranlux4, 324
 - ranlux4_01, 324
 - ranlux64_base_01, 324
 - ranlux_base_01, 324
 - subtract_with_carry, 316
 - subtract_with_carry_01, 317
 - xor_combine, 320
- random number generator, 307
- random numbers, 305–342
 - engine templates, 312
 - predefined engines, 402
 - variate_generator, 336
- random_device, 321
- range, **81**
- range error, **258**
- ranlux3, 323
- ranlux3_01, 324
- ranlux4, 324
- ranlux4_01, 324
- ranlux64_base_01, 324
- ranlux_base_01, 324
- reachable, **81**
- real, 294
- ref, 7, 169
- reference count, 23, 28
- reference_wrapper, 141, 167–174
 - construction, 168
 - operator(), 172
 - result_type, 172
 - type, 171
- <regex> header, 377, 402, 406, 419, 456, 467, 537
- regex_constants, 378
- regex_error, 395
- regex_iterator, 456
- regex_match, 403
- regex_replace, 491
- regex_search, 404
- regex_token_iterator, 467
- regex_traits, 375, 503
- regular expression, **347**
- regular expression grammar, **353**
- regular expression searches, 399–479
 - cmatch, 442
 - cregex_iterator, 467
 - cregex_token_iterator, 479
 - csub_match, 430
 - empty matches, 450
 - lost anchors, 447
 - lost word boundaries, 449
 - match_flag_type, 406

- match_results, 432
- match_results::format, 442
- optimizing, 383
- regex_iterator, 456
- regex_match, 403
- regex_search, 404
- regex_token_iterator, 467
- smatch, 442
- sregex_iterator, 467
- sregex_token_iterator, 479
- ssub_match, 430
- storing results, 417–442
- sub_match, 420
- wcmatch, 442
- wcregex_iterator, 467
- wcregex_token_iterator, 479
- wcsub_match, 430
- wsmatch, 442
- wsregex_iterator, 467
- wsregex_token_iterator, 479
- wssub_match, 430
- regular expression traits class, 497
- regular expressions, 347–505
 - basic_regex, 375, 384
 - case-insensitive comparison, 380, 499
 - character ranges, 382
 - customizing, 497–505
 - error_type, 393
 - errors, 393–395
 - formatting with, 483–494
 - escape sequences, 488
 - grammars, 353–372
 - ignoring submatches, 383
 - match_flag_type, 487
 - match_results::format, 488
 - overview, 347
 - regex_constants, 378
 - regex_error, 395
 - regex_replace, 491
 - regex_traits, 375, 503
 - syntax_option_type, 379
- rehashing, 117
- releases control, 25
- remainder, 269
- remquo, 269
- repetition count, 357
- resource limits, **xiii**
- result_of, 141
- reversible container, 89
- "rgxutil.h" header, 371, 576
- riemann_zeta, 291
- rint, 267
- round, 268
- rounding mode, 251
- scalar type, 220
- scalbln, 277
- scalbn, 277
- scanf, 527
- SCNxxx macros, 521
- sequence, 81
- sequence container, 87
- serialization, 579
- shared data, changes to, 579, 580, 582
- shared pointer conversions, 60–66
- shared_ptr, 27–45
 - const_pointer_cast, 66
 - constructing, 28, 49, 60, 61
 - destroying, 32
 - dynamic_pointer_cast, 64
 - empty, 24
 - get, 33
 - get_deleter, 44
 - operator boolean-type, 35
 - operator!=, 41
 - operator*, 33
 - operator->, 34
 - operator<, 41

- operator<<, 43
- operator=, 61
- operator=, 37
- operator==, 41
- overview, 28
- quirks, 43
- reset, 39
- static_pointer_cast, 63
- swap, 40
- unique, 36
- use_count, 36
- SIG_ATOMIC_MAX, 517
- SIG_ATOMIC_MIN, 517
- signbit, 264
- significand, **243**
- simple call wrapper, **144**
- simple engine, **308**
- sin, 271, 295
- sinh, 272, 297
- SIZE_MAX, 517
- smart pointers, 23–72
 - bad_weak_ptr, 60
 - definitions of terms, 24
 - destruction of controlled resources, 66
 - shared_ptr, *see* shared_ptr
 - weak_ptr, *see* weak_ptr
- smatch, 442
- sph_bessel, 289
- sph_legendre, 282
- sph_neumann, 290
- "sputil.h" header, 25, 573
- sqrt, 275, 298
- sregex_iterator, 467
- sregex_token_iterator, 479
- ssub_match, 430
- Standard Template Library, 81–90
- standards
 - C++, 241
 - C, 241, 532
 - IEC 60559, 257
- state, **312**
- static_pointer_cast, 63
- <stdbool.h> header, 532
- <stdint.h> header, 512, 513
- strftime, 522–525
- strtod, 520
- strtod, 520
- strtoimax, 520, 521
- strtol, 520
- strtold, 520
- strtoll, 520
- strtoul, 520
- strtoull, 520
- strtoumax, 520, 521
- sub_match, 420
- subexpression, **360**
- subtract_with_carry, 316
- subtract_with_carry_01, 317
- suffix iterator, **471**
- syntax_option_type, 379
- tan, 271, 295
- tanh, 273, 297
- target load factor, **134**
- target object, **143**, 173
- text representation, **312**
- text-conversion functions, **520**
- tgamma, 283
- <tgmath.h> header, 259
- threads, *see* multithreading
- tie, 3
- TransformationTypeTrait, **213**
- trap handler, **248**
- trivial copy assignment operator, **225**
- trivial copy constructor, **224**
- trivial default constructor, **223**
- trivial destructor, **226**
- true_type, 215
- trunc, 268

- `<tuple>` header, 4
- `tuple`, 110–111
 - comparing, 13
 - constructing, 6
 - `get`, 4, 10
 - `maketuple`, 6
 - `operator=`, 9
 - references, 7
 - `tie`, 8
 - `tuple_element`, 12
 - `tuple_size`, 11
- `tuple_element`, 4, 12, 16, 111
- `tuple_size`, 4, 11, 16, 111
- tuples, 3–15
- type predicate, **212**
- type query, **212**
- type traits, 209–235
 - alignment, 233
 - `BinaryTypeTrait`, 213
 - composite type categories, 219
 - compromise rule, 213
 - `false_type`, 215
 - helper types, 215
 - `integral_constant`, 215
 - primary type categories, 216
 - `TransformationTypeTrait`, 213
 - `true_type`, 215
 - type properties, 220
 - type relationships, 229
 - type transformations, 230
 - `UnaryTypeTrait`, 213
- type transformation, **212**
- `<typetraits>` header, 213
- `uint16_t`, 513
- `uint32_t`, 513
- `uint64_t`, 513
- `uint8_t`, 513
- `uint_fast16_t`, 515
- `uint_fast32_t`, 515
- `uint_fast64_t`, 515
- `uint_fast8_t`, 515
- `UINT_FASTN_MAX` macros, 517
- `uint_least16_t`, 514
- `uint_least32_t`, 514
- `uint_least64_t`, 514
- `uint_least8_t`, 514
- `UINT_LEASTN_MAX` macros, 517
- `UINTMAX_MAX`, 517
- `uintmax_t`, 516
- `UINTN_C` macros, 517
- `UINTN_MAX` macros, 517
- `UINTPTR_MAX`, 517
- `uintptr_t`, 515
- `UnaryTypeTrait`, **213**
- undefined behavior, **xii**
- Unicode escape sequence, **370**
- `uniform_int`, 331
- `uniform_real`, 335
- unordered, **258**
- unordered associative container, **89**,
 - 119
 - in general, 113–137
 - nested types, 120
 - operations, 120–124
 - `rehash`, 134
 - tuning, 135
- `<unordered_map>` header, 549
- `unordered_map`, 549
- `unordered_multimap`, 549
- `unordered_multiset`, 545
- `<unordered_set>` header, 545
- `unordered_set`, 545
- unspecified behavior, **xiv**
- `<utility>` header, 571
- `va_copy` macro, 530
- variable-length argument lists, 528,
 - 530
- `variate_generator`, 336

- WCHAR_MAX, 517
- WCHAR_MIN, 517
- wcmatch, 442
- wcregex_iterator, 467
- wcregex_token_iterator, 479
- wcstod, 520
- wcstof, 520
- wcstoimax, 520, 521
- wcstol, 520
- wcstold, 520
- wcstoll, 520
- wcstoul, 520
- wcstoull, 520
- wcstoumax, 520, 521
- wcsub_match, 430
- weak result type, **145**
- weak_ptr, 45–56
 - constructing, 47, 48
 - destroying, 49
 - empty, 24
 - expired, 51
 - lock, 51
 - operator<, 55
 - operator=, 53
 - overview, 47
 - reset, 54
 - swap, 55
 - use_count, 52
- well-formed program, **xiii**
- wildcard character, **370**
- WINT_MAX, 517
- WINT_MIN, 517
- word boundary, **370**
- word boundary assert, **370**
- word characters, **370**
- wsmatch, 442
- wsregex_iterator, 467
- wsregex_token_iterator, 479
- wssub_match, 430

- xor_combine, 320

- zero-length match, **421**