

Index

Symbols

! formatting symbol 151
" (double quotation mark) character
concatenation and 48
filter conditions and 268
format patterns and 143
SQL statements and 88
text file data sources and 74
" " as empty string 244
" " as literal space character 246
% (percent) character 234
% operator 164, 165
% wildcard character (SQL) 88
& formatting symbol 151
&& operator 254
+ operator 98, 246
, (comma) character 73, 246
. (period) character 250
/ (forward slash) character 249
; (semicolon) character 239
< formatting symbol 151
= operator 268
== operator 268, 272
> formatting symbol 151
? (question mark) character 250, 280
@ formatting symbol 151
_ wildcard character (SQL) 88
{} (curly braces) characters 91
|| operator 254, 272
... button
chart titles and 430
defined 572
expression builder and 99
externalized text and 547

hyperlink options and 498
legend text and 438
resource keys and 545
run-time connections and 78
sorting data and 182
text file connections and 76
XML files and 77
' (single quotation mark) character 74, 268

Numerics

3-D charts
coloring areas in 420
curve fitting and 453
formatting 456
rotating axes in 456
selecting as type 374
setting inset values for 422
setting series depth in 455
spacing series in 457
transposing axes values and 411

A

absolute formatting 158
absolute paths 93
abstract base class 553
accessing
BIRT RCP Report Designer 25
BIRT Report Designer 11, 24
chart builder 358
data 22, 67, 73, 76
Data Explorer 64
data set fields 127
databases 67, 77
expression builder 99, 240

accessing (*continued*)
installation demo 5
JavaScript functions and operators 138
JDBC data sources 67
JDBC driver manager 71
Navigator 203
Property Editor 43
report designs 29
report elements 28, 527, 529
report libraries 526
report templates 517, 538
sample database 36
text file data sources 73, 75
XML data sources 76
XML editor 29
Action pick list 509
actions 508, 509
Active Server Pages. *See* ASPs
ad hoc reports 275
Add Group command 185, 197
Add Image button 131
Add Library command 526
Add Library dialog 526
Add Line button 441
Add Range button 441
Add Region button 465
addDate function 254
adding
aggregate values 222–223
alternate values 173–174
background images 379, 418, 490
charts 117, 351, 373
column bindings 109
column headings 121, 134
computed fields 99, 128, 129
custom formats 148, 149, 151
data elements 40, 134
data set fields 125, 127, 147
data set parameters 281–284
database drivers 70
database URLs 72
design templates 534
dynamic text elements 134, 138, 139
expressions 238, 239
filter conditions. *See* filter conditions
flat file data sources 75, 76
formatting rules 159–161, 162, 163
grid elements 118, 333

group header rows 211
group headings 199–202, 213
groups 185, 195, 197, 207
HTML tags 140, 141
hyperlinks 497–502
images to backgrounds 490, 492
images to designs 129, 130, 131
images to master pages 487
JavaScript expressions 209, 238, 240
JDBC data sources 68
label elements 134, 139
libraries to designs 515, 518, 520
list elements 117, 124, 323
map rules 173
master pages 478, 493, 494, 532
multiple data sources 64
page breaks 478, 484
page headers and footers 57, 118
passwords 69
pictures to fields 175
projects 32
report elements 40, 117, 125
report parameters 277, 279
report sections 118
report titles 50, 118, 134, 135
resource files 544, 550
resource keys 542, 545
run-time parameters 280, 281
sort keys 182, 194
source code 23
styles 46, 153, 154, 155
summary values 187
table elements 40, 117, 120, 519
table of contents 215, 503
tables to queries 87
text elements 134, 140, 519
text messages 175, 177
user names 69
watermarks 491
XML data sources 76
addition 243
aggregate data. *See* aggregate values
aggregate expressions
applying to groups 230
creating 224–226
creating charts and 385, 405
creating column bindings and 107, 110
defined 553

aggregate expressions (*continued*)
 entering in expression builder 226
 filtering data and 265

aggregate functions
 accessing 226, 241
 arguments in 225, 227
 defined 553
 filter expressions and 227
 listed 221
 null values and 228

aggregate values
 adding 222–223
 calculating 220, 224–226
 calculating percentages and 231
 creating summary reports and 234, 235
 defined 554
 displaying 210, 219
 excluding null values from 228
 filtering 227–229, 265
 retrieving from groups 229, 231

aggregating data 219, 220, 224, 385

aliases 96, 554

aligning
 background images 492
 blocks of content 119, 120
 data in subreports 314
 elements in tables or grids 165–166
 report elements 119
 text 147, 165, 431

alignment, changing 165

alignment buttons 431

alignment defaults 165

Allow blank values property 288, 298

Allow null value property 288, 298

alternate names. *See also* aliases; display names

alternate values 173–174

alternating colors 163–165

Always Excluding First value 479

Always Excluding Last value 479

Always value 479

analyzing data 275

ancestor classes 554
See also superclasses

anchor settings
 chart areas 424
 chart titles 432
 legends 435
 plot areas 427

And operator 254

Any data type 109

Apache Derby driver 69

APIs. *See* application programming interfaces

AppContext objects 76

applets 554

application programming interfaces (APIs) 555

application window
 BIRT RCP Report Designer 26
 BIRT Report Designer 25

applications 275, 379, 554
See also multithreaded applications

Apply Style command 158

archive files
See also jar files; war files

BIRT packages in 3

downloading 10, 11, 13

unpacking 5, 10

area charts
See also charts

changing series type in 449

curve fitting and 453

defining axes values for 406

defining axis titles for 439

defining data series for 389–392

formatting data series for 457–458

overview 375

stacking series in 455

Area Format dialog 426, 427

Area Including Axes options 426

Area Within Axes options 426

arguments 91, 555
See also functions; parameters

arrays 555

arrow button (Sorting) 182, 194

arrow cursor 125

Ascending option 183, 187, 195

ascending sort order 183, 187, 195

ASCII files 543
See also text files

aspect ratios (charts) 467

ASPs 553

assignment statements 555

asterisk (*) character 250

attribute paths 93

attributes
 fonts 147, 431
 run-time connections and 78
 XML data sets and 92, 95, 260
authentication 77
author 486, 487
Author# element 487
Auto value (content type) 139
Auto value (page breaks) 479
automatic binding 122
AutoText elements 487
Available Column Bindings category 241
Available Data Sets category 242
ave function 221
averages 220, 221, 228
Avoid value 479
axes values
 See also charts
 adding grid lines for 443, 445
 adjusting tick position for 444
 changing 405
 changing line styles for 444
 changing spacing around 428
 changing tick marks for 444
 creating 371, 405–411
 defining multiple 410
 flipping 376
 formatting 407, 425, 439
 hiding labels for 442, 447
 highlighting 440
 intersecting 408
 outlining 426
 positioning data relative to 406
 positioning tick marks for 443
 restrictions for 406
 rotating labels for 446
 scaling 409–410
 setting background colors for 426
 setting interactive options for 507
 staggering labels for 446
 transposing 411
axis label format options 448
axis labels 407, 415, 445–448
 See also data point labels
axis lines 443–445
 See also tick marks
axis markers
 See also markers (charts)

creating 440–441
formatting 441–442
outlining 442
axis rotation 456
axis scale options 409, 410
Axis section (Format Chart) 371
axis titles 439
axis types 407
B
Background Color property 47, 163, 164
background colors
 alternating 163, 164
 axis labels and 448
 axis titles and 440
 background images and 491
 cascading styles and 154
 chart areas and 417, 425, 431
 chart legends and 433
 chart titles and 431
 curve-fitting labels and 454
 customizing 419
 data point labels and 473
 group headers and 201, 211
 marker labels and 443
 styles and 46
background images
 adding to charts 379, 418
 adding to master pages 490–492
 repeating 491, 492
 repositioning 492
 selecting 418
Background pick list 417, 418
Background repeat property 492
bar charts
 See also charts
 changing bar spacing for 424
 changing series type in 449
 coloring data series for 450
 curve fitting and 453
 defining axes values for 406
 defining axis titles for 439
 defining data series for 389–392
 formatting data series in 459
 overview 376
 stacking series in 455
bar colors 379, 450, 471
bars (charts) 424, 459

base values (groups) 190, 191
 Between operator 269
 BIGDECIMAL type indicator 74
 binding
 data set parameters to report
 parameters 281–284
 data sets to images 132
 data sets to lists 125, 142
 data sets to reports 105
 data sets to tables 122–123, 142
 parameters to data sources 78
 parameters to linking fields 316, 327, 331
 textual elements to data sets 138, 142
 Binding page 108, 122, 225
 binding properties 78, 122
See also column binding
 Binding tab 122
 BIRT xviii, 556
 BIRT Chart Engine 556
 BIRT Demo Database 557
See also Classic Models sample database
 BIRT Demo Database package 10
 BIRT documentation xxi, xxii
 BIRT extensions 557
See also extensions
 BIRT Functions category 226, 241
 BIRT open source projects. *See* projects
 BIRT RCP Report Designer
See also BIRT Report Designer; rich client
 platforms
 defined 558
 documentation conventions for 24
 downloading packages for 3
 installing 12–14
 opening designs from 203
 prerequisites for 3
 removing cached pages for 14
 running projects and 22
 software requirements for 5
 starting 15, 25
 testing installations for 14
 updating 18
 BIRT RCP Report Designer package 18
 BIRT Report Designer
See also designs
 alignment defaults for 165
 automatic binding and 122, 123
 compatibility with Eclipse 6, 7
 configuring 7
 CSS specification for 156
 data sources supported for 63
 default master page for 23
 defined 557
 design views for 26–28
 downloading packages for 3
 drivers installed with 69
 filtering data with 262, 265, 272
 formatting options for 145, 146, 152, 159
 grouping defaults for 187, 199
 installing 9–11
 laying out reports and 22, 115, 117
 localization process for 542
 opening designs from 203
 output formats for 30
 overview 23
 predefined styles for 153, 156, 158
 prerequisites for 4
 removing cached pages for 14
 rule evaluation precedence for 162
 software requirements for 6–7
 sorting data with 181, 183
 spacing options in 166, 170
 starting 11, 15, 24
 testing installations for 11
 troubleshooting connections for 80
 BIRT Report Designer Full Eclipse Install 5,
 11–12
 BIRT Report Designer perspective 11
 BIRT Report Engine 13, 557
 BIRT Report Engine package 10
 BIRT Samples package 10, 558
 BIRT technology 558
 BIRT Test Suite 558
 BIRT web site xix
 BIRT.exe 14, 25
 blank expressions 395
 blank lines (delimited text files) 74
 blank report designs 35
 blank rows and columns
 deleting 120
 inserting 168, 340
 blank space 48, 168
See also padding; spacing
 blank values 288, 290, 297, 298
 block-level elements 48
 Blur event type 509

BMP files 379

bold text style 147

bookmarks 505, 555

Boolean expressions 175, 254–255, 555

Boolean values 221, 254

Border property 215, 346

borders

- adding to tables 346

- adjusting spacing for 170, 347

- cascading styles and 154

- formatting properties and 145

- grouping data and 201, 215

Borders property 170

bottom *n* logic filters 267

bottom *n* summary reports 235

breakpoints 556

bridge class 556

bridge driver 69

browsers. *See* web browsers

bug reports 8

builds 7, 10, 12, 13

bulleted lists 134

Business Intelligence and Reporting

- Tools* xviii, 556

- See also* BIRT

buttons. *See* radio buttons

By distance pick list 469

C

cache 80, 103

Cache and use first option 104

cache conflicts 14

Cache data set data property 103

Cache entire data set option 104

Cache Preference options 103

cached pages 14

caching data 97, 103

calculated columns. *See* computed fields

calculated values. *See* computed values

calculations

- aggregation and 219, 220, 222, 224, 227, 385

- column bindings and 107

- computed fields and 98, 99, 127, 128, 129

- dates and 253, 254

- defining textual information and 133

- filter expressions and 267

- null values in 228

operator precedence and 242

percentages and 231–234

planning for 55

static and dynamic values in 135

updating 107, 108

verifying 98

callback classes 509

Callback option 509

Candle Fill pick list 471

candlestick markers (charts) 379, 400, 471

capitalization 151, 238, 252

See also case

cartesian join 87

Cascading Parameter Name property 303, 305

cascading parameters 301–307, 559

cascading style sheets

- applying to text elements 140

- creating styles and 154

- defined 559

- formatting reports and 145, 152

- importing 156, 157

- reusing 57

cascading styles (BIRT) 154, 156

case 151

case conversions 183

case sensitivity 111, 238, 560

case-insensitive searches 252

case-insensitive sorting 44, 183

catalogs 129

category 560

See also charts

Category (X) Series property 386

category axis 406

Category Definition property 354

category series

See also data series

- changing settings for 369

- coloring 450, 452

- defined 382

- formatting 448

- grouping data for 405

- sorting data for 403

- specifying chart type and 389, 393, 395, 400

- viewing settings for 369

category series expressions 354

Category Series section (Format Chart) 369

category values 403, 404, 405, 560
 cells
See also grid elements; table elements
 aligning values in 165, 166
 defined 560
 displaying group headings and 200, 201
 dropping 200, 201
 merging 172
 placing report elements in 119, 246
 selecting 49
 viewing placement of 340
 centering background images 492
 CGI (defined) 563
 changing
 alignment defaults 165
 chart titles 358, 430
 column-binding names 106
 column bindings 111
 column headings 45, 335
 column names 97, 351
 connection properties 65
 date formats 336
 default names 64, 65
 expressions 137
 formatting rules 161
 images 129
 labels 139
 master pages 486
 number formats 338
 output columns 96
 page headers and footers 487
 queries 281, 530
 report elements 527, 538
 report parameters 289
 resource files 550
 resource keys 550
 styles 158, 519
 text 245, 487
 text formats 140
 character formats 134
See also text attributes
 Character Large Objects (CLOBs) 134
 character patterns 249, 251, 260, 267, 597
 character sets 76, 560
 character strings. *See* strings
 characters
 accessing text files and 73
 converting case 151, 183

defined 560
 defining custom formats and 148, 151
 defining descriptive names and 107
 finding 248, 249, 251
 grouping by interval 189
 matching sequence of 88, 249–252
 matching single 88
 sorting 183
 charAt function 202, 248
 Chart Area section (Format Chart) 370, 417
 chart areas 416, 423
 setting interactive options for 507
 chart builder 349, 358, 365
 chart designs 356, 358, 413
 chart elements 117, 351, 507, 519, 561
See also charts
 chart engine 556
 chart engine package 10
 Chart Floor pick list 420
 chart legends. *See* legends
 chart preview preferences 413
 Chart Preview section (Select Data) 356, 412
 chart style (predefined) 153
 chart subtypes 365, 374
 chart title interactivity options 507
 Chart Title property 358
 chart types 351, 365, 374
 Chart Wall property 420
 Chart.rptdesign 350
 charting application sample plug-ins 558
 charting extensions 561
 charting library. *See* chart engine
 charts
See also chart elements; specific chart type or part
 adding to reports 117, 351, 373
 adding ToolTips to 509
 adjusting spacing in 416, 421, 427
 aggregating values for 385–386
 anchoring areas in 424, 427, 432, 435
 applying styles to 474
 assigning resource keys to 546–548
 building combination 403, 448, 449
 changing layouts for 416
 changing output formats for 380
 creating 349, 423, 429, 443, 451
 tutorial for 349–364
 customizing 415

charts (*continued*)
 defined 560
 defining axis type for 407
 defining series type for 449
 displaying 350
 filtering data in 385
 filtering data rows for 263
 formatting areas in 416, 474
 formatting three-dimensional 456
 formatting values in 367, 387–389
 grouping data for 404–405
 hiding areas in 423, 430
 highlighting areas in 419
 highlighting values in 440, 509
 interactive features for 379, 497, 505–511
 linking to reports 510–511
 localizing 542, 546, 548
 missing labels in 446
 outlining areas in 419
 overview 349, 381, 415
 parts described 415
 previewing 356, 357, 412
 removing resource keys for 548
 resizing 357
 rotating 456
 selecting data sets for 353, 373, 384
 setting background colors for 417–418
 setting background images for 379, 418
 sorting data for 403
 specifying inset settings for 422
 specifying output formats for 365, 379
 specifying type 351, 365, 374
 viewing parameters for 385
 viewing sample data for 384, 413, 414
 with depth 374, 420, 448, 455
 cheat sheet property 536
 class hierarchy 561
 class names 561
 class variables 562
See also instance variables; variables
 classes
 aggregating data and 220
 defined 561
 formatting data and 148, 149
 selecting driver 69, 71
 Classic Models sample database
See also demo database
 building charts and 350

building listing reports and 32
 connecting to 318
 creating queries for 332
 specifying as data source 37
 specifying connection information for 36
 –clean option 14, 80
 client area inset settings 424
 client sections (charts) 422, 424
 CLOB fields 136, 138
 CLOBs 134
 closing values, plotting 379, 400
 code
 editing 29, 558
 expressions as 239
 loading 585
 referencing columns and 96
 testing and debugging 23, 558
 Code page. *See* script editor
 code points 183, 562
 Color By pick list 451
 color palette (charts) 448, 451, 452
 color picker (charts)
 category series and 452
 chart backgrounds and 417, 419
 plot areas and 426, 427
 colors
 alternating row 163–165
 axis labels and 448
 axis lines and 444
 axis titles and 440
 background images and 491
 candlesticks 471
 cascading styles and 154
 chart areas and 416, 423, 425, 431
 chart backgrounds and 417–418
 chart legends and 433
 chart markers and 442
 chart outlines and 419
 chart shadows and 427
 chart titles and 431
 chart wall or floor and 420
 conditional formatting and 158, 162
 curve-fitting lines and 453, 454
 customizing 418
 data point labels and 473
 data series and 367, 450, 452
 dial regions and 466
 font properties and 147

colors (*continued*)
 formatting properties and 145
 grid lines and 445
 group headers and 201, 211
 marker labels and 443
 meter charts and 463
 styles and 46
 tick marks and 443, 445, 463
 column aliases 96
 column binding 106–112, 129, 142, 241, 563
 column-binding expressions 106, 107, 109, 111
 column-binding information 108, 122, 241
 column-binding names 105, 106, 107, 109, 111
 column boundaries 169
 column headings
 adding display names for 96, 97
 adding to designs 121, 134
 changing 45, 335
 formatting 45, 152
 localizing 542
 Column Mapping dialog 95, 262
 Column Mapping page 95
 column mapping properties 95
 Column Mapping section (Edit Data Set) 261
 Column Name property 99
 column names 73, 88, 96, 97, 351
 See also column headings
 column properties 169
 column widths 168, 169
 columnar layouts 118, 120, 171
 column-level attributes (XML) 93, 95
 column-level elements (XML) 95
 columns
 See also fields; computed fields
 accessing multiple data sets and 100, 102
 accessing multiple tables and 86, 87
 adding to designs 119, 171
 defined 562
 defining output 96
 defining relational structures for 92
 defining XML data mappings for 93, 95
 deleting 120
 displaying 88
 generating computed values and 98, 99
 mapping to 260
 renaming 96, 97, 351
 resizing 168, 169
 retrieving 85, 91, 97
 selecting 40, 91
 setting up text file data sources and 73
 sorting values in 182
 spacing report elements with blank 344
 viewing values in 237
 combination charts 402, 448, 449, 453
 combo boxes
 adding values for 290–296
 creating dynamic lists for 291, 294
 creating static lists for 291
 formatting values for 288, 296, 297
 setting default values for 289, 294, 296
 setting maximum number of values for 296
 sorting values for 294
 testing values in 309
 comma (,) character 73, 246
 comma-separated values 73
 See also CSV files
 Common Gateway Interface 563
 communications protocol 596
 company logos 129
 company names 486
 comparison operators 254, 268, 272
 comparison test conditions 259, 266
 comparisons
 Boolean expressions and 254
 charts and numeric 378
 delimited text files and 74
 filter expressions and 259, 266, 272
 computed columns. *See* computed fields
 computed data. *See* computed values
 computed fields
 adding to data sets 98–100
 creating 128, 129
 defined 563
 displaying dynamic values from 134
 entering expressions for 99, 128
 group headings and 202
 naming 99
 overview 127
 previewing 100
 verifying expressions for 98
 computed values 98, 107, 242, 267, 563
 See also calculations; computed fields

concatenation 48, 98, 128, 246, 247
 concatenation operator 98, 246
 conditional expressions 141, 266
See also Boolean expressions
 conditional formatting 158, 163
 conditional logic filters 266
 conditions
 adding multiple formatting rules and 162
 adding to queries 258
 alternating colors and 163
 displaying report elements and 255
 filtering with. *See* filter conditions
 formatting with 158–163
 hiding report elements and 175, 177
 mapping data values and 173
 sorting data and 193
 testing 280
 confidentiality statements 486
 configuration files 563
 configuring BIRT Report Designer 7
 connection information. *See* connection properties
 Connection objects 564
 connection parameters 77, 78, 80
 connection properties
 accessing databases and 67
 changing 65
 prompting for 78
 setting JDBC data source 68
 setting text file data source 75
 setting XML data source 76
 specifying at run time 77
 connections
 associating with parameters 78
 overview 63
 setting up run-time 77–79
 testing 69
 troubleshooting 79
 constants 564
 constructor code 564
 container elements 118, 126, 127
 containers 117, 153, 340, 564
 containment 564
 containment hierarchy 564
 content. *See* structured content
 Content type property 139
 conversions
 case 151, 183

numbers to strings 244
 strings to numbers 252
 converters 564
 copying
 database drivers 71
 resource files 543
 copyright information 153, 486, 502
 count function 221, 226, 227, 228
 countDistinct function 221, 228
 counting rows 221, 222, 228
 counting unique values 221
 Create Template Report Item command 536
 Create Template Report Item dialog 536
 creating
 aggregate expressions 224–226
 cascading parameters 301–307
 charts 349, 423, 429, 443, 451
 tutorial for 349–364
 column bindings 108, 109
 column headings 134
 computed fields 99, 128, 129
 custom formats 148, 149, 151
 data groups 57, 183, 184, 195, 197
 data set parameters 281–284
 data sets 77, 81, 82
 tutorial for 37
 data sources 64, 67, 76, 77
 expressions 128
 filter conditions. *See* filter conditions
 flat file data sources 75, 76
 formatting rules 159–161, 162, 163
 grids 117, 119, 171, 519
 group headers 211
 group headings 199–202, 213
 grouped reports 184
 hyperlinks 497–502
 JavaScript expressions 238, 240
 joins 86, 100, 101
 labels 134, 139
 libraries 517, 522–524, 528
 lists 117, 121, 124, 134, 290
 map rules 173
 master pages 478, 493, 494, 532
 master reports 323
 page layouts 57, 117, 477
 parameter groups 298, 299, 301
 pictures for conditional values 175
 projects 22, 32

creating (*continued*)
 queries. *See* queries; SQL statements
 report design files 29, 350
 report designs 22, 516
 report parameters 277, 278–280, 285
 report sections 118
 report templates 516, 517, 534
 report titles 50, 118, 134, 135
 reports 22, 34, 58, 234, 542
 resource files 542, 544, 550
 resource keys 542, 545
 run-time parameters 280, 281
 stored procedures 89
 styles 46, 153, 154, 155
 subreports 125, 316, 325, 329
 examples for 312, 313
 summary reports 234–236
 table of contents 215, 503–505
 tables 171, 325, 329
 text messages 175, 177
 watermarks 491
 XPath expressions 92–94
 credentials 77
 CRLF escape code 74
 cross tabs 564
 cross tabulation. *See* cross tabs; cross-tab reports
 cross-tab reports 564
 CSS files 157, 559
See also cascading style sheets
 CSS specifications 156
 CSV files 73, 74, 511
 curly braces ({}) characters 91
 Currency format type 148
 currency values 56, 135, 147
 current date 128, 253, 486
 Curve Fitting Line dialog 453, 454
 curve-fitting labels (charts) 454
 curve-fitting lines (charts) 452–454
 Custom Color button 418
 custom color picker (charts) 419
 custom data sources. *See* open data access
 custom format patterns 388, 389
 Custom Style property 47, 156
 Customers.rptdesign 35, 203
 Customers_grouped.rptdesign 204
 customizing
 background colors 419

charts 415
 data 146, 175
 date formats 149, 389
 master pages 485–494
 number formats 148, 388
 page layouts 516
 report elements 145, 152, 520, 524
 report templates 534–536
 string formats 151
 styles 47, 156
 time formats 389

D

data

See also data elements; values
 accessing 22, 67, 73, 76
 adding textual information and 133
 aggregating 219, 220, 224, 385
 analyzing 275
 caching 97, 103
 combining dynamic and static 134, 135, 141, 142, 224
 creating lists and 123, 124
 creating tables and 120, 121
 customizing 146, 175
 defined 565
 defining relational structures for 85, 92
 detecting patterns in 452, 453
 displaying 105, 115, 136, 237, 485, 497
 exporting 511–513
 filtering. *See* filters; filtering
 formatting 23, 145, 146, 158, 387
 tutorial for 44
 grouping. *See* grouping data; groups
 highlighting 23, 215, 335
 limiting retrieval of 85, 257, 258
 mapping to alternate values 173–174
 organizing 56, 115
 planning for 53, 54
 plotting 381, 404, 405, 407
 previewing 97
 reordering 179, 180
 retrieving 63, 81, 89
 returning from expressions 137
 returning values at run time 120
 selecting 85
 sorting. *See* sorting data
 viewing relationships between 349, 452

data binding. *See* column binding
 data elements
See also data
 adding expressions to 137
 adding to designs 40, 134, 519
 aligning text in 165
 changing group order and 197, 199
 creating column bindings for 109
 creating hyperlinks with 501
 creating report titles and 135
 defined 117, 565
 displaying aggregate values and 224, 225, 234
 displaying alternate values for 173
 displaying date values and 149, 336
 displaying string values and 150
 formatting numeric values in 136, 147, 338
 formatting static text in 135
 increasing spacing between 340
 placing in lists 124
 placing in tables 121
 selecting 340
 viewing placement of 340
Data Explorer
 adding data sets to 38, 82
 adding JDBC drivers and 70
 adding parameters to 279
 changing connection properties and 65
 creating cascading parameters and 303, 305
 creating column headings for 96
 creating data sources and 36, 64
 creating run-time connections and 78
 defined 565
 grouping parameters and 299, 308
 opening 64
 overview 28
 placing data set fields from 125, 127
 removing data sets from 84
 reordering parameters in 308
Data Explorer command 64
data filters
See also filtering
 adding to designs 265, 268, 270
 applying 257, 385
 creating 262
 defined 576

defining aggregate expressions for 265
 defining JavaScript expressions for 262
 defining XPath expressions for 260, 261, 262
 matching string patterns and 249
 setting at run time 277, 278, 285
 setting conditions for. *See* filter conditions
 specifying parameters as 277, 285, 286
data point labels 449, 472–473
data points
See also charts
 adding multiple sets of 390
 arranging 381, 406, 454
 changing labels for 472
 charting logarithmic values and 407
 charting text values and 407
 defined 566
 formatting labels for 449, 472, 473
 hiding 509
 highlighting 440, 443
 identifying 449
 setting interactive features for 509
Data Preview section (Select Data) 384, 387, 412
data rows 566
See also rows
data series
See also charts
 adding values to legends 437
 adjusting depth 455
 adjusting widths 422
 changing type 449
 coloring 450–452
 creating combination charts and 402, 448
 defined 603
 defining translucent 449
 displaying pie sectors and 354
 displaying type 369, 455
 entering expressions for 383, 386, 391
 formatting 448–471
 grouping data for 405
 hiding 449
 linking to 510
 plotting 375, 382
 setting interactive features for 506, 507
 setting up 383, 389
 sorting 403
 spacing 457

data series (*continued*)

- stacking 454
- stretching markers for 455

data series markers. *See* markers; tick marks

data series types 448, 449, 455

data set cache 103

Data Set Editor 98

data set elements 518

data set fields 127, 238

- See also* columns; fields

Data Set Name property 82, 90, 91, 94

data set parameters

- See also* parameters
- assigning data types to 282
- binding to report parameters 281–284
- creating 281–284
- defined 566
- displaying 282, 385
- linking subreports and 315, 327, 331
- naming 282
- saving 284

Data Set Type property 82, 90

data sets

- accessing fields in 127
- adding computed fields to 98–100
- adding to designs 127
- adding to libraries 524
- associating images with 132
- associating with data sources 82, 90, 94, 102
- binding textual elements to 138, 142
- binding to lists 125, 142
- binding to reports 105
- binding to tables 122–123, 142
- changing data sources for 84
- changing number of rows in 97
- creating 77, 81, 82

 - tutorial for 37

- defined 566
- defining cascading parameters and 303
- defining queries for 38, 87, 281, 282
- deleting 84
- displaying binding information for 123
- displaying data in 121, 124, 127, 134
- displaying fields in 238, 242
- filtering 263, 265, 268
- grouping values in 190, 204
- importing values from 291, 292, 293
- joining 100, 101
- limiting rows returned in 258, 259, 261
- linking subreports and 314, 315

 - tutorial for 318, 320, 322

- localizing text from 542
- naming 82, 90, 91, 94
- plotting multiple 398
- previewing 97, 103, 269
- removing data sources and 66
- returning from

 - JDBC data sources 87
 - stored procedures 89
 - text files 76, 91
 - XML data sources 92, 94

- saving 83
- selecting columns for 40
- selecting for charts 353, 373, 384
- setting cache size for 103
- setting properties for 82
- setting up output columns for 96
- sorting values in 181
- testing 23
- troubleshooting 80
- verifying 97

data source elements 518, 524

- See also* data sources

Data Source Name property 68, 75, 76

data source objects 64, 566

- See also* data sources

Data Source property 82, 90, 91, 94

data sources

- See also* specific data source type
- accessing data in 22, 63, 67, 73, 76
- adding to designs 64
- associating with data sets 82, 90, 94, 102
- binding parameters to 78
- building multiple projects and 64
- changing connection properties for 65
- changing data sets for 84
- changing default names for 64, 65
- charts and 381, 385, 404, 406
- combining data from multiple 100
- connecting to. *See* connections
- creating 64, 67, 76, 77

 - tutorial for 36, 318

- defined 566
- filtering data in 258, 260, 265, 277
- limiting data returned from 257

data sources (*continued*)
 naming 65
 overview 64
 placing in libraries 64
 removing from designs 66
 retrieving data from 81, 82, 127, 179
 selecting 65
 sorting and 181
 specifying type 65
 troubleshooting 79
 data streams 76
 data type indicators 74
 Data Type property 99
 data types
 accessing text files and 74, 76
 assigning to parameters 279, 282
 building charts and 404, 407
 creating JavaScript expressions and 238
 defined 567
 selecting for computed fields 99
 setting column binding 109
 database drivers 69, 70
See also JDBC drivers
 database management systems 567
 database schemas 87, 88, 602
 Database URL property 69, 72
 database URLs 67, 69, 72
 databases
See also Classic Models sample database;
 data sources
 accessing data in 67, 77
 building stored procedures for 89
 connecting to 68
 creating queries for 87–89
 displaying tables in 87
 displaying views in 88
 filtering data in 257, 258, 278–284
 joining tables in 86, 100, 101
 retrieving data from 85
 selecting null or blank values from 297
 sorting and 181, 183
 date axis type 407
 DATE data type 74
 date elements 487
See also dates
 date expressions 252–254, 387, 389
 date fields 280
 date format options 389

date formats
 changing 253, 336, 487
 charting expressions and 387, 389
 customizing 149, 150, 389
 setting 149
 Date function 253
 date functions 241, 252
 DATE type indicator 74
 date values
See also date elements
 adding or subtracting from 254
 adding to group headings 199, 202
 adding to headers and footers 57, 487
 calculating days between 253
 creating locale-specific reports and 56,
 149
 defined 567
 defining as text 133, 134
 defining report parameters for 280
 displaying current 128, 253, 486
 formatting 149–150, 389
 grouping by interval 191, 192
 grouping in charts 404, 405
 parsing 253
 plotting 405, 406
 reformatting 336, 487
 Date# element 487
 date-and-time data type 567
 DateTime property 253
 DateTimeSpan functions 241, 252, 253
 DBMS (defined) 567
 debugging 23, 308, 567
 decimal places 148, 388
 DecimalFormat class 148
 declarations 567
 default alignment 165
 default column binding 106
 default data type 109
 default formats 153
 default master page 23, 485, 494
 default themes 523
 Default value property 288
 default values
 assigning to parameters 288, 289
 creating user-selection lists and 290
 designing master pages and 23
 specifying 277, 294
 Define Custom Colors button 419

definitions 553
Delete command 66, 84, 120
deleting
 cached information 14
 chart legends 359
 column bindings 111
 columns or rows from grids 120
 data set fields 123
 data sets 84
 data sources 66
 formatting rules 163
 headers 489, 490
 image files 130
 JDBC drivers 72
 resource keys 546, 548, 550
 styles 158
delimited text files 73
delimiters 73, 246
demand paging 276
demo database 557
 See also Classic Models sample database
demo database package 10
department seals 490
deploying reports 59, 131
depreciation 242
derived classes. *See* descendant classes
descendant classes 568
Descending option 183, 187, 195
descending sort order 183, 187, 195
design environments 23
 See also BIRT; Eclipse
design files
 creating 29, 350
 defined 597
 editing 520
 opening 29
 overview 516
 saving 204
design perspective 10
design views 26
designer applications 3
designer packages 4, 17
designers 9
designing master pages 23, 493
designing reports 21–23, 58, 477, 515
 See also designs
designing templates 517

designs
See also page layouts
accessing 29
accessing templates for 538
adding columns to 171
adding data sources to 64
adding libraries to 515, 518, 520
adding report elements to 516
applying styles and 154, 531
creating 22, 516
creating charts and 374, 474
creating locale-specific reports and 56, 541, 542
creating multipage reports and 477
defined 568
displaying 29, 340
drawing mock-ups of 58
embedding images in 130, 131
formatting data and 145, 152, 158
grouping data in 185, 195, 197
hiding elements in 175, 176
importing styles for 156
laying out reports and 115
linking images to 130
on-demand reporting and 276
overview 21
prerequisites for 53, 54
previewing 118
removing column bindings from 111
removing data sources from 66
returning values at run time for 120, 275, 277, 295
saving 29
selecting data for 85
selecting fonts and 146
setting filters in 265, 268, 270
shared report environments and 107, 515
sorting data in 181
structure of 516
time-sensitive data and 276
updating 520
viewing environments and 55
viewing libraries in 518
desktop applications. *See* Java applets
Detail list area 124
detail reports 314, 315, 316
 See also subreports

detail rows
adding charts to 373
adding data set fields to 127
adding images to 129, 132
adding text elements to 142
adding to tables 123
aggregating data and 223
alternating colors for 163
creating summary reports and 234
defined 40
displaying group headings in 200–202
hiding 187, 234
placing report elements in 121
selecting cells in 49
sorting data in 193
developers xxi, 23, 29, 53, 515
developing
custom templates 534
reports 9, 515
development languages 582
See also scripting languages
DHTML (defined) 569
dial labels 464
dial radius 461
dial regions 460, 465–466
dial scale 462
Dial Scale dialog 462
dial settings (charts) 461, 465
dial shapes 461
dial size 461–462
Dial Ticks dialog 463
dials, arranging multiple 464
directories
BIRT components and 5
data set cache and 103
flat file data sources and 75
image files and 492
JDBC drivers and 70
projects and 28
RCP designer updates and 18
report libraries and 525
Display Name property 97
display names
defined 568
JDBC drivers and 72
output columns and 96
report parameters and 299
Display type pick list 291, 295

Display type property 288, 289
displaying
aggregate values 219
alternate values 173
available drivers 69
charts 350
column-binding information 108, 122
current date 128, 253, 486
current projects 28
data 105, 115, 136, 237, 485, 497
data groups 197, 199
data set fields 238
data set parameters 282, 385
database schemas 87
database views 88
date and time values 149
detail rows 187
errors 79
group headings 200, 213
HTML reports 478
images 117, 129, 175
JavaScript functions 241
master pages 27, 485
numbers 147
output 27, 168, 493
output columns 97
page layouts 115
parameter groups 300, 308
PDF documents 478
percentages 234
report designs 29, 340
report elements 28, 48
report parameters 287, 308
report properties 145
report templates 35, 517
reports 55, 340, 477
report-specific libraries 28
resource keys 545, 548, 550
sample parameter formats 297
summary values 219
table of contents 215
text 117, 133, 134
text messages 175
value expressions 137
DISTINCT keyword 291
distributing reports 59, 131
division 243
division by zero 243

document files 598
 document model (BIRT) 29
See also ROM
 document object model. *See* DOM
 document type definitions 568
 documentation xxi, xxii, 24, 25
 documents 21, 478, 501
See also PDF documents; reports
 DOM (defined) 568
 domain names 569
 DOUBLE data type 75
 double quotation mark ("") character
 concatenation and 48
 filter conditions and 268
 format patterns and 143
 SQL statements and 88
 text file data sources and 74
 DOUBLE type indicator 75
 downloadable archives 5
 downloading
 Eclipse Modeling Framework 7
 Eclipse SDK software 6
 Graphics Editor Framework 7
 iText PDF library 10, 12, 13
 JDK software 5, 6
 program archives 10, 11, 13
 drafts 490
 dragging report elements 125
 drill-through links 499
 Drill-through option 500
 driver class 67, 69
 Driver Class property 69
 driver classes 71
 Driver Display Name property 72
 driver list 69
 drivers
 accessing data and 67, 76
 accessing text files and 73
 adding database 70
 defined 569
 deleting 72
 installing 69, 70
 naming 72
 restoring 72
 running stored procedures and 89
 setting properties for 72
 testing connections for 69
 viewing available 69

drivers directory 70
 Drivers page 71
 Drop property 200, 201, 214
 DTD (defined) 568
 dual y-axis charts 410
 duplicate values 184
 dynamic data 106, 120, 134
See also data
 dynamic filters 277, 285
 dynamic hypertext markup language. *See*
 DHTML
 Dynamic image option 132
 dynamic lists 291, 294, 295
 dynamic queries 102
 dynamic text elements
 adding 134, 138, 139, 519
 adding to tables 122
 binding to data sets 138
 creating column bindings for 109, 138
 defined 117, 569
 preserving HTML formats and 136, 138,
 143
 setting properties for 139
 dynamic variables 569

E

Eclipse, starting 24
 Eclipse documentation. *See* Eclipse online
 documentation
 Eclipse environments 570
 Eclipse Modeling Framework 7, 570
 Eclipse online documentation 25
 Eclipse perspective 570
 Eclipse platform 6, 571
See also Eclipse Rich Client Platform
 Eclipse Plug-in Development
 Environment 571
 Eclipse projects 571
See also projects
 Eclipse Rich Client Platform 571
See also rich client platforms
 Eclipse SDK software 6
 Eclipse views 571
 Eclipse workbench 24, 572
 Eclipse workspace 572
 Eclipse, starting 80
 eclipse.exe 24

Edit Chart wizard 353, 356, 358
See also chart builder
Edit command 65
Edit Data Set dialog
 adding computed fields and 99
 changing data sources and 84
 creating queries and 87, 103
 defining data set parameters and 282
 defining run-time parameters and 281
 filtering data and 261, 268
 setting cache preferences and 103
 viewing output columns in 96, 97
Edit Data Source dialog 66, 70, 73, 78
Edit Font dialog 431
Edit Format dialog 361
Edit Format icon 387, 389
Edit Group context menu 186
Edit Group dialog 194, 197, 271
Edit JDBC Driver dialog 72
Edit Parameter dialog
 creating dynamic list values in 295
 creating static list values in 292
 enabling null values and 298
 formatting values and 296
 selecting display types from 291
 setting default values in 289
Edit Style command 158
Edit Text Item dialog 51, 140
editing source code 29
editors 29, 138, 140, 542
EJBs 573
elements
 See also report elements; ROM elements;
 XML elements
 defined 572
 formatting data and 147, 149, 150, 158
 shared reports and 516, 517, 518, 524
 styles and container 153, 154
ellipsis (...) button
 chart titles and 430
 defined 572
 expression builder and 99
 externalized text and 547
 hyperlink options and 498
 legend text and 438
 resource keys and 545
 run-time connections and 78
 sorting data and 182, 194
text file connections and 76
XML files and 77
Embedded image option 131
embedded images 129
embedding images 130, 131
EMF (defined) 570
EMF software 7
empty expressions 395
empty lines (delimited text files) 74
empty report designs 35
empty rows and columns
 deleting 120
 inserting 168, 340
empty strings 244, 297, 298
empty values 288, 297, 298
Enable editing button 530
Enable Live Preview option 414
Enable master page content setting 493
encapsulation 572
encoding 610
Enter Parameters dialog 276, 290, 298, 300
Enter URI field 131
enterprise 573
Enterprise JavaBeans. *See* EJBs
enterprise reporting 57, 573
enterprise systems 573
environment settings 29
environments 23, 594
error log view 79
error messages 28, 79
error reports 79
errors 29, 79
event handlers 573
event listeners 574
event types 508, 509
events 508, 509, 573
 See also actions
example database 32, 36
 See also Classic Models sample database
exceptions 574
executing stored procedures 91
experts. *See* wizards
Explode Slice When property 469
Export Data dialog 512
Export data icon 512
exporting data 511–513
expression builder
 accessing 99, 240

expression builder (*continued*)
 aggregating data and 226
 creating column bindings and 111
 creating expressions with 128
 creating filter conditions and 269
 defined 574
 defining chart series and 386
 displaying value expressions in 137
 generating computed values and 98, 99
 manipulating date and time values and 252
 manipulating numeric data and 242
 manipulating string data and 245
 overview 239–241
 setting up run-time connections and 79
 expression builder buttons 240
 expressions
 adding formatting rules and 160
 adding images and 132
 aggregating data and 224, 226, 228, 230, 553
 alternating colors and 164
 changing 137
 changing column bindings and 111
 combining dynamic and static values in 141, 142
 combining values from multiple fields and 246
 comparing values from 259
 computing percentages with 233
 computing values and 98, 99, 127, 128, 129
 creating 128, 238–239
 creating charts and 349, 353, 366, 385
 creating column bindings and 106, 107, 109, 111
 creating hyperlinks and 500
 defined 574
 defining data series and 383, 386, 391
 defining multiple y-axes values and 410, 411
 defining textual information and 133
 displaying images and 175
 displaying values from 134, 137
 dividing by zero and 243
 entering automatically 239, 240
 entering multiple lines in 239
 exploding pie sectors and 469

filtering with 251, 261, 262, 268
 examples for 227
 formatting return values from 143, 387–389
 generating table of contents and 187, 504
 grouping data and 202, 216, 405
 hiding report elements and 175, 177
 manipulating date and time values with 252–254
 manipulating numeric values and 242–244, 590
 manipulating string data and 245–252, 606
 mapping alternate values and 173
 matching text patterns and 597
 operator precedence and 242
 overview 237
 preserving HTML formats and 143
 returning Boolean values from 254–255, 555
 returning unexpected results from 238
 returning unique values from 228
 sorting data and 183, 195
 verifying 98, 238
 extensible markup language. *See* XML
 extension points 575
 extensions 575
 external files 59
 external libraries 526
 external resources 59
 Externalize Text dialog 547, 548
 Externalize Text option 547, 548

F

Feature License dialog 18
 Feature Updates dialog 17
 features 8
 field names 41, 106
 field types 238
 field value expressions 141
 field variables 575
See also member variables; variables
 fields
See also columns; computed fields
 adding data set 147
 adding pictures to 175
 adding to designs 125, 127
 adding to expressions 237, 238, 242

fields (*continued*)
 adding to tables 121, 122, 123
 binding parameters to 316, 327, 331
 building user-selection lists and 291, 293
 changing data set bindings and 123
 combining values from 246
 computing values from 128, 242
 concatenating values in 48, 98, 128, 246
 creating group headings and 202
 defined 575
 deleting 123
 displaying available 242
 displaying data in 175, 237
 displaying dynamic values from 134
 displaying text values in 142
 displaying type 238
 filtering values in 265, 280
 getting highest value in 221
 getting lowest value in 221
 grouping on 184, 186, 192, 199
 providing default values and 289
 removing duplicate values from 184
 removing null values from 247
 replacing values in 173
 returning values for 221
 setting up text file data sources and 74
 sorting on 180, 182, 183, 193
 testing for null values in 260, 266
File Download dialog 512
file name extensions 74
file names 74, 486, 522
file systems 131
file types 576
files
See also specific type
 downloading program archive 10, 11, 13
 extracting program archive 5, 10
 managing 28
fill colors 442
filter characters (SQL) 88
filter conditions
 adding to queries 258, 259, 268
 calculating aggregate values and 227
 counting unique values and 229
 creating 265, 267, 269, 270, 271, 280
 defining multiple 269, 272
 excluding null values and 228
 matching text patterns and 251

retrieving specific rows and 258–259, 261
 testing 280
 types described 265
 updating at run time 286
 users specifying 277, 278, 285
filter expressions
 aggregate values and 227
 calculated values and 267
 creating 269, 272
 pattern-matching and 251
 user-specified values and 286
filter options 88
filter properties 263
filter tool 265, 272
filtering
 aggregate values 227–229, 265
 data 257, 262, 265, 275, 277
 data groups 187
 data sets 263, 265, 268
 database tables and views 88
 groups 263, 265, 270
 JDBC data sources 259
 report elements 263, 265, 270
 XML data sources 260–262
filtering options 262, 263
filters
 adding to designs 265, 268, 270
 applying 257, 385
 creating 262
 defined 576
 defining aggregate expressions for 265
 defining JavaScript expressions for 262
 defining XPath expressions for 260, 261, 262
 matching string patterns and 249
 setting at run time 277, 278, 285
 setting conditions for. *See filter conditions*
 specifying parameters as 277, 285, 286
Filters and Sorting section (Edit Group) 194, 271
Filters button 385
Filters option (Edit Data Set) 269
Filters page (Edit Group) 271
Filters page (Property Editor) 270, 286
Filters section (Edit Data Set) 269
financial calculations 242
financial functions 241

finding
 multiple strings 245
 specific characters 249, 251
 string patterns 249, 251
 first function 221
 Fixed format setting 148
 flat file data sets 91
 flat file data sources 75, 91, 262
 flat file repositories 64
 flat files 76, 85, 576
 See also flat file data sources; text files
 Flip Axis option 411
 floor (charts) 420
 Focus event type 509
 folders 59
 font attributes 147, 431
 Font Editor (charts) 362, 437
 font editor (charts) 430
 font properties 147
 font size 141
 fonts
 axis labels and 448
 axis titles and 440
 chart legends and 437, 438, 439
 chart titles and 431
 curve-fitting line labels and 454
 data point labels and 473
 default formats and 153
 defined 576
 dial labels and 464
 HTML reports and 141
 installing 146
 marker labels and 443
 styles and 153, 158
 Footer list area 124
 footer rows 121, 123, 223, 225
 footers
 adding charts to 373
 adding report elements to 486
 changing 487
 creating master pages and 486
 creating page 118
 creating section 121, 124
 defined 576
 displaying text in 487
 displaying totals in 223, 225
 planning for 57
 resizing 488

setting size 488
 form e-capable browser 577
 form letters 123, 125, 134, 142
 format attribute 143
 Format Builder 296
 Format Chart page
 adding axis titles and 439
 adding chart legend titles and 438
 adding curve-fitting lines and 453, 454
 adding dial regions and 465, 466
 adding dials and 462, 463, 464
 adding grid lines and 445
 adding legend items and 451
 changing chart titles and 358, 430, 432
 changing data point labels and 472, 473
 changing series type and 449
 creating pie charts and 467, 468, 470
 creating stock charts and 471
 defining axes values and 406, 407
 exploding pie sectors and 469
 formatting axis labels and 442, 448
 formatting axis markers and 441, 442, 444
 formatting chart areas and 417
 formatting chart legends and 433, 434, 437
 formatting chart series and 458, 459, 460
 formatting needles and 463
 formatting plot areas and 426, 427
 grouping series data and 405
 hiding chart series and 449
 outlining chart areas and 419
 overview 367
 rotating charts and 456
 scaling axes values and 410
 setting axes intersection and 408
 setting chart area insets and 422
 setting wall or floor color and 420
 spacing chart legends and 436
 stacking chart series and 455
 Format DateTime property 149
 Format Legend Text dialog 434, 438
 Format Number property 136, 147, 148
 format patterns
 date-and-time data 149, 389
 JavaScript expressions and 143
 numbers 148, 388
 text 151
 Format property 288, 296

Format Specifier dialog 388, 389
 format specifiers (charts) 387
 Format String property 150, 152
 format styles. *See* styles
 formats
 adding HTML tags and 51
 applying 146, 153, 160
 changing date 336
 changing number 338
 changing text 140
 charting expressions and 387–389
 creating locale-specific reports and 56, 149
 customizing date 149, 389
 customizing number 148, 388
 customizing string 151
 defined 576
 defining conditions for 158–163
 defining run-time parameters and 279, 288, 296
 defining styles and 152, 158
 displaying 297
 generating charts and 365, 379
 generating reports and 30
 hiding report elements and 177
 overriding 162
 preserving HTML 136, 138, 143
 reporting considerations for 57
 resetting date 253
 updating 146
 VALUE-OF tag and 148, 152

formatting
 axes values 407, 425, 439
 axis labels 442, 448
 axis markers 441–442
 axis titles 461
 chart areas 416, 422
 chart legends 437, 438
 chart titles 430
 charts 367, 416, 456, 474
 column headings 45
 curve-fitting lines 453
 data 23, 145, 146, 158, 387
 tutorial for 44
 data point labels 449, 472, 473
 data series 448–471
 date-and-time values 149–150, 389
 dial labels 464

group headings 208
 grouped reports 213–217
 numbers 136, 147–148, 387
 report elements 45, 145, 152, 158
 report parameter values 296–297
 sector labels 362
 strings 135, 150–152
 text 51, 135, 141, 143
 formatting attributes 362, 474
 formatting options 145
 formatting properties 45, 145, 146, 162
 formatting rules 159–163
 formatting symbols 148, 151
 formatting tasks 23
 Formula Editor. *See* expression builder
 formulas 106, 237
 See also expressions
 forward slash (/) character 249
 Fraction Digits pick list 388
 fractions, formatting 388
 framework 577
 FROM clause 85
 FROM keyword 85
 Full Eclipse Install (BIRT Report Designer) 5, 11–12
 function names 238
 functions
 See also methods
 accessing 138, 226
 aggregating data and 220, 225
 calculating values with 128
 case sensitivity for 238
 converting case and 183
 counting rows with 228
 creating group headings and 202
 creating XPath expressions and 93
 defined 577
 displaying 241
 entering in expressions 237, 238, 242
 filtering with 267
 returning data values from 106
 fundamental data types. *See* data types
 future values 452

G

g flag (expressions) 252
 GEF software 7
 general libraries 522, 523

General Number format setting 148
 General Properties dialog (charts) 455
 generating
 HTML reports 30
 PDF documents 30
 reports 275
 table of contents 187
 getDay function 253
 getHours function 253
 getMinutes function 253
 getMonth function 253
 getSeconds function 253
 getting started 21, 24, 25, 58
 See also tutorials
 getYear function 253
 global styles 531
 global variables 577
 See also variables
 Glossary 553
 glyph 577
 See also character sets; fonts
 gradient colors (charts) 418, 423
 Gradient Editor 418
 gradient patterns (charts) 418
 grand totals. *See* totals
 grandchild classes. *See* descendant classes
 grandparent classes. *See* ancestor classes
 graphical applications 379
 graphical user interface
 See also user interface elements
 BIRT RCP Report Designer 26
 BIRT Report Designer 25
 graphics 379
 See also images
 Graphics Editor Framework 7
 graphs. *See* charts
 grid cells 172
 See also cells
 Grid Column Count pick list 464, 470
 grid elements
 See also grids
 adding table elements to 333
 adding to designs 118, 333, 519
 as containers 118
 creating subreports and 312, 314
 defined 117, 578
 displaying page headers and footers and 487
 displaying placement of 340
 placing in libraries 523
 grid layouts 119
 grid lines (charts) 443, 445
 grid marks (charts) 409
 grid style 153
 Grid tab 119, 340, 344
 Gridlines button 444
 Gridlines dialog 406, 444, 445
 grids
 See also grid elements
 adding columns or rows to 119
 adding data set fields to 127
 adjusting spacing for 168
 aligning content in 165–166
 aligning report elements in 119
 changing 119
 creating 117, 119, 171, 519
 defined 578
 displaying 168
 merging cells in 172
 organizing elements in 118–120
 removing columns or rows from 120
 resizing columns and rows in 169
 spacing elements in 120, 340, 344
 spacing report content and 488
 group editor. *See* Edit Group dialog
 group footers 187, 225, 373
 group header cells 201
 group header rows 211, 223
 group headers
 adding aggregate values to 223, 224, 225, 230
 adding charts to 373
 adding summary values to 187
 creating 211
 defined 579
 group headings 199–202, 208, 213
 group index 231
 group keys
 charting data and 390, 393, 398, 403
 creating multiple pies and 397
 defined 579
 defining multiple needles and 393
 defining multiple y-axes values and 410, 411
 generating table of contents and 503, 504
 group names 199, 231, 233

Group On pick list 186
group properties 185
grouped reports
See also groups
adding summary values to 187
aggregating data and 220
creating 184
defined 578
filtering data in 187
generating table of contents for 503
hiding detail rows for 187
sorting data in 187
grouping data
advantages of 184, 188, 210
by intervals 187–192, 207
by time periods 191
charts and 404–405
from BIRT designer 185
overview 183
pagination and 484
tutorial for 202–215
grouping intervals
charts 404, 405
data groups 186
date and time values 191, 192
numbers 190
strings 189
grouping key expressions. *See* group keys
grouping options 405
Grouping section (Format Chart) 405
groups
adding to designs 185, 197, 207
charting data and 373
creating 57, 184, 195, 197
defined 578
defining multiple 187, 195–197
displaying headings for 200, 201, 202
filtering data in 263, 265, 270
formatting values in 213–217
hiding detail rows for 234
highlighting data in 215
including aggregate values in 220, 222, 225
including range of values in 190, 209
inserting page breaks for 479, 484
moving 199
naming 186
organizing parameters in 298, 299, 301

previewing 215, 272
reordering 197–199
retrieving aggregate values from 229
selecting 199
sorting data in 192–195
specifying starting values for 190, 191
Groups page 193, 197, 198, 271
Groups tab 197
guide cells 119, 120, 169

H

hard-coded text. *See* static text
hardware interfaces 582
Header list area 124
header rows
adding background colors to 46
adding images to 129
adding to tables 123
placing aggregate values in 223, 224
placing group headings in 211
placing report elements in 121
headers
adding charts to 373
adding group 211
changing 487
creating page 118
creating section 121, 124
defined 579
designing master pages and 486
displaying text in 487
displaying totals in 224, 225, 230
planning for 57
removing 489, 490
repeating report 479
resizing 488
setting size 488
setting style properties and 154
headings. *See* column headings; group headings
height hint (charts) 428, 429
Height Hint property 429
Height property 169
help 591
Help text property 288
hexadecimal numbers 579
Hide Detail property 187
Hide Element option 176

hiding
 axis labels 447
 axis lines 444
 chart areas 423, 430
 chart legends 435
 chart series 449
 data point labels 473
 data points 509
 detail rows 187, 234
 dial labels 464
 leader lines 469
 marker labels 442
 report elements 175–177
 tick marks 445, 463
 hierarchy 579
 high values, plotting 379, 400
 Highlight option 509
 highlighting
 axes values 440
 chart areas 419, 423
 charts 509
 data 23, 215, 335
 data points 440, 443
 Highlights page 159, 160, 163
 horizontal alignment 165, 437, 492
 horizontal spacing (charts) 427, 428
 horizontal spacing (reports) 166, 170, 344
 HTML (defined) 579
 HTML elements 572
 HTML formats 30, 31, 55, 136, 138, 143
 HTML reports
 See also web pages
 adding lists to 134
 adding textual elements for 136, 138, 140, 143
 controlling pagination in 478–485
 creating master pages for 493
 customizing master pages and 485
 designing for 477
 displaying 478
 generating 30
 previewing 31, 42, 166
 resizing headers and footers for 488
 spacing defaults for 166
 HTML tables 118, 167
 HTML tags 51, 136, 139, 140, 141, 577
 HTML text elements 117, 224
 HTML value (content type) 139

HTML/Dynamic option 140, 143
 HTTP (defined) 580
 hyperlink expressions 500
 Hyperlink Options dialog 498, 499, 500
 Hyperlink property 500, 502
 hyperlinks 497–502, 579
 hypertext markup language pages. *See* web pages
 hypertext markup language. *See* HTML
 hypertext transfer protocol. *See* HTTP

I

i flag (expressions) 252
 icons 129, 537
 identifiers 238, 580
 If expressions 160
 if statements 255
 if...else statements 142
 Image Builder 132
 image elements
 See also images
 adding 117, 129, 131
 creating column bindings for 109, 122, 132
 defined 580
 Image file in BIRT resource folder option 130
 image files
 deleting 130
 entering URIs for 131
 entering URLs for 131
 generating charts and 379
 managing 59
 moving 130
 opening 502
 image formats 129, 379
 images
 See also image elements
 adding as watermarks 490–492
 adding background 418, 490, 492
 adding to master pages 487
 adding to reports 129, 131
 adding to tables 122
 as static elements 118
 associating with data sets 132
 associating with templates 533, 536, 537
 changing 129
 charting data and 379

images (*continued*)
 defined 580
 displaying 117, 129, 175
 embedding 130, 131
 linking to 129, 130, 501, 502
 previewing 130
 retrieving remote 131
 sharing 519

Import CSS Style command 156
 Import CSS Style dialog 157
 Import Values button 291, 292
 Import Values dialog 292
 importing styles 153, 156–157
 importing values 291, 292, 293
 indexOf function 248
 infinity symbol 244
 information 53, 115, 133
See also data
 information systems 21
 inheritance 580
 inheriting styles 154
 inline report elements 48, 166
 inner groups 195, 196, 197
 INNER JOIN clause 86
 inner joins 100, 581
See also joins
 input
 adding messages for 175
 creating parameters for 278, 281
 prompting for 275, 277, 288, 298
 input parameters 88, 283
 input sources. *See* data sources
 input streams 76
 InputStream objects 76
 Insert Column to the Left command 120
 Insert Column to the Right command 120
 Insert Grid dialog 333
 Insert Group command 197
 Insert menu 125
 Insert Row Above command 119
 Insert Row Below command 119
 Insert Table dialog 40
 inset settings
 axis labels 448
 axis titles 440
 chart areas 416, 421, 422, 424
 chart legends 436, 439
 chart titles 432

curve-fitting labels 454
 data point labels 473
 dial labels 464
 marker labels 443
 plot areas 427
 inset values 421
 installation
 BIRT components 5
 BIRT RCP Report Designer 12–14
 BIRT Report Designer 9–11
 database drivers 69, 70
 Eclipse 24
 fonts 146
 JDK software 5, 6
 testing 11, 14
 troubleshooting 14–15
 installation demo 5
 installation packages 9
 instance variables 581
See also class variables; variables
 instances. *See* objects
 instantiation 581
 INT type indicator 75
 INTEGER data type 75
 integers 147
See also numbers
 interactive chart features 379, 497, 505–511
 interactive content 134
 interactive images 379
 interactive report viewer 31
See also report viewer
 interactive reports 497, 501
 interactive viewing features 55, 497
 Interactivity dialog 508
 Interactivity Editor 508
 interfaces 89, 582
See also application programming
 interfaces; user interface elements
 international users 56
 internationalization 582
See also locales
 intersection options (charts) 408
 Interval pick list 186, 189, 191, 192
 Interval value 191
 introductory information 124
 invoice IDs 252
 Invoke Font Editor icon 430
 Invoke Script option 509

IP addresses 582
 Is Category Axis option 406
 Is True operator 272
 isBottomN function 221
 isBottomNPercent function 221
 isTopN function 221
 isTopNPercent function 221
 italic text style 147

J

J2EE environments 9, 13, 582
 J2SE environments 5, 6, 583
 .jar files 70, 71, 72, 583
Java. *See* Java programming language
 Java 2 Enterprise Edition. *See* J2EE environments
 Java 2 Runtime Standard Edition. *See* J2SE environments
 Java applets 554
 Java archives. *See* .jar files
 Java code 582
 Java Database Connectivity. *See* JDBC
 Java Development Kit. *See* JDK software
 Java interfaces 582
 Java Naming and Directory Interface 583
 Java programming language 582
 Java programs 583
 Java Virtual Machines. *See* JVMs
 JavaBeans 584
 JavaScript
 case sensitivity for 238
 defined 584
 familiarity with 238
 multiline expressions and 239
 null values and 247
 pattern matching and 249
 string conversions and 244
 JavaScript expressions
 combining dynamic and static values in 141, 142
 creating 209, 238, 240
 defining textual information and 133
 displaying values from 134, 137
 editing 137
 filtering with 262, 268
 formatting return values from 143
 generating table of contents and 504
 grouping data and 209, 216

matching text patterns and 267
 overview 237
 preserving HTML formats and 143
 JavaScript functions
 accessing 138
 aggregating data and 220
 calculating values with 128
 concatenating values and 98
 converting case and 183
 displaying values with 202
 filtering with 267
 getting specific characters with 202
 parsing string data and 248
 viewing 241
 JavaScript operators 138, 242
 JavaServer Pages. *See* JSPs
 JDBC (defined) 583
 JDBC data sets 81, 85, 258
 JDBC data sources
 accessing data in 63, 67
 building queries for 87–89
 building stored procedures for 89
 changing connection properties for 65
 connecting to 68
 creating 67
 defining run-time parameters for 281
 displaying tables or views in 88
 filtering data in 258, 259, 277
 naming 68
 retrieving data from 37, 81, 85
 setting connection properties for 68
 troubleshooting 79
 JDBC directory 71
 JDBC driver manager 69, 70, 71, 72
 JDBC Driver Manager. *See* Manage JDBC Drivers dialog
 JDBC drivers
 accessing data and 67
 adding 70
 deleting 72
 installing 69, 70
 naming 72
 restoring 72
 running stored procedures and 89
 setting properties for 72
 testing connections for 69
 JDBC interfaces 89
 JDBC/ODBC bridge 69

JDBC-ODBC bridge driver 69
 JDK software 5, 6, 583
 JNDI (defined) 583
 JNDI URL property 69
 JNDI URLs 67, 69
 join conditions 585
 JOIN keyword 86
 joins 86, 100, 101, 584
 joint data sets 100, 101, 581, 585
 JPEG files 379
 JSPs xvii, 584
 jTDS project 89
 justification 147
 JVMs 15, 584

K

Key Down event type 509
 Key Press event type 509
 Key Up event type 509
 key=value format 542
 keywords 138, 238, 585

L

label elements
See also labels
 adding static text to 135, 136
 adding to designs 134, 139, 519
 adding to header rows 41
 adding to master pages 487
 assigning resource keys to 545
 changing text formats in 140
 creating hyperlinks with 501
 creating messages with 175
 creating report titles and 135
 defined 117, 585
 removing resource keys for 546
 setting properties for 140
 label style 154
 labels
See also label elements
 adding chart axis 445
 adding chart marker 441
 adding curve-fitting line 454
 adding pie sector 359, 361, 468
 as static text 117
 changing data point 472
 changing report 139

combining text and numeric values in 135
 creating 134, 139
 formatting axes 448
 formatting data point 449, 472, 473
 formatting dial 464
 formatting marker 442
 formatting pie sector 362
 formatting report 140
 hiding chart 442, 447, 464, 473
 inserting icons for 129
 inserting multiple values in 361
 localizing 542, 545, 546
 missing in charts 446
 outlining axis 448
 outlining curve-fitting line 454
 outlining data point 473
 outlining dial 464
 outlining marker 443
 rotating chart 446
 selecting values from 294
 skipping 447
 staggering chart 446
 Labels button 360
 Labels dialog
 data point labels and 472, 473
 dial labels and 464
 pie sectors and 360
 large data sets 97
 large data sources 103
 large reports 276
 large XML documents 92
 last function 221
 lastIndexOf function 248
 laying out reports 23, 56, 115
See also layouts; page layouts
 Layout button 359
 layout editor
 changing report libraries and 527
 creating styles and 155
 defined 585
 displaying list structures in 124
 displaying row-and-column structures in 118, 120
 grouping data with 185
 laying out reports and 115
 naming restrictions for 107
 overview 27
 reordering data groups with 197

layout editor (*continued*)
 restrictions for 126, 485
 selecting templates for 538
 sorting data with 181
 viewing column-binding names in 106
 viewing output and 168
 layout elements 117
 Layout Legend dialog
 adjusting legends and 436
 hiding legends and 359, 435
 outlining legends and 434
 setting background colors and 433
 Layout page. *See* layout editor
 Layout tab 43
 layouts 23, 115, 117, 532, 585
See also columnar layouts; grid layouts;
 tabular layouts; page layouts
 lazy load 585
 Leader Line section (Format Chart) 470
 Leader Line Size pick list 364, 470
 Leader Line Style pick list 364, 469, 470
 leader lines (charts) 363, 469–470
 LEFT JOIN clause 87
 left outer joins 100
 legend area (charts) 416
See also legends
 legend orientation setting 436
 Legend section (Format Chart) 372
 legend text area (charts) 433
 legends
See also charts
 adding items to 451
 adding shadows to 433, 434
 adding titles to 438
 adding to charts 372, 433
 tutorial for 359
 anchoring 435
 changing information in 433
 changing spacing of 416, 421
 deleting 359
 displaying series in 437, 450
 formatting text in 437
 hiding 423, 435
 highlighting 423, 433
 laying out 422, 423, 435, 436
 outlining 433, 434
 repositioning 435, 436
 setting background colors for 433

setting interactive options for 506, 507
 setting padding around 421, 424, 436
 wrapping text in 437
 length property 248
 level-break listings. *See* grouped reports
 LF escape code 74
 libraries
 accessing 526
 accessing elements in 527, 529
 adding data sources to 64
 adding report elements to 517–518, 529
 adding to designs 515, 518, 520
 adding to resource folder 525, 526
 changing report elements in 517, 519, 527,
 530
 creating 517, 522–524, 528
 defined 586
 defining project 524–525
 naming 528
 opening 527
 publishing 59, 525
 sharing styles and 520–522, 523, 531
 structure of 516
 updating 528
 viewing 28
 Library command 528
 Library Explorer 28, 526, 528
 library files 517, 586
 library name spaces 518, 522
 licenses 18
 line break characters 74
 line charts
See also charts
 changing series type in 449
 coloring data series for 450
 curve fitting and 453
 defining axes values for 406
 defining axis titles for 439
 defining data series for 389–392
 formatting data series in 459–460
 overview 377
 stacking series in 455
 line colors
 axis lines 444
 candlesticks 471
 chart markers 442
 curve-fitting lines 453
 grid lines 445

line colors (*continued*)
outlines 419
pie charts 470
line markers (charts) 440, 441, 443
line styles
candlesticks 471
chart areas 416
chart markers 442
curve-fitting lines 453
grid lines 445
needles 463
outlines 419
pie charts 470
tick marks 443
x- or y-axis 443
line widths
candlesticks 471
chart markers 442
curve-fitting lines 453
grid lines 445
needles 463
outlines 419
pie charts 470
linear axis type 407, 409
Linear setting 407
lines 215
linked images 129
linked reports 314
linked subreports 313–316
linking fields 314, 315
linking to
charts 510–511
images 129, 130, 501, 502
report elements 497
reports 311, 315, 499–500
web pages 501, 502
links. *See* hyperlinks
list boxes
adding values for 290–296
creating dynamic lists for 291, 294
creating static lists for 291
enabling blank or null values for 298
formatting values for 288, 296, 297
providing default values and 289
setting default values for 289, 296
setting maximum number of values for 296
sorting values for 294

testing values in 309
list elements
See also lists
adding 124, 323, 519
as containers 123
creating subreports and 312, 314, 323
defined 117, 586
placing in libraries 523
list layouts 124, 125
List Limit property 296
List of value options 292, 295
list style 154
list-detail style 154
listeners. *See* event listeners
list-footer style 154
list-header style 154
listing reports 32, 219, 586
lists
See also list elements
adding CLOB fields to 138
adding data set fields to 127
adding textual elements to 138, 142
binding to data sets 125, 142
changing data set bindings and 123
creating 117, 121, 124, 134, 290
defining cascading parameters for 301–307
filtering data in 263, 270, 286
grouping data in 185, 197
organizing elements in 123–125
placing report elements in 124
selecting values from 277
sorting data in 181, 324
updating 291
literal characters 148
literal spaces 246
literal text
See also static text
adding to dynamic data 134
combining with numbers 244
creating column bindings for 109
creating localized reports and 541
displaying 117
returning from expressions 237
searching on 250
literal values in expressions 237, 250
Load event type 509
local file systems 131

local styles 531
 local variables 587
See also global variables; variables
 locales
 creating resource files for 542, 550
 creating resource keys for 543, 545
 defined 587
 designing for 56, 541, 542
 formatting dates and 149, 150, 336
 formatting numbers and 338
 previewing reports for 550, 552
 resetting date formats for 253, 487
 localization 541, 542, 587
See also locales
 Localization Properties option 545
 localizing reports 56, 541, 542
 locating
 multiple strings 245
 specific characters 249, 251
 string patterns 249, 251
 Location property 502
 logarithmic axis type 407, 409
 Logarithmic setting 407
 logos 129
 Lookup Key pick list 547
 low values, plotting 379, 400
 lowercase characters 151, 183
 Lowercase format setting 151
 Lowess algorithm 453

M

major grid lines 443, 445
 major grid marks 409, 410
 major tick marks 443, 444
 Manage Drivers button 71
 Manage JDBC Drivers dialog 69, 71, 73
 manifest files 587
 Map List 174
 Map List options 173
 Map page 173
 map rules 173, 174
 mapping
 data values 173
 to alternate values 173–174
 XML data 93, 94, 260
 Margin Top property 170
 margins
 cascading styles and 154

PDF reports and 494
 spacing options and 170
 web browsers and 168, 340
 Margins property 170
 marker interactivity options 507
 Marker Label Properties section (Axis
 Markers) 442
 marker labels 441, 442
See also data point labels
 Marker Line Attributes section (Axis
 Markers) 441
 marker line styles 442
 marker lines 440, 441, 442, 443
 marker range 440
 marker range formatting options 442
 marker types 440
 markers (charts)
See also specific type
 adding 440, 441, 471
 changing location of 424
 formatting 441–442
 outlining 442
 stretching 455
 Markers button 441
 Markers dialog 441, 442
 markup languages 569, 575, 579
See also elements; tags
 Master command 485
 Master Page page 27, 485
 Master Page tab 485
 master pages
 adding 478, 493, 532
 changing 486
 creating multiple 494–496
 customizing 485–494
 defined 587
 designing 23, 493
 displaying 27, 485
 placing images on 487, 490, 491
 restrictions for 486, 487
 setting properties for 494
 sizing headers and footers on 488
 master reports 314, 315, 316
See also subreports
 master/detail relationships 314, 482
 Match operator 251
 matching
 character patterns 260, 267

matching (*continued*)
 sequence of characters 88
 specific characters 249

math expressions 243

math functions 241, 242

matrix reports. *See* cross-tab reports

max function 221

median function 221

median values 221

member variables 588
 See also field variables; variables

members 588

membership test conditions 260

memo fields 252

memory 92

memos 117, 134

Merge command 172

merging table or grid cells 172

message files 59

messages 175, 177

metadata 589

meter charts
 See also charts
 adding dial regions to 465–466
 adding labels to 464
 changing dial scale in 462
 changing needle appearance for 463
 coloring series for 451
 defining data series for 392–395
 displaying multiple meters in 393, 463
 displaying multiple needles in 393
 formatting data series in 460–461
 overview 377
 setting dial size for 462

methods 589
 See also functions

Microsoft Windows systems. *See* Windows platforms

milestone builds 7

milestone release 17

min function 221

Minimum Slice pick list 468

Minor grid count option 410

minor grid lines 443, 445

minor grid marks 409, 410

minor tick marks 443, 444

mock-ups 58

modal windows 589

mode 589

mode function 221

modeless windows 589

modulus (%) operator 164, 165

monthly reports 191

Mouse Click event type 508

Mouse Double-Click event type 508

Mouse Down event type 508

Mouse Move event type 508

Mouse Out event type 508

Mouse Over event type 508

Mouse Up event type 508

movie clips 502

moving image files 130

movingAve function 221

multicolumn page layouts 171–172

multiline expressions 137, 239

multiline text 134

multipage reports 477

multiple columns, selecting 91

multiple report elements 46, 48

Multiple Y Axis pick list 410

multiplication 243

Multiplier property 388

multithreaded applications 589

N

name fields 48, 246, 248

name spaces 518, 522

named styles 153

names
 cascading parameters and 303, 305
 changing default 64, 65
 character limits for 107
 column binding and 105, 106, 107, 109, 111
 concatenating 48, 128, 246
 creating data sets and 82
 creating data sources and 65
 grouping on 189
 predefined styles and 156

naming
 cascading parameters 303, 304, 305, 306
 computed fields 99
 data set parameters 282
 data sets 82, 90, 91, 94
 groups 186
 JDBC data sources 68

naming (*continued*)
 JDBC drivers 72
 libraries 528
 parameter groups 299
 report parameters 78, 279
 resource files 542, 544
 text file data sources 75
 XML data sources 76
 Native JavaScript Functions category 241
 native2ascii command 543
 Navigator 28, 203, 589
 Navigator command 203
 needle colors 451
 needle settings 463
 needles 392, 460, 463
See also meter charts
 nesting
 report sections 116, 117
 reports 311, 314
 New Cascading Parameter command 303, 305
 New Cascading Parameter dialog 303, 305
 New Chart wizard 351, 385
See also chart builder
 New Data Set command 38, 82
 New Data Set wizard
 creating data sets and 82, 91, 94
 creating stored procedures and 90
 joining data sets and 101
 sample database and 38
 New Data Source command 37, 65
 New Data Source wizard
 adding database URLs to 72
 creating flat file data sources and 75
 creating JDBC data sources and 68
 creating XML data sources and 76
 demo database and 37
 selecting data sources and 65
 New Flat File Data Source wizard 75
 New Group dialog 185
 New Highlight dialog 160
 New Image Item dialog 130, 131
 New JDBC Data Source wizard 68
 New Joint Data Set command 101
 new lines 48
 New Map Rule dialog 173
 New Parameter command 78, 279
 New Parameter dialog 78

New Parameter Group command 299
 New Parameter Group dialog 299
 New Project command 33
 New Project wizard 33
 New Report command 34
 New Report Project wizard 33
 New Report wizard 34, 35, 318
 New Style command 155, 529
 New Style dialog 46, 155, 337, 339
 New Template wizard 534
 New Theme command 529
 New XML File Data Source Profile
 wizard 77
 newsgroups 5
 nightly builds 8
 node 590
 non-visual report elements 516
 Not Between operator 269
 notes 153
 notices 153
 null argument 230
 null value test conditions 260, 266
 null values
 aggregation and 228
 concatenation and 246
 creating user-selection lists and 290
 defined 590
 delimited text files and 74
 removing 247
 specifying at run time 288, 297, 298
 string data and 246, 297
 testing for 260, 266
 number format options 387, 388
 number format types 147
 number formats
 changing 338
 creating charts and 361, 387, 407
 customizing 148, 388
 setting data types for 147
 specifying 147, 148
 number function 242
 numbered lists 134
 numbers
 averaging 220, 221, 228
 charting comparisons for 378
 combining with text 135
 computing values of 228, 242
 converting strings to 252

numbers (*continued*)

converting to strings 244
 creating locale-specific reports and 56
 defining as text 133
 displaying as percentages 234
 displaying dynamic data as 134
 dividing by zero 243
 formatting 136, 147–148, 387
 grouping by interval 190
 grouping in charts 404, 405
 plotting 406
 reformatting 338
 returning from expressions 242
 returning sum of 222
NUMERIC data type 74
 numeric data types 238, 590
 numeric expressions 387, 590
 numeric fields 242
N-up reports. *See* multicolumn page layouts

O

object-oriented programming 590
 objects 590
 octal numbers 591
ODA (defined) 591
 ODA drivers 591
 ODA framework 63
ODBC (defined) 592
 ODBC data sources 69
 on-demand reporting 276
 online documentation 24, 25
 online help 591
 online reports 55, 57
 Opacity scroll tool 418
 open data access 63, 591
See also ODA
 open database connectivity. *See* ODBC
 Open File command 29
 Open Image File dialog 131
 Open Report command 203
 open source projects. *See* projects
 open source software development. *See*
 Eclipse
 opening
 BIRT RCP Report Designer 25
 BIRT Report Designer 25
 chart builder 358
 Data Explorer 64

expression builder 99, 240
 image files 502
 libraries 527
 Navigator 203
 project files 203
 Property Editor 43
 report design files 29
 report designs 29
 reports 27
 resource files 550
 sample database 37
 opening values, plotting 379, 400
 operator precedence 242
 operators 138, 237, 265, 592
See also JavaScript operators
 Operators category 242
 OR operator 272
 Or operator 254
 ORDER BY clause 85, 181
See also SQL statements
 order of precedence 242
 order-entry forms 127
 orientation (charts) 436
 orientation (reports) 494, 495
 Orientation pick list 436
 Origin pick list 408
 orthogonal axis values 560
 orthogonal series 467, 472
 outer joins 100, 592
See also joins
 Outline button 419
 Outline command 340
 Outline dialog 419
 outline line styles 419
 Outline page. *See* Outline view
 Outline view (BIRT) 28, 340, 516
 Outline view (Eclipse) 592
 outlines, customizing 419
 outlining
 axis labels 448
 axis markers 442
 axis titles 440
 chart legends 434
 charts 419
 curve-fitting labels 454
 data point labels 473
 dial labels 464
 dial regions 466

outlining (*continued*)
 legend titles 439
 legends 433
 marker labels 443
 pie sectors 449, 468
 plot areas 426
output
 charting data and 379
 designing for 23
 displaying 27, 168, 493
 removing headers from 489–490
 sizing headers and footers for 488
 spacing defaults for 167
 output columns 96, 97
Output Columns section (Edit Data Set) 96, 97
Output Columns view 238
Output Format pick list 380
output formats
 changing chart 380
 generating charts and 365, 379
 generating reports and 30
output parameters 88
overall value 230
 overlapping areas in charts 375
 overlapping axes labels 446

P

package (defined) 593
packages 3, 17
padding
 axis labels 448
 axis titles 440
 chart areas 421–422, 424
 chart titles 432
 container elements and 154
 curve-fitting labels 454
 data groups and 214, 215
 data point labels 473
 data rows and 50
 dial labels 464
 legends 436, 439
 marker labels 443
 page headers and 488
 plot areas 427
 report elements and 168, 170
 web browsers and 168, 340
padding properties 154, 170

Padding property 170, 214, 347
PaddingBottom property 170
Page Break After property 479
Page Break Before property 479
Page Break options 187
page break properties 479
page breaks
 adding 478, 484
 designing reports and 477
 restrictions for 478
page headers and footers
 adding multiple elements to 487
 adding report elements to 486
 changing 487
 creating 57, 118
 defined 576, 579
 displaying text in 487
 excluding from first page 489–490
 resizing 488
page layout models 115–118
page layouts
See also designs; master pages
 adding container elements to 118, 127
 adding data set fields to 127
 adding images to 129, 130, 131
 adding multiple elements to 117, 126
 adding report elements to 117, 125–132
 adjusting spacing for 166, 168, 170
 applying from templates 533
 building multicolumn 171–172
 creating 57, 117, 477
 customizing 516
 defined 477, 585
 defining computed fields in 98
 defining list structures for 124, 125
 defining row and column structures for 118, 120
 defining tabular structures for 120
 deleting data sets and 84
 designing multipage reports and 477
 displaying 115
 displaying master pages for 27, 485
 displaying text and 133, 135
 distributing reports and 55
 grouping data and 184, 185, 188, 195
 overview 23, 115
 placing aggregate data and 222, 224
 placing side-by-side-elements in 126

page layouts (*continued*)
 prerequisites for 56, 115
 page numbers 57, 486
 page orientation 494
 page settings 494
 page size 494
 Page# element 487
 pagination 478–485
 palette 125
 palette (charts) 451, 452
 palette (report editor) 28
 palette list 452
 Palette page. *See* Palette view
 Palette view 28, 487, 593
 paragraph styles 134
 parallel subreports 316
 parameter groups
 adding parameters to 300, 304, 306
 creating 298, 299, 301
 displaying 300, 308
 naming 299
 reordering in Data Explorer 308
 parameter lists 290, 303
 parameter markers (queries) 280, 281
 parameter sets 298
 parameters
 See also data set parameters; report parameters
 adding messages for 175
 adding to expressions 241
 adding to queries 280, 281
 assigning data types to 279, 282
 assigning values to 289
 binding to connections 78
 building charts and 385
 debugging 308
 defined 593
 defining as data filters 277, 285, 286
 display properties for 287
 grouping 298, 299, 301
 providing input with 277, 298
 returning values from 280, 282
 setting up run-time connections and 77, 78
 testing 284, 308
 troubleshooting connection 80
 Parameters button 385
 parent class. *See* superclasses

parseFloat function 252
 parseInt function 252
 Password property 69
 passwords
 defined 594
 JDBC data sources and 67, 69
 relational databases and 67
 run-time connections and 77, 78
 static text and 77
 paths
 image files and 492
 resource folders and 59
 XPath expressions and 93, 95
 pattern-matching characters 250
 pattern-matching conditions 249, 260, 267
 patterns 594
 See also object-oriented programming
 PDE (defined) 571
 PDF documents
 controlling pagination in 478–485
 creating master pages for 485, 493, 494
 designing for 478
 generating 30
 previewing 31, 42, 166, 481
 resizing headers and footers for 488
 setting page breaks for 479, 481
 spacing defaults for 166
 viewing 478
 PDF formats 30, 31, 55
 PDF reports. *See* PDF documents
 percent (%) character 88, 234
 Percent format setting 148, 234
 percent stacked charts 375
 percentages 222, 231–234, 378
 percentile function 221
 percentRank function 222
 percentSum function 222
 period(.) character 250
 personalized reporting 55
 perspectives 25, 570
 phone numbers 150, 252
 photographs 379
 pictures 118, 129, 175
 See also images
 pie charts
 See also charts
 adding leader lines to 363
 changing leader lines for 469–470

pie charts (*continued*)
 coloring series for 451
 creating 349, 466
 defining axes values for 406
 defining data series for 395–398
 defining multiple pies for 397, 470
 displaying sectors for 354
 entering expressions for 353
 exploding sectors in 449, 469
 formatting data series in 467
 labeling sectors in 359, 361, 468
 outlining sectors in 449, 468
 overview 378
 resizing 467
 setting sector size for 355, 468
Pie Ratio property 467
 pie shapes, stretching 467
Plain text option 140
 plain text values 139, 140
Plain value (content type) 139
 planning process (described) 22, 53
 platform 594
 plot area (charts)
 adding shadows to 427
 adjusting 423, 425, 427
 changing layout of 372
 changing spacing of 416, 421, 427
 highlighting 423
 laying out 422
 outlining 426
 setting background colors for 425–426
 setting padding around 424, 427
 setting size 428–429
Plot section (Format Chart) 371
Plot section options 426
 plotting data 381, 404, 405
Plug-in Development Environment 571
 plug-in fragments 594
 plug-ins 14, 594
 PNG files 379
 pointer shapes (needles) 463
 polymorphism 594
 portal 595
 portlets 595
 position-based parameters 281
 precedence 242
 predefined layouts. *See* master pages
Predefined Style pick list 156

predefined styles 153, 156, 158, 531
 predefined templates 515
 predefined text elements 486, 487
 predefined values 564
 predicates (XPath expressions) 93
Preferences command 97, 413, 551
Preferences dialog 98, 413, 551
Prefix property 189, 388, 473
 presentations 23
Preview page 27, 31, 42
 preview preferences 550, 551
Preview Results section (Edit Data Set) 39, 97, 98
Preview with format section (Format Builder) 297
 previewer 27, 481, 595
 previewing
 charts 356, 357, 412
 computed fields 100
 data 97
 data sets 97, 103, 269
 formatted values 297
 grouped reports 215
 groups 272
 HTML documents 31, 42
 images 130
 interactive features 510
 PDF documents 31, 42, 481
 report designs 118
 report parameters 284
 reports 23, 31, 166, 550
 sample chart data 384
 SQL statements 39
 XML data sets 95
 printed reports 55, 57
 printing multipage reports 477
 privileges 77
Problems page. *See* Problems view
Problems view 28, 80
 procedures 595
 process 595
 program archives 5, 10, 11, 13
 program requirements
 BIRT RCP Report Designer 5
 BIRT Report Designer 6–7
 program updates 17
 programmers xxi, 23, 29, 53, 515

programming interfaces 582
 See also application programming interfaces; interfaces
programming languages 582
 See also scripting languages
project libraries 522, 524–525
project types 33
projects
 adding files to 28
 adding resources to 542, 543
 creating 22, 32
 opening 203
 reusing data sources in 64
 viewing error messages for 28
 viewing report 28
Prompt text property 288
prompting for input 275, 277, 288, 298
prompts 277, 279, 288
.properties files 542
properties
 alternating colors and 163
 data set parameters and 282
 data sets and 82
 defined 596
 displaying 145
 dynamic text elements and 139
 filtering data and 263
 format patterns and 143
 formatting data and 145, 146
 grouped reports and 185
 JDBC connections and 65
 JDBC drivers and 72
 label elements and 140
 master pages and 494
 report elements and 45
 report parameters and 279, 287
 report templates and 534, 535
 restoring 530
 run-time connections and 77
 shared libraries and 517, 524, 530
 sorting and 182
 spacing elements and 170
 styles and 46, 153, 154, 155, 156
 text alignment and 165
Properties command 145
properties list 595
Properties page. *See* Properties view
Properties view 145, 595

Property Binding options 78, 103
Property Editor
 accessing 43
 adding table of contents and 505
 alternating colors and 163
 assigning resource files and 544
 assigning resource keys and 545, 549
 creating hyperlinks and 500, 502
 creating master pages and 488, 490, 494
 defined 596
 defining themes and 520
 filtering data with 270, 271, 286
 format property options in 46
 formatting charts and 474
 formatting data and 145, 146, 152, 159
 grouping data and 197, 198, 201
 hiding report elements and 176
 localizing text and 545, 546, 550
 mapping to alternate values and 173
 overview 28
 resetting date formats with 253
 selecting multiple report elements in 46
 sorting data and 182
 viewing binding information and 108, 122
Property Editor command 43
protocol 596
prototypes 69
publish 596
Publish Library dialog 525
Publish Library to Resource Folder command 525
Publish to Template Folder command 537
Publish to Template Folder dialog 538
publishing libraries 59, 525
publishing report templates 533, 537
purpose statements 54

Q

quarterly reports 188, 191
quartile function 222
queries
 See also SQL statements
 accessing multiple tables and 86
 building linked subreports and 315
 building lists and 291, 295
 changing 281, 530
 charting data and 385, 403, 405

queries (*continued*)
 creating 85, 87, 102
 defined 597
 filtering data with 258, 262, 268, 277, 278
 examples for 259
 limiting data returned by 85
 matching text patterns and 267
 previewing result sets for 97
 retrieving data with 37, 81, 82, 85
 sorting data with 181
 validating 39, 97
 Query section (Edit Data Set) 87
 Query wizard 82, 90
 question mark (?) character 250, 280
 Quick Add section (Select Key) 545
 quotation mark characters. *See also*
 quotation mark character; single quotation
 mark character

R

radio buttons
 adding values for 290–296
 formatting values for 288, 296, 297
 setting default values for 294, 296
 setting maximum number of values
 for 296
 sorting values for 294
 testing values in 309
 randomly generated data 413, 414
 range 597
 range fill colors 442
 range markers (charts) 440
 range of values
 defined 597
 highlighting in charts 440
 searching 259, 266
 selecting grouping intervals for 186, 190
 Range property 189, 191, 192
 range test conditions 259, 266
 rank function 222
 ratio setting (charts) 467
 RCP (defined) 571
 See also rich client platforms
 RDBMS data sources 64
 record-level elements (XML) 95
 records 74, 257, 309
 See also rows
 Reference Found dialog 66

referencing column bindings 111
 RegExp objects 249, 251
 See also regular expressions
 Regions button 465
 Regions dialog 465
 regression testing 558
 regular expressions 249, 250, 251, 597
 See also expressions
 relational databases 67
 See also databases
 relational models 85
 relational structures 85, 92
 relative paths 93
 release builds 7, 10, 12, 13
 removing. *See* deleting
 Rename command 65
 renaming
 column bindings 111
 columns 96, 97, 351
 data sources 64, 65
 resource keys 550
 rendering environments 55
 rendering extensions 597
 Repeat Header option 121, 479
 repeated headings 200
 replace function 245, 247
 replacing
 multiple strings 245
 specific characters 249, 251
 report descriptions 124
 Report Design command 25
 report design environments 23
 See also BIRT; Eclipse
 report design files
 creating 29, 350
 defined 597
 editing 520
 opening 29
 overview 516
 saving 204
 Report Design perspective 11, 25
 report design perspective 10
 report design views 26
 report designer packages 4, 17
 report designers 9
 report designs
 See also page layouts
 accessing 29

report designs (*continued*)
 accessing templates for 538
 adding columns to 171
 adding data sources to 64
 adding libraries to 515, 518, 520
 adding report elements to 516
 applying styles and 154, 531
 creating 22, 516
 creating charts and 374, 474
 creating locale-specific reports and 56, 541, 542
 creating multipage reports and 477
 defined 568
 displaying 29, 340
 drawing mock-ups of 58
 embedding images in 130, 131
 formatting data and 145, 152, 158
 grouping data in 185, 195, 197
 hiding elements in 175, 176
 importing styles for 156
 laying out reports and 115
 linking images to 130
 on-demand reporting and 276
 overview 21
 prerequisites for 53, 54
 previewing 118
 removing column bindings from 111
 removing data sources from 66
 returning values at run time for 120, 275, 277, 295
 saving 29
 selecting data for 85
 selecting fonts and 146
 setting filters in 265, 268, 270
 shared report environments and 107, 515
 sorting data in 181
 structure of 516
 time-sensitive data and 276
 updating 520
 viewing environments and 55
 viewing libraries in 518
 report document files 598
 report document model (BIRT) 29
See also ROM
 report documents. *See* documents; reports
 report editor 27, 29, 598
 report elements
See also specific type

accessing 28, 527, 529
 adding containers for 118
 adding multiple 117, 126
 adding to designs 40, 125–132, 516
 adding to libraries 517, 522, 529
 adjusting spacing between 344
 aligning 119, 165, 166
 applying styles to 153, 154, 155, 158
 arranging in grids 118–120
 arranging in lists 123–125
 arranging in tables 120–123
 changing 527, 538
 changing formatting rules for 161
 changing with conditions 159, 162
 creating column bindings for 109, 111
 creating formatting rules for 159, 162
 creating hyperlinks with 501, 502
 creating textual information and 133
 customizing 145, 152, 520, 524
 defined 598
 defining as inline elements 48
 deleting styles for 158
 designing master pages and 486, 487
 developing reports and 516
 displaying 28, 48
 filtering data and 263, 265, 270
 formatting 45, 145, 152, 158
 generating output-specific content and 493
 generating table of contents and 504
 hiding 175–177
 inserting page breaks and 478
 linking to 497
 overview 117
 restrictions for placing 126
 retrieving data for 106
 selecting multiple 46
 setting properties for 45, 146
 spacing options for 166, 168, 170
 specifying resource keys for 542, 545
 structuring subreports and 312
 viewing properties for 145
 report engine 13, 557
 report engine package 10
 report executable files 598
See also report object executable files
 report file types 576

report files 28, 32
See also specific type
 report footer sections 118, 121, 124
 report header sections 121, 124
 report headers 479
 report item extension sample plug-in 558
 report item extensions 599
 report items
See also report elements
 adding to libraries 524, 529
 adding to templates 536
 defined 598
 standardizing 527
 Report Items slot 527, 529
 report library files 517, 586
 report object model. *See* ROM
 report parameters
See also cascading parameters
 adding to expressions 241
 assigning data types to 279
 assigning resource keys to 549
 associating connection parameters with 77, 78
 binding to data set parameters 281–284
 binding to data sources 78
 changing 289
 creating 277, 278–280, 285
 data set parameters compared to 278
 defined 600
 defining cascading 301–307
 defining hyperlink expressions and 500
 displaying 287, 308
 filtering data with 277, 285
 formatting 296–297
 grouping 298–300
 localizing 549
 naming 78, 279
 overview 275–277
 reordering in Data Explorer 308
 returning dynamic values from 295
 returning static values from 291
 running dynamic queries and 102
 selecting 287
 setting default values for 277, 288, 289–290
 setting display names for 299
 testing 308–309
 viewing properties for 289

viewing sample formats for 297
 Report Parameters category 241
 Report Parameters fields (Hyperlink Options) 500
 Report Parameters list 308
 report projects. *See* projects
 report sections
 adding charts to 373
 adding multiple master pages to 495
 adding report elements to 117, 118
 adding to designs 118
 arranging static elements in 118
 conditionally displaying 176
 controlling pagination for 478
 creating subreports and 125
 defined 603
 displaying data in 118, 121, 124
 laying out 115, 116, 117
 nesting 116, 117
 report specifications. *See* report designs
 report style 154
 report template files 517, 600
 report templates
 accessing 517, 538
 adding report items to 536
 associating images with 533, 536, 537
 creating 517, 534
 customizing 534–536
 defined 608
 designing 517
 displaying 35, 517
 laying out reports and 57
 overview 532
 publishing 533, 537
 selecting 535
 setting properties for 534, 535
 structure of 516
 Report templates section (New Report) 538
 report title sections 118, 119
 report viewer 31, 481, 511
 report viewer servlet 600
 reporting applications. *See* applications
 reporting platform. *See* BIRT
 reports
 adding multiple master pages to 494, 495
 assigning resource files to 543–544
 binding data sets to 105
 controlling pagination for 478

reports (*continued*)
 creating 22, 34, 58, 234, 542
 defined 597
 deploying 59, 131
designing. *See* designing reports
 developing 9, 515
 displaying 55, 340, 477
 formatting data and 23
 generating 30, 275
 grouping data and 57, 185, 195
 importing styles for 156
 laying out 23, 56, 115
 linking charts to 510–511
 linking to 311, 315, 499–500
 localizing 56, 541, 542
 nesting 311, 314
 opening 27
 organizing content of 180, 183
 overview 21
 planning for 22, 53, 54, 55
 previewing 23, 31, 166, 550
 reducing size of 276
 restricting data returned for 257
 returning no data 175
 reusing 57
 specifying data for 22, 85
 standardizing designs for 515
 testing 23
 repository 525
 requests 601
 reserved words. *See* keywords
 resizing
 charts 357
 columns and rows 168–169
 page headers and footers 488
 Resource File pick list 544
 resource files 541, 542, 543, 550, 601
 resource folder 517, 525, 526
 resource folders 59
 resource keys
 assigning to charts 546–548
 assigning to report parameters 549
 assigning to text elements 545–546
 changing 550
 creating 542, 545
 defined 601
 localizing 541
 removing 546, 548, 550

renaming 550
 specifying 542
 resources 59
 response 601
 response messages 601
 restarting Eclipse 80
 restoring JDBC drivers 72
 restoring property settings 530
 result sets
 See also data sets
 changing number of rows in 97
 defined 601
 limiting data in 85
 previewing data in 97
 retrieving multiple 89
 returning from multiple tables 86
 returning from stored procedures 89
 returning from XML data sources 92
 sorting data in 85
 rich client platforms 22, 24, 571
 RIGHT JOIN clause 87
 right outer joins 100
 roles 77
 ROM (defined) 599
 ROM definition file 599
 ROM elements 599
 ROM schemas 600
 rom.def 599
 rotating chart titles 431
 rotating charts 456
 Rotation section (Edit Font) 431
 row and column structures 118, 120
 row boundaries 169
 row heights 168, 169
 row numbers 222
 row properties 169
 rows
 See also records
 adding to grids 119
 adding to tables 40, 121, 123
 adjusting spacing for 49
 aligning text in 165
 alternating colors for 163–165
 changing number returned 97
 counting 221, 222, 228
 creating group headings and 200, 201
 defined 601
 deleting 120

rows (*continued*)
 displaying aggregate values and 223, 224, 227, 229
 filtering 263, 269, 272
 generating computed values and 98
 grouping on 484
 hiding detail 234
 inserting charts in 373
 iterating through 138
 placing data in 121
 resizing 168, 169
 restricting retrieval of 258, 265
 retrieving from databases 86
 returning values in 221
 selecting cells in 49
 setting number per page 484
 spacing data elements with 341
 .rptdesign files. *See* report design files
 .rptdocument files. *See* report document files
 .rplibrary files. *See* report library files
 .rpttemplate files. *See* report template files
rules
 changing formatting 161
 creating formatting 159–161, 162, 163
 default precedence for 162
 deleting 163
 mapping to alternate values and 173
 reordering 163
 testing formatting 161, 162
run 602
 running average 221
 running stored procedures 91
 running totals 164, 223, 225
 runningCount function 165, 222, 484
 runningSum function 222
 run-time connections 77–79
 run-time filters 277, 285
 run-time parameters 280, 281
 run-time queries 102, 280

S

sample data (charts) 384, 413, 414
 sample database 32, 36
See also Classic Models sample database
 sample report templates 58
 Samples package 10
 saving
 data set parameters 284

data sets 83
 report designs 29, 204
 styles 156
Scalable Vector Graphics. *See* SVG formats
Scale button 410
Scale dialog 410
 scaling options (charts) 409
scatter charts
See also charts
 curve fitting and 453
 defining axes values for 406
 defining data series for 398–399
 formatting data series in 459–460
 labeling axis values in 439
 overview 378
 trendlines in 448
schemas 76, 87, 88, 602
Scientific format setting 148
scope 602
script editor 27, 602
Script page 27
scripting engine 611
 scripting languages 603
 scripts 267, 509
SDK package 603
SDK software 6, 10
SDO Runtime component 7
searching for
 multiple strings 245
 program updates 17
 specific characters 249, 251
 string patterns 249, 251
section footer rows 118, 121, 124
section header rows 121, 124
sections
 adding charts to 373
 adding multiple master pages to 495
 adding report elements to 117, 118
 adding to designs 118
 arranging static elements in 118
 conditionally displaying 176
 controlling pagination for 478
 creating subreports and 125
 defined 603
 displaying data in 118, 121, 124
 laying out 115, 116, 117
 nesting 116, 117
 sector colors 451

sector labels 359, 360, 468

sector names 361

sector size 355, 395, 468

sectors 354, 395, 467

See also pie charts

security roles 77

select 603

Select a Data Source type page 65

Select charset option 76

Select Chart Type page

- changing output formats and 380
- creating second y-axis and 410

overview 365

selecting chart type and 351

Select Chart Type page (Edit Chart) 411

SELECT clause 85

Select Columns page (New Data Set) 91

Select Data Binding dialog 105, 109, 110

Select Data page (New Chart)

- defining data series and 386
- overview 366
- previewing data and 412
- selecting data sets and 353, 384

Select Data Set options 384

Select file property 91

Select folder option 76

Select Folder page 75

Select Key dialog 545

SELECT keyword 85

SELECT statements 85

See also SQL statements

Select Value Column pick list 296

selecting multiple report elements 46

selecting report templates 535

Selection values section (Edit

Parameter) 291

Selection values text area 293

semicolon (;) character 239

Separator property 473

separators (chart labels) 361, 473

separators (text files) 73

series

See also charts

- adding values to legends 437

- adjusting depth 455

- adjusting widths 422

- changing type 449

- coloring 450–452

creating combination charts and 402, 448

defined 603

defining translucent 449

displaying pie sectors and 354

displaying type 369, 455

entering expressions for 383, 386, 391

formatting 448–471

grouping data for 405

hiding 449

linking to 510

plotting 375, 382

setting interactive features for 506, 507

setting up 383, 389

sorting 403

spacing 457

stacking 454

stretching markers for 455

Series Depth property 455

series markers. *See* markers; tick marks

Series Palette button 367

Series Palette dialog 367, 452

Series section (Format Chart) 369, 455

series types 448, 449

Service Data Objects component 7

servlets 604

Set As Default button 294

shadow colors 427

Shadow pick list 427

shadows

- axis labels 448

- axis titles 440

- chart areas 423

- chart legends 433, 434

- chart titles 431

- curve-fitting labels 454

- dial labels 464

- marker labels 443

- plot areas 427

shared report development framework 515

shared report environments 58, 515

Show Curve Fitting Line option 453

Show header on first property 490

Show ToolTip option 509

Show Value option 437

side-by-side subreports 316

SimpleDateFormat class 149

single quotation mark (') character 74, 268

single-equality conditions (XPath) 93

single-position predicates (XPath) 93
 singleton pattern 594
 Slice Label property 468
 Slice Outline property 468
 Slice Size Definition property 355
 slice size series 395, 397
 slices. *See* pie charts; sectors
 slots 527, 604
 Software Development Kit 6, 10, 603
See also JDK software; SDK package
 software interfaces 582
 software requirements
 BIRT RCP Report Designer 5
 BIRT Report Designer 6–7
 sort 604
 Sort alphabetically when prompting
 option 294
 Sort Direction property (Edit Group) 195
 Sort Direction property (New Group) 187
 Sort Direction property (Property
 Editor) 183
 sort fields 180, 182, 183, 193
 sort key expressions 43, 183, 195
 Sort Key field (Edit Group) 194
 Sort Key field (Property Editor) 182
 sort keys 182, 194, 605
 sort order
 designing reports and 57
 grouping data and 187, 192, 195
 setting 183
 sorting data and 180
 sort-and-group-by fields. *See* group keys
 sorting data
 charts and 403
 expressions and 237
 from BIRT designer 181
 grouped reports and 187, 192–195
 overview 180
 queries and 85, 181
 string values and 183
 tutorial for 43
 user interface elements and 294
 Sorting page (Edit Group) 194
 Sorting page (Property Editor) 182
 sorting properties 182
 Sorting tab 43, 182
 sorting values in lists 324

source code
 editing 29, 558
 expressions as 239
 loading 585
 referencing columns and 96
 testing and debugging 23, 558
 source data. *See* data sources
 space characters 48, 74, 88, 393
 spacing
See also padding
 chart areas and 416, 421, 427
 chart series and 457
 empty columns and rows and 120
 headers and footers and 488
 report elements and 136, 166–168, 170
 tutorial for adjusting 340, 344
 spacing between rows 49
 spacing properties 170
 SQL (defined) 85, 605
 SQL data sets 82
 SQL language 605
 SQL reserved words 88
 SQL statements
See also queries
 adding parameters to 280, 281
 adding sort conditions to 181
 changing 281, 530
 defined 605
 defining at run time 278, 284
 joining tables with 86–87
 previewing 39
 prompting users for 102
 selecting tables for 87
 setting filter conditions in 258, 259, 268
 SQL Stored Procedure Query option 90
 stable builds 8
 stacked charts 375, 454
 Stacked option 455
 stacking chart series 454
 standard deviation 222
 Standard option (Format Specifier) 388, 389
 Standard Viewer 605
 starting
 BIRT RCP Report Designer 15, 25
 BIRT Report Designer 11, 15, 24
 Eclipse 24
 starting values
 grouping data and 190, 191

starting values (*continued*)
 plotting 379, 400
 state. *See* instance variables
 statements 239, 605
 static elements 118
 static images 129
 static lists 291, 293
 static tables 117
 static text
 adding to dynamic text elements 136
 adding to reports 541
 combining with dynamic data 134, 135,
 141, 142, 224
 combining with numbers 244
 controlling spacing for 136
 creating column bindings for 109
 creating group headings and 202
 creating report titles and 135
 defined 133
 displaying 117, 134
 formatting 135
 localizing 545, 546
 setting run-time connections and 77
 static variables 606
 See also dynamic variables; variables
 stdDev function 222
 stock charts
 See also charts
 changing series type in 449
 coloring data series for 450
 curve fitting and 453
 defining axes values for 406
 defining axis titles for 439
 defining data series for 400–402
 formatting data series in 471
 overview 379
 stocks, tracking value of 379, 400
 stored procedures 88, 89
 straddle. *See* merging
 straight cursor 125
 strike through text style 147
 strikethrough text options 431
 String data type 606
 string expressions 606
 string fields 245, 260, 267
 string format types 151
 string functions 241, 245, 248

string substitution 245
 STRING type indicator 75
 strings
 concatenating 48, 128, 246, 247
 containing null values 297
 containing zero (0) values 244
 converting case for 151
 converting numbers to 244
 converting to numbers 252
 creating user-selection lists for 290
 defining numbers as 238
 defining textual information and 133, 134
 displaying portions of 247, 248
 finding specific characters in 248
 formatting 135, 150–152
 formatting numbers and 147
 grouping by interval 189
 inputting date values and 280
 matching patterns in 249–252, 260, 267
 replacing instances of 245
 replacing values in 245
 returning from expressions 245–252
 returning length of 248
 selecting at run time 298
 sorting 183
 translating 56
 structured content 115, 606
 Structured Query Language. *See* SQL
 structures libraries 523
 style elements 519
 style properties
 cascading styles and 154
 displaying 155
 setting 153, 155, 158
 unsupported 156
 style sheets 559
 See also cascading style sheets
 styles
 adding to libraries 520, 521, 529, 531
 applying from libraries 531
 applying predefined 153
 changing 158, 519
 creating 46, 153, 154, 155
 customizing 47, 156
 defined 606
 defining chart 474
 deleting 158

styles (*continued*)
 formatting with 152
 importing 153, 156–157
 inheriting 154
 localized reports and 337, 339
 selecting 158
 setting for multiple report elements 45
 sharing reports and 516, 517, 520, 523
 subclasses 607
See also descendant classes
 subDate function 254
 subreports
 aligning data in 314
 building data sets for 318, 320, 322
 building queries for 332
 creating 125, 316, 325, 329
 examples for 312, 313
 defined 607
 defining links for 315, 327, 331
 displaying in web browsers 340
 formatting 335
 highlighting data in 335
 laying out 312, 314, 333
 overview 311
 substr function 248
 substrings 245, 247, 248
 subtotals 224, 225
 subtraction 243
 Suffix property 388, 473
 sum function 222, 230
 summary data. *See* summary values
 summary reports 234–236
 summary values
See also aggregate values
 adding to grouped reports 187
 adding to lists 124
 adding to tables 121
 designing reports and 57
 displaying 219
 grouping data and 210
 plotting 385
 returning from groups 229
 superclasses 607
See also ancestor classes
 SVG (defined) 379
 SVG formats 379
 SVG output 379
 syntax (programming languages) 607

T

table cells 172
See also cells
 table elements
See also tables
 adding 40, 120, 519
 as containers 120
 defined 117, 607
 placing image elements in 131
 placing in grid elements 333
 placing in libraries 523
 viewing placement of 340
 table headers 154, 211
 Table Mapping page 94
 table names 88
 table of contents
 automatically generating 184, 215
 creating 216, 503–505
 displaying 215
 retrieving data for 187
 table of contents button 215
 table style 154
 Table tab 43, 47, 123
 table-detail style 154
 table-footer style 154
 table-header style 154
 table-level attributes (XML) 93
 table-level elements (XML) 94
 tables
See also databases; table elements
 adding borders to 346, 347
 adding charts to 373
 adding CLOB fields to 138
 adding data set fields to 121, 122, 123, 127, 205
 adding rows to 121, 123
 adding to queries 87
 adding to reports 40, 117, 120
 adjusting spacing for 49, 168, 170
 aggregating values in 222–223, 225
 aligning content in 165–166
 applying styles to 154
 binding to data sets 122–123, 142
 changing 123
 creating 171, 325, 329
 creating column headings for 96, 335
 creating subreports and 312, 314

tables (*continued*)

defined 607
 defining column bindings for 109
 defining relational structures for 92
 defining XML data mappings for 93
 displaying 168
 filtering data in 88, 263, 270, 286
 grouping data in 185, 186, 197, 202, 211
 increasing spacing between 344
 inserting header rows in 211
 inserting report elements in 121, 122
 inserting textual elements in 138, 142
 joining 86, 100, 101
 mapping to XML 94
 merging cells in 172
 organizing elements in 120–123
 placing side-by-side 333
 resizing columns and rows in 169
 retrieving data from 85
 selecting 43, 47
 sorting data in 181, 326, 330
 specifying width 167
 viewing binding information for 122, 123
 viewing columns in 88
tabs 607
See also page
tabular layouts 118, 120
tags 608
See also elements
 telephone numbers 150, 252
template files 517, 600
template folder 517, 537
template report elements 517
template report items 538
templates
 accessing 517, 538
 adding report items to 536
 associating images with 533, 536, 537
 creating 516, 517, 534
 customizing 534–536
 defined 608
 designing 517
 displaying 35, 517
 laying out reports and 57
 overview 532
 publishing 533, 537
 selecting 535
 setting properties for 534, 535

structure of 516
temporary directory 103
Test Connection button 69
test packages 558
testing
 BIRT installations 11, 14
 character patterns 260, 267
 connections 69
 data sets 23
 filter conditions 280
 for null values 260, 266
 formatting rules 161, 162
 locale-specific reports 550
 map rules 174
 parameters 284, 308
 range of values 259, 266
 reports 23
 sets of values 260
 subreports 311
 viewing environments 55

text

See also static text; text elements
 aligning 147, 165, 431
 applying styles to 153
 as introductory material 124
 as static elements 118
 automatically completing 290
 changing 139, 245, 487
 combining from multiple fields 246, 247
 combining with dynamic data 135
 creating data sources and 77
 displaying 117, 133, 134
 entering 487
 formatting 51, 135, 141, 143
 grouping in charts 404, 405
 localizing 56, 542, 545, 546
 plotting 404, 406, 407
 returning from expressions 239, 245
 wrapping 437
text attributes 134, 147, 431
text axis type 407
text boxes 288, 289, 290
 enabling blank or null values for 298
text color options 431
text editors 29, 138, 140, 542
text elements
See also text
 adding dynamic values to 135

text elements (*continued*)
 adding HTML tags to 141
 adding JavaScript expressions to 137, 141, 142
 adding to designs 134, 140, 519
 adding to grid elements 118
 adding to list elements 124, 125
 adding to master pages 486, 487
 adding to page headers and footers 487
 adding to table elements 121
 aggregating data and 224
 assigning resource keys to 545
 binding to data sets 142
 creating column bindings for 109
 creating group headings and 202
 creating messages with 175, 177
 creating report titles and 51, 135
 defined 117, 609
 formatting data in 148, 150, 152
 formatting dynamic values in 143
 formatting static text in 135
 formatting strings in 150
 preserving HTML formats and 136, 143
 removing resource keys for 546
 selecting predefined 486, 487

text fields 245
 text file data sources 73–76, 91
See also text files

text files
 accessing data in 63, 73, 75, 91
 connecting to 75
 defining parameters for 285
 displaying data in 91
 exporting data to 511–513
 filtering data in 262
 localizing reports and 542
 retrieving data from 85, 91
 selecting character sets for 76
 selecting data in 91
 setting location of 76
 setting up 73–74
 sorting data in 181
 specifying data types for 74, 76

Text Format button 434
 Text Format dialog 439, 448
 text formats 51, 140
 Text key property 545
 text messages 175, 177

text patterns 249, 251, 260, 267, 597
 text strings. *See* strings
 text style (predefined) 154
 text styles 134, 147
 text-alignment property 165
 textual elements 133, 135
See also specific type
 textual information 133, 135
See also text

themes 517, 521, 523, 531, 609
See also styles

Themes property 531
 Then expressions 161

3-D charts
 coloring areas in 420
 curve fitting and 453
 formatting 456
 rotating axes in 456
 selecting as type 374
 setting inset values for 422
 setting series depth in 455
 spacing series in 457
 transposing axes values and 411

thumbnail images 502
 tick 609
 tick interval 609
 tick marks 443, 444, 463
See also markers (charts)

tick settings 444
 time axis type 407
 time continuums 379
 TIME data type 75
 time data type 567
 time expressions 387, 389
 time format options 389
 time formats
 charting expressions and 387, 389
 customizing 389
 setting 149

time functions 252
 time period values (grouping intervals) 192
 TIME type indicator 75
 time values
 displaying date values and 253
 getting parts of 253
 grouping by interval 191, 192
 grouping in charts 405
 plotting 374, 406

TIMESTAMP data type 75
 TIMESTAMP type indicator 75
 title area (charts)
 adding shadows to 431
 aligning text in 431
 anchoring text to 432
 changing spacing of 416, 421
 formatting text in 430
 hiding 423, 430
 highlighting 423
 laying out 422, 423, 429
 setting background colors for 431
 setting font attributes for 431
 setting interactive features for 506
 setting padding around 421, 424, 432
 title bar (Property Editor) 50
 Title Format button 430
 Title Format dialog 430, 432
 title text area (charts) 431
 titles
 adding to charts 429, 430, 461
 adding to legends 438
 adding to tables 121
 adjusting spacing for 170
 changing chart 358, 430
 creating report 118, 134, 135
 formatting chart 430, 438
 formatting text in 135
 hiding 430
 localizing 542
 outlining legend 439
 rotating 431
 specifying inset settings for 432
 TOC Item Expression property 187
 Toggle Data Point Visibility option 509
 Toggle Visibility option 509
 toLowerCase function 183
 toolbars 609
 ToolTips 241, 288
 top *n* logic filters 267
 top *n* summary reports 235
 top-level groups 195, 196, 197
 toString function 244
 Total class 220
 totals
 See also summary values
 aggregating data and 223, 229
 as percentage of whole 231
 calculating 108, 128, 224, 225
 charting data and 349, 378
 color-coding 162, 164
 comparing 255
 generating computed values and 98
 generating running 225
 placing in detail rows 223
 placing in footer rows 121, 223, 225
 placing in header rows 223, 224
 retrieving 222
 returning from groups 229, 231
 toUpperCase function 183
 translators. *See* converters
 translucent data series 449
 transparent backgrounds (charts) 417, 418, 433
 transparent colors (charts) 420
 tree views 340
 trendlines (charts) 448
 triggers. *See* actions; events
 troubleshooting connections 79
 troubleshooting installation problems 14–15
 tutorials
 building listing reports 32–52
 building side-by-side subreports 316–348
 creating charts 349–364
 filtering run-time queries 278–287
 grouping report data 202–215
 TXT files 74
 See also text files
 Type pick list 407
 Type pick list (Interactivity) 508
 types. *See* data types
 typographic conventions
 (documentation) xxvi

U

UCS2 code point values 183
 undefined values 244
 underlays. *See* watermarks
 underline text style 147
 underscore (_) character 88
 ungrouped reports 180
 Unicode 610
 Unicode encoding 610
 Uniform Resource Locators. *See* URLs
 unique values 221, 228, 289, 291
 Unit Spacing property 457

unit spacing values 457
 Units pick list 422
 universal hyperlinks. *See* hyperlinks
 Universal Resource Identifiers. *See* URIs
 UNIX platforms 15
 unpacking BIRT archives 5, 10
 unusable data sets 67
 updates 17
 updating
 data formats 146
 designer packages 17
 list of values 291
 report designers 18
 report designs 520
 report libraries 528
 upgrades 17
 uppercase characters 151, 183
 Uppercase format option 151
 URI option 130
 URIs 131, 502, 610
 URL Redirect option 509
 URL redirect option 510
 URL Template property 72
 URLs
 database connections and 67
 defined 610
 Eclipse Modeling Framework and 7
 Eclipse SDK software 6
 Graphics Editor Framework and 7
 image files and 131, 491
 installation demo and 5
 iTExt PDF library and 11, 12, 13
 JDBC connections and 69, 72
 JDK software and 5, 6
 ODA framework and 63
 program archives and 10, 12, 13
 redirecting from 509
 XML data sources and 77
 XML schemas and 77
 XML specification and 76
 Use data set option 353
 Use fixed base value option 191
 Use identifier quoting option 89
 user IDs 252
 user interface elements 290, 296
 user name parameters 78
 User Name property 69, 78
 user names 67, 69, 77

user-defined formulas 106
 user-named styles 156
 users
 changing at run time 77
 creating lists of values for 290–296, 297
 creating reports and 54, 56
 prompting 275, 277, 288, 298
 specifying filters 277, 278, 285

V

value axis 406, 409
 value expressions 137, 269
 value series
 See also data series
 building combination charts and 402
 changing 449
 coloring 367, 450
 creating multiple 391, 395, 398, 401, 403
 defined 382
 displaying options for 369
 formatting 448
 linking to 510
 setting chart type for 389, 393, 395, 400
 setting interactive features for 506, 507
 Value Series section (Format Chart) 369
 value series titles 461
 VALUE-OF tag
 combining dynamic and static values
 and 141, 142
 formatting and 143, 148, 152
 values
 See also data
 assigning to parameters 288, 289
 averaging 220, 221, 228
 calculating 128
 changing formats and 158
 combining from multiple fields 246
 combining with literal text 244
 comparing 259, 266
 computing number of unique 228
 concatenating 48, 98, 128, 246
 counting unique 221
 creating labels for 294
 creating pictures for 175
 data types as 238
 defined 610
 defining axis type and 407, 409

values (*continued*)
 displaying 117, 290, 296, 301
 eliminating duplicate 184
 getting highest 221
 getting lowest 221
 getting median 221
 grouping range of 190
 grouping report data and 187, 197
 importing 291, 292, 293
 mapping to alternate 173–174
 plotting as data series 378, 385, 387, 404
 plotting linear 377, 407
 previewing formatted 297
 prompting for 275, 277, 288, 298
 reformatting 296
 removing null 247
 retrieving at run time 120, 275, 277, 295
 returning from expressions 98, 237, 239, 254
 returning from parameters 282
 returning zero 243
 selecting 290, 291, 295, 301
 showing relationships to whole 378
 specifying base 190, 191
 testing for null 260, 266
 testing range of 259, 266
 testing sets of 260
 VARCHAR data type 75
 variable formats 140
 variable names 238
 variables
 defined 610
 expressions and 237, 238, 239
 parameters as 278
 pattern matching and 250
 variance 222
 variance function 222
 VBScript 611
 vector graphics file formats 379
 vertical alignment
 background images 492
 chart legends 437
 report content 165
 vertical spacing (charts) 427, 428
 vertical spacing (reports) 166, 170, 340
 vertical-alignment property 165, 166
 View Report as HTML command 31, 481
 View Report as PDF command 31

View Report in Web Viewer command 31, 215, 481
 viewer. *See* report viewer
 viewing
 aggregate values 219
 alternate values 173
 available drivers 69
 charts 350
 column-binding information 108, 122
 current date 128, 253, 486
 current projects 28
 data 105, 115, 136, 237, 485, 497
 data groups 197, 199
 data set fields 238
 data set parameters 282, 385
 database schemas 87
 database views 88
 date and time values 149
 detail rows 187
 errors 79
 group headings 200, 213
 HTML reports 478
 images 117, 129, 175
 JavaScript functions 241
 master pages 27, 485
 numbers 147
 output 27, 168, 493
 output columns 97
 page layouts 115
 parameter groups 300, 308
 PDF documents 478
 percentages 234
 report designs 29, 340
 report elements 28, 48
 report parameters 287, 308
 report properties 145
 report templates 35, 517
 reports 55, 340, 477
 report-specific libraries 28
 resource keys 545, 548, 550
 sample parameter formats 297
 summary values 219
 table of contents 215
 text 117, 133, 134
 text messages 175
 value expressions 137
 views
 BIRT Report Designer 26

views (*continued*)
 defined 611
 displaying database 88
 Eclipse platform and 25, 571
 filtering database 88
Visibility property 175, 176
visibility settings
 axis labels 447
 axis titles 439
 chart areas 423
 chart outlines 419
 chart series 449, 450
 chart titles 430
 curve-fitting lines 454
 grid lines 445
 leader lines 470
 legends 435, 438
 marker labels 443
 plot areas 426
 report elements 176, 493
 tick marks 445
visibility toggles 509
Visual Basic Script Edition. *See* VBScript
visual report elements 516, 527

W

wall (charts) 420
 .war files 611
 watermarks 490–492
 web applications xviii, 275
 web archive files 611
 web browsers 379, 509, 577
 web pages
 adding images to 117
 defined 611
 displaying tables in 167, 168
 importing styles from 153, 156
 linking to 501, 502
 padding and margins in 340
 web servers 611
 web standards 612
 Web Viewer 31
 See also report viewer
 weekly reports 191
 weighted average 222
 weightedAve function 222
 well-formed XML 612

WHERE clause 85, 258, 260
 See also SQL statements
 white space characters 48, 74, 88, 393
 white space in reports. *See* spacing
 width hint (charts) 428, 429
 Width Hint property 429
 Width property 169
 wildcard characters 250
 windows 589
 See also application window
 Windows platforms 15
 wizards 63
 Word styles 152
 workbench projects
 See also Eclipse workbench; projects
 workspace. *See* Eclipse workspace
 workspace directory 18
 Workspace Launcher (Eclipse) 24
 World Wide Web Consortium (W3C) 612
 wrapping chart legend text 437
 Wrapping Width option 437

X

X Axis section (Format Chart) 461
x-axis
 See also axes values
 adding markers to 440
 building 405, 406
 changing line styles for 443, 444
 defining data series for 389
 overlapping labels and 446
 position of 415
 scaling 409
 setting options for 371
 transposing 411
 x-axis labels 415, 446, 448
 x-axis rotation settings 456
 x-axis titles 439
 XML (defined) 575
 XML attributes 261
 XML code 29, 30
 XML data 63, 76
 XML data mappings 93, 94, 260
 XML data sets 92, 94, 95, 260, 261
 XML data sources
 accessing data in 76, 94
 associating with data sets 94

XML data sources (*continued*)
connecting to 76
creating 76
defining parameters for 285
filtering data in 260–262
naming 76
previewing data sets for 95
retrieving data from 85, 92, 258
XML DataSet page 94
XML documents 76, 92, 260, 612
XML editor 27, 29
XML elements 92, 260, 261, 572
XML files
 deleting column mappings for 95
 filtering 285
 mapping to data in 93, 94, 260, 261
 selecting 77, 94
 validating 76
XML PATH language 612
XML schema files 77
XML schemas 76, 602
XML Source page 27
XML Source tab 30
XML specification 76
XML structures 261
XPath expressions
 accessing XML data sources and 92, 260
 creating 92–94
 defined 612

filtering with 260, 261, 262
mapping to XML data and 95
XPath functions 93
XPath property 95

Y

y series items 454, 472
y-axis
 See also axes values
 adding a second 410–411
 arranging tick marks on 443
 building 405, 406
 changing line styles for 443, 444
 defining data series for 389
 highlighting points on 440
 overlapping labels and 446
 scaling 409, 410
 setting options for 371
 transposing 411
 y-axis labels 446, 448
 y-axis rotation settings 456
 y-axis titles 439

Z

z-axis rotation settings 456
zero values 243
zip codes 252
ZIP files. *See* archive files