

Linux Firewalls -- Second Edition

0-7357-1099-6

Robert L. Ziegler

Copyright © 2002 by New Riders Publishing

Warning and Disclaimer: Every effort has been made to make this book as complete and accurate as possible, but no warranty or fitness is implied. The information is provided on an as-is basis. The authors and New Riders Publishing shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the discs or programs that may accompany it.

Misprint	Correction
Page xiv--About the Author Photo of Bob Ziegler (also on back cover)	This photo should be credited to Bob Keene, 1999.
Page xvi--Acknowledgments	Should also include" Dedication: In constant memory of Jake.
Page xvi--Acknowledgments, 3rd paragraph: "Then there's buddy Timo Soirinsuo and Sakari Pousa. I owe you big time, Timo!"	Should be: "Then there's buddy Timo Soirinsuo and Sakari Pousa, and Timo Jokiahio. I owe you big time, Little Timo!"
Page 164 Table 4.13 is incorrect.	See table at bottom of this page.
Page 164 iptables -A INPUT -i \$INTERNET -p tcp \ -m multiport --destination-port 554,7070 \ <----- \ ! --syn -d \$IPADDR --sport \$UNPRIVPORTS -j ACCEPT.	iptables -A INPUT -i \$INTERNET -p tcp \ -m multiport --source-port 554,7070 \ <----- \ ! --syn -d \$IPADDR --dport \$UNPRIVPORTS -j ACCEPT
Page 219 Three lines of code at the bottom of the page. iptables -A FORWARD -i \$LAN_INTERFACE -o \$EXTERNAL_INTERFACE \ > -s \$LAN_ADDRESS --sport \$UNPRIVPORTS \ > -m state --state NEW, ESTABLISHED, RELATED -j ACCEPT	iptables -A FORWARD -i \$LAN_INTERFACE -o \$EXTERNAL_INTERFACE \ -p tcp \ -s \$LAN_ADDRESS --sport \$UNPRIVPORTS \ -m state --state NEW, ESTABLISHED, RELATED -j ACCEPT
Page 220 First three lines of code following the first paragraph. iptables -A INPUT -i \$LAN INTERFACE \ -p tcp \ -s \$LAN_ADDRESS --sport \$UNPRIVPORTS -d	iptables -A INPUT -i \$LAN_INTERFACE \ -p tcp \ -s \$LAN_ADDRESS --sport \$UNPRIVPORTS -d

<pre>-s \$LAN_ADDRESS --sport \$UNPRIVPORTS -d \$GATEWAY \ -m state --state NEW,ESTABLISHED,RELATED -j ACCEPT</pre>	<pre>\$GATEWAY \ -m state --state NEW,ESTABLISHED,RELATED -j ACCEPT</pre>
<p>Page 506, about halfway down page: # Set the default policies to accept.</p>	<p>Should be: # Set the default policies to drop..</p>

Table 4.13 **RealAudio Protocol**

Description	Protocol	Remote Address	Remote Port	In/Out	Local Address	Local Port	TCP Flag
Local Client Control Request	TCP	ANYWHERE	554, 7070	Out	IPADDR	1024:65535	any
Remote Server Control Response	TCP	ANYWHERE	554, 7070	In	IPADDR	1024:65535	ACK
Local Client TCP Data Request	TCP	ANYWHERE	7071	Out	IPADDR	1024:65535	any
Remote Server TCP Data Response	TCP	ANYWHERE	7071	In	IPADDR	1024:65535	ACK
Remote Server UDP Data Stream	UDP	ANYWHERE	1024:65535	In	IPADDR	6970:7170	-

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.