

Planning and Maintaining a Windows Server 2003 Network Infrastructure (Exam 70-293)

Copyright © 2004 by Que Publishing

International Standard Book Number: 078973012x

Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the CD or programs accompanying it.

When reviewing corrections, always check the print number of your book. Corrections are made to printed books with each subsequent printing. To determine the print number of your book, view the copyright page. The print number is the right-most number on the line below the "First Printing" line. For example, the following indicates that this is the 1st printing of this title and it was printed in December 2003.

First Printing: December 2003

06 05 04 03 4 3 2 1

First Printing Corrections

Pg	Error	Correction
28	1 st bullet, bottom of the page Connections are limited to one media type: Local area network (LAN), remote access (dial-up), direct cable connections, and Server Message Block (SMB) connections are limited to 10 simultaneous connections.	Should be Connections are limited to one media type: Local area network (LAN), remote access (dial-up), direct cable connections. Server Message Block (SMB) connections are limited to 10 simultaneous connections.
29	7 th bullet, bottom of the page The minimum amount of space required for installation is approximately 1.5GB.	Should be The minimum amount of space required for installation is approximately 1.2GB.

31	Table 2.1, final entry, Standard Edition column 1.5GB	Should be 1.2GB
34	1 st paragraph under Domain Controller Installation Overview head There are also subtle differences in the process, depending on whether the system is to be a new domain controller in a new forest, a member of an existing forest, or a new domain or a domain controller in an existing domain.	Should be There are also subtle differences in the process, depending on whether the system is to be a new domain controller in a new forest, a domain controller in a new child domain , or a domain controller in an existing domain.
37	Delete all of the numbered list at bottom of the page	Should be replaced with 1. Click Start, click run, type mmc and click OK. 2. Click File then Add/Remove snap-in. 3. Click Add. 4. Select Security Templates. Click Add. 5. Click Close. 6. Click OK. 7. Expand the Security Templates container. 8. Right-click the default path location and select New Template. 9. Type in a name and description for the template, and click OK. 10. The new template is displayed within the right pane, from which you can begin configuring the security settings.
62	1st paragraph under note If you opt to use the Configure Your Server Wizard, navigate to the Add or Remove Role prompt in the Manage Your Server window and then click DNS server...	Should be If you opt to use the Configure Your Server Wizard, click the Add or Remove Role prompt in the Manage Your Server window, click Next , and then click DNS server...
64	2 nd paragraph under DHCP Server Role head In the Manage Your Server window, click Add or Remove a role, select DHCP Server...	Should be In the Manage Your Server window, click Add or Remove a role, click Next, select DHCP Server...

67	2 nd paragraph under WINS Server Role head In the Manage Your Server window, click Add or Remove Role , and then choose WINS Server...	Should be In the Manage Your Server windows, click Add or Remove Role, click Next, and then choose WINS Server...
75	Question 2 (Choose three)	Should be (Choose two)
76	1 st paragraph on page Connections are limited to one media type: Local area network (LAN), remote access (dial-up), and direct cable connection and Server Message Block (SMB) connections are limited to 10 simultaneous connections.	Should be Connections are limited to one media type: Local area network (LAN), remote access (dial-up), and direct cable connection. Server Message Block (SMB) connections are limited to 10 simultaneous connections.
76	Question 3 When installing Windows Server 2003, a minimum amount of free hard drive space (approximately 1.5GB)...	Should be When installing Windows Server 2003, a minimum amount of free hard drive space (approximately 1. 2 GB)...
76	Question 3, the answer paragraph The minimum amount of space required for installation is approximately 1.5GB.	Should be The minimum amount of space required for installation is approximately 1. 2 GB.
80	Question 8, answer list A. Security Configuration and Analysis.	Should be A. Active Directory Domains and Trusts.
103	2 nd paragraph under The NBSTAT Command head NETBT resolves NetBIOS names to IP addresses...	Should be NBTSTAT resolves NetBIOS names to IP addresses...
110	2 nd paragraph under Dynamic Host Configuration Protocol (DHCP) head, text should be added to the end of the paragraph	Should be added to the end of the paragraph In order to authorize a DHCP server, your user account must be a member of the Enterprise Admins group.
131	3 rd paragraph To have clients dynamically update DNS, in the Network and Dial-up Connections dialog box...	Should be To have clients dynamically update DNS, in the Network Connections dialog box...

132	1 st paragraph, delete first sentence: If you decide instead to configure the DHCP server to dynamically update DNS, you need to specify the DNS zones that the DHCP server is responsible for automatically updating.	Should be DNS dynamic update is enabled by default. You can configure additional dynamic update settings within the DHCP console.
132	1 st paragraph, 2 nd sentence To do this, right-click the zone in the left pane...	Should be To do this, right-click the DHCP server in the left pane...
205	1 st paragraph, answer The correct answer is B .	Should be The correct answer is D .
208	Delete last paragraph	Should be replaced with During the installation of Cluster Service, the second node must be powered off to ensure that the shared device does not become corrupt because of multiple computers accessing the shared drive. Having the second node powered on would cause the installation to fail. However, in this scenario, the installation of Cluster Service would not even begin because you are trying to install it on an unsupported operating system.
220	Delete sentence after Implementing IPsec Policies head	Should be replaced with The following four options for IPsec policies are then displayed (see Figure 6.1):
223	Insert text after last paragraph on page	Should be replaced with Once the group policy object is open, navigate to Computer Configuration, Windows Settings, Security Settings, IP Security policies on Active Directory. Click the IPsec policy you want to assign. Click the Action menu and then click Assign.

240	1 st paragraph, answer The correct answer is A .	Should be The correct answer is D .
264	2 nd paragraph If you need to make these changes immediately, you could enter secedit/refreshpolicy machine_policy /enforce at a command prompt, and press Enter, which refreshes the Group Policy;	Should be If you need to make these changes immediately, use the gpupdate command;
362	Answer list Delete Answer F.	
388	Answer list Delete Answer F	
396	Answer list D. Your solution works for all...	Should be D. Your solution does not work for all...

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.