

Solaris 8 Training Guide (310-011 and 310-012): System Administrator Certification 1578702593 Bill Calkins

Copyright ©2001 New Riders Publishing

SYMBOLS

`$HOME/.dtprofile` script, sourcing, 882
&&& (double ampersands), 462-463
`.enet-addr` command, 74
`.rhosts` file, 311
`.version` command, 73
`/etc` files, 658
`/etc/auto_master` fields, 632
`/etc/bootparams` file, 762
`/etc/default/login` file, 309
`/etc/defaultdomain`, 495
`/etc/defaultrouter`, 497
`/etc/dfs/dfstab` file, 762
`/etc/ethers` file, 761
`/etc/group` file, 288
`/etc/hostname.interface`, 495
`/etc/hosts` file, 762
`/etc/hosts.equiv` file, 310-311
`/etc/inet/hosts`, 495-497
`/etc/mnttab` file, 251-252
`/etc/nodename`, 495
`/etc/passwd` file, 286
`/etc/shadow` file, 287
`/etc/vfstab` (virtual file system table) file, 221-222
`/sbin/init` command, 37-38
`/tftpboot` file, 762
`/user` file system, 443-445
`/usr/sbin/halt` command, 38
`/usr/sbin/poweroff` command, 39
`/usr/sbin/reboot` command, 39

`/usr/sbin/shutdown` command, 36-37
`/usr/sbin/swap` command, 528
`/var/adm` directory, 366-367
64-Bit Selection window, 875

A

absolute debugger (adb) command, 89
accepting print requests, 402-403
access
 crontab files, 359
 files
 ACLs, 294-299
 configuring paths, 299
 controlling, 290-291
 default umask, 293
 GID/UID, 292
 setgid permissions, 300-301
 setuid permissions, 299
 sticky bits, 294
OpenBoot environments, 51-52
permissions, directories/files, 831
printers
 limiting, 400-403
 managing, 393-395
RBAC, 731-747, 845
root, 314-315
superusers
 monitoring, 315-316
 restricting root access, 314-315
 securing, 313-314
SUDO, 316-317

- systems
 - controlling, 283-285
 - restricted shells, 289-290
 - storing user accounts, 286-289
- WebNFS
 - enabling, 617-618
 - URLs, 618-619
- access control lists. *See* ACLs**
- accounts**
 - administration commands, 169, 827-828
 - roles, 737
 - users
 - adding, 159-164, 169-171
 - configuring, 826-827
 - deleting, 165, 172
 - modifying, 166, 171
 - storing, 286-289
- ACLs (access control lists), 294-299, 602**
- actions**
 - CDE, 890
 - fields, 363
 - repeated-action commands, 467
 - for loop, 467-468
 - until loop, 469
 - while loop, 468
 - vold.conf, 259-260
- active processes, scheduling, 351**
- active study strategies, 848**
- adaptive exams, starting, 914-915**
- adb (absolute debugger) command, 89**
- Add command (Edit menu), 168, 389**
- Add Local Printer window, 391**
- Add User Wizard, 717**
- adding**
 - additional swap space, 533-535
 - groups, 167-168, 172-173
 - role fields, 709
 - scripts, 31, 34-35
 - software packages, 136-141
 - user accounts, 159-164, 169-171
- Additional Products window, 874**
- additional swap space, adding, 533-535**
- addressing, IP (IPv4), 498**
 - class A networks, 498
 - class B networks, 499
 - class C networks, 499
 - class D networks, 499
 - class E networks, 499
 - planning, 500
- add_install_client command, 763, 804**
- administration, 839-840**
 - /etc file, 658
 - accounts, 169-173, 827-828
 - AdminSuite, 715
 - applying, 716-717
 - Computers/Networks tool, 718-720
 - Log Viewer tool, 722
 - Mount/Shares tool, 720-721
 - Serial Ports tool, 721-722
 - users, 717
 - devices, 839-840
 - name services, 657
 - NIS, 659
 - configuring master servers, 667-681
 - formatting clients, 681
 - host guidelines, 661
 - information storage, 662-665
 - need guidelines, 661
 - NIS+, 684-688
 - planning domains, 665-666
 - slave servers, 682-683
 - structure, 659-660
 - power-management feature, 557-559
 - printers, 393
 - access, 393-395
 - creating classes, 395-396

- deleting, 393-395
- queues, 398-405
- verifying status, 397-398
- RBAC, 731-747
- role fields, 709
- SMC, 703-715, 844
- software, 135-136
 - deleting patches, 151
 - installing patches, 147-150
 - packages, 825-826
 - patches, 146-147
- StorEdge Volume Manager, 586-587
- virtual volume, 582-585
- AdminSuite, 159, 715, 844**
 - applying, 716-717
 - Computers/Networks tool, 718-720
 - Log Viewer tool, 722
 - Mount/Shares tool, 720-721
 - Serial Ports tool, 721-722
 - users, 717
- Admintool, 136, 159**
 - groups, 167-168
 - printers
 - configuring, 389-392
 - modifying, 407-408
 - user accounts
 - adding, 160-164
 - deleting, 165
 - modifying, 166
- aliases, 61-62**
- allocation**
 - fragment sizes, 212-213
 - swap space defaults, 530
- ancestry, selecting, 346**
- anglebracketsizeanglebracket values, 786-787**
- Application layer, 487**
- Application Manager**
 - CDE, 891-892
 - window, 557
- applications**
 - ExamGear, 849
 - interactive installation program, 547-556
 - name services, 657
 - printers, 384-392
 - processes. *See* processes
 - starting, 886
 - StorEdge Volume Manager, 586-587
- applying**
 - AdminSuite, 716-717
 - Admintool, 139-142
 - automount, 644
 - batch-processing facility, 356
 - configuring crontab, 356-359
 - scheduling at command, 360-362
 - ExamGear, 911
 - RBAC, 731-737
 - SMC, 705-715
 - spool directories, 138-139
 - WebNFS, 618-619
- applications, installing, 823-825**
- architecture**
 - OpenBoot, 53-54
 - unsupported Sun4c, 104
- arguments**
 - dd command, 423
 - lpadmin, 396
 - lpmove, 394
 - prstat command, 342-343
- ASET (Automated Security Enhancement Tool), 318-319**
- aset command, 318**
- assignment of major/minor device numbers, 578-580**
- at -l command, 361**
- at command, 356, 360-362, 834**
- atq command, 361**
- attributes, processes, 334, 833**
- auditing users, 301-306**

authentication

DES, 689, 844

NIS+, 687

authorization

auth_attr database, 740-742

NIS+, 687-688

auto-configuration, 573-575. *See also* configuration**Auto-Install**. *See* Custom JumpStart**AutoClient**, 109-111, 544**Autofs**, 628-631, 842

direct maps, 635-639

indirect maps, 639-643

master maps, 631-635

Automated Security Enhancement Tool (ASET),
318-319**automatic tracking progress**, 908**automount**

applying, 644

command, 629

daemon, 630

B**background (bg)**, 612**backups**, 835

media, 419-420, 780-781

servers, 659

utilities, 420

cpio command, 424-428

dd command, 423-424

pax command, 428-432

tar command, 421-422

ufsdump command, 432-438

ufsrestore command, 438-443

banner command, 73**Basic Input/Output System (BIOS)**, 51**begin scripts**, 778**bg (background)**, 612**BIOS (Basic Input/Output System)**, 51**blank passwords, checking for**, 302-303**blocks**

boot, 207

devices, 120, 581-582

free, 209

inodes, 208

logical block sizes, 212

sizes, 269

storage, 209

superblock, 207

Boot and Client Identification Services, 758**bootblk program**, 52**bootblock**, 17, 81**booting**

blocks, 207

command, 18-22, 70, 78-82, 821-822

devices, 781-782

OpenBoot, 76-82

server, 760-764

system, 15

INIT phase, 24-30

kernel initialization, 17-24

powering on, 16

PROM/program phases, 16-17

Bourne shells, 454

built-ins, 460-462

conditionals, 462-463

functions, 469

if conditionals, 463

repeated-action commands, 467

for loop, 467-468

until loop, 469

while loop, 468

test command, 464-466

true/false programs, 463

variables, 456

delimiters, 458

quoting, 457-458

viewing values, 458-460

browsers. *See* interfaces

BSD printing software, 384-385

built-ins, 460-462

bytes per inode, 215

C

C-shell, 454

Cache File system. *See* CacheFS

CacheFS (Cache File System), 191, 619, 842

checking consistency, 627

creating, 620-623

deleting, 626

monitoring, 624-626

cachefsstat command, 623

canceling

command, 399

requests, 403

Carrier Sense, Multiple Access, Collision Detect (CSMA/CD), 489

case statements, 466

cat command, 223, 665

CD-ROM, mounting, 267-268

CDE (Common Desktop Environment), 455, 879

actions, 890

Application Manager, 891-892

data types, 890

dtksh shell, 892

Front Panel, 886-889

Login Manager, 879

starting, 880

stopping, 880

viewing, 881

Process Manager, 344-347

Session Manager, 881-886

configuring desktop search paths, 883

gathering available applications, 884

sourcing \$HOME/.dtprofile script, 882

sourcing Xsession.d script, 883

certification, 903

exams, 904

Sun Certified Network Administrator for Solaris 8, 904

Sun Certified System Administrator for Solaris 8, 903

cfsadmin command, 620, 625

character device files, 120

check command, 769

Check Script options, 776

checking

for blank passwords, 302-303

consistency in caches, 627

jobs in queue, 361

chmod command, 294

class A networks, 498, 838

class B networks, 499, 838

class C networks, 499, 838

class D networks, 499, 838

class E networks, 499, 838

class files

backup_media, 780-781

boot device, 781-782

client arch, 782

client root, 783

client swap, 783

cluster, 784

creating, 779

dontuse, 785

fileysys, 785-788

geo, 789-790

install type, 788

isa bits, 790

layout constraint, 790-792

locale, 792

num clients, 793

package, 793

partitioning, 793

- root device, 794
- system type, 795
- testing, 795-798
- usedisk, 795
- classes**
 - major/minor device numbers, 578-580
 - printers, 395-396
- CLI (Command-Line Interface), 868**
- clients, 109, 543-544**
 - arch, 782
 - AutoClient, 109-111
 - configuring, 810
 - diskless, 109
 - JavaStation, 109
 - JumpStart, 804-806
 - NFS, 601
 - NIS, 681
 - printing, 387-388
 - root, 783
 - stand-alone, 111-112
 - starting, 810-812
 - swap, 783
- closing**
 - installation, 124-125
 - system shutdown, 35-39
- clusters, 106-107, 784**
- codes, name service status search, 680**
- columns, prstat command, 340**
- command line**
 - accounts, 169-173
 - mounting file systems, 222-223
 - software, 135-136
- Command-Line Interface (CLI), 868**
- commands**
 - .enet-addr, 74
 - .version, 73
 - /sbin/init, 37-38
 - /usr/sbin/halt, 38
 - /usr/sbin/poweroff, 39
 - /usr/sbin/reboot, 39
 - /usr/sbin/shutdown, 36-37
 - /usr/sbin/swap, 528
 - account administration, 169, 827-828
 - adb (absolute debugger), 89
 - add_install_client, 763, 804
 - aset, 318
 - at, 356, 360-362, 834
 - at -l, 361
 - atq, 361
 - automount, 629
 - banner, 73
 - boot, 18-22, 70, 78-82, 821-822
 - CacheFS statistics, 624
 - cachefsstat, 623
 - cancel, 399
 - case, 466
 - cat, 223, 665
 - cfsadmin, 620, 625
 - check, 769
 - chmod, 294
 - cpio, 424-428
 - crontab, 356-359
 - dd, 423-424
 - devalias, 61, 823
 - devfsadm, 577
 - device information, 569, 840
 - df, 225-227, 268-270, 829
 - df -k, 522, 533
 - dfmounts, 613
 - dfshares, 608
 - dmesg, 568, 572
 - du, 226
 - Edit menu
 - Add, 168, 389
 - Delete, 165
 - Modify, 166

eeprom, 67
 fdformat, 265-267
 file access, 292, 831-832
 file systems, 829-830
 find, 300, 427
 fmthard, 202
 for, 468
 format, 104
 fsck, 216-220, 268-270
 fsck -F cacheofs, 627
 fstyp, 246-247
 fuser, 253-254
 getfacl, 297
 groupadd, 172-173
 groupdel, 173
 groupmod, 173
 halt, 38, 124
 help, 55-57
 if, 463
 ifconfig -a, 492
 interactive restoration, 441
 JumpStart, 757, 845
 kill, 347-351, 833
 labelit, 241-242
 last, 306
 logins, 302
 lp, 386, 834
 lpadmin, 386
 lpmove, 394
 lpr, 385
 lpstat, 397-398
 ls, 427
 make, 676
 mkfile, 534
 mkfs, 209, 238-241
 more, 223
 mount, 221-224, 248-250, 522, 621-622
 netstat, 510
 newfs, 211, 443, 531
 NFS mount, 610-612
 nice, 353-355
 NIS, 668
 NVRAM, 67-68
 OpenBoot, 60
 passwd, 164
 patch administration, 147
 patchadd, 148
 patchrm, 151
 pax, 428-432
 pfinstall, 795-798
 pgrep, 338-340
 ping -sRv, 510
 pkgadd, 136-137
 pkginfo, 139, 145, 378
 pkgrm, 136-138
 pkill, 350
 poweroff, 39
 printenv, 66
 priocntl, 353-355
 probe-scsi, 72
 probe-scsi-all, 72
 processes, 334, 832
 prstat, 340-343
 prtconf, 569
 prtvtoc, 192, 195
 ps, 334-336, 520
 ps -el, 337, 354
 psrinfo, 342
 ptree, 347
 pwconv, 288
 re-preinstall, 121
 reboot, 39
 reboot — -r, 573
 reject, 402
 renice, 354

- repeated-action, 467
 - for loop, 467-468
 - until loop, 469
 - while loop, 468
 - Restricted Monitor, 54
 - roleadd, 733, 739
 - roledel, 737
 - rolemod, 735
 - sdtprocess, 344
 - setfacl, 295
 - setup_install_server, 763, 807
 - share, 605
 - show-devs, 59
 - showmount, 630
 - shutdown, 124, 822
 - sort, 226, 337
 - su, 292
 - sudo, 317
 - swap -d, 535
 - swap -l, 528, 535
 - swap -s, 529
 - sync, 207
 - sysdef, 85, 570
 - system information, 73
 - system shutdown, 36-39
 - tapes, 445
 - tar, 421-422
 - TCP/IP, 503, 837
 - finger, 505
 - ftp, 503-504
 - ping, 506-507
 - rcp, 504
 - rexec, 505
 - rlogin, 503
 - rsh, 505
 - rup, 506
 - rwho, 505
 - spray, 507-508
 - telnet, 503
 - test, 464-466
 - tunefs, 214, 244-245, 830
 - ufsdump, 432-438
 - ufsrestore, 438-443
 - umask, 293
 - umount, 252-253, 613
 - umountall, 192
 - uname -m, 102
 - unzip, 148
 - useradd, 169-170, 733
 - userdel, 172
 - usermod, 171, 734
 - volcheck, 256
 - volcopy, 242-244
 - Volume Manager, 261-262, 830
 - who, 303-306
 - whodo, 305-306
 - ypinit, 683
 - ypwhich, 665
- Common Desktop Environment. *See* CDE**
- comparison**
- large/small file systems, 247
 - multiple/single CPU systems, 51
- components**
- JumpStart, 758
 - RBAC, 737
 - authorizations (auth_attr) database, 740-742
 - execution attributes (exec_attr) database, 745-747
 - extended user attributes (user_attr) database, 738-739
 - rights profiles (prof_attr) database, 742-745
- Computers/Networks tool, AdminSuite, 718-720**
- conditionals, 462**
- Bourne shells, 462
 - case statement, 466
 - double ampersand (&&), 462-463
 - if, 463

test command, 464-466
true/false programs, 463

configuration

boot

servers, 763-764
variables, 77-78

CDE

configuring desktop search paths, 883
gathering available applications, 884
Login Manager, 879
Session Manager, 881-882
sourcing \$HOME/.dtprofile script, 882
sourcing Xsession.d script, 883
starting Login Manager, 880
stopping Login Manager, 880
viewing Login Manager, 881

clients, 681

clusters, 106-107

console variables, 74

crontab, 356-359

desktop search paths, 883

devices, 573-575

disk information, 194-195

file systems, 617-618

home directory, 178

indirect maps, 642-643

initialization files, 174

install servers, 764-766

JumpStart

clients, 804-806
name services, 803-804

master servers, 667-681

names, 179

networks, 494

/etc/defaultdomain, 495
/etc/defaultrouter, 497
/etc/hostname.interface, 495
/etc/inet/hosts, 495-497
/etc/nodename, 495

NFS, 604-608

NIS, 684-688

NVRAM, 51, 63-68

OpenBoot, 82-89

passwords, 283-285

paths, 299

port configuration, 75

printers

classes, 395-396
defaults, 406
queues, 398-405
verifying status, 397-398

PROM, 51

priorities, 833

root passwords, 801-802

servers

configuring, 767-768, 808-810
JumpStart, 767-768

Services, 758

slave servers, 682-683

slices, 193

swap space, 530-535

system locale, 802-803

systems, 108-112, 824-825

terminal, 802-803

time servers, 802-803

timezone, 802-803

UFS file systems, 209-211

user accounts, 826-827

variables, 64-65

Confirm Information window, 872

connections

LANs, 482

printers, 382

Ethernet, 383

parallel, 383

serial, 383

WANs, 483

- consistency, checking, 627
- consoles, configuration variables, 74
- constructing file systems, 238-244
- controllers, 189
- controlling access
 - ACLs, 294-299
 - configuring paths, 299
 - default umask, 293
 - files, 290-291
 - GID/UID, 292
 - restricted shells, 289-290
 - setgid permissions, 300-301
 - setuid permissions, 299
 - sticky bits, 294
 - storing user accounts, 286-289
 - systems, 283-285
- conventions
 - instance names, 118
 - logical device names, 118-120
 - physical device names, 117-118
- copy-out mode, 426-427
- copying
 - ACLs, 297
 - files, 428
- core system support, 106
- cpio command, 424-428
- CPU systems, comparing, 51
- crash dump, 530
- creating
 - caches, 620-623
 - class files, 779
 - backup_media, 780-781
 - boot device, 781-782
 - client arch, 782
 - client root, 783
 - client swap, 783
 - cluster, 784
 - dontuse, 785
 - filesys, 785-788
 - geo, 789-790
 - install type, 788
 - isa bits, 790
 - layout constraint, 790-792
 - locale, 792
 - num clients, 793
 - package, 793
 - partitioning, 793
 - root device, 794
 - system type, 795
 - testing, 795-798
 - usedisk, 795
 - crontab files, 358
 - directories, 808
 - master group files, 671-672
 - master hosts files, 672-673, 675-676
 - master passwd files, 669-671
 - secondary swap files, 531-535
 - TMPFS, 522-523
 - UFS file systems, 209-211
- crontab command, 356-359
- Crontab file, 834
- Crontag file, 834
- CSMA/CD (Carrier Sense, Multiple Access, Collision Detect), 489
- Current Score tab, 919
- Custom JumpStart, 122
- Customer Service, 923
- customization
 - ExamGear, 911-912, 916
 - file system parameters, 211
 - fragment sizes, 212-213
 - inodese, 215
 - logical block sizes, 212
 - minimum free space, 213
 - organization type, 214
 - rotational delay, 214
 - installation, 758-768
 - initialization files, 175-177
 - workspaces, 887-889

D**daemons**

- automountd, 630
- devfsadm, 579
- fsflush, 216
- inetd, 307
- LP print service, 381-382
- lpsched, 385
- NFS, 604, 841
- NIS, 667
- syslogd, 362-366
- vold, 256

data types, 890**databases. *See also* RBAC**

- authorizations (auth_attr), 740-742
- ExamGear, 909
- execution attributes (exec_attr), 745-747
- extended user attributes (user_attr), 738-739
- rights profiles (prof_attr), 742-745
- sources, 679

Date and Time window, 871**dd command, 423-424****de-encapsulation, 488****debuggers**

- MDB, 89
- Volume Manager, 267

Default Router window, 870**defaults**

- printers, 406
- routers, 870
- swap space allocation, 530
- umask command, 293

defect lists, 189**defining printer classes, 396****delay, rotational, 214****Delete command (Edit menu), 165****deleting**

- ACLs, 299
- caches, 626
- ExamGear, 910
- groups, 173
- jobs, 362
- print jobs, 399
- printers, 393-395
- role accounts, 737
- software
 - packages, 138, 141-142
 - patches, 151
- swap files, 535
- user accounts, 165, 172

delimiters, Borne shells, 458**DES (Data Encryption Standard), authentication, 689, 844****design interfaces, 907****Desktop KornShell (dtksh shell), 892****desktops, configuring, 883. *See also* interfaces****devalias command, 61, 823****developer system support, 106****devfsadm command, 577****devices**

- administration, 839-840
- auto-configuration, 573-575
- block, 581-582
- block device files, 120
- boot, 781-782
- directories, 581, 840
- drivers, 117, 567-568
- information commands, 569, 840
- instance names, 575-577
- locations, 119, 825
- logical device names, 580-582
- logical names, 118-120
- major/minor numbers, 578-580
- OpenBoot, 61-62

- physical names, 117-118, 568-572
- PROM full device names, 57-60
- raw, 581-582
- StorEdge Volume Manager, 586-587
- tape, 420
- trees, 53
- virtual volume management, 582-585
- df -k command, 522**
- df commands, 225-227, 268-270, 829**
- dfmounts command, 613**
- dfshares command, 608**
- DHCP (Dynamic Host Control Protocol)**
 - window, 868
- diagnostics, OpenBoot, 71-75. *See also***
 - troubleshooting**
- direct maps, 635-639**
- directories**
 - /var/adm directory log files, 366-367
 - devices, 581, 840
 - file systems, 187-188
 - home, 178
 - JumpStart, 808
 - kernels, 575
 - LP print service, 379-380
 - permissions, 831
 - restoring, 446
 - run control, 31, 34-35
 - sizes, 226
 - software packages, 105, 146
 - spool, 138-139
 - Volume Manager, 256
- disabling power-management features, 557-559**
- Disk Modification window, 876**
- Disk Selection window, 875**
- disk-based file systems, 190**
- diskettes, configuring, 768**
- diskless clients, 109, 544**
- disks**
 - formatting, 197
 - geometry, 188
 - controllers, 189
 - defect lists, 189
 - labels, 189
 - partition tables, 189
 - managing, 839-840
 - partitions
 - multiple disks, 116-117
 - planning, 115-116
 - requirements for installation, 102-104
 - slices, 192-193
 - creating, 195-199
 - disk configuration information, 194-195
 - free hog, 199
 - logical volumes, 203
 - modifying partitions, 200-202
 - recovering partitions, 202-203
 - space usage, 829
 - quotas, 227
 - viewing, 225-226
 - storage systems, 112-115
 - StorEdge Volume Manager, 586-587
 - virtual volume management, 582-585
- DiskSuite objects, 840**
- displayed changes in the Lay Out File Systems window, 876**
- distribution, 107**
- dividing processes, 356**
 - configuring crontab, 356-359
 - scheduling at command, 360-362
- dmesg command, 568, 572**
- DNS (Domain Name Service), 690-691, 844**
- domains**
 - name keywords, 800-803
 - NIS, 665-666
- dontuse file, 785**

double ampersands (&&), 462-463

drivers

devices, 117, 567-568

plug-in, 53

dtappgather utility, 884

dtksh shell (Desktop KornShell), 892

du command, 226

dump schedules, 434

E

Edit menu commands

Add, 168, 389

Delete, 165

Modify, 166

editing crontab files, 358

eeprom command, 70

EEPROM value, 781

effective learning environments, 908

EFT (extended fundamental types), 204

enabling

logging on NFS servers, 614-615

WebNFS access, 617-618

UFS logging, 224

encapsulation, 488

encryption, 689. *See also* security

end-user system support, 106

entering files, 221-222

entire distribution, 107

entries, ACLs, 295-296

environments

clients, 544

networks, 836-837

NFS, 841-842

OpenBoot, 50

accessing, 51-52

comparing multiple/single CPU systems, 51

firmware tasks, 52

platform support, 103-104

shells, 828

users, 177

Ethernet, 383, 488-490

ExamGear, 849, 907

applying, 911

database, 909

deleting, 910

Examination Score Report screen, 921

exams, starting, 914-915

FAQ, 922

installing, 909-910

interface, 907-908, 911-912

Item Review, 917-920

mark questions, 917

question quality, 907

question types, 915-916

registering, 910, 912

study tools, 907-908

study-mode sessions, starting, 912-914

updating, 912

Web site, 921-922

Examination Score Report screen, 921

exams

Examination Score Report screen, 921

Item Review, 917-920

learning process, 847

mark questions, 917

pre-testing, 849

question types, 915-916

scheduling, 904

scores, 850

sessions, 850-851

starting, 914-915

study tips, 848-850

executing

- fsck command, 219-220

- processes

- priorities, 352-355

- scheduling, 351

- scripts, 453-454

execution attributes (exec_attr) database, 745-747

extended fundamental types (EFT), 204

extended user attributes (user_attr) database, 738-739

F

false programs, 463

FAQ, ExamGear, 922

FCode interpreter, 53

fd -k command, 533

FDDI (Fiber Distributed Data Interface), 490

fdformat command, 265-267

fdfs (file descriptor file system), 523

features, disabling, 557-559

fg (foreground), 612

Fiber Distributed Data Interface (FDDI), 490

fields

- /etc/auto_master, 632

- action, 363

- Add User, 162, 164

- auth_attr, 741

- direct maps, 636

- exec_attr, 746

- indirect maps, 640

- inittab action, 26

- processes, 336-337

- prof_attr, 743

- roles, 709

- selector, 363

- user_attr, 738

- Xservers file, 881

file descriptor file system (fdfs), 523

File menu (ExamGear), 912

file system check (fsck), 204

file systems, 828-830

- /etc/mnttab file, 251-252

- Autofs. *See* Autofs

- CacheFS, 619

- checking consistency, 627

- creating caches, 620-623

- deleting caches, 626

- monitoring caches, 624-626

- constructing, 238-241

- custom parameters, 211

- fragment sizes, 212-213

- inodes, 215

- logical block sizes, 212

- minimum free space, 213

- organization type, 214

- rotational delay, 214

- disk space usage

- quotas, 227

- viewing, 225-226

- fdfs, 523

- fstyp command, 246-247

- information retrieving, 268-270

- labelit command, 241-242

- large file systems, 247

- Mount/Shares tool, 720-721

- mounting, 248-250

- NFS. *See* NFS

- operations, 215

- large files (mounting), 224

- mounting, 221-223

- repairing, 216-220

- synchronizing, 215-216

- UFS logging, 224

- viewing mounting, 223

- optimizing, 244-246

- prodfs (process file system), 520-521

- pseudo, 519, 838-839
 - remote mounting, 609-614
 - sharing, 607
 - swapfs, 524-535
 - TMPFS, 521-526
 - types, 190
 - disk-based, 190
 - network-based, 190
 - virtual, 191-192
 - UFS, 204-206
 - boot block, 207
 - creating, 209-211
 - free blocks, 209
 - inodes, 208
 - storage blocks, 209
 - superblock, 207
 - unmounting, 252-254
 - values, 787
 - volcopy command, 242-244
 - WebNFS, 617-618
- File Transfer Protocol (FTP), 603**
- files**
- .rhosts, 311
 - /etc files, 658
 - /etc/bootparams, 762
 - /etc/default/login, 309
 - /etc/defaultdomain, 495
 - /etc/defaultrouter, 497
 - /etc/dfs/dfstab, 762
 - /etc/ethers, 761
 - /etc/group, 288
 - /etc/hostname.interface, 495
 - /etc/hosts, 762
 - /etc/hosts.equiv, 310-311
 - /etc/inet/hosts, 495-497
 - /etc/mnttab, 251-252
 - /etc/nodename, 495
 - /etc/passwd, 286
 - /etc/shadow, 287
 - /etc/vfstab, 221-222
 - /tftpboot, 762
 - ACLs
 - copying, 297
 - deleting, 299
 - modifying, 298
 - ASET, 318-319
 - block device, 120
 - character device, 120
 - classes
 - backup_media, 780-781
 - boot device, 781-782
 - client arch, 782
 - client root, 783
 - client swap, 783
 - cluster, 784
 - creating, 779
 - dontuse, 785
 - fileys, 785-788
 - geo, 789-790
 - install type, 788
 - isa bits, 790
 - layout constraint, 790-792
 - locale, 792
 - num clients, 793
 - package, 793
 - partitioning, 793
 - root device, 794
 - system type, 795
 - testing, 795-798
 - usedisk, 795
 - copy-out mode
 - backing up, 426-427
 - restoring, 427
 - crontab, 356-359, 834
 - device drivers, 117
 - home directory, 178

- initialization
 - configuring, 174
 - customizing, 175-177
- instance, 118
- log, 366-367, 736
- logical device names, 118-120
- Makefiles, 674
- master groups, 671-672
- master hosts, 672-676
- master passwd, 669-671
- pass mode, 428
- permissions, 831
- physical device names, 117-118
- restoring, 446
- rules, 769-775
 - begin/finish scripts, 778
 - validating, 776-778
- secondary swap, 531-533
- security
 - ACLs, 294-299
 - configuring paths, 299
 - controlling access, 290-291
 - default umask, 293
 - GID/UID, 292
 - setgid permissions, 300-301
 - setuid permissions, 299
 - sticky bits, 294
- shells
 - Bourne shell variables, 456
 - delimiters, 458
 - executing, 453-454
 - quoting, 457-458
 - selecting, 454-456
 - viewing values, 458-460
- software packages, 105, 146
- source files, 670-671
- swap files, 535
- sysidcfg, 798
 - systems, 187-188
 - backing up, 432
 - disk geometry, 188-189
 - recovering root (/) or /user file system, 443-445
 - Xservers, 881
- filesystems keyword, 785-788**
- find command, 300, 427**
- finger command, 505**
- finish scripts, 778**
- firewalls, 307. *See also* security**
- firmware (OpenBoot)**
 - architecture, 53-54
 - environments, 52
 - Fourth Monitor, 55
 - interfaces, 54
 - Restricted Monitor, 54
- fmthard command, 202**
- for loop, 467-468**
- foreground (fg), 612**
- formatting**
 - command, 104
 - disks, 197
 - software packages, 105
 - utility, 195-202
- Fourth Monitor, 55**
- fragments sizes, 212-213**
- free blocks, 209**
- free hog slices, 199**
- free space, 213**
- Front Panel, CDE, 886-889**
- fsck (file system check), 204**
- fsck -F cache command, 627**
- fsck command, 216-220, 268-270**
- fsflush daemon, 216**
- fstyp command, 246-247**
- FTP (File Transfer Protocol), 603**
 - command, 503-504
 - restricting, 312-313
- full device names (PROM), 57-60**

functions. *See also* commands

shells, 469

Suspend-Resume, 556

test, 465

fuser command, 253-254

G

gap, 214

Gathering Disk Space Requirements window, 875

GB (gigabyte), 204, 546

genunix, 17

geo keyword, 789-790

Geographic Region window, 871

geometry (disks), 188

controllers, 189

defect lists, 189

labels, 189

partition tables, 189

getfacl command, 297

GID (group ID), 204, 292

gigabyte (GB), 204, 546

GNU Bourne-Again shell, 455

Graphical-User Interface (GUI), 262-263, 545, 868

group ID (GID), 204

groupadd command, 172-173

groupdel command, 173

groupmod command, 173

groups

accounts, 169-173

adding, 167-168, 172-173

client arch, 782

cluster file, 784

deleting, 173

modifying, 173

GUI (Graphical-User Interface), 262-263, 545, 868

guidelines

hosts, 661

software packages, 152

H

halt command, 38, 124

hangup (HUP), 502

hardware

layer, 485

networks, 491, 837

hosts, 491-492

hubs, 492-493

NIC, 491

routers, 493

printers

configuring, 382

Ethernet connections, 383

parallel connections, 383

serial connections, 383

headings, prstat command, 340

Help, ExamGear, 912

help command, OpenBoot, 55-57

hierarchical namespaces, NIS+, 684

High Sierra file system (HSFS), 190

history of Solaris, 895

1965-1969, 896

1970-1972, 896

1973-1979, 896-897

1982-1983, 897

1984-1987, 898

1988-1992, 898

1993, 898-899

2001, 900

milestones, 900-901

home directory, 178

Host Name window, 869

hostid, 50

hosts, 491-492

guidelines, 661

trusted hosts, 310

HSFS (High Sierra file system), 190

HTTP (Hypertext Transfer Protocol), 603

hubs, 492-493

HUP (hangup), 502

I

I/O (input/output), 117

identification information, systems, 546

IEEE (Institute of Electrical and Electronics Engineers), 485

IETF (Internet Engineering Task Force), 379

if conditionals, 463

ifconfig -a command, 492

indirect maps, 639-643

inetd daemon, 307

information

file systems, 268-270

NIS, 662-665

initialization

files, 174-177

kernels, 17-24, 82-89

slaver servers, 683

windows, 873

inittab action fields, 26

inodes, 208, 215

input (OpenBoot), 74-75

input/output (I/O), 117

Insert CD window, 873

install type keyword, 788

installation, 823-825

block device files, 120

character device files, 120

closing, 124-125

device drivers, 117

disk storage systems, 112-115

ExamGear, 909-910

instance names, 118

JumpStart, 807

backup_media, 780-781

begin/finish scripts, 778

boot devices, 781-782

clients, 782-783, 804-806

clusters, 784

configuring, 803-804, 807-810

creating, 779, 808

dontuse, 785

filesystems, 785-788

geo, 789-790

install type, 788

isa bits, 790

layout constraint, 790-792

locale, 792

num clients, 793

overview, 756-768

package, 793

partitioning, 793

root device, 794

rules file, 769-775

starting clients, 810-812

sysidcfg files, 798

system type, 795

testing class files, 795-798

usedisk, 795

validating rules file, 776-778

logical device names, 118-120

methods, 121

Custom JumpStart, 122

Interactive, 121

JumpStart, 121

networks, 123

Web Start, 122

minimum system requirements, 105

partitions

multiple disks, 116-117

planning, 115-116

physical device names, 117-118

- preparing, 102-104
 - requirements, 102, 104
 - servers, 839
 - configuring, 807-808
 - JumpStart, 764-766
 - minimum requirements, 545
 - Solaris 8, 545-547
 - software
 - Admintool, 139-142
 - clusters, 106-107
 - interactive installation program, 547-556
 - packages, 105, 152
 - patches, 147-150
 - Product Registry, 144
 - terminology, 105
 - Solaris Install tool, 123-125
 - Solaris media, 107
 - starting, 124-125
 - system configuration, 108-112
 - unsupported Sun4c architecture, 104
 - Web Start, 867-877
 - Installation Services, 758**
 - installboot utility, 17**
 - Installer window, 875-877**
 - instance names, 118, 575-577**
 - Institute of Electrical and Electronics Engineers (IEEE), 485**
 - Interactive Installation program, 121**
 - interactive restoration, 441**
 - interface design, 907**
 - interfaces**
 - CLI, 868
 - ExamGear, 908, 911-912
 - Examination Score Report screen, 921
 - FDDI, 490
 - GUI, 545, 868
 - OpenBoot, 54
 - Fourth Monitor, 55
 - Help, 55-57
 - Restricted Monitor, 54
 - programmable user, 54
 - Solaris Install tool, 123-125
 - Internet Engineering Task Force (IETF), 379**
 - Internet layer, 486**
 - IP (Internet Protocol)**
 - addressing (IPv4), 498
 - class A networks, 498
 - class B networks, 499
 - class C networks, 499
 - class D networks, 499
 - class E networks, 499
 - planning, 500
 - windows, 869
 - IPv6 window, 870**
 - isa bits keyword, 790**
 - ISO/OSI (International Standards Organization/Open System Interconnection), 483-484**
 - Item Review, 917-920**
- ## J
- J-shell, 455**
 - JavaStation, 109, 544**
 - jobs**
 - deleting, 362, 399
 - in queue, 361
 - sending, 400
 - JumpStart, 121, 845**
 - class files
 - backup_media, 780-781
 - boot device, 781-782
 - clients, 782-783
 - cluster, 784
 - creating, 779
 - dontuse, 785
 - filesys, 785-788

- geo, 789-790
- install type, 788
- isa bits, 790
- layout constraint, 790-792
- locale, 792
- num clients, 793
- package, 793
- partitioning, 793
- root device, 794
- system type, 795
- testing, 795-798
- usedisk, 795
- clients, 804-806
- commands, 757
- custom installation
 - overview, 759-768
 - preparing, 758-759
- Custom JumpStart, 122
- domain name keywords, 800-803
- installing, 807
 - clients, 810
 - configuration servers, 808-810
 - configuring install servers, 807-808
 - creating directories, 808
 - starting clients, 810-812
- name service keywords, 799-804
- overview, 756-758
- rules file, 769-775
 - begin/finish scripts, 778
 - validating, 776-778
- sysidcfg files, 798

K

KDCs (key distribution centers), 802

kernels

- directories, 575
- initialization, 17-24

- instance names, 118, 575-577
- major/minor device numbers, 578-580
- OpenBoot, 82-89

key distribution centers (KDCs), 802

keywords

- backup_media, 780
- boot device, 782
- domain names, 800-803
- filesystems, 785-786
- name servers, 800-803
- name services, 799-803
- networks, 801

kill command, 347-351, 833

Korn shell, 454

L

labelit command, 241-242

labels, 189, 195, 241-242

LAN (local area network), 482, 602

large file systems, 224, 247

last command, 306

Lay Out File Systems window, 876

layers

- Application, 487
- hardware, 485
- Internet, 486
- ISO/OSI model, 484
- Network Interface, 485
- networks, 836
- TCP/IP, 484-487
- Transport, 486

layout constraint keyword, 790-792

LDAP (Lightweight Directory Access Protocol),
691-692, 844

learning process, 847

life cycles, 520

Lightweight Directory Access Protocol (LDAP),
691-692, 844

limiting access to printers, 400-403

links, Volume Manager, 256

lists

- defect, 189
- logical device names, 580-582
- software packages, 145-146

local area network (LAN), 482, 602

local servers, 703-715

locale, configuring, 802-803

locale keyword, 792

locale values, 789

locations, devices, 119, 825

LOFS (Loopback File System), 191

Log Viewer tool, AdminSuite, 722

logging

- files, 366-367, 736
- NFS servers, 614-615
- UFS, 224

logical block sizes, 212

logical device names, 118-120, 580-582

logical volumes, 203

Login Manager, 879-880

- starting, 880
- stopping, 880
- viewing, 881

logins

- /etc/default/login file, 309
- checking, 303-306
- command, 302

Loopback File System (LOFS), 191

loops

- for, 467-468
- until, 469
- while, 468

lp commands, 386, 834

LP print service, 834-835

- daemons, 381-382
- directories, 379-380
- spoolers, 380-381

lpadmin command, 386, 396

lpmove command, 394

lpr command, 385

lpsched daemon, 385

lpstat command, 397-398

ls command, 427

M

macro study strategies, 848

maintenance, 508-510. *See also* troubleshooting

major device numbers, 578-580

make command, 676

Makefiles, 674

management

- /etc files, 658
- accounts, 169-173
- AdminSuite, 715
 - applying, 716-717
 - Computer/Networks tool, 718-720
 - Log Viewer tool, 722
 - Mount/Shares tool, 720-721
 - Serial Ports tool, 721-722
 - users, 717
- devices, 839-840
- disks, 839-840
- name services, 657
- NIS, 659
 - configuring master servers, 667-681
 - formatting clients, 681
 - host guidelines, 661
 - information storage, 662-665
 - need guidelines, 661
 - NIS+, 684-688
 - planning domains, 665-666
 - slave servers, 682-683
 - structure, 659-660
- power-management feature, 557-559

- printers, 393
 - access, 393-395
 - creating classes, 395-396
 - deleting, 393-395
 - queues, 398-405
 - verifying status, 397-398
- RBAC, 731-747
- SMC, 703-715, 844
- software, 135-136, 825-826
 - deleting patches, 151
 - installing patches, 147-150
 - patches, 146-147
- StorEdge Volume Manager, 586-587
- virtual volume, 582-585
- manual execution of fsck command, 219-220**
- maps**
 - Autofs, 631
 - direct maps, 635-639
 - indirect maps, 639-643
 - master maps, 631-635
 - NIS, 662-665
- master group files, creating, 671-672**
- master hosts files, creating, 672-676**
- master maps, 631-635**
- master passwd files, creating, 669-671**
- master servers**
 - backups, 659
 - NIS, 667-681
- MDB (Modular Debugger), 89**
- media**
 - backups, 419-420
 - removable
 - manager GUI, 262-263
 - mounting CD-ROMs, 267-268
 - Volume Media, 255-262
 - Solaris, 107
- memory, swapfs (swap file system), 524-535**
- menus**
 - ExamGear, 911-912
 - Users, 140
- messages, Syslog, 362-366**
- metadevices, 583-585**
- methods of installation, 121**
 - Custom JumpStart, 122
 - Interactive, 121
 - JumpStart, 121
 - networks, 123
 - Solaris Install tool, 123-125
 - Web Start, 122
- micro study strategies, 848**
- minimum free space, 213**
- minimum requirements, 105**
 - servers, 545
 - Web Start, 867
- minor device numbers, 578-580**
- mkfile command, 534**
- mkfs command, 209, 238-241**
- models, networks, 483**
- modems, security, 310**
- modes**
 - copy-mode, 426-427
 - pass, 428
 - pax command, 429
 - sticky bits, 294
- modification**
 - ACLs, 298
 - configuration variables, 64-65
 - groups, 173
 - partitions, 200-202
 - passwords, 734
 - printers, 407-408
 - priorities, 353-355
 - requests, 404-405
 - search paths, 883

- users
 - accounts, 166, 171
 - verifying, 177
- Xservers file, 881

Modifications in the Disk Modification window, 876

Modify command (Edit menu), 166

Modular Debugger (MDB), 89

monitoring

- caches, 624-626
- superuser access, 315-316
- swap resources, 527-529
- usage, 301-306
- users, 301-306

monitors. See interfaces

more command, 223

mount command, 221-224, 522, 621-622

Mount/Shares tool, AdminSuite, 720-721

mounting

- CD-ROM, 267-268
- file systems, 221-223, 248-250
 - /etc/mnttab, 251-252
 - enabling UFS logging, 224
 - large files, 224
 - viewing, 223
- remote file systems, 609-614

multiple CPU systems, 51

multiple disks, 116-117

N

name servers, keywords, 800-803

Name Service window, 870

name services, 502

- JumpStart, 803-804
- keywords, 799-803
- switches, 677-681

names

- domains, 800-803
- instance, 118

logical devices, 118-120

OpenBoot, 823

physical devices, 117-118

PROM full device names, 57-60

services, 179, 842-844

naming

DNS, 690-691

instance names, 575-577

logical device names, 580-582

name services, 657

NIS, 659

- configuring master servers, 667-681

- formatting clients, 681

- host guidelines, 661

- information storage, 662-665

- need guidelines, 661

- NIS+, 684-688

- planning domains, 665-666

- slave servers, 682-683

- structure, 659-660

- physical devices, 568-572

need guidelines, NIS (Network Information Service), 661

Netmask window, 869

netstat command, 510

Network Connectivity window, 868

Network File System. See NFS

Network Information System (NIS), 715

Network Interface Card (NIC), 491

Network Interface layer, 485

network-based file systems, 190

networks

- Computers/Networks tool, 718, 720

- configuring, 494

- /etc/defaultdomain, 495

- /etc/defaultrouter, 497

- /etc/hostname.interface, 495

- /etc/inet/hosts, 495-497

- /etc/nodename, 495

- environment, 836-837
- hardware, 491
 - hosts, 491-492
 - hubs, 492-493
 - NIC, 491
 - routers, 493
- installing over, 123
- IP addressing (IPv4), 498, 838
 - class A networks, 498, 838
 - class B networks, 499, 838
 - class C networks, 499, 838
 - class D networks, 499, 838
 - class E networks, 499, 838
 - planning, 500
- keywords, 801
- maintenance, 508-510
- models, 483
 - ISO/OSI model, 483-484
 - TCP/IP model, 484-487
- name services, 502
- NIS, 842-843
- NIS+, 843
- planning, 494
- protocols, 483
 - encapsulation, 488
 - Ethernet, 488-490
 - FDDI, 490
 - ISO/OSI model, 483-484
 - packets, 488
 - TCP/IP, 484-487
- security, 307
 - /etc/default/logon file, 309
 - /etc/hosts.equiv file, 310-311
 - firewalls, 307
 - modems, 310
 - restricting FTP, 312-313
 - securing network services, 307-309
 - TCP wrappers, 309
 - trusted hosts, 310
 - security.rhosts file, 311
- services, 500-502
- TCP/IP commands, 503
 - finger, 505
 - ftp, 503-504
 - ping, 506-507
 - rcp, 504
 - rexec, 505
 - rlogin, 503
 - rsh, 505
 - rup, 506
 - rwho, 505
 - spray, 507-508
 - telnet, 503
- topologies, 482
 - LANs, 482
 - WANs, 483
- newfs command, 211, 443, 531**
- NFS (Network File System), 190, 601-603**
 - Autofs, 628-643
 - automount, 644
 - CacheFS, 619
 - checking consistency, 627
 - creating caches, 620-623
 - deleting caches, 626
 - monitoring caches, 624-626
 - client-server relationships, 601
 - configuring, 604-608
 - daemons, 604
 - environment, 841-842
 - mount command, 610, 612
 - remote file systems, 609-614
 - security, 608-609
 - servers, 614-615
 - WebNFS, 615-617
 - accessign URLs, 618-619
 - enabling access, 617-618
- NIC (Network Interface Card), 491**

nice command, 353-355

NIS (Network Information Service), 659, 715, 842-843

configuring master servers, 667-681

formatting clients, 681

host guidelines, 661

information storage, 662-665

need guidelines, 661

NIS+, 684-688, 843

planning domains, 665-666

slave servers, 682-683

structure, 659-660

nodes, 53

Non-Volatile Random Access Memory. *See* NVRAM

num clients keyword, 793

numbers

of inodes, 215

major/minor device, 578-580

NVRAM (Non-Volatile Random Access Memory),

50, 63-67

commands, 68

configuring, 51

O

objectives

AdminSuite, 701

Admintool, 157

alternative system shutdowns, 13

archives, 417

AutoFS, 597

backups, 417

boot

command, 48

process, 13

CacheFS, 597

client-server environments, 541

customization

device aliases, 47

file system parameters, 185

devices

configuring, 565

drivers, 100

naming conventions, 565

disks

geometry, 185

slicing, 185

storage systems, 99

drivers

configuring, 565

naming conventions, 565

file systems, 185

constructing, 235

large file systems, 235

mounting/unmounting, 235

optimizing, 235

retrieving information, 236

home directories, 157

initialization files, 157

installation

methods, 100

operating systems, 100

preparing, 99

selecting system configuration, 99

JumpStart, 753

kernels

initializing, 13

loading, 48

Logical Volume Manager, 185

naming

conventions, 565

services, 655

networks

commands, 479

configuring/planning, 479

- IP addressing, 479
- maintenance, 480
- name services, 479
- terminology, 479
- NFS, 597
- NIS, 655
- OpenBoot, 47
 - Help, 47
 - PROM command, 47
 - security, 47
 - testing hardware, 48
- outlines, 848
- partitions, 99
- printers
 - LP print services, 375
 - managing, 375
- processes
 - managing, 331
 - reacting to signals, 331
 - reviewing batch-processing facilities, 331
 - scheduling, 331
 - viewing, 331
- PROM full device names, 47
- pseudo file systems, 517
- RBAC, 729
- remote resources, 597
- removable media, 235
- restore utilities, 417
- run levels, 13
- security
 - administering access, 279
 - ASET, 280
 - configuring, 279
 - controlling file access, 279
 - employing techniques, 280
 - networks, 279
 - procedures, 279
 - securing superuser access, 279
 - shells, 451
 - SMC, 701
 - software, 541
 - startup, 13
 - swapfs file system, 517
 - system requirements, 99
 - system shutdown, 13
 - terminology, 99
 - tools, 133
 - variables, 451
 - Volume Manager, 235
- objects, DiskSuite, 840**
- OBP (OpenBoot PROM), 50**
- OEM system support, 107**
- Online menu, ExamGear, 912**
- OpenBoot, 16, 823**
 - architecture, 53-54
 - booting, 76-82
 - device aliases, 61-62
 - diagnostics, 71-75
 - environment, 50
 - accessing, 51-52
 - comparing multiple/single CPU systems, 51
 - firmware tasks, 52
 - Help, 55-57
 - interface, 54
 - Fourth Monitor, 55
 - Restricted Monitor, 54
 - kernels, 82-89
 - NVRAM, 63-68
 - PROM, full device names, 57-60
 - security, 69-71
- OpenBoot PROM (OBP), 50**
- operating system (OS), 107, 543**
- operations, file systems, 215-220**
- optimization, file systems, 2454-247**
- optional parameters options, 788**

options. *See also* customization

- add install client, 804
- boot commands, 821-822
- cfsadmin command, 625
- check Script, 776
- file systems
 - /etc/mnttab file, 251-252
 - fstyp command, 246-247
 - mounting, 248-250
 - optimizing, 244-246
- layout constraint, 791
- menus, ExamGear, 911-912
- mount command, 621-622
- optional parameters, 788
- partitioning, 794
- patchadd command, 148
- patchrm command, 151
- pfinstall, 796
- pgrep command, 338
- prstat command, 342-343
- roleadd, 733
- rolemod command, 735
- standard ExamGear, 916
- ufsrestore command, 439
- usfdump command, 435

organization type, 214**OS (operating system), 107, 543****outlines, preparing, 848****output**

- control (OpenBoot), 74-75
- df command, 270
- fsck command, 269
- swap -l command, 528
- swap -s command, 529

overview

- custom JumpStart installation, 759-768
- JumpStart, 756-758

P**packages**

- keywords, 793
- software, 105
 - adding, 136-138
 - Admintool, 139-142
 - deleting, 138
 - installing, 152
 - listing, 145-146
 - managing, 825-826
 - Product Registry, 142-145
 - spool directories, 138-139
 - verifying, 145-146

packets, 488**parallel connections, 383****parameters**

- custom file system, 211
 - fragment sizes, 212-213
 - inodes, 215
 - logical block sizes, 212
 - minimum free space, 213
 - organization type, 214
 - rotational delay, 214

OpenBoot, 823**special, 258****symname, 258****partitions**

- disk storage systems, 112-115
- keywords, 793
- modifying, 200-202
- multiple disks, 116-117
- planning, 115-116
- recovering, 202-203
- tables, 189

pass mode, 428**passwd command, 164**

passwords

- blank, 302-303
- configuring, 283-285
- modifying, 734
- root, 801-802
- source files, 670-671

patchadd command, 148**patches for software, 146-147**

- deleting, 151
- installing, 147-150

patchrm command, 151**pathnames**

- devices, 568-572
- OpenBoot, 823

paths, configuring, 299**pax command, 428-432****PCFS (PC file system), 190****permissions**

- ACLs, 296
- ASET, 318-319
- directories, 291, 831
- files, 291, 831
- setgid, 300-301
- setuid, 299

pfinstall command, 795-798**pgrep command, 338-340****phases**

- fsck command, 218
- INIT, 24-30
- program, 16-17
- PROM, 16-17

physical device names, 117-118, 568-572**physical memory, swapfs (swap file system), 524-535****physical security, 283****PID (process ID), 350****ping -sRv command, 510****ping command, 506-507****pkgadd command, 136-137****pkginfo command, 139, 145, 378****pkgrm command, 136-138****pkill command, 350****planning**

- domains, 665-666
- IP addressing, 500
- networks, 494
- partitions, 115-116

platform support, 103-104**plug-in device drivers, 53****ports**

- configuration variables, 75
- Serial Ports tool, 721-722

POST (Power-On Self Test), 16, 52**power-management feature, disabling, 557-559****powering on systems, 16-17****poweroff command, 39****practice exams, starting, 914-915****pre-testing, 849****preparation, 907**

- custom JumpStart installation, 758-759
- installation, 102-104
 - minimum system requirements, 105
 - unsupported Sun4c architecture, 104

interface design, 907**outlines, 848****question quality, 907****printenv command, 66****printers**

- classes, 395-396
- connecting, 382
- defaults, 406
- deleting, 393-395
- Ethernet connections, 383
- managing, 393-395
- modifying, 407-408
- parallel connections, 383

- queues, 398-405
- serial connections, 383
- software, 384-392
- status, 397-398
- types, 392
- utilities, 382, 834-835
- printing**
 - clients, 387-388
 - deleting, 399
 - hardware
 - configuring, 382
 - Ethernet connections, 383
 - parallel connections, 383
 - serial connections, 383
 - LP Print service, 834-835
 - print scheduler, 405
 - sending, 400
 - servers, 387-388
 - services, 378-379
 - daemons, 381-382
 - directories, 379-380
 - spooler, 380-381
 - software, 384-392
- prionctl command, 353-355**
- priorities**
 - configuring, 833
 - modifying, 404-405
 - processes, 352-355
- probe-scsi command, 72**
- probe-scsi-all command, 72**
- Process File System (PROCFS), 191, 520-521**
- process ID (PID), 350**
- Process Manager, 344-347**
- processes**
 - attributes, 833
 - batch-processing facility
 - applying, 356
 - configuring crontab, 356-359
 - scheduling at command, 360-362
 - CDE Process Manager, 344-347
 - control, 832
 - log files, 366-367
 - pgrep command, 338-340
 - priorities, 352-355
 - prstat command, 340-343
 - scheduling, 351
 - signals, 347-351
 - Solaris Install, 123-125
 - swapper, 24
 - values, 363-366
 - viewing, 333-337
- PROCFS (Process File System), 191, 520-521**
- Product Registry, 142-145**
- profiles, 744**
- programmable read-only memory. See PROM**
- programmable user interfaces, 54**
- programs. See also applications; software**
 - phase, 16-17
 - true/false, 463
- PROM (programmable read-only memory), 48**
 - configuring, 51
 - full device names, 57-60
 - OBP, 50
 - phase, 16-17
- protocols**
 - FTP (File Transfer Protocol), 603
 - HTTP (Hypertext Transfer Protocol), 603
 - LDAP (Lightweight Directory Access Protocol), 691-692
 - networks, 483
 - encapsulation, 488
 - Ethernet, 488-490
 - FDDI, 490
 - ISO/OSI model, 483-484
 - packets, 488
 - TCP/IP, 484-487
 - SLP (Service Location Protocol), 379

TCP (Transport Control Protocol), 602
 TCP/IP (Transmission Control Protocol/Internet Protocol), 484-487
 UDP (User Datagram Protocol), 486, 602

Proxy Server Configuration window, 872

prstat command, 340-343

prtconf command, 569

prvtoc command, 192, 195

ps -el command, 337, 354

ps command, 334-336, 520

pseudo file systems, 519, 523, 838-839

psrinfo command, 342

ptree command, 347

purging log files, 736

pwconv command, 288

Q

question quality, 907

questions

exams, 850

marking, 917

types, 915-916

queues

jobs, 361

printers, 398-405

quotas

disk space usage, 227

file systems, 227

quoting Bourne shells, 457-458

R

RAM (random access memory), 524-535

raw devices, 581-582

RBAC (Role-Based Access Control), 845

applying, 731-737

components, 737

authorizations (auth_attr) database, 740-742

execution attributes (exec_attr) database,
745-747

extended user attributes (user_attr) database,
738-739

rights profiles (prof_attr) database, 742-745

rc scripts, 26-30

rcp command, 504

re-preinstall command, 121

read-only memory (ROM), 51

Ready to Install window, 877

reboot — -r command, 573

reboot command, 39

reconfiguration. *See also* configuration

Front Panel, 889

startup, 573-575

recovery, 835

partitions, 202-203

root (/) or /usr file system, 443-445

systems, 39-41

VTOV, 203

registration, ExamGear, 910-912

registry, Product Registry, 142-145

reject command, 402

rejecting print requests, 402-403

remote copy. *See* rcp command

remote file systems, mounting, 609-614

Remote Procedure Call (RPC), 501

remote servers, applying, 703-715

remote shell. *See* rsh command

removable media

CD-ROM, 267-268

manager GUI, 262-263

Volume Manager, 255-262

renaming workspaces, 887-888

renice command, 354

repairing file systems, 216-220

repeated-action commands, 467

for loop, 467-468

until loop, 469

while loop, 468

requests

accepting/rejecting, 402-403

canceling, 403

modifying, 404-405

print, 399

requirements

ExamGear installation, 909

installation, 102-104

minimum system requirements, 105

unsupported Sun4c architecture, 104

partitions, 115-117

servers, 545

Web Start, 867

resources, monitoring, 527-529

restarting print schedulers, 405

restoration

copy-in mode, 427

files, 446

utilities, 420, 438-443

Restricted Korn shell, 455

Restricted Monitor, 54

restrictions

FTP, 312-313

root access, 314-315

shells, 289-290

retrieving file systems, 268-270

rexec command, 505

rights profiles (prof_attr) database, 742-745

rlogin command, 503

role fields, adding, 709

Role-Based Access Control. *See* RBAC

roleadd command, 739

roleadd options, 733

roledel command, 737

rolemod command, 735

ROM (read-only memory), 51

root

access, 314-315

device keyword, 794

Password window, 871

passwords, 801-802

recovering, 443-445

space, 783

rotational delay, 214

routers, 493, 870

RPC (Remote Procedure Call), 501

rsh command, 505

rules file, 769-775

begin/finish scripts, 778

validating, 776-778

run control scripts, 30-35

rup command, 506

rwho command, 505

S

SBus card, 53

Scaleable Processor Architecture (SPARC), 53

schedules

at command, 360-362

dumps, 434

exams, 904

print schedulers, 405

processes, 351-355

scores

Current Score tab, 919

exams, 850

scripts

\$HOME/.dtprofile, 882

begin, 778

- Bourne shell variables, 456
 - delimiters, 458
 - quoting, 457-458
 - viewing values, 458-460
- executing, 453-454
- finish, 778
- rc, 26-30
- run control, 30-35
- selecting, 454-456
- shells
 - built-ins, 460, 462
 - case statement, 466
 - conditionals, 462-463
 - customizing, 175
 - if conditionals, 463
 - test command, 464-466
 - true/false programs, 463
- startup, 308-309
- writing, 835-837
- Xsession, 883
- SDK (Software Development Kit), 704**
- sdtprocess command, 344**
- searching**
 - modifying paths, 883
 - printers, 392
- secondary swap files, creating, 531-533**
- security, 830**
 - ASET, 318-319
 - commands, 831-832
 - crontab files, 359
 - DES, 689
 - directories, 831
 - files, 831
 - ACLs, 294-299
 - configuring paths, 299
 - controlling access, 290-291
 - default umask, 293
 - GID/UID, 292
 - setgid permissions, 300-301
 - setuid permissions, 299
 - sticky bits, 294
- networks, 307
 - .rhosts file, 311
 - /etc/default/login file, 309
 - /etc/hosts.equiv file, 310-311
- firewalls, 307
- modems, 310
- restricting FTP, 312-313
- securing network services, 307-309
- TCP wrappers, 309
- trusted hosts, 310
- NFS, 608-609
- NIS+, 687
- OpenBoot, 69-71
- physical security, 283
- printers, 393-395
- superusers, 313-314
 - monitoring, 315-316
 - restricting root access, 314-315
- SUDO, 316-317
- systems
 - controlling access, 283-285
 - restricted shells, 289-290
 - storing user accounts, 286-289
- techniques, 320
- users, 301-306
- Select Products window, 874**
- Select Software Localizations window, 873**
- Select Type of Install window, 873**
- selecting**
 - backup media, 419-420
 - scripts, 454-456
 - show ancestry, 346
 - system configuration, 108-112
- selector field, 363**

sending

- print jobs, 400
- signals, 347-351

serial connections, 383**Serial Ports tool, AdminSuite, 721-722****servers, 108, 543**

- backups, 659
- boot (JumpStart), 760-764
- clients, 544

configuration

- configuring, 808-810
- JumpStart, 767-768

install, 839

- configuring, 807-808
- JumpStart, 764-766

Login Manager

- starting, 880
- stopping, 880
- viewing, 881

minimum requirements, 545**name, 800-803****NFS, 601, 614-615****NIS**

- configuring, 667-681
- hosts, 661

printing, 387-388**slave, 682-683****SMC, 703-715****Solaris 8, 545-547****time, 802-803****Service Location Protocol (SLP), 379****services**

- DNS, 690-691
- LP Print, 834-835
- name, 179, 502, 657, 799-803, 842-844
- networks, 307-309, 500-502

NIS, 659

- configuring master servers, 667-681
- formatting clients, 681
- host guidelines, 661
- information storage, 662-665
- need guidelines, 661
- NIS+, 684-688
- planning domains, 665-666
- slave servers, 682-683
- structure, 659-660

printing, 378-379

- configuring hardware, 382
- configuring software, 384-392
- daemons, 381-382
- directories, 379-380
- Ethernet connections, 383
- parallel connections, 383
- serial connections, 383
- spooler, 380-381

start, 30**stop, 30****Session Manager, 881-886****sessions, exam, 850-851****Set Source Media window, 140****set-group identification. *See* setgid****set-user identification. *See* setuid****setfacl command, 295****setgid (set-group identification), 300-301****setuid (set-user identification), 299****setup_install_server command, 763, 807****share command, 605****sharing**

- file systems, 607
- Mount/Shares tool, 720-721

shells

- built-ins, 460, 462
- conditionals, 462
 - case statement, 466
 - double ampersand (&&), 462-463

- if, 463
 - test command, 464-466
 - true/false programs, 463
- customizing, 175
- environments, 828
- functions, 469
- repeated-action commands, 467
 - for loop, 467-468
 - until loop, 469
 - while loop, 468
- restricted shells, 289-290
- scripts, 453-454
 - Bourne shell variables, 456
 - delimiters, 458
 - quoting, 457-458
 - selecting, 454-456
 - viewing values, 458-460
 - writing, 835-837
- variables, 828
- show ancestry, selecting, 346**
- show-devs command, 59**
- showmount command, 630**
- shutdown, 35-39, 124, 822**
- signals, processes, 347-351**
- single CPU systems, 51**
- single system events, scheduling at commands, 360-362**
- sizes**
 - blocks, 269
 - directories, 226
 - fragments, 212-213
 - logical block, 212
 - partitions, 115-117
 - swap space, 526
- slave servers, configuring, 682-683**

slices

- disk storage systems, 112-115
- disks, 192-193
 - creating, 195-199
 - disk configuration information, 194-195
 - free hog, 199
 - logical volumes, 203
 - modifying partitions, 200-202
 - recovering partitions, 202-203
- SLP (Service Location Protocol), 379**
- small file systems, 247**
- SMC (Solaris Management Console), 703-715, 844**
- software**
 - installing, 823-825
 - interactive installation program, 547-556
 - packages, 105
 - adding, 136-138
 - administration, 825-826
 - Adminitool, 139-142
 - deleting, 138
 - installing, 152
 - listing, 145-146
 - Product Registry, 142-145
 - spool directories, 138-139
 - verifying, 145-146
 - patches, 146-147
 - deleting, 151
 - installing, 147-150
 - printers, 384-392
 - terminology, 105-107
 - tools, 135-136
- Software Development Kit (SDK), 704**
- Solaris**
 - history of, 895
 - 1965-1969, 896
 - 1970-1972, 896
 - 1973-1979, 896-897

- 1982-1983, 897
- 1984-1987, 898
- 1988-1992, 898
- 1993, 898-899
- 2001, 900
- milestones, 900-901
- Install tool, 123-125
- media, 107
- servers, 545-547
- Solaris Management Console.** *See* SMC
- Solstice DiskSuite**, 583-585
- sort command**, 226, 337
- source files**
 - databases, 679
 - passwords, 670-671
- sourcing \$HOME/.dtprofile script**, 882
- sourcing Xsession.d script**, 883
- SPARC (Scaleable Processor Architecture)**, 53, 107
- special parameters**, 258
- Specify Media window**, 872
- spoolers**
 - directories, 138-139
 - LP print service, 380-381
- spray command**, 507-508
- stand-alone systems**, 111-112, 543
- standard ExamGear options**, 916
- standards, DES (Data Encryption Standard)**, 689
- starting**
 - applications, 886
 - clients, 810-812
 - exams, 914-915
 - installation, 124-125
 - Login Manager, 880
 - NIS, 676
 - services, 30
 - study-mode sessions, 912-914
- startup**
 - JumpStart, 760-764
 - reconfiguring, 573, 575
 - scripts, 308-309
 - shell scripts, 175
 - systems, 821-822
- statements, case**, 466
- states, processes**, 335
- status**
 - name service search, 680
 - printers, 397-398
- sticky bits**, 294
- stop services**, 30
- stopping**
 - Login Manager, 880
 - NIS, 676
 - system for recovery, 39-41
- storage.** *See also* variables
 - blocks, 209
 - disk storage systems, 112-115
 - information, 662-665
 - user accounts, 286-289
- StorEdge Volume Manager**, 586-587
- strategies, study**, 848
- structures**, 659-660
- study tools**, 907
 - automatic tracking progress, 908
 - effective learning environments, 908
- study-mode sessions, starting**, 912-914
- studying**
 - Examination Score Report screen, 921
 - exam sessions, 850-851
 - Item Review, 917-920
 - learning process, 847
 - mark questions, 917
 - pre-testing, 849
 - question types, 915-916
 - study tips, 848-850
- styles, print**, 387
- su command**, 292
- subobjectives, preparing**, 848
- SUDO (superuser do)**, 316-317

- Sun Certified Network Administrator for Solaris 8, 904
- Sun Certified System Administrator for Solaris 8, 903
- Sun4c architecture, 104
- superblock, 207
- superuser do (SUDO), 316-317
- superusers, security, 313-314
 - monitoring, 315-316
 - restricting root access, 314-315
 - SUDO, 316-317
- support
 - core system, 106
 - developer system, 106
 - end-user, 106
 - platforms, 103-104
- Suspend-Resume function, 556
- SVR4 printing software, 384-386
- swap -d command, 537
- swap -l command, 528, 535
- swap -s command, 529
- swap file system (swapfs), 524-535
- swap space, 783, 838-839
- SWAPFS, 191
- swapfs (swap file system), 524-535
- swapper process, 24
- switches, 677-681
- symname parameter, 258
- sync command, 207
- synchronizing file systems, 215-216
- syntax
 - boot device, 781
 - client arch, 782
 - client root, 783
 - client swap, 783
 - cluster file, 784
 - dontuse file, 785
 - locale, 792
 - package, 793
 - root device, 794
 - rules file, 772
 - ypcat, 665
- sysdef command, 85, 570
- sysidcfg files, 798
- Syslog, 362-366
- system type keyword, 795
- systems
 - backing up, 419-420
 - booting, 15
 - INIT phase, 24-30
 - kernel initialization, 17-24
 - powering on, 16
 - PROM/program phases, 16-17
 - clients, 109
 - AutoClient, 110-111
 - diskless, 109
 - JavaStation, 109
 - stand-alone, 111-112
 - commands, 73
 - configuration, 108-112, 802-803, 824-825
 - disk storage, 112-115
 - file, 187-188, 432, 443-445, 828-830
 - identification information, 546
 - minimum system requirements, 105
 - name services, 657
 - partitions
 - multiple disks, 116-117
 - planning, 115-116
 - powering on, 16-17
 - recovery, 39-41
 - run states, 22-24
 - security, 830
 - commands, 831-832
 - controlling access, 283-285
 - directories, 831
 - files, 831
 - restricted shells, 289-290
 - storing user accounts, 286-289

- servers, 108
- shutdown, 35-39, 822
- stand-alone, 543
- startup, 821-822
- usage, 301-306

T

- T-shell, 455
- tables
 - NIS+, 685-686
 - partitions, 189
- tape
 - commands, 445
 - device types, 420
 - files, 445
- tar command, 421-422
- tasks, OpenBoot firmware, 52
- TB (terabyte), 204
- TCP (Transport Control Protocol), 309, 602
- TCP/IP commands, 484-487, 503, 837
 - finger, 505
 - ftp, 503-504
 - ping, 506-507
 - rcp, 504
 - rexec, 505
 - rlogin, 503
 - rsh, 505
 - rup, 506
 - rwwho, 505
 - spray, 507-508
 - telnet, 503
- techniques, security, 320
- telnet command, 503
- templates, name service files, 677-678
- temporary file system (TMPFS), 191, 521-526
- terabyte (TB), 204
- terminals, configuring, 802-803
- terminology, software, 105
 - clusters, 106-107
 - software packages, 105
- testing. *See also exams*
 - class files, 795-798
 - commands, 464-466
 - pre-testing, 849
- time
 - exams, 850
 - modifying, 353-355
 - servers, 802-803
- time of day (TOD), 50
- Time Zone window, 871
- timezone, configuring, 802-803
- tips
 - exam sessions, 850-851
 - study, 848-850
- TMPFS (temporary file system), 191, 521-526
- TOD (time of day), 50
- tools
 - AdminSuite, 715
 - applying, 716-717
 - Computers/Networks tool, 718-720
 - Log Viewer tool, 722
 - Mount/Shares tool, 720-721
 - Serial Ports tool, 721-722
 - users, 717
 - Admintool, 159
 - adding groups, 167-168
 - adding user accounts, 160-164
 - deleting user accounts, 165
 - modifying user accounts, 166
 - ASET (Automated Security Enhancement Tool), 318-319
 - backup, 835
 - CDE Process Manager, 344-347

- command-line
 - adding groups, 172-173
 - adding user accounts, 169-171
 - deleting groups, 173
 - deleting user accounts, 172
 - modifying groups, 173
 - modifying user accounts, 171
- dtappgather, 884
- format utility
 - creating slices, 195-199
 - modifying partitions, 200-202
- power-management, disabling, 557-559
- printers, 382, 834-835
- recovery, 835
- software management, 135-136
- Solaris Install, 123-125
- study, 907
 - automatic tracking progress, 908
 - effective learning environments, 908
- swap monitoring, 528
- TCP wrappers, 309
- topologies for networks, 482**
 - LANs, 482
 - WANs, 483
- tracking, automatic tracking progress, 908**
- Transport Control Protocol (TCP), 309, 602**
- Transport layer, 486**
- trees, devices, 53**
- troubleshooting**
 - ExamGear, 912
 - file systems, 216-220
 - networks, 508-510
 - OpenBoot, 71-74
 - help command, 55-57
 - input/output control, 74-75
 - software patches, 146-147
 - Volume Manager, 264-267
- true programs, 463**

- trusted hosts, 310**
- tunefs command, 214, 244-245, 830**
- turning off the power, 40-41**
- types**
 - file systems, 190
 - disk-based, 190
 - network-based, 190
 - virtual, 191-192
 - organization, 214
 - printers, 392
 - questions, 915-916
 - hot spot, 916
 - multiple choice, 915-916
 - tape, 420

U

- UDF (Universal Disk Format), 190**
- UDP (User Datagram Protocol), 602**
- UFS (UNIX file system), 190, 204-206**
 - boot block, 207
 - creating, 209-211
 - free blocks, 209
 - inodes, 208
 - logging, 224
 - storage blocks, 209
 - superblock, 207
- ufsboot, 17, 82-89**
- ufsdump command, 432-438**
- ufsrestore command, 438-443**
- UID (user ID), 204, 292**
- umask command, 293**
- umount command, 252-253, 613**
- umountall command, 192**
- uname -m command, 102**
- uninstallation, 145. *See also* installation**
- Universal Disk Format (UDF), 190**

UNIX

- commands, 164
- sort command, 337

UNIX file system (UFS), 190**unmounting file systems, 252-254****unsupported Sun4c architecture, 104****until loop, 469****unzip command, 148****updating ExamGear, 912, 922****URLs (Uniform Resource Locators), accessing, 618-619****usage**

- disk space
 - quotas, 227
 - viewing, 225-226
- monitoring, 301-306

usedisk keyword, 795**User Datagram Protocol (UDP), 486, 602****user ID (UID), 204****User menu, 140****useradd command, 169-170, 733****userdel command, 172****usermod command, 171, 734****users**

- access, 400-403
- accounts
 - adding, 159-164, 169-171
 - configuring, 826-827
 - deleting, 165, 172
 - managing from command-line, 169-173
 - modifying, 166, 171
 - storing, 286-289

AdminSuite, 717

auditing, 301-306

blank passwords, 302-303

environments, 177

GID, 292

initialization files

- configuring, 174
- customizing, 175, 177

name services, 657

programmable user interfaces, 54

UID, 292

utilities

AdminSuite, 715

applying, 716-717

Computers/Networks tool, 718-720

Log Viewer tool, 722

Mount/Shares tool, 720-721

Serial Ports tool, 721-722

users, 717

Admintool, 159

adding groups, 167-168

adding user accounts, 160-164

deleting user accounts, 165

modifying user accounts, 166

ASET (Automated Security Enhancement Tools), 318-319

backups, 420, 835

cpio command, 424-428

dd command, 423-424

pax command, 428-432

tar command, 421-422

ufsdump command, 432-438

ufsrestore command, 438-443

CDE Process Manager, 344-347

command-line

adding groups, 172-173

adding user accounts, 169-171

deleting groups, 173

deleting user accounts, 172

modifying groups, 173

modifying user accounts, 171

dtappgather, 884

format
 creating slices, 195-199
 modifying partitions, 200-202
 installboot, 17
 labelit, 241-242
 power-management, disabling, 557-559
 printers, 382, 834-835
 recovery, 835
 restoration, 420, 438-443
 software management, 135-136
 Solaris Install, 123-125
 swap monitoring, 528
 TCP wrappers, 309

V

validating rules files, 776-778

values

Borne shells, 458-460
 EEPROM, 781
 OpenBoot security, 70
 processes, 363-366

variables

boot configuration, 77-78
 Bourne shells, 456
 delimiters, 458
 quoting, 457-458
 viewing values, 458-460
 console configuration, 74
 modifying, 64-65
 NVRAM, 63-68
 OpenBoot, 69-71
 port configuration, 75
 shells, 828

verification

ACLs, 297
 jobs, 362
 software packages, 145-146
 user environments, 177

VFS (virtual file system), 188

viewers, Log Viewer tool, 722

viewing

directories, 226
 disk configuration information, 194-195
 disk space usage, 225-226, 829
 file systems, 225-226
 labels, 241-242
 Login Manager, 881
 mounted file systems, 223
 pathnames, 568-572
 physical device names, 118
 processes, 333-337, 832
 pgrep command, 338-340
 prstat command, 340-343
 Session Manager, 881-882
 values, 458-460

virtual file system (VFS), 188, 191-192

virtual swap space, 524

virtual volume management, 582-585

volcheck command, 256

volcopy command, 242-244

vold daemon, 256

vold.conf actions, 259-260

volumes, logical, 203

Volume Manager, 255-260

CD-ROM, 267-268
 commands, 261-262, 830
 removable media manager GUI, 262-263
 troubleshooting, 264-267

VTOC (Volume Table of Contents), 189, 203

W

WAN (wide area network), 483, 602

Web sites

ExamGear, 912, 921-922
 scheduling exams, 904

Web Start, 122

- installing, 868- 877
- minimum requirements, 867
- Welcome window, 872

WebNFS, 615-617, 842

- enabling, 617-618
- URLs, 618-619

while loop, 468**who command, 303-306****whodo command, 305-306****wide area network (WAN), 483, 602****windows**

- 64-Bit Selection, 875
- Add Group, 168
- Add Local Printer, 391
- Add Software, 141
- Add User, 162
- Additional Products, 874
- Application Manager, 557
- Confirm Information, 872
- Date and Time, 871
- Default Router, 870
- DHCP, 868
- Disk Modification, 876
- Disk Selection, 875
- Displayed changes in the Lay Out File Systems, 876
- Gathering Disk Space Requirements, 875
- Geographic Region, 871
- Groups, 168
- Host Name, 869
- Initializing, 873
- Insert CD, 873
- Installer, 875
- Installing, 877
- IP Address, 869
- Ipv6, 870
- Lay Out File Systems, 876
- Modifications in the Disk Modification, 876
- Modify Printer, 408

Modify User, 166

Name Service, 870

Netmask, 869

Network Connectivity, 868

Process Manager, 345

Product registry, 143

Proxy Server Configuration, 872

Ready to Install, 877

Root Password, 871

Select Products, 874

Select Software Localizations, 873

Select Type of Install, 873

Set Source Media, 140

show ancestry, 346

software, 140

Specify Media, 872

Time Zone, 871

Web Start Welcome, 872

wizards, Add User, 717

Workspace Manager, 885

workspaces, customizing, 887-889

wrappers, TCP, 309

writing

labels, 241-242

shell scripts, 835-837

X-Y-Z

Xservers files, 881

Xsession, sourcing, 883

Yellow Pages (YP). See NIS

ypcat syntax, 665

ypinit, 675-676

ypinit command, 683

ypwhich command, 665

Z-shell, 455