



Numerics

- 1NF (First Normal Form) normalization, 108
- 2NF (Second Normal Form) normalization, 108
- 3NF (Third Normal Form) normalization, 108

A

- A level, 474
- abstraction
 - applications, 173
 - data modeling, 98
- acceptance testing, 200
- access
 - controlling, 322–324
 - e-business sites, 506
 - databases, 343
 - devices, 121
 - Internet, 472
 - remote, 385
- Access Control Lists (ACLs), 382
- accountability
 - applications, 326
 - delivery
 - ASPs, 396
 - insourcing, 375
 - outsourcing, 384
- accounts (user), 323
- ACID properties, 70–71
- ACLs (Access Control Lists), 382
- acquire lifecycle component, 420
- actions (autonomous), 21
- Active X controls, 47
- Active X Server Framework, 47
- add transactions, 78
- administration (users), 491–493
- administrators, system, 488–489
- advantages
 - ASPs, 396–397
 - data warehousing, 64
 - e-learning, 449
 - e-publishing, 449
 - hierarchical databases, 52
 - insourcing, 375
 - Internet-based customer care, 414, 417
 - Internet-based workforce optimization, 425–428
 - multithreaded applications, 119
 - network databases, 54
 - object-oriented databases, 58
 - OOP, 93
 - outsourcing, 384–385
 - relational databases, 56
 - SCM, 434–435
 - web applications, 37
- after-image journaling, 74
- agreements
 - maintenance, 354
 - service-level, 390
- algorithms, 324
- allocations
 - components, 343
 - dedicated devices, 122
 - storage, 122
- alternate keys (IDEFIX), 112
- Analysis and Design Phase (Basic Lifecycle Model), 142, 161
 - abstraction, 173
 - data dictionaries, 166–173
 - data modeling, 166
 - DFDs, 165
 - inputs, 162
 - issues, 163
 - outputs, 162–163
 - overview, 277
 - project management tools, 174
 - prototypes, 173
 - responsibilities, 164–165
 - system modeling tools, 174
 - techniques, 173
- analyzing
 - traffic, 207–208
 - trend analysis, 264
 - user load testing results, 226
- answers
 - application architecture design, 510, 513
 - e-business case study, 506–508
 - load testing, 522, 526–528
 - network design, 517–518

- security testing, 530–531
- supply chain management, 534–538
- APIs (Application Programming Interface), 51
- application architecture components, 206
- application development lifecycle. *See* Basic Lifecycle Model
- application middleware, 21
 - data access, 22
 - MOM, 22
 - ORB, 24
 - RPC, 22
 - TPM, 23
- application operation manuals, 246
- application performance testing, 201, 204–209
- Application Programming Interface (APIs), 51
- application servers, 43
 - three-tier client/server architecture, 31
 - user load test results, 231
 - web server combination, 44
- Application Service Providers. *See* ASPs
- application tiers, 19
- application user manuals, 246
- applications. *See also* software
 - abstraction, 173
 - applied, 407
 - Internet catalog, 409
 - outsourced database, 408
 - architecture
 - design, 509–513
 - scalability, 339
 - ASPs, 390, 472
 - availability, 330
 - factors, 330
 - failover methodologies. *See* failover methodologies
 - outages, 331
 - Service Level Agreements, 331
 - user error, 330
 - business, 146–147
 - CISS, 9
 - client/server, 26–27
 - clients, 206
 - configuration, 484–485
 - developing. *See* Basic Lifecycle Model
 - distributed, 17–18
 - application tiers, 19
 - autonomous actions, 21
 - benefits, 20
 - developing, 20
 - enterprise-wide, 20
 - maintenance, 20
 - middleware, 21
 - purpose, 20
 - reliability, 20
 - reusable components, 21
 - scalability, 20
 - distribution, 482–484
 - embedded, 37
 - enterprise, 36
 - ERP, 359
 - faults, 274–275, 482
 - group, 36
 - incomplete, 274–275
 - insourcing, 371–372
 - advantages, 375
 - core business definition, 372–373
 - data encryption, 375
 - delivery accountability, 375
 - disadvantages, 376
 - employee-held information, 375
 - key facts table, 400–402
 - network implications, 398–399
 - resource requirements, 373
 - risk factors, 374
 - security, 374–375
 - successful example, 373
 - team selection, 376
 - training, 376
 - unsuccessful example, 373
 - integration, 356–357
 - EAs, 356
 - ERP, 359
 - middleware, 359
 - planning, 358
 - risks, 358
 - tools, 350
 - licensing, 354
 - lifecycle model input differences, 274
 - maintenance agreements, 354
 - management, 349
 - benefits, 473
 - configuration, 482–485
 - data collection, 477–479
 - desktop management interface, 474–475

- distribution, 482–484
- elements, 474
- environment architecture, 356
- external service providers, 355
- faults, 482
- FCAPS model, 473–474
- IP operations, 355
- IT operations, 355
- key factors, 482
- OMA, 475–476
- overview, 471
- performance, 483–487
- security, 483
- SNMP, 474
- version control, 356
- xSP business participants, 472
- minimally customized packages, 390
- multithreaded, 119–120
- network manageability, 351–352
- outsourcing, 371, 376–377
 - advantages, 384–385
 - ASPs. *See* ASPs
 - bandwidth requirement, 386
 - component integration, 381
 - context business definition, 377
 - control, losing, 386
 - cost, 379, 385
 - delivery accountability, 384
 - disadvantages, 386
 - evolution, 378
 - internal management resistance, 381
 - internal personnel requirements, 380
 - Internet requirements, 379
 - key facts table, 400–402
 - network implications, 398–399
 - provider compatibility, 380
 - provider stability, 381
 - remote access, 385
 - resource requirements, 379–380
 - risk factors, 380–381
 - security, 381–384
 - team selection, 386
 - time to market, 385
 - trial before purchasing, 385
- peer-to-peer, 16–17
- performance, 340, 483
 - application clients, 347
 - architectural design, 341
 - baselining, 341
 - compiler, 342
 - CPUs, 346
 - custom-developed code, 342
 - factors, 342
 - managing, 348, 485–487
 - memory, 346
 - multitasking, 344
 - operating systems, 344–345
 - user population, 343
 - workload growth, 343
- personal, 36
- population, 343
- programming tools, 186
- prototypes, 173
- public, 36
- reliability, 328–329
- requirements, 317
- scalability, 337
 - application architecture, 339
 - hardware, 339–340
 - network, 338–339
 - services, 338
 - software, 337–338
- security, 318, 483
 - access control, 322–324
 - accountability, 326
 - auditing, 325
 - authentication, 321–322
 - authorization, 322
 - compliance, 320–321
 - data confidentiality, 324
 - integrity, 324
 - intrusion detection, 328
 - PKI, 327
 - policies, 319
 - procedures, 319–320
 - requirements, 529
 - results, documenting, 218
 - technologies, 326–328
 - trust, 321–322
 - validation, 217
- services administration, 350
- transactions, 76–78

- user load testing, 219
- vertical industry, 390
- web, 3–37
 - advantages, 37
 - architecture, 38–41
 - components, 40
 - embedded, 37
 - enterprise, 36
 - forms, 39
 - frames, 41
 - group, 36
 - pages, 38
 - personal, 36
 - programming languages. *See*
 - programming languages
 - public, 36
 - technologies, 41–44
- applied applications, 407
 - internet catalog, 409
 - outsourced database, 408
- architecture
 - lifecycle model input differences, 273
 - SCM information technology, 444
 - secure outsourcing, 382–383
 - web applications, 38–41
- architectures
 - application design, 509
 - answer, 510
 - answer II, 513
 - assignment, 510
 - assignment II, 512
 - objectives, 509
 - performance, 341
 - scalability, 339
 - scenario, 510
 - scenario II, 512
 - client/server, 25
 - client/server application benefits, 26–27
 - client/server applications, 26
 - components, 26
 - multiple-tier, 31–32
 - thin/thick clients, 32–34
 - three-tier, 28–31
 - two-tier, 27–28
- ASPs (Application Service Providers), 355, 456, 472, 387
 - advantages, 396–397
 - applications provided, 390
 - availability, 388
 - business issues, 388
 - control, losing, 392
 - cost spreading, 390
 - data center support, 389
 - delivery accountability, 396
 - dial-up software, 389
 - digital certificates, 395
 - disadvantages, 397–398
 - employee cost reductions, 391
 - failure, 393
 - features, 388–390
 - firewalls, 395
 - isolated data, 395
 - license fees, 391
 - management, 389
 - network storage, 389
 - networks, 391
 - partnering, 394–395
 - private leased lines, 395
 - resource requirements, 390–391
 - risk factors, 392–395
 - scalability, 389
 - security, 389, 394
 - server costs, 391
 - Service Level Agreement, 390
 - shared services, 389
 - short-term use, 389
 - SLA, 392
 - technical support, 389
 - technological issues, 387
- assessment
 - e-learning/e-publishing, 450
 - lifecycle models, 275
- assignments
 - application architecture design, 510–512
 - e-business case study, 506
 - load testing, 522–523
 - network design, 515
 - security testing, 529
 - supply chain management, 533–535
 - supply chain management security, 538
- Associate Cisco certification, 6
- atomicity (transactions), 70

- attributes
 - data modeling, 98
 - entities, 106
 - ERD, 158
 - IDEFIX, 111–112
 - information engineering, 110
 - instances, 109
 - relational tables, 54
 - testing, 196
 - types, 109
- auditing applications, 325
- authentication, 321–322
- authorization, 322, 382
- automated functional testing tools, 203
- autonomous actions, 21
- availability, 330
 - ASPs, 388
 - clusters, 332
 - context businesses, 377
 - e-business, 508
 - e-learning, 454–455
 - e-publishing, 454–455
 - factors, 330
 - failover methodologies, 331–333
 - backups, 333
 - checkpoints, 334
 - clusters, 332–333
 - fault tolerance, 334
 - hot swapping, 335
 - mirrored sites, 333
 - programming abstraction, 335
 - RAID, 335
 - recovery, 333
 - high, 239–240, 257
 - Internet-based customer care, 422
 - Internet-based workflow optimization, 432
 - network design, 515
 - outages, 331
 - SCM, 445
 - Service Level Agreements, 331
 - testing, 202, 238–241
 - conclusions, 242
 - data collection, 241
 - environment, 242
 - failure scenarios, 240–241
 - high availability, 239–240
 - objectives, 242

- process, 239
- results, 242–243
- scenarios, 242
- test methodologies, 242
- user load testing, 242
- user error, 330

B

- backups, 333
 - data dictionary, 171
 - databases, 66–67
 - delta, 333
 - differential, 333
 - DRP, 171
 - full, 333
 - incremental, 333
 - online, 67
- bandwidth
 - management, 17
 - outsourcing, 386
- baselining application performance, 341
- Basic Lifecycle Model, 139–140, 152, 265–266
 - analysis and design phase, 142, 161, 277
 - abstraction, 173
 - data dictionaries, 166–173
 - data modeling, 166
 - DFDs, 165
 - inputs, 162
 - issues, 163
 - outputs, 162–163
 - project management tools, 174
 - prototypes, 173
 - responsibilities, 164–165
 - system modeling tools, 174
 - techniques, 173
 - business modeling and requirements phase, 144–145
 - brainstorming, 156
 - enterprise models, 157
 - ERD, 158
 - facilitated sessions, 155
 - flowcharts, 159
 - inputs, 145
 - interviews, 154
 - issues, 147

- outputs, 146–147
- responsibilities, 149–154
- shadows, 155
- surveys, 155
- techniques, 154
- tools, 156
- Use Case Models, 159
- development phase, 142, 174–175, 277
 - application programming tools, 186
 - CASE, 187
 - change control processes, 180
 - design document, 180–184
 - hardware sizing, 177–180
 - IDE, 187
 - inputs, 175
 - issues, 176
 - methodologies, 184–186
 - outputs, 176
 - responsibilities, 177
 - tools, 186
 - version control software, 187
- implementation phase, 143, 244–245
 - contingency plan, 250
 - deliverables, 250
 - inputs, 245–246
 - issues, 248
 - migration procedures, 250
 - operational environment, 249
 - outputs, 246–247
 - overview, 278
 - planning, 244–245
 - resources, 249
 - responsibilities, 248–253
 - tools, 253
 - training environments, 252
 - verification, 250
- maintenance phase, 143, 253–254
 - change management, 259
 - cycle, 254
 - DBMS role, 264
 - fault metrics, 264
 - fire fighting, 256
 - high availability, 257
 - improvement process, 260
 - inputs, 254–255
 - issues, 255–256
 - licenses, 258
 - licensing, 264
 - monitoring, 255
 - organization, 254
 - outputs, 255
 - overview, 278
 - performance envelopes, 257
 - performance monitoring, 256
 - problems, 259–260
 - reports, 259–260
 - resources, 258
 - responsibilities, 256–262
 - software defects, 263–264
 - system support, 258
 - tools, 262–264
 - trend analysis, 264
 - usage monitoring, 261
 - user feedback, 261
- test phase, 142–143, 188–189
 - application performance testing, 203–209
 - inputs, 189–190
 - issues, 191
 - outputs, 190
 - overview, 277
 - responsibilities, 191–192
 - results, documenting, 209–212
 - security, 213–217
 - security results, 217–218
 - test plans. *See* test plans
 - testing types, 201–203
- before-image journaling, 74
- behavior (objects), 85
- benefits
 - application integration, 357
 - application management, 473
 - Centralized Computing Model, 15
 - CISS, 10
 - client/server applications, 26–27
 - data modeling, 99
 - distributed applications, 20
 - OOD, 89–90
 - single-threaded model, 118
 - system management, 473
 - testing, 188
 - thin/thick clients, 35
 - validation, 188
- binary entity relationships, 107

- black box testing, 202
- block-level elements, 45
- Bob Brown, 111
- BODY tag, 45
- boxes (IDEFIX), 111
- brainstorming
 - business modeling and requirements phase, 156
 - freewheeling, 156
 - written, 156
- Brown, Bob, 111
- browsers, 41
- buffers, 121
- bugs
 - debuggers, 186
 - Y2038, 311–312
 - Y2K, 311–312
- building applications. *See* insourcing
- business applications
 - control, 147
 - critical success factors, 147
 - feasibility, 146
 - gain/loss potential, 146
 - products, 146
 - relevant baselines, 147
 - risk analysis, 147
 - services, 146
- business issues (ASPs), 388
- business logic tiers, 19, 29
- business modeling and requirements phase (Basic Lifecycle Model), 141, 144–145
 - brainstorming, 156
 - completion, validation, 152
 - enterprise models, 157
 - ERD, 158
 - facilitated sessions, 155
 - flowcharts, 159
 - inputs, 145
 - interviews, 154
 - issues, 147
 - outputs, 146–147
 - responsibilities, 149–154
 - shadows, 155
 - surveys, 155
 - techniques, 154
 - tools, 156
 - Use Case Models, 159
- business solutions
 - entertainment industry example, 466
 - finance industry example, 463
 - Internet, 413
 - business model, 148
 - CISS activities, 141–143
 - CISS roles, 140–141
 - CISS testing, 143
 - functional model, 149
 - functional requirements, 148
 - information model, 149
 - Internet-based customer care need for, 414
 - nonfunctional requirements, 148
 - protocycling, 149–150
 - RAD, 149
 - RUP, 149
 - pharmaceutical industry example, 464–465
 - retail industry example, 466
- business transactions, 48
 - ACID properties, 70–71
 - add, 78
 - applications, 76–78
 - atomicity, 70
 - chained, 73
 - consistency, 70
 - data modeling, 96–97
 - abstraction, 98
 - attributes, 98
 - benefits, 99
 - components, 98–99
 - conceptual, 100
 - converting ERD to relations, 107–108
 - effectiveness, 99
 - ER model, 104–107
 - IDEFIX, 110–111
 - information engineering, 109
 - logical, 101–102
 - physical, 103
 - transparency, 98
 - types, 99–100
 - databases, 49
 - DBMS. *See* DBMS
 - deploying, 61–62
 - fields, 49
 - files, 49
 - information requests, 50

- records, 49
 - SQL, 59–61
- distributed, 78–81
- durability, 70
- flat, 71–72
- hardware drivers, 120–122
- integrity, 74–76
- isolation, 70
- journaling, 74
- lookup, 77
- models, 71–73
- nested, 72
- object-oriented design, 81
- OOD, 82–83
 - benefits, 89–90
 - CASE, 91
 - class diagrams, 93
 - classes, 82–86
 - CRC cards, 92
 - encapsulation, 86–87
 - inheritance, 87–88
 - interaction diagrams, 92
 - messages, 86
 - methods, 85
 - objects, 82–85
 - patterns, 93
 - polymorphism, 89
 - services, 89
 - software development problems, 83
 - state, 89
 - subjects, 89
 - transitions, 89
 - UML, 90–91
- OOP, 93–96
- rolling back, 75
- threads, 114–115
 - green, 117
 - multiple, 117
 - multithreaded design, 116–120
 - native, 117
 - sharing, 118–119
 - single-threaded design, 115, 118
- triggers, 75
- update, 77–78

- businesses
 - context, 377
 - core, 372–373
 - future, 372
 - Vertical Networks, Inc., 378
- buying applications. *See* outsourcing

C

- C level, 473
- C++, 95
- CA (Certificate Authority), 322
- capacity
 - e-learning/e-publishing, 454
 - Internet-based customer care, 422
 - Internet-based workflow optimization, 432
 - networks, 346
 - SCM, 445
- capacity planning, 478
- cardinality (ER data modeling), 109
- CASE (Computer Aided Software Engineering Tool), 91, 187
- case studies (CISS), 505
 - application architecture design, 509–512
 - e-business, 505–509
 - network design, 514–518
 - supply chain management, 531
 - answers, 534–535
 - answers II, 535–537
 - assignment, 533–534
 - assignment II, 535
 - objectives, 531
 - scenario, 532
 - security, 537–538
 - testing, 520
 - load test scenario, 520–523, 527–528
 - objectives, 520
 - security test scenario, 528–531
- catalogs (Internet), 409
- categorization relationships, 112
- CCCS (Cisco Cable Communications Specialist), 7
- CCDA (Cisco Certified Design Associate), 6
- CCDP (Cisco Certified Design Professional), 6
- CCEWP (Cisco Connection Enterprise Web Production), 452
- CCIE (Cisco Certified Internetwork Expert), 6

- CCIP (Cisco Certified Internetwork Professional), 6
- CCNA (Cisco Certified Network Associate), 6
- CCNP (Cisco Network Professional), 6
- CCO (Cisco Connection Online), 452
- Centralized Computing Model, 15–16
- CERT/CC (CERT Coordination Center), 321
- Certificate Authority (CA), 322
- certificates (digital), 384
- certifications
 - Cisco, 6–7
 - CISS, 5–7
 - application essentials, 9
 - benefits, 10
 - Cisco iQ, 7
 - course formats, 8
 - exams, 10
 - goals, 8
 - Solutions course, 9–10
- CGI (Common Gateway Interface), 45–46
- chained transactions, 73
- change control processes, 180
- change impact analysis report, 255
- change management, 259
- change request forms, 255
- change request limits, 274
- charts
 - Gantt, 169
 - hits per second, 228, 235
 - throughput, 235
 - total bytes per transaction, 212
 - transaction response time, 211–212
 - transaction response time average, 228, 235
 - transaction summary, 228, 235
 - user load testing, 227–228, 235
 - web server throughput, 227
- checkpoints, 334
- Chen, Peter, 104
- CI (Component Interface), 170, 475
- Cisco
 - certifications, 6–7
 - CISS. *See* CISS
 - iQ program, 12–13
 - NETSYS Performance Service Manager, 208
 - Network Management Products, 263
 - QoS (Quality of Service), 347
 - scalability services, 338
 - workforce solutions, 431
- Cisco Cable Communications Specialist (CCCS), 7
- Cisco Career Certifications, 451
- Cisco Certified Design Associate (CCDA), 6
- Cisco Certified Design Professional (CCDP), 6
- Cisco Certified Internetwork Expert (CCIE), 6
- Cisco Certified Internetwork Professional (CCIP), 6
- Cisco Certified Network Associate (CCNA), 6
- Cisco Connection Enterprise Web Production (CCEWP), 452
- Cisco Connection Online (CCO), 452
- Cisco Internet Solutions Specialist certification, 5
- Cisco Internet Solutions Specialist. *See* CISS
- Cisco iQ (Cisco Internet Quotient) program, 7
- Cisco Network Professional (CCNP), 6
- Cisco Networking Academy Program, 451
- Cisco Security Specialist (CSS), 7
- Cisco SNA/IP Design Specialist (CSDS), 7
- Cisco SNA/IP Support Specialist (CSSS), 7
- CISS (Cisco Internet Solutions Specialist)
 - acceptance testing, 200
 - analysis and design phase responsibilities, 164
 - backup and recovery, 171
 - business and modeling requirements phase responsibilities, 148
 - business solution activities, 141–143
 - business solution roles, 140–141
 - business solutions tests, 143
 - case studies, 505
 - application architecture design, 509–513
 - e-business, 505–509
 - network design, 514–518
 - supply chain management, 531–538
 - testing, 520–523, 527–528
 - certification, 7
 - application essentials, 9
 - benefits, 10
 - Cisco iQ, 7
 - course formats, 8
 - exams, 10
 - goals, 8
 - Solutions course, 9–10
 - completion, validation, 152
 - data dictionary security, 171
 - design document responsibilities, 182
 - design verification, 172
 - development phase responsibilities, 177
 - impact, 150

- implementation, 249–253
- maintenance
 - costs/resources, 170
 - improvements, 260
- modular designs, 170
- preliminary schedules, 168
- project management plans, 168
- project requirements, analyzing, 151
- protocycling, 149–150
- prototypes, 170
- questions to address, 153
- scalable designs, 170
- SLA component verification, 153
- system
 - expectations, 152
 - maintenance support, 258
 - performance monitoring, 256
- tests
 - data attributes, 196
 - phase responsibilities, 194
 - verifications, 197
 - types, 198
 - user feedback, 261
 - users, monitoring, 261
- classes
 - diagrams (OOD), 93
 - inheritance, 87
 - metaclasses, 85
 - OOD, 82, 85–86
 - parameterized, 86
 - system management, 489–491
- classic lifecycle, 265–268
- Cleanroom Model, 265, 272
- client/server applications, 26–27
- client/server architecture, 25
 - client/server applications, 26–27
 - components, 26
 - multiple-tier, 31–32
 - thin/thick clients, 32–35
 - three-tier, 28–31
- clients, 25
 - application traffic, 206
 - components, 40
 - control. *See* user load testing
 - processes, 26
 - thick, 32
 - thin, 32–34
 - scripts, 39–41
 - tiers 265–268
- clusters, 332–333
- cold backups, 67
- collecting data, 206
- commit events, 76
- Common Gateway Interface (CGI), 45–46
- communications (Internet-based workflow optimization), 424, 429
- company falters (Internet-based customer care), 415
- compatibility
 - providers, 380
 - tests, 162
- competency
 - context businesses, 377
 - core businesses, 372
- compilers, 186, 342
- compliance (security), 320–321
- Component Interface (CI), 170, 475
- components
 - allocation, 343
 - application architecture, 206
 - client, 40
 - data modeling, 98–99, 105
 - DBMS, 51
 - e-learning, 449–452
 - assessment, 450
 - Cisco Career Certifications, 451
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - e-publishing, 449–452
 - assessment, 450
 - CCEWP, 452
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - management, 450
- IDEFIX, 112–113
- Internet-based customer care, 417–419
- Internet-based workflow optimization, 428
 - communication center, 429
 - knowledge center, 429

- optimization engine, 430
 - resource management, 429
- networks
 - user load testing, 219
 - virtual user load testing, 225
- outsourcing integration, 381
- reusable, 21
- security, 216
- server, 40
- SLA, 153
- web applications, 40
- composite keys, 55
- compression (software-based), 339
- Computer Aided Software Engineering Tool (CASE), 91, 187
- computers, network, 34
- computing
 - centralized, 15
 - distributed. *See* Distributed Computing Model
- conceptual data modeling, 100
- conclusions. *See* results
- conduits (firewalls), 320
- confidentiality (data), 324
- configuring
 - applications, 482–485
 - monitoring, 535
 - practices, 444
- connection relationships (IDEFIX), 112
- connectivity
 - e-learning/e-publishing, 453–454
 - Internet-based customer care, 422
 - Internet-based workflow optimization, 431
 - SCM, 445
 - services, 357
- consistency
 - transactions, 70
 - multiple resource managers, 79
- constructors, 86
- contact management, 417
- content (e-learning/e-publishing)
 - caching, 456
 - creation, 450
 - delivery, 451
 - management, 451
 - mirrors, 456
 - repeaters, 456
- context businesses, 377
- contingency plans, 250
- Continuous Quality Improvement, 215
- control clients
 - user load test results, 232
 - user load testing, 218
- controlling
 - access, 322–324
 - business applications, 147
 - client data, 225
 - losing, 392
 - outsourcing, 386
- controls (Active X), 47
- converting ERDs, 107–108
- core businesses
 - competency, 372
 - definition, 372–373
 - future business, 372
 - protection, 373
- costs
 - ASPs, 390–391
 - distributed transactions, 79
 - employees, 391
 - lifecycle models funding, 275
 - maintenance, 170
 - outsourcing, 379, 385
 - servers, 391
 - startup, 65
- courses (CISS), 8
- CRC (Class Responsibility Collaboration) cards, 92
- create events, 76
- creep (scope), 274
- criteria (completion), 273
- criteria sacrifice, 274
- critical success factors, 147
- CRMs (Customer Relationship Management), 414
- CSDS (Cisco SNA/IP Design Specialist), 7
- CSS (Cisco Security Specialist), 7
- CSSS (Cisco SNA/IP Support Specialist), 7
- currency, 377
- custom-developed code, 342
- customer base, 419
- customer care
 - Internet-based, 413–414
 - advantages, 414, 417
 - availability, 422
 - capacity, 422

- company falters, 415
- components, 417–419
- connectivity, 422
- contact management, 417
- customer base, creating, 419
- customer demands, 415
- delivering more, 415
- elements, 421–423
- lifecycle, 419–421
- managability, 423
- marketing cycles, 418
- need for, 414
- opportunity management, 418
- reliability, 422
- sales force management, 418–419
- security, 422

Customer Relationship Management (CRMs), 414

customer subdivisions (SCM), 436

customers

- demands, 415
- dissatisfaction, 275
- e-business sites, 506–507
- sessions, 507
- support, 414

cycles

- marketing, 418
- system maintenance, 254

D

data

- access middleware, 22
- center support, 389
- collection
 - availability testing, 241
 - devices, 206
 - tools, 223–224
- confidentiality, 324
- control clients, 225
- dictionaries, 51
 - analysis and design phase, 166–173
 - backup and recovery, 171
 - design requirements, 172
 - DRP, 171
 - modular designs, 170
 - preliminary schedules, 168

- project dependencies, 168
- project management plans, 168
- project plans, 167
- prototypes, 170
- robust/maintainable system, 170
- scalable designs, 170
- security, 171
- structured walkthroughs, 167

encryption, 324

- insourced applications, 375
- secure architectures, 382

independence, 50

integrity, 50, 324

isolated, 395

layer, 30

malls, 65

management, 477–479

manipulation, 61

manuals, 246

marts, 65

metadata, 491

mirroring, 69

retrieval, 61

scrubbing, 65

security, 50

sensitive, 383–384

storing, 103

tiers, 19

warehousing, 63–64

Data Description Language (DDL), 51

Data Encryption Algorithm (DES), 324

Data Flow Diagrams (DFDs), 165

Data Manipulation Language (DML), 51

data modeling, 96–97

- abstraction, 98
- analysis and design phase, 166
- attributes, 98
- benefits, 99
- components, 98–99
- conceptual, 100
- converting ERDs to relations, 107–108
- effectiveness, 99
- ER model, 104–107
 - attributes, 106
 - cardinality, 109
 - components, 105
 - domains, 109

- entities, 104–105
 - entity relationships, 107
 - ERD, 104
 - normalization, 108
 - terminology, 109
- IDEFIX, 111
 - attributes, 111–112
 - boxes, 111
 - categorization relationships, 112
 - components, 112–113
 - connection relationships, 112
 - entities, 111–112
 - foreign keys, 113
 - instances, 111
 - keys, 112
 - ORM, 113
- information engineering, 109
- logical, 101–102
- object-oriented, 58
- physical, 103
- transparency, 98
- types, 99–100
- data specific tables, 103
- Database Management System. *See* DBMS
- databases, 49
 - access, 343
 - APIs, 51
 - application performance, 343
 - backing up, 66–67
 - data
 - integrity, 50
 - malls, 65
 - marts, 65
 - scrubbing, 65
- DBMS, 49
 - components, 51
 - data independence, 50
 - data integrity, 50
 - features, 50
 - hierarchical databases, 52
 - network databases, 53–54
 - object-oriented databases, 56–59
 - queries, 50
 - relational databases, 54–56
 - security, 50
- DDL, 51
- deploying, 61–62
- dictionaries, 51
- DML, 51
- engines, 51
- fields, 49
- files, 49
- hierarchical, 52
- independence, 50
- indexing, 343
- information requests, 50
- instance data, 62
- middleware, 21, 359
 - network, 53–54
 - normalization, 343
 - object-oriented, 56–59
 - outsourced, 408
 - performance
 - backups, 67
 - data backups, 66
 - data warehousing, 63–64
 - network overhead, 63
 - parallel processing, 65
 - physical storage, 68
 - physical storage, 68
 - queries, 50
 - query languages, 51
 - RDBMS, 55
 - records, 49
 - hierarchical, 52
 - network, 53
 - relational, 54–56
- results, 232
 - schemas, 62
 - security, 50
 - servers, 44, 62
 - SQL, 59–61
 - system environment, 62
 - tuning, 61–62
 - utility programs, 51
 - workload, 62
- DBMS (Database Management System), 49
 - components, 51
 - data independence, 50
 - data integrity, 50
 - database types, 52
 - hierarchical, 52
 - network, 53–54

- object-oriented, 56–59
- relational, 54–56
- features, 50
- maintenance role, 264
- queries, 50
- security, 50
- DDL (Data Description Language), 51
- DDoS (Distributed Denial of Service), 537
- debuggers, 186
- deconstructors, 86
- dedicated devices, 122
- defects (software), 263–264
- delete events, 76
- deliverables, 250
- deliveries
 - ASPs, 396
 - insourcing, 375
 - outsourcing, 384
 - informal, 275
 - technologies, 450
- delivering more (Internet-based customer care), 415
- delta backups, 333
- demarcation, 79
- demilitarized zone (DMZ), 534
- demographics (target), 507
- dependencies (project), 168
- deploying
 - databases, 61–62
 - hardware drivers, 121–122
- deployment (physical), 341
- DES (Data Encryption Algorithm), 324
- design documents
 - CISS responsibilities, 182
 - modifying, 180–184
 - project management responsibilities, 183
- designs
 - application architecture, 509
 - answer, 510
 - answer II, 513
 - assignment, 510
 - assignment II, 512
 - objectives, 509
 - scenario, 510
 - scenario II, 512
 - CISS verification, 172
 - data dictionaries, 172
 - modular, 170
 - networks, 514
 - answer, 517–518
 - assignment, 515
 - availability, 515
 - objectives, 514
 - performance, 515
 - scenario, 514–515
 - security, 515
 - service quality, 515
 - robust/maintainable systems, 170
 - scalable, 170
- desktop management interface, 474–475
- Desktop Management Task Force (DMTF), 474
- develop lifecycle component, 421
- developers, 274
- developing
 - Active X controls, 47
 - applications. *See* Basic Lifecycle Model
 - distributed applications, 20
 - environments, 214
 - evolutionary development, 93
 - network implications, 399
 - software, 139–140
 - OOD, 83
 - OOP, 94
- development phase (Basic Lifecycle Model), 142, 174–175, 277
 - application programming tools, 186
 - CASE, 187
 - change control processes, 180
 - design document, modifying, 180–184
 - hardware sizing, 177–180
 - IDE, 187
 - inputs, 175
 - issues, 176
 - methodologies, 184–186
 - outputs, 176
 - responsibilities, 177
 - tools, 186
 - version control software, 187
- devices
 - access, 121
 - data collection, 206
 - dedicated, 122
 - drivers, 120–122
 - hiding, 121

- independence, 121
- naming, 121
- DFDs (Data Flow Diagrams), 165
- diagrams
 - class, 93
 - interaction, 92
- dial-up software, 389
- dictionaries
 - data, 166
 - backup and recovery, 171
 - design requirements, 172
 - DRP, 171
 - modular designs, 170
 - preliminary schedules, 168
 - project dependencies, 168
 - project management plans, 168
 - project plans, 167
 - prototypes, 170
 - robust/maintainable systems, 170
 - scalable designs, 170
 - security, 171
 - structured walkthroughs, 167
 - databases, 51
- differential backups, 333
- digital certificates
 - ASPs, 395
 - outsourcing security, 384
- digital signatures, 382
- directors, 339
- directory service providers, 327
- disadvantages
 - ASPs, 397–398
 - Centralized Computing Model, 16
 - hierarchical databases, 53
 - insourcing, 376
 - network databases, 54
 - object-oriented databases, 59
 - outsourcing, 386
 - relational databases, 56
 - single-threaded model, 118
- Disaster Recovery Plan (DRP), 171
- disks (hard), 346
- distributed applications, 17–18
 - application tiers, 19
 - autonomous actions, 21
 - benefits, 20
 - developing, 20
- enterprise-wide, 20
- maintenance, 20
- middleware, 21
- purpose, 20
- reliability, 20
- reusable components, 21
- scalability, 20
- Distributed Computing Model, 16
 - client/server architecture, 25
 - client/server application benefits, 26–27
 - client/server applications, 26
 - components, 26
 - multiple-tiers, 31–32
 - thin clients, 33–34
 - thin/thick client benefits, 35
 - thin/thick clients, 32
 - three-tier, 28–31
 - two-tier, 27–28
 - distributed applications, 17–18
 - application tiers, 19
 - autonomous actions, 21
 - benefits, 20
 - developing, 20
 - enterprise-wide, 20
 - maintenance, 20
 - middleware, 21
 - purpose, 20
 - reliability, 20
 - reusable components, 21
 - scalability, 20
 - peer-to-peer applications, 16–17
 - web applications, 35–37
 - advantages, 37
 - architecture, 38–41
 - embedded, 37
 - enterprise, 36
 - group, 36
 - personal, 36
 - programming languages, 44–48
 - public, 36
 - technologies, 41–44
- Distributed Denial of Service (DDoS), 537
- distributed director, 339
- distributed transactions, 78–79, 81
 - committing, 80
 - context, 80
 - cost, 79

- demarcation, 79
- multiple resource manager consistency, 79
- OOP, 94
- propagation, 80
- resource enlistment, 80
- distribution
 - applications, 482–484
 - software, 490–492
- DML (Data Manipulation Language), 51
- DMTF (Desktop Management Task Force), 474
- DMZ (demilitarized zone), 534
- documenting
 - availability test results, 242–243
 - informal, 275
 - security testing, 217–218
 - test results, 209–212
 - user load testing results, 230–232, 236
- documents
 - design
 - CISS responsibilities, 182
 - modifying, 180–184
 - project management responsibilities, 183
 - living, 319
- domains, 109
- downtime, 446
- drivers, 120–122
- DRP (Disaster Recovery Plan), 171
- DRV file extension, 120
- durability, 70
- dynamic content, 42
- Dynamic HTML, 45
- dynamic inheritance, 88
- dynamic web pages, 45

E

- EAI (Enterprise Application Integration), 356
- e-business case study, 505
 - answer, 506–508
 - assignment, 506
 - availability, 508
 - browsing versus purchasing, 507
 - customer access, 506
 - customer sessions, 507
 - growth, 507
 - objectives, 505
 - peak times, 506
 - performance, 508
 - revenue value, 507
 - scalability, 508
 - scenario, 506
 - security, 509
 - sensitive information, 507
 - target demographics, 507
 - transactions, 506
 - transactions per hour, 507
- e-commerce
 - defined, 463
 - entertainment industry example, 466
 - finance industry example, 463
 - pharmaceutical industry example, 464
 - retail industry example, 465
- ecosystems, 12
- editors, 186
- education/training (Internet-based workforce optimization), 425
- educational objectives, 450
- effectiveness (data modeling), 99
- e-learning, 448
 - advantages, 449
 - assessment, 450
 - availability, 454–455
 - capacity, 454
 - Cisco Career Certifications, 451
 - components, 449–452
 - connectivity, 453–454
 - content
 - creation, 450
 - delivery, 451
 - management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - ELS, 453
 - manageability, 455–456
 - managing, 450
 - network designs, 456–457
 - reliability, 455
 - requirements, 452–453
 - security, 455
- electronic commerce. *See* e-commerce
- elements
 - application management, 474
 - block-level, 45

- inline, 45
- Internet-based customer care, 421–423
- Internet-based workflow optimization, 431–433
- SCM, 443
- system management, 474
- UML, 90
- ELS (e-learning system), 453
- embedding
 - applications, 37
 - frames, 41
- employees, 391
 - empowerment, 428
 - held information (insourcing), 375
 - satisfaction, 428
 - security training, 375
- enablers (system), 114
 - green threads, 117
 - mullithreaded applications, 120
 - multiple threads, 117
 - multithreaded applications, 119
 - multithreaded design, 116–118
 - native threads, 117
 - single-threaded design, 115–118
 - thread sharing, 118–119
 - threads, 115
- enabling practices, 444
- encapsulation, 86–87
- encryption
 - data
 - insourced applications, 375
 - secure architecture, 382
 - storing, 324
 - PKI, 383
 - SSL, 384
- engines
 - databases, 51
 - servlet, 43
- enlistment resource, 80
- ensuring transaction integrity, 74–76
- enterprise profiles, 157
- Enterprise Application Integration (EAI), 356
- enterprise applications, 36
- enterprise management tools, 492
- enterprise models, 157
- enterprise organization model, 157
- enterprise process model, 157
- Enterprise Resource Planning (ERP), 359
- entertainment industry business solution example, 466
- entities, 105
 - attributes, 106
 - categorization relationships, 112
 - defined, 104
 - ERD, 158
 - IDEFIX, 111–112
 - identifier-dependent, 112
 - identifier-independent, 112
 - information engineering, 110
 - instances, 109
 - relationships, 107
 - types, 109
- Entity Relationship Diagram (ERD), 104, 158
- Entity Relationship modeling. *See* ER data modeling
- envelopes, 257
- environment
 - architecture, 356
 - availability testing, 242
 - database systems, 62
 - development, 214
 - ideal test, 205
 - lab, 215
 - production, 214
 - QA, 214
 - security, 214
 - training, 252
 - operational, 249
 - test, 209
 - user load testing, 222–223, 230
- EPS (e-publishing system), 454
- e-publishing, 448
 - advantages, 449
 - assessment, 450
 - availability, 454–455
 - capacity, 454
 - CCEWP, 452
 - components, 449–452
 - connectivity, 453–454
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - EPS, 454
 - manageability, 455–456

- managing, 450
- network designs, 456
 - content caching, 456
 - interoperability, 457
 - mirrors, 456
 - repeaters, 456
- proxies, 456
- reliability, 455
- requirements, 452–453
- security, 455
- ER (Entity Relationship) data modeling, 104, 106–107
 - attributes, 106
 - cardinality, 109
 - components, 105
 - domains, 109
 - entities, 104–105
 - entity relationships, 107
 - ERDs, 104, 107–108
 - normalization, 108
 - terminology, 109
- ERD (Entity Relationship Diagram), 104, 158
 - attributes, 158
 - converting to relations, 107–108
 - entities, 158
 - relationships, 158
- ERP (Enterprise Resource Planning), 359, 444
- error rates, 275
- estimation (user) formula, 220
- events, 76
- evolutionary development
 - application outsourcing, 378
 - OOD, 93
- exams (CISS), 10
- expectations (system), 152, 507
- Expert Cisco certification, 6
- express forwarding, 339
- extensions (files), 120

F

- F level, 473
- facilitated sessions
 - business modeling and requirements phase, 155

- factors (risk)
 - ASPs, 392–395
 - insourcing, 374
 - outsourcing, 380–381
- failover methodologies, 331–333
 - backups, 333
 - checkpoints, 334
 - clusters, 332–333
 - fault tolerance, 334
 - hot swapping, 335
 - mirrored sites, 333
 - programming abstraction, 335
 - RAID, 335
 - recovery, 333
- failure scenarios, 240–241
- failures, 393
- Fault, Configuration, Accounting, Performance, Security (FCAPS), 473
- faults
 - application, 274–275, 482
 - metrics, 264
 - tolerance, 334–335
- FCAPS (Fault, Configuration, Accounting, Performance, Security), 473–474
- feasibility (business applications), 146
- feedback
 - Internet-based workforce optimization, 427
 - users, 261
- fields
 - databases, 49
 - LOBs, 58
- files
 - databases, 49
 - extensions, 120
- finance (Internet-based workforce optimization), 424
- finance industry business solution example, 463
- fire fighting, 256
- firewalls
 - ASPs, 395
 - conduits, 320
 - multiple, 383
- FIRST (Forum of Incident Response and Security Teams), 321
- First Normal Form (1NF) normalization, 108
- flat transactions, 71–72
- flowcharts, 159

focus

- Internet-based workforce optimization, 426
- SCM, 434

foreign keys, 113

Form of Incident Response and Security Teams (FIRST), 321

formats

- CISS courses, 8
- files, 120

forms

- change request, 255
- HTML, 39
- web applications, 39

formulas (user estimation), 220

forwarding express, 339

frames, 41

freewheeling, 156

full backups, 66, 333

Full-Functional-Dependency Rule, 113

functional areas (Internet-based workforce optimization), 424–425

functional Internet business solutions, 148–149

functions (I/O), 121

funding lifecycle models, 275

future businesses, 372

G

gain potential, 146

Gantt chart, 169

Generalized System Security Application Programming Interface (GSSAPI), 326

goals (CISS), 8

green threads, 117

group applications, 36

group interviews, 154

grow lifecycle component, 421

growth (e-business), 507

GSSAPI (Generalized System Security Application Programming Interface), 326

guidelines

- security testing, 213–216

H

HA (high-availability) systems, 334

hard disks, 346

hardware, 345

- application performance, 345
- reliability, 328
- scalability, 339–340
- sizing, 177–180

hardware drivers, 120–121

- deployment, 121–122
- I/O, 122

hardware-based fault tolerance, 334

HEAD tag, 45

hiding devices, 121

hierarchical databases, 52

high availability, 239–240, 257

high-availability (HA) systems, 334

hits per second chart, 228, 235

hits per second report, 226

horizontal industry portals, 390

hot swapping, 335

HTML (HyperText Markup Language), 44–45

- block-level elements, 45
- content, 45
- Dynamic, 45
- forms, 39
- hyperlinks, 45
- inline elements, 45
- tags, 45
- URIs, 45

<HTML> tag, 45

human resources (Internet-based workforce optimization), 424

hyperlinks, 45

HyperText Markup Language. *See* HTML

I

<I> tag, 45

I/O (Input/Output), 122

- functions, 121
- hardware drivers, 122

IDE (Integrated Development Environment), 187

IDEA (International Data Encryption Algorithm), 324

- ideal test environments, 205
- IDEFIX, 111
 - attributes, 111–112
 - boxes, 111
 - categorization relationships, 112
 - components, 112–113
 - connection relationships, 112
 - entities, 111–112
 - foreign keys, 113
 - instances, 111
 - keys, 112
 - ORM, 113
- identification (user), 382
- identifier-dependent entities, 112
- identitifer-independent entities, 112
- IE (information engineering), 109
- implementation phase (Basic Lifecycle Model), 143, 244–245
 - contingency plan, 250
 - deliverables, 250
 - inputs, 245–246
 - issues, 248
 - migration procedures, 250
 - operational environment, 249
 - outputs, 246–247
 - overview, 278
 - planning topics, 244–245
 - resources, 249
 - responsibilities, 248–253
 - tools, 253
 - training environments, 252
 - verification, 250
- implementing
 - Internet-based workflow optimization, 430–431
 - SCM, 435
 - customer subdivision, 436
 - logistics, 437
 - market signals, 438–439
 - performance measurements, 442
 - product distinctions, 439
 - strategic plans, 440
 - technology strategy, 441
 - trading partners, 442
- implications, network. 398–399
- improvements
 - maintenance, 260
 - testing, 215
- incident tracking tools, 203
- inclusion polymorphism, 89
- incomplete applications, 274–275
- incremental backups, 66, 333
- incremental testing, 202
- independence
 - databases, 50
 - devices, 121
- in-depth observations, 262
- indexing, 343
- informal deliveries, 275
- informal documentation, 275
- information engineering, 109
- information models, 149
- information requests, 50
- information technology architecture, 444
- inheritance
 - classes, 87
 - dynamic, 88
 - monotonic, 88
 - multiple, 87
 - OOD, 87–88
 - part, 88
 - partial, 88
 - properties, 87
 - single, 87
- inline elements, 45
- Input/Output. *See* I/O
- inputs
 - analysis and design phase, 162
 - business modeling and requirements phase, 145
 - development phase, 175
 - implementation phase, 245–246
 - maintenance phase, 254–255
 - test phase, 189–190
 - Waterfall model, 267
- insourcing, 372
 - advantages, 375
 - core business definition, 372–373
 - data encryption, 375
 - delivery accountability, 375
 - disadvantages, 376
 - employee-held information, 375
 - key facts table, 400–402
 - network implications, 398–399
 - outsourcing compared, 371
 - resource requirements, 373

- risk factors, 374
- security, 374–375
- successful example, 373
- team selection, 376
- training, 376
- unsuccessful example, 373
- instances
 - attributes, 109
 - entities, 109
 - databases, 62
 - IDEFIX, 111
 - multiple, 341
 - relationships, 109
- Integrated Development Environment (IDE), 187
- integration
 - applications, 356–358
 - ERP, 359
 - middleware, 359
 - outsourcing components, 381
 - risks, 358
 - testing, 140, 198, 202
 - tools, 350
- integrity
 - data, 324
 - transactions, 74–76
- interaction diagrams, 92
- interfaces, 474–475
- interference (parallel processing), 65
- internal management resistance, 381
- internal personnel, 380
- International Data Encryption Algorithm (IDEA), 324
- Internet, 448
 - ASPs, 472
 - business solutions, 413
 - business model, 148
 - CISS, 141–143
 - customer care, 414
 - entertainment industry example, 466
 - finance industry example, 463
 - functional model, 149
 - functional requirements, 148
 - information model, 149
 - nonfunctional requirements, 148
 - pharmaceutical industry example, 464
 - protocycling, 149–150
 - RAD, 149
 - retail industry example, 465–466
 - RUP, 149
 - catalogs, 409
 - ecosystems, 12
 - e-learning, 448
 - advantages, 449
 - assessment, 450
 - availability, 454–455
 - capacity, 454
 - Cisco Career Certifications, 451
 - components, 449–452
 - connectivity, 453–454
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - ELS, 453
 - manageability, 455–456
 - managing, 450
 - network designs, 456
 - reliability, 455
 - requirements, 452–453
 - security, 455
 - e-publishing, 448
 - advantages, 449
 - assessment, 450
 - availability, 454–455
 - capacity, 454
 - CCEWP, 452
 - components, 449–452
 - connectivity, 453–454
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - EPS, 454
 - manageability, 455–456
 - managing, 450
 - network designs, 456
 - reliability, 455
 - requirements, 452–453
 - security, 455
 - ISPs, 472
 - outsourcing requirements, 379
- Internet service providers (ISPs), 472

Internet-based customer care, 413–414

- advantages, 414, 417
- availability, 422
- capacity, 422
- company falters, 415
- components, 417–419
- connectivity, 422
- contact management, 417
- customer base, creating, 419
- customer demands, 415
- delivering more, 415
- elements, 421–423
- lifecycle, 419–421
- managability, 423
- marketing cycles, 418
- need for, 414
- opportunity management, 418
- reliability, 422
- sales force management, 418–419
- security, 422

Internet-based SCM (Supply Chain Management), 433–434

- advantages, 434–435
- availability, 445
- capacity, 445
- configuration practices, 444
- connectivity, 445
- downtime, 446
- elements, 443
- enabling practices, 444
- focus, 434
- implementing, 435
 - customer subdivisions, 436
 - logistics, tailoring, 437
 - market signals, 438–439
 - performance measurements, 442
 - product distinctions, 439
 - strategic plans, 440
 - technology strategy, 441
 - trading partners, 442
- information technology architecture, 444
- manageability, 448
- network structure, 444
- reliability, 446
- security, 447

Internet-based workflow optimization

- availability, 432
- capacity, 432
- Cisco solutions, 431
- components, 429, 430
- connectivity, 431
- elements, 431–433
- implementation tools, 430–431
- manageability, 433
- reliability, 432
- security, 433

Internet-based workforce optimization, 423–424

- advantages, 425–428
- centralization, 428
- communicatins, 424
- components, 428
- coordination, 426
- education/training, 425
- employee empowerment, 428
- employee satisfaction, 428
- feedback, 427
- finance, 424
- focus, 426
- functional areas, 424–425
- human resources, 424
- investment returns, 428
- IT services, 425
- profitability, 428
- purchasing/expense management, 424
- scalability, 428
- training, 427
- Verizon Communications, 425

Internet-enabled learning. *See* e-learning

- interoperability, 457
- intrusion-detection, 328
- inventory management, 490–491
- investment returns, 428
- iQ program, 12–13
- is, 26, 463
- ISPs (Internet service providers), 472
- issues
 - analysis and design phase, 163
 - business, 388
 - business modeling and requirements phase, 147
 - development phase, 176
 - implementation phase, 248
 - maintenance phase, 255–256

- technological, 387
- test phase, 191
- Waterfall model, 267
- IT operations, 355
- IT services (Internet-based workforce optimization), 425
- item definition tables, 103
- Iterative model, 265, 268–270

J

- JAD (Joint Application Development), 185
- James Martin, 109
- Java, 46
 - OOP, 96
 - servlet engines, 43
- Java Virtual Machine (JVM), 47
- JavaScript, 46
- JIT (Just in Time), 427
- Joint Application Development (JAD), 185
- journaling transactions, 74
- Just in Time (JIT), 427
- JVM (Java Virtual Machine), 47

K

- Kerberos, 327
- kernels (UNIX), 345
- keys
 - alternate, 112
 - composite, 55
 - foreign, 113
 - IDEFIX, 112
 - primary
 - IDEFIX, 112
 - relational databases, 55
 - private, 327
 - public, 327
- keystroke monitoring, 262
- knowledge center (Internet-based workflow optimization), 429

L

- lab environment, 215
- languages
 - C++, 95
 - DDL, 51
 - DML, 51
 - network data manipulation, 51
 - OOP, 95
 - programming
 - Active X, 47
 - C++, 95
 - CGI, 45–46
 - HTML. *See* HTML
 - Java. *See* Java
 - JavaScript, 46
 - Perl, 45–46
 - query, 51
 - scripting
 - JavaScript, 46
 - SQL, 59–61
 - VBScript, 47
- Large Object Fields (LOBs), 58
- layers
 - business logic, 29
 - data, 30
 - presentation, 29
 - three-tier client/server architecture, 29
- LDAP (Lightweight Directory Access protocol), 327
- learning. *See* e-learning
- levels
 - A, 474
 - C, 473
 - F, 473
 - P, 474
 - S, 474
- licenses, 354
 - fees, 391
 - maintenance phase, 258
 - software, 264
- lifecycles
 - basic. *See* Basic Lifecycle Model
 - classic, 265–268
 - Cleanroom, 265, 272
 - input differences, 273–274
 - Internet-based customer care, 419

- acquire, 420
- develop, 421
- grow, 421
- retain, 421
- service, 421
- target, 420
- Iterative, 265, 268–270
- output, 274–275
- Prototype, 265, 271–272, 310–311
- RAD, 265, 272
- software development, 139–140
- Spiral, 265, 271
- Waterfall, 265–268
- light methodologies, 184
- Lightweight Directory Access Protocol (LDAP), 327
- limitations
 - change request, 274
 - RAID, 68
 - three-tier architecture, 29
- links, hyperlinks, 45
- living documents, 319
- load testing, 520–523, 527–528
 - answers I, 522
 - answers II, 526–528
 - assignment I, 522
 - assignment II, 523
 - scenario changes I, 523
 - tools, 203
- LOBs (Large Object Fields), 58
- logical data modeling, 101–102
- logical packaging, 341
- logistics (SCM), 437
- lookup transactions, 77
- losing control
 - ASPs, 392
 - outsourcing, 386

M

- maintenance, 264
 - costs, 170
 - distributed applications, 20
 - improving, 260
 - lifecycle models, 275
 - multiple resource managers consistency, 79
 - problems, 259
 - reports, 259–260
 - resources, 170
 - tools, 262–264
 - users feedback, 261
- maintenance phase (Basic Lifecycle Model), 143, 253–254
 - change management, 259
 - cycle, 254
 - DBMS role, 264
 - fault metrics, 264
 - fire fighting, 256
 - high availability, 257
 - improvement process, 260
 - inputs, 254–255
 - issues, 255–256
 - licenses, 258, 264
 - monitoring, 255
 - organization, 254
 - outputs, 255
 - overview, 278
 - performance, 256–257
 - problems, 259–260
 - reports, 259–260
 - resources, 258
 - responsibilities, 256–262
 - software defects, 263–264
 - system support, 258
 - tools, 262–264
 - trend analysis, 264
 - usage monitoring, 261
 - user feedback, 261
- manageability, 349
 - e-learning/e-publishing, 455–456
 - Internet-based workflow optimization, 433
 - SCM, 448
- management
 - applications, 480–481
 - benefits, 473
 - classes, 489
 - configuration, 482–485
 - data collection, 477–479
 - desktop management interface, 474–475
 - distribution, 482–484
 - elements, 474
 - environment architecture, 356
 - external service providers, 355
 - facts, 487

- faults, 482
- FCAPS model, 473–474
- key factors, 482
- OMA, 475–476
- overview, 471
- performance, 483–487
- security, 483
- SNMP, 474
- system administrator responsibilities, 488–489
- xSP business participants, 472
- ASPs, 389
- assessment, 275
- bandwidth, 17
- change management, 259
- Cisco Network Management Products, 263
- contacts, 417
- data, 477–479
- databases. *See* DBMS
- e-learning/e-publishing, 450–451
- enterprise management tools, 492
- internal resistance, 381
- Internet-based customer care, 423
- Internet-based supply chains, 433–434
 - advantages, 434–435
 - availability, 445
 - capacity, 445
 - configuration practices, 444
 - connectivity, 445
 - downtime, 446
 - elements, 443
 - enabling practices, 444
 - focus, 434
 - implementation, 435–442
 - information technology architecture, 444
 - manageability, 448
 - network structure, 444
 - organizational structure, 444
 - reliability, 446
 - security, 447
- inventory, 490–491
- MSPs, 472
- networks, 351–352
- opportunities, 418
- performance, 479
- proactive operational management, 478
- projects
 - design document responsibilities, 183
 - PMI, 141
 - tools, 174
- resources, 429
- sales forces, 418–419
- security policies, 323
- supply chains, 531
 - answers, 534–535
 - answers II, 535–537
 - assignment, 533–534
 - assignment II, 535
 - objectives, 531
 - scenario, 532
 - security, 537–538
- systems
 - benefits, 473
 - classes, 490–491
 - data collection, 477–479
 - desktop management interface, 474–475
 - elements, 474
 - OMA, 475–476
 - overview, 471
 - practices, 493–494
 - processes, 479–480
 - SNMP, 474
 - thresholds, 479
 - tools, 491–493
 - xSP business participants, 472
- transactions, 61
- user accounts, 323
- Management Information Bases (MIBs), 476
- Management Information File (MIF), 475
- Management Service Providers (MSPs), 472
- managers, 79
- manuals, 246
- market ecosystems, 12
- market signals (SCM), 438–439
- marketing cycles, 418
- Martin, James, 109
- Massively Parallel Processor (MPP), 337–339
- m-commerce
 - defined, 463
 - entertainment industry example, 466
 - finance industry example, 463
 - pharmaceutical industry example, 464
 - retail industry example, 465

- Mean Time Between Failure (MTBF), 335
- memory (application performance), 346
- message servers, 31
- message services, 357
- Message-oriented middleware, 359
- messages (OOD), 86
- Messaging-Oriented Middleware (MOM), 22
- metaclasses, 85
- metadata, 491
- methodologies
 - development phase, 184–186
 - JAD, 185
 - light, 184
 - RAD, 184
 - test, 210
 - user load tests, 231
- methods
 - OOD, 85
 - transaction integrity, 74–76
- metrics (fault), 264
- MIBs (Management Information Bases), 476
- Microsoft Active X, 47
- middle tier, 19, 29
- middleware, 359
 - application, 21
 - data access, 22
 - MOM, 22
 - ORB, 24
 - RPC, 22
 - TPM, 23
 - data access, 22
 - database, 21, 359
 - distributed applications, 21
 - message-oriented, 359
 - MOM, 22
 - presentation, 21
 - TP (Transaction Processing), 359
- MIF (Management Information File), 475
- migration procedures, 250
- minimally customized application packages, 390
- mirrors
 - data, 69
 - e-learning/e-publishing, 456
 - sites, 333
- mobile electronic commerce. *See* m-commerce
- modeling (data), 96–97
 - abstraction, 98
 - attributes, 98
 - benefits, 99
 - components, 98–99
 - conceptual, 100
 - converting ERDs to relations, 107–108
 - effectiveness, 99
 - ER model, 104–107
 - IDEFIX, 111
 - information engineering, 109
 - logical, 101–102
 - physical, 103
 - transparency, 98
 - types, 99–100
 - systems, 174
- models, 265–266
 - Basic Lifecycle. *See* Basic Lifecycle Model
 - business, 148
 - Centralized Computing, 15–16
 - classic, 265–268
 - Cleanroom, 265, 272
 - distributed computing. *See* distributed computing model
 - enterprise, 157
 - enterprise organization, 157
 - enterprise process, 157
 - FCAPS, 473–474
 - functional, 149
 - information, 149
 - Iterative, 265, 268–270
 - lifecycles. *See* lifecycles
 - Prototype, 265, 271–272, 310–311
 - RAD, 265, 272
 - Spiral, 265, 271
 - transactions, 71–73
 - Use Case, 159
 - Waterfall, 265–268
- modifying design documents, 180–184
- modular designs, 170
- MOM (Messaging-Oriented Middleware), 22
- monitoring, 262
 - configuring, 535
 - keystroke, 262
 - maintenance phase, 255
 - performance, 256

- systems, 489
- usage, 261
- video screen captures, 262
- monitors (TP), 30
- monotonic inheritance, 88
- MPP (Massively Parallel Processor), 337–339
- MSPs (Management Service Providers), 472
- MTBF (Mean Time Between Failure), 335
- multiple inheritance, 87
- multiple instances, 341
- multiple threads, 117
- multiple-tier client/server architectures, 31–32
- multiprocessing
 - application performance, 344–346
 - systems, 344
- multitasking, application performance, 344
- multithreaded applications, 119–120
- multithreaded model, 116–118
- multiuser operating systems, 344–346

N

- names (devices), 121
- NAT (Network Address Translation), 339
- native threads, 117
- nesting
 - frames, 41
 - transactions, 72
- netflow switching, 338
- NetPC, 34
- NETSYS Performance Service Manager, 208
- Network Address Translation (NAT), 339
- Network Management Products (Cisco), 263
- networks
 - application performance, 486–487
 - ASPs, 391
 - capacity, 346
 - components
 - user load testing, 219
 - virtual user load testing, 225
 - computers, 34
 - data manipulation language, 51
 - databases, 53–54
 - design, 514
 - answer, 517–518
 - assignment, 515

- availability, 515
- e-learning/e-publishing, 456–457
- objectives, 514
- performance, 515
- scenario, 514–515
- security, 515
- service quality, 515
- implications (sourcing), 398–399
- managing, 351–352
- overhead, 63
- scalability, 338–339
- security
 - requirements, 528
 - results, documenting, 217
 - validation, 217
- storage, 389
- structure, 444
- VPN, 379
- notification plan, 249
- No-Transitive-Dependency Rule, 113

O

- Object Management Architecture (OMA), 475
- Object Request Broker (ORB), 24, 31
- Object Role Modeling (ORM), 113
- objectives
 - application architecture design, 509
 - availability testing, 242
 - e-business case study, 505
 - network design, 514
 - supply chain management, 531
 - test, 209
 - testing, 520
 - user load testing, 230
- object-oriented data models, 58
- object-oriented databases, 56–59
 - advantages, 58
 - data models, 58
 - disadvantages, 59
 - objective, 58
- Object-Oriented Design. *See* OOD
- object-oriented middleware, 359
- Object-Oriented Programming. *See* OOP
- object-oriented technology, 94

objects

- behavior, 85
 - OOD, 82–85
 - service, 89
 - state, 84, 89
- offline backups, 67
- OLTP (Online Transaction Processing), 344
- OMA (Object Management Architecture), 475–476
- online backups, 67
- Online Transaction Processing (OLTP), 344
- OOD (Object-Oriented Design), 82–83
 - benefits, 89–90
 - CASE, 91
 - class diagrams, 93
 - classes, 82, 85–86
 - CRC cards, 92
 - encapsulation, 86–87
 - evolutionary development, 93
 - inheritance, 87–88
 - messages, 86
 - methods, 85
 - object state, 89
 - objects, 82–85
 - patterns, 93
 - polymorphism, 89
 - services, 89
 - software development problems, 83
 - subjects, 89
 - transitions, 89
 - UML, 90–91
- OOP (Object-Oriented Programming), 93
 - C++, 95
 - Java, 96
 - languages, 95
 - software development, 94
 - structured programming, compared, 94
- Open System Interconnection (OSI), 327
- operating systems, 345
 - application performance, 344–345
 - multiuser, 344–346
 - tuning, 345
- operation polymorphism, 89
- operational environment, 249
- operational optimization, 426
- operations (security), 217–218, 529
- operations ecosystems, 12
- opportunity management, 418
- optimization, 426
- optimization engine (Internet-based workflow optimization), 430
- Oracle Expert, 62
- ORB (Object Request Broker), 24, 31
- organizational structure (SCM), 444
- ORM (Object Role Modeling), 113
- OSI (Open System Interconnection), 327
- outages, 331
- outputs
 - analysis and design phase, 162–163
 - business modeling and requirements phase, 146–147
 - development phase, 176
 - implementation phase, 246–247
 - lifecycle models, 274–275
 - maintenance phase, 255
 - test phase, 190
- outsourced database, 408
- outsourcing, 376–377
 - advantages, 384–385
 - ASPs, 387
 - advantages, 396–397
 - applications provided, 390
 - availability, 388
 - business issues, 388
 - control, losing, 392
 - cost spreading, 390
 - data center support, 389
 - delivery accountability, 396
 - dial-up software, 389
 - digital certificates, 395
 - disadvantages, 397–398
 - employee cost reductions, 391
 - failure, 393
 - features, 388, 390
 - firewalls, 395
 - isolated data, 395
 - license fees, 391
 - management, 389
 - network storage, 389
 - networks, 391
 - partnering, 394
 - private leased lines, 395
 - resource requirements, 390–391
 - risk factors, 392–393, 395
 - scalability, 389

- security, 389, 394
- server costs, 391
- Service level Agreement, 390
- shared services, 389
- short-term use, 389
- SLA, 392
- software security aids, 395
- technical support, 389
- technological issues, 387
- bandwidth requirement, 386
- component integration, 381
- context business definition, 377
- control, losing, 386
- cost, 379, 385
- delivery accountability, 384
- disadvantages, 386
- evolution, 378
- insourcing, compared, 371
- internal management resistance, 381
- internal personnel requirements, 380
- Internet requirements, 379
- key facts table, 400–402
- network implications, 398–399
- providers
 - compatibility, 380
 - stability, 381
- remote access, 385
- resource requirements, 379–380
- risk factors, 380–381
- security, 381–382
 - secure architecture, 382–383
 - sensitive data protection, 383–384
- team selection, 386
- time to market, 385
- trial before purchasing, 385
- overhead (network), 63

P

- P level, 474
- <P> tag, 45
- packages
 - ERP, 444
 - logical, 341

- pages (web)
 - client scripting, 39
 - dynamic, 45
 - scripted, 39
 - server scripting, 39
- parallel processing, 65
- parameterized classes, 86
- partial inheritance, 88
- participants (xSP business), 472
- patterns (OOD), 93
- peak times (retail), 506
- peer-to-peer applications, 16–17
- performance
 - applications, 340, 483
 - architectural design, 341
 - baselining, 341
 - clients, 347
 - compiler, 342
 - custom-developed code, 342
 - factors, 342
 - managing, 485–487
 - memory, 346
 - multitasking, 344
 - networks, 486–487
 - operating systems, 344–345
 - performance, 346
 - servers, 486
 - testing, 204–209
 - user population, 343
 - workload growth, 343
 - clusters, 332
 - databases
 - backups, 67
 - data backups, 66
 - data warehousing, 63–64
 - network overhead, 63
 - parallel processing, 65
 - physical storage, 68
 - e-business, 508
 - envelopes, 257
 - managing, 479
 - monitoring, 256
 - network design, 515
 - SCM, 442
 - tuning, 61–62
 - user load testing, 224
- periodic control report, 255

- Perl (Practical Extraction Report Language), 45–46
- personal applications, 36
- Peter Chen, 104
- pharmaceutical industry business solution example, 464
- phases
 - Basic Lifecycle Model
 - analysis and design,
 - business modeling and requirements,
 - development,
 - implementation, 143
 - maintenance, 143
 - test, 142–143
- phases (Basic Lifecycle Model). *See* Basic Lifecycle Model
- physical data modeling, 103
- physical deployment, 341
- physical storage, 68
- PKI (Public Key Infrastructure), 327, 383
- plans
 - applications integration, 358
 - capacity, 478
 - contingency, 250
 - notification, 249
 - tests
 - stage four, 200
 - stage one, 193–196
 - stage three, 199–200
 - stage two, 196–199
- PMI (Project Management Institute), 141
- policies
 - database backups, 67
 - security
 - applications, 319
 - managing, 323
 - reviewing, 214
- polymorphism, 89
- population, 343
- portals, 390
- Practical Extraction Report Language (Perl), 46
- practices (system management), 493–494
- preliminary schedules, 168
- presentation layer, 29
- presentation middleware, 21
- presentation tiers, 19
- primary keys
 - IDEFIX, 112
 - relational databases, 55
- priority rating of change, 255
- private keys, 327
- private leased lines, 395
- privileges (security), 323
- proactive operational management, 478
- procedures
 - security
 - applications, 319–320
 - reviewing, 214
 - stored, 344
- process models, 110
- process time (servers), 204
- process walkthroughs, 153
- processes
 - change control, 180
 - client, 26
 - system management, 479–480
- processors
 - RISC, 34
 - server support, 340
- product distinctions (SCM), 439
- production environments, 214
- production prototypes, 170
- Professional Cisco certification, 6
- profiles
 - enterprise, 157
 - security, 323
- profitability, 428
- program manuals, 246
- programming
 - abstraction, 335
 - applications, 186
 - code, 162
 - languages
 - Active X, 47
 - C++, 95
 - CGI, 45–46
 - HTML. *See* HTML
 - Java. *See* Java
 - JavaScript, 46
 - Perl, 45–46

- objects, 162
- OOP, 93
- structured, 94
- programs
 - Cisco Networking Academy, 451
 - iQ, 12
 - multiple instances, 341
 - utility, 51
- projects
 - dependencies, 168
 - management
 - design document responsibilities, 183
 - plans, 167–168
 - PMI, 141
 - tools, 174
 - requirements, 151
- Project Management Institute (PMI), 141
- proof concept prototypes, 170
- proof of concept, 275
- propagation (transactions), 80
- properties
 - ACID, 70–71
 - inheriting, 87
 - relations, 107
- protection
 - context businesses, 377
 - core businesses, 373
- protocols
 - RTP, 454
 - SNMP, 474
- protocycling, 149–150
- Prototype model, 265, 271–272, 310–311
- prototypes, 170
 - applications, 173
 - production, 170
 - proof concept, 170
 - RAD, 184
 - requirements gathering, 170
 - validation, 170
- providers
 - compatibility, 380
 - directory service, 327
 - stability, 381
 - service, 355
- proxies, 456

- public applications, 36
- Public Key Infrastructure (PKI), 383
- public keys, 327
- public-key encryption algorithms, 324
- publishing
 - CCEWP, 452
 - e-publishing, 448
 - advantages, 449
 - assessment, 450
 - availability, 454–455
 - capacity, 454
 - CCEWP, 452
 - components, 449–452
 - connectivity, 453–454
 - content creation, 450
 - content delivery, 451
 - content management, 451
 - delivery technologies, 450
 - educational objectives, 450
 - EPS, 454
 - manageability, 455–456
 - managing, 450
 - network designs, 456
 - reliability, 455
 - requirements, 452–453
 - security, 455
- purchasing/expense management (Internet-based workforce optimization), 424

Q

- QA environments, 214
- QBE (Query By Example), 51
- QoS (Quality of Service)
 - network design, 515
 - QPM-COPS, 347
- QPM-COPS, 347
- Qualified Specialist Certificates, 7
- Quality of Service. *See* QoS
- queries (databases), 50
- Query By Example (QBE), 51
- query languages, 51
- query transactions, 77

R

- RAD (Rapid Application Development), 149, 265, 272
- RAID (Redundant Array of Independent Disks), 68, 335-336
- RAM (random-access memory), 346
- Rapid Application Development (RAD), 149, 265, 272
- rapid prototyping, 184
- rapid recovery, 333
- rates (error), 275
- Rational Unified Process (RUP), 149
- RC4/5/6, 324
- RDBMS (Relational Database Management System), 31, 55, 510
- RDSI (Rupert Design Systems Incorporated), 510
- read buffers, 121
- Realtime Transport Protocol (RTP), 454
- records (databases), 49, 52-53
- recovery, 333
 - data dictionaries, 171
 - rapid, 333
 - rollback error recovery, 334
 - until journaling, 74
- Reduced Instruction Set Computer (RISC), 34
- redundancy (clusters), 332
- Redundant Array of Independent Disks (RAID), 68, 335-336
- registering Active X controls, 48
- regression testing, 198
- Relational Database Management System (RDBMS), 31, 55, 510
- relational databases, 54-56
- relational tables, 54-55
- relations
 - ERDs, converting, 107-108
 - properties, 107
 - well-structured, 108
- relationships
 - categorization, 112
 - connection, 112
 - entities, 107
 - ERD, 158
 - information engineering, 110
 - instances, 109
 - types, 109
- releasing, 122
- relevant baselines, 147
- reliability
 - applications, 328-329
 - distributed applications, 20
 - e-learning/e-publishing, 455
 - hardware, 328
 - Internet-based customer care, 422
 - Internet-based workflow optimization, 432
 - lifecycle models, 275
 - SCM, 446
 - software, 329
- remote access, 385
- Remote Procedure Call (RPC), 22
- repeaters, 456
- reporting system tools, 203
- reports
 - change impact analysis, 255
 - hits per second, 226
 - maintenance, 259-260
 - periodic control, 255
 - throughput, 226
 - transactions, 226-227
- requests, 50
- requirements
 - applications, 317
 - ASP resources, 390-391
 - bandwidth, 386
 - conflict, 274
 - design, 172
 - e-learning/e-publishing, 452-453
 - functional, 148
 - insourcing resources, 373
 - Internet, 379
 - network security, 528
 - nonfunctional, 148
 - operation security, 529
 - outsourcing resources, 379-380
 - project, 151
 - prototypes, 170
 - security
 - applications, 529
 - reviewing, 214
 - system, 528
 - training, 162
- resistance (internal management), 381

- resources
 - ASP required, 390–391
 - enlistment, 80
 - implementation phase, 249
 - insourcing requirements, 373
 - maintenance, 170, 258
 - management, 79, 429
 - optimization, 426
 - outsourcing requirements, 379–380
 - testing, 195
 - tests, 194
 - responsibilities
 - analysis and design phase, 164–165
 - business modeling and requirements phase, 148–154
 - CISS, 164, 194
 - DBA, 350
 - development phase, 177
 - change control processes, 180
 - design document modifications, 180–184
 - hardware sizing, 177–180
 - implementation phase, 248–253
 - maintenance phase, 256–262
 - system administrators, 488–489
 - test phase, 191–192
 - results
 - application security, documenting, 218
 - availability testing, 242–243
 - network security testing, 217
 - security testing, 217–218
 - system security testing, 217
 - test, 211
 - testing, 209–212
 - tests, 200
 - user load testing, 231
 - analyzing, 226
 - application servers, 231
 - control clients, 232
 - databases, 232
 - documenting, 230–232, 236
 - web servers, 231
 - retail (peak times), 506
 - retail industry business solution example, 465–466
 - retain lifecycle component, 421
 - Return on Investment (ROI), 396
 - reusable components, 21
 - revenue value, 507
 - RISC (Reduced Instruction Set Computer)
 - processors, 34
 - risk analysis, 147
 - risk factors
 - ASPs, 392–395
 - control, losing, 392
 - failure, 393
 - partnering, 394
 - security, 394
 - SLA, 392
 - software security aids, 395
 - insourcing, 374
 - outsourcing, 380–381
 - Risk on Opportunity (ROO), 396
 - robust systems, 169
 - ROI (Return on Investment), 396
 - roles (CISS), 140–141
 - rollback error recovery, 334
 - rolling back transactions, 75
 - ROO (Risk on Opportunity), 396
 - routers, 17
 - RPC (Remote Procedure Call), 22
 - RTP (Realtime Transport Protocol), 454
 - RUP (Rational Unified Process), 149
 - Rupert Design Systems Incorporated (RDSI), 510
-
- ## S
-
- S level, 474
 - sacrifice (criteria), 274
 - sales force management, 418–419
 - SANs (Storage Area Networks), 340
 - scalability, 337
 - application architecture, 339
 - ASPs, 389
 - distributed applications, 20
 - e-business, 508
 - hardware, 339–340
 - Internet-based workforce optimization, 428
 - network, 338–339
 - services, 338
 - software, 337–338
 - scalable designs, 170
 - scenarios
 - application architecture design, 510–512
 - availability testing, 242

- e-business case study, 506
- failure, 240–241
- load testing, 520–523, 527–528
 - answers I, 522
 - answers II, 526–528
 - assignment I, 522
 - assignment II, 523
 - changes I, 523
- network design, 514–515
- prototype model, 310–311
- security testing, 528
 - answers, 530–531
 - applications, 529
 - assignment, 529
 - networks, 528
 - operations, 529
 - systems, 528
- supply chain management, 532
- test, 210
- user load testing, 221–222, 230
- user load testing example, 312–313
- Y2038 bug example, 311–312
- Y2K bug example, 311–312
- sceop creep, 274
- schedules, 168
- schemas (databases), 60–62
- SCM (Supply Chain Management), 433–434
 - advantages, 434–435
 - availability, 445
 - capacity, 445
 - configuration practices, 444
 - connectivity, 445
 - downtime, 446
 - elements, 443
 - enabling practices, 444
 - focus, 434
 - implementing, 435
 - customer subdivision, 436
 - logistics, tailoring, 437
 - market signals, 438–439
 - performance measurements, 442
 - product distinctions, 439
 - strategic plans, 440
 - technology strategy, 441
 - trading partners, 442
- information technology architecture, 444
- manageability, 448
- network structure, 444
 - organizational structure, 444
 - reliability, 446
 - security, 447
- screen reports manuals, 246
- scripted pages, 39
- scripting
 - client, 39–41
 - server, 39–41
 - languages
 - JavaScript, 46
 - SQL, 59–61
 - VBScript, 47
 - user load testing, 231
- scrubbing data, 65
- Second Normal Form (2NF) normalization, 108
- secure architecture, 382–383
- Secure Sockets Layer (SSL), 326, 384
- security
 - ACLs, 382
 - Active X controls, 48
 - applications, 318, 483
 - access control, 322–324
 - accountability, 326
 - auditing, 325
 - authentication, 321–322
 - authorization, 322
 - compliance, 320–321
 - data confidentiality, 324
 - integrity, 324
 - intrusion-detection, 328
 - PKI, 327
 - policies, 319
 - procedures, 319–320
 - requirements, 529
 - results, documenting, 218
 - trust, 321–322
 - validation, 217
 - ASPs, 389, 394
 - CA (Certificate Authority), 322
 - centralized computing, 16
 - CERT/CC, 321
 - components, 216
 - context business protection, 377
 - core business protection, 373
 - data dictionaries, 171
 - databases, 50
 - DDoS, 537

- digital certificates
 - ASPs, 395
 - outsourcing, 384
- digital signatures, 382
- e-business, 509
- e-learning/e-publishing, 455
- employee training, 375
- encrypted data storage, 324
- encryption, 382
- firewalls
 - ASPs, 395
 - conduits, 320
- GSSAPI, 326
- insourcing, 374–375
- Internet-based customer care, 422
- Internet-based workflow optimization, 433
- Kerberos, 327
- keys, 327
- LDAP, 327
- networks
 - design, 515
 - implications, 399
 - requirements, 528
 - results, documenting, 217
 - validation, 217
- operations
 - requirements, 529
 - result testing, 218
 - validation, 217
- outsourcing, 381–382
 - secure architecture, 382–383
 - sensitive data protection, 383–384
- peer-to-peer applications, 17
- PKI, 327, 383
- policies
 - managing, 323
 - reviewing, 214
- privileges, 323
- procedures, 214
- profiles, 323
- requirements, 214
- SCM, 447
- sensitive data protection, 383–384
- sensitive information, 507
- services, 357
- software aids, 395
- SSL, 326, 384
- SSO, 327
- standards, 214
- supply chain management, 537–538
- systems
 - requirements, 528
 - results, documenting, 217
 - validation, 217
- target environments, 214
- technologies, 326–328
- testing, 213–217, 528
 - answers, 530–531
 - applications, 529
 - assignment, 529
 - guidelines, 213–216
 - lab environment, 215
 - networks, 528
 - operations, 529
 - results, documenting, 217–218
 - systems, 528
 - verification, 217
- user authorization, 382
- user identification, 382
- SELECT statement, 61
- selecting teams
 - insourcing, 376
 - outsourcing, 386
- sensitive data, 383–384, 507
- server/client architecture. *See* client/server architecture
- servers, 25
 - Active X Server Framework, 47
 - application, 43
 - three-tier client/server architecture, 31
 - user load test results, 231
 - Web server combination, 44
 - application performance, 486
 - components, 40
 - cost, 391
 - database, 44, 62
 - message, 31
 - process time, 204
 - processes, 26
 - processor support, 340
 - scripting, 39
 - storage, 68
 - user load testing, 219, 225
 - web, 42
 - application server combination, 44
 - dynamic content, 42
 - user load test results, 231

- server-side scripts, 41
- service (quality), 515
- Service Level Agreements. *See* SLAs
- service lifecycle component, 421
- service providers, 475
 - ASPs, 355
 - external, 355
- services
 - business applications, 146
 - connectivity, 357
 - message, 357
 - OOD, 89
 - scalability, 338
 - security, 357
 - servers, 350
 - shared, 389
- servlet engines, 43
- sessions
 - customer, 507
 - facilitated, 155
- shadowing, 155
- sharing
 - services, 389
 - threads, 118–119
- short-term use (ASPs), 389
- signatures (digital), 382
- Simple Network Management Protocol (SNMP), 474
- simulator (WAN delay), 206
- single inheritance, 87
- single interviews, 154
- Single Sign-On (SSO), 322
- single-threaded model, 115, 118
- sites
 - CERT/CC, 321
 - customer access, 506
 - customer browsing/purchasing, 507
 - FIRST, 321
 - iQ, 13
 - PMI, 141
- size
 - hardware, 177, 179–180
 - traffic, 204
- SLAs (Service Level Agreements), 355
 - ASPs, 392
 - components, verification, 153
- SMIL (Synchronized Multimedia Integration Language), 457
- SMP (Symmetric Multiprocessing), 337, 339
- SNMP (Simple Network Management Protocol), 474
- software. *See also* applications
 - Cisco Network Management Products, 263
 - defects, 263–264
 - developing, 139–140
 - OOD, 83
 - OOP, 94
 - dial-up, 389
 - distribution, 490
 - distribution tools, 492
 - fault metrics, 264
 - licensing, 264
 - reliability, 329
 - scalability, 337–338
 - security aids, 395
 - version control, 187
- software-based compression, 339
- solutions
 - entertainment industry example, 466
 - finance industry example, 463
 - pharmaceutical industry example, 464
 - retail industry example, 465–466
 - SNMP-based, 474
- Solutions course (CISS), 9–10
- sources, 220. *See also* outsourcing; insourcing
- SP (Service Provider), 475
- Spiral model, 265, 271
- SQL (Structured Query Language), 51
 - data manipulation/retrieval, 61
 - databases, 59–61
 - schemas, 60–61
 - SELECT statement, 61
 - SQL'89, 60
 - SQL'92, 60
 - SQL3, 60
 - statements, 61
 - tables, 60
 - transaction management, 61
 - versions, 60
 - views, 60
- SSL (Secure Sockets Layer), 326, 384
- SSO (Single Sign-On), 322, 327
- stability (providers), 381
- standards (security), 214
- startup costs, 65
- state (objects), 84, 89

- storage
 - allocations, 122
 - network, 389
 - physical, 68
- Storage Area Networks (SANs), 340
- storage servers, 68
- stored procedures, 344
- storing
 - data, 103
 - encrypted data, 324
- strategic plans (SCM), 440
- structured programming, 94
- Structured Query Language. *See* SQL
- structured walkthroughs, 153, 167
- subproducts, 275
- successful insourcing example, 373
- supply chain management, 531
 - answers, 534–535
 - answers II, 535–537
 - assignment, 533–534
 - assignment II, 535
 - objectives, 531
 - scenario, 532
 - security, 537–538
- support
 - customers, 414
 - data center, 389
 - system, 258
 - technical, 389
- surveys, 155
- Symmetric Multiprocessing (SMP), 337–339
- Synchronized Multimedia Integration Language (SMIL), 457
- SYS file extension, 120
- systems
 - administrators, 488–489
 - architecture, 273
 - databases. *See* databases
 - ELS, 453
 - enablers, 114
 - multithreaded design, 116, 118
 - single-threaded design, 118
 - single-threaded model, 115
 - threads, 115–120
 - EPS, 454
 - expectations, 152
 - functional requirements, 148
 - HA (high-availability), 334
 - maintenable, 169
 - maintenance
 - cycle, 254
 - support, 258
 - management
 - benefits, 473
 - data collection, 477–479
 - desktop management interface, 474–475
 - elements, 474
 - OMA, 475–476
 - overview, 471
 - processes, 479–480
 - SNMP, 474
 - xSP business participants, 472
 - managing
 - classes, 489–491
 - facts, 487
 - practices, 493–494
 - system administrator responsibilities, 488–489
 - thresholds, 479
 - tools, 491–493
 - manuals, 245
 - modeling tools, 174
 - monitoring, 489, 492
 - multiprocessing, 344
 - nonfunctional requirements, 148
 - performance, 256
 - testing, 198, 202
 - robust, 169
 - security
 - requirements, 528
 - results, documenting, 217
 - validation, 217
 - true fault-tolerant, 334

T

- tables
 - relational, 54–55
 - SQL databases, 60
- tag switching, 338
- tags (HTML), 45
- target demographics, 507
- target environments (security), 214
- target lifecycle component, 420
- TCB (Transmission Control Block), 63

- TCO (Total Cost of ownership), 345
- team selection
 - insourcing, 376
 - outsourcing, 386
- technical support, 389
- techniques
 - analysis and design phase, 173
 - abstraction, 173
 - project management tools, 174
 - prototypes, 173
 - system modeling tools, 174
 - business modeling and requirements phase, 154
- technological issues (ASPs), 387
- technologies
 - object-oriented, 94
 - security, 326–328
 - strategy (SCM), 441
- ternary entity relationships, 107
- test phase (Basic Lifecycle Model), 142–143, 188–189
 - application performance testing, 203–209
 - inputs, 189–190
 - issues, 191
 - outputs, 190
 - overview, 277
 - responsibilities, 191–192
 - results, documenting, 209–212
 - security, 213–217
 - security results, 217–218
 - test plan, stage four, 200
 - test plan, stage one, 193–196
 - test plan, stage three, 199–200
 - test plan, stage two, 196, 198–199
 - testing types, 201–203
 - user load testing, 218, 221
 - application server results, 231
 - applications, 219
 - availability testing, 238–243
 - charts, 227–228, 235
 - conclusions, 231
 - control client data, 225
 - control client results, 232
 - control clients, 218
 - data collection tools, 223–224
 - database results, 232
 - documenting results, 230–232, 236
 - environment, 222–223, 230
 - measurable items, 218–219
 - network components, 219, 225
 - objectives, 230
 - performance, 224
 - purpose, 220
 - reports, 226–227
 - result analysis, 226
 - results, 231
 - scenarios, 230
 - scenarios, creating, 221–222
 - scripts, 231
 - servers, 219, 225
 - sources, 220
 - test methodology, 231
 - tests, 224
 - transactions, 220
 - user estimation formula, 220
 - virtual tests, 224–225
 - virtual users, 224
 - web server results, 231
- test plans (stages)
 - four, 200
 - one, 193–196
 - three, 199–200
 - two, 196, 198–199
- testing, 520
 - acceptance testing, 200
 - application performance, 201, 204–209
 - attributes, 196
 - automated functional testing tools, 203
 - availability, 202, 238–241
 - conclusions, 242
 - data collection, 241
 - environment, 242
 - failure scenarios, 240–241
 - high availability, 239–240
 - objectives, 242
 - process, 239
 - results, 242–243
 - scenarios, 242
 - test methodologies, 242
 - user load testing, 242
 - benefits, 188
 - black box, 202
 - CISS business solutions, 143
 - compatibility, 162
 - data generators, 203
 - environment, 209
 - ideal environment, 205

- impact analyzers, 203
- improvements, 215
- incident tracking tools, 203
- incremental, 202
- integration, 198, 202
- integration testing, 140
- load testing, 520–523, 527–528
 - answers I, 522
 - answers II, 526–528
 - assignment I, 522
 - assignment II, 523
 - scenario changes I, 523
- load testing tools, 203
- methodologies, 210
 - availability, 242
 - user load testing, 231
- objectives, 209, 520
- performing, 196–199
- planning, 193–194
- regression, 198
- reporting system tools, 203
- resources, 194–195
- results, 200, 209–212
- scenarios, 210
- security, 201, 213, 215, 217
 - guidelines, 213–216
 - lab environment, 215
 - results, documenting, 217–218
 - verification, 217
- security testing, 528
 - answers, 530–531
 - applications, 529
 - assignment, 529
 - networks, 528
 - operations, 529
 - systems, 528
- system, 198, 202
- test data generators, 203
- test impact analyzers, 203
- thread, 202
- total bytes per transaction, 212
- transaction response time charts, 211
- transaction response time comparison charts, 212
- types, 198, 201–203
- unit testing, 140
- user load, 201
 - user load testing. *See* user load testing
 - user perception data, 212
 - validation, 162
 - verifications, 197
 - white box, 202
- text editors, 186
- thick clients, 32
- thin clients
 - client/server architecture, 32–34
 - NetPC, 34
 - network computers, 34
- Third Normal Form (3NF) normalization, 108
- threads, 115
 - green, 117
 - multiple, 117
 - multithreaded applications, 119–120
 - multithreaded model, 116–118
 - native, 117
 - sharing, 118–119
 - single-threaded, 115, 118
 - testing, 202
- three-tier client/server architecture, 28–31
 - application servers, 31
 - layers, 29
 - limitations, 29
 - message servers, 31
 - ORB, 31
 - TP monitors, 30
- thresholds, 479
- throughput, 204
 - charts, 235
 - reports, 226
- tiers, 19
- time to market, 385
- tools, 186
 - application programming, 186
 - automated functional testing, 203
 - business modeling and requirements phase, 156
 - enterprise models, 157
 - ERD, 158
 - flowcharts, 159
 - CASE, 91, 187
 - Cisco NETSYS Performance Service Manager, 208
 - data collection, 223–224
 - debuggers, 186
 - development phase, 186–187

- enterprise management, 492
 - IDE, 187
 - implementation phase, 253
 - incident tracking, 203
 - integration, 350
 - Internet-based workflow optimization
 - implementation, 430–431
 - load testing, 203
 - maintenance, 262–264
 - project management, 174
 - reporting system, 203
 - software distribution, 492
 - system
 - management, 491–493
 - modeling, 174
 - monitoring, 492
 - user administration, 493
 - visual building, 186
 - total bytes per transaction charts, 212
 - total Cost of Ownership (TCO), 345
 - Total Quality Management, 215
 - TP (Transaction Processing), 30
 - TPM (Transaction Processing Monitor), 23, 30
 - tracking
 - maintenance problems, 259
 - software defects, 263–264
 - software licenses, 264
 - trading partners (SCM), 442
 - traffic analyzers, 207–208
 - traffic size, 204
 - training
 - employees, 375–376
 - environments, 252
 - Internet-based workforce optimization, 427
 - requirements, 162
 - Transaction Processing Monitors (TPMs), 23, 30
 - transactions, 69
 - ACID properties, 70–71
 - add, 78
 - applications, 76–78
 - atomicity, 70
 - business. *See* business transactions
 - chained, 73
 - complexity, 343
 - consistency, 70
 - context, 80
 - demarcation, 79
 - distributed, 78–81
 - committing, 80
 - context, 80
 - cost, 79
 - demarcation, 79
 - multiple resource manager consistency, 79
 - propagation, 80
 - resource enlistment, 80
 - durability, 70
 - e-business, 506
 - flat, 71–72
 - integrity, 74–76
 - isolation, 70
 - journaling, 74
 - lookup, 77
 - managing, 61
 - models, 71, 73
 - nested, 72
 - per hour, 507
 - performance report, 226
 - processing middleware, 359
 - propagation, 80
 - responses
 - time average chart, 228, 235
 - time average report, 227
 - time charts, 211
 - time comparison charts, 212
 - time under load report, 227
 - rolling back, 75
 - summary chart, 228, 235
 - summary report, 226
 - triggers, 75
 - update, 77–78
 - user load testing, 220
- transitions (OOD), 89
- Transmission Control Block (TCB), 63
- transparency, 98
- trend analysis, 264
- trial before purchasing (outsourcing), 385
- triggers
 - application performance, 344
 - events, 76
 - transactions, 75
- triple DES, 324
- true fault-tolerant systems, 334
- trust, 321–322
- tuning
 - databases, 61–62
 - operating systems, 345

tuples, 54
 two-phase commit, 80
 two-tier client/server architecture, 27–28

U

UAT (User Acceptance Testing), 140
 UML (Unified Modeling Language), 90–91
 unary entity relationships, 107
 Uniform Resource Identifiers (URIs), 42
 unit testing, 140
 UNIX kernels, 345
 unsuccessful insourcing example, 373
 updating

- events, 76
- transactions, 77–78

 URIs (Uniform Resource Identifiers), 42, 45
 URLs (Uniform Resource Locators), 490
 usage monitoring (maintenance), 261
 use case models, 159
 User Acceptance Testing (UAT), 140
 user accounts, 323
 user administration tools, 493
 users

- administration, 491
- authorization, 382
- error, 330
- estimation formula, 220
- identification, 382
- load testing, 201, 218, 221
 - application server results, 231
 - applications, 219
 - availability testing, 238–242
 - charts, 227–228, 235
 - conclusions, 231
 - control client data, 225
 - control client results, 232
 - control clients, 218
 - data collection tools, 223–224
 - database results, 232
 - documenting results, 230–232, 236
 - environment, 222–223, 230
 - measurable items, 218–219
 - network components, 219, 225
 - objectives, 230
 - performance, 224

purpose, 220
 reports, 226–227
 result analysis, 226
 results, 231
 scenario example, 312–313
 scenarios, 230
 scenarios, creating, 221–222
 scripts, 231
 servers, 219, 225
 sources, 220
 test methodology, 231
 tests, 224
 transactions, 220
 user estimation formula, 220
 virtual tests, 224–225
 virtual users, 224
 web server results, 231
 maintenance, 261
 perception data, 212
 population, 343
 virtual, 224
 utilities. *See* applications; software

V

validation

- benefits, 188
- prototypes, 170
- security components, 216
- tests, 162

 VBScript, 47
 verification

- designs, 172
- implementation phase, 250
- security testing, 217
- testing, 197

 Verizon Communications, 425
 version control software, 187
 vertical industry applications, 390
 vertical industry portals, 390
 Vertical Networks, Inc., 378
 video screen captures, 262
 Virtual Private Networks (VPNs), 379
 virtual user load testing, 224–225
 visual building tools, 186
 VPNs (Virtual Private Networks), 379

W

walkthroughs, 153, 167
WAN delay simulator, 206
warehousing (data), 63–64
Waterfall Model, 265–268
web
 applications, 35–37
 advantages, 37
 architecture, 38–41
 components, 40
 embedded, 37
 enterprise, 36
 forms, 39
 frames, 41
 group, 36
 pages, 38
 personal, 36
 programming languages, 44–47
 public, 36
 technologies, 41–44
 browsers, 41
 pages, 38
 client scripting, 39
 dynamic, 45
 scripted, 39
 server scripting, 39
 servers, 42–44
 dynamic content, 42
 throughput chart, 227
 user load test results, 231
 URLs, 490
web sites
 CERT/CC, 321
 customer access, 506
 customer browsing/purchasing, 507
 FIRST, 321
 iQ, 13
 PMI, 141
well-structured relations, 108
white box testing, 202
workflow optimization (Internet-based)
 availability, 432
 capacity, 432
 Cisco solutions, 431
 components, 429–430
 connectivity, 431

 elements, 431–433
 implementation tools, 430–431
 manageability, 433
 reliability, 432
 security, 433
workforce optimization (Internet-based), 423–424
 advantages, 425–428
 centralization, 428
 communications, 424
 components, 428
 coordination, 426
 education/training, 425
 employee empowerment, 428
 employee satisfaction, 428
 feedback, 427
 finance, 424
 focus, 426
 functional areas, 424–425
 human resources, 424
 investment returns, 428
 IT services, 425
 profitability, 428
 purchasing/expense management, 424
 scalability, 428
 training, 427
 Verizon Communications, 425
workload
 databases, 62
 growth, 343
write buffers, 121
written brainstorming, 156

X–Z

xSP business participants, 472

Y2038 bug scenario example, 311–312
Y2K bug scenario example, 311–312

zones (demilitarized), 534