



Numerics

- 128-bit addresses, 306
- 16-bit network addresses, 57–59
- 172.16 reserved space, 122
- 192.168 reserved spaces, 123
- 20-bit addresses, 122
- 24-bit addresses, 122
- 24-bit network addresses
 - subnets, 47–54, 56–59
 - VLSM, 73–78
- 2-bit masks, 49–51
- 3-bit masks, 51–53, 312
- 4-bit masks, 53–54
- 5-bit masks, 54, 56
- 6-bit masks, 56–57
- 6-to-4 tunnels, 323

A

- Acceptable Use Policy (AUP), 238
- accessing MAC addresses, 313
- ACLs (access control lists), 239
- acquisition of address space, 256–257
- adding subnets, 75
- addresses
 - 128-bit, 306
 - 16-bit, 57–59
 - 20-bit, 122
 - 24-bit, 47–54, 56–5, 122
 - anycast, 309
 - base 16 notations, 306–308
 - blocks, 29
 - made-up, 268
 - preserving, 92–93, 95–99
 - stolen, 268
 - broadcasting, 172
 - CIDR, 110–113, 115–117
 - Class B, 83–86
 - class-based, 37
 - foreign support, 266, 268–269
 - global, 176
 - GLOP, 176–178
 - hijacking, 98

- host, 60, 71
- IP, 21–28, 239–243
 - assigning, 263
 - FLSM inefficiencies, 69–73
 - hierarchies, 28–29, 31–37
 - multicasting, 175–179
 - translating MAC addresses, 205–211
 - vulnerabilities, 234, 236, 238–239
- IPv4, 22
- IPv6
 - architecture, 306–308
 - comparing to IPv4 of, 317–318
 - migration tools, 319–324
 - types of, 308–313, 315–317
- limited-scope, 176
- MAC, 313
- managing, 253, 273–274
 - acquiring, 256–257
 - Balkanizing, 292–298
 - enterprise WANs, 259–263
 - hostmasters, 254–256
 - inheriting, 258
 - Internet hosting centers, 269–271
 - ISP, 264–267, 269
 - planning, 274–279
 - sequential assignment, 280–288
 - symmetrical gaps, 289–290, 292
 - tactics, 279–280
- mapping, 50
- multicast, 309–310
- NAT. *See* NAT
- nonreportable, 96
- nonroutable, 122
- private spaces, 121–124
- rationing, 97
- reserved, 178–179
- security, 233
 - lending, 248–249
 - open networking, 233–243
 - RFC 2267, 243–248
- spoofing, 241
- subnets, 60
- subnetting, 39–43, 45–47, 262
- subsets, 135
- third tiers, 40–41

- translation tables, 126
- unused, 90–92
- administration
 - addresses, 273–274
 - Balkanizing, 292–298
 - planning, 274–279
 - sequential assignment, 280–288
 - symmetrical gaps, 289–292
 - tactics, 279–280
 - groups, 181–183
- advantage of open standards, 16–18
- aggregation, 93
 - CIDR, 108–115
 - global unicast addresses, 311–312
 - optimizing, 88
 - SLA, 312
- allocation of
 - blocks, 262
 - Class A IP address spaces, 30
 - Class B IP address spaces, 32
 - Class C IP address spaces, 34
 - Class D IP address spaces, 36
 - hierarchies, 260–263
 - hostmaster roles, 255
 - IP addresses, 276
 - IP addressing, 21–28
- ANSI (American National Standards Institute), 193
- anycast addresses, 309
- any-to-any communications, 170
- applications, working groups, 11
- applying VLSM, 73–78
- approval processes, IETF, 15–16
- architecture
 - addresses (IPv6), 306–308
 - CIDR, 102–105
 - DNS, 196–197
 - unicast addresses, 311–317
- ARP (Address Resolution Protocol), 206–211
- assignments of
 - address spaces from inventories, 264
 - anycast addresses, 309
 - hostmaster roles, 255
 - IP addresses, 263, 280–288
 - multicast addresses, 309–310
 - oversized blocks, 91
- attacks, 239–243. *See also* security
 - DDoS, 242

- DoS, 242–244
- IP addresses, 239–243
- man-in-the-middle, 240
- networks, 233
 - address lending, 248–249
 - open networking, 233–243
 - RFC 2267, 243–248
- smurf, 242–243
- AUP (Acceptable Use Policy), 238
- automatically configured tunnels, 322

B

- backbone stubs, partitioning, 137–139
- backlash, 97
- backward compatibility, CIDR, 105
- Balkanizing IP addresses, 292–298
- bandwidth, 169–173
 - addresses, 175–179
 - routing, 179–183
- base addresses, 48, 306–308
- Base10 number systems, 22
- Base2
 - columns, 25
 - counting in, 26
- BCP (Best Current Practice), 14, 90–92
- benefits of
 - address lending, 249
 - private addresses, 123–124
- BGP (Border Gateway Protocol), 223
- binary digit, 22
- binary mathematics
 - CIDR, 105. *See also* CIDR notation
 - even divisibility, 113
 - uneven divisibility, 113
- binary numbers, 307
 - converting, 23–24
 - mathematics, 25–28
- binary-to-decimal translations, 39–43, 45–47
- black holes, 238
- blocks
 - addresses, 29
 - made-up, 268
 - preserving, 92–99
 - stolen, 268
 - allocating, 262

- CIDR
 - aggregation, 108–110
 - supernetting, 110–117
 - oversized assignments, 91
 - predefining, 289–290, 292
- Border Gateway Protocol (BGP), 223
- broadcast addresses, 48
- broadcasting, 171, 310
- building
 - IP addresses, 278
 - tables (MAC addresses), 207
- bytes, 22

C

- caches, ARP, 206–207
- calculation of routes, 215, 219–223
- ccTLD (country code TLD), 153, 163
- CIDR (Classless Interdomain Routing), 67
 - architecture, 102–105
 - Date of Doom, 87–89
 - history of, 101–102
 - notation, 103–110
 - supernetting, 110–117
- Class A IP address spaces, 30–31
- Class B IP address spaces, 31–33
- Class C IP address spaces, 34–35
- Class D IP address spaces, 36
- Class E IP address spaces, 36
- classes
 - IP addresses, 30
 - Class A, 30–31
 - Class B, 31–33
 - Class C, 34–35
 - Class D, 36
 - Class E, 36
 - logical address spaces, 22
- Classical IP, 21
 - addressing, 21–28, 31–37
 - CIDR, 105
- classless environments, 89
- Classless Interdomain Routing. *See* CIDR
- codes, multicast, 175
- collisions, host names, 149
- columns, Base2, 25

- commands
 - interface tunnel, 323
 - ping, 179
 - whois, 265
- communications
 - IP multicasting, 169–171, 173
 - protocols, 194
 - sessions, 189–190
- communities, identifying users, 276
- comparisons of
 - aggregation/fragmentation, 93
 - domains/zones, 197
 - FLSM/VLSM, 72–73
 - IPv4/IPv6 addresses, 317–318
 - peering/transit services, 229–230
- compartmentalizing Internet hosting centers, 271
- compatibility of backward CIDR, 105
- configuration of
 - multicasting, 173
 - subnet masks, 44–45, 67
 - tunnels, 321
- conflicts, namespaces, 164
- connections
 - dual-homed ISP customers, 267
 - peering, 229
 - redundant, 130–131
- consumption of addresses
 - planning, 274–279
 - tactics, 279–280
- converting IP address spaces, 23–24
- cost of routes, 219–223
- counting in Base2, 26
- country code TLD (ccTLD), 153, 155
- creating address spaces, 258
- customers, 270

D

- datagrams, 174. *See also* UDP
 - broadcast, 171
 - groups, 181
 - multicast, 173
 - unicast, 170
- Date of Doom, 83–86, 262, 265
 - addresses, 92–99
 - interim solutions, 86–89

- Net 39 experiment, 89–90
- unused addresses, 90–92
- DDoS (Distributed Denial of Service), 242
- decimal numbers, 307
 - converting, 23–24
 - dotted-decimal notations, 25
 - subdividing, 24–25
- defenses, 243–244
- demilitarized zone (DMZ), 135
- Denial of Service (DoS), 242
- designing subnet masks, 44–45
- destination addresses
 - DoS defenses, 244
 - multicast addresses, 179–183
 - two-level IP addresses, 29
- destination machines, unicasting, 170
- development of addresses, 276
- devices, grouping, 261
- DHCP (Dynamic Host Configuration Protocol), 262, 272
- direct registered address spaces, 256, 266
- directly-registered address blocks, 93
- directly-registered address spaces, 95
- discovering routes, 216–218
- distance, calculating, 219–223
- distance vector routing protocols, 220
- distributed architecture, 196–197
- Distributed Denial of Service (DDoS), 242
- divisibility of CIDR, 112
- DMZ (demilitarized zone), 135
- DNS (Domain Name System). *See also* names
 - hierarchies, 150
 - ccTLDs, 163
 - namespaces, 151–152
 - obtaining namespaces, 163–164
 - TLDs, 152–163
 - IP networks, 195–205
 - RDNS, 204–205
- documentation of
 - problem statements, 125
 - subnetting, 78
- documents
 - IETF, 6
 - open standards, 16–18
- Domain Name System. *See* DNS

- domains
 - ccTLDs, 163
 - CIDR
 - architecture, 102–105
 - history of, 101–102
 - notation, 105–106, 108–117
 - DNS, 195. *See also* DNS
 - FQDN, 151
 - SLD, 152
 - SLDs, 197
 - states, 159
 - TLD, 151, 152–163, 196
 - zones, 197
- DoS (Denial of Service), 242
- dots, subdividing IP addresses, 24–25
- dotted-decimal notations, 25
- drafts, Internet, 13
- drawbacks, 123–124
- dual protocol stacks, 319–320
- dual-homed ISP customers, 267
- Dynamic Host Configuration Protocol (DHCP), 262, 272

E

- eavesdropping, 240
- efficiency of subnetting, 39–43, 45–47
- EGPs (exterior gateway protocols), 223
- egress points, multiple, 129–135
- emergency reallocation, Date of Doom, 87–88
- endpoint addressing, 22
- end-users, 97, 249
- enhancements, NAT, 139–140
- enterprise WAN address spaces, 259–263
- environments, classless, 89
- establishment of pain thresholds, 277
- even divisibility, CIDR, 112
- evolution of IP addressing, 21–28
- exchanges, 229
- extended network prefixes, 43, 66
- exterior gateway protocols (EGPs), 223
- external networks, 130–131

F

- File Transfer Protocol. *See* FTP
- files, host.txt, 148–150
- first assignable addresses, 48
- Fixed-Length Subnet Masking. *See* FLSM
- flatness, hosts.txt file, 149–150
- flexible subnet masks, 66
- FLSMs (fixed-length subnetwork masks), 39
 - inefficiencies of, 60–61, 69–70
 - sizing, 45
- foreign addresses, support of, 266–269
- formatting
 - IP
 - addresses, 21–28
 - converting numbers, 23–24
 - hierarchies, 28–37
 - names, 148–150
- FQDN (Fully Qualified Domain Name), 151
- fragmentation, 93
 - aggregation, 93
 - preventing, 96
- FTP (File Transfer Protocol), 148–150
- Fully Qualified Domain Name (FQDN), 151
- functions, IP routing protocols, 215
- FYI documents, 15

G

- gaps
 - sequential assignment, 285–288
 - symmetrical, 289–292
- gateways, protocols, 223
- generic TLDs, 153
- global addresses, 176
- global expansion of TLDs, 154
- GLOP addresses, 176–178
- groups
 - devices, 261
 - joining, 182
 - leaving, 182
 - multicast, 181–183
- growth, planning IP addresses, 278

H

- handling unknown IP addresses, 210
- hexidecimal numbers, 307
- hierarchies
 - DNS, 150
 - ccTLDs, 163
 - namespaces, 151–152
 - obtaining namespaces, 163–164
 - TLDs, 152–163
 - enterprise WANs, 260–263
 - IP addresses, 28–37
 - ISP tiers, 226, 228
- hijacking
 - address spaces, 98
 - sessions, 241
- histories, CIDR, 101–102
- hop counts, 220
- host.txt files, 148–150
- hostmasters, 254–256
- hosts, 173
 - addresses, 60, 71
 - IP addresses, 29
 - mathematical trade-offs, 67, 69
 - platforms, 270
 - unicasting, 170
- human-friendly, creating IP addresses, 23–24

I

- IAB (Internet Activities Board), 8
- IANA (Internet Assigned Numbers Authority), 8, 97
- ICANN (Internet Corporation for Assigned Names and Numbers), 8, 155
- ICMP (Internet Control Message Protocol), 242
- identification of users in communities, 276
- IESG (Internet Engineering Steering Group), 10
- IETF (Internet Engineering Task Force), 5–11, 22
 - Date of Doom, 83–86
 - interim solutions, 86–89
 - Net 39 experiment, 89–90
 - preserving address blocks, 92–93, 95–99
 - unused addresses, 90–92
 - working groups, 11
- IGMP (Internet Group Management Protocol), 181
- IGMPv1, 182

- IGMPv2, 183
- implementation of
 - FLSM, 69–73
 - hosts.txt files, 149
 - IPv4 address spaces, 22
 - NAT, 129, 131–140
 - TCP/IP, 121–124
- incompatibilities of NAT, 141
- incrementation
 - Class B IP addresses, 32
 - Class C IP addresses, 34
- inefficiencies of FLSM, 60–61, 69–73
- inheritance, addresses, 258
- inside global (IG) addresses, 126
- inside local (IL) addresses, 126
- interconnections
 - LANs, 29
 - peering, 229
- interface tunnel command, 323
- interfaces, CIDR, 113
- interim solutions, Date of Doom, 86–89
- International Organization for Standardization (ISO), 155
- Internet, 224–230
 - Date of Doom, 83–86
 - interim solutions, 86–89
 - Net 39 experiment, 89–90
 - preserving address blocks, 92–99
 - unused addressees, 90–92
 - hosting centers, 269–271
 - isolation, 91–92
 - names, 147–148
 - host.txt, 148–150
 - nonstandard, 164–166
 - routing, 224–230
 - standards, 12
 - approval processes, 15–16
 - RFCs, 13–14
- Internet Activities Board (IAB), 8
- Internet Assigned Numbers Authority (IANA), 8
- Internet Control Message Protocol (ICMP), 242
- Internet Corporation for Assigned Names and Numbers (ICANN), 8, 155
- Internet Engineering Steering Group (IESG), 10
- Internet Engineering Task Force. *See* IETF
- Internet Group Management Protocol (IGMP), 181
- Internet Protocol. *See* IP
- Internet Research Task Force (IRTF), 8
- Internet Society. *See* ISOC
- internetworking
 - IP, 215
 - calculating routes, 219–223
 - discovering routes, 216–218
 - Internet routing, 224–230
 - two-level IP addresses, 29
- inventories, assigning address spaces from, 264
- IP (Internet Protocol)
 - addresses, 21–28
 - assigning, 263
 - attacks, 239–243
 - Balkanizing, 292–298
 - FLSM inefficiencies, 69–73
 - hierarchies, 28–37
 - managing, 273–274
 - multicasting, 175–179
 - planning, 274–279
 - sequential assignment, 280–288
 - symmetrical gaps, 289–292
 - tactics, 279–280
 - translating MAC addresses, 205–211
 - vulnerabilities, 234–239
 - multicasting, 169–173
 - networks
 - broadcast datagrams, 171
 - communications sessions, 189–190
 - DNS, 195–205
 - multicast datagrams, 173
 - OSI Reference Model, 193–194
 - protocols, 191–192
 - translation, 194
 - unicast datagrams, 170
 - routing, 215, 224–230
 - calculating routes, 219–223
 - discovering routes, 216–218
 - multicasting, 179–183
- IPv4 (Internet Protocol version 4)
 - address spaces, 22
 - CIDR, 117
 - comparing to IPv6, 317–318
 - compatible IPv6 unicast addresses, 315–316
 - mapped IPv6 unicast addresses, 316–317
 - networks, 320–324
 - RFC, 69
 - RFC 1878, 67
 - subnetting, 39–47

IPv6 (Internet Protocol version 6), 303
 addresses
 architecture, 306–308
 comparing IPv4, 317–318
 types of, 308–317
 long-term solutions, 304–305
 migration, 319–324
 IRTF (Internet Research Task Force), 8
 ISO (International Organization for Standardization), 155
 ISOC (Internet Society), 7
 isolation, Internet, 91–92
 ISP (Internet Service Provider), 270
 addresses
 blocks, 93
 spaces, 264–269
 unicast, 311
 tiers, 226–228
 iterative queries, 200, 202

J

joining groups, 182

K

knob turning, 239

L

LAN (local-area network), 29, 67
 broadcasting, 172
 subnetting, 40–41
 layers, protocols, 191–192
 leased telecommunication facilities, 230
 leasing address spaces, 257
 leaving groups, 182
 lending addresses, 248–249
 length of FLSMs, 39. *See also* FLSM
 limited-scope addresses, 176
 link-local-use unicast addresses, 313
 link-state routing, 220–223
 LIRs (Local Internet Registries), 9
 lists. *See* ACLs

little customers, ISPs, 270
 Local Internet Registries (LIRs), 9
 local-area networks. *See* LAN
 logical classes, address spaces, 22
 logistics, NAT, 141
 long-term solutions, IPv6, 304–305
 loops, 234, 236
 lower halves of addresses, 255

M

MAC (Media Access Control), 205–211, 313
 made-up address blocks, 268
 management
 addresses, 253, 273–274
 acquiring, 256–257
 Balkanizing, 292–298
 enterprise WANs, 259–263
 hostmasters, 254–256
 inheriting, 258
 Internet hosting centers, 269–271
 ISP, 264–269
 planning, 274–279
 sequential assignment, 280–288
 symmetrical gaps, 289–292
 tactics, 279–280
 groups, 181–183
 man-in-the-middle attack, 240
 manually configured tunnels, 321
 mapping addresses, 50
 masks
 2-bit subnetting, 49–51
 3-bit subnetting, 51–53
 4-bit subnetting, 53–54
 5-bit subnetting, 54, 56
 6-bit subnetting, 56–57
 FLSM. *See* FLSM
 rounding up, 279
 searching, 72
 VLSM. *See* VLSM,
 mathematics
 binary numbers, 25–28
 IPv4 address spaces, 22
 private addresses, 122
 subnet masks, 67, 69
 Media Access Control (MAC), 205–211, 313

- memberships, sending datagrams, 181
- methods, IETF, 6
- migration
 - IPv6, 324
 - tools, 319–322, 324
- mnemonics, 149, 195
- models, OSI Reference, 193–194
- modification of subnets, 279
- moving subnets, 76–77
- multicasting, 173
 - addresses, 309–310
 - codes, 175
 - IP, 169–173
 - addresses, 175–179
 - routing, 179–183
- multihoming private networks, 131–135
- multiple egress points, 129, 131–135
- multiple subnet masks, 66–67

N

- names
 - DNS, 195. *See also* DNS
 - FQDN, 151
 - ICANN, 155
 - Internet, 147–150, 164–166
 - proprietary, 166
 - resolving, 198–205
 - servers, 198
- namespaces
 - DNS, 151–152
 - obtaining, 163–164
- NAT (Network Address Translation), 124, 139–140
 - implementing, 129, 131–140
 - logistics, 141
 - problem statements, 125
 - RFCs, 139–140
 - scalability, 141
 - technical overview, 126–129
 - troubleshooting, 140–141
 - updating, 139–140
- Net 39 experiment, 89–90
- Network Address Translation. *See* NAT
- Network Information Center. *See* NIC
- networks
 - 24-bit addresses, 47–59
 - addresses
 - acquiring, 256–257
 - enterprise WANs, 259–263
 - hostmasters, 254–256
 - inheriting, 258
 - Internet hosting centers, 269–271
 - ISP, 264–269
 - managing, 253
 - CIDR
 - aggregatability, 108–110
 - supernetting, 110–117
 - extended prefixes, 43
 - IP
 - addresses, 29
 - broadcast datagrams, 171
 - communications sessions, 189–190
 - DNS, 195–200, 202, 204–205
 - multicast datagrams, 173
 - OSI Reference Model, 193–194
 - protocols, 191–192
 - translating MAC addresses, 205–211
 - translation, 194
 - unicast datagrams, 170
 - IPv4, 320–324
 - LANs. *See* LANs
 - multihoming, 131–135
 - multiple egress points, 129–135
 - peering, 229
 - redundant connections, 130–131
 - small, 181
 - stability, 233
 - address lending, 248–249
 - open networking, 233–243
 - RFC 2267, 243–248
 - stub
 - NAT, 135
 - partitioning backbones, 137–139
 - subnetting, 73–78
- NIC (Network Information Center), 148–150
- nonreportable addresses, 96
- nonroutable addresses, 122
- nonstandard Internet names, 164–166
- nonzero octets, 29
- notations
 - base 16 addresses, 306–308
 - CIDR, 103–110

numbers, 307
 in addresses, 22
 converting, 23–24
 ICANN, 155
 numeric contiguity, CIDR, 111

O

obtaining namespaces, 163–164
 octets, 22, 24
 Class A IP addresses, 31
 nonzero, 29
 one-to-all communication, 171. *See also*
 broadcasting
 one-to-many communication, 173. *See also*
 communications
 one-to-one communication, 170. *See also* unicasting
 on-ramp providers, 228. *See also* ISP
 open networking, 233–234, 236, 238–243
 Open Shortest Path First (OSPF), 216
 open standards, 16–18
 optimization of
 aggregatability, 88
 subnetting, 39–43, 45–47
 OSI (Open Systems Interconnect), 192–194
 OSPF (Open Shortest Path First), 216
 overlay tunneling, 320
 oversized block assignments, 91
 overview of
 CIDR, 101–105
 NAT, 126, 128–129

P

packets
 ARP, 207
 IP, 169–173
 pain thresholds, 277
 partitioning backbone stubs, 137–139
 paths. two-level IP addresses, 29
 peering, 229–230
 periods. *See* dots
 physical addresses, 205. *See also* MAC
 ping command, multicast addresses, 179
 planning addresses, 274–279

platforms, 270
 points of translation, IP networks, 194
 policy-based routing, 223
 ports, scanning, 239
 predefining IP addresses, 289–292
 prefixes for extended networks, 43
 preservation of address blocks, 92–93, 95–99
 prevention of fragmentation, 96
 private address spaces, 121–124
 private lines, 230
 private networks, multihoming, 131–133, 135
 private peering, 229
 private SLDs, 167
 problem statements, NAT, 125
 problems. *See* troubleshooting
 procedures, IETF, 6
 proprietary names, 166
 propriety of open standards, 17
 protocols
 ARP, 206–211
 BGP, 223
 DHCP, 262, 276
 distance vector routing, 220
 dual stacks, 319–320
 EGPs, 223
 ICMP, 242
 IGMP, 181
 IP, 191–194
 link-state routing, 221
 RIP, 220
 routing, 215
 calculating routes, 219–223
 discovering routes, 216–218
 TCP, 174
 UDP, 174
 public peering, 229

Q

queries
 iterative, 200, 202
 recursive, 202, 204

R

- rationing registered addresses, 97
- RDNS (Reverse DNS), 204–205
- reconciliation of hosts.txt files, 149
- records, subnetting, 78
- recursive queries, 202, 204
- redundant connections, 130–131
- Regional Internet Registries (RIRs), 9
- registered addresses, rationing, 97
- related devices, grouping, 261
- replies, ARP, 207
- Request for Comments (RFCs), 13–14
- requests, ARP, 207
- reserved addresses, 178–179, 257
- resolution
 - names, 198–205
 - namespaces, 164
- resolvers, 198–199
- responses, Date of Doom, 83–86
- reuse of ccTLD, 163
- Reverse DNS (RDNS), 204–205
- RFC 1480, 158
- RFC 1517, 101–102
- RFC 1597, 121
- RFC 1631, 125
- RFC 1918, 122
 - NAT, 124
 - problems statements, 125
 - technical overview, 126, 128–129
 - reserved address spaces, 257
- RFC 2008, 248–249
- RFC 2050, 265
- RFC 2260, 134
- RFC 2267, 243–248
- RFC 606, 148
- RFCs, 139–140
 - RFC 1009, 66–67
 - RFC 1878, 67, 69
- RIP (Routing Information Protocol), 220
- RIRs (Regional Internet Registries), 9
- root TLDs, 153
- rounding up masks, 279
- routers, multicasting, 173
- routes
 - aggregation, 93

- calculating, 215, 219–221, 223
- discovering, 216–218

routing

- CIDR. *See also* CIDR

- architecture, 102–105
- history of, 101–102
- notation, 105–110
- supernetting, 110–117

- distance vector routing protocols, 220

- Internet, 224–230

- IP, 215

- calculating routes, 219–223
- discovering routes, 216–218
- multicasting, 179–183

- link-state, 220–223

- policy-based, 223

- static, 223

- tables, 85, 181, 215

- Routing Information Protocol (RIP), 220

rules

- subnets, 45, 66

- supernetting, 111–117

S

- scalability of NAT, 141

- scanning ports, 239

scope of

- broadcasting, 310

- multicast addresses, 310

- searching subnet masks, 72

- second-level domains (SLDs), 152, 197

security

- ACLs, 239

- networks, 233

- address lending, 248–249

- open networking, 233–243

- RFC 2267, 243–248

- sending datagrams to groups, 181

- sequential assignment of IP addresses, 280–288

- servers, names, 198

- services, transit, 229–230

sessions

- hijacking, 241

- IP networks, 189–190

- OSI Reference Model, 193–194

- Shared WhoIs Project (SWIP), 265
- single interfaces, CIDR, 113
- single locations, NAT address subsets, 135
- Site-Level Aggregation (SLA), 312
- site-local-use unicast addresses, 314
- sizing subnets, 45, 61, 279
- SLA (Site-Level Aggregation), 312
- SLD (second-level domain), 152–156, 197
 - iterative queries, 200
 - private, 167
 - subdomains, 159
- small networks, multicasting, 181
- smurf attacks, 242–243
- solutions
 - Date of Doom, 86–89
 - IPv6, 304–305
- SOs (supporting organizations), 9
- source address assurance, 243–248
- source machines, unicasting, 170
- spaces (addresses), 273
 - acquiring, 256–257
 - enterprise WANs, 259–263
 - hostmasters, 254–256
 - inheriting, 258
 - Internet Hosting centers, 269–271
 - ISP, 264–269
 - managing, 253
 - private, 121–124
 - subnetting, 39–47, 262
- special purpose of TLDs, 154
- sponsored TLDs, 162
- spoofing addresses, 241
- stability of networks, 233
 - address lending, 248–249
 - open networking, 233–243
 - RFC 2267, 243–248
- stacks, dual protocols, 319–320
- standardization without ratification, 66
- standards
 - Internet, 12–16
 - open, 16–18
- statements, problem, 125
- states, domains, 159
- static load balancing, multimedia private networks, 134
- static routing, 223
- stolen address blocks, 268
- stub networks
 - NAT, 135
 - partitioning backbones, 137–139
- subdividing IP addresses, 24–25
- subdomains. *See also* domains
 - private SLDs, 167
 - SLDs, 159
- subnet masks, 43
 - 24-bit network addresses, 47–54, 56–59
 - configuring, 67
 - designing, 44–45
 - extended network prefixes, 43
- subnetting, 39–43, 45–47
 - 16-bit network addresses, 57–59
 - 2-bit masks, 49–51
 - 3-bit masks, 51–53
 - 4-bit masks, 53–54
 - 5-bit masks, 54, 56
 - 6-bit masks, 56–57
 - adding, 75
 - addresses, 60, 262
 - CIDR, 109
 - FLSM. *See* FLSM
 - moving, 76–77
 - numeric contiguity, 111
 - records, 78
 - rules, 45–47
 - sizing, 61, 279
 - upgrading, 75
 - VLSM. *See* VLSM
- subsets, NAT addresses, 135
- supernetting, 110–117
- support. *See also* troubleshooting
 - foreign addresses, 266, 268–269
 - topologies, 129, 131–141
- supporting organizations (SOs), 9
- suppression of zeros, 28
- SWIP (Shared Whole Project), 265
- symmetrical gaps, IP addresses, 289–292
- symmetry of CIDR notation, 105–110

T

- tables
 - address translation, 126
 - MAC addresses, 207
 - routing, 85, 181, 215
- tactics, addresses, 279–280
- TCP (Transmission Control Protocol), 174
- TCP/IP (Transmission Control Protocol/Internet Protocol), 121–124
- technical incompatibilities of NAT, 141
- technical overview of NAT, 126–129
- telco, 229
- third tiers, addressing, 40–41
- thresholds of pain, establishing, 277
- tiers, ISPs, 226, 228
- TLD (top-level domain), 151–160, 162–163, 196
- tools, IPv6 migration, 319–324
- topologies
 - enterprise WANs, 259
 - NAT
 - implementing, 129–135, 137–140
 - troubleshooting, 140–141
- tracking addresses, 274–280
- traffic, managing multicast, 182
- transit services, 229–230
- translations
 - binary-decimal, 39–43, 45–47
 - IP networks, 194
 - ISP tier hierarchies, 226, 228
 - NAT. *See* NAT
- Transmission Control Protocol. *See* TCP
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP
- troubleshooting, 37
 - class-based addressing, 37
 - NAT, 140–141
 - networks, 233
 - address lending, 248–249
 - open networking, 233–243
 - RFC 2267, 243–248
- tunnels
 - 6-to-4, 323
 - configuring, 321
 - IPv6, 320–322, 324
- two-level IP addresses, 29
- types of
 - addresses, 308–318
 - multicast addresses, 176–179

U

- UDP (User Datagram Protocol), 174
- uneven divisibility, 113
- unicast address architecture, 170, 311–317
- uniform resource locator (URL), 191
- uniformity of hosts.txt files, 149
- Uninterruptedly Power Supply. *See* UPS
- unknown IP addresses, 210
- unsponsored TLDs, 162
- unused addresses, Date of Doom, 90–92
- updating, 75
 - hosts.txt files, 149
 - NAT, 139–140
- upper halves of addresses, 255
- UPS (Uninterruptible Power Supply), 229
- URL (uniform resource locator), 191
- User Datagram Protocol (UDP), 174
- users, 97, 276

V

- values, multicast addresses, 310
- VLSM (Variable-Length Subnet Masking), 65, 102
 - applying, 73–78
 - RFCs, 65
 - RFC 1009, 66–67
 - RFC 1878, 67, 69
- vulnerabilities of IP addresses, 234–239. *See also* attacks; security

W

- WAN (wide-area network)
 - addresses, 259–263
 - broadcasting, 172
- whois command, 265
- working groups, 11

Z

- zeros, suppressing, 28
- zones, comparing, 197