



# INDEX

## A

- AAR (Automated Alternate Routing), configuring, 267–270
- ac user, creating, 506–507
- accessing SA, 285–288
- account policies (Unity), defining, 318, 321
- accounts (subscribers)
  - configuring for subscriber templates, 345
  - unlocking, 375–376
- activating CallManager services, 48–51
- Active Directory, schema, 441
- adding
  - clients to CallManager, 79
  - devices to CallManager with BAT, 105–108
  - functional groups, 494–502
  - gateways to CallManager, 115
    - H.323, 115–120
    - inter-cluster trunks, 134–139
    - MGCP, 120–134
  - lines to CTI route points, 175–177
  - lines to phones, 98–104
  - phones to CallManager, 87
    - Auto-Registration method, 88–90
    - manually, 91–98
    - with BAT, 110–113
    - with TAPS, 114
  - schedules to Unity, 303
  - subscriber templates, 343–344
  - subscribers to distribution lists, 390
  - user groups, 502–503
- ad-hoc conference calls, 220
- administration, security issues, 40
- administration tools
  - Advanced Settings Tools, 475
  - Audio Text Manager, 475
  - Bellhop Administration, 475
  - Bulk Edit, 476
  - Bulk Import Exchange, 476
  - Bulk Logout, 476
  - Bulk Subscriber Delete, 476
  - DCGC Reconnect Settings, 477
  - Disaster Recovery Backup, 477
  - Disaster Recovery Restore, 477
  - Failover Monitor, 477
  - Global Subscriber Manager, 477
  - IP Fax Configuration Wizard, 478
  - Key Dump, 478
  - License File Install Wizard, 478
  - License Info Viewer, 479
  - Message Store Manager, 479
  - Migrate Subscriber Data, 479
  - Permissions Wizard, 479
  - Public Distribution List Builder, 479
  - Schedule Unity Restart, 480
  - Service Configuration Wizard, 480
  - Subscriber Information Dump, 480
  - Third Party Fax Administration, 480
  - TTY Angel, 480
  - TTY Reader, 481
  - Upgrade License, 481
- administrative access, MLA, 493
- administrative rights, granting to subscribers, 378–379
- advanced call routing, creating interview handlers, 422–426
- advanced dial plan components, route filters, 163, 166–168
- advanced features, configuring
  - extension mobility, 243–250
  - IP phone services, 241–243
- Advanced Settings Tools, 475
- alarms, 272
- AMIS Networking, 37, 455–456
  - subscribers, 35
- annunciators, configuring, 258
- applying
  - CSS, 191
  - partitions, 191
  - route filters to route patterns, 168
- assigning
  - alternate extensions to subscribers, 388–389
  - call pickup groups to a line, 219–220
  - CSS to gateways, 194–195
  - CSS to lines, 193
  - CSS to phones, 192
  - MOH audio source to phones, 253–254
  - MRGs to device pools, 263
  - MRGs to phones, 262
  - partitions to lines, 195
  - partitions to patterns, 196

- Assistant Console (IPMA), installing, 512
- assistants (IPMA), configuring, 510–512
- associating users with a device, 240
- attacks, 38
- Attendant Console, 503
  - ac user, creating, 506–507
  - hunt groups, creating, 505
  - loading to PC, 507–508
  - pilot points, creating, 505
  - users, creating, 504
- audio management tools, 482–483
- audio text applications, creating, 426–427
- Audio Text Manager, 475
- AudioStat, 481
- authentication, Unity configuration, 313
- Auto-Attendant, 29
  - configuring, 420–422
- Auto-Registration, 40
  - adding phones to CallManager, 88–90

## B

---

- BAT (Bulk Administration Tool)
  - adding devices to CallManager, 105–108
  - adding phones to CallManager, 110–113
  - CSV files, creating, 108–110
  - installing, 105
- Bellhop Administration, 475
- blind addressing, 447
- Bridge Networking (Unity), 37, 458–459
- Bridge subscribers, 35
- Bridge Traffic Analyzer, 486
- building device pools, 75–76
- Bulk Edit, 476
- Bulk Import Exchange, 476
- Bulk Logout, 476
- Bulk Subscriber Delete, 476

## C

---

- cabling, 6
- CAC (Call Admission Control), 17–19
  - centralized deployment, 206
    - creating locations, 207–208
    - locations, assigning to devices, 208–209
  - distributed deployment, 198–200
    - gatekeepers, configuring, 200–201
    - inter-cluster trunks, configuring, 202–206
- calculating required number of inter-cluster trunks, 199
- call flow
  - example of, 141
  - of Unity messaging system, 28
  - within clusters, 142–144
- call handlers, 397. *See also* directory handlers
- call transfer settings, configuring, 404–406
- caller input settings, configuring, 409–411
- configuring, 401
- creating, 399
- greetings settings, configuring, 406–408
- interview handlers, 422–423, 426
- messages settings, configuring, 411
- of Unity messaging system, 29–31
- opening greeting, 398
- profile settings, configuring, 402–403
- remote management, 428

- call hold, configuring for subscribers, 380
- call park, creating patterns, 222–224
- Call Pickup
  - Group Call Pickup, configuring, 217–218
  - groups
    - assigning to a line, 219–220
    - creating, 218
- call queuing, enabling on Unity, 522–523
- call routing
  - configuring, 428
  - restriction tables, managing, 434–436
  - rules, configuring, 429–431, 434
- call screening
  - Unity configuration, 523
  - subscriber configuration, 380

- call transfer setting, configuring for subscriber templates, 352–354
- Call Viewer, 488
- caller input, configuring for subscriber templates, 358–360
- CallManager
  - activating services, 48–51
  - groups, creating, 68–70
- CallManager Serviceability, 271
  - alarms, 272
  - tools, 274–275, 279
  - traces, configuring, 273
- CAPF (Certificate Authority Proxy Function), 97
- CCAdmin
  - CallManager groups, creating, 68–70
  - parameters, defining, 56
- CCM Web Service parameters, defining, 64–65
- CCMUser parameters, defining, 58
- CDR parameters, defining, 59–60
- centralized CAC deployment, 206
  - locations
    - assigning to devices, 208–209
    - creating, 207–208
- CFB (conference bridge), 19
- clients
  - adding to CallManager cluster, 79
  - IP phones, adding to CallManager cluster, 87–98
- clusters, call flow, 142–144
- CMC (Client Matter Codes), configuring, 227
- CMLocal Date/Time groups, defining, 70–71
- Codec Checker, 482
- codecs, defining regions, 72–75
- comparing Unity and CallManager, 28, 39
- conference bridges, creating, 254–256
- conference calls, creating Meet-Me patterns, 221–222
- configuring
  - advanced features
    - extension mobility, 243, 246–250
    - IP phone services, 241–243
  - AMIS Networking, 455–456
  - annunciators, 258
  - auto attendant, 420–422
  - Bridge Networking, 458–459
  - call handlers, 401
    - call transfer settings, 404–406
    - caller input settings, 409–411
    - greetings settings, 406–408
    - messages settings, 411
    - profile settings, 402–403
  - call routing, 428
    - rules, 429–431, 434
  - call screening
    - for subscribers, 380
    - on Unity, 523
  - CMC, 227
  - Digital Networking, 444–447, 450
  - directory handlers, 413–414
    - caller input settings, 419
    - match list options settings, 417–419
    - profile settings, 414–415
    - search options settings, 415–417
  - gatekeepers, 200–201
  - Group Call Pickup, 217–218
  - inter-cluster trunks, 202–206
  - IP phones
    - device default settings, 86
    - phone button templates, 80–81
    - softkey templates, 83–85
  - IPMA, 508
    - Assistant Console installation, 512
    - hunt lists, 515–516
    - managers and assistants, 510–512
    - setting IP address, 509–510
    - time of day routing, 512–515
  - message notification, 386–388
  - MOH servers, 251–253
  - MTPs, 256
  - one key transfers, 381–383
  - remote site failover, 263–264
    - AAR, 267–270
    - SRST, 264–267
  - SMTP Networking, 450–455
  - special services, route patterns, 211–214
  - subscriber settings, greeting length, 380–381
  - subscriber templates
    - account settings, 345
    - call transfer settings, 352–354
    - caller input, 358–360
    - conversation settings, 348–349, 352

- greetings, 355–358
- message settings, 361–368
- password settings, 346–347
- profile settings, 344–345
- system settings
  - authentication, 313
  - holidays, 305
  - ports, 316
  - schedules, 302–304
- Unity
  - as Meet-Me conference manager, 524
  - CoS, 321–331
  - directed call pickup, 525
- Unity-to-Unity Networking, 455
- voice mail ports, 229, 232
- VPIM Networking, 456–458
- Contacts screen (SA System>Configuration menu), 311
- conversation setting, configuring for subscriber templates, 348–349, 352
- conversations, configuring, 391–393
- CoS (class of service), 24
  - modifying, 377
  - Unity configuration, 321–331
- creating
  - ac user (Attendant Console), 506–507
  - Attendant Console users, 504
  - audio text applications, 426–427
  - call handlers, 399
  - call park patterns, 222–224
  - call pickup groups, 218
  - CallManager groups, 68–70
  - CallManager users, 239–240
  - conference bridges, 254–256
  - CSS, 188–190
  - CSV files for BAT, 108–110
  - CTI route points, 172
  - device pools, 75–76
  - dial plans, 160–162
  - Domino subscribers, 338
  - Exchange subscribers, 369–371
  - FACs, 224, 227
  - hunt groups (Attendant Console), 505
  - hunt lists, 232
  - hunt pilots, 233–236
  - interview handlers, 422–426
  - IPMA
    - hunt lists, 518–519
    - hunt pilots, 519–522
    - line groups, 516–518
  - Meet-Me patterns, 221–222
  - MWI directory numbers, 236–237
  - partitions, 188–190
  - PDLs, 331–333
  - pilot points (Attendant Console), 505
  - private lists, 385
  - reliable infrastructure, 9–11
  - route groups, 147–148
  - route lists, 148–154
  - route patterns, 156–160
  - subscriber templates, 339
  - transcoders, 257–258
  - translation patterns, 168–171
  - voice mail pilots, 237
  - voice mail profiles, 237–238
- criteria for switch selection, 7–9
- CSS (Calling Search Space), 24, 88, 179, 182, 184–188. *See also* FACs
  - applying, 191
  - assigning
    - to gateways, 194–195
    - to lines, 193
    - to phones, 192
  - creating, 188–190
- CSV files, creating for BAT, 108–110
- CTI route points
  - adding lines to, 175–177
  - creating, 172
- CUPID (Cisco Unified Performance Information and Diagnostics), 484

---

## D

- DataLink Explorer, 484
- Date/Time groups, defining, 70–71
- DBWalker, 484
- DCGC Reconnect Settings, 477
- deactivating unnecessary services, 45–48
- defining
  - account policies (Unity), 318, 321
  - CMLocal Date/Time groups, 70–71

- enterprise parameters, 54
  - CCAdmin parameters, 56
  - CCM Web Service parameters, 64–65
  - CCMUser parameters, 58
  - CDR parameters, 59–60
  - General parameters, 54–55
  - Localization parameters, 60
  - MLPP parameters, 61
  - Phone URL parameters, 62–63
  - Security parameters, 62
  - User Search parameters, 63–64
- Unity Subscribers, 32–35
- deleted messages, allowing subscribers to save, 384
- deployment models
  - multisite WAN with centralized call processing, 20
  - multisite WAN with distributed call processing, 21–22
  - single site, 20
- device default settings, configuring, 86
- device pools, building, 75–76
- device registration, preparing CallManager for, 65, 67–68
- devices, 14
  - adding to CallManager cluster with BAT, 105–108
  - associating with a user, 240
  - CallManager groups, creating, 68–70
  - codecs, defining regions, 72–75
  - gatekeepers, 17–18
    - CAC, 18–19
  - gateways, 16
  - IP phones
    - device default settings, configuring, 86
    - phone button templates, configuring, 80–81
    - softkey templates, configuring, 83–85
  - media resources, 19
    - CFB, 19
    - MOH, 20
    - transcoders, 20
  - phones, 14–16
    - transcoders
      - configuring, 257–258
      - creating, 257
- diagnostic tools, 483–486
- dial plans, 22
  - call flow, 23
  - CoS, 24
  - creating, 160–162
  - CTI route points
    - adding lines to, 175–177
    - creating, 172
  - patterns, 154–155
    - wildcards, 142
  - route filters, 163, 166–168
  - route groups, 144
    - creating, 147–148
    - digit manipulation, 144–146
  - route lists, creating, 148–154
  - route patterns, creating, 156–160
  - translation patterns, creating, 168–171
  - wildcards, 23
- digit manipulation, 145–146
  - translation patterns, creating, 168–171
- Digital Networking, 36, 443–450
- directed call pickup, Unity configuration, 525
- Directory Access Diagnostics, 484
- directory handlers, 31, 397
  - caller input settings, configuring, 419
  - configuring, 413–414
  - match list options settings, configuring, 417–419
  - profile settings, configuring, 414–415
  - search options settings, configuring, 415–417
- Disaster Recovery Backup, 477
- Disaster Recovery Restore, 477
- discard instructions, 152
- distributed CAC deployment, 198–200
  - gatekeepers, configuring, 200–201
  - inter-cluster trunks, configuring, 202–206
- distribution lists
  - adding/removing subscribers from, 390
  - allowing subscribers to send to, 384
- DNS dependencies, removing, 52–54
- DOH Prop Test, 484

Domino subscribers, 34, 337  
  creating, 338  
DTMF (Dual Tone Multi Frequency), 8

## E

---

Edit Switch Utility, 488  
enabling  
  call queuing on Unity, 522–523  
  CMCs, 227  
  Live Replay for subscribers, 384–385  
  MWI on alternate extensions, 389  
enterprise parameters, defining, 52–54  
  CCAdmin parameters, 56  
  CCM Web Service parameters, 64–65  
  CCMUser parameters, 58  
  CDR parameters, 59–60  
  General parameters, 54–55  
  Localization parameters, 60  
  MLPP parameters, 61  
  Phone URL parameters, 62–63  
  Security parameters, 62  
  User Search parameters, 63–64  
Event Monitoring Service, 485  
Event Notification Utility, 486  
example call flow, 141  
Excel, creating CSV files for BAT, 108–110  
Exchange subscribers, 34, 337  
  creating, 369–371  
  importing, 372–375  
extension mobility, configuring, 243–250  
extensions, assigning alternate to subscribers,  
  388–389

## F

---

FACs (Forced Authorization Codes), creating,  
  224, 227  
Failover Monitor, 477  
Follow me feature (PA), 26  
functional groups, adding, 494–502

## G

---

gatekeepers, 17–18  
  CAC, 18–19  
  configuring, 200–201  
gateways, 16  
  adding to CallManager cluster, 115  
  CSS, assigning, 194–195  
  H.323, adding to CallManager cluster, 115–120  
  inter-cluster trunks, adding to CallManager  
  cluster, 134–139  
  MGCP, adding to CallManager cluster,  
  120–134  
  product-specific configuration parameters,  
  130–134  
Gather Unity System Information utility, 487  
general call handlers, 30  
General parameters, defining, 54–55  
Global Subscriber Manager, 477  
Grant Unity Access utility, 485  
granting  
  subscriber access to licensed  
  features, 378  
  subscribers administrative rights,  
  378–379  
greetings  
  configuring for subscriber templates, 355–358  
  settings, configuring, 380–381  
Group Call Pickup, configuring, 217–218  
groups (call pickup)  
  assigning to a line, 219–220  
  creating, 218  
Grove, Andrew, 317  
GUI Languages screen (SA System>Configuration  
  menu), 313

## H

---

H.323 gateways, adding to CallManager, 115–120  
holidays, Unity configuration, 305  
hunt groups, 505  
hunt lists  
  creating, 232, 518–519  
  IPMA configuration, 515–516

- hunt pilots, 232
  - creating, 233–236, 519–522
- Hybrid deployment model, 21

---

## I

- importing Exchange subscribers, 372–375
- infrastructure
  - cabling, 6
  - reliability, ensuring, 9–11
  - switches, selecting, 7–9
- installing
  - Attendant Console on PC, 507–508
  - BAT, 105
  - IPMA Assistant Console, 512
- Integration Monitor, 488
- integration
  - of Unity and CallManager, verifying, 292–296
  - of Unity and SIP, verifying, 296–301
- inter-cluster trunks
  - adding to CallManager, 134–139
  - calculating required number of, 199
  - configuring, 202–206
- interface (SA)
  - icons, 289
  - System>Configuration menu, 306
    - Contacts screen, 311
    - GUI Languages screen, 313
    - Phone Languages screen, 311
    - Recordings screen, 311
    - Settings screen, 306, 309
    - Software Versions screen, 309
- Internet Subscribers, 34
- interview handlers, 30, 397, 422–426
- IP Fax Configuration Wizard, 478
- IP phones
  - adding lines, 98–104
  - CSS, assigning, 192
  - device default settings, configuring, 86
  - phone button templates, configuring, 80–81
  - services, configuring, 241–243
  - softkey templates, configuring, 83–85

- IPMA
  - Assistant Console, installing, 512
  - configuring, 508
  - hunt lists
    - configuring, 515–516
    - creating, 518–519
  - hunt pilots, creating, 519–522
  - line groups, creating, 516–518
  - managers and assistants, configuring, 510–512
  - service parameters, configuring, 509–510
  - time of day routing, configuring, 512–515

---

## K - L

- Key Dump, 478
- Learn Tones utility, 488
- License File Install Wizard, 478
- License Info Viewer, 479
- licensed features (Unity), granting subscriber access, 378
- line groups (IPMA), creating, 516–518
- lines
  - adding to phones, 98–104
  - CSS, assigning, 193
  - partitions, assigning, 195
- Live Replay, enabling for subscribers, 384–385
- loading Attendant Console to PC, 507–508
- Localization parameters, defining, 60
- locations, 440

---

## M

- managers (IPMA), configuring, 510–512
- managing
  - call handlers remotely, 428
  - media resources, 259
    - MRGs, 260–263
  - multi-location overlapping extensions
    - on Unity, 526
  - PDLs, 334
  - restriction tables, 434–436
- manually adding phones to CallManager, 91–98
- MCS (Media Convergence Server), 11



- media resources, 19
  - CFB, 19
  - conference bridges, creating, 254–256
  - managing, 259
  - MOH, 20
    - assigning audio source to phone, 253–254
    - servers, configuring, 251–253
  - MRGs
    - assigning to device pools, 263
    - assigning to phones, 262
    - configuring, 260–262
  - MTPs, configuring, 256
  - transcoders, 20
    - creating, 257–258
- Meet-Me patterns, creating, 221–222
- message notification, configuring for subscribers, 386–388
- Message Store Manager, 479
- messages, 441
  - annunciators, configuring, 258
  - settings, configuring for subscriber templates, 361–368
- MGCP gateways, adding to CallManager, 120–125
  - non-IOS, 125–134
- Migrate Subscriber Data, 479
- MLA (Multi-Level Access), 40, 493
  - functional groups, adding, 494–502
  - user groups, adding, 502–503
- MLPP (Multi-Level Precedence and Pre-emption)
  - parameters, defining, 61
- modifying
  - maximum greeting length, 380–381
  - subscriber CoS, 377
- MOH, 20
  - assigning audio source to phone, 253–254
  - server configuration, 251–253
- MRGs (Media Resource Groups), 259
  - assigning to device pools, 263
  - assigning to phones, 262
  - configuring, 260–262
- MTPs (media termination points), configuring, 256
- multisite WAN with centralized call processing
  - deployment model, 20
- multisite WAN with distributed call processing
  - deployment model, 21–22

- MWI
  - directory numbers, creating, 236–237
  - enabling on alternate extension, 389

---

## N

---

- naming conventions for partitions, 184
- navigation syntax for SA, 290
- network subscribers, 338
- networking, 439
  - AMIS, 37, 455–456
  - Bridge, 37, 458–459
  - components, 440
  - Digital, 36, 443–450
  - SMTP, 36, 450
    - components of, 450–455
  - Unity-to-Legacy, 442
  - Unity-to-Unity, 441, 455
  - VPIM, 37, 456–458

---

## O-P

---

- one key transfers, configuring, 381–383
- opening greeting call handlers, 398
- organizing subscriber templates, 339–340
- partitions, 24, 179, 182–188
  - applying, 191
  - assigning
    - to lines, 195
    - to patterns, 196
  - creating, 188–190
  - naming conventions, 184
- password setting, configuring for subscriber templates, 346–347
- passwords
  - for Unity Subscribers, 42
  - resetting, 377
  - unlocking subscriber accounts, 375–376
- patterns, 142, 154–155
  - call park, creating, 222–224
  - discard instructions, 152
  - Meet-Me, creating, 221–222
  - partitions, assigning, 196

- translation patterns, creating, 168–171
- wildcards, 142
  - creating dial plans, 160–162
- PDLs (public distribution lists)
  - creating, 331–333
  - managing, 334
- Permissions Wizard, 479
- Personal Assistant features, 26
- phone button templates, configuring, 80–81
- Phone Languages screen (SA System>Configuration menu), 311
- Phone URL parameters, defining, 62–63
- phones
  - adding to CallManager cluster, 87
    - Auto-Registration method, 88–90
    - manually, 91–98
    - with BAT, 110–113
    - with TAPS, 114
  - CSS, assigning, 192
  - lines, adding, 98–104
- pilot points, 505
- Port Status Monitor, 488
- Port Usage Analyzer utility, 487
- ports
  - configuring for voice mail, 229, 232
  - Unity configuration, 316
- preparing, CallManager for device
  - registration, 65–68
- primary CallManager, 13
- private lists, creating for subscribers, 385
- profile setting, configuring for subscriber templates, 344–345
- proxy-line mode (IPMA), 508
- Public Distribution List Builder, 479
- gateways, 16
- media resources, 19
  - CFB, 19
  - MOH, 20
  - transcoders, 20
- phones, 14–16
- registration, preparing CallManager for, 65–68
- reliability of infrastructure, ensuring, 9–11
- remote call handler management, 428
- Remote Serviceability Kit Configuration, 485
- remote site failover
  - AAR, configuring, 267–270
  - configuring, 263–264
  - SRST, configuring, 264–267
- removing
  - DNS dependencies, 52–54
  - subscribers from distribution lists, 390
- reporting tools, 486–487
- resetting subscriber passwords, 377
- Restrict Dial utility, 488
- restriction tables, managing, 434–436
- route filters, 163, 166–168
  - applying to route patterns, 168
- route groups, 144
  - creating, 147–148
  - digit manipulation, 144–146
- route lists
  - creating, 148–154
  - route patterns, creating, 156–160
- route patterns
  - configuring for special services, 211–214
  - creating, 156–160
- RTMT (Real-Time Monitoring Tool), 275
- rules-based routing, 26

## R

- Recordings screen (SA System>Configuration menu), 311
- redundancy
  - implementing in design phase, 9–10
  - remote site failover, configuring, 263–270
- regions, configuring, 72–75
- registered CallManager devices, 14
  - gatekeepers, 17–18
  - CAC, 18–19

## S

- SA (System Administrator)
  - accessing, 285–288
  - Configuration menu, 306
  - interface, 286–289
  - navigation syntax, 290
  - System>Configuration menu
    - Contacts screen, 311
    - GUI Languages screen, 313
    - Phone Languages screen, 311

- Recordings screen, 311
- Settings screen, 306, 309
- Software Versions screen, 309
- Schedule Unity Restart, 480
- schedules, Unity configuration, 302–304
- schema, 441
- secondary CallManager, 13
- security, 37–39
  - auto-registration, 40
  - CallManager administration, 40
  - Unity, 40–41
    - account policies, defining, 318, 321
    - authentication, configuring, 313
  - viruses, 38
- Security parameters, defining, 62
- selecting switches, 7–9
- Service Activation tool (CallManager Serviceability), 274
- Service Configuration Wizard, 480
- services
  - CallManager, activating, 48–51
  - deactivating, 45–48
  - IPMA parameters, configuring, 509–510
- Set Prompt Speed utility, 482
- Set Record Format utility, 482
- Set Volume utility, 482
- Set WAV Format utility, 482
- settings for subscriber templates, 341–343
  - account settings, 345
  - call transfer settings, 352–354
  - caller input, 358–360
  - conversation settings, 348–349, 352, 391–393
  - greetings, 355–358
  - message settings, 361–368
  - password settings, 346–347
  - profile settings, 344–345
- Settings screen (SA System>Configuration menu), 306, 309
- shared-line mode (IPMA), 508
- single site deployment model, 20
- SIP integration with Unity, verifying, 296–301
- Smartcard service, 47
- SMTP Networking (Unity), 36
  - components of, 450–455
- softkey templates, configuring, 83–85
- Softphones, 16
- Software Versions screen (SA System>Configuration menu), 309
- Special Characters, 155
- special services, 210–211
  - route patterns, configuring, 211–214
- SRST
  - reference configuration, 266–267
  - remote site failover, configuring, 263–265
- Subscriber Information Dump, 480
- subscriber templates. *See also* subscribers
  - account settings, configuring, 345
  - adding, 343–344
  - call transfer settings, configuring, 352–354
  - caller input, configuring, 358–360
  - conversation settings, configuring, 348–349, 352
  - creating, 339
  - greetings, configuring, 355–358
  - message settings, configuring, 361–368
  - organizing, 339–340
  - password settings, configuring, 346–347
  - profile settings, configuring, 344–345
  - settings, 341–343
- subscribers, 441
  - accounts, unlocking, 375–376
  - adding/removing from distribution lists, 390
  - allowing to save deleted messages, 384
  - allowing to send to distribution lists, 384
  - alternate extensions, assigning, 388–389
  - call screening, configuring, 380
  - conversation setting, configuring, 391–393
  - CoS, modifying, 377
  - Domino subscribers, creating, 337–338
  - Exchange subscribers, 337
    - creating, 369–371
    - importing, 372–375
  - granting system access rights, 378–379
  - greetings settings, modifying, 380–381
  - Live Replay, enabling, 384–385
  - message notification, configuring, 386–388
  - network subscribers, 338
  - passwords, resetting, 377
  - private lists, creating, 385

- Unity
  - CoS configuration, 321–331
  - defining, 32–35
- sweet tarts, 290
- switch integration tools, 487–489
- switches, selecting, 7–9
- SysCheck, 485
- system settings, configuring
  - authentication, 313
  - holidays, 305
  - ports, 316
  - schedules, 302–304
- System>Configuration menu
  - Contacts screen, 311
  - GUI Languages screen, 313
  - Phone Languages screen, 311
  - Recordings screen, 311
  - Settings screen, 306, 309
  - Software Versions screen, 309

## T

- TAPS (Tool for Auto-registered Phone Support)
  - adding phones to CallManager, 114
- Third Party Fax Administration, 480
- time of day routing, IPMA configuration, 512–515
- tools, CallManager Serviceability, 274–275, 279
- traces, configuring, 273
- transcoders, 20
  - creating, 257–258
- transferring calls, configuring one key transfers, 381–383
- TTY Angel, 480
- TTY Reader, 481

## U

- UA (Unity Administrator). *See* SA (System Administrator)
- UDT (Unity Diagnostic Tool), 485
- UDV (Unity Diagnostic Viewer), 486
- unified messaging, 26–27
  - Unity
    - AMIS Networking, 37
    - Bridge Networking, 37

- call flow, 28
- call handlers, 29–31
- Digital Networking, 36
- networking overview, 36
- security, 37–41
- SMTP Networking, 36
- software architecture, 27–28
- Subscribers, 32–35
- VPIM Networking, 37
- Unity, 388. *See also* Unity networking
  - account policies, defining, 318, 321
  - AMIS Networking, 37
  - auto attendant
    - audio text application, creating, 426–427
    - configuring, 420–422
  - Bridge Networking, 37
  - call flow, 28, 396–397
  - call handlers, 29–31, 397
    - configuring, 401–411
    - creating, 399
    - opening greeting, 398
  - call queuing, enabling, 522–523
  - call screening, configuring, 523
  - CallManager integration, verifying, 292–296
  - comparing to CallManager, 28
  - configuring as Meet-Me conference manager, 524
  - CoS, configuring, 321, 324–331
  - directed call pickup, configuring, 525
  - security issues, 41
  - multi-location overlapping extensions, managing, 526
  - networking, 36
  - PDLs
    - creating, 331–333
    - members, managing, 334
    - security issues, 37–41
  - SIP integration, verifying, 296–301
  - software architecture, 27–28
  - Subscribers, defining, 32–35
- Unity networking, 439
  - AMIS, 455–456
  - Bridge networking, 458–459
  - components, 440
  - Digital networking, 36, 443–450
  - SMTP networking, 36, 450
    - components of, 450–455
  - Unity-to-Legacy, 442

- Unity-to-Unity, 441, 455
- VPIM Networking, 37, 456–458
- Unity Telephone Integration Manager, 489
- unlocking subscriber accounts, 375–376
- unnecessary services, deactivating, 45–48
- Upgrade License, 481
- user groups, adding, 502–503
- User Search parameters, defining, 63–64
- users
  - associating with a device, 240
  - creating, 239–240
- UTIM (Unity Telephony Integration Manager), 292–296

## V

---

- verifying Unity integration
  - with CallManager, 292–296
  - with SIP, 296–301
- viruses, 38
- voice mail
  - hunt lists, creating, 232
  - hunt pilots, creating, 233–236
- voice mail pilots, creating, 237
- voice mail profiles, creating, 237–238
- voice mail submenu items, 229
  - port configuration, 229, 232
- VPIM Networking, 37, 456–458
- VPIM subscribers, 35

## W

---

- WaveGain, 483
- web-based interfaces, 12
- wildcards, 23, 142
  - patterns, 154–155
  - dial plans, creating, 160–162
- Windows services, deactivating, 45–48